

HANFORD SITE ENVIRONMENTAL SURVEILLANCE
DATA REPORT FOR CALENDAR YEAR 2001

L. E. Bisping

September 2002

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

PREFACE

Environmental surveillance at the Hanford Site, located in southeastern Washington State, is conducted by Pacific Northwest National Laboratory (PNNL), which is operated by Battelle for the U.S. Department of Energy. The data collected provide a historical record of radionuclide and radiation levels attributable to natural causes, worldwide fallout, and Hanford operations. Data are also collected to monitor several chemicals and metals in Columbia River water and sediment. For more information regarding the 2001 sampling schedule for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project, refer to L. E. Bisping, Environmental Surveillance Master Sampling Schedule (PNNL-13418, Pacific Northwest National Laboratory, Richland, Washington).

PNNL publishes an annual environmental report for the Hanford Site each calendar year. The Hanford Site Environmental Report for Calendar Year 2001 describes the site mission and activities, general environmental features, radiological and chemical releases from operations, status of compliance with environmental regulations, status of programs to accomplish compliance, and environmental monitoring activities and results. Sections of the annual environmental report include tables and summaries of offsite and onsite environmental surveillance data collected by PNNL during 2001. This data report contains the actual raw data used to create those tables and summaries. In addition to providing raw data collected during routine sampling efforts in 2001, this data report also includes data from special sampling studies performed by PNNL during 2001.

For further information regarding environmental management activities and compliance issues, refer to T. M. Poston, R. W. Hanf, R. L. Dirkes, and L. F. Morasch, 2002, Hanford Site Environmental Report for Calendar Year 2001 (PNNL-13910, Pacific Northwest National Laboratory, Richland, Washington), Internet address: <http://hanford-site.pnl.gov/envreport> or contact T. M. Poston, Pacific Northwest National Laboratory, P.O. Box 999, Richland, Washington 99352 (ted.poston@pnl.gov).

INTRODUCTION

The following sections provide tables of data on which PNNL's environmental surveillance summary information in the Hanford Site Environmental Report for Calendar Year 2001 was based. Information that may help the reader to understand these data tables is provided below.

GENERAL

Some degree of inherent uncertainty is associated with all analytical measurements. The total propagated analytical uncertainty for an individual result is a 2-sigma counting error. For samples that are prepared or manipulated in the laboratory prior to counting, the total propagated analytical uncertainty includes both the counting uncertainty and the uncertainty connected with sample preparation and chemical separations. For samples that are not manipulated in the laboratory before counting, the total propagated analytical uncertainty only accounts for the uncertainty associated with counting the sample. The uncertainty associated with samples that are analyzed but not counted includes only the analytical process uncertainty.

EXTERNAL RADIATION DATA

The thermoluminescent dosimeter (TLD) readings in this data volume are in milliroentgens per day (mR/day) and have been converted to mrem/year for presentation in the annual report.

The Following section provides definitions of column headings in the data tables in this document.

COLUMN HEADING	DEFINITION
OWNER ID	Identifies the owner of the data (SESPMNT = PNNL SESP routine collection, SESPSPEC = PNNL SESP special study, PNLGW = PNL Groundwater, CENTPLAT = Central Plateau contractor data)
SAMP NUM	Sample Number is a unique identifier for a sample
SAMP SITE NAME	Sample Site Name is the name of the sampling site as identified in the Hanford Environmental Information System (HEIS) database
DIST CLASS	Distant Classification is the location of the sampling site relative to the Hanford Site (Onsite, Offsite, Community, Distant, Perimeter, River_Shoreline)
MEDIA	<p>Categorizes samples into logical groups or subject areas:</p> <p>AT Air</p> <p>BI Biota (foodstuffs, wildlife, vegetation)</p> <p>ER External Radiation</p> <p>SO Soil/Sediment</p> <p>SW Surface Water (also represents water collected from rivers, ponds and springs, and drinking water)</p>
SAMP FROM	Sample From identifies the media-dependent entity that was sampled (e.g., COW, WINE, WHITEFISH, etc.)
SAMP ITEM	Sample Item identifies the media-dependent item (e.g., MILK, RED WINE, MUSCLE, etc.) that was sampled from the entity identified in the SAMP FROM field
COLL MTHD	<p>Collection Method is used to denote the type of method used for surface water (SW) collections</p> <p>FILTER Filter material of cloth or paper</p> <p>RESIN Resin sampler for collecting cations and anions from water</p>
SAMP DATE	Sample Date is the date the sample was collected
CON SHORT NAME	Constituent Short Name for the specific radiological or chemical compound or physical parameter

COLUMN HEADING	DEFINITION
VALUE RPTD	The concentration or result reported by the analytical laboratory or read from an instrument
ANAL UNITS RPTD	The units in which the result was originally reported
COUNTING ERROR	The 2-sigma Counting Error for radioanalytical results only
TOTAL ANAL ERROR	The 2-sigma Total Analytical Error may be reported for any result
LAB QUALIFIER	<p>A flag identifying issues that could impact the quality of the reported result. Qualifiers that apply to the 2001 data include:</p> <p>B Used when the analyte was found in the associated blank as well as in the sample, indicates possible/probable blank contamination</p> <p>EN A matrix interference was encountered during the analysis, and the matrix spike recovery was outside the control limits. Result may be biased.</p> <p>BJ Characteristics from both 'B' and 'J' qualifiers exist</p> <p>C Possible contamination has occurred</p> <p>D Identifies all compounds in an analysis at a secondary dilution factor</p> <p>J Value is estimated; no 'U' qualifier has been assigned and the result is below the required detection level (RDL)</p> <p>U Indicates constituent was analyzed for but not detected or value reported is less than the MDA. For metals, 'U' qualifier may be represented by the analytical detection limit.</p>
SAMP COMMENT	Contains pertinent information about a sample, which may effect the quality and use of the data
RESULT COMMENT	Contains pertinent information about the result, which may effect the quality and use of the data
SAMPLE LOCATION	Detailed information regarding the location where soil and vegetation samples were collected.

COLUMN HEADING	DEFINITION
TAG ID	Identifier used to group the different portions collected from a single biota sample. For example, a single Tag ID would be used to group the muscle and bone samples collected from a single deer.
FLOW RATE	Columbia River daily average flow below Priest Rapids Dam
FLOW RATE UNITS	Columbia River flow in cubic feet per second (CFS)
RELATIVE % DIFFERENCE	<p>The relative percent difference between the measured concentrations of the original value reported and the replicate value reported. The formula is:</p> $100 * VALUE\ RPTD - REPLICATE\ VALUE / ((VALUE\ RPTD + REPLICATE\ VALUE) / 2)$
MIN DETECTABLE ACTIVITY	Minimum detectable activity (MDA) is assumed to be a sample-dependent estimate, typically dependent on the measured instrument background and sample yield, reported in the same units as the result value for the reported analyte.

CONTENTS

PREFACE	iii
INTRODUCTION	v
AIR	
AIR BETA/ALPHA	1
AIR GAMMA.....	32
AIR COMPOSITES AND I-129, H-3.....	50
SURFACE WATER	
WATER - COLUMBIA RIVER COMPOSITES	65
RIVERFLOW	69
WATER - COLUMBIA RIVER TRANSECT.....	71
WATER - COLUMBIA RIVER FILTER/RESIN.....	93
WATER - COLUMBIA RIVER SHORELINE SPRINGS	101
WATER - IRRIGATION.....	120
WATER - ONSITE PONDS	122
WATER - SHALLOW GROUNDWATER DRIVE POINT	124
WATER - 300 AREA RIVER STUDY	127
TABLE W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington.....	134
TABLE W-2. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pumphouse	135
TABLE W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2001	136
TABLE W-4. Data for Total Recoverable Metals, Columbia River Riverbank Springs, 2001	140

CONTENTS (contd)

TABLE W-5. Metals in Riverbank Springs and the Columbia River at Vernita Bridge from the 300 Nearshore Study, 2001.....	141
WATER - DRINKING WATER	145
BIOTA	
FOODSTUFFS.....	149
WILDLIFE.....	156
VEGETATION.....	162
TABLE B-1. Metals in Biota from the 300 Area Nearshore Study, 2001	168
SOIL	175
SEDIMENT	189
TABLE S-1. Metals in Columbia and Snake River and Riverbank Springs Sediment, 2001	196
TABLE S-2. Metals in Riverbank Spring Sediment from the 300 Area Nearshore Study, 2001	197
EXTERNAL RADIATION	201
DOSE CALCULATION	
TABLE D-1. Distribution of Population in 80-km Radius of the 100 Areas by Grid Sector	209
TABLE D-2. Distribution of Population in 80-km Radius of the 200 Areas by Grid Sector	210
TABLE D-3. Distribution of Population in 80-km Radius of the 300 Area by Grid Sector	211
TABLE D-4. Distribution of Population in 80-km Radius of the 400 Area by Grid Sector	212
TABLE D-5. Annual Average Dispersion Factor Around the 100-K Area During 2001 for an 89-Meter Release Height	213
TABLE D-6. Annual Average Dispersion Factor Around the 200 Areas During 2001 for an 89-Meter Release Height	214

CONTENTS (contd)

TABLE D-7. Annual Average Dispersion Factor Around the 300 Area During 2001 for a 10-Meter Release Height	215
--	-----

TABLE D-8. Annual Average Dispersion Factor Around the 400 Area During 2001 for a 10-Meter Release Height	216
--	-----

QUALITY ASSURANCE

TABLE Q-1. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Surface Environmental Surveillance Project Blind Samples, 2001	219
---	-----

TABLE Q-2. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Environmental Resources Associates (ERA) Proficiency Testing Program Water Samples, 2001	220
--	-----

TABLE Q-3. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2001	221
--	-----

TABLE Q-4. Biota Sample Field Duplicate Results, 2001	222
---	-----

TABLE Q-5. Water Sample Field Duplicate Results, 2001	223
---	-----

TABLE Q-6. Surface Soil Sample Field Duplicate Results, 2001	224
--	-----

Air

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPUNT	911517	100 D AREA	ONSITE	AT	09-Jan-01 BETA			0.0311pCi/m3		0.0019	0.0057	
SESPUNT	911518	100 D AREA	ONSITE	AT	23-Jan-01 BETA			0.195pCi/m3		0.0018	0.0058	
SESPUNT	911519	100 D AREA	ONSITE	AT	06-Feb-01 BETA			0.0171pCi/m3		0.0013	0.0032	
SESPUNT	911520	100 D AREA	ONSITE	AT	15-Feb-01 BETA			0.0353pCi/m3		0.0021	0.0047	
SESPUNT	911521	100 D AREA	ONSITE	AT	03-Mar-01 BETA			0.02pCi/m3		0.0012	0.0035	
SESPUNT	911522	100 D AREA	ONSITE	AT	16-Mar-01 BETA			0.149pCi/m3		0.0016	0.0031	
SESPUNT	911523	100 D AREA	ONSITE	AT	03-Apr-01 BETA			0.0087pCi/m3		0.0007	0.0017	
SESPUNT	911512	100 D AREA	ONSITE	AT	17-Apr-01 BETA			0.0903pCi/m3		0.001	0.0018	
SESPUNT	911513	100 D AREA	ONSITE	AT	01-May-01 BETA			0.105pCi/m3		0.0011	0.0021	
SESPUNT	911514	100 D AREA	ONSITE	AT	15-May-01 BETA			0.0127pCi/m3		0.0012	0.0025	
SESPUNT	911515	100 D AREA	ONSITE	AT	29-May-01 BETA			0.132pCi/m3		0.0012	0.0025	
SESPUNT	911516	100 D AREA	ONSITE	AT	11-Jun-01 BETA			0.00875pCi/m3		0.00099	0.0016	
SESPUNT	911517	100 D AREA	ONSITE	AT	27-Jun-01 BETA			0.111pCi/m3		0.00094	0.0019	
SESPUNT	912889	100 D AREA	ONSITE	AT	10-Jul-01 BETA			0.0128pCi/m3		0.0013	0.0025	
SESPUNT	912889	100 D AREA	ONSITE	AT	24-Jul-01 BETA			0.0125pCi/m3		0.0011	0.0022	
SESPUNT	912820	100 D AREA	ONSITE	AT	08-Aug-01 BETA			0.0084pCi/m3		0.001	0.0019	
SESPUNT	912821	100 D AREA	ONSITE	AT	21-Aug-01 BETA			0.0169pCi/m3		0.0014	0.0031	
SESPUNT	912822	100 D AREA	ONSITE	AT	04-Sep-01 BETA			0.0199pCi/m3		0.0011	0.0022	
SESPUNT	912823	100 D AREA	ONSITE	AT	18-Sep-01 BETA			0.0177pCi/m3		0.0013	0.0032	
SESPUNT	912824	100 D AREA	ONSITE	AT	01-Oct-01 BETA			0.0153pCi/m3		0.0013	0.0029	
SESPUNT	913186	100 D AREA	ONSITE	AT	15-Oct-01 BETA			0.0152pCi/m3		0.0013	0.0028	
SESPUNT	913187	100 D AREA	ONSITE	AT	02-Nov-01 BETA			0.0122pCi/m3		0.001	0.0023	
SESPUNT	913188	100 D AREA	ONSITE	AT	13-Nov-01 BETA			0.0307pCi/m3		0.0016	0.0045	
SESPUNT	913189	100 D AREA	ONSITE	AT	26-Nov-01 BETA			0.00812pCi/m3		0.0011	0.002	
SESPUNT	913179	100 D AREA	ONSITE	AT	11-Dec-01 BETA			0.00898pCi/m3		0.00099	0.0014	
SESPUNT	913171	100 D AREA	ONSITE	AT	24-Dec-01 BETA			0.0177pCi/m3		0.0011	0.0024	
SESPUNT	911509	100 F MET TOWER	ONSITE	AT	09-Jan-01 BETA			0.0319pCi/m3		0.0018	0.0035	
SESPUNT	911500	100 F MET TOWER	ONSITE	AT	23-Jan-01 BETA			0.0305pCi/m3		0.0016	0.0035	
SESPUNT	911501	100 F MET TOWER	ONSITE	AT	06-Feb-01 BETA			0.0186pCi/m3		0.0014	0.0034	
SESPUNT	911502	100 F MET TOWER	ONSITE	AT	15-Feb-01 BETA			0.0244pCi/m3		0.002	0.0046	
SESPUNT	911503	100 F MET TOWER	ONSITE	AT	06-Mar-01 BETA			0.023pCi/m3		0.0013	0.0039	
SESPUNT	911504	100 F MET TOWER	ONSITE	AT	15-Mar-01 BETA			0.0135pCi/m3		0.0015	0.0038	
SESPUNT	911505	100 F MET TOWER	ONSITE	AT	03-Apr-01 BETA			0.00997pCi/m3		0.00092	0.0017	
SESPUNT	911506	100 F MET TOWER	ONSITE	AT	17-Apr-01 BETA			0.00985pCi/m3		0.0011	0.002	
SESPUNT	911507	100 F MET TOWER	ONSITE	AT	01-May-01 BETA			0.0103pCi/m3		0.0011	0.0021	
SESPUNT	911508	100 F MET TOWER	ONSITE	AT	15-May-01 BETA							
SESPUNT	911509	100 F MET TOWER	ONSITE	AT	29-May-01 BETA			0.0133pCi/m3		0.0013	0.0028	
SESPUNT	911503	100 F MET TOWER	ONSITE	AT	11-Jun-01 BETA			0.00837pCi/m3		0.00097	0.0016	
SESPUNT	911504	100 F MET TOWER	ONSITE	AT	27-Jun-01 BETA			0.012pCi/m3		0.0011	0.0021	
SESPUNT	912970	100 F MET TOWER	ONSITE	AT	10-Jul-01 BETA			0.0133pCi/m3		0.0013	0.0028	
SESPUNT	912971	100 F MET TOWER	ONSITE	AT	24-Jul-01 BETA			0.0126pCi/m3		0.0011	0.0022	
SESPUNT	912972	100 F MET TOWER	ONSITE	AT	08-Aug-01 BETA			0.0101pCi/m3		0.001	0.002	
SESPUNT	912973	100 F MET TOWER	ONSITE	AT	21-Aug-01 BETA			0.0186pCi/m3		0.0014	0.0034	
SESPUNT	912974	100 F MET TOWER	ONSITE	AT	04-Sep-01 BETA			0.012pCi/m3		0.0011	0.0023	
SESPUNT	912975	100 F MET TOWER	ONSITE	AT	18-Sep-01 BETA			0.0174pCi/m3		0.0013	0.0033	
SESPUNT	912976	100 F MET TOWER	ONSITE	AT	01-Oct-01 BETA			0.0185pCi/m3		0.0014	0.0034	
SESPUNT	913247	100 F MET TOWER	ONSITE	AT	15-Oct-01 BETA			0.0177pCi/m3		0.0013	0.0033	
SESPUNT	913248	100 F MET TOWER	ONSITE	AT	02-Nov-01 BETA			0.0134pCi/m3		0.001	0.0024	
SESPUNT	913249	100 F MET TOWER	ONSITE	AT	13-Nov-01 BETA			0.0333pCi/m3		0.002	0.005	
SESPUNT	913250	100 F MET TOWER	ONSITE	AT	26-Nov-01 BETA			0.0121pCi/m3		0.0012	0.0024	
SESPUNT	913251	100 F MET TOWER	ONSITE	AT	11-Dec-01 BETA			0.0069pCi/m3		0.0009	0.0016	
SESPUNT	913252	100 F MET TOWER	ONSITE	AT	24-Dec-01 BETA			0.0187pCi/m3		0.0013	0.003	
SESPUNT	911503	100 K AREA	ONSITE	AT	09-Jan-01 BETA			0.0377pCi/m3		0.002	0.0064	
SESPUNT	911504	100 K AREA	ONSITE	AT	23-Jan-01 BETA			-0.00043pCi/m3		0.00055	0.0006	U
SESPUNT	911505	100 K AREA	ONSITE	AT	06-Feb-01 BETA			0.0533pCi/m3		0.0022	0.0047	
SESPUNT	911506	100 K AREA	ONSITE	AT	15-Feb-01 BETA			0.0245pCi/m3		0.002	0.0046	
SESPUNT	911507	100 K AREA	ONSITE	AT	06-Mar-01 BETA			0.0204pCi/m3		0.0012	0.0035	
SESPUNT	911508	100 K AREA	ONSITE	AT	16-Mar-01 BETA			0.013pCi/m3		0.0015	0.0028	
SESPUNT	911509	100 K AREA	ONSITE	AT	03-Apr-01 BETA			0.0101pCi/m3		0.0009	0.0017	
SESPUNT	911500	100 K AREA	ONSITE	AT	17-Apr-01 BETA			0.00913pCi/m3		0.001	0.0019	
SESPUNT	911501	100 K AREA	ONSITE	AT	01-May-01 BETA			0.0147pCi/m3		0.0013	0.0028	
SESPUNT	911502	100 K AREA	ONSITE	AT	15-May-01 BETA			0.0129pCi/m3		0.0012	0.0025	
SESPUNT	911503	100 K AREA	ONSITE	AT	29-May-01 BETA			0.0118pCi/m3		0.0012	0.0023	
SESPUNT	911504	100 K AREA	ONSITE	AT	11-Jun-01 BETA			0.00986pCi/m3		0.001	0.0021	
SESPUNT	911505	100 K AREA	ONSITE	AT	17-Jun-01 BETA			0.0205pCi/m3		0.0013	0.0034	
SESPUNT	912884	100 K AREA	ONSITE	AT	10-Jul-01 BETA			0.0111pCi/m3		0.0012	0.0022	
SESPUNT	912885	100 K AREA	ONSITE	AT	24-Jul-01 BETA			0.0109pCi/m3		0.0011	0.002	
SESPUNT	912886	100 K AREA	ONSITE	AT	08-Aug-01 BETA			0.0077pCi/m3		0.0009	0.0014	
SESPUNT	912887	100 K AREA	ONSITE	AT	21-Aug-01 BETA			0.0159pCi/m3		0.0014	0.003	
SESPUNT	912888	100 K AREA	ONSITE	AT	04-Sep-01 BETA			0.00916pCi/m3		0.001	0.0019	
SESPUNT	912889	100 K AREA	ONSITE	AT	18-Sep-01 BETA			0.0141pCi/m3		0.0013	0.0027	
SESPUNT	912890	100 K AREA	ONSITE	AT	01-Oct-01 BETA			0.0131pCi/m3		0.0012	0.0026	
SESPUNT	913152	100 K AREA	ONSITE	AT	15-Oct-01 BETA			0.0101pCi/m3		0.001	0.0021	
SESPUNT	913153	100 K AREA	ONSITE	AT	02-Nov-01 BETA			0.0111pCi/m3		0.001	0.0021	
SESPUNT	913154	100 K AREA	ONSITE	AT	13-Nov-01 BETA			0.0269pCi/m3		0.0019	0.0047	
SESPUNT	913155	100 K AREA	ONSITE	AT	26-Nov-01 BETA			0.00703pCi/m3		0.001	0.0017	
SESPUNT	913156	100 K AREA	ONSITE	AT	11-Dec-01 BETA			0.0053pCi/m3		0.0008	0.0014	
SESPUNT	913157	100 K AREA	ONSITE	AT	24-Dec-01 BETA			0.0146pCi/m3		0.0012	0.0027	
SESPUNT	911510	100 N-1325 CRIB	ONSITE	AT	09-Jan-01 BETA			0.0309pCi/m3		0.0018	0.0053	
SESPUNT	911511	100 N-1325 CRIB	ONSITE	AT	23-Jan-01 BETA			0.0395pCi/m3		0.0019	0.0066	
SESPUNT	911512	100 N-1325 CRIB	ONSITE	AT	06-Feb-01 BETA			0.0198pCi/m3		0.0014	0.0036	
SESPUNT	911513	100 N-1325 CRIB	ONSITE	AT	15-Feb-01 BETA			0.0225pCi/m3		0.0021	0.0048	
SESPUNT	911514	100 N-1325 CRIB	ONSITE	AT	06-Mar-01 BETA			0.0254pCi/m3		0.0013	0.0038	
SESPUNT	911515	100 N-1325 CRIB	ONSITE	AT	16-Mar-01 BETA			0.013pCi/m3		0.0015	0.0028	
SESPUNT	911516	100 N-1325 CRIB	ONSITE	AT	03-Apr-01 BETA			0.0102pCi/m3		0.0009	0.002	
SESPUNT	911506	100 N-1325 CRIB	ONSITE	AT	17-Apr-01 BETA			0.00991pCi/m3		0.00091	0.002	
SESPUNT	911507	100 N-1325 CRIB	ONSITE	AT	01-May-01 BETA			0.00966pCi/m3		0.0011	0.002	
SESPUNT	911508	100 N-1325 CRIB	ONSITE	AT	15-May-01 BETA			0.05pCi/m3		0.0021	0.0081	
SESPUNT	911509	100 N-1325 CRIB	ONSITE	AT	29-May-01 BETA			0.0184pCi/m3		0.0014	0.0035	
SESPUNT	911510	100 N-1325 CRIB	ONSITE	AT	11-Jun-01 BETA			0.0134pCi/m3		0.0013	0.0026	
SESPUNT	911511	100 N-1325 CRIB	ONSITE	AT	27-Jun-01 BETA			0.0107pCi/m3		0.0009	0.0019	
SESPUNT	912881	100 N-1325 CRIB	ONSITE	AT	10-Jul-01 BETA			0.0159pCi/m3		0.0014	0.003	
SESPUNT	912882	100 N-1325 CRIB	ONSITE	AT	24-Jul-01 BETA			0.0205pCi/m3		0.0013	0.0034	
SESPUNT	912883	100 N-1325 CRIB	ONSITE	AT	08-Aug-01 BETA			0.0093pCi/m3		0.0009	0.0019	
SESPUNT	912884	100 N-1325 CRIB	ONSITE	AT	21-Aug-01 BETA			0.0169pCi/m3		0.0015	0.0033	
SESPUNT	912885	100 N-1325 CRIB	ONSITE	AT	04-Sep-01 BETA			0.0181pCi/m3		0.0012	0.0032	
SESPUNT	912886	100 N-1325 CRIB	ONSITE	AT	18-Sep-01 BETA			0.0205pCi/m3		0.0014	0.0036	
SESPUNT	912887	100 N-1325 CRIB	ONSITE	AT	01-Oct-01 BETA			0.0184pCi/m3		0.0014	0.0034	
SESPUNT	913158	100 N-1325 CRIB	ONSITE	AT	15-Oct-01 BETA			0.0269pCi/m3		0.0014	0.0048	
SESPUNT	913159	100 N-1325 CRIB	ONSITE	AT	02-Nov-01 BETA			0.0116pCi/m3		0.00098	0.0022	
SESPUNT	913161	100 N-1325 CRIB	ONSITE	AT	13-Nov-01 BETA			0.0238pCi/m3		0.002	0.0058	
SESPUNT	913162	100 N-1325 CRIB	ONSITE	AT	26-Nov-01 BETA			0.00919pCi/m3		0.002	0.004	
SESPUNT	913163	100 N-1325 CRIB	ONSITE	AT	11-Dec-01 BETA			0.00813pCi/m3		0.00095	0.0017	
SESPUNT	913164	100 N-1325 CRIB	ONSITE	AT	24-Dec-01 BETA			0.0132pCi/m3		0.0012	0.0022	
SESPUNT	911531	200 ESE	ONSITE	AT	16-Jan-01 BETA			0.0288pCi/m3		0.0017	0.0049	
SESPUNT	911532	200 ESE	ONSITE	AT	30-Jan-01 BETA			0.0345pCi/m3		0.0018	0.0058	
SESPUNT	911533	200 ESE	ONSITE	AT	12-Feb-01 BETA			0.0144pCi/m3		0.0013	0.0029	
SESPUNT	911534	200 ESE										

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETA/LPHALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	911554	200 TEL EXCHANGE	ONSITE	AT	20-Jan-01 BETA		0.0236µCi/m3	0.0018	0.0057			
SESPOINT	911555	200 TEL EXCHANGE	ONSITE	AT	12-Feb-01 BETA		0.0125µCi/m3	0.0012	0.0026			
SESPOINT	911556	200 TEL EXCHANGE	ONSITE	AT	28-Feb-01 BETA		0.0248µCi/m3	0.0015	0.0043			
SESPOINT	911557	200 TEL EXCHANGE	ONSITE	AT	13-Mar-01 BETA		0.0173µCi/m3	0.0014	0.0034			
SESPOINT	911558	200 TEL EXCHANGE	ONSITE	AT	19-Mar-01 BETA		0.0132µCi/m3	0.0021	0.0033			
SESPOINT	911559	200 TEL EXCHANGE	ONSITE	AT	20-Apr-01 BETA		0.0084µCi/m3	0.0008	0.0016			
SESPOINT	911560	200 TEL EXCHANGE	ONSITE	AT	23-Apr-01 BETA		0.0078µCi/m3	0.0011	0.0011			
SESPOINT	911561	200 TEL EXCHANGE	ONSITE	AT	09-May-01 BETA		0.0103µCi/m3	0.001	0.0021			
SESPOINT	911562	200 TEL EXCHANGE	ONSITE	AT	22-May-01 BETA		0.0103µCi/m3	0.0011	0.0021			
SESPOINT	911567	200 TEL EXCHANGE	ONSITE	AT	05-Jun-01 BETA		0.0109µCi/m3	0.0011	0.0022			
SESPOINT	911568	200 TEL EXCHANGE	ONSITE	AT	16-Jul-01 BETA		0.0089µCi/m3	0.00097	0.0016			
SESPOINT	911569	200 TEL EXCHANGE	ONSITE	AT	03-Jul-01 BETA							
SESPOINT	912848	200 TEL EXCHANGE	ONSITE	AT	14-Aug-01 BETA		0.0111µCi/m3	0.0011	0.0022			
SESPOINT	912849	200 TEL EXCHANGE	ONSITE	AT	29-Aug-01 BETA		0.0157µCi/m3	0.0012	0.0029			
SESPOINT	912850	200 TEL EXCHANGE	ONSITE	AT	11-Sep-01 BETA		0.012µCi/m3	0.0012	0.0024			
SESPOINT	912851	200 TEL EXCHANGE	ONSITE	AT	25-Sep-01 BETA		0.0227µCi/m3	0.0015	0.004			
SESPOINT	9131C1	200 TEL EXCHANGE	ONSITE	AT	09-Oct-01 BETA		0.0177µCi/m3	0.0015	0.0033			
SESPOINT	9131C2	200 TEL EXCHANGE	ONSITE	AT	23-Oct-01 BETA		0.0166µCi/m3	0.0012	0.0022			
SESPOINT	9131C3	200 TEL EXCHANGE	ONSITE	AT	06-Nov-01 BETA		0.0131µCi/m3	0.0012	0.0025			
SESPOINT	9131C4	200 TEL EXCHANGE	ONSITE	AT	19-Nov-01 BETA		0.0249µCi/m3	0.0016	0.0043			
SESPOINT	9131C5	200 TEL EXCHANGE	ONSITE	AT	05-Dec-01 BETA		0.00822µCi/m3	0.00084	0.0014			
SESPOINT	9131C6	200 TEL EXCHANGE	ONSITE	AT	17-Dec-01 BETA		0.00533µCi/m3	0.00081	0.0013			
SESPOINT	9131C7	200 TEL EXCHANGE	ONSITE	AT	02-Jan-02 BETA		0.0065µCi/m3	0.0017	0.006			
SESPOINT	911570	200 W SE	ONSITE	AT	16-Jan-01 BETA		0.0244µCi/m3	0.0016	0.0043			
SESPOINT	911571	200 W SE	ONSITE	AT	30-Jan-01 BETA		0.0085µCi/m3	0.0017	0.0049			
SESPOINT	911572	200 W SE	ONSITE	AT	12-Feb-01 BETA		0.0144µCi/m3	0.0013	0.0028			
SESPOINT	911573	200 W SE	ONSITE	AT	28-Feb-01 BETA		0.0205µCi/m3	0.0014	0.0036			
SESPOINT	911574	200 W SE	ONSITE	AT	13-Mar-01 BETA		0.0142µCi/m3	0.0013	0.0028			
SESPOINT	911575	200 W SE	ONSITE	AT	19-Mar-01 BETA		0.0082µCi/m3	0.0019	0.0027			
SESPOINT	911576	200 W SE	ONSITE	AT	10-Apr-01 BETA		0.0102µCi/m3	0.00082	0.0019			
SESPOINT	911577	200 W SE	ONSITE	AT	15-Apr-01 BETA		0.00962µCi/m3	0.00084	0.0018			
SESPOINT	911578	200 W SE	ONSITE	AT	23-Apr-01 BETA		0.0115µCi/m3	0.0012	0.0022			
SESPOINT	911579	200 W SE	ONSITE	AT	23-Apr-01 BETA		0.00998µCi/m3	0.0012	0.0021			
SESPOINT	911580	200 W SE	ONSITE	AT	08-May-01 BETA		0.0117µCi/m3	0.0011	0.0021			
SESPOINT	911581	200 W SE	ONSITE	AT	08-May-01 BETA		0.011µCi/m3	0.0011	0.0022			
SESPOINT	911582	200 W SE	ONSITE	AT	22-May-01 BETA		0.0124µCi/m3	0.0012	0.0024			
SESPOINT	911583	200 W SE	ONSITE	AT	22-May-01 BETA		0.012µCi/m3	0.0012	0.0024			
SESPOINT	911584	200 W SE	ONSITE	AT	05-Jun-01 BETA		0.0133µCi/m3	0.0012	0.0025			
SESPOINT	911585	200 W SE	ONSITE	AT	05-Jun-01 BETA		0.0123µCi/m3	0.0012	0.0022			
SESPOINT	911586	200 W SE	ONSITE	AT	19-Jun-01 BETA		0.00887µCi/m3	0.00095	0.0016			
SESPOINT	911587	200 W SE	ONSITE	AT	19-Jun-01 BETA		0.00688µCi/m3	0.00087	0.0016			
SESPOINT	911588	200 W SE	ONSITE	AT	03-Jul-01 BETA		0.011µCi/m3	0.001	0.002			
SESPOINT	911589	200 W SE	ONSITE	AT	03-Jul-01 BETA		0.0121µCi/m3	0.0011	0.0021			
SESPOINT	912861	200 W SE	ONSITE	AT	16-Jul-01 BETA							
SESPOINT	912862	200 W SE	ONSITE	AT	31-Jul-01 BETA		0.0125µCi/m3	0.001	0.0022			
SESPOINT	912863	200 W SE	ONSITE	AT	14-Aug-01 BETA		0.0131µCi/m3	0.0012	0.0023			
SESPOINT	912864	200 W SE	ONSITE	AT	29-Aug-01 BETA		0.0143µCi/m3	0.0012	0.0027			
SESPOINT	912865	200 W SE	ONSITE	AT	11-Sep-01 BETA		0.014µCi/m3	0.0013	0.0027			
SESPOINT	912866	200 W SE	ONSITE	AT	25-Sep-01 BETA		0.0172µCi/m3	0.0014	0.0031			
SESPOINT	9131C6	200 W SE	ONSITE	AT	09-Oct-01 BETA		0.0184µCi/m3	0.0014	0.0033			
SESPOINT	9131C7	200 W SE	ONSITE	AT	23-Oct-01 BETA		0.0107µCi/m3	0.0012	0.0022			
SESPOINT	9131C8	200 W SE	ONSITE	AT	06-Nov-01 BETA		0.0136µCi/m3	0.0012	0.0026			
SESPOINT	9131C9	200 W SE	ONSITE	AT	19-Nov-01 BETA		0.02779µCi/m3	0.0016	0.0048			
SESPOINT	9131F0	200 W SE	ONSITE	AT	05-Dec-01 BETA		0.00603µCi/m3	0.00083	0.0014			
SESPOINT	9131F1	200 W SE	ONSITE	AT	17-Dec-01 BETA		0.00834µCi/m3	0.001	0.0016			
SESPOINT	9131F2	200 W SE	ONSITE	AT	02-Jan-02 BETA		0.0085µCi/m3	0.0017	0.006			
SESPOINT	9114C6	300 NE	ONSITE	AT	10-Jan-01 BETA		0.0308µCi/m3	0.0018	0.0053			
SESPOINT	9114C7	300 NE	ONSITE	AT	24-Jan-01 BETA		0.0265µCi/m3	0.0017	0.0051			
SESPOINT	9114F0	300 NE	ONSITE	AT	07-Feb-01 BETA		0.0151µCi/m3	0.0013	0.0029			
SESPOINT	9114F1	300 NE	ONSITE	AT	16-Mar-01 BETA		0.026µCi/m3	0.0021	0.0048			
SESPOINT	9114F2	300 NE	ONSITE	AT	07-Apr-01 BETA		0.0216µCi/m3	0.0019	0.0037			
SESPOINT	9114F3	300 NE	ONSITE	AT	21-May-01 BETA		0.0127µCi/m3	0.0012	0.0026			
SESPOINT	9114F4	300 NE	ONSITE	AT	04-Jun-01 BETA		0.0101µCi/m3	0.0011	0.0021			
SESPOINT	911LF7	300 NE	ONSITE	AT	18-Apr-01 BETA		0.00837µCi/m3	0.0011	0.002			
SESPOINT	911LF8	300 NE	ONSITE	AT	09-May-01 BETA		0.00919µCi/m3	0.0011	0.002			
SESPOINT	911LF9	300 NE	ONSITE	AT	16-May-01 BETA		0.013µCi/m3	0.0012	0.0025			
SESPOINT	911L40	300 NE	ONSITE	AT	30-May-01 BETA		0.0128µCi/m3	0.0012	0.0025			
SESPOINT	911L41	300 NE	ONSITE	AT	14-Jun-01 BETA		0.0084µCi/m3	0.00086	0.0014			
SESPOINT	911L42	300 NE	ONSITE	AT	28-Jun-01 BETA		0.0122µCi/m3	0.0011	0.0022			
SESPOINT	912772	300 NE	ONSITE	AT	11-Jul-01 BETA		0.0134µCi/m3	0.0013	0.0023			
SESPOINT	912773	300 NE	ONSITE	AT	25-Jul-01 BETA		0.0102µCi/m3	0.0011	0.0021			
SESPOINT	912774	300 NE	ONSITE	AT	29-Aug-01 BETA		0.00998µCi/m3	0.0014	0.0024			
SESPOINT	912775	300 NE	ONSITE	AT	22-Sep-01 BETA		0.0148µCi/m3	0.0014	0.0024			
SESPOINT	912776	300 NE	ONSITE	AT	05-Sep-01 BETA		0.0116µCi/m3	0.0012	0.0023			
SESPOINT	912777	300 NE	ONSITE	AT	19-Sep-01 BETA		0.0162µCi/m3	0.0014	0.0024			
SESPOINT	912778	300 NE	ONSITE	AT	02-Oct-01 BETA		0.019µCi/m3	0.0015	0.0035			
SESPOINT	913042	300 NE	ONSITE	AT	17-Oct-01 BETA		0.0172µCi/m3	0.0013	0.0031			
SESPOINT	913043	300 NE	ONSITE	AT	01-Nov-01 BETA		0.0137µCi/m3	0.0012	0.0026			
SESPOINT	913044	300 NE	ONSITE	AT	14-Nov-01 BETA		0.0235µCi/m3	0.0019	0.0057			
SESPOINT	913045	300 NE	ONSITE	AT	27-Nov-01 BETA		0.0165µCi/m3	0.0012	0.0022			
SESPOINT	913046	300 NE	ONSITE	AT	12-Dec-01 BETA		0.00752µCi/m3	0.00099	0.0017			
SESPOINT	913047	300 SOUTH GATE	ONSITE	AT	27-Dec-01 BETA		0.0185µCi/m3	0.0014	0.0035			
SESPOINT	911594	300 SOUTH GATE	ONSITE	AT	10-Jan-01 BETA		0.0333µCi/m3	0.0019	0.0057			
SESPOINT	911595	300 SOUTH GATE	ONSITE	AT	24-Jan-01 BETA		0.0251µCi/m3	0.0019	0.0055			
SESPOINT	911596	300 SOUTH GATE	ONSITE	AT	07-Feb-01 BETA		0.0195µCi/m3	0.0014	0.0035			
SESPOINT	911597	300 SOUTH GATE	ONSITE	AT	16-Feb-01 BETA		0.0278µCi/m3	0.0021	0.0051			
SESPOINT	911598	300 SOUTH GATE	ONSITE	AT	07-Mar-01 BETA		0.0223µCi/m3	0.0019	0.0036			
SESPOINT	911599	300 SOUTH GATE	ONSITE	AT	21-Mar-01 BETA		0.0114µCi/m3	0.0012	0.0023			
SESPOINT	911600	300 SOUTH GATE	ONSITE	AT	04-Apr-01 BETA		0.0165µCi/m3	0.0011	0.0021			
SESPOINT	911605	300 SOUTH GATE	ONSITE	AT	18-Apr-01 BETA		0.00878µCi/m3	0.001	0.0019			
SESPOINT	911606	300 SOUTH GATE	ONSITE	AT	02-May-01 BETA		0.00844µCi/m3	0.001	0.002			
SESPOINT	911607	300 SOUTH GATE	ONSITE	AT	16-May-01 BETA		0.0173µCi/m3	0.0012	0.0024			
SESPOINT	911608	300 SOUTH GATE	ONSITE	AT	30-May-01 BETA		0.0128µCi/m3	0.0012	0.0025			
SESPOINT	911609	300 SOUTH GATE	ONSITE	AT	14-Jun-01 BETA		0.00867µCi/m3	0.00086	0.0014			
SESPOINT	911609	300 SOUTH GATE	ONSITE	AT	28-Jun-01 BETA		0.0119µCi/m3	0.0011	0.0021			
SESPOINT	9128L5	300 SOUTH GATE	ONSITE	AT	11-Jul-01 BETA		0.0131µCi/m3	0.0012	0.0023			
SESPOINT	9128L6	300 SOUTH GATE	ONSITE	AT	25-Jul-01 BETA		0.00965µCi/m3	0.0011	0.002			
SESPOINT	9128L7	300 SOUTH GATE	ONSITE	AT	29-Aug-01 BETA		0.0103µCi/m3	0.0011	0.0021			
SESPOINT	9128L8	300 SOUTH GATE	ONSITE	AT	22-Sep-01 BETA		0.0162µCi/m3	0.0014	0.0024			
SESPOINT	9128L9	300 SOUTH GATE	ONSITE	AT	05-Sep-01 BETA		0.0131µCi/m3	0.0012	0.0025			
SESPOINT	9128M0	300 SOUTH GATE	ONSITE	AT	19-Sep-01 BETA		0.0181µCi/m3	0.0014	0.0034			
SESPOINT	9128M1	300 SOUTH GATE	ONSITE	AT	02-Oct-01 BETA		0.0196µCi/m3	0.0015	0.0035			
SESPOINT	913144	300 SOUTH GATE	ONSITE	AT	17-Oct-01 BETA		0.0145µCi/m3	0.0012	0.0027			
SESPOINT	913142	300 SOUTH GATE	ONSITE	AT	01-Nov-01 BETA		0.0142µCi/m3	0.0012	0.0026			
SESPOINT	913143	300 SOUTH GATE	ONSITE	AT	14-Nov-01 BETA		0.0209µCi/m3	0.0018	0.0051			
SESPOINT	913144	300 SOUTH GATE	ONSITE	AT	27-Nov-01 BETA		0.00762µCi/m3	0.001	0.0017			
SESPOINT	913145	300 SOUTH GATE	ONSITE	AT	12-Dec-01 BETA		0.00777µCi/m3	0.00094	0.0017			
SESPOINT	913146	300 SOUTH GATE	ONSITE	AT	27-Dec-01 BETA		0.0167µCi/m3	0.0013	0.0033			
SESPOINT	911591	300 SOUTH WEST	ONSITE	AT	10-Jan-01 BETA		0.033µCi/m3	0.0019	0.0056			
SESPOINT	911592	300 SOUTH WEST	ONSITE	AT	24-Jan-01 BETA		0.024µCi/m3	0.0018	0.005			

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPRINT	911348	300 SOUTH WEST	ONSITE	AT	17-Oct-01 BETA			0.0141pCi/m3		0.0013	0.0027	
SESPRINT	911349	300 SOUTH WEST	ONSITE	AT	01-Nov-01 BETA			0.0134pCi/m3		0.0011	0.0025	
SESPRINT	911349	300 SOUTH WEST	ONSITE	AT	14-Nov-01 BETA			0.0095pCi/m3		0.0017	0.0095	
SESPRINT	911351	300 SOUTH WEST	ONSITE	AT	07-Nov-01 BETA			0.00746pCi/m3		0.0001	0.0017	
SESPRINT	911312	300 SOUTH WEST	ONSITE	AT	12-Dec-01 BETA			0.00684pCi/m3		0.0009	0.0016	
SESPRINT	911313	300 SOUTH WEST	ONSITE	AT	27-Dec-01 BETA			0.00711pCi/m3		0.0013	0.0031	
SESPRINT	911401	300 TRENCH	ONSITE	AT	10-Jan-01 BETA			0.00327pCi/m3		0.0018	0.0068	
SESPRINT	911402	300 TRENCH	ONSITE	AT	24-Jan-01 BETA			0.0045pCi/m3		0.0018	0.0058	
SESPRINT	911403	300 TRENCH	ONSITE	AT	07-Feb-01 BETA			0.0177pCi/m3		0.0013	0.0031	
SESPRINT	911404	300 TRENCH	ONSITE	AT	18-Feb-01 BETA			0.0281pCi/m3		0.0021	0.0051	
SESPRINT	911405	300 TRENCH	ONSITE	AT	07-Mar-01 BETA			0.0038pCi/m3		0.0013	0.0041	
SESPRINT	911406	300 TRENCH	ONSITE	AT	21-Mar-01 BETA			0.00695pCi/m3		0.00098	0.002	
SESPRINT	911407	300 TRENCH	ONSITE	AT	04-Apr-01 BETA			0.0066pCi/m3		0.0011	0.002	
SESPRINT	9111F1	300 TRENCH	ONSITE	AT	18-Apr-01 BETA			0.00845pCi/m3		0.0001	0.0016	
SESPRINT	9111F2	300 TRENCH	ONSITE	AT	02-May-01 BETA			0.00922pCi/m3		0.0011	0.0019	
SESPRINT	9111F3	300 TRENCH	ONSITE	AT	16-May-01 BETA			0.0132pCi/m3		0.0012	0.0026	
SESPRINT	9111F4	300 TRENCH	ONSITE	AT	30-May-01 BETA			0.013pCi/m3		0.0012	0.0025	
SESPRINT	9111F5	300 TRENCH	ONSITE	AT	14-Jun-01 BETA			0.00978pCi/m3		0.0001	0.0017	
SESPRINT	912765	300 TRENCH	ONSITE	AT	28-Jun-01 BETA			0.0142pCi/m3		0.0012	0.0025	
SESPRINT	912766	300 TRENCH	ONSITE	AT	11-Jul-01 BETA			0.0123pCi/m3		0.0013	0.0026	
SESPRINT	912767	300 TRENCH	ONSITE	AT	25-Jul-01 BETA			0.0067pCi/m3		0.0011	0.002	
SESPRINT	912768	300 TRENCH	ONSITE	AT	09-Aug-01 BETA			0.017pCi/m3		0.0014	0.0032	
SESPRINT	912769	300 TRENCH	ONSITE	AT	05-Sep-01 BETA			0.0134pCi/m3		0.0012	0.0026	
SESPRINT	912710	300 TRENCH	ONSITE	AT	19-Sep-01 BETA			0.0178pCi/m3		0.0014	0.0036	
SESPRINT	912711	300 TRENCH	ONSITE	AT	02-Oct-01 BETA			0.0213pCi/m3		0.0016	0.0038	
SESPRINT	9130L5	300 TRENCH	ONSITE	AT	17-Oct-01 BETA			0.0175pCi/m3		0.0013	0.0032	
SESPRINT	9130L6	300 TRENCH	ONSITE	AT	01-Nov-01 BETA			0.0148pCi/m3		0.0012	0.0026	
SESPRINT	9130L7	300 TRENCH	ONSITE	AT	14-Nov-01 BETA			0.0090pCi/m3		0.0018	0.0052	
SESPRINT	9130L8	300 TRENCH	ONSITE	AT	27-Nov-01 BETA			0.0078pCi/m3		0.0011	0.0016	
SESPRINT	9130L9	300 TRENCH	ONSITE	AT	12-Dec-01 BETA			0.0078pCi/m3		0.00096	0.0017	
SESPRINT	9130M0	300 TRENCH	ONSITE	AT	27-Dec-01 BETA			0.0183pCi/m3		0.0013	0.0034	
SESPRINT	911078	300 WATER INTAKE	ONSITE	AT	10-Jan-01 BETA			0.00327pCi/m3		0.0018	0.0068	
SESPRINT	911078	300 WATER INTAKE	ONSITE	AT	24-Jan-01 BETA			0.0035pCi/m3		0.0019	0.006	
SESPRINT	911084	300 WATER INTAKE	ONSITE	AT	07-Feb-01 BETA			0.0187pCi/m3		0.0014	0.0034	
SESPRINT	911080	300 WATER INTAKE	ONSITE	AT	16-Feb-01 BETA							
SESPRINT	911081	300 WATER INTAKE	ONSITE	AT	07-Mar-01 BETA			0.023pCi/m3		0.0013	0.0038	
SESPRINT	911082	300 WATER INTAKE	ONSITE	AT	21-Mar-01 BETA			0.0107pCi/m3		0.0012	0.0022	
SESPRINT	911083	300 WATER INTAKE	ONSITE	AT	04-Apr-01 BETA			0.00878pCi/m3		0.0001	0.0019	
SESPRINT	911089	300 WATER INTAKE	ONSITE	AT	18-Apr-01 BETA			0.00884pCi/m3		0.0001	0.0019	
SESPRINT	911080	300 WATER INTAKE	ONSITE	AT	02-May-01 BETA			0.0099pCi/m3		0.0011	0.002	
SESPRINT	911081	300 WATER INTAKE	ONSITE	AT	16-May-01 BETA			0.0129pCi/m3		0.0012	0.0023	
SESPRINT	911082	300 WATER INTAKE	ONSITE	AT	30-May-01 BETA			0.012pCi/m3		0.0012	0.0024	
SESPRINT	911083	300 WATER INTAKE	ONSITE	AT	14-Jun-01 BETA			0.00727pCi/m3		0.00062	0.0016	
SESPRINT	911084	300 WATER INTAKE	ONSITE	AT	28-Jun-01 BETA			0.014pCi/m3		0.0011	0.0024	
SESPRINT	9129L8	300 WATER INTAKE	ONSITE	AT	11-Jul-01 BETA			0.0124pCi/m3		0.0012	0.0025	
SESPRINT	9129L9	300 WATER INTAKE	ONSITE	AT	25-Jul-01 BETA			0.0115pCi/m3		0.0011	0.0021	
SESPRINT	9129L0	300 WATER INTAKE	ONSITE	AT	09-Aug-01 BETA			0.00975pCi/m3		0.0011	0.002	
SESPRINT	9129L1	300 WATER INTAKE	ONSITE	AT	22-Aug-01 BETA			0.0189pCi/m3		0.0014	0.0034	
SESPRINT	9129L2	300 WATER INTAKE	ONSITE	AT	05-Sep-01 BETA			0.0124pCi/m3		0.0012	0.0024	
SESPRINT	9129L3	300 WATER INTAKE	ONSITE	AT	19-Sep-01 BETA			0.0177pCi/m3		0.0013	0.0032	
SESPRINT	9129L4	300 WATER INTAKE	ONSITE	AT	02-Oct-01 BETA			0.0193pCi/m3		0.0014	0.0034	
SESPRINT	9131F4	300 WATER INTAKE	ONSITE	AT	17-Oct-01 BETA			0.0142pCi/m3		0.0012	0.0027	
SESPRINT	9131F5	300 WATER INTAKE	ONSITE	AT	01-Nov-01 BETA			0.0134pCi/m3		0.0011	0.0021	
SESPRINT	9131F6	300 WATER INTAKE	ONSITE	AT	14-Nov-01 BETA			0.00325pCi/m3		0.0018	0.0056	
SESPRINT	9131F7	300 WATER INTAKE	ONSITE	AT	27-Nov-01 BETA			0.0062pCi/m3		0.0011	0.0016	
SESPRINT	9131F8	300 WATER INTAKE	ONSITE	AT	12-Dec-01 BETA			0.00816pCi/m3		0.0011	0.0011	
SESPRINT	9131F9	300 WATER INTAKE	ONSITE	AT	27-Dec-01 BETA			0.0173pCi/m3		0.0013	0.0031	
SESPRINT	911089	400 E	ONSITE	AT	09-Jan-01 BETA			0.0035pCi/m3		0.0017	0.0043	
SESPRINT	911090	400 E	ONSITE	AT	23-Jan-01 BETA			0.0319pCi/m3		0.0018	0.0054	
SESPRINT	911091	400 E	ONSITE	AT	06-Feb-01 BETA			0.0187pCi/m3		0.0014	0.0034	
SESPRINT	911092	400 E	ONSITE	AT	15-Feb-01 BETA			0.0281pCi/m3		0.0022	0.0052	
SESPRINT	911093	400 E	ONSITE	AT	06-Mar-01 BETA			0.0216pCi/m3		0.0013	0.0037	
SESPRINT	911094	400 E	ONSITE	AT	16-Mar-01 BETA			0.0148pCi/m3		0.0016	0.003	
SESPRINT	911095	400 E	ONSITE	AT	03-Apr-01 BETA			0.00662pCi/m3		0.00095	0.0019	
SESPRINT	911096	400 E	ONSITE	AT	17-Apr-01 BETA			0.00625pCi/m3		0.0001	0.0016	
SESPRINT	911099	400 E	ONSITE	AT	01-May-01 BETA			0.0102pCi/m3		0.0011	0.0021	
SESPRINT	911090	400 E	ONSITE	AT	15-May-01 BETA			0.019pCi/m3		0.0012	0.0025	
SESPRINT	911091	400 E	ONSITE	AT	29-May-01 BETA			0.0122pCi/m3		0.0012	0.0024	
SESPRINT	911092	400 E	ONSITE	AT	11-Jun-01 BETA			0.00812pCi/m3		0.00097	0.0016	
SESPRINT	911093	400 E	ONSITE	AT	27-Jun-01 BETA			0.0111pCi/m3		0.00096	0.0016	
SESPRINT	9129K0	400 E	ONSITE	AT	10-Jul-01 BETA			0.019pCi/m3		0.0012	0.0029	
SESPRINT	9129K1	400 E	ONSITE	AT	24-Jul-01 BETA			0.0129pCi/m3		0.0011	0.0021	
SESPRINT	9129K2	400 E	ONSITE	AT	08-Aug-01 BETA			0.00807pCi/m3		0.00097	0.0017	
SESPRINT	9129K3	400 E	ONSITE	AT	21-Aug-01 BETA			0.0162pCi/m3		0.0014	0.003	
SESPRINT	9129K4	400 E	ONSITE	AT	04-Sep-01 BETA			0.0106pCi/m3		0.0011	0.0021	
SESPRINT	9129K5	400 E	ONSITE	AT	18-Sep-01 BETA			0.0148pCi/m3		0.0013	0.0028	
SESPRINT	9129K6	400 E	ONSITE	AT	01-Oct-01 BETA			0.0171pCi/m3		0.0014	0.0032	
SESPRINT	9131L6	400 E	ONSITE	AT	15-Oct-01 BETA			0.022pCi/m3		0.0017	0.004	
SESPRINT	9131J7	400 E	ONSITE	AT	02-Nov-01 BETA			0.0132pCi/m3		0.0011	0.0024	
SESPRINT	9131L8	400 E	ONSITE	AT	13-Nov-01 BETA			0.0311pCi/m3		0.002	0.0054	
SESPRINT	9131J9	400 E	ONSITE	AT	26-Nov-01 BETA			0.00804pCi/m3		0.0011	0.002	
SESPRINT	9131K0	400 E	ONSITE	AT	11-Dec-01 BETA			0.00841pCi/m3		0.00098	0.0016	
SESPRINT	9131K1	400 E	ONSITE	AT	25-Dec-01 BETA			0.0142pCi/m3		0.0012	0.0027	
SESPRINT	911900	400 N	ONSITE	AT	09-Jan-01 BETA			0.00307pCi/m3		0.0018	0.0057	
SESPRINT	911901	400 N	ONSITE	AT	23-Jan-01 BETA			0.002pCi/m3		0.0018	0.0055	
SESPRINT	911902	400 N	ONSITE	AT	11-Dec-01 BETA			0.00303pCi/m3		0.0016	0.0037	
SESPRINT	911903	400 N	ONSITE	AT	15-Feb-01 BETA			0.0268pCi/m3		0.0021	0.0048	
SESPRINT	911904	400 N	ONSITE	AT	06-Mar-01 BETA			0.0217pCi/m3		0.0013	0.0037	
SESPRINT	911905	400 N	ONSITE	AT	16-Mar-01 BETA			0.0136pCi/m3		0.0016	0.0029	
SESPRINT	911906	400 N	ONSITE	AT	03-Apr-01 BETA			0.0101pCi/m3		0.00094	0.0019	
SESPRINT	911907	400 N	ONSITE	AT	17-Apr-01 BETA			0.00873pCi/m3		0.0001	0.0016	
SESPRINT	911907	400 N	ONSITE	AT	01-May-01 BETA			0.0103pCi/m3		0.0012	0.0021	
SESPRINT	911908	400 N	ONSITE	AT	15-May-01 BETA			0.0129pCi/m3		0.0012	0.0024	
SESPRINT	911909	400 N	ONSITE	AT	29-May-01 BETA			0.0147pCi/m3		0.0013	0.0028	
SESPRINT	911900	400 N	ONSITE	AT	11-Jun-01 BETA			0.00753pCi/m3		0.0011	0.0016	
SESPRINT	911901	400 N	ONSITE	AT	27-Jun-01 BETA			0.0117pCi/m3		0.0001	0.0001	
SESPRINT	9129K1	400 N	ONSITE	AT	10-Jul-01 BETA			0.0131pCi/m3		0.0012	0.0026	
SESPRINT	9129K2	400 N	ONSITE	AT	24-Jul-01 BETA			0.0139pCi/m3		0.0012	0.0024	
SESPRINT	9129K3	400 N	ONSITE	AT	08-Aug-01 BETA			0.00918pCi/m3		0.0001	0.0019	
SESPRINT	9129K4	400 N	ONSITE	AT	21-Aug-01 BETA			0.0167pCi/m3		0.0014	0.0031	
SESPRINT	9129K5	400 N	ONSITE	AT	04-Sep-01 BETA			0.0124pCi/m3		0.0012	0.0024	
SESPRINT	9129K6	400 N	ONSITE	AT	18-Sep-01 BETA			0.0165pCi/m3		0.0014	0.0031	
SESPRINT	9129K7	400 N	ONSITE	AT	01-Oct-01 BETA			0.0171pCi/m3		0.0014	0.0032	
SESPRINT	9131J7	400 N	ONSITE	AT	15-Oct-01 BETA			0.0174pCi/m3		0.0013	0.0032	
SESPRINT	9131L8	400 N	ONSITE	AT	02-Nov-01 BETA			0.0128pCi/m3		0.0011	0.0024	
SESPRINT	9131L9	400 N	ONSITE	AT	13-Nov-01 BETA			0.0116pCi/m3		0.002	0.005	
SESPRINT	9131K0	400 N	ONSITE	AT	26-Nov-01 BETA			0.00895pCi/m3		0.0011	0.0019	
SESPRINT	9131K1	400 N	ONSITE	AT	11-Dec-01 BETA			0.00816pCi/m3		0.0012	0.00	

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPYD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPUNT	91311.1	400 S	ONSITE	AT	02-Nov-01 BETA			0.0102 pCi/m3			0.0004	0.002	
SESPUNT	91311.2	400 S	ONSITE	AT	13-Nov-01 BETA			0.0085 pCi/m3			0.0019	0.006	
SESPUNT	91313.3	400 S	ONSITE	AT	26-Nov-01 BETA			0.00743 pCi/m3			0.0011	0.0018	
SESPUNT	91313.4	400 S	ONSITE	AT	11-Dec-01 BETA			0.00876 pCi/m3			0.0008	0.0014	
SESPUNT	91315.5	400 S	ONSITE	AT	26-Dec-01 BETA			0.0133 pCi/m3			0.0012	0.0025	
SESPUNT	911586	400 W	ONSITE	AT	19-Jan-01 BETA			0.0225 pCi/m3			0.0019	0.006	
SESPUNT	911587	400 W	ONSITE	AT	23-Jan-01 BETA			0.0238 pCi/m3			0.0018	0.006	
SESPUNT	911588	400 W	ONSITE	AT	06-Feb-01 BETA			0.0199 pCi/m3			0.0014	0.0036	
SESPUNT	911589	400 W	ONSITE	AT	15-Feb-01 BETA			0.0279 pCi/m3			0.0021	0.005	
SESPUNT	911590	400 W	ONSITE	AT	06-Mar-01 BETA			0.0215 pCi/m3			0.0013	0.0037	
SESPUNT	911591	400 W	ONSITE	AT	16-Mar-01 BETA			0.0162 pCi/m3			0.0016	0.0031	
SESPUNT	911592	400 W	ONSITE	AT	03-Apr-01 BETA			0.00963 pCi/m3			0.00062	0.0019	
SESPUNT	911593	400 W	ONSITE	AT	17-Apr-01 BETA			0.0094 pCi/m3			0.0011	0.002	
SESPUNT	911594	400 W	ONSITE	AT	01-May-01 BETA			0.0118 pCi/m3			0.0011	0.0023	
SESPUNT	911595	400 W	ONSITE	AT	15-May-01 BETA			0.0133 pCi/m3			0.0012	0.0026	
SESPUNT	911597	400 W	ONSITE	AT	20-May-01 BETA			0.0134 pCi/m3			0.0012	0.0026	
SESPUNT	911598	400 W	ONSITE	AT	11-Jun-01 BETA			0.00861 pCi/m3			0.0011	0.0019	
SESPUNT	912971	400 W	ONSITE	AT	01-Jul-01 BETA			0.0124 pCi/m3			0.001	0.0021	
SESPUNT	912977	400 W	ONSITE	AT	10-Jul-01 BETA			0.0135 pCi/m3			0.0013	0.0026	
SESPUNT	912988	400 W	ONSITE	AT	24-Jul-01 BETA			0.0138 pCi/m3			0.0011	0.0024	
SESPUNT	912989	400 W	ONSITE	AT	08-Aug-01 BETA			0.0095 pCi/m3			0.001	0.0019	
SESPUNT	912990	400 W	ONSITE	AT	21-Aug-01 BETA			0.0176 pCi/m3			0.0014	0.0032	
SESPUNT	912991	400 W	ONSITE	AT	04-Sep-01 BETA			0.0121 pCi/m3			0.0012	0.0024	
SESPUNT	912992	400 W	ONSITE	AT	18-Sep-01 BETA			0.0166 pCi/m3			0.0013	0.0031	
SESPUNT	912993	400 W	ONSITE	AT	01-Oct-01 BETA			0.0162 pCi/m3			0.0014	0.003	
SESPUNT	913103	400 W	ONSITE	AT	15-Oct-01 BETA			0.0161 pCi/m3			0.0013	0.003	
SESPUNT	913104	400 W	ONSITE	AT	02-Nov-01 BETA			0.0126 pCi/m3			0.001	0.0023	
SESPUNT	913105	400 W	ONSITE	AT	13-Nov-01 BETA			0.0092 pCi/m3			0.0019	0.0052	
SESPUNT	913106	400 W	ONSITE	AT	26-Nov-01 BETA			0.00921 pCi/m3			0.0011	0.002	
SESPUNT	913107	400 W	ONSITE	AT	11-Dec-01 BETA			0.00882 pCi/m3			0.0009	0.0016	
SESPUNT	913108	400 W	ONSITE	AT	26-Dec-01 BETA			0.0146 pCi/m3			0.0012	0.0027	
SESPUNT	911597	ARMY LOOP CAMP	ONSITE	AT	16-Jan-01 BETA			0.0228 pCi/m3			0.0018	0.006	
SESPUNT	911598	ARMY LOOP CAMP	ONSITE	AT	20-Jan-01 BETA			0.0205 pCi/m3			0.0019	0.006	
SESPUNT	911599	ARMY LOOP CAMP	ONSITE	AT	12-Feb-01 BETA			0.0104 pCi/m3			0.0012	0.0022	
SESPUNT	911600	ARMY LOOP CAMP	ONSITE	AT	28-Feb-01 BETA			0.0204 pCi/m3			0.0015	0.0041	
SESPUNT	911591	ARMY LOOP CAMP	ONSITE	AT	13-Mar-01 BETA			0.017 pCi/m3			0.0014	0.0032	
SESPUNT	911602	ARMY LOOP CAMP	ONSITE	AT	19-Mar-01 BETA			0.00835 pCi/m3			0.0019	0.006	
SESPUNT	911606	ARMY LOOP CAMP	ONSITE	AT	10-Apr-01 BETA			0.00923 pCi/m3			0.00079	0.0017	
SESPUNT	911607	ARMY LOOP CAMP	ONSITE	AT	23-Apr-01 BETA			0.00956 pCi/m3			0.00098	0.0016	
SESPUNT	911609	ARMY LOOP CAMP	ONSITE	AT	08-May-01 BETA			0.013 pCi/m3			0.0012	0.0023	
SESPUNT	911609	ARMY LOOP CAMP	ONSITE	AT	22-May-01 BETA			0.0125 pCi/m3			0.0012	0.0024	
SESPUNT	911600	ARMY LOOP CAMP	ONSITE	AT	05-Jun-01 BETA			0.0127 pCi/m3			0.0012	0.0023	
SESPUNT	911601	ARMY LOOP CAMP	ONSITE	AT	19-Jun-01 BETA			0.00849 pCi/m3			0.001	0.0018	
SESPUNT	911602	ARMY LOOP CAMP	ONSITE	AT	03-Jul-01 BETA			0.0139 pCi/m3			0.0011	0.0024	
SESPUNT	912992	ARMY LOOP CAMP	ONSITE	AT	16-Jul-01 BETA			0.0146 pCi/m3			0.0012	0.0025	
SESPUNT	912993	ARMY LOOP CAMP	ONSITE	AT	31-Jul-01 BETA			0.0107 pCi/m3			0.001	0.0019	
SESPUNT	912994	ARMY LOOP CAMP	ONSITE	AT	14-Aug-01 BETA			0.0113 pCi/m3			0.0011	0.0022	
SESPUNT	912995	ARMY LOOP CAMP	ONSITE	AT	29-Aug-01 BETA			0.0145 pCi/m3			0.0012	0.0027	
SESPUNT	912996	ARMY LOOP CAMP	ONSITE	AT	11-Sep-01 BETA			0.0118 pCi/m3			0.0013	0.0024	
SESPUNT	912997	ARMY LOOP CAMP	ONSITE	AT	25-Sep-01 BETA			0.0214 pCi/m3			0.0015	0.0038	
SESPUNT	913104	ARMY LOOP CAMP	ONSITE	AT	09-Oct-01 BETA			0.0167 pCi/m3			0.0013	0.0031	
SESPUNT	913105	ARMY LOOP CAMP	ONSITE	AT	23-Oct-01 BETA			0.0116 pCi/m3			0.0011	0.0021	
SESPUNT	913106	ARMY LOOP CAMP	ONSITE	AT	06-Nov-01 BETA			0.0171 pCi/m3			0.0014	0.0031	
SESPUNT	913107	ARMY LOOP CAMP	ONSITE	AT	19-Nov-01 BETA			0.0096 pCi/m3			0.0016	0.003	
SESPUNT	913108	ARMY LOOP CAMP	ONSITE	AT	05-Dec-01 BETA								
SESPUNT	913109	ARMY LOOP CAMP	ONSITE	AT	17-Dec-01 BETA			0.00729 pCi/m3			0.0012	0.0018	
SESPUNT	913110	ARMY LOOP CAMP	ONSITE	AT	02-Jan-02 BETA			0.0543 pCi/m3			0.001	0.0087	
SESPUNT	911544	B POND	ONSITE	AT	16-Jan-01 BETA			0.0205 pCi/m3			0.0017	0.0052	
SESPUNT	911545	B POND	ONSITE	AT	30-Jan-01 BETA			0.0086 pCi/m3			0.0019	0.0063	
SESPUNT	911546	B POND	ONSITE	AT	12-Feb-01 BETA			0.0145 pCi/m3			0.0013	0.0028	
SESPUNT	911547	B POND	ONSITE	AT	28-Feb-01 BETA			0.0273 pCi/m3			0.0015	0.0047	
SESPUNT	911548	B POND	ONSITE	AT	13-Mar-01 BETA			0.0182 pCi/m3			0.0014	0.0034	
SESPUNT	911549	B POND	ONSITE	AT	19-Mar-01 BETA			0.0179 pCi/m3			0.0018	0.0025	
SESPUNT	911550	B POND	ONSITE	AT	10-Apr-01 BETA			0.00887 pCi/m3			0.00079	0.0017	
SESPUNT	911642	B POND	ONSITE	AT	23-Apr-01 BETA			0.00984 pCi/m3			0.0011	0.0021	
SESPUNT	911643	B POND	ONSITE	AT	08-May-01 BETA			0.0143 pCi/m3			0.0012	0.0022	
SESPUNT	911644	B POND	ONSITE	AT	22-May-01 BETA			0.0169 pCi/m3			0.0014	0.0031	
SESPUNT	911645	B POND	ONSITE	AT	05-Jun-01 BETA			0.0164 pCi/m3			0.0013	0.003	
SESPUNT	911646	B POND	ONSITE	AT	19-Jun-01 BETA			0.0105 pCi/m3			0.0012	0.0022	
SESPUNT	911647	B POND	ONSITE	AT	03-Jul-01 BETA			0.0176 pCi/m3			0.0012	0.003	
SESPUNT	912995	B POND	ONSITE	AT	16-Jul-01 BETA			0.0192 pCi/m3			0.0014	0.0034	
SESPUNT	912996	B POND	ONSITE	AT	31-Jul-01 BETA			0.0135 pCi/m3			0.0011	0.0023	
SESPUNT	912997	B POND	ONSITE	AT	14-Aug-01 BETA			0.0194 pCi/m3			0.0014	0.0034	
SESPUNT	912998	B POND	ONSITE	AT	29-Aug-01 BETA			0.0144 pCi/m3			0.0012	0.0027	
SESPUNT	912999	B POND	ONSITE	AT	11-Sep-01 BETA			0.0128 pCi/m3			0.0012	0.0026	
SESPUNT	913100	B POND	ONSITE	AT	25-Sep-01 BETA			0.0213 pCi/m3			0.0016	0.0032	
SESPUNT	913106	B POND	ONSITE	AT	09-Oct-01 BETA			0.0177 pCi/m3			0.0013	0.0032	
SESPUNT	913107	B POND	ONSITE	AT	23-Oct-01 BETA			0.0191 pCi/m3			0.0011	0.0031	
SESPUNT	913108	B POND	ONSITE	AT	06-Nov-01 BETA								
SESPUNT	913109	B POND	ONSITE	AT	19-Nov-01 BETA								
SESPUNT	913100	B POND	ONSITE	AT	05-Dec-01 BETA								
SESPUNT	913101	B POND	ONSITE	AT	17-Dec-01 BETA								
SESPUNT	913102	B POND	ONSITE	AT	02-Jan-02 BETA								
SESPUNT	911578	BASIN CITY SCHOOL	COMMUNITY	AT	17-Jan-01 BETA			0.03 pCi/m3			0.0018	0.0052	
SESPUNT	911579	BASIN CITY SCHOOL	COMMUNITY	AT	31-Jan-01 BETA			0.03 pCi/m3			0.0017	0.0051	
SESPUNT	911590	BASIN CITY SCHOOL	COMMUNITY	AT	14-Feb-01 BETA			0.02 pCi/m3			0.0015	0.0037	
SESPUNT	911591	BASIN CITY SCHOOL	COMMUNITY	AT	28-Feb-01 BETA			0.0223 pCi/m3			0.0016	0.0036	
SESPUNT	911592	BASIN CITY SCHOOL	COMMUNITY	AT	14-Mar-01 BETA			0.0165 pCi/m3			0.0014	0.0031	
SESPUNT	911593	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01 BETA			0.0109 pCi/m3			0.0011	0.0022	
SESPUNT	911594	BASIN CITY SCHOOL	COMMUNITY	AT	11-Apr-01 BETA			0.00872 pCi/m3			0.001	0.0016	
SESPUNT	911595	BASIN CITY SCHOOL	COMMUNITY	AT	25-Apr-01 BETA			0.0113 pCi/m3			0.0011	0.0023	
SESPUNT	911597	BASIN CITY SCHOOL	COMMUNITY	AT	09-May-01 BETA			0.0125 pCi/m3			0.0011	0.0024	
SESPUNT	911598	BASIN CITY SCHOOL	COMMUNITY	AT	23-May-01 BETA			0.0117 pCi/m3			0.0012	0.0024	
SESPUNT	911599	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jun-01 BETA			0.0109 pCi/m3			0.0012	0.0022	
SESPUNT	911600	BASIN CITY SCHOOL	COMMUNITY	AT	20-Jun-01 BETA			0.00791 pCi/m3			0.001	0.0017	
SESPUNT	911591	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01 BETA			0.0181 pCi/m3			0.0013	0.003	
SESPUNT	912990	BASIN CITY SCHOOL	COMMUNITY	AT	17-Jul-01 BETA			0.0145 pCi/m3			0.0014	0.0026	
SESPUNT	912990	BASIN CITY SCHOOL	COMMUNITY	AT	01-Aug-01 BETA			0.00967 pCi/m3			0.0011	0.002	
SESPUNT	912991	BASIN CITY SCHOOL	COMMUNITY	AT	14-Aug-01 BETA			0.0143 pCi/m3			0.0013	0.0028	
SESPUNT	912992	BASIN CITY SCHOOL	COMMUNITY	AT	29-Aug-01 BETA			0.0139 pCi/m3			0.0012	0.0026	
SESPUNT	912993	BASIN CITY SCHOOL	COMMUNITY	AT	12-Sep-01 BETA			0.012 pCi/m3			0.0012	0.0024	
SESPUNT	912994	BASIN CITY SCHOOL	COMMUNITY	AT	26-Sep-01 BETA			0.0186 pCi/m3			0.0013	0.0033	
SESPUNT	913223	BASIN CITY SCHOOL	COMMUNITY	AT	10-Oct-01 BETA			0.0185 pCi/m3			0.0014	0.0033	
SESPUNT	913224	BASIN CITY SCHOOL	COMMUNITY	AT	24-Oct-01 BETA			0.0113 pCi/m3			0.0012	0.0023	
SESPUNT	913225	BASIN CITY SCHOOL	COMMUNITY	AT	07-Nov-01 BETA			0.0168 pCi/m3			0.0014	0.0031	
SESPUNT	913226	BASIN CITY SCHOOL	COMMUNITY	AT	20-Nov-01 BETA			0.0208 pCi/m3			0.0018	0.0036	
SESPUNT	913227	BASIN CITY SCHOOL	COMMUNITY	AT	05-Dec-01 BETA			0.00819 pCi/m3			0.0008	0.0015	
SESPUNT	913228	BASIN CITY SCHOOL	COMMUNITY	AT	19-Dec-01 BETA			0.0098 pCi/m3					

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETA/ALPHA

OWNER ID	SAMP NUM	BATTELLE COMPLEX	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	9130V8	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	14-Nov-01 BETA		0.0359g/cm3	0.0019		0.0019	0.006	
SESPOINT	9130V9	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	27-Nov-01 BETA		0.0107g/cm3	0.0012		0.0012	0.0022	
SESPOINT	9130W0	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	12-Dec-01 BETA		0.00773g/cm3	0.0004		0.0004	0.0017	
SESPOINT	9130W1	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	27-Dec-01 BETA		0.0201g/cm3	0.0014		0.0014	0.0034	
SESPOINT	9114M7	BENTON CITY	BENTON CITY	COMMUNITY	AT	10-Jan-01 BETA		0.0349g/cm3	0.0018		0.0018	0.0059	
SESPOINT	9114M8	BENTON CITY	BENTON CITY	COMMUNITY	AT	23-Jan-01 BETA		0.0284g/cm3	0.0021		0.0021	0.0066	
SESPOINT	9114M9	BENTON CITY	BENTON CITY	COMMUNITY	AT	06-Feb-01 BETA		0.0095g/cm3	0.0015		0.0015	0.0037	
SESPOINT	9114M0	BENTON CITY	BENTON CITY	COMMUNITY	AT	20-Feb-01 BETA		0.0221g/cm3	0.0017		0.0017	0.0054	
SESPOINT	9114M1	BENTON CITY	BENTON CITY	COMMUNITY	AT	07-Mar-01 BETA		0.0231g/cm3	0.0016		0.0016	0.0046	
SESPOINT	9114M2	BENTON CITY	BENTON CITY	COMMUNITY	AT	21-Mar-01 BETA		0.0106g/cm3	0.0012		0.0012	0.0022	
SESPOINT	9114M3	BENTON CITY	BENTON CITY	COMMUNITY	AT	03-Apr-01 BETA		0.0112g/cm3	0.0012		0.0012	0.0023	
SESPOINT	9114M4	BENTON CITY	BENTON CITY	COMMUNITY	AT	18-Apr-01 BETA		0.00885g/cm3	0.001		0.001	0.0019	
SESPOINT	9114M5	BENTON CITY	BENTON CITY	COMMUNITY	AT	02-May-01 BETA		0.0112g/cm3	0.0012		0.0012	0.0022	
SESPOINT	9114M6	BENTON CITY	BENTON CITY	COMMUNITY	AT	16-May-01 BETA		0.0132g/cm3	0.0013		0.0013	0.0026	
SESPOINT	9114M7	BENTON CITY	BENTON CITY	COMMUNITY	AT	30-May-01 BETA		0.0136g/cm3	0.0012		0.0012	0.0026	
SESPOINT	9114M8	BENTON CITY	BENTON CITY	COMMUNITY	AT	13-Jun-01 BETA		0.00754g/cm3	0.0011		0.0011	0.0017	
SESPOINT	9114M9	BENTON CITY	BENTON CITY	COMMUNITY	AT	27-Jun-01 BETA		0.0139g/cm3	0.0011		0.0011	0.0024	
SESPOINT	912813	BENTON CITY	BENTON CITY	COMMUNITY	AT	11-Jul-01 BETA		0.0137g/cm3	0.0012		0.0012	0.0026	
SESPOINT	912814	BENTON CITY	BENTON CITY	COMMUNITY	AT	24-Jul-01 BETA		0.0116g/cm3	0.0012		0.0012	0.0023	
SESPOINT	912815	BENTON CITY	BENTON CITY	COMMUNITY	AT	08-Aug-01 BETA		0.00854g/cm3	0.001		0.001	0.0019	
SESPOINT	912816	BENTON CITY	BENTON CITY	COMMUNITY	AT	22-Aug-01 BETA		0.0177g/cm3	0.0013		0.0013	0.0031	
SESPOINT	912817	BENTON CITY	BENTON CITY	COMMUNITY	AT	03-Sep-01 BETA		0.0133g/cm3	0.0013		0.0013	0.0026	
SESPOINT	912818	BENTON CITY	BENTON CITY	COMMUNITY	AT	19-Sep-01 BETA		0.00981g/cm3	0.0012		0.0012	0.0021	
SESPOINT	912819	BENTON CITY	BENTON CITY	COMMUNITY	AT	03-Oct-01 BETA		0.0205g/cm3	0.0015		0.0015	0.0036	
SESPOINT	9130M4	BENTON CITY	BENTON CITY	COMMUNITY	AT	17-Oct-01 BETA		0.0133g/cm3	0.0012		0.0012	0.0026	
SESPOINT	9130M5	BENTON CITY	BENTON CITY	COMMUNITY	AT	31-Oct-01 BETA		0.0144g/cm3	0.0012		0.0012	0.0027	
SESPOINT	9130M6	BENTON CITY	BENTON CITY	COMMUNITY	AT	14-Nov-01 BETA		0.0288g/cm3	0.0017		0.0017	0.0049	
SESPOINT	9130M7	BENTON CITY	BENTON CITY	COMMUNITY	AT	27-Nov-01 BETA		0.00843g/cm3	0.0011		0.0011	0.0018	
SESPOINT	9130M8	BENTON CITY	BENTON CITY	COMMUNITY	AT	12-Dec-01 BETA		0.00676g/cm3	0.00092		0.00092	0.0015	
SESPOINT	9130M9	BENTON CITY	BENTON CITY	COMMUNITY	AT	23-Dec-01 BETA		0.00851g/cm3	0.0012		0.0012	0.0021	
SESPOINT	9115J7	BYERS LANDING	BYERS LANDING	PERMETER	AT	18-Jan-01 BETA		0.0264g/cm3	0.0017		0.0017	0.0046	
SESPOINT	9115J8	BYERS LANDING	BYERS LANDING	PERMETER	AT	01-Feb-01 BETA		0.0268g/cm3	0.0017		0.0017	0.0049	
SESPOINT	9115J9	BYERS LANDING	BYERS LANDING	PERMETER	AT	14-Feb-01 BETA		0.021g/cm3	0.0016		0.0016	0.0036	
SESPOINT	9119K0	BYERS LANDING	BYERS LANDING	PERMETER	AT	02-Mar-01 BETA		0.0243g/cm3	0.0015		0.0015	0.0042	
SESPOINT	9119K1	BYERS LANDING	BYERS LANDING	PERMETER	AT	15-Mar-01 BETA		0.0144g/cm3	0.0013		0.0013	0.0023	
SESPOINT	9119K2	BYERS LANDING	BYERS LANDING	PERMETER	AT	29-Mar-01 BETA		0.0103g/cm3	0.0011		0.0011	0.0021	
SESPOINT	9119M4	BYERS LANDING	BYERS LANDING	PERMETER	AT	12-Apr-01 BETA		0.00848g/cm3	0.001		0.001	0.0018	
SESPOINT	9119M5	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Apr-01 BETA		0.0111g/cm3	0.0011		0.0011	0.0022	
SESPOINT	9119M6	BYERS LANDING	BYERS LANDING	PERMETER	AT	10-May-01 BETA		0.0118g/cm3	0.0011		0.0011	0.0023	
SESPOINT	9119M7	BYERS LANDING	BYERS LANDING	PERMETER	AT	24-May-01 BETA		0.0117g/cm3	0.0012		0.0012	0.0023	
SESPOINT	9119M8	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Jun-01 BETA		0.0114g/cm3	0.0011		0.0011	0.0023	
SESPOINT	9119M9	BYERS LANDING	BYERS LANDING	PERMETER	AT	21-Jun-01 BETA		0.00843g/cm3	0.0011		0.0011	0.0023	
SESPOINT	9119M0	BYERS LANDING	BYERS LANDING	PERMETER	AT	06-Jul-01 BETA		0.0155g/cm3	0.0012		0.0012	0.0028	
SESPOINT	9128M6	BYERS LANDING	BYERS LANDING	PERMETER	AT	18-Jul-01 BETA		0.0136g/cm3	0.0012		0.0012	0.0024	
SESPOINT	9128M7	BYERS LANDING	BYERS LANDING	PERMETER	AT	02-Aug-01 BETA		0.00885g/cm3	0.001		0.001	0.0019	
SESPOINT	9128K0	BYERS LANDING	BYERS LANDING	PERMETER	AT	16-Aug-01 BETA		0.0141g/cm3	0.0012		0.0012	0.0027	
SESPOINT	9128K1	BYERS LANDING	BYERS LANDING	PERMETER	AT	30-Aug-01 BETA		0.0145g/cm3	0.0013		0.0013	0.0027	
SESPOINT	9128K2	BYERS LANDING	BYERS LANDING	PERMETER	AT	14-Sep-01 BETA		0.0135g/cm3	0.0012		0.0012	0.0026	
SESPOINT	9131K3	BYERS LANDING	BYERS LANDING	PERMETER	AT	28-Sep-01 BETA		0.0222g/cm3	0.0017		0.0017	0.0044	
SESPOINT	9131K7	BYERS LANDING	BYERS LANDING	PERMETER	AT	11-Oct-01 BETA		0.0197g/cm3	0.0014		0.0014	0.0035	
SESPOINT	9132K2	BYERS LANDING	BYERS LANDING	PERMETER	AT	11-Oct-01 BETA		0.0191g/cm3	0.0014		0.0014	0.0034	
SESPOINT	9131K9	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Oct-01 BETA		0.00862g/cm3	0.0011		0.0011	0.002	
SESPOINT	9132K3	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Oct-01 BETA		0.0109g/cm3	0.0011		0.0011	0.0021	
SESPOINT	9131K0	BYERS LANDING	BYERS LANDING	PERMETER	AT	08-Nov-01 BETA		0.0175g/cm3	0.0014		0.0014	0.0034	
SESPOINT	9132K4	BYERS LANDING	BYERS LANDING	PERMETER	AT	08-Nov-01 BETA		0.0175g/cm3	0.0015		0.0015	0.0032	
SESPOINT	9131J5	BYERS LANDING	BYERS LANDING	PERMETER	AT	21-Nov-01 BETA		0.0265g/cm3	0.0017		0.0017	0.0044	
SESPOINT	9131K6	BYERS LANDING	BYERS LANDING	PERMETER	AT	11-Nov-01 BETA		0.0096g/cm3	0.0018		0.0018	0.003	
SESPOINT	9131J1	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Dec-01 BETA		0.00742g/cm3	0.00096		0.00096	0.0016	
SESPOINT	9131J2	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Dec-01 BETA		0.00655g/cm3	0.001		0.001	0.0018	
SESPOINT	9131J7	BYERS LANDING	BYERS LANDING	PERMETER	AT	19-Dec-01 BETA		0.00754g/cm3	0.0011		0.0011	0.0018	
SESPOINT	9132K5	BYERS LANDING	BYERS LANDING	PERMETER	AT	19-Dec-01 BETA		0.0075g/cm3	0.0012		0.0012	0.0018	
SESPOINT	9131J3	BYERS LANDING	BYERS LANDING	PERMETER	AT	04-Jan-02 BETA		0.0094g/cm3	0.0016		0.0016	0.004	
SESPOINT	9132K6	BYERS LANDING	BYERS LANDING	PERMETER	AT	04-Jan-02 BETA		0.0042g/cm3	0.0008		0.0008	0.0016	
SESPOINT	9115J0	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	18-Jan-01 BETA		0.0278g/cm3	0.0017		0.0017	0.0047	
SESPOINT	9115J1	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	01-Feb-01 BETA		0.0267g/cm3	0.0016		0.0016	0.0046	
SESPOINT	9115J2	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	14-Feb-01 BETA		0.0187g/cm3	0.0015		0.0015	0.0034	
SESPOINT	9115J3	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	02-Mar-01 BETA		0.0216g/cm3	0.0014		0.0014	0.0038	
SESPOINT	9115J4	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	15-Mar-01 BETA		0.0136g/cm3	0.0013		0.0013	0.0027	
SESPOINT	9115J5	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	29-Mar-01 BETA		0.0102g/cm3	0.0011		0.0011	0.0021	
SESPOINT	9119M6	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	12-Apr-01 BETA		0.0084g/cm3	0.00094		0.00094	0.0016	
SESPOINT	9119M7	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	26-Apr-01 BETA		0.00787g/cm3	0.00096		0.00096	0.0017	
SESPOINT	9119M8	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	10-May-01 BETA		0.0116g/cm3	0.0011		0.0011	0.0023	
SESPOINT	9119M9	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	24-May-01 BETA		0.0115g/cm3	0.0012		0.0012	0.0023	
SESPOINT	9119M0	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	07-Jun-01 BETA		0.01g/cm3	0.0011		0.0011	0.0021	
SESPOINT	9119M1	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	21-Jun-01 BETA		0.0104g/cm3	0.0011		0.0011	0.0021	
SESPOINT	9119M2	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	06-Jul-01 BETA		0.0186g/cm3	0.0013		0.0013	0.0024	
SESPOINT	9128M7	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	18-Jul-01 BETA		0.0125g/cm3	0.0012		0.0012	0.0023	
SESPOINT	9128M8	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	02-Aug-01 BETA		0.0084g/cm3	0.00097		0.00097	0.0018	
SESPOINT	9128M9	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	16-Aug-01 BETA		0.0136g/cm3	0.0013		0.0013	0.0026	
SESPOINT	9128M0	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	30-Aug-01 BETA		0.0124g/cm3	0.0012		0.0012	0.0024	
SESPOINT	9128M5	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	14-Sep-01 BETA		0.013g/cm3	0.0012		0.0012	0.0025	
SESPOINT	9128M6	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	28-Sep-01 BETA		0.0196g/cm3	0.0015		0.0015	0.0036	
SESPOINT	9131J9	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	11-Oct-01 BETA		0.0179g/cm3	0.0013		0.0013	0.0032	
SESPOINT	9131K0	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	26-Oct-01 BETA		0.0102g/cm3	0.001		0.001	0.002	
SESPOINT	9131K1	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	08-Nov-01 BETA		0.0161g/cm3	0.0013		0.0013	0.003	
SESPOINT	9131K2	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	21-Nov-01 BETA		0.0212g/cm3	0.0016		0.0016	0.0038	
SESPOINT	9131K3	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	07-Dec-01 BETA		0.00655g/cm3	0.00095		0.00095	0.0013	
SESPOINT	9131K4	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	19-Dec-01 BETA		0.00739g/cm3	0.0011		0.0011	0.0018	
SESPOINT	9131K5	DOGWOOD MET TOWER	DOGWOOD MET TOWER	PERMETER	AT	04-Jan-02 BETA		0.041g/cm3	0.0018		0.0018	0.0067	
SESPOINT	9115J6	E OF 200 E	ONSITE	AT	18-Jan-01 BETA		0.0262g/cm3	0.0017		0.0017	0.0052		
SESPOINT	9115J7	E OF 200 E	ONSITE	AT	30-Jan-01 BETA		0.0333g/cm3	0.0018		0.0018	0.0056		
SESPOINT	9115J8	E OF 200 E	ONSITE	AT	13-Feb-01 BETA		0.0138g/cm3	0.0013		0.0013	0.0027		
SESPOINT	9115J9	E OF 200 E	ONSITE	AT	28-Feb-01 BETA		0.0254g/cm3	0.0015		0.0015	0.0044		
SESPOINT	9115J0	E OF 200 E	ONSITE	AT	13-Mar-01 BETA		0.0126g/cm3	0.0013		0.0013	0.0023		
SESPOINT	9115J1	E OF 200 E	ONSITE	AT	19-Mar-01 BETA		0.0111g/cm3	0.0012		0.0012	0.0022		
SESPOINT	9115J2	E OF 200 E	ONSITE	AT	10-Apr-01 BETA		0.00862g/cm3	0.00077		0.00077	0.0016		
SESPOINT	9115J3	E OF 200 E	ONSITE	AT	23-Apr-01 BETA		0.00908g/cm3	0.0011		0.0011	0.002		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	912966	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Aug-01 BETA			0.0143pCi/m3	0.0013	0.0013	0.0027	
SESPOINT	912967	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Sep-01 BETA			0.0119pCi/m3	0.0012	0.0012	0.0024	
SESPOINT	912968	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01 BETA			0.0192pCi/m3	0.0015	0.0015	0.0035	
SESPOINT	913234	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Oct-01 BETA			0.0178pCi/m3	0.0014	0.0014	0.0034	
SESPOINT	913240	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-Oct-01 BETA			0.0101pCi/m3	0.0011	0.0011	0.0021	
SESPOINT	913241	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-Nov-01 BETA			0.0186pCi/m3	0.0014	0.0014	0.0031	
SESPOINT	913242	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	20-Nov-01 BETA			0.0084pCi/m3	0.0017	0.0017	0.0048	
SESPOINT	913243	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Dec-01 BETA			0.00813pCi/m3	0.00086	0.00086	0.0014	
SESPOINT	913244	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-01 BETA			0.00829pCi/m3	0.00095	0.00095	0.0011	
SESPOINT	913245	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02 BETA			0.0402pCi/m3	0.0019	0.0019	0.0066	
SESPOINT	911506	HANFORD TOWNSITE	ONSITE	AT	09-Jan-01 BETA			0.0333pCi/m3	0.0019	0.0019	0.0057	
SESPOINT	911507	HANFORD TOWNSITE	ONSITE	AT	23-Jan-01 BETA			0.0369pCi/m3	0.0019	0.0019	0.006	
SESPOINT	911508	HANFORD TOWNSITE	ONSITE	AT	06-Feb-01 BETA			0.0193pCi/m3	0.0014	0.0014	0.0036	
SESPOINT	911509	HANFORD TOWNSITE	ONSITE	AT	15-Feb-01 BETA			0.0066pCi/m3	0.0021	0.0021	0.005	
SESPOINT	911510	HANFORD TOWNSITE	ONSITE	AT	06-Mar-01 BETA			0.0207pCi/m3	0.0012	0.0012	0.0036	
SESPOINT	911511	HANFORD TOWNSITE	ONSITE	AT	16-Mar-01 BETA			0.0131pCi/m3	0.0015	0.0015	0.0026	
SESPOINT	911512	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01 BETA			0.00839pCi/m3	0.0009	0.0009	0.0018	
SESPOINT	911513	HANFORD TOWNSITE	ONSITE	AT	17-Apr-01 BETA			0.00847pCi/m3	0.0011	0.0011	0.0018	
SESPOINT	911506	HANFORD TOWNSITE	ONSITE	AT	01-May-01 BETA			0.0105pCi/m3	0.0011	0.0021		
SESPOINT	911507	HANFORD TOWNSITE	ONSITE	AT	15-May-01 BETA			0.0123pCi/m3	0.0012	0.0012	0.0024	
SESPOINT	911508	HANFORD TOWNSITE	ONSITE	AT	28-May-01 BETA			0.014pCi/m3	0.0012	0.0027		
SESPOINT	911509	HANFORD TOWNSITE	ONSITE	AT	11-Jun-01 BETA			0.00792pCi/m3	0.0021	0.0018		
SESPOINT	911506	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01 BETA			0.0117pCi/m3	0.0007	0.002		
SESPOINT	912677	HANFORD TOWNSITE	ONSITE	AT	10-Jul-01 BETA			0.0141pCi/m3	0.0013	0.0027		
SESPOINT	912678	HANFORD TOWNSITE	ONSITE	AT	24-Jul-01 BETA			0.0123pCi/m3	0.0011	0.0022		
SESPOINT	912679	HANFORD TOWNSITE	ONSITE	AT	08-Aug-01 BETA			0.0103pCi/m3	0.0021	0.0021		
SESPOINT	912680	HANFORD TOWNSITE	ONSITE	AT	21-Aug-01 BETA			0.0174pCi/m3	0.0014	0.0032		
SESPOINT	912681	HANFORD TOWNSITE	ONSITE	AT	04-Sep-01 BETA			0.015pCi/m3	0.0011	0.0024		
SESPOINT	912682	HANFORD TOWNSITE	ONSITE	AT	18-Sep-01 BETA			0.0166pCi/m3	0.0013	0.003		
SESPOINT	912683	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01 BETA			0.0143pCi/m3	0.0014	0.0031		
SESPOINT	913254	HANFORD TOWNSITE	ONSITE	AT	15-Oct-01 BETA			0.017pCi/m3	0.0013	0.0031		
SESPOINT	913255	HANFORD TOWNSITE	ONSITE	AT	02-Nov-01 BETA			0.0121pCi/m3	0.0009	0.0023		
SESPOINT	913256	HANFORD TOWNSITE	ONSITE	AT	13-Nov-01 BETA			0.00302pCi/m3	0.002	0.005		
SESPOINT	913257	HANFORD TOWNSITE	ONSITE	AT	26-Nov-01 BETA			0.0104pCi/m3	0.0011	0.0022		
SESPOINT	913258	HANFORD TOWNSITE	ONSITE	AT	11-Dec-01 BETA			0.00709pCi/m3	0.00091	0.0019		
SESPOINT	913259	HANFORD TOWNSITE	ONSITE	AT	25-Dec-01 BETA			0.0155pCi/m3	0.0012	0.0028		
SESPOINT	911964	HORN RAPIDS SUBSTA	PERMETER	AT	11-Jan-01 BETA			0.0366pCi/m3	0.002	0.002		
SESPOINT	911965	HORN RAPIDS SUBSTA	PERMETER	AT	25-Jan-01 BETA			0.0335pCi/m3	0.0018	0.0057		
SESPOINT	911966	HORN RAPIDS SUBSTA	PERMETER	AT	08-Feb-01 BETA			0.0187pCi/m3	0.0014	0.0034		
SESPOINT	911967	HORN RAPIDS SUBSTA	PERMETER	AT	17-Feb-01 BETA			0.00302pCi/m3	0.0022	0.0052		
SESPOINT	911968	HORN RAPIDS SUBSTA	PERMETER	AT	08-Mar-01 BETA			0.0239pCi/m3	0.0013	0.0041		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	23-Mar-01 BETA			0.0123pCi/m3	0.0015	0.0015		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	05-Apr-01 BETA			0.0105pCi/m3	0.0012	0.0021		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	19-Apr-01 BETA							
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	03-May-01 BETA			0.00827pCi/m3	0.0011	0.0019		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	16-May-01 BETA			0.0122pCi/m3	0.0011	0.0023		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	31-May-01 BETA			0.0156pCi/m3	0.0013	0.0023		
SESPOINT	911969	HORN RAPIDS SUBSTA	PERMETER	AT	15-Jun-01 BETA			0.00684pCi/m3	0.0009	0.0015		
SESPOINT	912805	HORN RAPIDS SUBSTA	PERMETER	AT	29-Jun-01 BETA			0.0133pCi/m3	0.0012	0.0021		
SESPOINT	912805	HORN RAPIDS SUBSTA	PERMETER	AT	12-Jul-01 BETA			0.0153pCi/m3	0.0013	0.0029		
SESPOINT	912806	HORN RAPIDS SUBSTA	PERMETER	AT	26-Jul-01 BETA			0.0118pCi/m3	0.0012	0.0024		
SESPOINT	912807	HORN RAPIDS SUBSTA	PERMETER	AT	10-Aug-01 BETA			0.0082pCi/m3	0.0011	0.0011		
SESPOINT	912808	HORN RAPIDS SUBSTA	PERMETER	AT	23-Aug-01 BETA			0.0183pCi/m3	0.0015	0.0034		
SESPOINT	912808	HORN RAPIDS SUBSTA	PERMETER	AT	06-Sep-01 BETA			0.0122pCi/m3	0.0012	0.0024		
SESPOINT	912810	HORN RAPIDS SUBSTA	PERMETER	AT	21-Sep-01 BETA			0.0185pCi/m3	0.0013	0.0033		
SESPOINT	912811	HORN RAPIDS SUBSTA	PERMETER	AT	05-Oct-01 BETA			0.00302pCi/m3	0.0016	0.0037		
SESPOINT	913115	HORN RAPIDS SUBSTA	PERMETER	AT	19-Oct-01 BETA			0.0137pCi/m3	0.0011	0.0025		
SESPOINT	913116	HORN RAPIDS SUBSTA	PERMETER	AT	05-Nov-01 BETA			0.0168pCi/m3	0.0012	0.003		
SESPOINT	913117	HORN RAPIDS SUBSTA	PERMETER	AT	16-Nov-01 BETA			0.0236pCi/m3	0.002	0.006		
SESPOINT	913118	HORN RAPIDS SUBSTA	PERMETER	AT	29-Nov-01 BETA			0.00939pCi/m3	0.0011	0.002		
SESPOINT	913119	HORN RAPIDS SUBSTA	PERMETER	AT	13-Dec-01 BETA			0.00777pCi/m3	0.0011	0.0011		
SESPOINT	913120	HORN RAPIDS SUBSTA	PERMETER	AT	28-Dec-01 BETA			0.0224pCi/m3	0.0014	0.0039		
SESPOINT	911953	KENNICKWICK-ELY STREET	COMMUNITY	AT	17-Jan-01 BETA			0.0238pCi/m3	0.0018	0.0057		
SESPOINT	911954	KENNICKWICK-ELY STREET	COMMUNITY	AT	31-Jan-01 BETA			0.00445pCi/m3	0.0058	0.0058		
SESPOINT	911955	KENNICKWICK-ELY STREET	COMMUNITY	AT	14-Feb-01 BETA			0.024pCi/m3	0.0016	0.0042		
SESPOINT	911956	KENNICKWICK-ELY STREET	COMMUNITY	AT	28-Feb-01 BETA			0.0277pCi/m3	0.0017	0.0043		
SESPOINT	911957	KENNICKWICK-ELY STREET	COMMUNITY	AT	14-Mar-01 BETA			0.0186pCi/m3	0.0014	0.0034		
SESPOINT	911958	KENNICKWICK-ELY STREET	COMMUNITY	AT	28-Mar-01 BETA			0.0111pCi/m3	0.0012	0.0021		
SESPOINT	911960	KENNICKWICK-ELY STREET	COMMUNITY	AT	11-Apr-01 BETA			0.00638pCi/m3	0.00099	0.0016		
SESPOINT	911961	KENNICKWICK-ELY STREET	COMMUNITY	AT	25-Apr-01 BETA			0.0103pCi/m3	0.0011	0.0021		
SESPOINT	911962	KENNICKWICK-ELY STREET	COMMUNITY	AT	09-May-01 BETA			0.0126pCi/m3	0.0012	0.0021		
SESPOINT	911963	KENNICKWICK-ELY STREET	COMMUNITY	AT	24-May-01 BETA			0.0135pCi/m3	0.0012	0.0026		
SESPOINT	911964	KENNICKWICK-ELY STREET	COMMUNITY	AT	07-Jun-01 BETA			0.0107pCi/m3	0.0011	0.0021		
SESPOINT	911965	KENNICKWICK-ELY STREET	COMMUNITY	AT	20-Jun-01 BETA			0.00845pCi/m3	0.0012	0.0019		
SESPOINT	911966	KENNICKWICK-ELY STREET	COMMUNITY	AT	03-Jul-01 BETA			0.0186pCi/m3	0.0015	0.0034		
SESPOINT	912954	KENNICKWICK-ELY STREET	COMMUNITY	AT	17-Jul-01 BETA			0.0155pCi/m3	0.0015	0.0028		
SESPOINT	912955	KENNICKWICK-ELY STREET	COMMUNITY	AT	01-Aug-01 BETA			0.00945pCi/m3	0.0011	0.002		
SESPOINT	912956	KENNICKWICK-ELY STREET	COMMUNITY	AT	14-Aug-01 BETA			0.0139pCi/m3	0.0013	0.0027		
SESPOINT	912957	KENNICKWICK-ELY STREET	COMMUNITY	AT	29-Aug-01 BETA			0.0136pCi/m3	0.0012	0.0026		
SESPOINT	912958	KENNICKWICK-ELY STREET	COMMUNITY	AT	12-Sep-01 BETA			0.012pCi/m3	0.0015	0.0027		
SESPOINT	912959	KENNICKWICK-ELY STREET	COMMUNITY	AT	26-Sep-01 BETA			0.0205pCi/m3	0.0015	0.0037		
SESPOINT	913207	KENNICKWICK-ELY STREET	COMMUNITY	AT	10-Oct-01 BETA			0.0199pCi/m3	0.0014	0.0035		
SESPOINT	913208	KENNICKWICK-ELY STREET	COMMUNITY	AT	24-Oct-01 BETA			0.0121pCi/m3	0.0011	0.0024		
SESPOINT	913209	KENNICKWICK-ELY STREET	COMMUNITY	AT	07-Nov-01 BETA			0.0156pCi/m3	0.0013	0.0029		
SESPOINT	913210	KENNICKWICK-ELY STREET	COMMUNITY	AT	20-Nov-01 BETA			0.00305pCi/m3	0.0016	0.0052		
SESPOINT	913211	KENNICKWICK-ELY STREET	COMMUNITY	AT	05-Dec-01 BETA			0.00656pCi/m3	0.00099	0.0015		
SESPOINT	913212	KENNICKWICK-ELY STREET	COMMUNITY	AT	19-Dec-01 BETA			0.00147pCi/m3	0.002	0.0017		
SESPOINT	913213	KENNICKWICK-ELY STREET	COMMUNITY	AT	02-Jan-02 BETA			0.044pCi/m3	0.002	0.002		
SESPOINT	911515	LESLIE GROVES-CHLAND	COMMUNITY	AT	16-Jan-01 BETA			0.0251pCi/m3	0.0018	0.0059		
SESPOINT	911514	LESLIE GROVES-CHLAND	COMMUNITY	AT	16-Jan-01 BETA			0.0264pCi/m3	0.0017	0.006		
SESPOINT	911516	LESLIE GROVES-CHLAND	COMMUNITY	AT	30-Jan-01 BETA			0.0384pCi/m3	0.0019	0.0064		
SESPOINT	911515	LESLIE GROVES-CHLAND	COMMUNITY	AT	30-Jan-01 BETA			0.0399pCi/m3	0.002	0.0067		
SESPOINT	911517	LESLIE GROVES-CHLAND	COMMUNITY	AT	13-Feb-01 BETA			0.0165pCi/m3	0.0013	0.0031		
SESPOINT	911518	LESLIE GROVES-CHLAND	COMMUNITY	AT	27-Feb-01 BETA			0.0173pCi/m3	0.0014	0.0034		
SESPOINT	911519	LESLIE GROVES-CHLAND	COMMUNITY	AT	13-Mar-01 BETA			0.028pCi/m3	0.0017	0.0048		
SESPOINT	911517	LESLIE GROVES-CHLAND	COMMUNITY	AT	27-Mar-01 BETA			0.0308pCi/m3	0.0017	0.0053		
SESPOINT	911519	LESLIE GROVES-CHLAND	COMMUNITY	AT	13-Mar-01 BETA			0.0186pCi/m3	0.0014	0.0036		
SESPOINT	911519	LESLIE GROVES-CHLAND	COMMUNITY	AT	13-Mar-01 BETA			0.0202pCi/m3	0.0015	0.0036		
SESPOINT	911509	LESLIE GROVES-CHLAND	COMMUNITY	AT	27-Mar-01 BETA			0.0186pCi/m3	0.0011	0.0021		
SESPOINT	911519	LESLIE GROVES-CHLAND	COMMUNITY	AT	27-Mar-01 BETA			0.0131pCi/m3	0.0012	0.0025		
SESPOINT	911503	LESLIE GROVES-CHLAND	COMMUNITY	AT	10-Apr-01 BETA			0.00774pCi/m3	0.00099	0.0017		
SESPOINT	911504	LESLIE GROVES-CHLAND	COMMUNITY	AT	24-Apr-01 BETA			0.00666pCi/m3	0.001	0.002		
SESPOINT	911515	LESLIE GROVES-CHLAND	COMMUNITY	AT	09-May-01 BETA			0.0121pCi/m3	0.0012	0.0024		
SESPOINT	911505	LESLIE GROVES-CHLAND	COMMUNITY	AT	22-May-01 BETA			0.0125pCi/m3	0.0012	0.0024		
SESPOINT	911507	LESLIE GROVES-CHLAND	COMMUNITY	AT	05-Jun-01 BETA			0.0119pCi/m3	0.0012	0.0023		
SESPOINT	911506	LESLIE GROVES-CHLAND	COMMUNITY	AT	19-Jun-01 BETA			0.00771pCi/m3	0.0011	0.0018		
SESPOINT	911509	LESLIE GROVES-CHLAND	COMMUNITY	AT	02-Jul-01 BETA			0.0153pCi/m3	0.0013	0.0023		
SESPOINT												

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETAALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	911L1P6	MATTAWA	COMMUNITY	AT	15-Jun-01 BETA			0.00654µCi/m3	0.0003	0.0015		
SESPOINT	911L1P7	MATTAWA	COMMUNITY	AT	02-Jul-01 BETA			0.014µCi/m3	0.0013	0.0023		
SESPOINT	912B21	MATTAWA	COMMUNITY	AT	16-Jul-01 BETA			0.014µCi/m3	0.0011	0.0024		
SESPOINT	912B22	MATTAWA	COMMUNITY	AT	31-Jul-01 BETA			0.0007µCi/m3	0.00062	0.0017		
SESPOINT	912B23	MATTAWA	COMMUNITY	AT	14-Aug-01 BETA			0.0124µCi/m3	0.0012	0.0024		
SESPOINT	912B24	MATTAWA	COMMUNITY	AT	20-Aug-01 BETA			0.0136µCi/m3	0.0011	0.0025		
SESPOINT	912B25	MATTAWA	COMMUNITY	AT	12-Sep-01 BETA			0.0115µCi/m3	0.0013	0.0024		
SESPOINT	912B26	MATTAWA	COMMUNITY	AT	25-Sep-01 BETA			0.018µCi/m3	0.0014	0.0033		
SESPOINT	913001	MATTAWA	COMMUNITY	AT	09-Oct-01 BETA			0.014µCi/m3	0.0013	0.0023		
SESPOINT	913003	MATTAWA	COMMUNITY	AT	23-Oct-01 BETA			0.0101µCi/m3	0.0012	0.0021		
SESPOINT	913004	MATTAWA	COMMUNITY	AT	06-Nov-01 BETA			0.0131µCi/m3	0.0012	0.0025		
SESPOINT	913005	MATTAWA	COMMUNITY	AT	19-Nov-01 BETA			0.0252µCi/m3	0.0016	0.0044		
SESPOINT	913006	MATTAWA	COMMUNITY	AT	04-Dec-01 BETA							
SESPOINT	913007	MATTAWA	COMMUNITY	AT	17-Dec-01 BETA			0.00713µCi/m3	0.0012	0.0018		
SESPOINT	913008	MATTAWA	COMMUNITY	AT	01-Jan-02 BETA			0.0397µCi/m3	0.0018	0.0065		
SESPOINT	9114L2	N OF 200 E	ONSITE	AT	16-Jan-02 BETA			0.0252µCi/m3	0.0018	0.0055		
SESPOINT	9114L3	N OF 200 E	ONSITE	AT	30-Jan-01 BETA			0.0329µCi/m3	0.0018	0.0056		
SESPOINT	9114L4	N OF 200 E	ONSITE	AT	12-Feb-01 BETA			0.0139µCi/m3	0.0013	0.0027		
SESPOINT	9114L5	N OF 200 E	ONSITE	AT	28-Feb-01 BETA			0.0229µCi/m3	0.0014	0.004		
SESPOINT	9114L6	N OF 200 E	ONSITE	AT	13-Mar-01 BETA			0.0153µCi/m3	0.0014	0.0029		
SESPOINT	9114L7	N OF 200 E	ONSITE	AT	19-Mar-01 BETA			0.30754µCi/m3	0.0018	0.0025		
SESPOINT	9111L9	N OF 200 E	ONSITE	AT	10-Apr-01 BETA			0.00611µCi/m3	0.00067	0.0013		
SESPOINT	9111L80	N OF 200 E	ONSITE	AT	23-Apr-01 BETA			0.0047µCi/m3	0.00066	0.0016		
SESPOINT	9111M1	N OF 200 E	ONSITE	AT	08-May-01 BETA			0.00845µCi/m3	0.001	0.0018		
SESPOINT	9111M2	N OF 200 E	ONSITE	AT	22-May-01 BETA			0.01µCi/m3	0.0011	0.0021		
SESPOINT	9111M3	N OF 200 E	ONSITE	AT	05-Jun-01 BETA			0.00844µCi/m3	0.0011	0.0018		
SESPOINT	9111M4	N OF 200 E	ONSITE	AT	19-Jun-01 BETA			0.00567µCi/m3	0.00088	0.0014		
SESPOINT	9111M5	N OF 200 E	ONSITE	AT	03-Jul-01 BETA			0.0106µCi/m3	0.0011	0.002		
SESPOINT	9127V9	N OF 200 E	ONSITE	AT	16-Jul-01 BETA			0.0113µCi/m3	0.0011	0.002		
SESPOINT	9127V8	N OF 200 E	ONSITE	AT	31-Jul-01 BETA			0.00823µCi/m3	0.00082	0.0016		
SESPOINT	912801	N OF 200 E	ONSITE	AT	14-Aug-01 BETA			0.00903µCi/m3	0.001	0.0019		
SESPOINT	912802	N OF 200 E	ONSITE	AT	29-Aug-01 BETA			0.0153µCi/m3	0.0012	0.0026		
SESPOINT	912803	N OF 200 E	ONSITE	AT	11-Sep-01 BETA			0.014µCi/m3	0.0014	0.0024		
SESPOINT	912803	N OF 200 E	ONSITE	AT	25-Sep-01 BETA			0.0216µCi/m3	0.0015	0.0038		
SESPOINT	9130T8	N OF 200 E	ONSITE	AT	09-Oct-01 BETA			0.0207µCi/m3	0.0015	0.0035		
SESPOINT	9130T9	N OF 200 E	ONSITE	AT	23-Oct-01 BETA			0.0135µCi/m3	0.0013	0.0026		
SESPOINT	9130V9	N OF 200 E	ONSITE	AT	06-Nov-01 BETA			0.0199µCi/m3	0.0013	0.003		
SESPOINT	9130V1	N OF 200 E	ONSITE	AT	19-Nov-01 BETA			0.0333µCi/m3	0.0018	0.0056		
SESPOINT	9130V2	N OF 200 E	ONSITE	AT	05-Dec-01 BETA			0.00756µCi/m3	0.00089	0.0016		
SESPOINT	9130V3	N OF 200 E	ONSITE	AT	17-Dec-01 BETA			0.0087µCi/m3	0.0012	0.0021		
SESPOINT	9130V4	N OF 200 E	ONSITE	AT	02-Jan-02 BETA			0.0442µCi/m3	0.0019	0.0072		
SESPOINT	9114P2	OTHELLO	COMMUNITY	AT	16-Jan-01 BETA			0.0263µCi/m3	0.0016	0.0045		
SESPOINT	9114P3	OTHELLO	COMMUNITY	AT	30-Jan-01 BETA			0.0336µCi/m3	0.0018	0.0057		
SESPOINT	9114P4	OTHELLO	COMMUNITY	AT	13-Feb-01 BETA			0.014µCi/m3	0.0013	0.0027		
SESPOINT	9114P5	OTHELLO	COMMUNITY	AT	27-Feb-01 BETA			0.0274µCi/m3	0.0016	0.0047		
SESPOINT	9114P6	OTHELLO	COMMUNITY	AT	13-Mar-01 BETA			0.0207µCi/m3	0.0015	0.0037		
SESPOINT	9114P7	OTHELLO	COMMUNITY	AT	27-Mar-01 BETA			0.0106µCi/m3	0.0011	0.0021		
SESPOINT	9111P9	OTHELLO	COMMUNITY	AT	10-Apr-01 BETA			0.0072µCi/m3	0.00096	0.0016		
SESPOINT	9111M6	OTHELLO	COMMUNITY	AT	24-Apr-01 BETA			0.00991µCi/m3	0.001	0.0018		
SESPOINT	9111L1	OTHELLO	COMMUNITY	AT	08-May-01 BETA			0.011µCi/m3	0.0011	0.0022		
SESPOINT	9111L2	OTHELLO	COMMUNITY	AT	22-May-01 BETA			0.0118µCi/m3	0.0012	0.0023		
SESPOINT	9111L3	OTHELLO	COMMUNITY	AT	05-Jun-01 BETA			0.0125µCi/m3	0.0012	0.0024		
SESPOINT	9111L4	OTHELLO	COMMUNITY	AT	20-Jun-01 BETA			0.00903µCi/m3	0.00097	0.0017		
SESPOINT	9111L5	OTHELLO	COMMUNITY	AT	05-Jul-01 BETA			0.0179µCi/m3	0.0013	0.0031		
SESPOINT	912B28	OTHELLO	COMMUNITY	AT	17-Jul-01 BETA			0.0156µCi/m3	0.0013	0.0027		
SESPOINT	912B29	OTHELLO	COMMUNITY	AT	31-Jul-01 BETA			0.0121µCi/m3	0.0011	0.0021		
SESPOINT	912B30	OTHELLO	COMMUNITY	AT	15-Aug-01 BETA			0.0156µCi/m3	0.0012	0.0024		
SESPOINT	912B31	OTHELLO	COMMUNITY	AT	29-Aug-01 BETA			0.0126µCi/m3	0.0013	0.0026		
SESPOINT	912B32	OTHELLO	COMMUNITY	AT	11-Sep-01 BETA			0.0127µCi/m3	0.0012	0.0025		
SESPOINT	912B33	OTHELLO	COMMUNITY	AT	25-Sep-01 BETA			0.0222µCi/m3	0.0015	0.0039		
SESPOINT	9130V0	OTHELLO	COMMUNITY	AT	10-Oct-01 BETA			0.0151µCi/m3	0.0013	0.0028		
SESPOINT	9130V1	OTHELLO	COMMUNITY	AT	24-Oct-01 BETA			0.0108µCi/m3	0.0012	0.0022		
SESPOINT	9130V2	OTHELLO	COMMUNITY	AT	07-Nov-01 BETA			0.0193µCi/m3	0.0013	0.0028		
SESPOINT	9130V3	OTHELLO	COMMUNITY	AT	20-Nov-01 BETA							
SESPOINT	9130V4	OTHELLO	COMMUNITY	AT	04-Dec-01 BETA			0.0162µCi/m3	0.00088	0.0027		
SESPOINT	9130V5	OTHELLO	COMMUNITY	AT	17-Dec-01 BETA			0.00718µCi/m3	0.001	0.0017		
SESPOINT	9130V6	OTHELLO	COMMUNITY	AT	02-Jan-02 BETA			0.0373µCi/m3	0.0017	0.0061		
SESPOINT	9119P7	PASCO	COMMUNITY	AT	17-Jan-01 BETA			0.0353µCi/m3	0.0025	0.0065		
SESPOINT	9119P8	PASCO	COMMUNITY	AT	30-Jan-01 BETA			0.0335µCi/m3	0.0019	0.0057		
SESPOINT	9119P9	PASCO	COMMUNITY	AT	13-Feb-01 BETA			0.0174µCi/m3	0.0014	0.0032		
SESPOINT	9119P0	PASCO	COMMUNITY	AT	27-Feb-01 BETA			0.0265µCi/m3	0.0017	0.0045		
SESPOINT	9119P1	PASCO	COMMUNITY	AT	13-Mar-01 BETA			0.0169µCi/m3	0.0013	0.0031		
SESPOINT	9119P2	PASCO	COMMUNITY	AT	27-Mar-01 BETA			0.0101µCi/m3	0.0011	0.0021		
SESPOINT	9119P3	PASCO	COMMUNITY	AT	10-Apr-01 BETA			0.007µCi/m3	0.00097	0.0016		
SESPOINT	9119P4	PASCO	COMMUNITY	AT	24-Apr-01 BETA			0.00774µCi/m3	0.001	0.0018		
SESPOINT	9119P5	PASCO	COMMUNITY	AT	08-May-01 BETA			0.0122µCi/m3	0.0012	0.0024		
SESPOINT	9119P6	PASCO	COMMUNITY	AT	22-May-01 BETA			0.0114µCi/m3	0.0012	0.0023		
SESPOINT	9119P7	PASCO	COMMUNITY	AT	05-Jun-01 BETA			0.0126µCi/m3	0.0012	0.0024		
SESPOINT	9119P8	PASCO	COMMUNITY	AT	19-Jun-01 BETA			0.00993µCi/m3	0.0011	0.0019		
SESPOINT	9119P9	PASCO	COMMUNITY	AT	03-Jul-01 BETA			0.0153µCi/m3	0.0013	0.0029		
SESPOINT	912B28	PASCO	COMMUNITY	AT	17-Jul-01 BETA			0.00897µCi/m3	0.00093	0.0017		
SESPOINT	912B29	PASCO	COMMUNITY	AT	31-Jul-01 BETA			0.00826µCi/m3	0.001	0.0018		
SESPOINT	912B30	PASCO	COMMUNITY	AT	14-Aug-01 BETA			0.0136µCi/m3	0.0013	0.0026		
SESPOINT	912B31	PASCO	COMMUNITY	AT	28-Aug-01 BETA			0.0132µCi/m3	0.0012	0.0025		
SESPOINT	912B32	PASCO	COMMUNITY	AT	11-Sep-01 BETA			0.0126µCi/m3	0.0012	0.0025		
SESPOINT	912B33	PASCO	COMMUNITY	AT	25-Sep-01 BETA			0.0212µCi/m3	0.0015	0.0037		
SESPOINT	9132B0	PASCO	COMMUNITY	AT	09-Oct-01 BETA			0.023µCi/m3	0.0015	0.004		
SESPOINT	9132B1	PASCO	COMMUNITY	AT	23-Oct-01 BETA			0.0106µCi/m3	0.0011	0.0021		
SESPOINT	9132B2	PASCO	COMMUNITY	AT	06-Nov-01 BETA			0.0168µCi/m3	0.0013	0.0031		
SESPOINT	9132B3	PASCO	COMMUNITY	AT	20-Nov-01 BETA			0.0303µCi/m3	0.0017	0.0051		
SESPOINT	9132B4	PASCO	COMMUNITY	AT	04-Dec-01 BETA			0.00798µCi/m3	0.001	0.0018		
SESPOINT	9132B5	PASCO	COMMUNITY	AT	18-Dec-01 BETA			0.00772µCi/m3	0.00096	0.0016		
SESPOINT	9132B6	PASCO	COMMUNITY	AT	02-Jan-02 BETA			0.0454µCi/m3	0.002	0.0074		
SESPOINT	9115L1	PROSSER BARRICADE	PERMETER	AT	11-Jan-01 BETA			0.0234µCi/m3	0.0019	0.0051		
SESPOINT	9115L2	PROSSER BARRICADE	PERMETER	AT	25-Jan-01 BETA			0.0237µCi/m3	0.0018	0.0056		
SESPOINT	9115L3	PROSSER BARRICADE	PERMETER	AT	08-Feb-01 BETA			0.0177µCi/m3	0.0014	0.0033		
SESPOINT	9115L4	PROSSER BARRICADE	PERMETER	AT	17-Feb-01 BETA			0.0387µCi/m3	0.0022	0.0062		
SESPOINT	9115L5	PROSSER BARRICADE	PERMETER	AT	08-Mar-01 BETA			0.0237µCi/m3	0.0013	0.004		
SESPOINT	9115L6	PROSSER BARRICADE	PERMETER	AT	22-Mar-01 BETA			0.0208µCi/m3	0.0011	0.0018		
SESPOINT	9115L7	PROSSER BARRICADE	PERMETER	AT	05-Apr-01 BETA			0.00947µCi/m3	0.0011	0.002		
SESPOINT	911M8	PROSSER BARRICADE	PERMETER	AT	19-Apr-01 BETA			0.00804µCi/m3	0.001	0.0018		
SESPOINT	911M9	PROSSER BARRICADE	PERMETER	AT	03-May-01 BETA			0.00954µCi/m3	0.0011	0.002		
SESPOINT	911M10	PROSSER BARRICADE	PERMETER	AT	18-May-01 BETA			0.0113µCi/m3	0.0011	0.0022		
SESPOINT	911M11	PROSSER BARRICADE	PERMETER	AT	31-May-01 BETA			0.0127µCi/m3	0.0013	0.0025		
SESPOINT	911M12	PROSSER BARRICADE	PERMETER	AT	15-Jun-01 BETA			0.00524µCi/m3	0.00083	0.0013		
SESPOINT	911M13	PROSSER BARRICADE	PERMETER	AT	29-Jun-01 BETA			0.0129µCi/m3	0.0011	0.0022		
SESPOINT	912B72	PROSSER BARRICADE	PERMETER	AT	12-Jul-01 BETA			0.0119µCi/m3	0.0012	0.0024		
SESPOINT	912B73	PROSSER BARRICADE	PERMETER	AT	26-Jul-01 BETA			0.00767µCi/m3	0.00098	0.0017		
SESPOINT	912B74	PROSSER BARRICADE	PERMETER	AT	09-Aug-01 BETA			0.00893µCi/m3	0.001	0.0018		
SESPOINT	912B75	PROSSER BARRICADE	PERMETER	AT	23-Aug-01 BETA			0.0145µCi/m3	0.0013	0.0028		
SESPOINT	912B76	PROSSER BARRICADE	PERMETER	AT	06-Sep-01 BETA			0.00895µCi/m3	0.001			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPUNT	911M05	RATTLISNAKE SPRINGS	PERMETER	AT	25-Jun-01 BETA			0.0097 µCi/m3	0.0012	0.0021		
SESPUNT	911207	RATTLISNAKE SPRINGS	PERMETER	AT	11-Jul-01 BETA			0.00802 µCi/m3	0.0011	0.0018		
SESPUNT	911208	RATTLISNAKE SPRINGS	PERMETER	AT	25-Jul-01 BETA			0.00862 µCi/m3	0.0011	0.0018		
SESPUNT	911209	RATTLISNAKE SPRINGS	PERMETER	AT	28-Aug-01 BETA			0.00886 µCi/m3	0.0011	0.0018		
SESPUNT	911210	RATTLISNAKE SPRINGS	PERMETER	AT	22-Aug-01 BETA			0.0186 µCi/m3	0.0015	0.0034		
SESPUNT	911211	RATTLISNAKE SPRINGS	PERMETER	AT	05-Sep-01 BETA			0.0116 µCi/m3	0.0011	0.0023		
SESPUNT	911212	RATTLISNAKE SPRINGS	PERMETER	AT	18-Sep-01 BETA			0.0116 µCi/m3	0.0013	0.0023		
SESPUNT	911213	RATTLISNAKE SPRINGS	PERMETER	AT	02-Oct-01 BETA			0.0127 µCi/m3	0.0015	0.0027		
SESPUNT	911301	RATTLISNAKE SPRINGS	PERMETER	AT	17-Oct-01 BETA			0.0146 µCi/m3	0.0017	0.0027		
SESPUNT	911308	RATTLISNAKE SPRINGS	PERMETER	AT	01-Nov-01 BETA			0.0124 µCi/m3	0.0013	0.0025		
SESPUNT	911309	RATTLISNAKE SPRINGS	PERMETER	AT	14-Nov-01 BETA			0.0275 µCi/m3	0.0017	0.0047		
SESPUNT	911310	RATTLISNAKE SPRINGS	PERMETER	AT	27-Nov-01 BETA			0.00866 µCi/m3	0.0011	0.0019		
SESPUNT	911311	RATTLISNAKE SPRINGS	PERMETER	AT	12-Dec-01 BETA			0.00807 µCi/m3	0.0007	0.0017		
SESPUNT	911312	RATTLISNAKE SPRINGS	PERMETER	AT	27-Dec-01 BETA			0.0208 µCi/m3	0.0014	0.0036		
SESPUNT	911313	RNGOLD MET TOWER	PERMETER	AT	18-Jan-01 BETA			0.0291 µCi/m3	0.0018	0.005		
SESPUNT	911314	RNGOLD MET TOWER	PERMETER	AT	01-Feb-01 BETA			0.026 µCi/m3	0.0017	0.0046		
SESPUNT	911315	RNGOLD MET TOWER	PERMETER	AT	14-Feb-01 BETA			0.0189 µCi/m3	0.0015	0.0035		
SESPUNT	911316	RNGOLD MET TOWER	PERMETER	AT	02-Mar-01 BETA			0.0215 µCi/m3	0.0014	0.0036		
SESPUNT	911317	RNGOLD MET TOWER	PERMETER	AT	15-Mar-01 BETA			0.0126 µCi/m3	0.0013	0.0025		
SESPUNT	911318	RNGOLD MET TOWER	PERMETER	AT	29-Mar-01 BETA			0.03991 µCi/m3	0.0011	0.0052		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	12-Apr-01 BETA			0.00497 µCi/m3	0.0006	0.0013		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	25-Apr-01 BETA							
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	03-May-01 BETA			0.0133 µCi/m3	0.0013	0.0026		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	24-May-01 BETA			0.0137 µCi/m3	0.0013	0.0026		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	07-Jun-01 BETA			0.0126 µCi/m3	0.0012	0.0025		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	21-Jun-01 BETA			0.0105 µCi/m3	0.0011	0.0021		
SESPUNT	911319	RNGOLD MET TOWER	PERMETER	AT	06-Jul-01 BETA			0.0103 µCi/m3	0.001	0.0021		
SESPUNT	912004	RNGOLD MET TOWER	PERMETER	AT	18-Jul-01 BETA			0.0116 µCi/m3	0.0013	0.0026		
SESPUNT	912005	RNGOLD MET TOWER	PERMETER	AT	02-Aug-01 BETA			0.0107 µCi/m3	0.0011	0.0021		
SESPUNT	912006	RNGOLD MET TOWER	PERMETER	AT	16-Aug-01 BETA			0.0166 µCi/m3	0.0013	0.003		
SESPUNT	912007	RNGOLD MET TOWER	PERMETER	AT	30-Aug-01 BETA			0.0131 µCi/m3	0.0012	0.0025		
SESPUNT	912008	RNGOLD MET TOWER	PERMETER	AT	14-Sep-01 BETA			0.0127 µCi/m3	0.0011	0.0024		
SESPUNT	912009	RNGOLD MET TOWER	PERMETER	AT	26-Sep-01 BETA			0.0195 µCi/m3	0.0015	0.0036		
SESPUNT	913101	RNGOLD MET TOWER	PERMETER	AT	11-Oct-01 BETA			0.0176 µCi/m3	0.0013	0.0032		
SESPUNT	913101	RNGOLD MET TOWER	PERMETER	AT	26-Oct-01 BETA			0.0103 µCi/m3	0.001	0.0021		
SESPUNT	913103	RNGOLD MET TOWER	PERMETER	AT	09-Nov-01 BETA			0.0154 µCi/m3	0.0014	0.0029		
SESPUNT	913103	RNGOLD MET TOWER	PERMETER	AT	21-Nov-01 BETA			0.0268 µCi/m3	0.0017	0.0046		
SESPUNT	913105	RNGOLD MET TOWER	PERMETER	AT	07-Dec-01 BETA			0.00823 µCi/m3	0.00086	0.0013		
SESPUNT	913106	RNGOLD MET TOWER	PERMETER	AT	19-Dec-01 BETA			0.0276 µCi/m3	0.0011	0.0018		
SESPUNT	913107	RNGOLD MET TOWER	PERMETER	AT	04-Jan-02 BETA			0.0422 µCi/m3	0.0018	0.0056		
SESPUNT	911390	S END VERNITA BRIDGE	PERMETER	AT	17-Jan-01 BETA			0.0292 µCi/m3	0.0018	0.0051		
SESPUNT	911391	S END VERNITA BRIDGE	PERMETER	AT	31-Jan-01 BETA			0.0265 µCi/m3	0.0018	0.0051		
SESPUNT	911392	S END VERNITA BRIDGE	PERMETER	AT	13-Feb-01 BETA			0.016 µCi/m3	0.0014	0.003		
SESPUNT	911393	S END VERNITA BRIDGE	PERMETER	AT	14-Mar-01 BETA			0.024 µCi/m3	0.0014	0.0042		
SESPUNT	911393	S END VERNITA BRIDGE	PERMETER	AT	14-Mar-01 BETA			0.0161 µCi/m3	0.0014	0.0034		
SESPUNT	911395	S END VERNITA BRIDGE	PERMETER	AT	28-Mar-01 BETA			0.0105 µCi/m3	0.0012	0.0022		
SESPUNT	911395	S END VERNITA BRIDGE	PERMETER	AT	11-Apr-01 BETA			0.0084 µCi/m3	0.00096	0.0016		
SESPUNT	911396	S END VERNITA BRIDGE	PERMETER	AT	24-Apr-01 BETA			0.00882 µCi/m3	0.0011	0.0019		
SESPUNT	911397	S END VERNITA BRIDGE	PERMETER	AT	28-May-01 BETA							
SESPUNT	911398	S END VERNITA BRIDGE	PERMETER	AT	29-May-01 BETA			0.0124 µCi/m3	0.0012	0.0024		
SESPUNT	911399	S END VERNITA BRIDGE	PERMETER	AT	06-Jun-01 BETA			0.0116 µCi/m3	0.0012	0.0023		
SESPUNT	911399	S END VERNITA BRIDGE	PERMETER	AT	20-Jun-01 BETA			0.0086 µCi/m3	0.0011	0.0018		
SESPUNT	911399	S END VERNITA BRIDGE	PERMETER	AT	06-Jul-01 BETA			0.0192 µCi/m3	0.0013	0.0034		
SESPUNT	911399	S END VERNITA BRIDGE	PERMETER	AT	17-Jul-01 BETA			0.0138 µCi/m3	0.0013	0.0023		
SESPUNT	912022	S END VERNITA BRIDGE	PERMETER	AT	01-Aug-01 BETA			0.0106 µCi/m3	0.00096	0.0019		
SESPUNT	912023	S END VERNITA BRIDGE	PERMETER	AT	15-Aug-01 BETA			0.0118 µCi/m3	0.0011	0.0023		
SESPUNT	912023	S END VERNITA BRIDGE	PERMETER	AT	31-Aug-01 BETA			0.0134 µCi/m3	0.0011	0.0023		
SESPUNT	912025	S END VERNITA BRIDGE	PERMETER	AT	27-Sep-01 BETA			0.0127 µCi/m3	0.0013	0.0026		
SESPUNT	912025	S END VERNITA BRIDGE	PERMETER	AT	27-Sep-01 BETA			0.0212 µCi/m3	0.0014	0.0034		
SESPUNT	913112	S END VERNITA BRIDGE	PERMETER	AT	10-Oct-01 BETA			0.0179 µCi/m3	0.0015	0.0033		
SESPUNT	913113	S END VERNITA BRIDGE	PERMETER	AT	24-Oct-01 BETA			0.0111 µCi/m3	0.0011	0.0021		
SESPUNT	913114	S END VERNITA BRIDGE	PERMETER	AT	07-Nov-01 BETA			0.0085 µCi/m3	0.0008	0.0015		
SESPUNT	913115	S END VERNITA BRIDGE	PERMETER	AT	20-Nov-01 BETA			0.00754 µCi/m3	0.00091	0.0017		
SESPUNT	913116	S END VERNITA BRIDGE	PERMETER	AT	05-Dec-01 BETA			0.00931 µCi/m3	0.0012	0.002		
SESPUNT	913117	S END VERNITA BRIDGE	PERMETER	AT	03-Jan-02 BETA			0.0466 µCi/m3	0.002	0.005		
SESPUNT	911337	S OF 200 E	ONSITE	AT	16-Jan-01 BETA			0.0237 µCi/m3	0.0015	0.0042		
SESPUNT	911338	S OF 200 E	ONSITE	AT	30-Jan-01 BETA			0.0266 µCi/m3	0.0016	0.0045		
SESPUNT	911339	S OF 200 E	ONSITE	AT	12-Feb-01 BETA			0.0147 µCi/m3	0.0013	0.0026		
SESPUNT	911340	S OF 200 E	ONSITE	AT	28-Feb-01 BETA			0.0277 µCi/m3	0.0015	0.0047		
SESPUNT	911341	S OF 200 E	ONSITE	AT	13-Mar-01 BETA			0.0152 µCi/m3	0.0013	0.0023		
SESPUNT	911342	S OF 200 E	ONSITE	AT	19-Mar-01 BETA			0.0106 µCi/m3	0.0009	0.0019		
SESPUNT	911343	S OF 200 E	ONSITE	AT	01-Apr-01 BETA			0.00986 µCi/m3	0.00095	0.0019		
SESPUNT	911344	S OF 200 E	ONSITE	AT	23-Apr-01 BETA			0.00862 µCi/m3	0.0012	0.002		
SESPUNT	911345	S OF 200 E	ONSITE	AT	08-May-01 BETA			0.0107 µCi/m3	0.0011	0.0021		
SESPUNT	911346	S OF 200 E	ONSITE	AT	22-May-01 BETA			0.0122 µCi/m3	0.0012	0.0024		
SESPUNT	911347	S OF 200 E	ONSITE	AT	05-Jun-01 BETA			0.0133 µCi/m3	0.0012	0.0026		
SESPUNT	911348	S OF 200 E	ONSITE	AT	19-Jun-01 BETA			0.00765 µCi/m3	0.001	0.0017		
SESPUNT	911349	S OF 200 E	ONSITE	AT	03-Jul-01 BETA			0.0129 µCi/m3	0.0011	0.0022		
SESPUNT	912008	S OF 200 E	ONSITE	AT	16-Jul-01 BETA			0.0168 µCi/m3	0.0013	0.0027		
SESPUNT	912009	S OF 200 E	ONSITE	AT	31-Jul-01 BETA			0.0104 µCi/m3	0.00095	0.0018		
SESPUNT	912010	S OF 200 E	ONSITE	AT	14-Aug-01 BETA			0.0116 µCi/m3	0.0011	0.0023		
SESPUNT	912011	S OF 200 E	ONSITE	AT	29-Aug-01 BETA			0.0146 µCi/m3	0.0012	0.0027		
SESPUNT	912012	S OF 200 E	ONSITE	AT	11-Sep-01 BETA			0.0117 µCi/m3	0.0012	0.0024		
SESPUNT	912013	S OF 200 E	ONSITE	AT	26-Sep-01 BETA			0.0222 µCi/m3	0.0015	0.0038		
SESPUNT	913188	S OF 200 E	ONSITE	AT	09-Oct-01 BETA			0.0215 µCi/m3	0.0015	0.0038		
SESPUNT	913189	S OF 200 E	ONSITE	AT	23-Oct-01 BETA							
SESPUNT	913190	S OF 200 E	ONSITE	AT	06-Nov-01 BETA			0.0163 µCi/m3	0.0013	0.003		
SESPUNT	913191	S OF 200 E	ONSITE	AT	19-Nov-01 BETA			0.0205 µCi/m3	0.0018	0.0052		
SESPUNT	913192	S OF 200 E	ONSITE	AT	05-Dec-01 BETA			0.0086 µCi/m3	0.00083	0.0014		
SESPUNT	913193	S OF 200 E	ONSITE	AT	17-Dec-01 BETA			0.00796 µCi/m3	0.0011	0.0018		
SESPUNT	911394	S OF B/C CRBS	ONSITE	AT	02-Jan-02 BETA			0.0112 µCi/m3	0.002	0.0052		
SESPUNT	911391	SW OF B/C CRBS	ONSITE	AT	16-Jan-01 BETA			0.03 µCi/m3	0.0017	0.0051		
SESPUNT	911392	SW OF B/C CRBS	ONSITE	AT	30-Jan-01 BETA			0.0265 µCi/m3	0.0016	0.0051		
SESPUNT	911393	SW OF B/C CRBS	ONSITE	AT	12-Feb-01 BETA			0.0179 µCi/m3	0.0013	0.0027		
SESPUNT	911394	SW OF B/C CRBS	ONSITE	AT	28-Feb-01 BETA			0.0206 µCi/m3	0.0016	0.0052		
SESPUNT	911395	SW OF B/C CRBS	ONSITE	AT	13-Mar-01 BETA			0.0184 µCi/m3	0.0015	0.0034		
SESPUNT	911396	SW OF B/C CRBS	ONSITE	AT	19-Mar-01 BETA			0.0138 µCi/m3	0.0022	0.0034		
SESPUNT	911397	SW OF B/C CRBS	ONSITE	AT	12-Apr-01 BETA			0.00918 µCi/m3	0.0009	0.0017		
SESPUNT	911398	SW OF B/C CRBS	ONSITE	AT	23-Apr-01 BETA			0.00959 µCi/m3	0.0011	0.002		
SESPUNT	911399	SW OF B/C CRBS	ONSITE	AT	08-May-01 BETA			0.0118 µCi/m3	0.0011	0.0023		
SESPUNT	911399	SW OF B/C CRBS	ONSITE	AT	22-May-01 BETA			0.0125 µCi/m3	0.0012	0.0024		
SESPUNT	911393	SW OF B/C CRBS	ONSITE	AT	05-Jun-01 BETA			0.0132 µCi/m3	0.0012	0.0025		
SESPUNT	911394	SW OF B/C CRBS	ONSITE	AT	19-Jun-01 BETA			0.00762 µCi/m3	0.001	0.0017		
SESPUNT	911395	SW OF B/C CRBS	ONSITE	AT	03-Jul-01 BETA			0.0129 µCi/m3	0.0011	0.0023		
SESPUNT	912004	SW OF B/C CRBS	ONSITE	AT	16-Jul-01 BETA			0.0131 µCi/m3	0.0012	0.0026		
SESPUNT	912005	SW OF B/C CRBS	ONSITE	AT	31-Jul-01 BETA			0.00935 µCi/m3	0.0009	0.0017		
SESPUNT	912006	SW OF B/C CRBS	ONSITE	AT	14-Aug-01 BETA			0.012 µCi/m3	0.0012	0.0024		
SESPUNT	912007	SW OF B/C CRBS	ONSITE	AT	29-Aug-01 BETA			0.0115 µCi/m3	0.0012	0.0023		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETAALPHA

OWNER ID	SAMP NUM	TOPPENSH	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPYD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPUNT	912710	TOPPENSH		DISTANT	AT	10-Jul-01 BETA		0.0109µCi/m3	0.0012		0.0023			
SESPUNT	912711	TOPPENSH		DISTANT	AT	25-Jul-01 BETA		0.0111µCi/m3	0.0011		0.0022			
SESPUNT	912712	TOPPENSH		DISTANT	AT	08-Aug-01 BETA		0.00998µCi/m3	0.0011		0.0021			
SESPUNT	912713	TOPPENSH		DISTANT	AT	21-Aug-01 BETA		0.01015µCi/m3	0.0015		0.0036			
SESPUNT	912714	TOPPENSH		DISTANT	AT	05-Sep-01 BETA		0.0103µCi/m3	0.0011		0.0021			
SESPUNT	912715	TOPPENSH		DISTANT	AT	18-Sep-01 BETA		0.0144µCi/m3	0.0013		0.005			
SESPUNT	912716	TOPPENSH		DISTANT	AT	03-Oct-01 BETA		0.0189µCi/m3	0.0014		0.0034			
SESPUNT	913070	TOPPENSH		DISTANT	AT	17-Oct-01 BETA		0.0141µCi/m3	0.0012		0.0027			
SESPUNT	913071	TOPPENSH		DISTANT	AT	31-Oct-01 BETA		0.0136µCi/m3	0.0012		0.0026			
SESPUNT	913072	TOPPENSH		DISTANT	AT	14-Nov-01 BETA		0.0202µCi/m3	0.0017		0.0049			
SESPUNT	913073	TOPPENSH		DISTANT	AT	29-Nov-01 BETA		0.0104µCi/m3	0.001		0.0021			
SESPUNT	913074	TOPPENSH		DISTANT	AT	12-Dec-01 BETA		0.00817µCi/m3	0.001		0.0018			
SESPUNT	913075	TOPPENSH		DISTANT	AT	26-Dec-01 BETA		0.0193µCi/m3	0.0014		0.0034			
SESPUNT	911976	W END OF FIR ROAD		PERMETER	AT	18-Jan-01 BETA		0.0099µCi/m3	0.0017		0.0045			
SESPUNT	911977	W END OF FIR ROAD		PERMETER	AT	01-Feb-01 BETA		0.0205µCi/m3	0.0016		0.0044			
SESPUNT	911978	W END OF FIR ROAD		PERMETER	AT	14-Feb-01 BETA		0.0179µCi/m3	0.0014		0.0035			
SESPUNT	911979	W END OF FIR ROAD		PERMETER	AT	02-Mar-01 BETA		0.0222µCi/m3	0.0014		0.0039			
SESPUNT	911980	W END OF FIR ROAD		PERMETER	AT	15-Mar-01 BETA		0.0156µCi/m3	0.0014		0.003			
SESPUNT	911941	W END OF FIR ROAD		PERMETER	AT	29-Mar-01 BETA		0.00909µCi/m3	0.0011		0.0019			
SESPUNT	911MP0	W END OF FIR ROAD		PERMETER	AT	12-Apr-01 BETA		0.00631µCi/m3	0.00089		0.0014			
SESPUNT	911MP1	W END OF FIR ROAD		PERMETER	AT	26-Apr-01 BETA		0.00946µCi/m3	0.0011		0.002			
SESPUNT	911MP2	W END OF FIR ROAD		PERMETER	AT	10-May-01 BETA		0.00984µCi/m3	0.0011		0.002			
SESPUNT	911MP3	W END OF FIR ROAD		PERMETER	AT	24-May-01 BETA		0.00971µCi/m3	0.0011		0.002			
SESPUNT	911MF4	W END OF FIR ROAD		PERMETER	AT	07-Jun-01 BETA		0.00816µCi/m3	0.001		0.0018			
SESPUNT	911MP5	W END OF FIR ROAD		PERMETER	AT	21-Jun-01 BETA		0.00784µCi/m3	0.001		0.0018			
SESPUNT	911MP6	W END OF FIR ROAD		PERMETER	AT	06-Jul-01 BETA		0.0135µCi/m3	0.0014		0.0027			
SESPUNT	912877	W END OF FIR ROAD		PERMETER	AT	18-Jul-01 BETA		0.0142µCi/m3	0.0012		0.0026			
SESPUNT	912878	W END OF FIR ROAD		PERMETER	AT	12-Aug-01 BETA		0.00774µCi/m3	0.00095		0.0017			
SESPUNT	912879	W END OF FIR ROAD		PERMETER	AT	16-Aug-01 BETA		0.0128µCi/m3	0.0012		0.0026			
SESPUNT	912880	W END OF FIR ROAD		PERMETER	AT	30-Aug-01 BETA		0.013µCi/m3	0.0012		0.0026			
SESPUNT	9128V1	W END OF FIR ROAD		PERMETER	AT	14-Sep-01 BETA		0.0124µCi/m3	0.0011		0.0024			
SESPUNT	9128V2	W END OF FIR ROAD		PERMETER	AT	26-Sep-01 BETA		0.0113µCi/m3	0.0016		0.0038			
SESPUNT	9131N3	W END OF FIR ROAD		PERMETER	AT	11-Oct-01 BETA		0.0184µCi/m3	0.0014		0.0034			
SESPUNT	9131N4	W END OF FIR ROAD		PERMETER	AT	26-Oct-01 BETA		0.0106µCi/m3	0.0011		0.0022			
SESPUNT	9131N5	W END OF FIR ROAD		PERMETER	AT	08-Nov-01 BETA		0.0166µCi/m3	0.0014		0.0031			
SESPUNT	9131N6	W END OF FIR ROAD		PERMETER	AT	21-Nov-01 BETA		0.02085µCi/m3	0.0017		0.0049			
SESPUNT	9131N7	W END OF FIR ROAD		PERMETER	AT	07-Dec-01 BETA		0.00999µCi/m3	0.001		0.0018			
SESPUNT	9131N8	W END OF FIR ROAD		PERMETER	AT	19-Dec-01 BETA		0.00984µCi/m3	0.0011		0.0017			
SESPUNT	9131N9	W END OF FIR ROAD		PERMETER	AT	04-Jan-02 BETA		0.0209µCi/m3	0.0017		0.0059			
SESPUNT	9119N3	WAHULKE SLOPE		PERMETER	AT	17-Jan-01 BETA		0.0074µCi/m3	0.0017		0.0045			
SESPUNT	9119N5	WAHULKE SLOPE		PERMETER	AT	31-Jan-01 BETA		0.0207µCi/m3	0.0017		0.0051			
SESPUNT	9119N6	WAHULKE SLOPE		PERMETER	AT	13-Feb-01 BETA		0.0181µCi/m3	0.0014		0.0034			
SESPUNT	9119N7	WAHULKE SLOPE		PERMETER	AT	01-Mar-01 BETA		0.0234µCi/m3	0.0014		0.0041			
SESPUNT	9119N8	WAHULKE SLOPE		PERMETER	AT	14-Mar-01 BETA		0.0137µCi/m3	0.0013		0.0027			
SESPUNT	9119N9	WAHULKE SLOPE		PERMETER	AT	28-Mar-01 BETA		0.00189µCi/m3	0.00021		0.00069			
SESPUNT	911MM8	WAHULKE SLOPE		PERMETER	AT	11-Apr-01 BETA		0.00788µCi/m3	0.0011		0.0018			
SESPUNT	911MM9	WAHULKE SLOPE		PERMETER	AT	24-Apr-01 BETA		0.00909µCi/m3	0.0012		0.002			
SESPUNT	911MM0	WAHULKE SLOPE		PERMETER	AT	09-May-01 BETA		0.00963µCi/m3	0.001		0.002			
SESPUNT	911MM1	WAHULKE SLOPE		PERMETER	AT	23-May-01 BETA		0.0114µCi/m3	0.0011		0.0021			
SESPUNT	911MM2	WAHULKE SLOPE		PERMETER	AT	06-Jun-01 BETA		0.0101µCi/m3	0.0011		0.0021			
SESPUNT	911MM3	WAHULKE SLOPE		PERMETER	AT	20-Jun-01 BETA		0.00716µCi/m3	0.001		0.0017			
SESPUNT	911972	WAHULKE SLOPE		PERMETER	AT	06-Jul-01 BETA		0.014µCi/m3	0.0011		0.0026			
SESPUNT	912915	WAHULKE SLOPE		PERMETER	AT	17-Jul-01 BETA		0.0136µCi/m3	0.0013		0.0024			
SESPUNT	912916	WAHULKE SLOPE		PERMETER	AT	01-Aug-01 BETA		0.0107µCi/m3	0.00097		0.0019			
SESPUNT	912917	WAHULKE SLOPE		PERMETER	AT	15-Aug-01 BETA		0.0128µCi/m3	0.0012		0.0026			
SESPUNT	912918	WAHULKE SLOPE		PERMETER	AT	21-Aug-01 BETA		0.0129µCi/m3	0.0011		0.0024			
SESPUNT	912919	WAHULKE SLOPE		PERMETER	AT	12-Sep-01 BETA		0.0114µCi/m3	0.0013		0.0024			
SESPUNT	912920	WAHULKE SLOPE		PERMETER	AT	27-Sep-01 BETA		0.01995µCi/m3	0.0013		0.0034			
SESPUNT	9131N1	WAHULKE SLOPE		PERMETER	AT	10-Oct-01 BETA		0.0177µCi/m3	0.0014		0.0031			
SESPUNT	9131N6	WAHULKE SLOPE		PERMETER	AT	24-Oct-01 BETA		0.01µCi/m3	0.0011		0.0021			
SESPUNT	9131N7	WAHULKE SLOPE		PERMETER	AT	07-Nov-01 BETA		0.0139µCi/m3	0.0013		0.0027			
SESPUNT	9131N8	WAHULKE SLOPE		PERMETER	AT	20-Nov-01 BETA		0.0284µCi/m3	0.0018		0.0049			
SESPUNT	9131N9	WAHULKE SLOPE		PERMETER	AT	06-Dec-01 BETA		0.00869µCi/m3	0.00088		0.0019			
SESPUNT	9131N10	WAHULKE SLOPE		PERMETER	AT	19-Dec-01 BETA		0.0078µCi/m3	0.0012		0.0019			
SESPUNT	9131Y1	WAHULKE SLOPE		PERMETER	AT	03-Jan-02 BETA		0.0437µCi/m3	0.0019		0.0071			
SESPUNT	9132N5	WYE BARRICADE		ONSITE	AT	08-Jan-01 BETA		0.0201µCi/m3	0.0018		0.0055			
SESPUNT	9119D9	WYE BARRICADE		ONSITE	AT	23-Jan-01 BETA		0.0304µCi/m3	0.0017		0.0062			
SESPUNT	9119F3	WYE BARRICADE		ONSITE	AT	06-Feb-01 BETA		0.0174µCi/m3	0.0014		0.0034			
SESPUNT	9119F1	WYE BARRICADE		ONSITE	AT	15-Feb-01 BETA		0.0222µCi/m3	0.002		0.0042			
SESPUNT	9119F2	WYE BARRICADE		ONSITE	AT	06-Mar-01 BETA		0.0241µCi/m3	0.0013		0.0041			
SESPUNT	9119F3	WYE BARRICADE		ONSITE	AT	16-Mar-01 BETA		0.0152µCi/m3	0.0016		0.0031			
SESPUNT	9119F4	WYE BARRICADE		ONSITE	AT	03-Apr-01 BETA		0.0199µCi/m3	0.0016		0.0031			
SESPUNT	911MD3	WYE BARRICADE		ONSITE	AT	17-Apr-01 BETA		0.00777µCi/m3	0.00099		0.0017			
SESPUNT	911MD4	WYE BARRICADE		ONSITE	AT	01-May-01 BETA		0.00887µCi/m3	0.001		0.0019			
SESPUNT	911MD5	WYE BARRICADE		ONSITE	AT	15-May-01 BETA		0.0106µCi/m3	0.0011		0.0021			
SESPUNT	911MD6	WYE BARRICADE		ONSITE	AT	28-May-01 BETA		0.0121µCi/m3	0.0012		0.0021			
SESPUNT	911MD7	WYE BARRICADE		ONSITE	AT	11-Jun-01 BETA		0.00968µCi/m3	0.001		0.0018			
SESPUNT	911MD8	WYE BARRICADE		ONSITE	AT	27-Jun-01 BETA		0.0117µCi/m3	0.00099		0.002			
SESPUNT	9129W9	WYE BARRICADE		ONSITE	AT	10-Jul-01 BETA		0.0128µCi/m3	0.0012		0.0026			
SESPUNT	9129T0	WYE BARRICADE		ONSITE	AT	24-Jul-01 BETA		0.0121µCi/m3	0.0011		0.0021			
SESPUNT	9128T1	WYE BARRICADE		ONSITE	AT	08-Aug-01 BETA		0.00871µCi/m3	0.001		0.0018			
SESPUNT	9128T2	WYE BARRICADE		ONSITE	AT	21-Aug-01 BETA		0.0176µCi/m3	0.0014		0.0032			
SESPUNT	9128T3	WYE BARRICADE		ONSITE	AT	04-Sep-01 BETA		0.0116µCi/m3	0.0012		0.0023			
SESPUNT	9128T4	WYE BARRICADE		ONSITE	AT	18-Sep-01 BETA		0.0144µCi/m3	0.0013		0.0027			
SESPUNT	9128T5	WYE BARRICADE		ONSITE	AT	01-Oct-01 BETA		0.0143µCi/m3	0.0013		0.0027			
SESPUNT	9131M5	WYE BARRICADE		ONSITE	AT	15-Oct-01 BETA		0.0149µCi/m3	0.0013		0.0028			
SESPUNT	9131M6	WYE BARRICADE		ONSITE	AT	29-Oct-01 BETA		0.0125µCi/m3	0.001		0.0023			
SESPUNT	9131M7	WYE BARRICADE		ONSITE	AT	13-Nov-01 BETA		0.0291µCi/m3	0.0019		0.0051			
SESPUNT	9131M8	WYE BARRICADE		ONSITE	AT	26-Nov-01 BETA		0.00758µCi/m3	0.0011		0.0018			
SESPUNT	9131M9	WYE BARRICADE		ONSITE	AT	11-Dec-01 BETA		0.00983µCi/m3	0.00086		0.0014			
SESPUNT	9131N0	WYE BARRICADE		ONSITE	AT	26-Dec-01 BETA		0.013µCi/m3	0.0012		0.0026			
SESPUNT	9115T0	YAKMA		DISTANT	AT	11-Jan-01 BETA		0.0366µCi/m3	0.002		0.0062			
SESPUNT	9115T1	YAKMA		DISTANT	AT	25-Jan-01 BETA		0.0313µCi/m3	0.0017		0.0053			
SESPUNT	9115T2	YAKMA		DISTANT	AT	08-Feb-01 BETA		0.0139µCi/m3	0.0012		0.0028			
SESPUNT	9115T3	YAKMA		DISTANT	AT	17-Feb-01 BETA		0.0222µCi/m3	0.002		0.0045			
SESPUNT	9115T4	YAKMA		DISTANT	AT	03-Mar-01 BETA		0.0147µCi/m3	0.0011		0.0027			
SESPUNT	9115T5	YAKMA		DISTANT	AT	22-Mar-01 BETA		0.00362µCi/m3	0.0006		0.0012			
SESPUNT	9115T6	YAKMA		DISTANT	AT	05-Apr-01 BETA		0.00806µCi/m3	0.001		0.0018			
SESPUNT	911M88	YAKMA		DISTANT	AT	19-Apr-01 BETA		0.00822µCi/m3	0.00099		0.0018			
SESPUNT	911M89	YAKMA		DISTANT	AT	03-May-01 BETA		0.0096µCi/m3	0.0011		0.002			
SESPUNT	911M70	YAKMA		DISTANT	AT	18-May-01 BETA		0.0166µCi/m3	0.0016</					

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	YAKMA BARRICADE	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	911M6.5	YAKMA BARRICADE		PERMETER	AT	18-Apr-01 BETA			0.00916pCi/m3			0.0001	0.0019	
SESPOINT	911M6.6	YAKMA BARRICADE		PERMETER	AT	18-May-01 BETA			0.0101pCi/m3			0.0001	0.0021	
SESPOINT	911M6.7	YAKMA BARRICADE		PERMETER	AT	18-May-01 BETA			0.01008pCi/m3			0.00012	0.0022	
SESPOINT	911M6.8	YAKMA BARRICADE		PERMETER	AT	18-May-01 BETA			0.0144pCi/m3			0.00012	0.0024	
SESPOINT	911M6.9	YAKMA BARRICADE		PERMETER	AT	14-Jun-01 BETA			0.00602pCi/m3			0.00009	0.0014	
SESPOINT	911M6.9	YAKMA BARRICADE		PERMETER	AT	28-Jun-01 BETA			0.0128pCi/m3			0.00011	0.0023	
SESPOINT	91290	YAKMA BARRICADE		PERMETER	AT	11-Jul-01 BETA			0.0129pCi/m3			0.00013	0.0023	
SESPOINT	912901	YAKMA BARRICADE		PERMETER	AT	25-Jul-01 BETA			0.0107pCi/m3			0.00012	0.0022	
SESPOINT	912902	YAKMA BARRICADE		PERMETER	AT	28-Aug-01 BETA			0.0077pCi/m3			0.0001	0.0014	
SESPOINT	912903	YAKMA BARRICADE		PERMETER	AT	23-Aug-01 BETA			0.0174pCi/m3			0.00014	0.0032	
SESPOINT	912904	YAKMA BARRICADE		PERMETER	AT	05-Sep-01 BETA			0.0113pCi/m3			0.00012	0.0023	
SESPOINT	912905	YAKMA BARRICADE		PERMETER	AT	19-Sep-01 BETA			0.0158pCi/m3			0.00013	0.0029	
SESPOINT	912906	YAKMA BARRICADE		PERMETER	AT	02-Oct-01 BETA			0.0182pCi/m3			0.00016	0.0035	
SESPOINT	913190	YAKMA BARRICADE		PERMETER	AT	17-Oct-01 BETA			0.0143pCi/m3			0.00012	0.0027	
SESPOINT	913191	YAKMA BARRICADE		PERMETER	AT	01-Nov-01 BETA			0.0115pCi/m3			0.00011	0.0022	
SESPOINT	913192	YAKMA BARRICADE		PERMETER	AT	14-Nov-01 BETA			0.0278pCi/m3			0.00018	0.0046	
SESPOINT	913193	YAKMA BARRICADE		PERMETER	AT	27-Nov-01 BETA			0.00749pCi/m3			0.0001	0.0017	
SESPOINT	913194	YAKMA BARRICADE		PERMETER	AT	12-Dec-01 BETA			0.00765pCi/m3			0.0001	0.0017	
SESPOINT	913195	YAKMA BARRICADE		PERMETER	AT	27-Dec-01 BETA			0.0185pCi/m3			0.00014	0.0033	
SESPOINT	911517	100 D AREA		ONSITE	AT	09-Jan-01 ALPHA			0.000309pCi/m3			0.00006	0.00059	J
SESPOINT	911518	100 D AREA		ONSITE	AT	23-Jan-01 ALPHA			0.000019pCi/m3			0.00006	0.00006	J
SESPOINT	911519	100 D AREA		ONSITE	AT	06-Feb-01 ALPHA			0.000468pCi/m3			0.00041	0.00042	J
SESPOINT	911520	100 D AREA		ONSITE	AT	15-Feb-01 ALPHA			0.000009pCi/m3			0.00002	0.00004	U
SESPOINT	911521	100 D AREA		ONSITE	AT	06-Mar-01 ALPHA			0.000811pCi/m3			0.00039	0.00043	J
SESPOINT	911522	100 D AREA		ONSITE	AT	18-Mar-01 ALPHA			0.000081pCi/m3			0.00009	0.00004	J
SESPOINT	911523	100 D AREA		ONSITE	AT	03-Apr-01 ALPHA			0.000066pCi/m3			0.00003	0.00004	J
SESPOINT	911M12	100 D AREA		ONSITE	AT	17-Apr-01 ALPHA			0.000212pCi/m3			0.00002	0.00032	U
SESPOINT	911M13	100 D AREA		ONSITE	AT	01-May-01 ALPHA			0.000479pCi/m3			0.00033	0.00035	J
SESPOINT	911M14	100 D AREA		ONSITE	AT	15-May-01 ALPHA			0.000568pCi/m3			0.00036	0.00037	J
SESPOINT	911M15	100 D AREA		ONSITE	AT	29-May-01 ALPHA			0.000095pCi/m3			0.00036	0.00038	J
SESPOINT	911M16	100 D AREA		ONSITE	AT	11-Jun-01 ALPHA			0.00016pCi/m3			0.00026	0.00027	U
SESPOINT	911M17	100 D AREA		ONSITE	AT	27-Jun-01 ALPHA			0.000065pCi/m3			0.00029	0.00031	J
SESPOINT	91288	100 D AREA		ONSITE	AT	10-Jul-01 ALPHA			0.000030pCi/m3			0.00036	0.00037	U
SESPOINT	912889	100 D AREA		ONSITE	AT	24-Jul-01 ALPHA			0.000499pCi/m3			0.00003	0.00032	J
SESPOINT	912890	100 D AREA		ONSITE	AT	28-Aug-01 ALPHA			0.000407pCi/m3			0.00031	0.00032	J
SESPOINT	9128C1	100 D AREA		ONSITE	AT	21-Aug-01 ALPHA			0.000735pCi/m3			0.00042	0.00046	J
SESPOINT	9128C2	100 D AREA		ONSITE	AT	04-Sep-01 ALPHA			0.000195pCi/m3			0.00038	0.00039	U
SESPOINT	9128C3	100 D AREA		ONSITE	AT	18-Sep-01 ALPHA			0.000093pCi/m3			0.00038	0.00041	J
SESPOINT	9128C4	100 D AREA		ONSITE	AT	01-Oct-01 ALPHA			-0.0000747pCi/m3			0.00036	0.00036	U
SESPOINT	913186	100 D AREA		ONSITE	AT	15-Oct-01 ALPHA			0.000751pCi/m3			0.00046	0.00046	J
SESPOINT	913187	100 D AREA		ONSITE	AT	02-Nov-01 ALPHA			0.000002pCi/m3			0.00029	0.00031	J
SESPOINT	913188	100 D AREA		ONSITE	AT	13-Nov-01 ALPHA			0.00011pCi/m3			0.00005	0.00005	J
SESPOINT	913189	100 D AREA		ONSITE	AT	26-Nov-01 ALPHA			0.0000209pCi/m3			0.00024	0.00025	U
SESPOINT	913190	100 D AREA		ONSITE	AT	1-Dec-01 ALPHA			0.000142pCi/m3			0.00023	0.00023	J
SESPOINT	913191	100 D AREA		ONSITE	AT	20-Dec-01 ALPHA			0.000254pCi/m3			0.00024	0.00024	J
SESPOINT	911509	100 F MET TOWER		ONSITE	AT	09-Jan-01 ALPHA			0.0000995pCi/m3			0.00006	0.00002	J
SESPOINT	911510	100 F MET TOWER		ONSITE	AT	23-Jan-01 ALPHA			0.000109pCi/m3			0.00007	0.00002	J
SESPOINT	9115X1	100 F MET TOWER		ONSITE	AT	06-Feb-01 ALPHA			0.000789pCi/m3			0.00048	0.00051	J
SESPOINT	9115X2	100 F MET TOWER		ONSITE	AT	15-Feb-01 ALPHA			0.000274pCi/m3			0.00009	0.00001	J
SESPOINT	9115X3	100 F MET TOWER		ONSITE	AT	06-Mar-01 ALPHA			0.000062pCi/m3			0.00041	0.00046	J
SESPOINT	9115X4	100 F MET TOWER		ONSITE	AT	18-Mar-01 ALPHA			0.00049pCi/m3			0.00001	0.00002	J
SESPOINT	9115X5	100 F MET TOWER		ONSITE	AT	03-Apr-01 ALPHA			0.0004pCi/m3			0.00033	0.00033	J
SESPOINT	911M09	100 F MET TOWER		ONSITE	AT	17-Apr-01 ALPHA			0.0000815pCi/m3			0.00031	0.00031	U
SESPOINT	911M02	100 F MET TOWER		ONSITE	AT	01-May-01 ALPHA			0.000477pCi/m3			0.00033	0.00033	J
SESPOINT	911M01	100 F MET TOWER		ONSITE	AT	15-May-01 ALPHA			0.000419pCi/m3			0.00033	0.00034	J
SESPOINT	911M02	100 F MET TOWER		ONSITE	AT	29-May-01 ALPHA			0.000015pCi/m3			0.00023	0.00023	U
SESPOINT	911M03	100 F MET TOWER		ONSITE	AT	11-Jun-01 ALPHA			0.000016pCi/m3			0.00023	0.00023	J
SESPOINT	911M04	100 F MET TOWER		ONSITE	AT	24-Jul-01 ALPHA			0.000061pCi/m3			0.00033	0.00036	U
SESPOINT	912971	100 F MET TOWER		ONSITE	AT	10-Jul-01 ALPHA			0.000116pCi/m3			0.00033	0.00033	J
SESPOINT	912971	100 F MET TOWER		ONSITE	AT	24-Jul-01 ALPHA			0.0000991pCi/m3			0.00029	0.0003	J
SESPOINT	912972	100 F MET TOWER		ONSITE	AT	28-Aug-01 ALPHA			0.000048pCi/m3			0.00024	0.00024	U
SESPOINT	912973	100 F MET TOWER		ONSITE	AT	21-Aug-01 ALPHA			0.0000657pCi/m3			0.00041	0.00043	J
SESPOINT	912974	100 F MET TOWER		ONSITE	AT	04-Sep-01 ALPHA			0.0000203pCi/m3			0.00021	0.00022	U
SESPOINT	912975	100 F MET TOWER		ONSITE	AT	18-Sep-01 ALPHA			0.0000065pCi/m3			0.00038	0.0004	J
SESPOINT	912976	100 F MET TOWER		ONSITE	AT	01-Oct-01 ALPHA			-0.000172pCi/m3			0.00036	0.00036	J
SESPOINT	913247	100 F MET TOWER		ONSITE	AT	15-Oct-01 ALPHA			0.000121pCi/m3			0.00046	0.00046	J
SESPOINT	913248	100 F MET TOWER		ONSITE	AT	02-Nov-01 ALPHA			0.000707pCi/m3			0.00033	0.00036	J
SESPOINT	913249	100 F MET TOWER		ONSITE	AT	13-Nov-01 ALPHA			0.00047pCi/m3			0.00046	0.00046	U
SESPOINT	913250	100 F MET TOWER		ONSITE	AT	26-Nov-01 ALPHA			0.0000002pCi/m3			0.00042	0.00046	J
SESPOINT	913251	100 F MET TOWER		ONSITE	AT	1-Dec-01 ALPHA			0.00023pCi/m3			0.00026	0.00027	J
SESPOINT	913252	100 F MET TOWER		ONSITE	AT	20-Dec-01 ALPHA			0.000073pCi/m3			0.00038	0.00041	J
SESPOINT	911503	100 K AREA		ONSITE	AT	09-Jan-01 ALPHA			0.01009pCi/m3			0.00007	0.00002	J
SESPOINT	911504	100 K AREA		ONSITE	AT	23-Jan-01 ALPHA			-0.000134pCi/m3			0.00002	0.00002	U
SESPOINT	911505	100 K AREA		ONSITE	AT	06-Feb-01 ALPHA			0.000065pCi/m3			0.00007	0.00009	J
SESPOINT	911506	100 K AREA		ONSITE	AT	15-Feb-01 ALPHA			0.000079pCi/m3			0.00009	0.00002	J
SESPOINT	911507	100 K AREA		ONSITE	AT	06-Mar-01 ALPHA			0.000176pCi/m3			0.0004	0.0004	J
SESPOINT	911508	100 K AREA		ONSITE	AT	18-Mar-01 ALPHA			0.000043pCi/m3			0.00002	0.00003	U
SESPOINT	911509	100 K AREA		ONSITE	AT	03-Apr-01 ALPHA			-0.0000333pCi/m3			0.00029	0.00029	J
SESPOINT	911M00	100 K AREA		ONSITE	AT	17-Apr-01 ALPHA			0.000423pCi/m3			0.00031	0.00033	J
SESPOINT	911M01	100 K AREA		ONSITE	AT	01-May-01 ALPHA			0.000745pCi/m3			0.00043	0.00044	J
SESPOINT	911M02	100 K AREA		ONSITE	AT	15-May-01 ALPHA			0.000036pCi/m3			0.00038	0.0004	J
SESPOINT	911M03	100 K AREA		ONSITE	AT	29-May-01 ALPHA			0.000088pCi/m3			0.00036	0.00037	J
SESPOINT	911M04	100 K AREA		ONSITE	AT	11-Jun-01 ALPHA			0.000002pCi/m3			0.00031	0.00031	U
SESPOINT	911M05	100 K AREA		ONSITE	AT	27-Jun-01 ALPHA			0.000071pCi/m3			0.00036	0.00036	J
SESPOINT	912984	100 K AREA		ONSITE	AT	10-Jul-01 ALPHA			0.000003pCi/m3			0.00032	0.00036	J
SESPOINT	912985	100 K AREA		ONSITE	AT	24-Jul-01 ALPHA			0.000081pCi/m3			0.00028	0.00028	U
SESPOINT	912986	100 K AREA		ONSITE	AT	07-Aug-01 ALPHA			-0.000109pCi/m3			0.00028	0.00028	J
SESPOINT	912987	100 K AREA		ONSITE	AT	21-Aug-01 ALPHA			0.000004pCi/m3			0.00041	0.00044	J
SESPOINT	912988	100 K AREA		ONSITE	AT	04-Sep-01 ALPHA			-0.000108pCi/m3			0.00027	0.00027	U
SESPOINT	912989	100 K AREA		ONSITE	AT	18-Sep-01 ALPHA			0.00042pCi/m3			0.00036	0.00036	J
SESPOINT	912990	100 K AREA		ONSITE	AT	01-Oct-01 ALPHA			0.000024pCi/m3			0.00031	0.00032	U
SESPOINT	913132	100 K AREA		ONSITE	AT	15-Oct-01 ALPHA			0.000099pCi/m3			0.00042	0.00047	J
SESPOINT	913133	100 K AREA		ONSITE	AT	02-Nov-01 ALPHA			0.000139pCi/m3			0.00024	0.00025	J
SESPOINT	913134	100 K AREA		ONSITE	AT	13-Nov-01 ALPHA			0.000137pCi/m3			0.00009	0.00006	J
SESPOINT	913135	100 K AREA		ONSITE	AT	26-Nov-01 ALPHA			-0.000231pCi/m3			0.00026	0.00026	U
SESPOINT	913136	100 K AREA		ONSITE	AT	1-Dec-01 ALPHA			-0.00000107pCi/m3			0.00021	0.00021	J
SESPOINT	913137	100 K AREA		ONSITE	AT	20-Dec-01 ALPHA			0.00000077pCi/m3			0.00034	0.00034	J
SESPOINT	911510	100 N-1325 CRIB		ONSITE	AT	09-Jan-01 ALPHA			0.00003pCi/m3			0.00003	0.00007	J
SESPOINT	911511	100 N-1325 CR												

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPYD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPUNT	011M08	200 ESE	ONSITE	AT	08-May-01	ALPHA	0.000245pCi/m3	0.000228	0.00028	U	0.00028	0.00028	U
SESPUNT	011M09	200 ESE	ONSITE	AT	02-May-01	ALPHA	0.000383pCi/m3	0.00033	0.00044	U	0.00044	0.00044	U
SESPUNT	011M00	200 ESE	ONSITE	AT	05-Jan-01	ALPHA	0.000163pCi/m3	0.000135	0.000195	U	0.000195	0.000195	U
SESPUNT	011M01	200 ESE	ONSITE	AT	19-Jan-01	ALPHA	0.000444pCi/m3	0.000391	0.000495	U	0.000495	0.000495	U
SESPUNT	011M02	200 ESE	ONSITE	AT	03-Jul-01	ALPHA	0.000222pCi/m3	0.000201	0.000261	U	0.000261	0.000261	U
SESPUNT	012802	200 ESE	ONSITE	AT	16-Jul-01	ALPHA	0.000703pCi/m3	0.000636	0.000766	U	0.000766	0.000766	U
SESPUNT	012803	200 ESE	ONSITE	AT	31-Jul-01	ALPHA	0.000216pCi/m3	0.000177	0.000237	U	0.000237	0.000237	U
SESPUNT	012804	200 ESE	ONSITE	AT	14-Aug-01	ALPHA	0.000287pCi/m3	0.00023	0.000337	U	0.000337	0.000337	U
SESPUNT	012805	200 ESE	ONSITE	AT	27-Aug-01	ALPHA	0.000366pCi/m3	0.000298	0.000426	U	0.000426	0.000426	U
SESPUNT	012806	200 ESE	ONSITE	AT	11-Sep-01	ALPHA	-0.000077pCi/m3	-0.000077	0.000077	U	0.000077	0.000077	U
SESPUNT	012807	200 ESE	ONSITE	AT	25-Sep-01	ALPHA	0.000087pCi/m3	0.000084	0.000108	U	0.000108	0.000108	U
SESPUNT	013181	200 ESE	ONSITE	AT	09-Oct-01	ALPHA	-0.000274pCi/m3	-0.00024	0.00034	U	0.00034	0.00034	U
SESPUNT	013182	200 ESE	ONSITE	AT	23-Oct-01	ALPHA	-0.0000269pCi/m3	-0.000023	0.000033	U	0.000033	0.000033	U
SESPUNT	013183	200 ESE	ONSITE	AT	06-Nov-01	ALPHA	0.000115pCi/m3	0.000097	0.000138	U	0.000138	0.000138	U
SESPUNT	013184	200 ESE	ONSITE	AT	19-Nov-01	ALPHA	0.000113pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	013185	200 ESE	ONSITE	AT	05-Dec-01	ALPHA	0.000354pCi/m3	0.000285	0.000425	U	0.000425	0.000425	U
SESPUNT	013186	200 ESE	ONSITE	AT	17-Dec-01	ALPHA	0.000117pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	013187	200 ESE	ONSITE	AT	30-Jan-02	ALPHA	-0.000166pCi/m3	-0.000145	0.000215	U	0.000215	0.000215	U
SESPUNT	011563	200 TEL EXCHANGE	ONSITE	AT	16-Jan-01	ALPHA	0.000558pCi/m3	0.000505	0.000655	J	0.000655	0.000655	J
SESPUNT	011564	200 TEL EXCHANGE	ONSITE	AT	30-Jan-01	ALPHA	0.000387pCi/m3	0.000328	0.000428	J	0.000428	0.000428	J
SESPUNT	011565	200 TEL EXCHANGE	ONSITE	AT	12-Feb-01	ALPHA	0.000091pCi/m3	0.000074	0.000104	J	0.000104	0.000104	J
SESPUNT	011566	200 TEL EXCHANGE	ONSITE	AT	28-Feb-01	ALPHA	0.000834pCi/m3	0.000745	0.000945	J	0.000945	0.000945	J
SESPUNT	011567	200 TEL EXCHANGE	ONSITE	AT	13-Mar-01	ALPHA	0.000202pCi/m3	0.000171	0.000221	J	0.000221	0.000221	J
SESPUNT	011568	200 TEL EXCHANGE	ONSITE	AT	19-Mar-01	ALPHA	0.000237pCi/m3	0.000211	0.000271	J	0.000271	0.000271	J
SESPUNT	011M63	200 TEL EXCHANGE	ONSITE	AT	10-Apr-01	ALPHA	0.000247pCi/m3	0.000223	0.000283	U	0.000283	0.000283	U
SESPUNT	011M64	200 TEL EXCHANGE	ONSITE	AT	23-Apr-01	ALPHA	0.000232pCi/m3	0.000203	0.000263	U	0.000263	0.000263	U
SESPUNT	011M65	200 TEL EXCHANGE	ONSITE	AT	06-May-01	ALPHA	0.000762pCi/m3	0.000686	0.000866	U	0.000866	0.000866	U
SESPUNT	011M66	200 TEL EXCHANGE	ONSITE	AT	22-May-01	ALPHA	0.0000887pCi/m3	0.000073	0.000103	U	0.000103	0.000103	U
SESPUNT	011M67	200 TEL EXCHANGE	ONSITE	AT	05-Jun-01	ALPHA	0.000778pCi/m3	0.000698	0.000928	U	0.000928	0.000928	U
SESPUNT	011M68	200 TEL EXCHANGE	ONSITE	AT	19-Jun-01	ALPHA	0.000115pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	011M69	200 TEL EXCHANGE	ONSITE	AT	03-Jul-01	ALPHA	0.000115pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	012808	200 TEL EXCHANGE	ONSITE	AT	16-Jul-01	ALPHA	0.000115pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	012809	200 TEL EXCHANGE	ONSITE	AT	31-Jul-01	ALPHA	0.000115pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	012810	200 TEL EXCHANGE	ONSITE	AT	14-Aug-01	ALPHA	0.00014pCi/m3	0.000114	0.000154	U	0.000154	0.000154	U
SESPUNT	012811	200 TEL EXCHANGE	ONSITE	AT	29-Aug-01	ALPHA	0.000923pCi/m3	0.000846	0.001066	U	0.001066	0.001066	U
SESPUNT	012812	200 TEL EXCHANGE	ONSITE	AT	11-Sep-01	ALPHA	0.000727pCi/m3	0.000649	0.000869	U	0.000869	0.000869	U
SESPUNT	012813	200 TEL EXCHANGE	ONSITE	AT	25-Sep-01	ALPHA	-0.000441pCi/m3	-0.000393	0.000513	U	0.000513	0.000513	U
SESPUNT	0131C1	200 TEL EXCHANGE	ONSITE	AT	09-Oct-01	ALPHA	0.000345pCi/m3	0.000304	0.000404	U	0.000404	0.000404	U
SESPUNT	0131C2	200 TEL EXCHANGE	ONSITE	AT	23-Oct-01	ALPHA	0.000236pCi/m3	0.000202	0.000262	U	0.000262	0.000262	U
SESPUNT	0131C3	200 TEL EXCHANGE	ONSITE	AT	06-Nov-01	ALPHA	0.000436pCi/m3	0.000394	0.000514	U	0.000514	0.000514	U
SESPUNT	0131C4	200 TEL EXCHANGE	ONSITE	AT	19-Nov-01	ALPHA	0.000115pCi/m3	0.000093	0.000133	U	0.000133	0.000133	U
SESPUNT	0131C5	200 TEL EXCHANGE	ONSITE	AT	05-Dec-01	ALPHA	0.000139pCi/m3	0.000122	0.000162	U	0.000162	0.000162	U
SESPUNT	0131C6	200 TEL EXCHANGE	ONSITE	AT	17-Dec-01	ALPHA	0.000032pCi/m3	0.000025	0.000035	U	0.000035	0.000035	U
SESPUNT	0131C7	200 TEL EXCHANGE	ONSITE	AT	30-Jan-02	ALPHA	0.000066pCi/m3	0.000057	0.000077	U	0.000077	0.000077	U
SESPUNT	011570	200 W SE	ONSITE	AT	16-Jan-01	ALPHA	0.00028pCi/m3	0.000243	0.000313	U	0.000313	0.000313	U
SESPUNT	011571	200 W SE	ONSITE	AT	30-Jan-01	ALPHA	0.000071pCi/m3	0.000058	0.000078	U	0.000078	0.000078	U
SESPUNT	011572	200 W SE	ONSITE	AT	12-Feb-01	ALPHA	0.000351pCi/m3	0.000308	0.000408	U	0.000408	0.000408	U
SESPUNT	011573	200 W SE	ONSITE	AT	28-Feb-01	ALPHA	0.000432pCi/m3	0.000385	0.000505	J	0.000505	0.000505	J
SESPUNT	011574	200 W SE	ONSITE	AT	13-Mar-01	ALPHA	0.000905pCi/m3	0.000844	0.001044	U	0.001044	0.001044	U
SESPUNT	011575	200 W SE	ONSITE	AT	19-Mar-01	ALPHA	0.000165pCi/m3	0.000144	0.000184	U	0.000184	0.000184	U
SESPUNT	011M71	200 W SE	ONSITE	AT	10-Apr-01	ALPHA	0.000144pCi/m3	0.000127	0.000167	U	0.000167	0.000167	U
SESPUNT	011M72	200 W SE	ONSITE	AT	10-Apr-01	ALPHA	0.000076pCi/m3	0.000068	0.000088	J	0.000088	0.000088	J
SESPUNT	011M73	200 W SE	ONSITE	AT	23-Apr-01	ALPHA	0.000407pCi/m3	0.000364	0.000464	J	0.000464	0.000464	J
SESPUNT	011M73	200 W SE	ONSITE	AT	23-Apr-01	ALPHA	0.000509pCi/m3	0.000457	0.000587	U	0.000587	0.000587	U
SESPUNT	011M73	200 W SE	ONSITE	AT	08-May-01	ALPHA	0.000254pCi/m3	0.000224	0.000294	U	0.000294	0.000294	U
SESPUNT	011M74	200 W SE	ONSITE	AT	08-May-01	ALPHA	0.000429pCi/m3	0.000381	0.000491	U	0.000491	0.000491	U
SESPUNT	011M74	200 W SE	ONSITE	AT	22-May-01	ALPHA	0.000446pCi/m3	0.000404	0.000524	U	0.000524	0.000524	U
SESPUNT	011M75	200 W SE	ONSITE	AT	22-May-01	ALPHA	0.000302pCi/m3	0.000269	0.000349	U	0.000349	0.000349	U
SESPUNT	011M75	200 W SE	ONSITE	AT	05-Jun-01	ALPHA	0.000131pCi/m3	0.000105	0.000135	U	0.000135	0.000135	U
SESPUNT	011M76	200 W SE	ONSITE	AT	19-Jun-01	ALPHA	0.000123pCi/m3	0.000102	0.000132	U	0.000132	0.000132	U
SESPUNT	011M76	200 W SE	ONSITE	AT	03-Jul-01	ALPHA	0.000499pCi/m3	0.000453	0.000573	U	0.000573	0.000573	U
SESPUNT	011M77	200 W SE	ONSITE	AT	10-Jul-01	ALPHA	0.000237pCi/m3	0.000214	0.000274	U	0.000274	0.000274	U
SESPUNT	011M77	200 W SE	ONSITE	AT	03-Jul-01	ALPHA	0.000081pCi/m3	0.000068	0.000088	U	0.000088	0.000088	U
SESPUNT	011M78	200 W SE	ONSITE	AT	03-Jul-01	ALPHA	0.00046pCi/m3	0.000405	0.000525	U	0.000525	0.000525	U
SESPUNT	012821	200 W SE	ONSITE	AT	16-Jul-01	ALPHA	0.00046pCi/m3	0.000405	0.000525	U	0.000525	0.000525	U
SESPUNT	012822	200 W SE	ONSITE	AT	31-Jul-01	ALPHA	0.000271pCi/m3	0.000233	0.000303	U	0.000303	0.000303	U
SESPUNT	012823	200 W SE	ONSITE	AT	14-Aug-01	ALPHA	0.000739pCi/m3	0.000666	0.000866	U	0.000866	0.000866	U
SESPUNT	012824	200 W SE	ONSITE	AT	29-Aug-01	ALPHA	0.000712pCi/m3	0.000637	0.000837	U	0.000837	0.000837	U
SESPUNT	012825	200 W SE	ONSITE	AT	11-Sep-01	ALPHA	0.000161pCi/m3	0.000138	0.000178	U	0.000178	0.000178	U
SESPUNT	013106	200 W SE	ONSITE	AT	25-Sep-01	ALPHA	0.000066pCi/m3	0.000058	0.000078	U	0.000078	0.000078	U
SESPUNT	013107	200 W SE	ONSITE	AT	09-Oct-01	ALPHA	0.000279pCi/m3	0.000253	0.000323	U	0.000323	0.000323	U
SESPUNT	013108	200 W SE	ONSITE	AT	06-Nov-01	ALPHA	0.000149pCi/m3	0.000126	0.000166	U	0.000166	0.000166	U
SESPUNT	013109	200 W SE	ONSITE	AT	19-Nov-01	ALPHA	0.000399pCi/m3	0.000363	0.000463	U	0.000463	0.000463	U
SESPUNT	013110	200 W SE	ONSITE	AT	03-Dec-01	ALPHA	0.000175pCi/m3	0.000152	0.000192	U	0.000192	0.000192	U
SESPUNT	013111	200 W SE	ONSITE	AT	17-Dec-01	ALPHA	-0.000068pCi/m3	-0.000059	0.000079	U	0.000079	0.000079	U
SESPUNT	013112	200 W SE	ONSITE	AT	30-Jan-02	ALPHA	0.000166pCi/m3	0.000145	0.000185	U	0.000185	0.000185	U
SESPUNT	011408	300 NE	ONSITE	AT	10-Jan-01	ALPHA	0.00033pCi/m3	0.000293	0.000383	U	0.000383	0.000383	U
SESPUNT	011409	300 NE	ONSITE	AT	24-Jan-01	ALPHA	0.000755pCi/m3	0.000685	0.000915	J	0.000915	0.000915	J
SESPUNT	011410	300 NE	ONSITE	AT	07-Feb-01	ALPHA	0.000609pCi/m3	0.000541	0.000711	J	0.000711	0.000711	J
SESPUNT	011411	300 NE	ONSITE	AT	16-Feb-01	ALPHA	0.000083pCi/m3	0.000071	0.000091	J	0.000091	0.000091	J
SESPUNT	011412	300 NE	ONSITE	AT	07-Mar-01	ALPHA	0.000102pCi/m3	0.000083	0.000113	U	0.000113	0.000113	U
SESPUNT	011413	300 NE	ONSITE	AT	21-Mar-01	ALPHA	0.000103pCi/m3	0.000082	0.000112	U	0.000112	0.000112	U
SESPUNT	011414	300 NE	ONSITE	AT	04-Apr-01	ALPHA	0.000108pCi/m3	0.000082	0.000112	U	0.000112	0.000112	U
SESPUNT	0111F7	300 NE	ONSITE	AT	13-Apr-01	ALPHA	0.00034pCi/m3	0.000305	0.000395	J	0.000395	0.000395	J
SESPUNT	0111F8</												

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPYD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	911592	300 SOUTH WEST	ONSITE	AT	24-Jan-01	ALPHA	0.00016pCi/m3	0.00016pCi/m3	0.0001	0.00035		0.00035	J
SESPOINT	911593	300 SOUTH WEST	ONSITE	AT	27-Feb-01	ALPHA	0.00027pCi/m3	0.00027pCi/m3	0.0004	0.00046		0.00046	J
SESPOINT	911594	300 SOUTH WEST	ONSITE	AT	18-Feb-01	ALPHA	0.00015pCi/m3	0.00015pCi/m3	0.00004	0.00006		0.00006	U
SESPOINT	911595	300 SOUTH WEST	ONSITE	AT	07-Mar-01	ALPHA	0.00101pCi/m3	0.00101pCi/m3	0.00042	0.00041		0.00041	J
SESPOINT	911596	300 SOUTH WEST	ONSITE	AT	21-Mar-01	ALPHA	0.000407pCi/m3	0.00038	0.00038	0.0004		0.0004	J
SESPOINT	911597	300 SOUTH WEST	ONSITE	AT	04-Apr-01	ALPHA	0.000087pCi/m3	0.00007	0.00017	0.00041		0.00041	J
SESPOINT	911598	300 SOUTH WEST	ONSITE	AT	18-Apr-01	ALPHA	0.000384pCi/m3	0.00031	0.00031	0.00032		0.00032	J
SESPOINT	911599	300 SOUTH WEST	ONSITE	AT	02-May-01	ALPHA	0.000495pCi/m3	0.00033	0.00033	0.00035		0.00035	J
SESPOINT	911600	300 SOUTH WEST	ONSITE	AT	16-May-01	ALPHA	0.000013pCi/m3	0.000035	0.00035	0.00035		0.00035	J
SESPOINT	911604	300 SOUTH WEST	ONSITE	AT	30-May-01	ALPHA	-0.00013pCi/m3	0.00026	0.00026	0.00026		0.00026	U
SESPOINT	911605	300 SOUTH WEST	ONSITE	AT	14-Jun-01	ALPHA	0.000476pCi/m3	0.0003	0.0003	0.00032		0.00032	J
SESPOINT	911606	300 SOUTH WEST	ONSITE	AT	28-Jun-01	ALPHA	0.000739pCi/m3	0.00035	0.00035	0.00038		0.00038	J
SESPOINT	912862	300 SOUTH WEST	ONSITE	AT	11-Jul-01	ALPHA	0.000181pCi/m3	0.0003	0.0003	0.0003		0.0003	U
SESPOINT	912863	300 SOUTH WEST	ONSITE	AT	25-Jul-01	ALPHA	0.0002pCi/m3	0.00027	0.00027	0.00028		0.00028	U
SESPOINT	912864	300 SOUTH WEST	ONSITE	AT	09-Aug-01	ALPHA	0.000144pCi/m3	0.00027	0.00027	0.00027		0.00027	U
SESPOINT	912865	300 SOUTH WEST	ONSITE	AT	22-Aug-01	ALPHA	0.000142pCi/m3	0.00031	0.00031	0.00032		0.00032	U
SESPOINT	912866	300 SOUTH WEST	ONSITE	AT	05-Sep-01	ALPHA	0.000486pCi/m3	0.00035	0.00035	0.00037		0.00037	J
SESPOINT	912867	300 SOUTH WEST	ONSITE	AT	19-Sep-01	ALPHA	0.000083pCi/m3	0.0004	0.0004	0.00044		0.00044	J
SESPOINT	912868	300 SOUTH WEST	ONSITE	AT	02-Oct-01	ALPHA	0.000599pCi/m3	0.00038	0.00038	0.0004		0.0004	J
SESPOINT	913148	300 SOUTH WEST	ONSITE	AT	17-Oct-01	ALPHA	0.000764pCi/m3	0.00037	0.00037	0.00041		0.00041	J
SESPOINT	913149	300 SOUTH WEST	ONSITE	AT	31-Nov-01	ALPHA	0.000443pCi/m3	0.00042	0.00042	0.00043		0.00043	J
SESPOINT	913151	300 SOUTH WEST	ONSITE	AT	27-Nov-01	ALPHA	0.000495pCi/m3	0.00032	0.00032	0.00034		0.00034	J
SESPOINT	913142	300 SOUTH WEST	ONSITE	AT	12-Dec-01	ALPHA	0.000157pCi/m3	0.00024	0.00024	0.00024		0.00024	U
SESPOINT	913143	300 SOUTH WEST	ONSITE	AT	27-Dec-01	ALPHA	0.000384pCi/m3	0.00032	0.00032	0.00034		0.00034	J
SESPOINT	911403	300 TRENCH	ONSITE	AT	10-Jan-01	ALPHA	0.00113pCi/m3	0.00058	0.00058	0.00066		0.00066	J
SESPOINT	911402	300 TRENCH	ONSITE	AT	24-Jan-01	ALPHA	0.000956pCi/m3	0.00057	0.00057	0.0006		0.0006	J
SESPOINT	911403	300 TRENCH	ONSITE	AT	07-Feb-01	ALPHA	0.000073pCi/m3	0.00045	0.00045	0.00047		0.00047	J
SESPOINT	911404	300 TRENCH	ONSITE	AT	18-Feb-01	ALPHA	0.00018pCi/m3	0.00055	0.00055	0.00056		0.00056	U
SESPOINT	911405	300 TRENCH	ONSITE	AT	07-Mar-01	ALPHA	0.00101pCi/m3	0.00044	0.00044	0.00046		0.00046	J
SESPOINT	911406	300 TRENCH	ONSITE	AT	21-Mar-01	ALPHA	0.00119pCi/m3	0.0004	0.0004	0.00047		0.00047	J
SESPOINT	911407	300 TRENCH	ONSITE	AT	04-Apr-01	ALPHA	0.000013pCi/m3	0.00035	0.00035	0.00038		0.00038	J
SESPOINT	911408	300 TRENCH	ONSITE	AT	18-Apr-01	ALPHA	0.00047pCi/m3	0.00034	0.00034	0.00036		0.00036	J
SESPOINT	911409	300 TRENCH	ONSITE	AT	02-May-01	ALPHA	0.000395pCi/m3	0.00037	0.00037	0.00037		0.00037	J
SESPOINT	911410	300 TRENCH	ONSITE	AT	16-May-01	ALPHA	0.000077pCi/m3	0.00035	0.00035	0.00035		0.00035	U
SESPOINT	911411	300 TRENCH	ONSITE	AT	30-May-01	ALPHA	0.000436pCi/m3	0.00036	0.00036	0.00037		0.00037	J
SESPOINT	911412	300 TRENCH	ONSITE	AT	14-Jun-01	ALPHA	-0.000133pCi/m3	0.00026	0.00026	0.00026		0.00026	U
SESPOINT	911413	300 TRENCH	ONSITE	AT	28-Jun-01	ALPHA	0.000477pCi/m3	0.00037	0.00037	0.00038		0.00038	J
SESPOINT	912765	300 TRENCH	ONSITE	AT	11-Jul-01	ALPHA	0.00021pCi/m3	0.00036	0.00036	0.00038		0.00038	J
SESPOINT	912766	300 TRENCH	ONSITE	AT	25-Jul-01	ALPHA	-0.000112pCi/m3	0.0003	0.0003	0.0003		0.0003	U
SESPOINT	912767	300 TRENCH	ONSITE	AT	09-Aug-01	ALPHA	0.000954pCi/m3	0.00043	0.00043	0.00045		0.00045	J
SESPOINT	912768	300 TRENCH	ONSITE	AT	23-Aug-01	ALPHA	0.000102pCi/m3	0.00035	0.00035	0.00035		0.00035	U
SESPOINT	912769	300 TRENCH	ONSITE	AT	06-Sep-01	ALPHA	0.000114pCi/m3	0.00039	0.00039	0.00039		0.00039	J
SESPOINT	912770	300 TRENCH	ONSITE	AT	19-Sep-01	ALPHA	0.000252pCi/m3	0.0004	0.0004	0.00042		0.00042	J
SESPOINT	913045	300 TRENCH	ONSITE	AT	17-Oct-01	ALPHA	0.000208pCi/m3	0.00033	0.00033	0.00034		0.00034	U
SESPOINT	913046	300 TRENCH	ONSITE	AT	31-Nov-01	ALPHA	0.00048pCi/m3	0.00037	0.00037	0.0004		0.0004	J
SESPOINT	913047	300 TRENCH	ONSITE	AT	14-Dec-01	ALPHA	-0.000232pCi/m3	0.00046	0.00046	0.00046		0.00046	U
SESPOINT	913048	300 TRENCH	ONSITE	AT	27-Dec-01	ALPHA	0.00024pCi/m3	0.00031	0.00031	0.00031		0.00031	U
SESPOINT	913049	300 TRENCH	ONSITE	AT	10-Jan-01	ALPHA	0.000187pCi/m3	0.0003	0.0003	0.00031		0.00031	U
SESPOINT	913040	300 TRENCH	ONSITE	AT	27-Dec-01	ALPHA	-0.000178pCi/m3	0.00034	0.00034	0.00034		0.00034	U
SESPOINT	911570	300 WATER INTAKE	ONSITE	AT	10-Jan-01	ALPHA	0.000065pCi/m3	0.00056	0.00056	0.00056		0.00056	J
SESPOINT	911571	300 WATER INTAKE	ONSITE	AT	24-Jan-01	ALPHA	0.000065pCi/m3	0.00048	0.00048	0.00051		0.00051	J
SESPOINT	911572	300 WATER INTAKE	ONSITE	AT	07-Feb-01	ALPHA	0.000066pCi/m3	0.00046	0.00046	0.00046		0.00046	J
SESPOINT	911580	300 WATER INTAKE	ONSITE	AT	18-Feb-01	ALPHA	0.000704pCi/m3	0.00039	0.00039	0.00042		0.00042	J
SESPOINT	911581	300 WATER INTAKE	ONSITE	AT	04-Mar-01	ALPHA	0.000703pCi/m3	0.00038	0.00038	0.00041		0.00041	J
SESPOINT	911582	300 WATER INTAKE	ONSITE	AT	21-Mar-01	ALPHA	0.000114pCi/m3	0.00031	0.00031	0.00032		0.00032	U
SESPOINT	911583	300 WATER INTAKE	ONSITE	AT	18-Apr-01	ALPHA	0.000056pCi/m3	0.00028	0.00028	0.00028		0.00028	J
SESPOINT	911584	300 WATER INTAKE	ONSITE	AT	02-May-01	ALPHA	0.000087pCi/m3	0.00035	0.00035	0.00037		0.00037	J
SESPOINT	911585	300 WATER INTAKE	ONSITE	AT	16-May-01	ALPHA	0.000035pCi/m3	0.00033	0.00033	0.00033		0.00033	J
SESPOINT	911586	300 WATER INTAKE	ONSITE	AT	30-May-01	ALPHA	0.000096pCi/m3	0.00036	0.00036	0.0004		0.0004	J
SESPOINT	911587	300 WATER INTAKE	ONSITE	AT	14-Jun-01	ALPHA	0.000075pCi/m3	0.00028	0.00028	0.00028		0.00028	J
SESPOINT	911588	300 WATER INTAKE	ONSITE	AT	28-Jun-01	ALPHA	0.000071pCi/m3	0.00038	0.00038	0.00042		0.00042	J
SESPOINT	912908	300 WATER INTAKE	ONSITE	AT	11-Jul-01	ALPHA	0.000404pCi/m3	0.00033	0.00033	0.00035		0.00035	J
SESPOINT	912909	300 WATER INTAKE	ONSITE	AT	25-Jul-01	ALPHA	0.000030pCi/m3	0.00023	0.00023	0.00023		0.00023	U
SESPOINT	912810	300 WATER INTAKE	ONSITE	AT	09-Aug-01	ALPHA	0.0000221pCi/m3	0.00031	0.00031	0.00031		0.00031	U
SESPOINT	912811	300 WATER INTAKE	ONSITE	AT	23-Aug-01	ALPHA	0.000084pCi/m3	0.00043	0.00043	0.00046		0.00046	J
SESPOINT	912812	300 WATER INTAKE	ONSITE	AT	06-Sep-01	ALPHA	0.00049pCi/m3	0.00034	0.00034	0.00036		0.00036	J
SESPOINT	912813	300 WATER INTAKE	ONSITE	AT	19-Sep-01	ALPHA	0.00018pCi/m3	0.00031	0.00031	0.00032		0.00032	U
SESPOINT	912814	300 WATER INTAKE	ONSITE	AT	02-Oct-01	ALPHA	0.0007pCi/m3	0.00042	0.00042	0.00042		0.00042	J
SESPOINT	913134	300 WATER INTAKE	ONSITE	AT	17-Oct-01	ALPHA	0.000291pCi/m3	0.00031	0.00031	0.00032		0.00032	U
SESPOINT	913135	300 WATER INTAKE	ONSITE	AT	31-Nov-01	ALPHA	0.000084pCi/m3	0.0003	0.0003	0.0003		0.0003	J
SESPOINT	913136	300 WATER INTAKE	ONSITE	AT	14-Dec-01	ALPHA	0.000062pCi/m3	0.00046	0.00046	0.00048		0.00048	J
SESPOINT	913137	300 WATER INTAKE	ONSITE	AT	27-Dec-01	ALPHA	0.000701pCi/m3	0.00036	0.00036	0.00041		0.00041	J
SESPOINT	913138	300 WATER INTAKE	ONSITE	AT	10-Jan-01	ALPHA	0.000033pCi/m3	0.00031	0.00031	0.00031		0.00031	U
SESPOINT	913139	300 WATER INTAKE	ONSITE	AT	27-Dec-01	ALPHA	0.000034pCi/m3	0.00027	0.00027	0.00028		0.00028	U
SESPOINT	911599	400 E	ONSITE	AT	09-Jan-01	ALPHA	0.00007pCi/m3	0.00054	0.00054	0.00054		0.00054	J
SESPOINT	911599	400 E	ONSITE	AT	23-Jan-01	ALPHA	0.000085pCi/m3	0.00054	0.00054	0.00057		0.00057	J
SESPOINT	911591	400 E	ONSITE	AT	06-Feb-01	ALPHA	0.000087pCi/m3	0.00049	0.00049	0.00052		0.00052	J
SESPOINT	911592	400 E	ONSITE	AT	15-Feb-01	ALPHA	0.000017pCi/m3	0.00065	0.00065	0.00067		0.00067	J
SESPOINT	911593	400 E	ONSITE	AT	06-Mar-01	ALPHA	0.00078pCi/m3	0.0004	0.0004	0.00044		0.00044	J
SESPOINT	911594	400 E	ONSITE	AT	18-Mar-01	ALPHA	0.0000291pCi/m3	0.00046	0.00046	0.00046		0.00046	U
SESPOINT	911595	400 E	ONSITE	AT	03-Apr-01	ALPHA	0.000796pCi/m3	0.00033	0.00033	0.00038		0.00038	J
SESPOINT	911596	400 E	ONSITE	AT	17-Apr-01	ALPHA	0.0000089pCi/m3	0.00023	0.00023	0.00024		0.00024	J
SESPOINT	911599	400 E	ONSITE	AT	01-May-01	ALPHA	0.000475pCi/m3	0.00038	0.00038	0.00039		0.00039	J
SESPOINT	911600	400 E	ONSITE	AT	15-May-01	ALPHA	-0.000049pCi/m3	0.00035	0.00035	0.00035		0.00035	U
SESPOINT	911601	400 E	ONSITE	AT	29-May-01	ALPHA	0.000328pCi/m3	0.00036	0.00036	0.00038		0.00038	J
SESPOINT	911602	400 E	ONSITE	AT	11-Jun-01	ALPHA	0.0000792pCi/m3	0.00029	0.00029	0.0003		0.0003	J
SESPOINT	911603	400 E	ONSITE	AT	27-Jun-01	ALPHA	0.000054pCi/m3	0.00026	0.00026	0.00026		0.00026	U
SESPOINT	912960	400 E	ONSITE	AT	10-Jul-01	ALPHA	0.000026pCi/m3	0.00038	0.00038	0.00041		0.00041	J
SESPOINT	912961	400 E	ONSITE	AT	24-Jul-01	ALPHA	0.000035pCi/m3	0.00031	0.0				

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETAALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	9115C2	400 S	ONSITE	AT	06-Feb-01	ALPHA	0.000294	pCi/m3	0.00047	0.00049		J
SESPOINT	9115C6	400 S	ONSITE	AT	15-Feb-01	ALPHA	0.00125	pCi/m3	0.00071	0.00071		J
SESPOINT	9115C7	400 S	ONSITE	AT	08-Mar-01	ALPHA	0.000545	pCi/m3	0.00036	0.00036		J
SESPOINT	9115C8	400 S	ONSITE	AT	16-Mar-01	ALPHA	0.000481	pCi/m3	0.00051	0.00051		U
SESPOINT	9115C9	400 S	ONSITE	AT	03-Apr-01	ALPHA	0.000481	pCi/m3	0.00029	0.00031		J
SESPOINT	9115C3	400 S	ONSITE	AT	17-Apr-01	ALPHA	0.000273	pCi/m3	0.00026	0.00026		J
SESPOINT	9115C1	400 S	ONSITE	AT	01-May-01	ALPHA	0.000276	pCi/m3	0.00036	0.00036		J
SESPOINT	9115C2	400 S	ONSITE	AT	15-May-01	ALPHA	0.000338	pCi/m3	0.00036	0.00039		U
SESPOINT	9115C3	400 S	ONSITE	AT	29-May-01	ALPHA	0.000495	pCi/m3	0.00035	0.00035		J
SESPOINT	9115C4	400 S	ONSITE	AT	11-Jun-01	ALPHA	0.000101	pCi/m3	0.00003	0.00003		U
SESPOINT	9115C5	400 S	ONSITE	AT	27-Jun-01	ALPHA	0.000060	pCi/m3	0.00007	0.00007		U
SESPOINT	9128P4	400 S	ONSITE	AT	10-Jul-01	ALPHA	0.000262	pCi/m3	0.00031	0.00032		U
SESPOINT	9128P5	400 S	ONSITE	AT	24-Jul-01	ALPHA	0.000166	pCi/m3	0.00032	0.00032		U
SESPOINT	9128P6	400 S	ONSITE	AT	08-Aug-01	ALPHA	0.000386	pCi/m3	0.00029	0.0003		U
SESPOINT	9128P7	400 S	ONSITE	AT	21-Aug-01	ALPHA	0.000295	pCi/m3	0.00041	0.00042		U
SESPOINT	9128P8	400 S	ONSITE	AT	04-Sep-01	ALPHA	0.000143	pCi/m3	0.00027	0.00028		U
SESPOINT	9128P9	400 S	ONSITE	AT	18-Sep-01	ALPHA	-0.000114	pCi/m3	0.00033	0.00033		U
SESPOINT	9128P9	400 S	ONSITE	AT	01-Oct-01	ALPHA	0.000395	pCi/m3	0.00034	0.00036		U
SESPOINT	9131L0	400 S	ONSITE	AT	15-Oct-01	ALPHA	0.000751	pCi/m3	0.0004	0.00043		U
SESPOINT	9131L1	400 S	ONSITE	AT	02-Nov-01	ALPHA	0.0000782	pCi/m3	0.00027	0.00028		U
SESPOINT	9131L2	400 S	ONSITE	AT	13-Nov-01	ALPHA	-0.0000252	pCi/m3	0.00051	0.00051		U
SESPOINT	9131L3	400 S	ONSITE	AT	26-Nov-01	ALPHA	-0.0000519	pCi/m3	0.00025	0.00025		U
SESPOINT	9131L4	400 S	ONSITE	AT	11-Dec-01	ALPHA	0.00000322	pCi/m3	0.00025	0.00025		U
SESPOINT	9131L5	400 S	ONSITE	AT	26-Dec-01	ALPHA	0.00025	pCi/m3	0.00025	0.00026		U
SESPOINT	9115B6	400 W	ONSITE	AT	09-Jan-01	ALPHA	0.00109	pCi/m3	0.00059	0.00064		J
SESPOINT	9115B7	400 W	ONSITE	AT	23-Jan-01	ALPHA	0.00113	pCi/m3	0.00056	0.00061		J
SESPOINT	9115B8	400 W	ONSITE	AT	06-Feb-01	ALPHA	0.000428	pCi/m3	0.00043	0.00044		U
SESPOINT	9115B9	400 W	ONSITE	AT	15-Feb-01	ALPHA	0.000774	pCi/m3	0.00056	0.00056		J
SESPOINT	9115C0	400 W	ONSITE	AT	06-Mar-01	ALPHA	0.000905	pCi/m3	0.00041	0.00046		J
SESPOINT	9115C1	400 W	ONSITE	AT	16-Mar-01	ALPHA	0.000413	pCi/m3	0.0005	0.00052		J
SESPOINT	9115C2	400 W	ONSITE	AT	03-Apr-01	ALPHA	0.000796	pCi/m3	0.00033	0.00037		J
SESPOINT	9115B4	400 W	ONSITE	AT	17-Apr-01	ALPHA	0.000281	pCi/m3	0.0003	0.00031		U
SESPOINT	9115B5	400 W	ONSITE	AT	01-May-01	ALPHA	0.00011	pCi/m3	0.00034	0.00034		J
SESPOINT	9115B6	400 W	ONSITE	AT	15-May-01	ALPHA	0.000731	pCi/m3	0.00039	0.00042		J
SESPOINT	9115B7	400 W	ONSITE	AT	29-May-01	ALPHA	0.000366	pCi/m3	0.00032	0.00032		J
SESPOINT	9115B8	400 W	ONSITE	AT	11-Jun-01	ALPHA	0.0000904	pCi/m3	0.00027	0.00027		U
SESPOINT	9128P6	400 W	ONSITE	AT	08-Aug-01	ALPHA	-0.0000483	pCi/m3	0.00031	0.00031		J
SESPOINT	9128P7	400 W	ONSITE	AT	10-Jul-01	ALPHA	0.000448	pCi/m3	0.00036	0.00038		J
SESPOINT	9128P8	400 W	ONSITE	AT	24-Jul-01	ALPHA	0.000148	pCi/m3	0.00024	0.00024		U
SESPOINT	9128P9	400 W	ONSITE	AT	08-Aug-01	ALPHA	-0.0000853	pCi/m3	0.0002	0.0002		J
SESPOINT	9128P0	400 W	ONSITE	AT	21-Aug-01	ALPHA	0.000791	pCi/m3	0.00043	0.00046		J
SESPOINT	9128P1	400 W	ONSITE	AT	04-Sep-01	ALPHA	0.000454	pCi/m3	0.00033	0.00033		J
SESPOINT	9128P2	400 W	ONSITE	AT	18-Sep-01	ALPHA	0.000332	pCi/m3	0.00033	0.00034		U
SESPOINT	9128P3	400 W	ONSITE	AT	01-Oct-01	ALPHA	0.000707	pCi/m3	0.00042	0.00046		J
SESPOINT	9131K3	400 W	ONSITE	AT	15-Oct-01	ALPHA	0.000112	pCi/m3	0.00037	0.00038		J
SESPOINT	9131K4	400 W	ONSITE	AT	02-Nov-01	ALPHA	0.00037	pCi/m3	0.00026	0.00029		J
SESPOINT	9131K5	400 W	ONSITE	AT	13-Nov-01	ALPHA	0.000886	pCi/m3	0.00055	0.00055		J
SESPOINT	9131K6	400 W	ONSITE	AT	26-Nov-01	ALPHA	-0.0000174	pCi/m3	0.00024	0.00024		U
SESPOINT	9131K7	400 W	ONSITE	AT	11-Dec-01	ALPHA	0.000233	pCi/m3	0.00027	0.00027		U
SESPOINT	9131K8	400 W	ONSITE	AT	26-Dec-01	ALPHA	0.00031	pCi/m3	0.00032	0.00032		U
SESPOINT	911557	ARMY LOOP CAMP	ONSITE	AT	16-Jan-01	ALPHA	0.000775	pCi/m3	0.00062	0.00066		J
SESPOINT	911558	ARMY LOOP CAMP	ONSITE	AT	30-Jan-01	ALPHA	0.0012	pCi/m3	0.00062	0.00066		J
SESPOINT	911559	ARMY LOOP CAMP	ONSITE	AT	12-Feb-01	ALPHA	0.000528	pCi/m3	0.00042	0.00044		J
SESPOINT	911560	ARMY LOOP CAMP	ONSITE	AT	28-Feb-01	ALPHA	0.001	pCi/m3	0.00047	0.00047		J
SESPOINT	911561	ARMY LOOP CAMP	ONSITE	AT	13-Mar-01	ALPHA	0.00115	pCi/m3	0.00053	0.00056		J
SESPOINT	911562	ARMY LOOP CAMP	ONSITE	AT	19-Mar-01	ALPHA	0.00109	pCi/m3	0.00057	0.001		J
SESPOINT	911563	ARMY LOOP CAMP	ONSITE	AT	10-Apr-01	ALPHA	0.000349	pCi/m3	0.00023	0.00023		J
SESPOINT	911567	ARMY LOOP CAMP	ONSITE	AT	23-Apr-01	ALPHA	0.00066	pCi/m3	0.00037	0.0004		J
SESPOINT	911568	ARMY LOOP CAMP	ONSITE	AT	08-May-01	ALPHA	0.00069	pCi/m3	0.00036	0.00036		J
SESPOINT	911569	ARMY LOOP CAMP	ONSITE	AT	22-May-01	ALPHA	0.000533	pCi/m3	0.00036	0.00038		J
SESPOINT	911580	ARMY LOOP CAMP	ONSITE	AT	05-Jun-01	ALPHA	0.000737	pCi/m3	0.0004	0.00043		J
SESPOINT	911581	ARMY LOOP CAMP	ONSITE	AT	19-Jun-01	ALPHA	0.000565	pCi/m3	0.00034	0.00037		J
SESPOINT	911582	ARMY LOOP CAMP	ONSITE	AT	03-Jul-01	ALPHA	0.00047	pCi/m3	0.0003	0.00031		J
SESPOINT	9128P2	ARMY LOOP CAMP	ONSITE	AT	16-Jul-01	ALPHA	0.0000479	pCi/m3	0.00031	0.00031		U
SESPOINT	9128P3	ARMY LOOP CAMP	ONSITE	AT	31-Jul-01	ALPHA	0.000395	pCi/m3	0.00029	0.00029		J
SESPOINT	9128P4	ARMY LOOP CAMP	ONSITE	AT	14-Aug-01	ALPHA	0.000327	pCi/m3	0.00024	0.00025		U
SESPOINT	9128P5	ARMY LOOP CAMP	ONSITE	AT	29-Aug-01	ALPHA	0.000603	pCi/m3	0.00036	0.00039		J
SESPOINT	9128P6	ARMY LOOP CAMP	ONSITE	AT	11-Sep-01	ALPHA	-0.000159	pCi/m3	0.00037	0.00038		J
SESPOINT	9128P7	ARMY LOOP CAMP	ONSITE	AT	25-Sep-01	ALPHA	0.000449	pCi/m3	0.00037	0.00039		J
SESPOINT	9131B4	ARMY LOOP CAMP	ONSITE	AT	09-Oct-01	ALPHA	0.000633	pCi/m3	0.00038	0.00041		J
SESPOINT	9131B5	ARMY LOOP CAMP	ONSITE	AT	23-Oct-01	ALPHA	0.00087	pCi/m3	0.0003	0.00031		U
SESPOINT	9131B6	ARMY LOOP CAMP	ONSITE	AT	06-Nov-01	ALPHA	0.000701	pCi/m3	0.0004	0.00043		J
SESPOINT	9131B7	ARMY LOOP CAMP	ONSITE	AT	19-Nov-01	ALPHA	0.000169	pCi/m3	0.00045	0.00045		J
SESPOINT	9131B8	ARMY LOOP CAMP	ONSITE	AT	05-Dec-01	ALPHA	0.000362	pCi/m3	0.00034	0.00038		U
SESPOINT	9131B9	ARMY LOOP CAMP	ONSITE	AT	19-Dec-01	ALPHA	0.00151	pCi/m3	0.00058	0.00066		J
SESPOINT	9131C0	ARMY LOOP CAMP	ONSITE	AT	02-Jan-02	ALPHA	0.00047	pCi/m3	0.00047	0.00047		J
SESPOINT	911544	B POND	ONSITE	AT	16-Jan-01	ALPHA	0.00081	pCi/m3	0.00051	0.00054		J
SESPOINT	911545	B POND	ONSITE	AT	30-Jan-01	ALPHA	0.00047	pCi/m3	0.00047	0.00048		U
SESPOINT	911546	B POND	ONSITE	AT	12-Feb-01	ALPHA	0.000442	pCi/m3	0.00039	0.00041		J
SESPOINT	911547	B POND	ONSITE	AT	28-Feb-01	ALPHA	0.00103	pCi/m3	0.00049	0.00054		J
SESPOINT	911548	B POND	ONSITE	AT	13-Mar-01	ALPHA	0.000784	pCi/m3	0.00048	0.00051		J
SESPOINT	911549	B POND	ONSITE	AT	19-Mar-01	ALPHA	0.00063	pCi/m3	0.00075	0.00078		J
SESPOINT	911551	B POND	ONSITE	AT	10-Apr-01	ALPHA	0.000366	pCi/m3	0.00027	0.00029		J
SESPOINT	911552	B POND	ONSITE	AT	23-Apr-01	ALPHA	0.00045	pCi/m3	0.00039	0.00041		J
SESPOINT	911553	B POND	ONSITE	AT	08-May-01	ALPHA	0.00055	pCi/m3	0.00038	0.00042		J
SESPOINT	911554	B POND	ONSITE	AT	22-May-01	ALPHA	0.000602	pCi/m3	0.00039	0.00042		J
SESPOINT	911555	B POND	ONSITE	AT	05-Jun-01	ALPHA	0.000169	pCi/m3	0.0004	0.00044		J
SESPOINT	911556	B POND	ONSITE	AT	19-Jun-01	ALPHA	0.000387	pCi/m3	0.00033	0.00034		J
SESPOINT	911557	B POND	ONSITE	AT	03-Jul-01	ALPHA	0.000693	pCi/m3	0.00034	0.00036		J
SESPOINT	9128P5	B POND	ONSITE	AT	16-Jul-01	ALPHA	0.000695	pCi/m3	0.0004	0.00042		J
SESPOINT	9128P6	B POND	ONSITE	AT	31-Jul-01	ALPHA	0.000467	pCi/m3	0.0003	0.00031		J
SESPOINT	9128P7	B POND	ONSITE	AT	14-Aug-01	ALPHA	0.000781	pCi/m3	0.00039	0.00039		U
SESPOINT	9128P8	B POND	ONSITE	AT	29-Aug-01	ALPHA	0.000176	pCi/m3	0.00035	0.00035		J
SESPOINT	9128P9	B POND	ONSITE	AT	11-Sep-01	ALPHA	0.000303	pCi/m3	0.00033	0.00034		J
SESPOINT	9128P0	B POND	ONSITE	AT	25-Sep-01	ALPHA	0.000186	pCi/m3	0.00036	0.00037		U
SESPOINT	9131B6	B POND	ONSITE	AT	09-Oct-01	ALPHA	0.00064	pCi/m3	0.00039	0.00041		J
SESPOINT	9131B7	B POND	ONSITE	AT	23-Oct-01	ALPHA	0.00006	pCi/m3	0.0003	0.00031		U
SESPOINT	9131B8	B POND	ONSITE	AT	06-Nov-01	ALPHA	0.00036	pCi/m3	0.00036	0.00036		J
SESPOINT	9131B9	B POND	ONSITE	AT	19-Nov-01	ALPHA	0.00036	pCi/m3	0.00036	0.00036		J
SESPOINT	9131B0	B POND	ONSITE	AT	05-Dec-01	ALPHA	0.00036	pCi/m3	0.00036	0.00036		J
SESPOINT	9131B1	B POND	ONSITE	AT	17-Dec-01	ALPHA	0.00036	pCi/m3	0.00036	0.00036		J
SESPOINT	9131B2	B POND	ONSITE	AT	02-Jan-02	ALPHA	0.00036	pCi/m3	0.00036	0.00036		J
SESPOINT	911578	BASIN CITY SCHOOL	COMMUNITY	AT	17-Feb-01	ALPHA	0.000934	pCi/m3	0.00055	0.00059		J
SESPOINT	911579	BASIN CITY SCHOOL	COMMUNITY	AT	31-Jan-01	ALPHA	0.00153	pCi/m3	0.00057	0.0006		J
SESPOINT	911580	BASIN CITY SCHOOL	COMMUNITY	AT	14-Feb-01	ALPHA	0.001	pCi/m3	0.00054	0.00059		J
SESPOINT	911591	BASIN CITY SCHOOL	COMMUNITY	AT	28-Feb-01	ALPHA	0.00					

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	BATTELLE COMPLEX	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	911482	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	16-Feb-01	ALPHA	0.00115pCi/m3	0.00115pCi/m3	0.00076	0.00076	0.0008	0.0008	J
SESPOINT	911483	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	07-Mar-01	ALPHA	0.00016pCi/m3	0.00016pCi/m3	0.0004	0.0004	0.0004	0.0004	J
SESPOINT	911484	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	21-Mar-01	ALPHA	0.00076pCi/m3	0.00076pCi/m3	0.00043	0.00043	0.00047	0.00047	J
SESPOINT	911485	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	04-Apr-01	ALPHA	0.00007pCi/m3	0.00007pCi/m3	0.00035	0.00035	0.00035	0.00035	J
SESPOINT	911147	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	18-Apr-01	ALPHA	0.000464pCi/m3	0.000464pCi/m3	0.00032	0.00032	0.00034	0.00034	J
SESPOINT	911148	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	02-May-01	ALPHA	0.00056pCi/m3	0.00056pCi/m3	0.00035	0.00035	0.00036	0.00036	J
SESPOINT	911149	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	16-May-01	ALPHA	0.00042pCi/m3	0.00042pCi/m3	0.00031	0.00031	0.00031	0.00031	J
SESPOINT	911150	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	30-May-01	ALPHA	0.000126pCi/m3	0.000126pCi/m3	0.00035	0.00035	0.00035	0.00035	J
SESPOINT	911151	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	14-Jun-01	ALPHA	0.000445pCi/m3	0.000445pCi/m3	0.0003	0.0003	0.0003	0.0003	J
SESPOINT	911152	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	28-Jun-01	ALPHA	0.000632pCi/m3	0.000632pCi/m3	0.00039	0.00039	0.00043	0.00043	J
SESPOINT	912065	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	11-Jul-01	ALPHA	0.00052pCi/m3	0.00052pCi/m3	0.00036	0.00036	0.00036	0.00036	J
SESPOINT	912066	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	25-Jul-01	ALPHA	0.0000886pCi/m3	0.0000886pCi/m3	0.00023	0.00023	0.00023	0.00023	J
SESPOINT	912067	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	09-Aug-01	ALPHA	0.00046pCi/m3	0.00046pCi/m3	0.0003	0.0003	0.00031	0.00031	J
SESPOINT	912068	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	22-Aug-01	ALPHA	0.000797pCi/m3	0.000797pCi/m3	0.00042	0.00042	0.00046	0.00046	J
SESPOINT	912069	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	05-Sep-01	ALPHA	0.000162pCi/m3	0.000162pCi/m3	0.00028	0.00028	0.00028	0.00028	J
SESPOINT	912070	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	19-Sep-01	ALPHA	0.000378pCi/m3	0.000378pCi/m3	0.00033	0.00033	0.00035	0.00035	J
SESPOINT	912811	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	02-Oct-01	ALPHA	0.000933pCi/m3	0.000933pCi/m3	0.00039	0.00039	0.00041	0.00041	J
SESPOINT	913095	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	17-Oct-01	ALPHA	0.000226pCi/m3	0.000226pCi/m3	0.00056	0.00056	0.00056	0.00056	J
SESPOINT	913097	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	01-Nov-01	ALPHA	0.000862pCi/m3	0.000862pCi/m3	0.00037	0.00037	0.0004	0.0004	J
SESPOINT	913098	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	14-Nov-01	ALPHA	0.000986pCi/m3	0.000986pCi/m3	0.00051	0.00051	0.00056	0.00056	J
SESPOINT	913099	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	27-Nov-01	ALPHA	0.000239pCi/m3	0.000239pCi/m3	0.0003	0.0003	0.00031	0.00031	J
SESPOINT	913090	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	12-Dec-01	ALPHA	0.000414pCi/m3	0.000414pCi/m3	0.00029	0.00029	0.00031	0.00031	J
SESPOINT	913091	BATTELLE COMPLEX	BATTELLE COMPLEX	PERMETER	AT	07-Dec-01	ALPHA	0.000507pCi/m3	0.000507pCi/m3	0.00037	0.00037	0.00039	0.00039	J
SESPOINT	911488	BENTON CITY	BENTON CITY	COMMUNITY	AT	23-Jan-01	ALPHA	0.00123pCi/m3	0.00123pCi/m3	0.00064	0.00064	0.0007	0.0007	J
SESPOINT	911517	BYERS LANDING	BYERS LANDING	PERMETER	AT	18-Jan-01	ALPHA	0.000427pCi/m3	0.000427pCi/m3	0.00047	0.00047	0.00048	0.00048	J
SESPOINT	911518	BYERS LANDING	BYERS LANDING	PERMETER	AT	01-Feb-01	ALPHA	0.00047pCi/m3	0.00047pCi/m3	0.00042	0.00042	0.00045	0.00045	J
SESPOINT	911519	BYERS LANDING	BYERS LANDING	PERMETER	AT	14-Feb-01	ALPHA	0.00081pCi/m3	0.00081pCi/m3	0.00048	0.00048	0.00052	0.00052	J
SESPOINT	911520	BYERS LANDING	BYERS LANDING	PERMETER	AT	02-Mar-01	ALPHA	0.00047pCi/m3	0.00047pCi/m3	0.00041	0.00041	0.00041	0.00041	J
SESPOINT	911521	BYERS LANDING	BYERS LANDING	PERMETER	AT	15-Mar-01	ALPHA	0.000629pCi/m3	0.000629pCi/m3	0.0005	0.0005	0.00054	0.00054	J
SESPOINT	911522	BYERS LANDING	BYERS LANDING	PERMETER	AT	06-Apr-01	ALPHA	0.00076pCi/m3	0.00076pCi/m3	0.00037	0.00037	0.0004	0.0004	J
SESPOINT	911544	BYERS LANDING	BYERS LANDING	PERMETER	AT	12-Apr-01	ALPHA	0.00027pCi/m3	0.00027pCi/m3	0.00029	0.00029	0.0003	0.0003	J
SESPOINT	911545	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Apr-01	ALPHA	0.00024pCi/m3	0.00024pCi/m3	0.00035	0.00035	0.00036	0.00036	J
SESPOINT	911546	BYERS LANDING	BYERS LANDING	PERMETER	AT	10-May-01	ALPHA	0.00062pCi/m3	0.00062pCi/m3	0.00036	0.00036	0.00036	0.00036	J
SESPOINT	911547	BYERS LANDING	BYERS LANDING	PERMETER	AT	24-May-01	ALPHA	0.000375pCi/m3	0.000375pCi/m3	0.00034	0.00034	0.00035	0.00035	J
SESPOINT	911548	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Jun-01	ALPHA	0.000734pCi/m3	0.000734pCi/m3	0.00037	0.00037	0.0004	0.0004	J
SESPOINT	911549	BYERS LANDING	BYERS LANDING	PERMETER	AT	21-Jun-01	ALPHA	0.000633pCi/m3	0.000633pCi/m3	0.00039	0.00039	0.00043	0.00043	J
SESPOINT	911550	BYERS LANDING	BYERS LANDING	PERMETER	AT	05-Jul-01	ALPHA	0.000119pCi/m3	0.000119pCi/m3	0.00054	0.00054	0.00054	0.00054	J
SESPOINT	912869	BYERS LANDING	BYERS LANDING	PERMETER	AT	18-Jul-01	ALPHA	0.00036pCi/m3	0.00036pCi/m3	0.00031	0.00031	0.00032	0.00032	J
SESPOINT	912869	BYERS LANDING	BYERS LANDING	PERMETER	AT	02-Aug-01	ALPHA	0.000249pCi/m3	0.000249pCi/m3	0.00028	0.00028	0.00029	0.00029	J
SESPOINT	912870	BYERS LANDING	BYERS LANDING	PERMETER	AT	16-Aug-01	ALPHA	0.000482pCi/m3	0.000482pCi/m3	0.00041	0.00041	0.00041	0.00041	J
SESPOINT	912871	BYERS LANDING	BYERS LANDING	PERMETER	AT	30-Aug-01	ALPHA	0.00041pCi/m3	0.00041pCi/m3	0.00034	0.00034	0.00036	0.00036	J
SESPOINT	912872	BYERS LANDING	BYERS LANDING	PERMETER	AT	13-Sep-01	ALPHA	0.000351pCi/m3	0.000351pCi/m3	0.00037	0.00037	0.00037	0.00037	J
SESPOINT	912873	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Sep-01	ALPHA	0.000486pCi/m3	0.000486pCi/m3	0.00043	0.00043	0.00046	0.00046	J
SESPOINT	913107	BYERS LANDING	BYERS LANDING	PERMETER	AT	11-Oct-01	ALPHA	0.00066pCi/m3	0.00066pCi/m3	0.00037	0.00037	0.00039	0.00039	J
SESPOINT	913108	BYERS LANDING	BYERS LANDING	PERMETER	AT	11-Oct-01	ALPHA	0.00074pCi/m3	0.00074pCi/m3	0.00038	0.00038	0.0004	0.0004	J
SESPOINT	913109	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Oct-01	ALPHA	0.000572pCi/m3	0.000572pCi/m3	0.00034	0.00034	0.00036	0.00036	J
SESPOINT	913110	BYERS LANDING	BYERS LANDING	PERMETER	AT	26-Oct-01	ALPHA	0.00066pCi/m3	0.00066pCi/m3	0.00037	0.00037	0.0004	0.0004	J
SESPOINT	913109	BYERS LANDING	BYERS LANDING	PERMETER	AT	09-Nov-01	ALPHA	0.000179pCi/m3	0.000179pCi/m3	0.00041	0.00041	0.00041	0.00041	J
SESPOINT	913110	BYERS LANDING	BYERS LANDING	PERMETER	AT	08-Nov-01	ALPHA	0.00044pCi/m3	0.00044pCi/m3	0.00036	0.00036	0.00036	0.00036	J
SESPOINT	913111	BYERS LANDING	BYERS LANDING	PERMETER	AT	21-Nov-01	ALPHA	0.00018pCi/m3	0.00018pCi/m3	0.00047	0.00047	0.00047	0.00047	J
SESPOINT	913105	BYERS LANDING	BYERS LANDING	PERMETER	AT	21-Nov-01	ALPHA	0.00087pCi/m3	0.00087pCi/m3	0.0005	0.0005	0.00054	0.00054	J
SESPOINT	913111	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Dec-01	ALPHA	0.00079pCi/m3	0.00079pCi/m3	0.00034	0.00034	0.00034	0.00034	J
SESPOINT	913106	BYERS LANDING	BYERS LANDING	PERMETER	AT	07-Dec-01	ALPHA	0.000271pCi/m3	0.000271pCi/m3	0.00025	0.00025	0.00026	0.00026	J
SESPOINT	913112	BYERS LANDING	BYERS LANDING	PERMETER	AT	19-Dec-01	ALPHA	0.000193pCi/m3	0.000193pCi/m3	0.00031	0.00031	0.00031	0.00031	J
SESPOINT	913107	BYERS LANDING	BYERS LANDING	PERMETER	AT	19-Dec-01	ALPHA	0.000403pCi/m3	0.000403pCi/m3	0.00029	0.00029	0.00029	0.00029	J
SESPOINT	913113	BYERS LANDING	BYERS LANDING	PERMETER	AT	04-Jan-02	ALPHA	0.000793pCi/m3	0.000793pCi/m3	0.00046	0.00046	0.00046	0.00046	J
SESPOINT	913108	BYERS LANDING	BYERS LANDING	PERMETER	AT	04-Jan-02	ALPHA	0.000562pCi/m3	0.000562pCi/m3	0.0004	0.0004	0.0004	0.0004	J
SESPOINT	911510	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	18-Jan-01	ALPHA	0.000187pCi/m3	0.000187pCi/m3	0.00047	0.00047	0.00047	0.00047	J
SESPOINT	911511	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	01-Feb-01	ALPHA	0.00043pCi/m3	0.00043pCi/m3	0.00047	0.00047	0.00047	0.00047	J
SESPOINT	911512	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	14-Feb-01	ALPHA	0.000555pCi/m3	0.000555pCi/m3	0.00048	0.00048	0.0005	0.0005	J
SESPOINT	911513	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	02-Mar-01	ALPHA	0.00119pCi/m3	0.00119pCi/m3	0.00049	0.00049	0.00049	0.00049	J
SESPOINT	911514	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	15-Mar-01	ALPHA	0.00056pCi/m3	0.00056pCi/m3	0.00044	0.00044	0.00046	0.00046	J
SESPOINT	911515	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	29-Mar-01	ALPHA	0.00048pCi/m3	0.00048pCi/m3	0.00033	0.00033	0.00035	0.00035	J
SESPOINT	911516	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	12-Apr-01	ALPHA	0.00047pCi/m3	0.00047pCi/m3	0.00031	0.00031	0.00031	0.00031	J
SESPOINT	911567	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	26-Apr-01	ALPHA	0.000384pCi/m3	0.000384pCi/m3	0.0003	0.0003	0.00032	0.00032	J
SESPOINT	911568	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	10-May-01	ALPHA	0.000666pCi/m3	0.000666pCi/m3	0.00033	0.00033	0.00033	0.00033	J
SESPOINT	911569	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	24-May-01	ALPHA	0.0014pCi/m3	0.0014pCi/m3	0.00048	0.00048	0.00056	0.00056	J
SESPOINT	911570	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	07-Jun-01	ALPHA	0.00043pCi/m3	0.00043pCi/m3	0.00041	0.00041	0.00041	0.00041	J
SESPOINT	911571	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	21-Jun-01	ALPHA	0.000805pCi/m3	0.000805pCi/m3	0.00038	0.00038	0.00042	0.00042	J
SESPOINT	911572	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	06-Jul-01	ALPHA	0.00026pCi/m3	0.00026pCi/m3	0.00083	0.00083	0.0013	0.0013	J
SESPOINT	912871	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	18-Jul-01	ALPHA	0.00071pCi/m3	0.00071pCi/m3	0.00037	0.00037	0.00037	0.00037	J
SESPOINT	912872	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	02-Aug-01	ALPHA	0.00038pCi/m3	0.00038pCi/m3	0.00027	0.00027	0.00029	0.00029	J
SESPOINT	912873	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	16-Aug-01	ALPHA	0.0001pCi/m3	0.0001pCi/m3	0.00043	0.00043	0.00043	0.00043	J
SESPOINT	912874	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	30-Aug-01	ALPHA	0.000314pCi/m3	0.000314pCi/m3	0.00037	0.00037	0.00038	0.00038	J
SESPOINT	912875	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	14-Sep-01	ALPHA	0.00033pCi/m3	0.00033pCi/m3	0.00035	0.00035	0.00037	0.00037	J
SESPOINT	912876	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	26-Sep-01	ALPHA	0.00046pCi/m3	0.00046pCi/m3	0.0004	0.0004	0.00041	0.00041	J
SESPOINT	913199	DODWOOD MET TOWER	DODWOOD MET TOWER	PERMETER	AT	11-Oct-01	ALPHA	0.000483pCi/m3	0.000483pCi/m3	0.00035	0.0			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPOINT	913242	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	20-Nov-01 ALPHA		0.001261cm3	0.00049	0.00053		0.00053	
SESPOINT	913243	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Dec-01 ALPHA		0.000744cm3	0.00026	0.00026		0.00026	U
SESPOINT	913244	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-01 ALPHA		0.0000198cm3	0.000023	0.00023		0.00023	U
SESPOINT	913245	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02 ALPHA		0.000477cm3	0.00046	0.00046		0.00046	U
SESPOINT	911506	HANFORD TOWNSITE	ONSITE	AT	09-Jan-01 ALPHA		0.000815cm3	0.00053	0.00055		0.00055	J
SESPOINT	911507	HANFORD TOWNSITE	ONSITE	AT	23-Jan-01 ALPHA		0.00125cm3	0.00056	0.00056		0.00056	
SESPOINT	911508	HANFORD TOWNSITE	ONSITE	AT	06-Feb-01 ALPHA		0.000262cm3	0.0004	0.0004		0.0004	
SESPOINT	911509	HANFORD TOWNSITE	ONSITE	AT	15-Feb-01 ALPHA		0.000093cm3	0.00068	0.00071		0.00071	J
SESPOINT	911510	HANFORD TOWNSITE	ONSITE	AT	06-Mar-01 ALPHA		0.000984cm3	0.00037	0.00037		0.00037	J
SESPOINT	911511	HANFORD TOWNSITE	ONSITE	AT	16-Mar-01 ALPHA		0.000725cm3	0.00055	0.00057		0.00057	J
SESPOINT	911512	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01 ALPHA		0.000917cm3	0.00034	0.00034		0.00034	
SESPOINT	911505	HANFORD TOWNSITE	ONSITE	AT	17-Apr-01 ALPHA		0.00086cm3	0.0004	0.00044		0.00044	J
SESPOINT	911506	HANFORD TOWNSITE	ONSITE	AT	01-May-01 ALPHA		0.000895cm3	0.00037	0.0004		0.0004	
SESPOINT	911507	HANFORD TOWNSITE	ONSITE	AT	15-May-01 ALPHA		0.000944cm3	0.00037	0.0004		0.0004	
SESPOINT	911508	HANFORD TOWNSITE	ONSITE	AT	29-May-01 ALPHA		0.000929cm3	0.00035	0.00037		0.00037	
SESPOINT	911509	HANFORD TOWNSITE	ONSITE	AT	11-Jun-01 ALPHA		0.000195cm3	0.00029	0.00029		0.00029	U
SESPOINT	911510	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01 ALPHA		0.000549cm3	0.00053	0.00052		0.00052	
SESPOINT	912977	HANFORD TOWNSITE	ONSITE	AT	10-Jul-01 ALPHA		0.000299cm3	0.00033	0.00034		0.00034	
SESPOINT	912978	HANFORD TOWNSITE	ONSITE	AT	24-Jul-01 ALPHA		0.000369cm3	0.00029	0.0003		0.0003	U
SESPOINT	912979	HANFORD TOWNSITE	ONSITE	AT	08-Aug-01 ALPHA		0.0000276cm3	0.00023	0.00023		0.00023	
SESPOINT	912980	HANFORD TOWNSITE	ONSITE	AT	21-Aug-01 ALPHA		0.000733cm3	0.00042	0.00046		0.00046	J
SESPOINT	912981	HANFORD TOWNSITE	ONSITE	AT	04-Sep-01 ALPHA		0.000236cm3	0.00029	0.0003		0.0003	U
SESPOINT	912982	HANFORD TOWNSITE	ONSITE	AT	18-Sep-01 ALPHA		0.000891cm3	0.00036	0.00036		0.00036	
SESPOINT	912983	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01 ALPHA		0.000366cm3	0.00036	0.00038		0.00038	U
SESPOINT	913254	HANFORD TOWNSITE	ONSITE	AT	15-Oct-01 ALPHA		0.0005cm3	0.00044	0.00046		0.00046	
SESPOINT	913255	HANFORD TOWNSITE	ONSITE	AT	02-Nov-01 ALPHA		0.000445cm3	0.00029	0.00031		0.00031	
SESPOINT	913256	HANFORD TOWNSITE	ONSITE	AT	13-Nov-01 ALPHA		0.00108cm3	0.00057	0.00062		0.00062	
SESPOINT	913257	HANFORD TOWNSITE	ONSITE	AT	26-Nov-01 ALPHA		0.000211cm3	0.00029	0.0003		0.0003	U
SESPOINT	913258	HANFORD TOWNSITE	ONSITE	AT	11-Dec-01 ALPHA		0.00036cm3	0.00029	0.0003		0.0003	
SESPOINT	913259	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01 ALPHA		0.000229cm3	0.0003	0.0003		0.0003	
SESPOINT	911904	HORN RAPIDS SUBSTA	PERMETER	AT	11-Jan-01 ALPHA		0.000788cm3	0.00057	0.0006		0.0006	J
SESPOINT	911905	HORN RAPIDS SUBSTA	PERMETER	AT	25-Jan-01 ALPHA		0.000898cm3	0.00052	0.00054		0.00054	J
SESPOINT	911906	HORN RAPIDS SUBSTA	PERMETER	AT	08-Feb-01 ALPHA		0.000177cm3	0.00057	0.00057		0.00057	J
SESPOINT	911907	HORN RAPIDS SUBSTA	PERMETER	AT	17-Feb-01 ALPHA		0.000812cm3	0.00071	0.00074		0.00074	U
SESPOINT	911908	HORN RAPIDS SUBSTA	PERMETER	AT	08-Mar-01 ALPHA		0.00105cm3	0.00043	0.00047		0.00047	
SESPOINT	911909	HORN RAPIDS SUBSTA	PERMETER	AT	22-Mar-01 ALPHA		0.000203cm3	0.00044	0.00046		0.00046	U
SESPOINT	911910	HORN RAPIDS SUBSTA	PERMETER	AT	05-Apr-01 ALPHA		0.000499cm3	0.00035	0.00037		0.00037	
SESPOINT	911904	HORN RAPIDS SUBSTA	PERMETER	AT	19-Apr-01 ALPHA							
SESPOINT	911905	HORN RAPIDS SUBSTA	PERMETER	AT	03-May-01 ALPHA		0.000355cm3	0.0003	0.00032		0.00032	J
SESPOINT	911906	HORN RAPIDS SUBSTA	PERMETER	AT	16-May-01 ALPHA		0.000387cm3	0.00035	0.00036		0.00036	
SESPOINT	911905	HORN RAPIDS SUBSTA	PERMETER	AT	31-May-01 ALPHA		0.000542cm3	0.00038	0.0004		0.0004	
SESPOINT	911906	HORN RAPIDS SUBSTA	PERMETER	AT	15-Jun-01 ALPHA		0.00081cm3	0.00033	0.00033		0.00033	
SESPOINT	911907	HORN RAPIDS SUBSTA	PERMETER	AT	29-Jun-01 ALPHA		0.000403cm3	0.00031	0.00032		0.00032	
SESPOINT	912805	HORN RAPIDS SUBSTA	PERMETER	AT	12-Jul-01 ALPHA		-0.000186cm3	0.00035	0.00036		0.00036	U
SESPOINT	912806	HORN RAPIDS SUBSTA	PERMETER	AT	26-Jul-01 ALPHA		0.000185cm3	0.00033	0.00034		0.00034	U
SESPOINT	912807	HORN RAPIDS SUBSTA	PERMETER	AT	10-Aug-01 ALPHA		0.00015cm3	0.00026	0.00027		0.00027	U
SESPOINT	912808	HORN RAPIDS SUBSTA	PERMETER	AT	23-Aug-01 ALPHA		0.000033cm3	0.00036	0.00037		0.00037	U
SESPOINT	912809	HORN RAPIDS SUBSTA	PERMETER	AT	06-Sep-01 ALPHA		0.000386cm3	0.00035	0.00036		0.00036	U
SESPOINT	912810	HORN RAPIDS SUBSTA	PERMETER	AT	21-Sep-01 ALPHA		0.000826cm3	0.0004	0.00044		0.00044	
SESPOINT	912811	HORN RAPIDS SUBSTA	PERMETER	AT	03-Oct-01 ALPHA		0.000433cm3	0.00041	0.00043		0.00043	
SESPOINT	913115	HORN RAPIDS SUBSTA	PERMETER	AT	19-Oct-01 ALPHA		0.000024cm3	0.00032	0.00032		0.00032	U
SESPOINT	913116	HORN RAPIDS SUBSTA	PERMETER	AT	05-Nov-01 ALPHA		0.000115cm3	0.00034	0.00034		0.00034	
SESPOINT	913117	HORN RAPIDS SUBSTA	PERMETER	AT	16-Nov-01 ALPHA		0.00105cm3	0.00057	0.00062		0.00062	
SESPOINT	913118	HORN RAPIDS SUBSTA	PERMETER	AT	29-Nov-01 ALPHA		0.000188cm3	0.00031	0.00031		0.00031	U
SESPOINT	913119	HORN RAPIDS SUBSTA	PERMETER	AT	13-Dec-01 ALPHA		-0.00105cm3	0.00026	0.00026		0.00026	U
SESPOINT	913120	HORN RAPIDS SUBSTA	PERMETER	AT	26-Dec-01 ALPHA		0.00081cm3	0.00036	0.00038		0.00038	
SESPOINT	911904	KENNEDYCK-ELY STREET	COMMUNITY	AT	17-Jan-01 ALPHA		0.00004cm3	0.00051	0.00051		0.00051	J
SESPOINT	911904	KENNEDYCK-ELY STREET	COMMUNITY	AT	31-Jan-01 ALPHA		0.00129cm3	0.00061	0.00067		0.00067	
SESPOINT	911905	KENNEDYCK-ELY STREET	COMMUNITY	AT	14-Feb-01 ALPHA		0.00094cm3	0.00053	0.00057		0.00057	
SESPOINT	911906	KENNEDYCK-ELY STREET	COMMUNITY	AT	28-Feb-01 ALPHA		0.000778cm3	0.00049	0.00052		0.00052	J
SESPOINT	911907	KENNEDYCK-ELY STREET	COMMUNITY	AT	14-Mar-01 ALPHA		0.000465cm3	0.00042	0.00044		0.00044	
SESPOINT	911908	KENNEDYCK-ELY STREET	COMMUNITY	AT	28-Mar-01 ALPHA		0.00095cm3	0.0004	0.00045		0.00045	
SESPOINT	911909	KENNEDYCK-ELY STREET	COMMUNITY	AT	11-Apr-01 ALPHA		0.00081cm3	0.00039	0.00043		0.00043	
SESPOINT	911910	KENNEDYCK-ELY STREET	COMMUNITY	AT	25-Apr-01 ALPHA		0.000775cm3	0.00038	0.0004		0.0004	U
SESPOINT	911902	KENNEDYCK-ELY STREET	COMMUNITY	AT	09-May-01 ALPHA		0.000316cm3	0.00032	0.00033		0.00033	U
SESPOINT	911903	KENNEDYCK-ELY STREET	COMMUNITY	AT	24-May-01 ALPHA		0.000465cm3	0.00035	0.00037		0.00037	
SESPOINT	911904	KENNEDYCK-ELY STREET	COMMUNITY	AT	07-Jun-01 ALPHA		0.000623cm3	0.00035	0.00038		0.00038	
SESPOINT	911905	KENNEDYCK-ELY STREET	COMMUNITY	AT	20-Jun-01 ALPHA		0.000826cm3	0.00039	0.00044		0.00044	
SESPOINT	911906	KENNEDYCK-ELY STREET	COMMUNITY	AT	03-Jul-01 ALPHA		0.00045cm3	0.00032	0.00034		0.00034	
SESPOINT	912904	KENNEDYCK-ELY STREET	COMMUNITY	AT	17-Jul-01 ALPHA		0.00059cm3	0.00034	0.00036		0.00036	
SESPOINT	912905	KENNEDYCK-ELY STREET	COMMUNITY	AT	31-Jul-01 ALPHA		0.000396cm3	0.00032	0.00032		0.00032	
SESPOINT	912906	KENNEDYCK-ELY STREET	COMMUNITY	AT	14-Aug-01 ALPHA		0.000302cm3	0.00038	0.00041		0.00041	
SESPOINT	912907	KENNEDYCK-ELY STREET	COMMUNITY	AT	29-Aug-01 ALPHA		0.000469cm3	0.00033	0.00033		0.00033	
SESPOINT	912908	KENNEDYCK-ELY STREET	COMMUNITY	AT	12-Sep-01 ALPHA		0.000855cm3	0.00058	0.00061		0.00061	
SESPOINT	912909	KENNEDYCK-ELY STREET	COMMUNITY	AT	26-Sep-01 ALPHA		0.000324cm3	0.00047	0.00049		0.00049	
SESPOINT	913201	KENNEDYCK-ELY STREET	COMMUNITY	AT	10-Oct-01 ALPHA		0.000303cm3	0.00046	0.00047		0.00047	
SESPOINT	913208	KENNEDYCK-ELY STREET	COMMUNITY	AT	24-Oct-01 ALPHA		0.00044cm3	0.00038	0.00041		0.00041	
SESPOINT	913209	KENNEDYCK-ELY STREET	COMMUNITY	AT	07-Nov-01 ALPHA		0.000766cm3	0.00039	0.00043		0.00043	
SESPOINT	913210	KENNEDYCK-ELY STREET	COMMUNITY	AT	20-Nov-01 ALPHA		-0.000241cm3	0.00045	0.00046		0.00046	U
SESPOINT	913211	KENNEDYCK-ELY STREET	COMMUNITY	AT	05-Dec-01 ALPHA		0.000213cm3	0.00026	0.00026		0.00026	U
SESPOINT	913212	KENNEDYCK-ELY STREET	COMMUNITY	AT	19-Dec-01 ALPHA		-0.000107cm3	0.0003	0.0003		0.0003	
SESPOINT	913213	KENNEDYCK-ELY STREET	COMMUNITY	AT	02-Jan-02 ALPHA		0.000824cm3	0.00047	0.00049		0.00049	
SESPOINT	911915	LESLIE GROVES-RLCHLD	COMMUNITY	AT	16-Jan-01 ALPHA		0.000817cm3	0.00053	0.00056		0.00056	J
SESPOINT	911914	LESLIE GROVES-RLCHLD	COMMUNITY	AT	16-Jan-01 ALPHA		0.000752cm3	0.00053	0.00056		0.00056	J
SESPOINT	911916	LESLIE GROVES-RLCHLD	COMMUNITY	AT	30-Jan-01 ALPHA		0.0013cm3	0.00062	0.00066		0.00066	
SESPOINT	911915	LESLIE GROVES-RLCHLD	COMMUNITY	AT	30-Jan-01 ALPHA		0.00112cm3	0.00057	0.00062		0.00062	
SESPOINT	911917	LESLIE GROVES-RLCHLD	COMMUNITY	AT	13-Feb-01 ALPHA		0.000399cm3	0.00058	0.0006		0.0006	
SESPOINT	911916	LESLIE GROVES-RLCHLD	COMMUNITY	AT	13-Feb-01 ALPHA		0.000883cm3	0.00047	0.00051		0.00051	J
SESPOINT	911918	LESLIE GROVES-RLCHLD	COMMUNITY	AT	27-Feb-01 ALPHA		0.000887cm3	0.0005	0.00054		0.00054	J
SESPOINT	911917	LESLIE GROVES-RLCHLD	COMMUNITY	AT	17-Mar-01 ALPHA		0.00075cm3	0.0005	0.00053		0.00053	J
SESPOINT	911919	LESLIE GROVES-RLCHLD	COMMUNITY	AT	13-Mar-01 ALPHA		0.000757cm3	0.00047	0.0005		0.0005	J
SESPOINT	911918	LESLIE GROVES-RLCHLD	COMMUNITY	AT	13-Mar-01 ALPHA		0.00126cm3	0.00053	0.00056		0.00056	
SESPOINT	911909	LESLIE GROVES-RLCHLD	COMMUNITY	AT	27-Mar-01 ALPHA		0.000912cm3	0.0004	0.00046		0.00046	
SESPOINT	911919	LESLIE GROVES-RLCHLD	COMMUNITY	AT	07-Apr-01 ALPHA		0.00166cm3	0.0005	0.0006		0.0006	
SESPOINT	911903	LESLIE GROVES-RLCHLD	COMMUNITY	AT	20-Apr-01 ALPHA		0.000413cm3	0.00035	0.00037		0.00037	J
SESPOINT	911904	LESLIE GROVES-RLCHLD	COMMUNITY	AT	14-Apr-01 ALPHA		-0.00014cm3	0.00027	0.00027		0.00027	U
SESPOINT	911905	LESLIE GROVES-RLCHLD	COMMUNITY	AT	08-May-01 ALPHA		0.000883cm3	0.00035	0.00036		0.00036	
SESPOINT	911906	LESLIE GROVES-RLCHLD	COMMUNITY	AT	22-May-01 ALPHA		-0.000096cm3	0.00032	0.00032		0.00032	U
SESPOINT	911907	LESLIE GROVES-RLCHLD	COMMUNITY	AT	05-Jun-01 ALPHA		0.000423cm3	0.00033	0.00034		0.00034	
SESPOINT	911908	LESLIE GROVES-RLCHLD	COMMUNITY	AT	19-Jun-01 ALPHA		0.000255cm3	0.00029	0.0003		0.0003	
SESPOINT	91190											

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	N OF Z00 E	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPRINT	912802	N OF Z00 E		ONSITE	AT	11-Sep-01	ALPHA	0.000333pCi/m3	0.000333	0.00041	0.00043		
SESPRINT	912803	N OF Z00 E		ONSITE	AT	25-Sep-01	ALPHA	0.000765pCi/m3	0.000765	0.00042	0.00046		
SESPRINT	913078	N OF Z00 E		ONSITE	AT	09-Oct-01	ALPHA	0.000275pCi/m3	0.000275	0.00036	0.00037	U	
SESPRINT	913079	N OF Z00 E		ONSITE	AT	23-Oct-01	ALPHA	0.000113pCi/m3	0.000113	0.00033	0.00033	U	
SESPRINT	913090	N OF Z00 E		ONSITE	AT	06-Nov-01	ALPHA	0.000583pCi/m3	0.000583	0.00036	0.00039		
SESPRINT	913091	N OF Z00 E		ONSITE	AT	19-Nov-01	ALPHA	0.00112pCi/m3	0.00112	0.00053	0.00059		
SESPRINT	913092	N OF Z00 E		ONSITE	AT	05-Dec-01	ALPHA	0.000201pCi/m3	0.000201	0.00024	0.00026	U	
SESPRINT	913093	N OF Z00 E		ONSITE	AT	17-Dec-01	ALPHA	0.000781pCi/m3	0.000781	0.00043	0.00046		
SESPRINT	913094	N OF Z00 E		ONSITE	AT	02-Jan-02	ALPHA	0.000445pCi/m3	0.000445	0.00043	0.00043		
SESPRINT	911991	PARSCO		COMMUNITY	AT	13-Mar-01	ALPHA	0.00106pCi/m3	0.00106	0.00049	0.00055		
SESPRINT	911991.1	PROSSER BARRICADE		PERMETER	AT	11-Mar-01	ALPHA	0.000399pCi/m3	0.000399	0.00048	0.0005	J	
SESPRINT	911991.2	PROSSER BARRICADE		PERMETER	AT	26-Jan-01	ALPHA	0.000403pCi/m3	0.000403	0.00045	0.00046	U	
SESPRINT	911991.3	PROSSER BARRICADE		PERMETER	AT	08-Feb-01	ALPHA	0.00041pCi/m3	0.00041	0.00046	0.00049	U	
SESPRINT	911991.4	PROSSER BARRICADE		PERMETER	AT	17-Feb-01	ALPHA	0.001059pCi/m3	0.001059	0.00074	0.00077		
SESPRINT	911991.5	PROSSER BARRICADE		PERMETER	AT	09-Mar-01	ALPHA	0.000626pCi/m3	0.000626	0.00042	0.00046	J	
SESPRINT	911991.6	PROSSER BARRICADE		PERMETER	AT	22-Mar-01	ALPHA	0.000633pCi/m3	0.000633	0.00036	0.00039		
SESPRINT	911991.7	PROSSER BARRICADE		PERMETER	AT	05-Apr-01	ALPHA	0.000181pCi/m3	0.000181	0.00033	0.00034	U	
SESPRINT	911998	PROSSER BARRICADE		PERMETER	AT	19-Apr-01	ALPHA	0.000233pCi/m3	0.000233	0.00037	0.00038		
SESPRINT	911998.1	PROSSER BARRICADE		PERMETER	AT	03-May-01	ALPHA	0.000992pCi/m3	0.000992	0.00035	0.00037	J	
SESPRINT	911998.2	PROSSER BARRICADE		PERMETER	AT	19-May-01	ALPHA	0.000327pCi/m3	0.000327	0.00021	0.00032		
SESPRINT	911998.3	PROSSER BARRICADE		PERMETER	AT	31-May-01	ALPHA	0.000461pCi/m3	0.000461	0.00038	0.0004		
SESPRINT	911998.4	PROSSER BARRICADE		PERMETER	AT	15-Jun-01	ALPHA	0.000241pCi/m3	0.000241	0.00025	0.00026	U	
SESPRINT	911998.5	PROSSER BARRICADE		PERMETER	AT	29-Jun-01	ALPHA	0.000267pCi/m3	0.000267	0.00032	0.00033		
SESPRINT	912892	PROSSER BARRICADE		PERMETER	AT	12-Jul-01	ALPHA	0.000534pCi/m3	0.000534	0.00036	0.00038		
SESPRINT	912893	PROSSER BARRICADE		PERMETER	AT	26-Jul-01	ALPHA	0.000191pCi/m3	0.000191	0.00029	0.0003		
SESPRINT	912894	PROSSER BARRICADE		PERMETER	AT	10-Aug-01	ALPHA	0.000444pCi/m3	0.000444	0.00033	0.00035		
SESPRINT	912915	PROSSER BARRICADE		PERMETER	AT	23-Aug-01	ALPHA	0.000626pCi/m3	0.000626	0.00045	0.00047		
SESPRINT	912995	PROSSER BARRICADE		PERMETER	AT	06-Sep-01	ALPHA	0.000166pCi/m3	0.000166	0.00027	0.00028	U	
SESPRINT	912997	PROSSER BARRICADE		PERMETER	AT	21-Sep-01	ALPHA	-0.000128pCi/m3	-0.000128	0.00033	0.00033	U	
SESPRINT	912998	PROSSER BARRICADE		PERMETER	AT	03-Oct-01	ALPHA	0.000323pCi/m3	0.000323	0.00034	0.00041		
SESPRINT	913192	PROSSER BARRICADE		PERMETER	AT	19-Oct-01	ALPHA	0.000561pCi/m3	0.000561	0.00034	0.00036		
SESPRINT	913193	PROSSER BARRICADE		PERMETER	AT	05-Nov-01	ALPHA	0.000403pCi/m3	0.000403	0.00032	0.00034		
SESPRINT	913194	PROSSER BARRICADE		PERMETER	AT	16-Nov-01	ALPHA	0.000399pCi/m3	0.000399	0.00045	0.00046	U	
SESPRINT	913195	PROSSER BARRICADE		PERMETER	AT	29-Nov-01	ALPHA	0.000126pCi/m3	0.000126	0.00029	0.00029	U	
SESPRINT	913196	PROSSER BARRICADE		PERMETER	AT	13-Dec-01	ALPHA	0.00036pCi/m3	0.00036	0.00031	0.00031		
SESPRINT	913197	PROSSER BARRICADE		PERMETER	AT	26-Dec-01	ALPHA	0.000517pCi/m3	0.000517	0.00036	0.00038		
SESPRINT	911998.6	RATLESNAKE SPRINGS		PERMETER	AT	15-Jan-01	ALPHA	0.000102pCi/m3	0.000102	0.00037	0.00038		
SESPRINT	911998.7	RATLESNAKE SPRINGS		PERMETER	AT	24-Jan-01	ALPHA	0.000422pCi/m3	0.000422	0.00047	0.00048	U	
SESPRINT	911998.8	RATLESNAKE SPRINGS		PERMETER	AT	07-Feb-01	ALPHA	0.000464pCi/m3	0.000464	0.00043	0.00045	U	
SESPRINT	911998.9	RATLESNAKE SPRINGS		PERMETER	AT	16-Feb-01	ALPHA	0.001059pCi/m3	0.001059	0.00057	0.00057		
SESPRINT	911999	RATLESNAKE SPRINGS		PERMETER	AT	07-Mar-01	ALPHA	0.000757pCi/m3	0.000757	0.00039	0.00042	J	
SESPRINT	911999.1	RATLESNAKE SPRINGS		PERMETER	AT	21-Mar-01	ALPHA	0.000723pCi/m3	0.000723	0.00037	0.00039		
SESPRINT	911999.2	RATLESNAKE SPRINGS		PERMETER	AT	04-Apr-01	ALPHA	0.000995pCi/m3	0.000995	0.00036	0.0004		
SESPRINT	911999.3	RATLESNAKE SPRINGS		PERMETER	AT	18-Apr-01	ALPHA	0.000202pCi/m3	0.000202	0.00028	0.00028	U	
SESPRINT	911999.4	RATLESNAKE SPRINGS		PERMETER	AT	02-May-01	ALPHA	0.000039pCi/m3	0.000039	0.00028	0.00028	U	
SESPRINT	911999.5	RATLESNAKE SPRINGS		PERMETER	AT	16-May-01	ALPHA	0.000376pCi/m3	0.000376	0.00034	0.00041	U	
SESPRINT	911999.6	RATLESNAKE SPRINGS		PERMETER	AT	30-May-01	ALPHA	0.000011pCi/m3	0.000011	0.00032	0.00032	U	
SESPRINT	911999.7	RATLESNAKE SPRINGS		PERMETER	AT	14-Jun-01	ALPHA	0.000269pCi/m3	0.000269	0.00041	0.00041	U	
SESPRINT	912900	RATLESNAKE SPRINGS		PERMETER	AT	28-Jun-01	ALPHA	0.000323pCi/m3	0.000323	0.00033	0.00033	U	
SESPRINT	912901	RATLESNAKE SPRINGS		PERMETER	AT	11-Jul-01	ALPHA	-0.000323pCi/m3	-0.000323	0.00032	0.00033	U	
SESPRINT	912902	RATLESNAKE SPRINGS		PERMETER	AT	25-Jul-01	ALPHA	-0.000284pCi/m3	-0.000284	0.00025	0.00026	U	
SESPRINT	912903	RATLESNAKE SPRINGS		PERMETER	AT	08-Aug-01	ALPHA	0.000115pCi/m3	0.000115	0.00026	0.00027	U	
SESPRINT	912910	RATLESNAKE SPRINGS		PERMETER	AT	22-Aug-01	ALPHA	0.000955pCi/m3	0.000955	0.00044	0.00047		
SESPRINT	912911	RATLESNAKE SPRINGS		PERMETER	AT	05-Sep-01	ALPHA	0.000039pCi/m3	0.000039	0.00033	0.00033	U	
SESPRINT	912912	RATLESNAKE SPRINGS		PERMETER	AT	19-Sep-01	ALPHA	0.000108pCi/m3	0.000108	0.00036	0.00036	U	
SESPRINT	912913	RATLESNAKE SPRINGS		PERMETER	AT	02-Oct-01	ALPHA	0.000499pCi/m3	0.000499	0.00043	0.00044	U	
SESPRINT	913197.1	RATLESNAKE SPRINGS		PERMETER	AT	17-Oct-01	ALPHA	0.000071pCi/m3	0.000071	0.00032	0.00032	U	
SESPRINT	913198	RATLESNAKE SPRINGS		PERMETER	AT	01-Nov-01	ALPHA	0.000385pCi/m3	0.000385	0.00033	0.00034	U	
SESPRINT	913199	RATLESNAKE SPRINGS		PERMETER	AT	14-Nov-01	ALPHA	0.000364pCi/m3	0.000364	0.00051	0.00051		
SESPRINT	913199.1	RATLESNAKE SPRINGS		PERMETER	AT	27-Nov-01	ALPHA	0.000569pCi/m3	0.000569	0.00037	0.00039		
SESPRINT	913199.2	RATLESNAKE SPRINGS		PERMETER	AT	12-Dec-01	ALPHA	0.000125pCi/m3	0.000125	0.00034	0.00034	U	
SESPRINT	913199.3	RATLESNAKE SPRINGS		PERMETER	AT	27-Dec-01	ALPHA	-0.000185pCi/m3	-0.000185	0.00035	0.00035	U	
SESPRINT	911999.8	RNGOLD MET TOWER		PERMETER	AT	19-Jan-01	ALPHA	0.000719pCi/m3	0.000719	0.00052	0.00054	J	
SESPRINT	911999.9	RNGOLD MET TOWER		PERMETER	AT	01-Feb-01	ALPHA	0.00128pCi/m3	0.00128	0.00057	0.00057		
SESPRINT	911999.0	RNGOLD MET TOWER		PERMETER	AT	14-Feb-01	ALPHA	0.000895pCi/m3	0.000895	0.00055	0.00053	J	
SESPRINT	911999.1	RNGOLD MET TOWER		PERMETER	AT	02-Mar-01	ALPHA	0.00102pCi/m3	0.00102	0.00047	0.00052		
SESPRINT	911999.2	RNGOLD MET TOWER		PERMETER	AT	15-Mar-01	ALPHA	0.000726pCi/m3	0.000726	0.00047	0.00049	J	
SESPRINT	911999.3	RNGOLD MET TOWER		PERMETER	AT	29-Mar-01	ALPHA	0.00021pCi/m3	0.00021	0.00034	0.00034	U	
SESPRINT	911999.4	RNGOLD MET TOWER		PERMETER	AT	12-Apr-01	ALPHA	0.000056pCi/m3	0.000056	0.00022	0.00022	U	
SESPRINT	911999.5	RNGOLD MET TOWER		PERMETER	AT	26-Apr-01	ALPHA	0.000911pCi/m3	0.000911	0.00042	0.00046		
SESPRINT	911999.6	RNGOLD MET TOWER		PERMETER	AT	10-May-01	ALPHA	0.000778pCi/m3	0.000778	0.00039	0.00042	J	
SESPRINT	911999.7	RNGOLD MET TOWER		PERMETER	AT	07-Jun-01	ALPHA	0.00104pCi/m3	0.00104	0.0004	0.0004		
SESPRINT	911999.8	RNGOLD MET TOWER		PERMETER	AT	21-Jun-01	ALPHA	0.000116pCi/m3	0.000116	0.00034	0.00036		
SESPRINT	911999.9	RNGOLD MET TOWER		PERMETER	AT	06-Jul-01	ALPHA	0.00108pCi/m3	0.00108	0.00048	0.00059		
SESPRINT	911999.0	RNGOLD MET TOWER		PERMETER	AT	18-Jul-01	ALPHA	0.000177pCi/m3	0.000177	0.00037	0.00038	U	
SESPRINT	912915	RNGOLD MET TOWER		PERMETER	AT	02-Aug-01	ALPHA	0.000402pCi/m3	0.000402	0.00032	0.00034		
SESPRINT	912916	RNGOLD MET TOWER		PERMETER	AT	16-Aug-01	ALPHA	0.000011pCi/m3	0.000011	0.00037	0.00037	U	
SESPRINT	912917	RNGOLD MET TOWER		PERMETER	AT	30-Aug-01	ALPHA	0.000317pCi/m3	0.000317	0.00037	0.00038	U	
SESPRINT	912918	RNGOLD MET TOWER		PERMETER	AT	14-Sep-01	ALPHA	0.000272pCi/m3	0.000272	0.00036	0.00036	U	
SESPRINT	912919	RNGOLD MET TOWER		PERMETER	AT	26-Sep-01	ALPHA	0.000268pCi/m3	0.000268	0.00037	0.00038	U	
SESPRINT	913191	RNGOLD MET TOWER		PERMETER	AT	11-Oct-01	ALPHA	0.0007pCi/m3	0.0007	0.00038	0.00041		
SESPRINT	913192	RNGOLD MET TOWER		PERMETER	AT	26-Oct-01	ALPHA	0.000473pCi/m3	0.000473	0.00032	0.00034		
SESPRINT	913193	RNGOLD MET TOWER		PERMETER	AT	09-Nov-01	ALPHA	0.000217pCi/m3	0.000217	0.00034	0.00034	U	
SESPRINT	913194	RNGOLD MET TOWER		PERMETER	AT	21-Nov-01	ALPHA	0.00036pCi/m3	0.00036	0.00041	0.00041		
SESPRINT	913195	RNGOLD MET TOWER		PERMETER	AT	07-Dec-01	ALPHA	0.000445pCi/m3	0.000445	0.0003	0.00032		
SESPRINT	913196	RNGOLD MET TOWER		PERMETER	AT	19-Dec-01	ALPHA	0.000079pCi/m3	0.000079	0.00029	0.00029	U	
SESPRINT	913197	RNGOLD MET TOWER		PERMETER	AT	04-Jan-02	ALPHA	0.000529pCi/m3	0.000529	0.00044	0.00046		
SESPRINT	911999.0	S END VERNITA BRIDGE		PERMETER	AT	17-Jan-01	ALPHA	0.000398pCi/m3	0.000398	0.00049	0.0005	U	
SESPRINT	911999.1	S END VERNITA BRIDGE		PERMETER	AT	31-Jan-01	ALPHA	0.00169pCi/m3	0.00169	0.00051	0.00057		
SESPRINT	911999.2	S END VERNITA BRIDGE		PERMETER	AT	13-Feb-01	ALPHA	0.000451pCi/m3	0.000451	0.00042	0.00044	U	
SESPRINT	911999.3	S END VERNITA BRIDGE		PERMETER	AT	27-Feb-01	ALPHA	0.000871pCi/m3					

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR BETALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPRINT	91128F2	S OF 200 E	ONSITE	AT	11-Sep-01	ALPHA	0.00017pCi/m3	0.00036	0.00037	U			
SESPRINT	91128F3	S OF 200 E	ONSITE	AT	25-Sep-01	ALPHA	0.00013pCi/m3	0.00042	0.00042	U			
SESPRINT	91131B8	S OF 200 E	ONSITE	AT	09-Oct-01	ALPHA	-0.000293pCi/m3	0.00039	0.00039	U			
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	23-Oct-01	ALPHA							
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	06-Nov-01	ALPHA	0.000425pCi/m3	0.00036	0.00037				
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	19-Nov-01	ALPHA	-0.000395pCi/m3	0.00044	0.00044	U			
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	05-Dec-01	ALPHA	0.0000412pCi/m3	0.00026	0.00026	U			
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	17-Dec-01	ALPHA	-0.000303pCi/m3	0.00026	0.00026	U			
SESPRINT	91131B9	S OF 200 E	ONSITE	AT	02-Jan-02	ALPHA	0.00026pCi/m3	0.00064	0.00064				
SESPRINT	91155F1	SW OF B/C CRSS	ONSITE	AT	16-Jan-01	ALPHA	0.000635pCi/m3	0.00062	0.00064	J			
SESPRINT	91155F2	SW OF B/C CRSS	ONSITE	AT	30-Jan-01	ALPHA	0.000599pCi/m3	0.00047	0.00048	J			
SESPRINT	91155F3	SW OF B/C CRSS	ONSITE	AT	12-Feb-01	ALPHA	0.000446pCi/m3	0.00039	0.00041	J			
SESPRINT	91155F4	SW OF B/C CRSS	ONSITE	AT	28-Feb-01	ALPHA	0.000133pCi/m3	0.00063	0.00066				
SESPRINT	91155F5	SW OF B/C CRSS	ONSITE	AT	13-Mar-01	ALPHA	0.000333pCi/m3	0.00048	0.0005				
SESPRINT	91155F6	SW OF B/C CRSS	ONSITE	AT	19-Mar-01	ALPHA	0.00083pCi/m3	0.00011	0.0013				
SESPRINT	911M4B9	SW OF B/C CRSS	ONSITE	AT	10-Apr-01	ALPHA	0.00042pCi/m3	0.0002	0.00026				
SESPRINT	911M6D0	SW OF B/C CRSS	ONSITE	AT	23-Apr-01	ALPHA	0.0000197pCi/m3	0.00031	0.00031	U			
SESPRINT	911M6F1	SW OF B/C CRSS	ONSITE	AT	08-May-01	ALPHA	0.00015pCi/m3	0.00031	0.00032				
SESPRINT	911M6F2	SW OF B/C CRSS	ONSITE	AT	22-May-01	ALPHA	0.000781pCi/m3	0.0004	0.00044				
SESPRINT	911M6F3	SW OF B/C CRSS	ONSITE	AT	05-Jun-01	ALPHA	0.000719pCi/m3	0.00038	0.00041				
SESPRINT	911M6F4	SW OF B/C CRSS	ONSITE	AT	19-Jun-01	ALPHA	0.000043pCi/m3	0.00031	0.00032				
SESPRINT	911M6F5	SW OF B/C CRSS	ONSITE	AT	03-Jul-01	ALPHA	0.000371pCi/m3	0.0003	0.00031				
SESPRINT	912B14	SW OF B/C CRSS	ONSITE	AT	16-Jul-01	ALPHA	0.000769pCi/m3	0.00039	0.00041				
SESPRINT	912B15	SW OF B/C CRSS	ONSITE	AT	31-Jul-01	ALPHA	0.000195pCi/m3	0.00022	0.00023	U			
SESPRINT	912B16	SW OF B/C CRSS	ONSITE	AT	14-Aug-01	ALPHA	-0.0000701pCi/m3	0.0003	0.0003	U			
SESPRINT	912B17	SW OF B/C CRSS	ONSITE	AT	29-Aug-01	ALPHA	0.0000113pCi/m3	0.00036	0.00036	U			
SESPRINT	912B18	SW OF B/C CRSS	ONSITE	AT	11-Sep-01	ALPHA	0.000393pCi/m3	0.00036	0.00036				
SESPRINT	912B19	SW OF B/C CRSS	ONSITE	AT	25-Sep-01	ALPHA	0.000432pCi/m3	0.00039	0.00039				
SESPRINT	9131C8	SW OF B/C CRSS	ONSITE	AT	09-Oct-01	ALPHA	0.000276pCi/m3	0.00041	0.00042	U			
SESPRINT	9131C9	SW OF B/C CRSS	ONSITE	AT	23-Oct-01	ALPHA	-0.0000393pCi/m3	0.00032	0.00032	U			
SESPRINT	9131C9	SW OF B/C CRSS	ONSITE	AT	06-Nov-01	ALPHA	0.000812pCi/m3	0.00036	0.00039				
SESPRINT	9131D1	SW OF B/C CRSS	ONSITE	AT	19-Nov-01	ALPHA	0.000088pCi/m3	0.00044	0.00047				
SESPRINT	9131D2	SW OF B/C CRSS	ONSITE	AT	05-Dec-01	ALPHA	0.0000023pCi/m3	0.00026	0.00026	U			
SESPRINT	9131D3	SW OF B/C CRSS	ONSITE	AT	17-Dec-01	ALPHA	0.000368pCi/m3	0.00032	0.00034				
SESPRINT	9131D3	SW OF B/C CRSS	ONSITE	AT	02-Jan-02	ALPHA	0.0000028pCi/m3	0.00043	0.00043				
SESPRINT	9114K4	TOPPENSH	DISTANT	AT	10-Jan-01	ALPHA	0.000699pCi/m3	0.00055	0.00057	J			
SESPRINT	9114K5	TOPPENSH	DISTANT	AT	24-Jan-01	ALPHA	0.000145pCi/m3	0.00059	0.00067	J			
SESPRINT	9114K6	TOPPENSH	DISTANT	AT	07-Feb-01	ALPHA	0.000807pCi/m3	0.00049	0.00052	J			
SESPRINT	9114K7	TOPPENSH	DISTANT	AT	21-Feb-01	ALPHA	0.000228pCi/m3	0.00067	0.00082				
SESPRINT	9114K8	TOPPENSH	DISTANT	AT	07-Mar-01	ALPHA	0.000093pCi/m3	0.00049	0.00054	J			
SESPRINT	9114K9	TOPPENSH	DISTANT	AT	21-Mar-01	ALPHA	0.000298pCi/m3	0.00029	0.0003	U			
SESPRINT	9114L2	TOPPENSH	DISTANT	AT	04-Apr-01	ALPHA	0.000023pCi/m3	0.00035	0.00035				
SESPRINT	9111L2	TOPPENSH	DISTANT	AT	18-Apr-01	ALPHA	0.000329pCi/m3	0.00063	0.00062	J			
SESPRINT	9111L3	TOPPENSH	DISTANT	AT	02-May-01	ALPHA	0.000141pCi/m3	0.00041	0.00044				
SESPRINT	9111L4	TOPPENSH	DISTANT	AT	16-May-01	ALPHA	0.000027pCi/m3	0.00043	0.00047				
SESPRINT	9111L5	TOPPENSH	DISTANT	AT	30-May-01	ALPHA	0.000954pCi/m3	0.00034	0.00036				
SESPRINT	9111L6	TOPPENSH	DISTANT	AT	13-Jun-01	ALPHA	0.000766pCi/m3	0.00038	0.00043				
SESPRINT	9111L7	TOPPENSH	DISTANT	AT	27-Jun-01	ALPHA	0.000766pCi/m3	0.00036	0.00039				
SESPRINT	9127F1	TOPPENSH	DISTANT	AT	10-Jul-01	ALPHA	0.000028pCi/m3	0.00034	0.00034	U			
SESPRINT	9127F1	TOPPENSH	DISTANT	AT	25-Jul-01	ALPHA	-0.000271pCi/m3	0.00026	0.00027	U			
SESPRINT	9127F2	TOPPENSH	DISTANT	AT	08-Aug-01	ALPHA	0.000134pCi/m3	0.00036	0.00037	U			
SESPRINT	9127F3	TOPPENSH	DISTANT	AT	21-Aug-01	ALPHA	0.000165pCi/m3	0.00042	0.00042	U			
SESPRINT	9127F4	TOPPENSH	DISTANT	AT	05-Sep-01	ALPHA	0.000029pCi/m3	0.0003	0.00031	U			
SESPRINT	9127F5	TOPPENSH	DISTANT	AT	19-Sep-01	ALPHA	0.0000789pCi/m3	0.00034	0.00034	U			
SESPRINT	9127F6	TOPPENSH	DISTANT	AT	03-Oct-01	ALPHA	0.000623pCi/m3	0.00039	0.00042				
SESPRINT	9130T9	TOPPENSH	DISTANT	AT	17-Oct-01	ALPHA	-0.000128pCi/m3	0.00031	0.00031	U			
SESPRINT	9130T1	TOPPENSH	DISTANT	AT	31-Oct-01	ALPHA	0.000029pCi/m3	0.00036	0.00036				
SESPRINT	9130T2	TOPPENSH	DISTANT	AT	14-Nov-01	ALPHA	-0.00005pCi/m3	0.00042	0.00042	U			
SESPRINT	9130T3	TOPPENSH	DISTANT	AT	28-Nov-01	ALPHA	0.000183pCi/m3	0.00027	0.00027	U			
SESPRINT	9130T4	TOPPENSH	DISTANT	AT	12-Dec-01	ALPHA	0.00000862pCi/m3	0.00026	0.00026	U			
SESPRINT	9119F5	W END OF FIR ROAD	PERMETER	AT	20-Dec-01	ALPHA	0.000139pCi/m3	0.00035	0.00035				
SESPRINT	9119F6	W END OF FIR ROAD	PERMETER	AT	18-Jan-01	ALPHA	0.000732pCi/m3	0.00052	0.00056	J			
SESPRINT	9119F7	W END OF FIR ROAD	PERMETER	AT	11-Feb-01	ALPHA	0.000532pCi/m3	0.00047	0.00048	J			
SESPRINT	9119F8	W END OF FIR ROAD	PERMETER	AT	14-Feb-01	ALPHA	0.000091pCi/m3	0.00056	0.00056	J			
SESPRINT	9119F9	W END OF FIR ROAD	PERMETER	AT	02-Mar-01	ALPHA	0.000718pCi/m3	0.00043	0.00046	J			
SESPRINT	9119M2	W END OF FIR ROAD	PERMETER	AT	15-Mar-01	ALPHA	0.000051pCi/m3	0.00049	0.00053	J			
SESPRINT	9119M1	W END OF FIR ROAD	PERMETER	AT	29-Mar-01	ALPHA	0.000273pCi/m3	0.00034	0.00036	U			
SESPRINT	9119M2	W END OF FIR ROAD	PERMETER	AT	12-Apr-01	ALPHA	0.0000996pCi/m3	0.0004	0.00044	J			
SESPRINT	9119M1	W END OF FIR ROAD	PERMETER	AT	26-Apr-01	ALPHA	0.000002pCi/m3	0.00035	0.00037	J			
SESPRINT	9119M2	W END OF FIR ROAD	PERMETER	AT	10-May-01	ALPHA	0.000366pCi/m3	0.0003	0.00032				
SESPRINT	9119M3	W END OF FIR ROAD	PERMETER	AT	24-May-01	ALPHA	0.000019pCi/m3	0.00036	0.0004				
SESPRINT	9119M4	W END OF FIR ROAD	PERMETER	AT	07-Jun-01	ALPHA	0.000065pCi/m3	0.00034	0.00037				
SESPRINT	9119M5	W END OF FIR ROAD	PERMETER	AT	21-Jun-01	ALPHA	0.000014pCi/m3	0.00029	0.0003	U			
SESPRINT	9119M6	W END OF FIR ROAD	PERMETER	AT	06-Jul-01	ALPHA	0.000451pCi/m3	0.00087	0.0013				
SESPRINT	9128T7	W END OF FIR ROAD	PERMETER	AT	19-Jul-01	ALPHA	0.000076pCi/m3	0.00035	0.00037				
SESPRINT	9128T7	W END OF FIR ROAD	PERMETER	AT	12-Aug-01	ALPHA	-0.0000017pCi/m3	0.00036	0.00036	U			
SESPRINT	9128T9	W END OF FIR ROAD	PERMETER	AT	16-Aug-01	ALPHA	0.000049pCi/m3	0.00037	0.0004				
SESPRINT	9129D0	W END OF FIR ROAD	PERMETER	AT	30-Aug-01	ALPHA	0.0000009pCi/m3	0.00032	0.00032	U			
SESPRINT	9129V1	W END OF FIR ROAD	PERMETER	AT	14-Sep-01	ALPHA	0.000447pCi/m3	0.00032	0.00033				
SESPRINT	9129V2	W END OF FIR ROAD	PERMETER	AT	28-Sep-01	ALPHA	-0.000476pCi/m3	0.00035	0.00036				
SESPRINT	9131N3	W END OF FIR ROAD	PERMETER	AT	11-Oct-01	ALPHA	0.000117pCi/m3	0.00039	0.0004	U			
SESPRINT	9131N4	W END OF FIR ROAD	PERMETER	AT	25-Oct-01	ALPHA	0.000424pCi/m3	0.00032	0.00034				
SESPRINT	9131N5	W END OF FIR ROAD	PERMETER	AT	08-Nov-01	ALPHA	0.000185pCi/m3	0.0004	0.00041				
SESPRINT	9131N6	W END OF FIR ROAD	PERMETER	AT	21-Nov-01	ALPHA	0.000512pCi/m3	0.00042	0.00044				
SESPRINT	9131N7	W END OF FIR ROAD	PERMETER	AT	07-Dec-01	ALPHA	0.000054pCi/m3	0.00025	0.00026				
SESPRINT	9131N8	W END OF FIR ROAD	PERMETER	AT	19-Dec-01	ALPHA	-0.0000355pCi/m3	0.0003	0.00031	U			
SESPRINT	9131N9	W END OF FIR ROAD	PERMETER	AT	04-Jan-02	ALPHA	0.000452pCi/m3	0.00045	0.00046				
SESPRINT	9119N4	WAHLIKE SLOPE	PERMETER	AT	17-Jan-01	ALPHA	0.000216pCi/m3	0.00044	0.00044	U			
SESPRINT	9119N5	WAHLIKE SLOPE	PERMETER	AT	31-Jan-01	ALPHA	0.000715pCi/m3	0.00051	0.00054	J			
SESPRINT	9119N6	WAHLIKE SLOPE	PERMETER	AT	13-Feb-01	ALPHA	0.000014pCi/m3	0.00045	0.00047	J			
SESPRINT	9119N7	WAHLIKE SLOPE	PERMETER	AT	01-Mar-01	ALPHA	0.000038pCi/m3	0.00041	0.00043	J			
SESPRINT	9119N8	WAHLIKE SLOPE	PERMETER	AT	14-Mar-01	ALPHA	0.0000709pCi/m3	0.00045	0.00046	J			
SESPRINT	9119N9	WAHLIKE SLOPE	PERMETER	AT	28-Mar-01	ALPHA	0.0000388pCi/m3	0.00022	0.00023				
SESPRINT	9119N9	WAHLIKE SLOPE	PERMETER	AT	11-Apr-01	ALPHA	0.0000009pCi/m3	0.00032	0.00034				
SESPRINT	9119M9	WAHLIKE SLOPE	PERMETER	AT	24-Apr-01	ALPHA	0.000046pCi/m3	0.00036	0.00038	J			
SESPRINT	9119M0	WAHLIKE SLOPE	PERMETER	AT	09-May-01	ALPHA	0.000062pCi/m3	0.00033	0.00036				
SESPRINT	9119M1	WAHLIKE SLOPE	PERMETER	AT	23-May-01	ALPHA	-0.0000144pCi/m3	0.00031	0.00031	U			
SESPRINT	9119M2	WAHLIKE SLOPE	PERMETER	AT	06-Jun-01	ALPHA	0.00051pCi/m3	0.00033	0.00036				
SESPRINT	9119M3	WAHLIKE SLOPE	PERMETER	AT	20-Jun-01	ALPHA	0.000178pCi/m3	0.00037	0.00038	U			

ENVIRONMENTAL SURVEILLANCE DATA CY91

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT	NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER
SESPMNT	912874	WYE BARRICADE	ONSITE	AT	18-Sep-01	ALPHA	-4.000173pCi/m3	0.00031	0.00032	U		
SESPMNT	912875	WYE BARRICADE	ONSITE	AT	01-Oct-01	ALPHA	0.000321pCi/m3	0.00034	0.00034	U		
SESPMNT	913185	WYE BARRICADE	ONSITE	AT	15-Oct-01	ALPHA	0.000176pCi/m3	0.00037	0.00038	U		
SESPMNT	913186	WYE BARRICADE	ONSITE	AT	02-Nov-01	ALPHA	0.000369pCi/m3	0.00033	0.00033	U		
SESPMNT	913187	WYE BARRICADE	ONSITE	AT	13-Nov-01	ALPHA	-0.000367pCi/m3	0.00047	0.00048	U		
SESPMNT	913188	WYE BARRICADE	ONSITE	AT	26-Nov-01	ALPHA	0.000595pCi/m3	0.00052	0.00053	U		
SESPMNT	913189	WYE BARRICADE	ONSITE	AT	11-Dec-01	ALPHA	-0.000118pCi/m3	0.00052	0.00052	U		
SESPMNT	913190	WYE BARRICADE	ONSITE	AT	26-Dec-01	ALPHA	0.000084pCi/m3	0.00027	0.00027	U		
SESPMNT	911150	YAKMA	DISTANT	AT	11-Jan-01	ALPHA	0.000916pCi/m3	0.00059	0.00059	J		
SESPMNT	911151	YAKMA	DISTANT	AT	25-Jan-01	ALPHA	0.00107pCi/m3	0.00053	0.00056	U		
SESPMNT	911152	YAKMA	DISTANT	AT	08-Feb-01	ALPHA	0.000131pCi/m3	0.00033	0.00034	U		
SESPMNT	911153	YAKMA	DISTANT	AT	17-Feb-01	ALPHA	0.000222pCi/m3	0.00054	0.00055	U		
SESPMNT	911154	YAKMA	DISTANT	AT	22-Mar-01	ALPHA	0.00087pCi/m3	0.00037	0.00041	J		
SESPMNT	911155	YAKMA	DISTANT	AT	22-Mar-01	ALPHA	0.000177pCi/m3	0.00024	0.00025	U		
SESPMNT	911156	YAKMA	DISTANT	AT	05-Apr-01	ALPHA	0.00063pCi/m3	0.00035	0.00038	U		
SESPMNT	911158	YAKMA	DISTANT	AT	19-Apr-01	ALPHA	0.000185pCi/m3	0.0003	0.0003	U		
SESPMNT	9111M9	YAKMA	DISTANT	AT	03-May-01	ALPHA	0.00014pCi/m3	0.00033	0.00033	U		
SESPMNT	9111M70	YAKMA	DISTANT	AT	18-May-01	ALPHA						
SESPMNT	9111M71	YAKMA	DISTANT	AT	31-May-01	ALPHA	-0.000176pCi/m3	0.0004	0.0004	U		
SESPMNT	9111M72	YAKMA	DISTANT	AT	15-Jun-01	ALPHA	0.000183pCi/m3	0.00025	0.00026	U		
SESPMNT	9111M73	YAKMA	DISTANT	AT	29-Jun-01	ALPHA	0.000855pCi/m3	0.00037	0.0004	U		
SESPMNT	912941	YAKMA	DISTANT	AT	12-Jul-01	ALPHA	0.000809pCi/m3	0.00041	0.00045	U		
SESPMNT	912945	YAKMA	DISTANT	AT	12-Jul-01	ALPHA	0.000695pCi/m3	0.00035	0.0004	U		
SESPMNT	912942	YAKMA	DISTANT	AT	26-Jul-01	ALPHA	0.000163pCi/m3	0.00026	0.00027	U		
SESPMNT	912946	YAKMA	DISTANT	AT	26-Jul-01	ALPHA	-0.000786pCi/m3	0.00026	0.00027	U		
SESPMNT	912943	YAKMA	DISTANT	AT	10-Aug-01	ALPHA	0.000429pCi/m3	0.0003	0.00032	U		
SESPMNT	912947	YAKMA	DISTANT	AT	10-Aug-01	ALPHA	0.000143pCi/m3	0.0003	0.0003	U		
SESPMNT	912944	YAKMA	DISTANT	AT	23-Aug-01	ALPHA	0.000526pCi/m3	0.00037	0.00039	U		
SESPMNT	912948	YAKMA	DISTANT	AT	23-Aug-01	ALPHA	0.000418pCi/m3	0.00044	0.00045	U		
SESPMNT	912945	YAKMA	DISTANT	AT	06-Sep-01	ALPHA	0.000466pCi/m3	0.00032	0.00034	U		
SESPMNT	912949	YAKMA	DISTANT	AT	06-Sep-01	ALPHA	0.0000336pCi/m3	0.00033	0.00033	U		
SESPMNT	912946	YAKMA	DISTANT	AT	21-Sep-01	ALPHA	0.000662pCi/m3	0.00038	0.0004	U		
SESPMNT	912950	YAKMA	DISTANT	AT	21-Sep-01	ALPHA	0.000362pCi/m3	0.00031	0.00031	U		
SESPMNT	912947	YAKMA	DISTANT	AT	03-Oct-01	ALPHA	0.000441pCi/m3	0.00039	0.00041	U		
SESPMNT	912951	YAKMA	DISTANT	AT	03-Oct-01	ALPHA	0.000177pCi/m3	0.00042	0.00045	U		
SESPMNT	913215	YAKMA	DISTANT	AT	19-Oct-01	ALPHA	0.000274pCi/m3	0.00029	0.0003	U		
SESPMNT	913216	YAKMA	DISTANT	AT	05-Nov-01	ALPHA	0.000695pCi/m3	0.00034	0.00037	U		
SESPMNT	913217	YAKMA	DISTANT	AT	16-Nov-01	ALPHA	0.00111pCi/m3	0.00057	0.00062	U		
SESPMNT	913218	YAKMA	DISTANT	AT	29-Nov-01	ALPHA	0.000164pCi/m3	0.00025	0.00026	U		
SESPMNT	913219	YAKMA	DISTANT	AT	13-Dec-01	ALPHA	0.000166pCi/m3	0.00025	0.00026	U		
SESPMNT	913220	YAKMA	DISTANT	AT	28-Dec-01	ALPHA	0.000366pCi/m3	0.00035	0.00038	U		
SESPMNT	9111A.3	YAKMA BARRICADE	PERIMETER	AT	19-Jan-01	ALPHA	0.000474pCi/m3	0.00055	0.00056	U		
SESPMNT	9111M40	YAKMA BARRICADE	PERIMETER	AT	24-Jan-01	ALPHA	0.00103pCi/m3	0.00055	0.0006	U		
SESPMNT	9111M1	YAKMA BARRICADE	PERIMETER	AT	07-Feb-01	ALPHA	0.000519pCi/m3	0.00042	0.00044	J		
SESPMNT	9111M42	YAKMA BARRICADE	PERIMETER	AT	16-Feb-01	ALPHA	0.000797pCi/m3	0.00064	0.00067	J		
SESPMNT	9111M43	YAKMA BARRICADE	PERIMETER	AT	07-Mar-01	ALPHA	0.000821pCi/m3	0.00041	0.00045	J		
SESPMNT	9111M44	YAKMA BARRICADE	PERIMETER	AT	21-Mar-01	ALPHA	0.000563pCi/m3	0.00034	0.00037	J		
SESPMNT	9111M45	YAKMA BARRICADE	PERIMETER	AT	04-Apr-01	ALPHA	0.0013pCi/m3	0.00045	0.00053	J		
SESPMNT	9111A.5	YAKMA BARRICADE	PERIMETER	AT	18-Apr-01	ALPHA	0.000284pCi/m3	0.00033	0.00034	J		
SESPMNT	9111A.6	YAKMA BARRICADE	PERIMETER	AT	02-May-01	ALPHA	0.000696pCi/m3	0.00038	0.00041	J		
SESPMNT	9111A.7	YAKMA BARRICADE	PERIMETER	AT	10-May-01	ALPHA	0.000341pCi/m3	0.00033	0.00034	U		
SESPMNT	9111A.8	YAKMA BARRICADE	PERIMETER	AT	30-May-01	ALPHA	0.000329pCi/m3	0.00032	0.00033	U		
SESPMNT	9111A.9	YAKMA BARRICADE	PERIMETER	AT	14-Jun-01	ALPHA	0.00000344pCi/m3	0.00026	0.00026	U		
SESPMNT	9111M40	YAKMA BARRICADE	PERIMETER	AT	28-Jun-01	ALPHA	0.000176pCi/m3	0.00036	0.00036	U		
SESPMNT	912900	YAKMA BARRICADE	PERIMETER	AT	11-Jul-01	ALPHA	0.000122pCi/m3	0.00037	0.00037	U		
SESPMNT	912901	YAKMA BARRICADE	PERIMETER	AT	25-Jul-01	ALPHA	0.000421pCi/m3	0.00034	0.00036	U		
SESPMNT	912902	YAKMA BARRICADE	PERIMETER	AT	08-Aug-01	ALPHA	0.000046pCi/m3	0.00034	0.00034	U		
SESPMNT	912903	YAKMA BARRICADE	PERIMETER	AT	22-Aug-01	ALPHA	0.000708pCi/m3	0.00043	0.00046	U		
SESPMNT	912904	YAKMA BARRICADE	PERIMETER	AT	05-Sep-01	ALPHA	0.000523pCi/m3	0.00033	0.00031	U		
SESPMNT	912905	YAKMA BARRICADE	PERIMETER	AT	19-Sep-01	ALPHA	0.00088pCi/m3	0.00042	0.00047	U		
SESPMNT	912906	YAKMA BARRICADE	PERIMETER	AT	03-Oct-01	ALPHA	0.000462pCi/m3	0.00046	0.00046	U		
SESPMNT	9131W9	YAKMA BARRICADE	PERIMETER	AT	17-Oct-01	ALPHA	0.000356pCi/m3	0.00031	0.00032	U		
SESPMNT	9131W1	YAKMA BARRICADE	PERIMETER	AT	01-Nov-01	ALPHA	-0.000115pCi/m3	0.00031	0.00031	U		
SESPMNT	9131W2	YAKMA BARRICADE	PERIMETER	AT	14-Nov-01	ALPHA	0.000145pCi/m3	0.00046	0.00046	U		
SESPMNT	9131W3	YAKMA BARRICADE	PERIMETER	AT	27-Nov-01	ALPHA	-0.000082pCi/m3	0.00028	0.00028	U		
SESPMNT	9131W4	YAKMA BARRICADE	PERIMETER	AT	12-Dec-01	ALPHA	0.000533pCi/m3	0.00033	0.00035	U		
SESPMNT	9131W5	YAKMA BARRICADE	PERIMETER	AT	27-Dec-01	ALPHA	0.000192pCi/m3	0.00031	0.00032	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	BE-7	0.0751	pCi/m3	0.02	0.02			
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	BE-7	0.123	pCi/m3	0.02	0.02			
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	BE-7	0.135	pCi/m3	0.025	0.025			
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	BE-7	0.0605	pCi/m3	0.014	0.014			
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	BE-7	0.105	pCi/m3	0.021	0.021			
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	BE-7	0.121	pCi/m3	0.021	0.021			
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	BE-7	0.145	pCi/m3	0.025	0.025			
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	BE-7	0.0908	pCi/m3	0.018	0.018			
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	BE-7	0.0774	pCi/m3	0.043	0.043			
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	BE-7	0.132	pCi/m3	0.031	0.031			
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	BE-7	0.149	pCi/m3	0.045	0.045			
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	BE-7	0.0845	pCi/m3	0.022	0.022			
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	BE-7	0.143	pCi/m3	0.035	0.035			
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	BE-7	0.0996	pCi/m3	0.024	0.024			
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	BE-7	0.118	pCi/m3	0.02	0.02			
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	BE-7	0.194	pCi/m3	0.031	0.031			
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	BE-7	0.0746	pCi/m3	0.014	0.014			
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	BE-7	0.115	pCi/m3	0.024	0.024			
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	BE-7	0.128	pCi/m3	0.021	0.021			
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	BE-7	0.149	pCi/m3	0.025	0.025			
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	BE-7	0.067	pCi/m3	0.014	0.014			
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	BE-7	0.103	pCi/m3	0.028	0.028			
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	BE-7	0.125	pCi/m3	0.029	0.029			
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	BE-7	0.162	pCi/m3	0.035	0.035			
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	BE-7	0.0865	pCi/m3	0.024	0.024			
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	BE-7	0.108	pCi/m3	0.032	0.032			
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	BE-7	0.154	pCi/m3	0.032	0.032			
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	BE-7	0.172	pCi/m3	0.04	0.04			
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	BE-7	0.0977	pCi/m3	0.025	0.025			
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	BE-7	0.0718	pCi/m3	0.015	0.015			
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	BE-7	0.112	pCi/m3	0.018	0.018			
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	BE-7	0.132	pCi/m3	0.021	0.021			
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	BE-7	0.0672	pCi/m3	0.013	0.013			
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	BE-7	0.0887	pCi/m3	0.039	0.039			
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	BE-7	0.183	pCi/m3	0.04	0.04			
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	BE-7	0.161	pCi/m3	0.042	0.042			
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	BE-7	0.125	pCi/m3	0.049	0.049	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	BE-7	0.114	pCi/m3	0.029	0.029			
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	BE-7	0.161	pCi/m3	0.032	0.032			
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	BE-7	0.154	pCi/m3	0.033	0.033			
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	BE-7	0.091	pCi/m3	0.023	0.023			
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	BE-7	0.0654	pCi/m3	0.029	0.029			
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	BE-7	0.131	pCi/m3	0.033	0.033			
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	BE-7	0.151	pCi/m3	0.035	0.035			
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	BE-7	0.0927	pCi/m3	0.024	0.024			
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	BE-7	0.0859	pCi/m3	0.035	0.035			
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	BE-7	0.113	pCi/m3	0.036	0.036			
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	BE-7	0.149	pCi/m3	0.044	0.044			
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	BE-7	0.0475	pCi/m3	0.018	0.018	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	BE-7	0.0712	pCi/m3	0.037	0.037			
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	BE-7	0.149	pCi/m3	0.034	0.034			
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	BE-7	0.154	pCi/m3	0.043	0.043			
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	BE-7	0.1	pCi/m3	0.023	0.023			
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	BE-7	0.0693	pCi/m3	0.021	0.021			
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	BE-7	0.0669	pCi/m3	0.038	0.038			
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	BE-7	0.118	pCi/m3	0.026	0.026			
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	BE-7	0.177	pCi/m3	0.043	0.043			
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	BE-7	0.0764	pCi/m3	0.021	0.021			
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	BE-7	0.102	pCi/m3	0.033	0.033			
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	BE-7	0.133	pCi/m3	0.031	0.031			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	BE-7	0.166	pCi/m3	0.038	0.038			
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	BE-7	0.0723	pCi/m3	0.024	0.024			
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	BE-7	0.1	pCi/m3	0.024	0.024			
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	BE-7	0.125	pCi/m3	0.027	0.027			
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	BE-7	0.149	pCi/m3	0.031	0.031			
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	BE-7	0.0818	pCi/m3	0.018	0.018			
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	BE-7	0.137	pCi/m3	0.039	0.039			
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	BE-7	0.13	pCi/m3	0.041	0.041			
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	BE-7	0.12	pCi/m3	0.033	0.033			
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	BE-7	0.178	pCi/m3	0.04	0.04			
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	BE-7	0.0803	pCi/m3	0.028	0.028			
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	BE-7	0.091	pCi/m3	0.037	0.037			
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	BE-7	0.12	pCi/m3	0.03	0.03			
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	BE-7	0.148	pCi/m3	0.04	0.04			
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	BE-7	0.0903	pCi/m3	0.031	0.031			
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	BE-7	0.0966	pCi/m3	0.033	0.033			
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	BE-7	0.0971	pCi/m3	0.026	0.026			
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	BE-7	0.15	pCi/m3	0.038	0.038			
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	BE-7	0.0922	pCi/m3	0.024	0.024			
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	BE-7	0.086	pCi/m3	0.03	0.03			
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	BE-7	0.154	pCi/m3	0.03	0.03			
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	BE-7	0.139	pCi/m3	0.035	0.035			
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	BE-7	0.0912	pCi/m3	0.02	0.02			
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	BE-7	0.099	pCi/m3	0.024	0.024			
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	BE-7	0.0788	pCi/m3	0.014	0.014			
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	BE-7	0.158	pCi/m3	0.03	0.03			
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	BE-7	0.0931	pCi/m3	0.02	0.02			
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	BE-7	0.124	pCi/m3	0.034	0.034			
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	BE-7	0.13	pCi/m3	0.032	0.032			
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	BE-7	0.184	pCi/m3	0.039	0.039			
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	BE-7	0.078	pCi/m3	0.024	0.024			
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	BE-7	0.0817	pCi/m3	0.031	0.031			
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	BE-7	0.148	pCi/m3	0.031	0.031			
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	BE-7	0.188	pCi/m3	0.038	0.038			
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	BE-7	0.0753	pCi/m3	0.024	0.024			
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	BE-7	0.115	pCi/m3	0.027	0.027			
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	BE-7	0.142	pCi/m3	0.024	0.024			
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	BE-7	0.177	pCi/m3	0.036	0.036			
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	BE-7	0.0897	pCi/m3	0.018	0.018			
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	BE-7	0.12	pCi/m3	0.032	0.032			
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	BE-7	0.0685	pCi/m3	0.023	0.023			
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	BE-7	0.183	pCi/m3	0.037	0.037			
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	BE-7	0.102	pCi/m3	0.022	0.022			
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	BE-7	0.0886	pCi/m3	0.024	0.024			
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	BE-7	0.105	pCi/m3	0.019	0.019			
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	BE-7	0.157	pCi/m3	0.035	0.035			
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	BE-7	0.102	pCi/m3	0.019	0.019			
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	BE-7	0.12	pCi/m3	0.029	0.029			
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	BE-7	0.134	pCi/m3	0.026	0.026			
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	BE-7	0.145	pCi/m3	0.04	0.04			
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	BE-7	0.0734	pCi/m3	0.02	0.02			
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	BE-7	0.0347	pCi/m3	0.015	0.015			
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	BE-7	0.113	pCi/m3	0.037	0.037			
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	BE-7	0.163	pCi/m3	0.034	0.034			
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	BE-7	0.171	pCi/m3	0.036	0.036			
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	BE-7	0.0881	pCi/m3	0.027	0.027			
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	BE-7	0.107	pCi/m3	0.026	0.026			
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	BE-7	0.0557	pCi/m3	0.012	0.012			
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	BE-7	0.153	pCi/m3	0.034	0.034			
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	BE-7	0.0725	pCi/m3	0.019	0.019			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	CO-60	0.0000537	pCi/m3	0.00021	0.00021	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	CO-60	0.00328	pCi/m3	0.00075	0.00075	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	CO-60	0.00107	pCi/m3	0.00044	0.00044	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	CO-60	0.000238	pCi/m3	0.00029	0.00029	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	CO-60	0.0000521	pCi/m3	0.00031	0.00031	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	CO-60	0.0000979	pCi/m3	0.00002	0.00002	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	CO-60	-0.000032	pCi/m3	0.00019	0.00019	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	CO-60	-0.000065	pCi/m3	0.00025	0.00025	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	CO-60	0.000412	pCi/m3	0.00071	0.00071	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	CO-60	0.000755	pCi/m3	0.00052	0.00052	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	CO-60	0.000657	pCi/m3	0.00093	0.00093	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	CO-60	0.000252	pCi/m3	0.00063	0.00063	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	CO-60	0.0000401	pCi/m3	0.00059	0.00059	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	CO-60	-0.000114	pCi/m3	0.00023	0.00023	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	CO-60	0.0000133	pCi/m3	0.00017	0.00017	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	CO-60	-0.0000305	pCi/m3	0.00029	0.00029	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	CO-60	0.0002	pCi/m3	0.00027	0.00027	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	CO-60	0.0000476	pCi/m3	0.00027	0.00027	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	CO-60	0.0000667	pCi/m3	0.00024	0.00024	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	CO-60	-0.000039	pCi/m3	0.00027	0.00027	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	CO-60	0.000005	pCi/m3	0.0003	0.0003	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	CO-60	0.000147	pCi/m3	0.00048	0.00048	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	CO-60	-0.000628	pCi/m3	0.00047	0.00047	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	CO-60	0.000148	pCi/m3	0.00065	0.00065	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	CO-60	0.000373	pCi/m3	0.00082	0.00082	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	CO-60	0.000431	pCi/m3	0.00052	0.00052	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	CO-60	0.000467	pCi/m3	0.00068	0.00068	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	CO-60	-0.0000578	pCi/m3	0.00068	0.00068	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	CO-60	0.0000784	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	CO-60	0.0000765	pCi/m3	0.00017	0.00017	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	CO-60	0.0000704	pCi/m3	0.00019	0.00019	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	CO-60	0.0002	pCi/m3	0.00017	0.00017	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	CO-60	0.00015	pCi/m3	0.0002	0.0002	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	CO-60	0.000642	pCi/m3	0.00067	0.00067	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	CO-60	0.000225	pCi/m3	0.00049	0.00049	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	CO-60	0.000272	pCi/m3	0.00057	0.00057	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	CO-60	0.00102	pCi/m3	0.0016	0.0016	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	CO-60	0.000433	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	CO-60	-0.0000185	pCi/m3	0.00061	0.00061	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	CO-60	0.000231	pCi/m3	0.00065	0.00065	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	CO-60	0.000503	pCi/m3	0.00059	0.00059	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	CO-60	-0.000351	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	CO-60	0.000219	pCi/m3	0.00047	0.00047	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	CO-60	-0.000538	pCi/m3	0.00058	0.00058	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	CO-60	-0.000273	pCi/m3	0.00061	0.00061	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	CO-60	-0.000272	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	CO-60	0.000426	pCi/m3	0.00066	0.00066	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	CO-60	0.00000234	pCi/m3	0.00046	0.00046	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	CO-60	0.000373	pCi/m3	0.00044	0.00044	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	CO-60	-0.00000166	pCi/m3	0.00059	0.00059	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	CO-60	-0.000238	pCi/m3	0.00057	0.00057	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	CO-60	-0.00000288	pCi/m3	0.0005	0.0005	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	CO-60	-0.0000604	pCi/m3	0.00049	0.00049	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	CO-60	-0.00057	pCi/m3	0.00064	0.00064	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	CO-60	0.000444	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	CO-60	0.000139	pCi/m3	0.00064	0.00064	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	CO-60	0.00000936	pCi/m3	0.00061	0.00061	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	CO-60	-0.000125	pCi/m3	0.00059	0.00059	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	CO-60	0.000323	pCi/m3	0.0007	0.0007	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	CO-60	0.000425	pCi/m3	0.00064	0.00064	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	CO-60	-0.000142	pCi/m3	0.00058	0.00058	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	CO-60	-0.000177	pCi/m3	0.00055	0.00055	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	CO-60	0.000214	pCi/m3	0.00034	0.00034	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	CO-60	0.000113	pCi/m3	0.00033	0.00033	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	CO-60	-0.000179	pCi/m3	0.00027	0.00027	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	CO-60	-0.0000685	pCi/m3	0.00035	0.00035	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CO-60	-0.0000676	pCi/m3	0.00057	0.00057	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CO-60	0.000113	pCi/m3	0.00067	0.00067	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	CO-60	0.000677	pCi/m3	0.00065	0.00065	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	CO-60	0.000665	pCi/m3	0.00075	0.00075	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	CO-60	-0.000582	pCi/m3	0.00054	0.00054	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	CO-60	0.000422	pCi/m3	0.00075	0.00075	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	CO-60	0.0000214	pCi/m3	0.00081	0.00081	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	CO-60	0.00039	pCi/m3	0.00054	0.00054	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	CO-60	-0.000244	pCi/m3	0.00063	0.00063	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	CO-60	-0.000561	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	CO-60	0.00011	pCi/m3	0.00048	0.00048	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	CO-60	-0.0000126	pCi/m3	0.00063	0.00063	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	CO-60	-0.00044	pCi/m3	0.00042	0.00042	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	CO-60	0.000306	pCi/m3	0.00062	0.00062	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	CO-60	0.000361	pCi/m3	0.00038	0.00038	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	CO-60	0.000134	pCi/m3	0.0007	0.0007	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	CO-60	0.000452	pCi/m3	0.00063	0.00063	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	CO-60	0.0000419	pCi/m3	0.00033	0.00033	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	CO-60	0.000182	pCi/m3	0.0004	0.0004	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	CO-60	0.0000479	pCi/m3	0.00028	0.00028	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	CO-60	-0.000301	pCi/m3	0.00036	0.00036	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	CO-60	-0.000353	pCi/m3	0.00066	0.00066	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	CO-60	0.000909	pCi/m3	0.00074	0.00074	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	CO-60	-0.000493	pCi/m3	0.00057	0.00057	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	CO-60	-0.0000925	pCi/m3	0.00057	0.00057	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	CO-60	0.000313	pCi/m3	0.00034	0.00034	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	CO-60	-0.000152	pCi/m3	0.00042	0.00042	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	CO-60	0.000447	pCi/m3	0.00053	0.00053	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	CO-60	0.00042	pCi/m3	0.00062	0.00062	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	CO-60	0.000115	pCi/m3	0.00044	0.00044	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	CO-60	-0.0000368	pCi/m3	0.00024	0.00024	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	CO-60	0.00035	pCi/m3	0.00043	0.00043	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	CO-60	-0.00002	pCi/m3	0.00035	0.00035	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	CO-60	-0.0000604	pCi/m3	0.00054	0.00054	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	CO-60	-0.0000262	pCi/m3	0.00046	0.00046	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	CO-60	-0.000172	pCi/m3	0.00072	0.00072	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	CO-60	-0.000191	pCi/m3	0.00063	0.00063	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	CO-60	0.000149	pCi/m3	0.00038	0.00038	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	CO-60	-0.0000712	pCi/m3	0.00029	0.00029	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	CO-60	0.00035	pCi/m3	0.00039	0.00039	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	CO-60	0.000321	pCi/m3	0.00036	0.00036	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	CO-60	-0.000355	pCi/m3	0.0005	0.0005	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	CO-60	-0.000119	pCi/m3	0.00053	0.00053	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	CO-60	0.00022	pCi/m3	0.00057	0.00057	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	CO-60	-0.0000459	pCi/m3	0.0005	0.0005	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	CO-60	-0.0000949	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	CO-60	-0.000419	pCi/m3	0.00073	0.00073	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	CO-60	0.0000458	pCi/m3	0.00041	0.00041	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	CO-60	-0.00053	pCi/m3	0.00061	0.00061	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	CO-60	0.000155	pCi/m3	0.00055	0.00055	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	CO-60	-0.000163	pCi/m3	0.0003	0.0003	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	CO-60	0.000226	pCi/m3	0.00038	0.00038	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	CO-60	-0.0000717	pCi/m3	0.00027	0.00027	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	CO-60	0.0000463	pCi/m3	0.00037	0.00037	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	CS-134	-0.000103	pCi/m3	0.00025	0.00025	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	CS-134	-0.00000153	pCi/m3	0.00028	0.00028	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	CS-134	0.000265	pCi/m3	0.00027	0.00027	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	CS-134	0.000334	pCi/m3	0.00024	0.00024	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	CS-134	-0.000125	pCi/m3	0.00029	0.00029	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	CS-134	0.000169	pCi/m3	0.00021	0.00021	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	CS-134	0.0000363	pCi/m3	0.00026	0.00026	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	CS-134	0.0000192	pCi/m3	0.00027	0.00027	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	CS-134	-0.000341	pCi/m3	0.00072	0.00072	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	CS-134	0.000125	pCi/m3	0.00049	0.00049	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	CS-134	-0.0000453	pCi/m3	0.00082	0.00082	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	CS-134	0.000158	pCi/m3	0.00064	0.00064	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	CS-134	-0.0000696	pCi/m3	0.00053	0.00053	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	CS-134	0.0000174	pCi/m3	0.00022	0.00022	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	CS-134	-0.0000386	pCi/m3	0.00016	0.00016	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	CS-134	0.0000892	pCi/m3	0.00031	0.00031	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	CS-134	0.000024	pCi/m3	0.00021	0.00021	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	CS-134	0.000174	pCi/m3	0.00024	0.00024	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	CS-134	0.0000906	pCi/m3	0.00027	0.00027	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	CS-134	0.000153	pCi/m3	0.00024	0.00024	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	CS-134	0.000303	pCi/m3	0.00029	0.00029	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	CS-134	-0.0000544	pCi/m3	0.00068	0.00068	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	CS-134	0.000169	pCi/m3	0.0005	0.0005	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	CS-134	0.000556	pCi/m3	0.00066	0.00066	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	CS-134	-0.000351	pCi/m3	0.00061	0.00061	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	CS-134	-0.000428	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	CS-134	-0.000381	pCi/m3	0.00065	0.00065	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	CS-134	0.0000718	pCi/m3	0.00077	0.00077	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	CS-134	-0.000413	pCi/m3	0.00065	0.00065	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	CS-134	0.0000752	pCi/m3	0.00018	0.00018	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	CS-134	0.000159	pCi/m3	0.00018	0.00018	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	CS-134	0.00000299	pCi/m3	0.0002	0.0002	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	CS-134	0.000035	pCi/m3	0.00021	0.00021	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	CS-134	-0.000121	pCi/m3	0.00074	0.00074	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	CS-134	0.0000903	pCi/m3	0.00058	0.00058	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	CS-134	-0.000101	pCi/m3	0.00062	0.00062	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	CS-134	-0.000692	pCi/m3	0.002	0.002	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	CS-134	0.00011	pCi/m3	0.00071	0.00071	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	CS-134	0.000256	pCi/m3	0.00055	0.00055	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	CS-134	-0.000554	pCi/m3	0.00052	0.00052	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	CS-134	0.000211	pCi/m3	0.00059	0.00059	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	CS-134	0.00034	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	CS-134	0.000647	pCi/m3	0.00052	0.00052	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	CS-134	-0.000122	pCi/m3	0.00047	0.00047	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	CS-134	0.000274	pCi/m3	0.00059	0.00059	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	CS-134	-0.000545	pCi/m3	0.00053	0.00053	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	CS-134	-0.000146	pCi/m3	0.00064	0.00064	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	CS-134	-0.000115	pCi/m3	0.00055	0.00055	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	CS-134	0.000128	pCi/m3	0.00049	0.00049	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	CS-134	0.000529	pCi/m3	0.00059	0.00059	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	CS-134	-0.000217	pCi/m3	0.00057	0.00057	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	CS-134	0.0000336	pCi/m3	0.00064	0.00064	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	CS-134	0.000714	pCi/m3	0.00057	0.00057	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	CS-134	0.000214	pCi/m3	0.00054	0.00054	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	CS-134	-0.0000712	pCi/m3	0.00068	0.00068	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	CS-134	0.000372	pCi/m3	0.00056	0.00056	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	CS-134	-0.000073	pCi/m3	0.00071	0.00071	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	CS-134	-0.000128	pCi/m3	0.00048	0.00048	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	CS-134	-0.000113	pCi/m3	0.00071	0.00071	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	CS-134	-0.0000289	pCi/m3	0.0005	0.0005	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	CS-134	-0.0000392	pCi/m3	0.00078	0.00078	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	CS-134	-0.000339	pCi/m3	0.00062	0.00062	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	CS-134	0.000259	pCi/m3	0.00029	0.00029	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	CS-134	-0.000204	pCi/m3	0.00038	0.00038	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	CS-134	0.0000137	pCi/m3	0.00036	0.00036	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	CS-134	0.0000136	pCi/m3	0.00035	0.00035	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CS-134	0.000217	pCi/m3	0.00065	0.00065	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CS-134	0.000055	pCi/m3	0.00058	0.00058	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	CS-134	0.000146	pCi/m3	0.00066	0.00066	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	CS-134	-0.000109	pCi/m3	0.00055	0.00055	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	CS-134	0.000144	pCi/m3	0.0006	0.0006	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	CS-134	-0.000189	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	CS-134	-0.0000746	pCi/m3	0.00068	0.00068	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	CS-134	0.000314	pCi/m3	0.00072	0.00072	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	CS-134	0.000417	pCi/m3	0.00066	0.00066	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	CS-134	0.000345	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	CS-134	0.000393	pCi/m3	0.00041	0.00041	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	CS-134	-0.000302	pCi/m3	0.00069	0.00069	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	CS-134	0.00039	pCi/m3	0.00059	0.00059	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	CS-134	0.0000103	pCi/m3	0.0006	0.0006	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	CS-134	-0.0000265	pCi/m3	0.00048	0.00048	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	CS-134	0.0000591	pCi/m3	0.00074	0.00074	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	CS-134	0.0000174	pCi/m3	0.00059	0.00059	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	CS-134	-0.0000281	pCi/m3	0.00036	0.00036	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	CS-134	0.000169	pCi/m3	0.00034	0.00034	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	CS-134	0.000534	pCi/m3	0.00039	0.00039	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	CS-134	-0.0000573	pCi/m3	0.00042	0.00042	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	CS-134	-0.000174	pCi/m3	0.00068	0.00068	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	CS-134	0.000087	pCi/m3	0.00061	0.00061	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	CS-134	-0.000477	pCi/m3	0.00078	0.00078	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	CS-134	-0.000327	pCi/m3	0.00063	0.00063	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	CS-134	-0.0000909	pCi/m3	0.0005	0.0005	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	CS-134	0.0000351	pCi/m3	0.00066	0.00066	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	CS-134	0.00000345	pCi/m3	0.00056	0.00056	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	CS-134	0.0000207	pCi/m3	0.00068	0.00068	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	CS-134	-0.0000127	pCi/m3	0.00039	0.00039	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	CS-134	0.0000818	pCi/m3	0.00027	0.00027	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	CS-134	0.0000346	pCi/m3	0.00045	0.00045	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	CS-134	-0.000173	pCi/m3	0.00033	0.00033	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	CS-134	0.000025	pCi/m3	0.00063	0.00063	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	CS-134	0.000668	pCi/m3	0.00055	0.00055	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	CS-134	0.000117	pCi/m3	0.0006	0.0006	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	CS-134	-0.000171	pCi/m3	0.00054	0.00054	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	CS-134	0.0000493	pCi/m3	0.00034	0.00034	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	CS-134	-0.0000688	pCi/m3	0.00028	0.00028	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	CS-134	0.000159	pCi/m3	0.00037	0.00037	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	CS-134	0.000013	pCi/m3	0.00033	0.00033	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	CS-134	0.000109	pCi/m3	0.00056	0.00056	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	CS-134	0.000225	pCi/m3	0.00057	0.00057	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	CS-134	0.000332	pCi/m3	0.00057	0.00057	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	CS-134	-0.00041	pCi/m3	0.00061	0.00061	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	CS-134	-0.0000884	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	CS-134	-0.0000987	pCi/m3	0.0007	0.0007	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	CS-134	0.00037	pCi/m3	0.00054	0.00054	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	CS-134	0.000206	pCi/m3	0.00057	0.00057	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	CS-134	0.0000654	pCi/m3	0.00056	0.00056	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	CS-134	0.000303	pCi/m3	0.00029	0.00029	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	CS-134	-0.00000237	pCi/m3	0.00035	0.00035	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	CS-134	0.0000315	pCi/m3	0.0003	0.0003	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	CS-134	-0.0000705	pCi/m3	0.00038	0.00038	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	CS-137	0.000171	pCi/m3	0.00018	0.00018	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	CS-137	0.000484	pCi/m3	0.0003	0.0003			
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	CS-137	0.000369	pCi/m3	0.00027	0.00027	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	CS-137	0.000321	pCi/m3	0.00023	0.00023	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	CS-137	-0.000133	pCi/m3	0.00026	0.00026	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	CS-137	0.000135	pCi/m3	0.00018	0.00018	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	CS-137	0.000188	pCi/m3	0.00023	0.00023	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	CS-137	0.000135	pCi/m3	0.00026	0.00026	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	CS-137	0.000136	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	CS-137	0.0000946	pCi/m3	0.00049	0.00049	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	CS-137	0.0000588	pCi/m3	0.00068	0.00068	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	CS-137	0.000136	pCi/m3	0.00044	0.00044	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	CS-137	-0.000118	pCi/m3	0.00051	0.00051	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	CS-137	0.000108	pCi/m3	0.00029	0.00029	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	CS-137	0.0000104	pCi/m3	0.00016	0.00016	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	CS-137	0.000065	pCi/m3	0.00023	0.00023	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	CS-137	-0.0000318	pCi/m3	0.00019	0.00019	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	CS-137	-0.0000716	pCi/m3	0.0002	0.0002	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	CS-137	-0.0000659	pCi/m3	0.0002	0.0002	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	CS-137	0.0000338	pCi/m3	0.00023	0.00023	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	CS-137	0.0000417	pCi/m3	0.00021	0.00021	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	CS-137	0.0000622	pCi/m3	0.00049	0.00049	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	CS-137	0.0000968	pCi/m3	0.00045	0.00045	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	CS-137	-0.000274	pCi/m3	0.00053	0.00053	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	CS-137	0.0000567	pCi/m3	0.00056	0.00056	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	CS-137	0.000105	pCi/m3	0.00046	0.00046	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	CS-137	-0.000187	pCi/m3	0.00064	0.00064	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	CS-137	0.000206	pCi/m3	0.00052	0.00052	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	CS-137	-0.000169	pCi/m3	0.0005	0.0005	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	CS-137	-0.0000265	pCi/m3	0.00015	0.00015	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	CS-137	0.0000196	pCi/m3	0.00014	0.00014	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	CS-137	-0.0000639	pCi/m3	0.00016	0.00016	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	CS-137	0.00000289	pCi/m3	0.00017	0.00017	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	CS-137	0.00024	pCi/m3	0.00069	0.00069	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	CS-137	-0.000266	pCi/m3	0.0004	0.0004	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	CS-137	0.000174	pCi/m3	0.00049	0.00049	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	CS-137	-0.0104	pCi/m3	0.0017	0.0017	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	CS-137	-0.000282	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	CS-137	0.000454	pCi/m3	0.00049	0.00049	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	CS-137	0.000036	pCi/m3	0.00046	0.00046	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	CS-137	0.000412	pCi/m3	0.00049	0.00049	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	CS-137	0.0000179	pCi/m3	0.00041	0.00041	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	CS-137	0.000213	pCi/m3	0.00052	0.00052	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	CS-137	0.00028	pCi/m3	0.00039	0.00039	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	CS-137	0.0000557	pCi/m3	0.00051	0.00051	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	CS-137	-0.000000441	pCi/m3	0.00046	0.00046	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	CS-137	0.000174	pCi/m3	0.00053	0.00053	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	CS-137	0.000195	pCi/m3	0.00057	0.00057	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	CS-137	0.00022	pCi/m3	0.00047	0.00047	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	CS-137	-0.000232	pCi/m3	0.00053	0.00053	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	CS-137	-0.000283	pCi/m3	0.00053	0.00053	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	CS-137	0.00065	pCi/m3	0.0006	0.0006	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	CS-137	0.0000713	pCi/m3	0.00044	0.00044	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	CS-137	-0.00012	pCi/m3	0.0005	0.0005	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	CS-137	0.000126	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	CS-137	0.0000875	pCi/m3	0.00047	0.00047	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	CS-137	0.000306	pCi/m3	0.00064	0.00064	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	CS-137	0.000182	pCi/m3	0.00046	0.00046	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	CS-137	0.000176	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	CS-137	0.000361	pCi/m3	0.00041	0.00041	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	CS-137	-0.000184	pCi/m3	0.00058	0.00058	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	CS-137	-0.0000361	pCi/m3	0.00043	0.00043	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	CS-137	0.000189	pCi/m3	0.00025	0.00025	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	CS-137	-0.000000239	pCi/m3	0.00029	0.00029	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	CS-137	0.00000795	pCi/m3	0.00025	0.00025	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	CS-137	-0.000393	pCi/m3	0.0003	0.0003	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CS-137	-0.000101	pCi/m3	0.00057	0.00057	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	CS-137	-0.000182	pCi/m3	0.00053	0.00053	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	CS-137	-0.000191	pCi/m3	0.0004	0.0004	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	CS-137	0.0000235	pCi/m3	0.00061	0.00061	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	CS-137	0.000179	pCi/m3	0.00047	0.00047	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	CS-137	-0.0000721	pCi/m3	0.00063	0.00063	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	CS-137	-0.000357	pCi/m3	0.00055	0.00055	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	CS-137	0.000121	pCi/m3	0.00056	0.00056	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	CS-137	-0.000162	pCi/m3	0.00055	0.00055	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	CS-137	0.000141	pCi/m3	0.00057	0.00057	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	CS-137	-0.000121	pCi/m3	0.0004	0.0004	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	CS-137	-0.00015	pCi/m3	0.00047	0.00047	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	CS-137	0.000216	pCi/m3	0.00051	0.00051	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	CS-137	-0.000596	pCi/m3	0.00048	0.00048	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	CS-137	0.0000624	pCi/m3	0.00031	0.00031	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	CS-137	0.000294	pCi/m3	0.00056	0.00056	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	CS-137	-0.000211	pCi/m3	0.0005	0.0005	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	CS-137	0.000145	pCi/m3	0.0003	0.0003	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	CS-137	-0.0000289	pCi/m3	0.00032	0.00032	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	CS-137	0.000266	pCi/m3	0.00033	0.00033	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	CS-137	-0.0000263	pCi/m3	0.00032	0.00032	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	CS-137	0.0000447	pCi/m3	0.00047	0.00047	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	CS-137	-0.0000264	pCi/m3	0.00056	0.00056	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	CS-137	0.000148	pCi/m3	0.00059	0.00059	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	CS-137	0.00000924	pCi/m3	0.00049	0.00049	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	CS-137	-0.0000571	pCi/m3	0.00039	0.00039	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	CS-137	-0.0000521	pCi/m3	0.0005	0.0005	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	CS-137	0.000288	pCi/m3	0.00051	0.00051	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	CS-137	-0.000116	pCi/m3	0.00055	0.00055	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	CS-137	-0.0000357	pCi/m3	0.00034	0.00034	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	CS-137	-0.000177	pCi/m3	0.00026	0.00026	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	CS-137	0.000157	pCi/m3	0.00039	0.00039	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	CS-137	-0.0000601	pCi/m3	0.00029	0.00029	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	CS-137	0.0000907	pCi/m3	0.00044	0.00044	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	CS-137	-0.0000563	pCi/m3	0.00044	0.00044	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	CS-137	-0.000202	pCi/m3	0.00056	0.00056	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	CS-137	0.000491	pCi/m3	0.00051	0.00051	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	CS-137	0.00000701	pCi/m3	0.00026	0.00026	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	CS-137	-0.0000121	pCi/m3	0.00022	0.00022	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	CS-137	-0.000135	pCi/m3	0.0003	0.0003	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	CS-137	0.000183	pCi/m3	0.00028	0.00028	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	CS-137	-0.000137	pCi/m3	0.00036	0.00036	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	CS-137	0.000145	pCi/m3	0.00055	0.00055	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	CS-137	0.0000823	pCi/m3	0.00049	0.00049	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	CS-137	-0.000482	pCi/m3	0.00047	0.00047	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	CS-137	0.000397	pCi/m3	0.00051	0.00051	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	CS-137	-0.000139	pCi/m3	0.0007	0.0007	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	CS-137	0.00019	pCi/m3	0.00039	0.00039	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	CS-137	0.0000618	pCi/m3	0.0005	0.0005	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	CS-137	0.000369	pCi/m3	0.00049	0.00049	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	CS-137	-0.0000132	pCi/m3	0.00028	0.00028	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	CS-137	0.000122	pCi/m3	0.00028	0.00028	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	CS-137	0.000212	pCi/m3	0.00032	0.00032	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	CS-137	0.0000865	pCi/m3	0.00029	0.00029	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	EU-154	0.000358	pCi/m3	0.00062	0.00062	U		
SESPMNT	B11L9	100 AREAS	ONSITE	AT	27-Jun-01	EU-154	-0.000161	pCi/m3	0.00076	0.00076	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	EU-154	0.000215	pCi/m3	0.00068	0.00068	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	EU-154	-0.000559	pCi/m3	0.00066	0.00066	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	EU-154	0.000129	pCi/m3	0.00084	0.00084	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	EU-154	-0.0000329	pCi/m3	0.0005	0.0005	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	EU-154	-0.0000782	pCi/m3	0.00074	0.00074	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	EU-154	0.00112	pCi/m3	0.00092	0.00092	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	EU-154	-0.000804	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	EU-154	0.0000337	pCi/m3	0.0012	0.0012	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	EU-154	0.000961	pCi/m3	0.0021	0.0021	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	EU-154	-0.000673	pCi/m3	0.0018	0.0018	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	EU-154	0.000465	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	EU-154	-0.000311	pCi/m3	0.00081	0.00081	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	EU-154	0.000199	pCi/m3	0.00044	0.00044	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	EU-154	-0.000104	pCi/m3	0.00066	0.00066	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	EU-154	0.0000748	pCi/m3	0.00069	0.00069	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	EU-154	0.000385	pCi/m3	0.00066	0.00066	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	EU-154	0.000549	pCi/m3	0.00068	0.00068	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	EU-154	0.000264	pCi/m3	0.00065	0.00065	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	EU-154	-0.000265	pCi/m3	0.0007	0.0007	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	EU-154	-0.00206	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	EU-154	0.00159	pCi/m3	0.0016	0.0016	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	EU-154	-0.000159	pCi/m3	0.0017	0.0017	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	EU-154	-0.00127	pCi/m3	0.0022	0.0022	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	EU-154	-0.000234	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	EU-154	0.00000479	pCi/m3	0.002	0.002	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	EU-154	-0.0000971	pCi/m3	0.002	0.002	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	EU-154	0.000263	pCi/m3	0.0019	0.0019	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	EU-154	0.0000575	pCi/m3	0.00045	0.00045	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	EU-154	-0.000229	pCi/m3	0.00056	0.00056	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	EU-154	-0.000554	pCi/m3	0.00057	0.00057	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	EU-154	-0.000142	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	EU-154	-0.00156	pCi/m3	0.0021	0.0021	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	EU-154	-0.000305	pCi/m3	0.0014	0.0014	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	EU-154	-0.000901	pCi/m3	0.0018	0.0018	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	EU-154	-0.000701	pCi/m3	0.0058	0.0058	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	EU-154	-0.000355	pCi/m3	0.0015	0.0015	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	EU-154	0.00156	pCi/m3	0.0017	0.0017	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	EU-154	0.000215	pCi/m3	0.0015	0.0015	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	EU-154	0.000681	pCi/m3	0.0012	0.0012	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	EU-154	0.00103	pCi/m3	0.0015	0.0015	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	EU-154	0.00197	pCi/m3	0.0015	0.0015	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	EU-154	0.000419	pCi/m3	0.0015	0.0015	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	EU-154	0.000835	pCi/m3	0.0017	0.0017	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	EU-154	0.00116	pCi/m3	0.0016	0.0016	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	EU-154	0.000972	pCi/m3	0.0018	0.0018	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	EU-154	-0.000374	pCi/m3	0.0011	0.0011	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	EU-154	-0.000138	pCi/m3	0.0014	0.0014	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	EU-154	0.0000229	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	EU-154	0.000355	pCi/m3	0.0015	0.0015	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	EU-154	0.00000712	pCi/m3	0.0012	0.0012	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	EU-154	-0.000354	pCi/m3	0.0013	0.0013	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	EU-154	0.000891	pCi/m3	0.0018	0.0018	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	EU-154	-0.000012	pCi/m3	0.0018	0.0018	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	EU-154	0.00112	pCi/m3	0.0016	0.0016	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	EU-154	0.000726	pCi/m3	0.0019	0.0019	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	EU-154	-0.00037	pCi/m3	0.0018	0.0018	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	EU-154	0.000845	pCi/m3	0.002	0.002	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	EU-154	0.000525	pCi/m3	0.0016	0.0016	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	EU-154	0.00041	pCi/m3	0.0021	0.0021	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	EU-154	0.00108	pCi/m3	0.0016	0.0016	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	EU-154	0.000673	pCi/m3	0.001	0.001	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	EU-154	0.000214	pCi/m3	0.0009	0.0009	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	EU-154	0.000169	pCi/m3	0.00078	0.00078	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	EU-154	-0.000279	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	EU-154	0.00033	pCi/m3	0.0016	0.0016	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	EU-154	0.000316	pCi/m3	0.0019	0.0019	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	EU-154	0.000732	pCi/m3	0.0015	0.0015	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	EU-154	-0.000362	pCi/m3	0.0018	0.0018	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	EU-154	0.000278	pCi/m3	0.0017	0.0017	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	EU-154	-0.000987	pCi/m3	0.0022	0.0022	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	EU-154	-0.00138	pCi/m3	0.0017	0.0017	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	EU-154	0.000629	pCi/m3	0.0019	0.0019	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	EU-154	-0.00102	pCi/m3	0.002	0.002	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	EU-154	0.000415	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	EU-154	-0.000552	pCi/m3	0.0013	0.0013	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	EU-154	-0.000198	pCi/m3	0.0019	0.0019	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	EU-154	0.000701	pCi/m3	0.0011	0.0011	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	EU-154	-0.000247	pCi/m3	0.0016	0.0016	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	EU-154	-0.000921	pCi/m3	0.0011	0.0011	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	EU-154	-0.000962	pCi/m3	0.0022	0.0022	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	EU-154	-0.000587	pCi/m3	0.0017	0.0017	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	EU-154	0.00114	pCi/m3	0.00098	0.00098	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	EU-154	0.000265	pCi/m3	0.00094	0.00094	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	EU-154	0.000505	pCi/m3	0.00076	0.00076	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	EU-154	-0.000987	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	EU-154	-0.00041	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	EU-154	-0.000543	pCi/m3	0.0016	0.0016	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	EU-154	0.00161	pCi/m3	0.0021	0.0021	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	EU-154	-0.000239	pCi/m3	0.0015	0.0015	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	EU-154	-0.000515	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	EU-154	-0.000385	pCi/m3	0.002	0.002	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	EU-154	-0.000642	pCi/m3	0.0018	0.0018	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	EU-154	0.00209	pCi/m3	0.0024	0.0024	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	EU-154	0.00025	pCi/m3	0.00095	0.00095	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	EU-154	0.000159	pCi/m3	0.00069	0.00069	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	EU-154	-0.000501	pCi/m3	0.001	0.001	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	EU-154	0.000596	pCi/m3	0.00082	0.00082	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	EU-154	-0.000159	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	EU-154	0.000197	pCi/m3	0.0013	0.0013	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	EU-154	0.000478	pCi/m3	0.0021	0.0021	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	EU-154	-0.000931	pCi/m3	0.0016	0.0016	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	EU-154	0.000453	pCi/m3	0.00086	0.00086	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	EU-154	0.0000882	pCi/m3	0.0008	0.0008	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	EU-154	0.000284	pCi/m3	0.0011	0.0011	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	EU-154	-0.00015	pCi/m3	0.00079	0.00079	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	EU-154	0.000345	pCi/m3	0.0016	0.0016	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	EU-154	-0.000219	pCi/m3	0.0014	0.0014	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	EU-154	0.000299	pCi/m3	0.0015	0.0015	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	EU-154	0.0004	pCi/m3	0.0017	0.0017	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	EU-154	0.0000365	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	EU-154	-0.00155	pCi/m3	0.002	0.002	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	EU-154	0.00000815	pCi/m3	0.00081	0.00081	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	EU-154	-0.00131	pCi/m3	0.0016	0.0016	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	EU-154	0.000552	pCi/m3	0.0018	0.0018	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	EU-154	0.0000117	pCi/m3	0.00086	0.00086	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	EU-154	-0.000222	pCi/m3	0.001	0.001	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	EU-154	0.000392	pCi/m3	0.00077	0.00077	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	EU-154	-0.000442	pCi/m3	0.0011	0.0011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	EU-155	0.000149	pCi/m3	0.00047	0.00047	U		
SESPMNT	B11L9	100 AREAS	ONSITE	AT	27-Jun-01	EU-155	-0.000175	pCi/m3	0.00038	0.00038	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	EU-155	0.000293	pCi/m3	0.0004	0.0004	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	EU-155	0.0000132	pCi/m3	0.00037	0.00037	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	EU-155	-0.000242	pCi/m3	0.00049	0.00049	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	EU-155	0.0000597	pCi/m3	0.00034	0.00034	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	EU-155	0.000471	pCi/m3	0.00041	0.00041	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	EU-155	-0.000098	pCi/m3	0.00051	0.00051	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	EU-155	-0.00042	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	EU-155	0.0000914	pCi/m3	0.00086	0.00086	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	EU-155	-0.000361	pCi/m3	0.0012	0.0012	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	EU-155	0.000614	pCi/m3	0.00099	0.00099	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	EU-155	-0.000278	pCi/m3	0.00081	0.00081	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	EU-155	0.000155	pCi/m3	0.00063	0.00063	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	EU-155	0.0000392	pCi/m3	0.00031	0.00031	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	EU-155	-0.0000391	pCi/m3	0.00063	0.00063	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	EU-155	-0.0000891	pCi/m3	0.00041	0.00041	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	EU-155	0.0003	pCi/m3	0.00035	0.00035	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	EU-155	0.0000554	pCi/m3	0.00046	0.00046	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	EU-155	0.0000158	pCi/m3	0.00042	0.00042	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	EU-155	-0.0000436	pCi/m3	0.00041	0.00041	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	EU-155	-0.000328	pCi/m3	0.00085	0.00085	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	EU-155	-0.000554	pCi/m3	0.00086	0.00086	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	EU-155	-0.000529	pCi/m3	0.00097	0.00097	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	EU-155	0.000197	pCi/m3	0.00099	0.00099	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	EU-155	0.000414	pCi/m3	0.00087	0.00087	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	EU-155	0.00000363	pCi/m3	0.001	0.001	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	EU-155	0.000323	pCi/m3	0.0014	0.0014	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	EU-155	-0.000501	pCi/m3	0.00096	0.00096	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	EU-155	-0.000096	pCi/m3	0.00025	0.00025	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	EU-155	-0.0000596	pCi/m3	0.00032	0.00032	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	EU-155	0.0000242	pCi/m3	0.00034	0.00034	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	EU-155	0.0000428	pCi/m3	0.00031	0.00031	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	EU-155	0.000301	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	EU-155	0.000616	pCi/m3	0.0008	0.0008	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	EU-155	0.000774	pCi/m3	0.00089	0.00089	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	EU-155	-0.0104	pCi/m3	0.0033	0.0033	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	EU-155	-0.000527	pCi/m3	0.0009	0.0009	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	EU-155	-0.0000179	pCi/m3	0.00078	0.00078	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	EU-155	0.000448	pCi/m3	0.00092	0.00092	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	EU-155	-0.000199	pCi/m3	0.00099	0.00099	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	EU-155	0.0000947	pCi/m3	0.00087	0.00087	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	EU-155	-0.000126	pCi/m3	0.00085	0.00085	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	EU-155	-0.00036	pCi/m3	0.00079	0.00079	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	EU-155	0.000409	pCi/m3	0.00092	0.00092	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	EU-155	0.000675	pCi/m3	0.00089	0.00089	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	EU-155	0.000202	pCi/m3	0.00093	0.00093	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	EU-155	0.000171	pCi/m3	0.0008	0.0008	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	EU-155	-0.0000466	pCi/m3	0.00076	0.00076	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	EU-155	-0.000389	pCi/m3	0.00099	0.00099	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	EU-155	0.000123	pCi/m3	0.00086	0.00086	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	EU-155	-0.000879	pCi/m3	0.0009	0.0009	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	EU-155	-0.0003	pCi/m3	0.00081	0.00081	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	EU-155	0.000472	pCi/m3	0.0009	0.0009	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	EU-155	-0.000424	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	EU-155	-0.000156	pCi/m3	0.00079	0.00079	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	EU-155	0.00092	pCi/m3	0.0012	0.0012	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	EU-155	0.000224	pCi/m3	0.00094	0.00094	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	EU-155	0.0008	pCi/m3	0.001	0.001	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	EU-155	0.000179	pCi/m3	0.00082	0.00082	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	EU-155	0.0000357	pCi/m3	0.0013	0.0013	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	EU-155	0.000122	pCi/m3	0.00093	0.00093	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	EU-155	0.000248	pCi/m3	0.00074	0.00074	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	EU-155	0.000235	pCi/m3	0.00055	0.00055	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	EU-155	0.000261	pCi/m3	0.0005	0.0005	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	EU-155	0.0000125	pCi/m3	0.00054	0.00054	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	EU-155	0.000762	pCi/m3	0.00099	0.00099	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	EU-155	0.000319	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	EU-155	-0.000423	pCi/m3	0.00091	0.00091	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	EU-155	-0.0000351	pCi/m3	0.0013	0.0013	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	EU-155	0.000209	pCi/m3	0.00089	0.00089	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	EU-155	-0.000317	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	EU-155	-0.0000498	pCi/m3	0.0011	0.0011	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	EU-155	0.000254	pCi/m3	0.0011	0.0011	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	EU-155	0.000486	pCi/m3	0.00091	0.00091	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	EU-155	-0.000134	pCi/m3	0.0009	0.0009	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	EU-155	0.000182	pCi/m3	0.00072	0.00072	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	EU-155	0.000441	pCi/m3	0.00094	0.00094	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	EU-155	-0.000954	pCi/m3	0.0011	0.0011	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	EU-155	-0.000522	pCi/m3	0.00088	0.00088	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	EU-155	0.0000665	pCi/m3	0.00069	0.00069	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	EU-155	-0.000892	pCi/m3	0.0011	0.0011	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	EU-155	0.000535	pCi/m3	0.00077	0.00077	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	EU-155	0.0000964	pCi/m3	0.00048	0.00048	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	EU-155	-0.0000664	pCi/m3	0.00061	0.00061	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	EU-155	-0.0000722	pCi/m3	0.00056	0.00056	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	EU-155	0.000156	pCi/m3	0.00061	0.00061	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	EU-155	-0.000613	pCi/m3	0.001	0.001	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	EU-155	-0.000713	pCi/m3	0.00095	0.00095	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	EU-155	-0.0000458	pCi/m3	0.0011	0.0011	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	EU-155	-0.0000424	pCi/m3	0.00094	0.00094	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	EU-155	0.00013	pCi/m3	0.00071	0.00071	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	EU-155	-0.000282	pCi/m3	0.0011	0.0011	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	EU-155	-0.000946	pCi/m3	0.00091	0.00091	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	EU-155	0.00091	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	EU-155	0.00012	pCi/m3	0.00078	0.00078	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	EU-155	0.00039	pCi/m3	0.00045	0.00045	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	EU-155	0.0000967	pCi/m3	0.00071	0.00071	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	EU-155	-0.000198	pCi/m3	0.0006	0.0006	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	EU-155	0.000259	pCi/m3	0.0008	0.0008	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	EU-155	0.000104	pCi/m3	0.00069	0.00069	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	EU-155	0.000643	pCi/m3	0.0012	0.0012	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	EU-155	0.0000839	pCi/m3	0.00091	0.00091	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	EU-155	-0.000212	pCi/m3	0.00051	0.00051	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	EU-155	0.000383	pCi/m3	0.00044	0.00044	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	EU-155	0.000185	pCi/m3	0.00055	0.00055	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	EU-155	0.000237	pCi/m3	0.0005	0.0005	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	EU-155	0.000263	pCi/m3	0.00075	0.00075	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	EU-155	-0.000535	pCi/m3	0.0008	0.0008	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	EU-155	-0.00101	pCi/m3	0.0011	0.0011	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	EU-155	-0.000372	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	EU-155	-0.000476	pCi/m3	0.00087	0.00087	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	EU-155	0.000488	pCi/m3	0.0013	0.0013	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	EU-155	0.000448	pCi/m3	0.00074	0.00074	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	EU-155	0.000118	pCi/m3	0.00076	0.00076	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	EU-155	0.000101	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	EU-155	0.000272	pCi/m3	0.00052	0.00052	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	EU-155	-0.000149	pCi/m3	0.0006	0.0006	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	EU-155	-0.000404	pCi/m3	0.00076	0.00076	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	EU-155	-0.00029	pCi/m3	0.00062	0.00062	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	K-40	0.00116	pCi/m3	0.0045	0.0045	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	K-40	0.000462	pCi/m3	0.004	0.004	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	K-40	0.0126	pCi/m3	0.0046	0.0046			
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	K-40	0.00115	pCi/m3	0.0052	0.0052	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	K-40	0.00272	pCi/m3	0.0058	0.0058	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	K-40	0.00161	pCi/m3	0.0045	0.0045	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	K-40	0.00407	pCi/m3	0.006	0.006	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	K-40	0.00325	pCi/m3	0.0062	0.0062	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	K-40	0.00832	pCi/m3	0.015	0.015	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	K-40	0.018	pCi/m3	0.011	0.011			
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	K-40	0.000361	pCi/m3	0.013	0.013	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	K-40	-0.00517	pCi/m3	0.0098	0.0098	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	K-40	0.00054	pCi/m3	0.01	0.01	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	K-40	0.00744	pCi/m3	0.0063	0.0063			
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	K-40	0.00618	pCi/m3	0.0034	0.0034			
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	K-40	0.00314	pCi/m3	0.0049	0.0049	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	K-40	0.00714	pCi/m3	0.0051	0.0051	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	K-40	0.00138	pCi/m3	0.0054	0.0054	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	K-40	0.0134	pCi/m3	0.006	0.006	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	K-40	0.00558	pCi/m3	0.0046	0.0046			
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	K-40	-0.000643	pCi/m3	0.0051	0.0051	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	K-40	-0.00886	pCi/m3	0.01	0.01	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	K-40	0.00699	pCi/m3	0.008	0.008	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	K-40	0.00815	pCi/m3	0.013	0.013	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	K-40	0.00384	pCi/m3	0.013	0.013	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	K-40	-0.00347	pCi/m3	0.0097	0.0097	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	K-40	0.00938	pCi/m3	0.012	0.012	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	K-40	0.00699	pCi/m3	0.0086	0.0086	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	K-40	0.012	pCi/m3	0.013	0.013	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	K-40	0.00119	pCi/m3	0.0036	0.0036	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	K-40	0.00368	pCi/m3	0.0045	0.0045	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	K-40	0.00465	pCi/m3	0.0038	0.0038			
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	K-40	0.00423	pCi/m3	0.0047	0.0047	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	K-40	0.00534	pCi/m3	0.013	0.013	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	K-40	0.00115	pCi/m3	0.014	0.014	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	K-40	-0.0062	pCi/m3	0.0096	0.0096	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	K-40	-0.0157	pCi/m3	0.035	0.035	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	K-40	0.00322	pCi/m3	0.014	0.014	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	K-40	0.00248	pCi/m3	0.011	0.011	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	K-40	0.00469	pCi/m3	0.0081	0.0081	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	K-40	0.00291	pCi/m3	0.01	0.01	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	K-40	0.0042	pCi/m3	0.011	0.011	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	K-40	0.00411	pCi/m3	0.009	0.009	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	K-40	-0.00293	pCi/m3	0.0099	0.0099	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	K-40	0.00626	pCi/m3	0.012	0.012	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	K-40	0.00191	pCi/m3	0.01	0.01	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	K-40	0.00139	pCi/m3	0.012	0.012	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	K-40	0.00177	pCi/m3	0.0085	0.0085	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	K-40	0.00152	pCi/m3	0.0076	0.0076	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	K-40	0.012	pCi/m3	0.014	0.014	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	K-40	0.00982	pCi/m3	0.01	0.01	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	K-40	-0.000219	pCi/m3	0.011	0.011	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	K-40	-0.0033	pCi/m3	0.0096	0.0096	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	K-40	0.00329	pCi/m3	0.01	0.01	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	K-40	-0.00563	pCi/m3	0.011	0.011	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	K-40	0.0136	pCi/m3	0.015	0.015	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	K-40	0.00287	pCi/m3	0.013	0.013	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	K-40	0.00333	pCi/m3	0.01	0.01	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	K-40	0.00735	pCi/m3	0.011	0.011	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	K-40	-0.00069	pCi/m3	0.011	0.011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	K-40	0.00491	pCi/m3	0.0096	0.0096	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	K-40	-0.00464	pCi/m3	0.01	0.01	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	K-40	0.00713	pCi/m3	0.0059	0.0059			
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	K-40	0.00832	pCi/m3	0.011	0.011	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	K-40	0.00222	pCi/m3	0.006	0.006	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	K-40	-0.00771	pCi/m3	0.0078	0.0078	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	K-40	-0.0082	pCi/m3	0.013	0.013	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	K-40	0.0056	pCi/m3	0.011	0.011	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	K-40	0.0072	pCi/m3	0.012	0.012	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	K-40	0.00177	pCi/m3	0.0079	0.0079	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	K-40	0.00243	pCi/m3	0.011	0.011	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	K-40	0.0122	pCi/m3	0.013	0.013	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	K-40	0.0065	pCi/m3	0.013	0.013	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	K-40	0.0153	pCi/m3	0.014	0.014	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	K-40	0.00692	pCi/m3	0.015	0.015	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	K-40	-0.00153	pCi/m3	0.0082	0.0082	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	K-40	0.0138	pCi/m3	0.01	0.01			
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	K-40	0.000569	pCi/m3	0.015	0.015	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	K-40	0.0102	pCi/m3	0.0094	0.0094	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	K-40	-0.00666	pCi/m3	0.011	0.011	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	K-40	0.00476	pCi/m3	0.0066	0.0066	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	K-40	0.00553	pCi/m3	0.013	0.013	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	K-40	0.00898	pCi/m3	0.012	0.012	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	K-40	0.0109	pCi/m3	0.0079	0.0079			
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	K-40	0.00283	pCi/m3	0.0097	0.0097	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	K-40	0.0018	pCi/m3	0.0081	0.0081	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	K-40	0.00299	pCi/m3	0.0073	0.0073	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	K-40	0.0000136	pCi/m3	0.012	0.012	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	K-40	0.00558	pCi/m3	0.011	0.011	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	K-40	0.00586	pCi/m3	0.015	0.015	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	K-40	0.00282	pCi/m3	0.01	0.01	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	K-40	0.00553	pCi/m3	0.0077	0.0077	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	K-40	0.0164	pCi/m3	0.017	0.017	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	K-40	-0.00527	pCi/m3	0.01	0.01	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	K-40	0.0094	pCi/m3	0.013	0.013	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	K-40	-0.00325	pCi/m3	0.0078	0.0078	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	K-40	0.0117	pCi/m3	0.0058	0.0058			
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	K-40	-0.00261	pCi/m3	0.0077	0.0077	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	K-40	0.00125	pCi/m3	0.0062	0.0062	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	K-40	0.00456	pCi/m3	0.0081	0.0081	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	K-40	0.00314	pCi/m3	0.007	0.007	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	K-40	0.00379	pCi/m3	0.012	0.012	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	K-40	0.000356	pCi/m3	0.01	0.01	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	K-40	0.00275	pCi/m3	0.005	0.005	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	K-40	0.00248	pCi/m3	0.0084	0.0084	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	K-40	-0.0013	pCi/m3	0.0085	0.0085	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	K-40	-0.000287	pCi/m3	0.0078	0.0078	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	K-40	0.00186	pCi/m3	0.0068	0.0068	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	K-40	0.00491	pCi/m3	0.0078	0.0078	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	K-40	0.00159	pCi/m3	0.011	0.011	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	K-40	-0.00382	pCi/m3	0.011	0.011	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	K-40	-0.00421	pCi/m3	0.01	0.01	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	K-40	0.0161	pCi/m3	0.015	0.015	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	K-40	0.00528	pCi/m3	0.0071	0.0071	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	K-40	0.00663	pCi/m3	0.013	0.013	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	K-40	0.00183	pCi/m3	0.012	0.012	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	K-40	0.00468	pCi/m3	0.0054	0.0054	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	K-40	0.0123	pCi/m3	0.0076	0.0076			
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	K-40	-0.000498	pCi/m3	0.0043	0.0043	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	K-40	0.00242	pCi/m3	0.0072	0.0072	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	RU-106	-0.000191	pCi/m3	0.0021	0.0021	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	RU-106	-0.000036	pCi/m3	0.0016	0.0016	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	RU-106	-0.00111	pCi/m3	0.0018	0.0018	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	RU-106	0.00225	pCi/m3	0.0019	0.0019	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	RU-106	-0.000415	pCi/m3	0.0025	0.0025	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	RU-106	-0.00074	pCi/m3	0.0019	0.0019	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	RU-106	-0.000303	pCi/m3	0.0026	0.0026	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	RU-106	0.000678	pCi/m3	0.0028	0.0028	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	RU-106	-0.00136	pCi/m3	0.0057	0.0057	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	RU-106	-0.00115	pCi/m3	0.0046	0.0046	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	RU-106	-0.0021	pCi/m3	0.0067	0.0067	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	RU-106	0.0017	pCi/m3	0.0044	0.0044	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	RU-106	-0.000362	pCi/m3	0.0043	0.0043	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	RU-106	-0.000442	pCi/m3	0.0026	0.0026	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	RU-106	-0.000296	pCi/m3	0.0016	0.0016	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	RU-106	0.000378	pCi/m3	0.0027	0.0027	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	RU-106	0.000595	pCi/m3	0.0021	0.0021	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	RU-106	-0.000189	pCi/m3	0.0018	0.0018	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	RU-106	-0.000782	pCi/m3	0.0022	0.0022	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	RU-106	-0.000807	pCi/m3	0.0021	0.0021	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	RU-106	0.000256	pCi/m3	0.0021	0.0021	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	RU-106	-0.00221	pCi/m3	0.0047	0.0047	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	RU-106	0.00122	pCi/m3	0.0044	0.0044	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	RU-106	-0.000388	pCi/m3	0.0054	0.0054	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	RU-106	-0.000772	pCi/m3	0.0049	0.0049	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	RU-106	0.00187	pCi/m3	0.0047	0.0047	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	RU-106	-0.00557	pCi/m3	0.0059	0.0059	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	RU-106	-0.00442	pCi/m3	0.0056	0.0056	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	RU-106	-0.00475	pCi/m3	0.0056	0.0056	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	RU-106	0.000394	pCi/m3	0.0015	0.0015	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	RU-106	0.0006	pCi/m3	0.0018	0.0018	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	RU-106	0.000597	pCi/m3	0.0017	0.0017	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	RU-106	-0.000548	pCi/m3	0.0017	0.0017	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	RU-106	0.000663	pCi/m3	0.0058	0.0058	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	RU-106	-0.0007	pCi/m3	0.0048	0.0048	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	RU-106	0.00193	pCi/m3	0.0051	0.0051	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	RU-106	-0.0194	pCi/m3	0.018	0.018	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	RU-106	-0.00276	pCi/m3	0.0059	0.0059	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	RU-106	-0.0051	pCi/m3	0.0056	0.0056	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	RU-106	-0.000112	pCi/m3	0.0051	0.0051	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	RU-106	-0.0042	pCi/m3	0.0051	0.0051	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	RU-106	0.00135	pCi/m3	0.0052	0.0052	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	RU-106	-0.000609	pCi/m3	0.0046	0.0046	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	RU-106	-0.000373	pCi/m3	0.0046	0.0046	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	RU-106	0.00538	pCi/m3	0.0059	0.0059	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	RU-106	-0.00384	pCi/m3	0.005	0.005	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	RU-106	-0.00305	pCi/m3	0.0059	0.0059	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	RU-106	-0.0013	pCi/m3	0.0054	0.0054	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	RU-106	0.00417	pCi/m3	0.0043	0.0043	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	RU-106	0.00155	pCi/m3	0.0045	0.0045	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	RU-106	-0.000324	pCi/m3	0.0051	0.0051	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	RU-106	0.000697	pCi/m3	0.0053	0.0053	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	RU-106	-0.00118	pCi/m3	0.0047	0.0047	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	RU-106	0.000341	pCi/m3	0.0046	0.0046	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	RU-106	0.0016	pCi/m3	0.0067	0.0067	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	RU-106	-0.0014	pCi/m3	0.004	0.004	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	RU-106	0.000273	pCi/m3	0.0066	0.0066	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	RU-106	-0.00353	pCi/m3	0.0048	0.0048	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	RU-106	-0.000353	pCi/m3	0.0059	0.0059	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	RU-106	0.00163	pCi/m3	0.005	0.005	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	RU-106	-0.000853	pCi/m3	0.0049	0.0049	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	RU-106	0.00069	pCi/m3	0.0043	0.0043	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	RU-106	-0.00145	pCi/m3	0.0032	0.0032	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	RU-106	0.000792	pCi/m3	0.003	0.003	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	RU-106	0.00248	pCi/m3	0.0025	0.0025	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	RU-106	0.00173	pCi/m3	0.003	0.003	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	RU-106	-0.000109	pCi/m3	0.0052	0.0052	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	RU-106	0.000175	pCi/m3	0.0054	0.0054	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	RU-106	0.0000318	pCi/m3	0.005	0.005	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	RU-106	-0.00205	pCi/m3	0.0061	0.0061	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	RU-106	0.00386	pCi/m3	0.0053	0.0053	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	RU-106	0.000451	pCi/m3	0.0061	0.0061	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	RU-106	-0.000879	pCi/m3	0.0055	0.0055	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	RU-106	-0.00353	pCi/m3	0.0055	0.0055	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	RU-106	-0.000862	pCi/m3	0.0059	0.0059	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	RU-106	-0.000662	pCi/m3	0.0044	0.0044	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	RU-106	0.000302	pCi/m3	0.0045	0.0045	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	RU-106	0.0000368	pCi/m3	0.0054	0.0054	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	RU-106	-0.000577	pCi/m3	0.0049	0.0049	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	RU-106	-0.00223	pCi/m3	0.0044	0.0044	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	RU-106	-0.00508	pCi/m3	0.0041	0.0041	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	RU-106	0.00258	pCi/m3	0.0063	0.0063	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	RU-106	0.000138	pCi/m3	0.0045	0.0045	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	RU-106	-0.00133	pCi/m3	0.0028	0.0028	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	RU-106	-0.000959	pCi/m3	0.0027	0.0027	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	RU-106	-0.00132	pCi/m3	0.0027	0.0027	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	RU-106	0.00275	pCi/m3	0.0036	0.0036	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	RU-106	-0.0000632	pCi/m3	0.0066	0.0066	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	RU-106	-0.00382	pCi/m3	0.0052	0.0052	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	RU-106	0.000423	pCi/m3	0.0059	0.0059	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	RU-106	0.0011	pCi/m3	0.0051	0.0051	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	RU-106	-0.0018	pCi/m3	0.0044	0.0044	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	RU-106	0.00372	pCi/m3	0.0052	0.0052	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	RU-106	-0.0000347	pCi/m3	0.0049	0.0049	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	RU-106	0.00415	pCi/m3	0.0053	0.0053	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	RU-106	0.00172	pCi/m3	0.0033	0.0033	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	RU-106	0.00101	pCi/m3	0.0024	0.0024	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	RU-106	-0.00257	pCi/m3	0.0039	0.0039	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	RU-106	0.00138	pCi/m3	0.003	0.003	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	RU-106	0.000645	pCi/m3	0.0044	0.0044	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	RU-106	-0.00189	pCi/m3	0.0043	0.0043	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	RU-106	-0.00137	pCi/m3	0.006	0.006	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	RU-106	-0.000169	pCi/m3	0.0045	0.0045	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	RU-106	0.000247	pCi/m3	0.0027	0.0027	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	RU-106	-0.000532	pCi/m3	0.0023	0.0023	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	RU-106	0.00247	pCi/m3	0.0034	0.0034	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	RU-106	0.000797	pCi/m3	0.0031	0.0031	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	RU-106	-0.00145	pCi/m3	0.0042	0.0042	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	RU-106	0.00178	pCi/m3	0.0042	0.0042	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	RU-106	0.00251	pCi/m3	0.006	0.006	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	RU-106	0.00411	pCi/m3	0.0051	0.0051	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	RU-106	0.00188	pCi/m3	0.004	0.004	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	RU-106	0.00167	pCi/m3	0.0063	0.0063	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	RU-106	0.00287	pCi/m3	0.0042	0.0042	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	RU-106	0.00151	pCi/m3	0.0046	0.0046	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	RU-106	-0.00564	pCi/m3	0.0057	0.0057	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	RU-106	0.000597	pCi/m3	0.0029	0.0029	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	RU-106	0.000605	pCi/m3	0.0028	0.0028	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	RU-106	-0.000104	pCi/m3	0.003	0.003	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	RU-106	0.00209	pCi/m3	0.0031	0.0031	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	SB-125	-0.000538	pCi/m3	0.00055	0.00055	U		
SESPMNT	B11L9	100 AREAS	ONSITE	AT	27-Jun-01	SB-125	0.000161	pCi/m3	0.00049	0.00049	U		
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	SB-125	-0.0000799	pCi/m3	0.00051	0.00051	U		
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	SB-125	0.0000334	pCi/m3	0.00051	0.00051	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	SB-125	-0.000094	pCi/m3	0.00063	0.00063	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	SB-125	-0.000139	pCi/m3	0.0004	0.0004	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	SB-125	0.000374	pCi/m3	0.00048	0.00048	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	SB-125	-0.0000657	pCi/m3	0.00066	0.00066	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	SB-125	-0.0000995	pCi/m3	0.0015	0.0015	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	SB-125	-0.000586	pCi/m3	0.0011	0.0011	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	SB-125	0.000214	pCi/m3	0.0018	0.0018	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	SB-125	0.000715	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11MY1	200 W SE	ONSITE	AT	03-Jul-01	SB-125	0.00029	pCi/m3	0.001	0.001	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	SB-125	0.000398	pCi/m3	0.00065	0.00065	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	SB-125	-0.000021	pCi/m3	0.00038	0.00038	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	SB-125	0.000524	pCi/m3	0.00074	0.00074	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	SB-125	0.0000842	pCi/m3	0.00048	0.00048	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	SB-125	0.0000707	pCi/m3	0.00047	0.00047	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	SB-125	-0.000147	pCi/m3	0.00057	0.00057	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	SB-125	0.00048	pCi/m3	0.0006	0.0006	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	SB-125	-0.000274	pCi/m3	0.00054	0.00054	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	SB-125	0.000468	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	SB-125	0.000422	pCi/m3	0.0012	0.0012	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	SB-125	-0.000395	pCi/m3	0.0013	0.0013	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	SB-125	-0.000903	pCi/m3	0.0013	0.0013	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	SB-125	0.000641	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	SB-125	0.0000991	pCi/m3	0.0015	0.0015	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	SB-125	-0.000613	pCi/m3	0.0014	0.0014	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	SB-125	-0.000697	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	SB-125	0.000253	pCi/m3	0.00034	0.00034	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	SB-125	0.000186	pCi/m3	0.00044	0.00044	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	SB-125	0.000116	pCi/m3	0.00041	0.00041	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	SB-125	0.0000241	pCi/m3	0.00044	0.00044	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	SB-125	0.000666	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	SB-125	-0.000228	pCi/m3	0.0012	0.0012	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	SB-125	-0.000306	pCi/m3	0.0011	0.0011	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	SB-125	0.0104	pCi/m3	0.0035	0.0035	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	SB-125	-0.00144	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	SB-125	-0.000000253	pCi/m3	0.0011	0.0011	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	SB-125	0.000072	pCi/m3	0.0011	0.0011	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	SB-125	-0.000848	pCi/m3	0.0013	0.0013	U		
SESPMNT	B114L8	BATTELLE COMPLEX	PERIMETER	AT	04-Apr-01	SB-125	-0.000957	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11LM6	BATTELLE COMPLEX	PERIMETER	AT	28-Jun-01	SB-125	0.000254	pCi/m3	0.001	0.001	U		
SESPMNT	B12804	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	SB-125	0.000393	pCi/m3	0.0013	0.0013	U		
SESPMNT	B130V5	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	SB-125	-0.000229	pCi/m3	0.0012	0.0012	U		
SESPMNT	B114M6	BENTON CITY	COMMUNITY	AT	03-Apr-01	SB-125	0.000943	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11LN3	BENTON CITY	COMMUNITY	AT	27-Jun-01	SB-125	0.0000821	pCi/m3	0.0011	0.0011	U		
SESPMNT	B12812	BENTON CITY	COMMUNITY	AT	03-Oct-01	SB-125	0.00079	pCi/m3	0.0012	0.0012	U		
SESPMNT	B130W3	BENTON CITY	COMMUNITY	AT	23-Dec-01	SB-125	-0.000209	pCi/m3	0.0012	0.0012	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	SB-125	-0.0000792	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	SB-125	0.0000834	pCi/m3	0.0012	0.0012	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	SB-125	-0.000388	pCi/m3	0.0013	0.0013	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	SB-125	0.000858	pCi/m3	0.0012	0.0012	U		
SESPMNT	B13261	BYERS LANDING	PERIMETER	AT	04-Jan-02	SB-125	0.000249	pCi/m3	0.0012	0.0012	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	SB-125	0.000844	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	SB-125	-0.000505	pCi/m3	0.0013	0.0013	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	SB-125	-0.000542	pCi/m3	0.0017	0.0017	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	SB-125	-0.0000165	pCi/m3	0.001	0.001	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	SB-125	-0.000485	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	SB-125	-0.0000643	pCi/m3	0.0012	0.0012	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	SB-125	0.000368	pCi/m3	0.0014	0.0014	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	SB-125	-0.000205	pCi/m3	0.0012	0.0012	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	SB-125	0.000163	pCi/m3	0.00072	0.00072	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	SB-125	0.000551	pCi/m3	0.00073	0.00073	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	SB-125	-0.0000977	pCi/m3	0.00068	0.00068	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	SB-125	-0.000287	pCi/m3	0.00069	0.00069	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	SB-125	0.000137	pCi/m3	0.0012	0.0012	U		
SESPMNT	B115Y3	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	SB-125	0.000722	pCi/m3	0.0015	0.0015	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	SB-125	0.000538	pCi/m3	0.0013	0.0013	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	SB-125	0.0000891	pCi/m3	0.0014	0.0014	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	SB-125	-0.000234	pCi/m3	0.0012	0.0012	U		
SESPMNT	B114N4	MATTAWA	COMMUNITY	AT	27-Mar-01	SB-125	-0.000205	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11LP0	MATTAWA	COMMUNITY	AT	02-Jul-01	SB-125	0.00131	pCi/m3	0.0017	0.0017	U		
SESPMNT	B12820	MATTAWA	COMMUNITY	AT	25-Sep-01	SB-125	0.000655	pCi/m3	0.0018	0.0018	U		
SESPMNT	B130X1	MATTAWA	COMMUNITY	AT	01-Jan-02	SB-125	0.00136	pCi/m3	0.0013	0.0013	U		
SESPMNT	B114L1	N OF 200 E	ONSITE	AT	19-Mar-01	SB-125	-0.00169	pCi/m3	0.0014	0.0014	U		
SESPMNT	B11LL8	N OF 200 E	ONSITE	AT	03-Jul-01	SB-125	0.000643	pCi/m3	0.0012	0.0012	U		
SESPMNT	B127Y7	N OF 200 E	ONSITE	AT	25-Sep-01	SB-125	-0.000343	pCi/m3	0.0013	0.0013	U		
SESPMNT	B130T7	N OF 200 E	ONSITE	AT	02-Jan-02	SB-125	0.000139	pCi/m3	0.0013	0.0013	U		
SESPMNT	B114P1	OTHELLO	COMMUNITY	AT	27-Mar-01	SB-125	0.000525	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11LP8	OTHELLO	COMMUNITY	AT	05-Jul-01	SB-125	0.000774	pCi/m3	0.001	0.001	U		
SESPMNT	B12827	OTHELLO	COMMUNITY	AT	26-Sep-01	SB-125	-0.0000784	pCi/m3	0.0015	0.0015	U		
SESPMNT	B130X9	OTHELLO	COMMUNITY	AT	02-Jan-02	SB-125	-0.000537	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	SB-125	0.000897	pCi/m3	0.00069	0.00069	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	SB-125	-0.000138	pCi/m3	0.00076	0.00076	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	SB-125	0.0000174	pCi/m3	0.0008	0.0008	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	SB-125	-0.000138	pCi/m3	0.00081	0.00081	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	SB-125	0.00141	pCi/m3	0.0016	0.0016	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	SB-125	-0.000176	pCi/m3	0.0015	0.0015	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	SB-125	0.000446	pCi/m3	0.0013	0.0013	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	SB-125	-0.000549	pCi/m3	0.0011	0.0011	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	SB-125	0.000487	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	SB-125	0.000734	pCi/m3	0.0014	0.0014	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	SB-125	0.000108	pCi/m3	0.0013	0.0013	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	SB-125	0.000552	pCi/m3	0.0014	0.0014	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	SB-125	-0.000223	pCi/m3	0.00085	0.00085	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	SB-125	-0.000154	pCi/m3	0.00062	0.00062	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	SB-125	0.000982	pCi/m3	0.00092	0.00092	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	SB-125	-0.000603	pCi/m3	0.00074	0.00074	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	SB-125	-0.0000194	pCi/m3	0.0012	0.0012	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	SB-125	-0.000556	pCi/m3	0.0011	0.0011	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	SB-125	-0.000876	pCi/m3	0.0013	0.0013	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	SB-125	0.000738	pCi/m3	0.0011	0.0011	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	SB-125	0.0007	pCi/m3	0.00072	0.00072	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	SB-125	-0.000329	pCi/m3	0.00055	0.00055	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	SB-125	-0.000246	pCi/m3	0.00079	0.00079	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	SB-125	-0.000342	pCi/m3	0.00066	0.00066	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	SB-125	-0.000315	pCi/m3	0.0011	0.0011	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	SB-125	-0.00171	pCi/m3	0.0013	0.0013	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	SB-125	0.000755	pCi/m3	0.0012	0.0012	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	SB-125	0.00156	pCi/m3	0.0012	0.0012	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	SB-125	0.000238	pCi/m3	0.0013	0.0013	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	SB-125	-0.00081	pCi/m3	0.0018	0.0018	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	SB-125	-0.000594	pCi/m3	0.0011	0.0011	U		
SESPMNT	B12984	YAKIMA	DISTANT	AT	03-Oct-01	SB-125	-0.000603	pCi/m3	0.0012	0.0012	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	SB-125	-0.00000989	pCi/m3	0.0014	0.0014	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	SB-125	0.000118	pCi/m3	0.00074	0.00074	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	SB-125	-0.000198	pCi/m3	0.00068	0.00068	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	SB-125	0.000269	pCi/m3	0.00079	0.00079	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	SB-125	-0.000558	pCi/m3	0.0008	0.0008	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B114X4	200 ESE	ONSITE	AT	19-Mar-01	I-129	0.000010705	pCi/m3		1.11332E-06			
SESPMNT	B111X2	200 ESE	ONSITE	AT	19-Jun-01	I-129	0.000009083	pCi/m3		1.03546E-06			
SESPMNT	B12876	200 ESE	ONSITE	AT	09-Oct-01	I-129	0.000015652	pCi/m3		2.15998E-06			
SESPMNT	B13133	200 ESE	ONSITE	AT	02-Jan-02	I-129	0.000018088	pCi/m3		2.49614E-06			
SESPMNT	B114Y3	BYERS LANDING	PERIMETER	AT	12-Apr-01	I-129	0.000000489	pCi/m3		4.401E-08			
SESPMNT	B11LY0	BYERS LANDING	PERIMETER	AT	06-Jul-01	I-129	0.000000546	pCi/m3		5.7876E-08			
SESPMNT	B12885	BYERS LANDING	PERIMETER	AT	26-Sep-01	I-129	0.000000579	pCi/m3		7.4112E-08			
SESPMNT	B13142	BYERS LANDING	PERIMETER	AT	17-Jan-02	I-129	0.000000816	pCi/m3		8.4864E-08			
SESPMNT	B114X8	RINGOLD MET TOWER	PERIMETER	AT	12-Apr-01	I-129	0.000000272	pCi/m3		3.9168E-08			
SESPMNT	B111X6	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	I-129	0.000000325	pCi/m3		5.915E-08			
SESPMNT	B12881	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	I-129	0.000000249	pCi/m3		4.1832E-08			
SESPMNT	B13137	RINGOLD MET TOWER	PERIMETER	AT	17-Jan-02	I-129	0.000000349	pCi/m3		4.188E-08			
SESPMNT	B114Y8	YAKIMA	DISTANT	AT	22-Mar-01	I-129	0.000000077	pCi/m3		1.5554E-08			
SESPMNT	B11LY4	YAKIMA	DISTANT	AT	12-Jul-01	I-129	0.000000027	pCi/m3		3.672E-09			
SESPMNT	B12889	YAKIMA	DISTANT	AT	03-Oct-01	I-129	0.000000077	pCi/m3		8.624E-09			
SESPMNT	B13147	YAKIMA	DISTANT	AT	28-Dec-01	I-129	0.000000028	pCi/m3		3.752E-09			
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	PU-238	0.00000105	pCi/m3	0.00000062	0.00000065			
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	PU-238	0.00000527	pCi/m3	0.00000015	0.00000017			
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	PU-238	0.00000486	pCi/m3	0.00000014	0.00000016			
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	PU-238	0.00000073	pCi/m3	0.00000068	0.00000071			
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	PU-238	-0.000000353	pCi/m3	0.00000002	0.00000033	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	PU-238	-0.000000154	pCi/m3	0.00000036	0.00000036	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	PU-238	-0.000000163	pCi/m3	0.00000036	0.00000043	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	PU-238	-0.000000026	pCi/m3	0.00000071	0.00000076	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	PU-238	-0.000000853	pCi/m3	0.00000042	0.00000091	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	PU-238	-9.02E-08	pCi/m3	0.00000074	0.00000094	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	PU-238	-0.000000069	pCi/m3	0.00000017	0.00000017	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	PU-238	-0.000000493	pCi/m3	0.00000015	0.00000015	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	PU-238	-0.000000214	pCi/m3	0.00000064	0.00000064	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	PU-238	-0.000000161	pCi/m3	0.00000036	0.00000036	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	PU-238	0.000000241	pCi/m3	0.00000076	0.00000008	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	PU-238	0.000000434	pCi/m3	0.00000083	0.00000086	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	PU-238	-0.000000447	pCi/m3	0.00000039	0.00000045	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	PU-238	-9.52E-08	pCi/m3	0.00000035	0.00000042	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	PU-238	-2.24E-08	pCi/m3	0.00000031	0.00000038	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	PU-238	-0.000000157	pCi/m3	0.00000004	0.00000047	U		
SESPMNT	B114C8	300 NE	ONSITE	AT	04-Apr-01	PU-238	-7.63E-09	pCi/m3	0.000000015	0.000000015	U		
SESPMNT	B11LD8	300 NE	ONSITE	AT	28-Jun-01	PU-238	-4.48E-08	pCi/m3	0.00000049	0.00000061	U		
SESPMNT	B127R2	300 NE	ONSITE	AT	02-Oct-01	PU-238	-0.000000142	pCi/m3	0.00000052	0.00000063	U		
SESPMNT	B130L2	300 NE	ONSITE	AT	27-Dec-01	PU-238	0.000000188	pCi/m3	0.00000087	0.00000094	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	PU-238	-0.000000111	pCi/m3	0.00000071	0.00000012	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	PU-238	0.000000176	pCi/m3	0.00000034	0.00000036	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	PU-238	-0.00000001	pCi/m3	0.00000047	0.00000011	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	PU-238	5.98E-08	pCi/m3	0.00000003	0.00000032	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	PU-238	-0.000000509	pCi/m3	0.00000015	0.00000017	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	PU-238	-0.000000461	pCi/m3	0.00000011	0.00000011	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	PU-238	-0.000000582	pCi/m3	0.00000015	0.00000015	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	PU-238	-0.000000209	pCi/m3	0.00000041	0.00000046	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	PU-238	-0.00000003	pCi/m3	0.00000011	0.00000013	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	PU-238	-0.000000853	pCi/m3	0.00000049	0.00000081	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	PU-238	0.00000011	pCi/m3	0.0000002	0.00000021	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	PU-238	0.000000748	pCi/m3	0.00000017	0.00000018	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	PU-238	-0.000000786	pCi/m3	0.00000004	0.00000084	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	PU-238	-0.000000494	pCi/m3	0.00000013	0.00000013	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	PU-238	-0.000000243	pCi/m3	0.00000013	0.00000015	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	PU-238	-0.000000933	pCi/m3	0.00000063	0.00000088	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	PU-238	0.000000059	pCi/m3	0.00000013	0.00000015	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	PU-238	-0.000000803	pCi/m3	0.00000044	0.00000076	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	PU-238	0.000000899	pCi/m3	0.00000017	0.00000019	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	PU-238	-0.000000488	pCi/m3	0.00000015	0.00000015	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	PU-238	-0.000000619	pCi/m3	0.00000014	0.00000014	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	PU-238	-0.000000134	pCi/m3	0.00000078	0.00000001	U		
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	PU-238	-0.000000273	pCi/m3	0.00000011	0.00000013	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	PU-238	-0.000000688	pCi/m3	0.00000037	0.00000073	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	PU-238	-0.000000151	pCi/m3	0.00000038	0.00000038	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	PU-238	-0.000000191	pCi/m3	0.00000048	0.00000048	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	PU-238	-0.000000306	pCi/m3	0.00000018	0.00000026	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	PU-238	-0.000000248	pCi/m3	0.00000015	0.00000026	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	PU-238	-0.000000837	pCi/m3	0.00000051	0.00000089	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	PU-238	-0.00000001	pCi/m3	0.00000008	0.0000001	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	PU-238	-0.000000472	pCi/m3	0.00000012	0.00000014	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	PU-238	-0.000000498	pCi/m3	0.00000014	0.00000014	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	PU-238	-0.000000258	pCi/m3	0.00000062	0.00000062	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	PU-238	-0.000000425	pCi/m3	0.00000022	0.00000045	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	PU-238	-0.000000131	pCi/m3	0.00000044	0.00000055	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	PU-238	-0.000000506	pCi/m3	0.00000031	0.00000048	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	PU-238	-0.000000497	pCi/m3	0.00000029	0.00000053	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	PU-238	-5.74E-08	pCi/m3	0.00000058	0.00000072	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	PU-238	-0.000000666	pCi/m3	0.00000044	0.00000063	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	PU-238	-0.000000432	pCi/m3	0.00000028	0.00000046	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	PU-238	-0.000000755	pCi/m3	0.00000049	0.00000081	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	PU-238	-0.000000772	pCi/m3	0.00000038	0.00000082	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	PU-238	-0.000000815	pCi/m3	0.00000044	0.00000077	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	PU-238	-0.000000157	pCi/m3	0.00000015	0.00000017	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	PU-238	-0.000000394	pCi/m3	0.00000003	0.00000038	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	PU-238	-3.26E-08	pCi/m3	0.00000024	0.00000031	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	PU-238	-0.000000114	pCi/m3	0.00000053	0.00000058	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	PU-238	-2.95E-08	pCi/m3	0.00000024	0.00000003	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	PU-238	-0.000000826	pCi/m3	0.00000047	0.00000088	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	PU-238	-0.000000692	pCi/m3	0.00000036	0.00000074	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	PU-238	-0.00000105	pCi/m3	0.00000064	0.00000099	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	PU-238	-0.000000689	pCi/m3	0.00000004	0.00000073	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	PU-238	-0.000000177	pCi/m3	0.00000057	0.00000057	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	PU-238	-0.000000157	pCi/m3	0.00000035	0.00000035	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	PU-238	-7.66E-08	pCi/m3	0.00000036	0.00000042	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	PU-238	-0.000000215	pCi/m3	0.00000001	0.00000023	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	PU-238	-0.000000898	pCi/m3	0.00000005	0.00000085	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	PU-238	-0.000000078	pCi/m3	0.00000041	0.00000083	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	PU-238	-0.0000001	pCi/m3	0.00000057	0.00000086	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	PU-238	-0.000000079	pCi/m3	0.00000045	0.00000084	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	PU-238	-0.000000709	pCi/m3	0.00000041	0.00000076	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	PU-238	-0.000000678	pCi/m3	0.00000016	0.00000016	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	PU-238	-0.000000051	pCi/m3	0.00000014	0.00000014	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	PU-238	0.000000148	pCi/m3	0.00000018	0.00000019	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	PU-238	-0.000000214	pCi/m3	0.00000012	0.00000023	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	PU-238	-0.000000032	pCi/m3	0.00000018	0.00000003	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	PU-238	-1.72E-08	pCi/m3	0.00000028	0.00000034	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	PU-238	-0.000000172	pCi/m3	0.00000045	0.00000045	U		
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	PU-239/240	0.0000004	pCi/m3	0.00000012	0.00000013			
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	PU-239/240	0.00000356	pCi/m3	0.00000039	0.00000064			
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	PU-239/240	0.0000227	pCi/m3	0.0000003	0.00000044			
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	PU-239/240	0.00000493	pCi/m3	0.00000016	0.00000017			
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	PU-239/240	0.00000217	pCi/m3	0.00000012	0.00000013			
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	PU-239/240	0.00000157	pCi/m3	0.00000009	0.00000094			
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	PU-239/240	0.000000798	pCi/m3	0.00000077	0.00000079	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	PU-239/240	0.00000256	pCi/m3	0.00000019	0.00000019			
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	PU-239/240	0.00000816	pCi/m3	0.00000042	0.00000044			
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	PU-239/240	0.00000598	pCi/m3	0.00000031	0.00000032			
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	PU-239/240	0.00000159	pCi/m3	0.00000021	0.00000022	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	PU-239/240	0.00000703	pCi/m3	0.00000041	0.00000043			
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	PU-239/240	0.00000164	pCi/m3	0.00000014	0.00000014			
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	PU-239/240	0.00000519	pCi/m3	0.00000016	0.00000018			
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	PU-239/240	0.00000017	pCi/m3	0.00000012	0.00000013			
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	PU-239/240	0.00000115	pCi/m3	0.00000012	0.00000012	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	PU-239/240	6.35E-09	pCi/m3	0.00000078	0.00000079	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	PU-239/240	0.000000673	pCi/m3	0.00000073	0.00000075	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	PU-239/240	0.000000242	pCi/m3	0.00000043	0.00000045	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	PU-239/240	-3.36E-08	pCi/m3	0.00000004	0.00000043	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B114C8	300 NE	ONSITE	AT	04-Apr-01	PU-239/240	0.000000057	pCi/m3	0.000000066	0.000000066	U		
SESPMNT	B11LD8	300 NE	ONSITE	AT	28-Jun-01	PU-239/240	0.000000386	pCi/m3	0.00000069	0.00000073	U		
SESPMNT	B127R2	300 NE	ONSITE	AT	02-Oct-01	PU-239/240	0.00000658	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B130L2	300 NE	ONSITE	AT	27-Dec-01	PU-239/240	-0.000000454	pCi/m3	0.00000041	0.00000046	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	PU-239/240	0.000000024	pCi/m3	0.00000031	0.00000032	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	PU-239/240	6.74E-08	pCi/m3	0.00000025	0.00000026	U		
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	PU-239/240	0.000000279	pCi/m3	0.0000003	0.0000003	U		
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	PU-239/240	0.000000132	pCi/m3	0.00000023	0.00000024	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	PU-239/240	-0.000000362	pCi/m3	0.00000016	0.00000017	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	PU-239/240	0.000000207	pCi/m3	0.00000074	0.00000082	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	PU-239/240	-0.000000207	pCi/m3	0.00000014	0.00000014	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	PU-239/240	0.00000272	pCi/m3	0.0000047	0.0000049	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	PU-239/240	-0.000000114	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	PU-239/240	-9.36E-08	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	PU-239/240	0.000000915	pCi/m3	0.0000016	0.0000017	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	PU-239/240	0.000000108	pCi/m3	0.0000001	0.00000011	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	PU-239/240	0.00000127	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	PU-239/240	0.00000075	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	PU-239/240	0.000000962	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	PU-239/240	0.000000157	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	PU-239/240	-0.000000726	pCi/m3	0.00000073	0.00000086	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	PU-239/240	0.000000286	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	PU-239/240	-0.000000609	pCi/m3	0.00000056	0.00000072	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	PU-239/240	0.00000152	pCi/m3	0.000002	0.000002	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	PU-239/240	-0.000000022	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	PU-239/240	-0.000000109	pCi/m3	0.00000089	0.00000098	U		
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	PU-239/240	0.00000135	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	PU-239/240	-0.000000362	pCi/m3	0.00000037	0.00000053	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	PU-239/240	-2.72E-08	pCi/m3	0.0000003	0.00000033	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	PU-239/240	0.000000961	pCi/m3	0.00000084	0.00000086	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	PU-239/240	0.000000454	pCi/m3	0.00000051	0.00000053	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	PU-239/240	0.000000362	pCi/m3	0.0000007	0.00000071	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	PU-239/240	-0.000000207	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	PU-239/240	0.000000462	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	PU-239/240	0.000000323	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	PU-239/240	-0.00000008	pCi/m3	0.00000072	0.00000082	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	PU-239/240	0.000000471	pCi/m3	0.00000077	0.0000008	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	PU-239/240	0.000000444	pCi/m3	0.00000079	0.00000082	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	PU-239/240	0.000000484	pCi/m3	0.00000087	0.00000089	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	PU-239/240	0.00000516	pCi/m3	0.0000024	0.0000025	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	PU-239/240	-0.000000268	pCi/m3	0.00000028	0.00000039	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	PU-239/240	0.000000337	pCi/m3	0.00000084	0.00000089	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	PU-239/240	0.000000641	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	PU-239/240	0.000000799	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	PU-239/240	0.000000428	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	PU-239/240	-0.000000584	pCi/m3	0.00000053	0.0000007	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	PU-239/240	-0.000000645	pCi/m3	0.00000054	0.00000066	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	PU-239/240	-0.00000048	pCi/m3	0.00000055	0.0000007	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	PU-239/240	0.000000143	pCi/m3	0.00000082	0.00000083	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	PU-239/240	0.000000093	pCi/m3	0.00000073	0.00000075	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	PU-239/240	0.000000294	pCi/m3	0.00000059	0.00000061	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	PU-239/240	0.000000206	pCi/m3	0.00000043	0.00000044	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	PU-239/240	-0.00000115	pCi/m3	0.00000095	0.0000011	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	PU-239/240	-0.000000183	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	PU-239/240	-0.000000066	pCi/m3	0.00000063	0.00000078	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	PU-239/240	0.000000823	pCi/m3	0.0000014	0.0000015	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	PU-239/240	-0.000000234	pCi/m3	0.00000024	0.00000028	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	PU-239/240	0.000000247	pCi/m3	0.00000041	0.00000043	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	PU-239/240	0.000000007	pCi/m3	0.00000052	0.00000054	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	PU-239/240	1.89E-08	pCi/m3	0.00000028	0.0000003	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	PU-239/240	-0.000000194	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	PU-239/240	0.000000611	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	PU-239/240	-0.000000181	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	PU-239/240	-0.000000425	pCi/m3	0.00000045	0.00000062	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	PU-239/240	-7.71E-08	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	PU-239/240	0.000000845	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	PU-239/240	0.000000424	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	PU-239/240	0.00000158	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	PU-239/240	0.000000435	pCi/m3	0.00000064	0.00000065	U		
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	PU-239/240	0.000000118	pCi/m3	0.00000048	0.0000005	U		
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	PU-239/240	0.000000111	pCi/m3	0.00000042	0.00000044	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	PU-239/240	0.000000229	pCi/m3	0.0000006	0.00000062	U		
SESPMNT	B11502	100 AREAS	ONSITE	AT	03-Apr-01	SR-90	0.0000355	pCi/m3	0.00003	0.000031	U		
SESPMNT	B11LY9	100 AREAS	ONSITE	AT	27-Jun-01	SR-90	0.000131	pCi/m3	0.000022	0.000039			
SESPMNT	B12893	100 AREAS	ONSITE	AT	01-Oct-01	SR-90	0.00023	pCi/m3	0.000025	0.000059			
SESPMNT	B13151	100 AREAS	ONSITE	AT	26-Dec-01	SR-90	0.0000233	pCi/m3	0.000015	0.000017	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	SR-90	0.0000269	pCi/m3	0.000021	0.000022	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	SR-90	0.00000799	pCi/m3	0.000018	0.000019	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	SR-90	0.0000353	pCi/m3	0.000022	0.000026	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	SR-90	0.00000566	pCi/m3	0.000024	0.000025	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	SR-90	0.0000198	pCi/m3	0.000059	0.000059	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	SR-90	-0.0000267	pCi/m3	0.000044	0.000044	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	SR-90	-0.00000953	pCi/m3	0.000072	0.000074	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	SR-90	-0.0000467	pCi/m3	0.000051	0.000051	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	SR-90	0.0000313	pCi/m3	0.000022	0.000023	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	SR-90	0.000000459	pCi/m3	0.000017	0.000017	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	SR-90	0.0000183	pCi/m3	0.000021	0.000024	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	SR-90	-0.00000774	pCi/m3	0.000017	0.000017	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	SR-90	0.0000156	pCi/m3	0.000017	0.000018	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	SR-90	-0.000014	pCi/m3	0.000019	0.000019	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	SR-90	-0.00000285	pCi/m3	0.000015	0.000016	U		
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	SR-90	0.0000287	pCi/m3	0.000022	0.000025	U		
SESPMNT	B114C8	300 NE	ONSITE	AT	04-Apr-01	SR-90	-0.00000426	pCi/m3	0.00002	0.000023	U		
SESPMNT	B11LD8	300 NE	ONSITE	AT	28-Jun-01	SR-90	0.0000711	pCi/m3	0.000045	0.000049	U		
SESPMNT	B127R2	300 NE	ONSITE	AT	02-Oct-01	SR-90	0.000029	pCi/m3	0.000037	0.000042	U		
SESPMNT	B130L2	300 NE	ONSITE	AT	27-Dec-01	SR-90	0.00000279	pCi/m3	0.000033	0.000036	U		
SESPMNT	B11598	400 AREA	ONSITE	AT	03-Apr-01	SR-90	0.0000023	pCi/m3	0.000094	0.000094	U		
SESPMNT	B11M97	400 AREA	ONSITE	AT	27-Jun-01	SR-90	0.0000204	pCi/m3	0.000012	0.000014			
SESPMNT	B128M9	400 AREA	ONSITE	AT	01-Oct-01	SR-90							Sample failed analysis
SESPMNT	B131J5	400 AREA	ONSITE	AT	26-Dec-01	SR-90	0.00000729	pCi/m3	0.000011	0.000011	U		
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	SR-90	0.0000646	pCi/m3	0.000059	0.000059	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	SR-90	-0.0000139	pCi/m3	0.000038	0.000045	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	SR-90	-0.00000248	pCi/m3	0.00005	0.000054	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	SR-90	-0.000159	pCi/m3	0.00017	0.00017	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	SR-90	0.0000229	pCi/m3	0.000049	0.000053	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	SR-90	-0.0000276	pCi/m3	0.000047	0.000049	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	SR-90	-0.0000188	pCi/m3	0.000056	0.000057	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	SR-90	-0.00000377	pCi/m3	0.000063	0.000068	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	SR-90	0.0000539	pCi/m3	0.000052	0.000055	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	SR-90	-0.0000334	pCi/m3	0.000036	0.00005	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	SR-90	-0.0000535	pCi/m3	0.000032	0.000062	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	SR-90	-0.00000778	pCi/m3	0.000042	0.000048	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	SR-90	0.0000602	pCi/m3	0.000058	0.000059	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	SR-90	-0.000014	pCi/m3	0.000041	0.000046	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	SR-90	-0.0000472	pCi/m3	0.000043	0.000054	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	SR-90	0.000000053	pCi/m3	0.000054	0.000055	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	SR-90	0.000053	pCi/m3	0.000065	0.000066	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	SR-90	-0.0000588	pCi/m3	0.000043	0.000051	U		
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	SR-90	0.00000399	pCi/m3	0.000055	0.00006	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	SR-90	-0.00000631	pCi/m3	0.000043	0.000049	U		
SESPMNT	B115W8	HANFORD TOWNSITE	ONSITE	AT	03-Apr-01	SR-90	0.00000485	pCi/m3	0.000018	0.000018	U		
SESPMNT	B11MW8	HANFORD TOWNSITE	ONSITE	AT	27-Jun-01	SR-90	0.0000298	pCi/m3	0.000023	0.000026	U		
SESPMNT	B12969	HANFORD TOWNSITE	ONSITE	AT	01-Oct-01	SR-90	0.0000438	pCi/m3	0.000021	0.000025	U		
SESPMNT	B13246	HANFORD TOWNSITE	ONSITE	AT	26-Dec-01	SR-90	0.00000669	pCi/m3	0.000017	0.000018	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	SR-90	0.0000324	pCi/m3	0.000065	0.000071	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	SR-90	-0.00000415	pCi/m3	0.000055	0.000055	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	SR-90	0.0000113	pCi/m3	0.00006	0.000063	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	SR-90	0.0000164	pCi/m3	0.00005	0.000057	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	SR-90	0.0000299	pCi/m3	0.00003	0.000031	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	SR-90	-0.0000155	pCi/m3	0.000039	0.000041	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	SR-90	-0.0000126	pCi/m3	0.000024	0.000028	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	SR-90	0.0000032	pCi/m3	0.000031	0.000034	U		
SESPMNT	B115H2	RINGOLD MET TOWER	PERIMETER	AT	29-Mar-01	SR-90	0.0000533	pCi/m3	0.000059	0.000059	U		
SESPMNT	B11MF7	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	SR-90	0.0000165	pCi/m3	0.00004	0.000043	U		
SESPMNT	B128V3	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	SR-90	0.00000494	pCi/m3	0.000037	0.000042	U		
SESPMNT	B131P0	RINGOLD MET TOWER	PERIMETER	AT	04-Jan-02	SR-90	-0.0000026	pCi/m3	0.000031	0.000035	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	SR-90	0.0000142	pCi/m3	0.00005	0.000056	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	SR-90	-0.0000671	pCi/m3	0.000041	0.000053	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	SR-90	-0.00000349	pCi/m3	0.000049	0.00005	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	SR-90	-0.0000575	pCi/m3	0.000057	0.000057	U		
SESPMNT	B115P6	TRI CITIES	COMMUNITY	AT	28-Mar-01	SR-90	0.000011	pCi/m3	0.00002	0.000021	U		
SESPMNT	B11MP2	TRI CITIES	COMMUNITY	AT	03-Jul-01	SR-90	0.00000543	pCi/m3	0.000017	0.000018	U		
SESPMNT	B12927	TRI CITIES	COMMUNITY	AT	26-Sep-01	SR-90	0.0000126	pCi/m3	0.000022	0.000024	U		
SESPMNT	B131Y9	TRI CITIES	COMMUNITY	AT	02-Jan-02	SR-90	-0.00000113	pCi/m3	0.000014	0.000015	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	SR-90	0.0000416	pCi/m3	0.000052	0.000058	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	SR-90	-0.0000469	pCi/m3	0.000037	0.00005	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	SR-90	-0.0000417	pCi/m3	0.000047	0.00006	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	SR-90	0.0000133	pCi/m3	0.000056	0.000058	U		
SESPMNT	B115N3	WAHLUKE SLOPE	PERIMETER	AT	28-Mar-01	SR-90	-0.000000946	pCi/m3	0.000022	0.000022	U		
SESPMNT	B11MM7	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	SR-90	0.0000281	pCi/m3	0.00002	0.000022	U		
SESPMNT	B12914	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	SR-90	0.0000132	pCi/m3	0.000023	0.000023	U		
SESPMNT	B131X4	WAHLUKE SLOPE	PERIMETER	AT	03-Jan-02	SR-90	-0.00000609	pCi/m3	0.000016	0.000017	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	SR-90	0.00000535	pCi/m3	0.000047	0.000054	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	SR-90	-0.0000349	pCi/m3	0.000059	0.000059	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	SR-90	0.000148	pCi/m3	0.000062	0.000077			
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	SR-90	-0.00000523	pCi/m3	0.000056	0.00006	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	SR-90	0.00000218	pCi/m3	0.000023	0.000064	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	SR-90	-0.0000352	pCi/m3	0.000069	0.00007	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	SR-90	-0.0000256	pCi/m3	0.000051	0.000051	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	SR-90	-0.0000628	pCi/m3	0.00005	0.000054	U		
SESPMNT	B115L8	YAKIMA BARRICADE	PERIMETER	AT	04-Apr-01	SR-90	0.0000484	pCi/m3	0.000022	0.000026			
SESPMNT	B11ML4	YAKIMA BARRICADE	PERIMETER	AT	28-Jun-01	SR-90	0.0000515	pCi/m3	0.000028	0.000032			
SESPMNT	B128Y9	YAKIMA BARRICADE	PERIMETER	AT	02-Oct-01	SR-90	0.0000207	pCi/m3	0.000018	0.00002	U		
SESPMNT	B131V9	YAKIMA BARRICADE	PERIMETER	AT	27-Dec-01	SR-90	-0.00000772	pCi/m3	0.00002	0.00002	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	U-234	0.0000173	pCi/m3	0.0000044	0.0000054			
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	U-234	0.0000114	pCi/m3	0.0000034	0.000004			
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	U-234	0.0000163	pCi/m3	0.0000039	0.000005			
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	U-234	0.0000195	pCi/m3	0.0000053	0.0000064			
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	U-234	0.0000134	pCi/m3	0.0000082	0.0000088			
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	U-234	0.000016	pCi/m3	0.0000068	0.0000076			
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	U-234	0.00002	pCi/m3	0.00001	0.000011			
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	U-234	0.0000122	pCi/m3	0.0000087	0.0000091			
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	U-234	0.000013	pCi/m3	0.0000045	0.0000051			
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	U-234	0.0000171	pCi/m3	0.0000041	0.0000052			
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	U-234	0.0000021	pCi/m3	0.0000057	0.000007			
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	U-234	0.0000115	pCi/m3	0.0000041	0.0000046			
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	U-234	0.0000017	pCi/m3	0.0000037	0.0000048			
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	U-234	0.00000217	pCi/m3	0.0000055	0.0000068			
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	U-234	0.0000261	pCi/m3	0.0000043	0.0000064			
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	U-234	0.0000156	pCi/m3	0.0000046	0.0000055			
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	U-234	0.0000123	pCi/m3	0.0000065	0.0000071			
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	U-234	0.0000266	pCi/m3	0.0000093	0.000011			
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	U-234	0.0000316	pCi/m3	0.00001	0.000012			
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	U-234	0.0000197	pCi/m3	0.000008	0.0000089			
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	U-234	0.00000215	pCi/m3	0.0000085	0.0000094			
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	U-234	0.0000264	pCi/m3	0.0000088	0.00001			
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	U-234	0.0000302	pCi/m3	0.0000092	0.000011			
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	U-234	0.0000266	pCi/m3	0.0000089	0.00001			
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	U-234	0.0000105	pCi/m3	0.0000082	0.0000086			
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	U-234	0.00000899	pCi/m3	0.0000048	0.0000053			
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	U-234	0.00000753	pCi/m3	0.000007	0.0000073	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	U-234	0.0000317	pCi/m3	0.000021	0.000023			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11517	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	U-234	0.0000155	pCi/m3	0.0000076	0.0000083			
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	U-234	0.0000294	pCi/m3	0.000012	0.000013			
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	U-234	0.0000382	pCi/m3	0.000011	0.000013			
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	U-234	0.00000892	pCi/m3	0.0000072	0.0000076			
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	U-234	0.0000287	pCi/m3	0.0000092	0.000011			
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	U-234	0.0000493	pCi/m3	0.000012	0.000015			
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	U-234	0.0000643	pCi/m3	0.000014	0.000019			
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	U-234	0.0000331	pCi/m3	0.000011	0.000013			
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	U-234	0.0000154	pCi/m3	0.0000071	0.0000078			
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	U-234	0.0000396	pCi/m3	0.000012	0.000014			
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	U-234	0.0000502	pCi/m3	0.000015	0.000018			
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	U-234	0.0000211	pCi/m3	0.0000085	0.0000095			
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	U-234	0.00000854	pCi/m3	0.0000071	0.0000075			
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	U-234	0.0000334	pCi/m3	0.00001	0.000012			
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	U-234	0.000035	pCi/m3	0.000011	0.000013			
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	U-234	0.0000165	pCi/m3	0.000012	0.000013			
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	U-234	0.0000174	pCi/m3	0.0000084	0.0000091			
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	U-234	0.0000183	pCi/m3	0.0000075	0.0000084			
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	U-234	0.0000375	pCi/m3	0.000011	0.000013			
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	U-234	0.0000127	pCi/m3	0.0000081	0.0000086			
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	U-234	0.0000165	pCi/m3	0.0000047	0.0000056			
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	U-234	0.0000181	pCi/m3	0.0000063	0.0000072			
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	U-234	0.0000157	pCi/m3	0.0000044	0.0000053			
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	U-234	0.0000154	pCi/m3	0.0000061	0.0000068			
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	U-234	0.000012	pCi/m3	0.0000056	0.0000062			
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	U-234	0.0000265	pCi/m3	0.0000097	0.000011			
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	U-234	0.0000124	pCi/m3	0.0000074	0.0000079			
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	U-234	0.000017	pCi/m3	0.0000093	0.00001			
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	U-234	0.0000179	pCi/m3	0.0000075	0.0000083			
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	U-234	0.0000148	pCi/m3	0.000007	0.0000077			
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	U-234	0.0000266	pCi/m3	0.00001	0.000011			
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	U-234	0.0000137	pCi/m3	0.0000072	0.0000078			
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	U-234	0.0000128	pCi/m3	0.0000068	0.0000074			
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	U-234	0.0000133	pCi/m3	0.0000091	0.0000095			
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	U-234	0.0000183	pCi/m3	0.0000072	0.0000081			
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	U-234	0.000013	pCi/m3	0.0000079	0.0000084			
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	U-234	0.00000752	pCi/m3	0.0000047	0.0000051			
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	U-234	0.00000652	pCi/m3	0.0000061	0.0000065			
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	U-234	0.0000108	pCi/m3	0.000006	0.0000065			
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	U-234	0.000012	pCi/m3	0.0000078	0.0000083			
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	U-235	0.000000386	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	U-235	0.00000094	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	U-235	2.27E-08	pCi/m3	0.00000064	0.00000074	U		
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	U-235	0.00000018	pCi/m3	0.00000096	0.000001	U		
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	U-235	0.000000857	pCi/m3	0.0000031	0.0000034	U		
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	U-235	-0.000000265	pCi/m3	0.0000019	0.0000021	U		
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	U-235	-0.000000332	pCi/m3	0.0000024	0.0000027	U		
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	U-235	0.00000186	pCi/m3	0.0000041	0.0000043	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	U-235	0.000000567	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	U-235	0.000000114	pCi/m3	0.00000066	0.00000073	U		
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	U-235	0.00000016	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	U-235	1.21E-08	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	U-235	0.00000012	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	U-235	-0.000000301	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	U-235	0.00000131	pCi/m3	0.0000011	0.0000012			
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	U-235	-0.000000361	pCi/m3	0.00000074	0.00000082	U		
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	U-235	0.000000244	pCi/m3	0.0000028	0.000003	U		
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	U-235	-0.000000393	pCi/m3	0.0000022	0.0000025	U		
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	U-235	-0.000000428	pCi/m3	0.0000015	0.0000018	U		
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	U-235	-0.000000568	pCi/m3	0.0000014	0.0000017	U		
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	U-235	0.00000108	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	U-235	0.00000007	pCi/m3	0.0000023	0.0000026	U		
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	U-235	0.000000982	pCi/m3	0.0000026	0.0000029	U		
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	U-235	0.00000115	pCi/m3	0.0000027	0.0000029	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	U-235	0.000000943	pCi/m3	0.0000042	0.0000044	U		
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	U-235	-0.000000913	pCi/m3	0.0000012	0.0000015	U		
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	U-235	-0.000000383	pCi/m3	0.0000023	0.0000025	U		
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	U-235	-0.00000039	pCi/m3	0.0000008	0.0000008	U		
SESPMNT	B11577	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	U-235	0.000000201	pCi/m3	0.0000025	0.0000028	U		
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	U-235	-0.00000112	pCi/m3	0.0000026	0.0000026	U		
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	U-235	9.56E-08	pCi/m3	0.000002	0.0000023	U		
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	U-235	-0.00000204	pCi/m3	0.0000013	0.0000016	U		
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	U-235	0.00000196	pCi/m3	0.0000035	0.0000037	U		
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	U-235	0.00000102	pCi/m3	0.0000024	0.0000026	U		
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	U-235	0.000000962	pCi/m3	0.0000026	0.0000029	U		
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	U-235	-0.000000191	pCi/m3	0.0000018	0.000002	U		
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	U-235	-0.000000626	pCi/m3	0.0000014	0.0000017	U		
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	U-235	0.000000469	pCi/m3	0.0000022	0.0000024	U		
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	U-235	-0.000000055	pCi/m3	0.000003	0.0000032	U		
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	U-235	-0.000000305	pCi/m3	0.0000016	0.0000018	U		
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	U-235	0.00000044	pCi/m3	0.0000047	0.0000049	U		
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	U-235	-0.000000438	pCi/m3	0.0000014	0.0000017	U		
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	U-235	-0.000000536	pCi/m3	0.0000015	0.0000019	U		
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	U-235	0.000000607	pCi/m3	0.0000079	0.0000081	U		
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	U-235	-0.00000146	pCi/m3	0.0000021	0.0000023	U		
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	U-235	0.000000368	pCi/m3	0.0000024	0.0000026	U		
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	U-235	0.000000294	pCi/m3	0.0000034	0.0000037	U		
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	U-235	-2.24E-08	pCi/m3	0.0000022	0.0000024	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	U-235	0.000000025	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	U-235	0.00000151	pCi/m3	0.0000022	0.0000023	U		
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	U-235	2.22E-08	pCi/m3	0.00000083	0.00000096	U		
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	U-235	0.00000272	pCi/m3	0.0000027	0.0000028	U		
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	U-235	0.000000331	pCi/m3	0.000002	0.0000022	U		
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	U-235	0.000000297	pCi/m3	0.0000035	0.0000037	U		
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	U-235	0.000000261	pCi/m3	0.0000029	0.000003	U		
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	U-235	0.000000481	pCi/m3	0.0000032	0.0000034	U		
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	U-235	0.000000194	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	U-235	0.000000029	pCi/m3	0.000002	0.0000022	U		
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	U-235	0.000000282	pCi/m3	0.0000026	0.0000029	U		
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	U-235	-0.000000283	pCi/m3	0.0000016	0.0000018	U		
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	U-235	1.01E-08	pCi/m3	0.0000022	0.0000025	U		
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	U-235	0.00000172	pCi/m3	0.0000045	0.0000047	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	U-235	-0.000000492	pCi/m3	0.0000013	0.0000016	U		
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	U-235	0.000000775	pCi/m3	0.0000029	0.0000031	U		
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	U-235	2.79E-08	pCi/m3	0.0000016	0.0000019	U		
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	U-235	0.000000128	pCi/m3	0.000003	0.0000033	U		
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	U-235	0.000000216	pCi/m3	0.0000022	0.0000024	U		
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	U-235	0.000000671	pCi/m3	0.0000027	0.0000029	U		
SESPMNT	B11524	200 E AREA	ONSITE	AT	19-Mar-01	U-238	0.0000148	pCi/m3	0.0000042	0.000005			
SESPMNT	B11M18	200 E AREA	ONSITE	AT	03-Jul-01	U-238	0.0000145	pCi/m3	0.0000037	0.0000047			
SESPMNT	B128C5	200 E AREA	ONSITE	AT	25-Sep-01	U-238	0.0000126	pCi/m3	0.0000035	0.0000043			
SESPMNT	B13173	200 E AREA	ONSITE	AT	02-Jan-02	U-238	0.0000167	pCi/m3	0.0000049	0.0000059			
SESPMNT	B11569	200 W AREA	ONSITE	AT	19-Mar-01	U-238	0.0000101	pCi/m3	0.0000071	0.0000077			
SESPMNT	B11M70	200 W AREA	ONSITE	AT	03-Jul-01	U-238	0.0000148	pCi/m3	0.0000067	0.0000075			
SESPMNT	B128K0	200 W AREA	ONSITE	AT	25-Sep-01	U-238	0.0000415	pCi/m3	0.000015	0.000017			
SESPMNT	B131D5	200 W AREA	ONSITE	AT	02-Jan-02	U-238	0.00000776	pCi/m3	0.0000074	0.0000077	U		
SESPMNT	B11550	200 W SOUTH EAST	ONSITE	AT	19-Mar-01	U-238	0.0000137	pCi/m3	0.0000046	0.0000053			
SESPMNT	B11M48	200 W SOUTH EAST	ONSITE	AT	03-Jul-01	U-238	0.0000159	pCi/m3	0.000004	0.000005			
SESPMNT	B128H1	200 W SOUTH EAST	ONSITE	AT	25-Sep-01	U-238	0.0000181	pCi/m3	0.0000052	0.0000063			
SESPMNT	B131B3	200 W SOUTH EAST	ONSITE	AT	02-Jan-02	U-238	0.0000146	pCi/m3	0.0000046	0.0000054			
SESPMNT	B11576	300 AREA	ONSITE	AT	04-Apr-01	U-238	0.0000153	pCi/m3	0.0000036	0.0000045			
SESPMNT	B11M78	300 AREA	ONSITE	AT	28-Jun-01	U-238	0.0000188	pCi/m3	0.0000051	0.0000062			
SESPMNT	B128K7	300 AREA	ONSITE	AT	02-Oct-01	U-238	0.0000225	pCi/m3	0.000004	0.0000058			
SESPMNT	B131F3	300 AREA	ONSITE	AT	27-Dec-01	U-238	0.0000115	pCi/m3	0.000004	0.0000046			
SESPMNT	B114D0	300 NE	ONSITE	AT	04-Apr-01	U-238	0.0000112	pCi/m3	0.0000066	0.0000072			
SESPMNT	B11LF0	300 NE	ONSITE	AT	28-Jun-01	U-238	0.0000292	pCi/m3	0.0000098	0.000011			
SESPMNT	B127R4	300 NE	ONSITE	AT	02-Oct-01	U-238	0.0000227	pCi/m3	0.0000088	0.00001			
SESPMNT	B130L4	300 NE	ONSITE	AT	27-Dec-01	U-238	0.0000158	pCi/m3	0.0000072	0.0000081			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B114C9	300 TRENCH	ONSITE	AT	04-Apr-01	U-238	0.0000124	pCi/m3	0.0000066	0.0000072			
SESPMNT	B11LD9	300 TRENCH	ONSITE	AT	28-Jun-01	U-238	0.0000131	pCi/m3	0.0000067	0.0000075			
SESPMNT	B127R3	300 TRENCH	ONSITE	AT	02-Oct-01	U-238	0.0000292	pCi/m3	0.0000091	0.000011			
SESPMNT	B130L3	300 TRENCH	ONSITE	AT	27-Dec-01	U-238	0.0000229	pCi/m3	0.0000084	0.0000096			
SESPMNT	B11543	B POND	ONSITE	AT	19-Mar-01	U-238	0.0000106	pCi/m3	0.0000081	0.0000086			
SESPMNT	B11M40	B POND	ONSITE	AT	03-Jul-01	U-238	0.0000158	pCi/m3	0.0000063	0.0000072			
SESPMNT	B128F4	B POND	ONSITE	AT	25-Sep-01	U-238	0.0000162	pCi/m3	0.0000079	0.0000088			
SESPMNT	B13195	B POND	ONSITE	AT	01-Jan-02	U-238	0.00000902	pCi/m3	0.000015	0.000016	U		
SESPMNT	B115T7	BASIN CITY SCHOOL	COMMUNITY	AT	28-Mar-01	U-238	0.0000181	pCi/m3	0.0000077	0.0000087			
SESPMNT	B11MT4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	U-238	0.0000118	pCi/m3	0.0000076	0.0000082			
SESPMNT	B12948	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-01	U-238	0.0000521	pCi/m3	0.000013	0.000016			
SESPMNT	B13222	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jan-02	U-238	0.0000152	pCi/m3	0.0000091	0.0000098			
SESPMNT	B115J6	BYERS LANDING	PERIMETER	AT	29-Mar-01	U-238	0.000025	pCi/m3	0.0000088	0.00001			
SESPMNT	B11MJ3	BYERS LANDING	PERIMETER	AT	06-Jul-01	U-238	0.0000483	pCi/m3	0.000012	0.000015			
SESPMNT	B128W7	BYERS LANDING	PERIMETER	AT	26-Sep-01	U-238	0.0000495	pCi/m3	0.000013	0.000016			
SESPMNT	B131R6	BYERS LANDING	PERIMETER	AT	04-Jan-02	U-238	0.0000195	pCi/m3	0.000009	0.0000099			
SESPMNT	B115H9	DOGWOOD MET TOWER	PERIMETER	AT	29-Mar-01	U-238	0.0000117	pCi/m3	0.0000064	0.000007			
SESPMNT	B11MH5	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	U-238	0.0000288	pCi/m3	0.0000099	0.000011			
SESPMNT	B128W0	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	U-238	0.0000471	pCi/m3	0.000014	0.000017			
SESPMNT	B131P8	DOGWOOD MET TOWER	PERIMETER	AT	04-Jan-02	U-238	0.0000254	pCi/m3	0.0000095	0.000011			
SESPMNT	B115W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	28-Mar-01	U-238	0.0000167	pCi/m3	0.0000088	0.0000096			
SESPMNT	B11MW0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	U-238	0.0000336	pCi/m3	0.00001	0.000012			
SESPMNT	B12962	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	U-238	0.0000295	pCi/m3	0.00001	0.000012			
SESPMNT	B13238	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jan-02	U-238	0.0000225	pCi/m3	0.000013	0.000014			
SESPMNT	B115V4	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Mar-01	U-238	0.0000151	pCi/m3	0.000008	0.0000088			
SESPMNT	B11MV2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	U-238	0.0000167	pCi/m3	0.0000073	0.0000081			
SESPMNT	B12955	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	U-238	0.0000334	pCi/m3	0.00001	0.000012			
SESPMNT	B13230	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jan-02	U-238	0.00000701	pCi/m3	0.000007	0.0000073	U		
SESPMNT	B115K3	PROSSER BARRICADE	PERIMETER	AT	05-Apr-01	U-238	0.0000178	pCi/m3	0.0000049	0.000006			
SESPMNT	B11MK1	PROSSER BARRICADE	PERIMETER	AT	29-Jun-01	U-238	0.0000214	pCi/m3	0.0000066	0.0000078			
SESPMNT	B128X4	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	U-238	0.0000181	pCi/m3	0.0000048	0.0000059			
SESPMNT	B131T4	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	U-238	0.0000227	pCi/m3	0.0000074	0.0000086			
SESPMNT	B114K3	TOPPENISH	DISTANT	AT	04-Apr-01	U-238	0.0000122	pCi/m3	0.0000059	0.0000065			
SESPMNT	B11LL1	TOPPENISH	DISTANT	AT	27-Jun-01	U-238	0.000015	pCi/m3	0.0000081	0.0000089			
SESPMNT	B127X9	TOPPENISH	DISTANT	AT	03-Oct-01	U-238	0.0000244	pCi/m3	0.0000092	0.00001			
SESPMNT	B130R9	TOPPENISH	DISTANT	AT	26-Dec-01	U-238	0.0000153	pCi/m3	0.000009	0.0000098			
SESPMNT	B115F5	W END OF FIR ROAD	PERIMETER	AT	29-Mar-01	U-238	0.00000877	pCi/m3	0.0000058	0.0000064			
SESPMNT	B11MD9	W END OF FIR ROAD	PERIMETER	AT	06-Jul-01	U-238	0.0000117	pCi/m3	0.0000064	0.000007			
SESPMNT	B128T6	W END OF FIR ROAD	PERIMETER	AT	26-Sep-01	U-238	0.000022	pCi/m3	0.0000088	0.00001			
SESPMNT	B131N2	W END OF FIR ROAD	PERIMETER	AT	04-Jan-02	U-238	0.0000166	pCi/m3	0.0000081	0.0000089			
SESPMNT	B115D7	WYE BARRICADE	ONSITE	AT	03-Apr-01	U-238	0.0000125	pCi/m3	0.0000068	0.0000075			
SESPMNT	B11MD2	WYE BARRICADE	ONSITE	AT	27-Jun-01	U-238	0.0000061	pCi/m3	0.000007	0.0000074	U		
SESPMNT	B128R8	WYE BARRICADE	ONSITE	AT	01-Oct-01	U-238	0.0000162	pCi/m3	0.000007	0.0000079			
SESPMNT	B131M4	WYE BARRICADE	ONSITE	AT	26-Dec-01	U-238	0.0000104	pCi/m3	0.0000073	0.0000079			
SESPMNT	B115R9	YAKIMA	DISTANT	AT	05-Apr-01	U-238	0.00000605	pCi/m3	0.0000044	0.0000049			
SESPMNT	B11MR7	YAKIMA	DISTANT	AT	29-Jun-01	U-238	0.0000115	pCi/m3	0.0000079	0.0000086			
SESPMNT	B12940	YAKIMA	DISTANT	AT	03-Oct-01	U-238	0.0000142	pCi/m3	0.0000066	0.0000074			
SESPMNT	B13214	YAKIMA	DISTANT	AT	28-Dec-01	U-238	0.0000107	pCi/m3	0.0000072	0.0000078			
SESPMNT	B118P1	100 K AREA	ONSITE	AT	23-Jan-01	TRITIUM	2.2	pCi/m3	0.45	0.71			
SESPMNT	B11CX9	100 K AREA	ONSITE	AT	15-Feb-01	TRITIUM	1.43	pCi/m3	0.68	1	U		
SESPMNT	B11KT2	100 K AREA	ONSITE	AT	16-Mar-01	TRITIUM	1.85	pCi/m3	0.54	0.84	J		
SESPMNT	B11RY7	100 K AREA	ONSITE	AT	17-Apr-01	TRITIUM	0.671	pCi/m3	0.37	0.57	U		
SESPMNT	B11YK9	100 K AREA	ONSITE	AT	15-May-01	TRITIUM	0.755	pCi/m3	0.42	0.65	U		
SESPMNT	B12511	100 K AREA	ONSITE	AT	11-Jun-01	TRITIUM	1.17	pCi/m3	0.66	1	U		
SESPMNT	B129P1	100 K AREA	ONSITE	AT	10-Jul-01	TRITIUM	1.06	pCi/m3	0.42	0.65			
SESPMNT	B12JX0	100 K AREA	ONSITE	AT	08-Aug-01	TRITIUM	0.639	pCi/m3	0.48	0.74	U		
SESPMNT	B12TD7	100 K AREA	ONSITE	AT	04-Sep-01	TRITIUM	4.03	pCi/m3	0.78	1.2			
SESPMNT	B13271	100 K AREA	ONSITE	AT	01-Oct-01	TRITIUM	5.86	pCi/m3	0.77	1.2			
SESPMNT	B139F8	100 K AREA	ONSITE	AT	02-Nov-01	TRITIUM	1.78	pCi/m3	0.59	0.89			
SESPMNT	B13KT3	100 K AREA	ONSITE	AT	26-Nov-01	TRITIUM	1.63	pCi/m3	0.77	1.2	U		
SESPMNT	B13PR7	100 K AREA	ONSITE	AT	26-Dec-01	TRITIUM	2.04	pCi/m3	0.59	0.9			
SESPMNT	B118P2	100 N-1325 CRIB	ONSITE	AT	23-Jan-01	TRITIUM	0.558	pCi/m3	0.28	0.43	U		
SESPMNT	B11CY0	100 N-1325 CRIB	ONSITE	AT	15-Feb-01	TRITIUM	1.66	pCi/m3	0.46	0.71			
SESPMNT	B11KT3	100 N-1325 CRIB	ONSITE	AT	16-Mar-01	TRITIUM	0.862	pCi/m3	0.28	0.43	J		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11RY8	100 N-1325 CRIB	ONSITE	AT	17-Apr-01	TRITIUM	1.53	pCi/m3	0.35	0.54	J		
SESPMNT	B11YL0	100 N-1325 CRIB	ONSITE	AT	15-May-01	TRITIUM						CONNECTED.	
SESPMNT	B12512	100 N-1325 CRIB	ONSITE	AT	11-Jun-01	TRITIUM	3.46	pCi/m3	0.66	1			
SESPMNT	B129P2	100 N-1325 CRIB	ONSITE	AT	10-Jul-01	TRITIUM	1.33	pCi/m3	0.77	1.2	U		
SESPMNT	B12JX1	100 N-1325 CRIB	ONSITE	AT	08-Aug-01	TRITIUM	2.55	pCi/m3	0.78	1.2			
SESPMNT	B12TD8	100 N-1325 CRIB	ONSITE	AT	04-Sep-01	TRITIUM	0.915	pCi/m3	0.62	0.94	U		
SESPMNT	B13272	100 N-1325 CRIB	ONSITE	AT	01-Oct-01	TRITIUM	1.64	pCi/m3	0.39	0.61			
SESPMNT	B139F9	100 N-1325 CRIB	ONSITE	AT	02-Nov-01	TRITIUM	5.37	pCi/m3	1.3	2			
SESPMNT	B13KT4	100 N-1325 CRIB	ONSITE	AT	26-Nov-01	TRITIUM	4.12	pCi/m3	1.2	1.9			
SESPMNT	B13PR8	100 N-1325 CRIB	ONSITE	AT	26-Dec-01	TRITIUM	2.62	pCi/m3	0.9	1.4			
SESPMNT	B117Y6	200 ESE	ONSITE	AT	16-Jan-01	TRITIUM	1.29	pCi/m3	0.56	0.86			
SESPMNT	B11CC9	200 ESE	ONSITE	AT	12-Feb-01	TRITIUM	0.923	pCi/m3	0.37	0.57	J		
SESPMNT	B11JP8	200 ESE	ONSITE	AT	13-Mar-01	TRITIUM	1.41	pCi/m3	0.64	1	U		
SESPMNT	B11R80	200 ESE	ONSITE	AT	10-Apr-01	TRITIUM	1.28	pCi/m3	0.68	1.1	U		
SESPMNT	B11WV9	200 ESE	ONSITE	AT	08-May-01	TRITIUM	1.21	pCi/m3	0.86	1.3	U		
SESPMNT	B124N8	200 ESE	ONSITE	AT	05-Jun-01	TRITIUM	1.63	pCi/m3	0.87	1.3	U		
SESPMNT	B12995	200 ESE	ONSITE	AT	03-Jul-01	TRITIUM	1.82	pCi/m3	0.7	1.1			
SESPMNT	B12DJ0	200 ESE	ONSITE	AT	31-Jul-01	TRITIUM	0.863	pCi/m3	0.87	1.4	U		
SESPMNT	B12PJ5	200 ESE	ONSITE	AT	29-Aug-01	TRITIUM	3.88	pCi/m3	0.79	1.2			
SESPMNT	B12WY6	200 ESE	ONSITE	AT	25-Sep-01	TRITIUM	1.43	pCi/m3	0.77	1.2	U		
SESPMNT	B135T9	200 ESE	ONSITE	AT	23-Oct-01	TRITIUM	2.54	pCi/m3	1.4	2.1	U		
SESPMNT	B13HJ2	200 ESE	ONSITE	AT	19-Nov-01	TRITIUM	3.1	pCi/m3	1.7	2.5	U		
SESPMNT	B13NR4	200 ESE	ONSITE	AT	17-Dec-01	TRITIUM	1.75	pCi/m3	0.9	1.4	U		
SESPMNT	B117Y7	200 TEL. EXCHANGE	ONSITE	AT	16-Jan-01	TRITIUM	0.584	pCi/m3	0.56	0.87	U		
SESPMNT	B11CD0	200 TEL. EXCHANGE	ONSITE	AT	12-Feb-01	TRITIUM	1.04	pCi/m3	0.46	0.71	U		
SESPMNT	B11JP9	200 TEL. EXCHANGE	ONSITE	AT	13-Mar-01	TRITIUM	5.41	pCi/m3	0.73	1.2			
SESPMNT	B11R81	200 TEL. EXCHANGE	ONSITE	AT	10-Apr-01	TRITIUM	0.562	pCi/m3	0.72	1.1	U		
SESPMNT	B11WW0	200 TEL. EXCHANGE	ONSITE	AT	08-May-01	TRITIUM	-0.517	pCi/m3	1.7	2.6	U		
SESPMNT	B124N9	200 TEL. EXCHANGE	ONSITE	AT	05-Jun-01	TRITIUM	1.86	pCi/m3	0.78	1.2			
SESPMNT	B12996	200 TEL. EXCHANGE	ONSITE	AT	03-Jul-01	TRITIUM	2.28	pCi/m3	0.73	1.1		POWER OFF. LOW EXPOSURE HOURS.	
SESPMNT	B12DJ1	200 TEL. EXCHANGE	ONSITE	AT	31-Jul-01	TRITIUM						NO SAMPLE. STATION TEMPORARILY MOVED TO 200 W MET TOWER BUT POWER OUTAGE AT THAT STATION.	
SESPMNT	B12PJ6	200 TEL. EXCHANGE	ONSITE	AT	29-Aug-01	TRITIUM	2.57	pCi/m3	1.1	1.7			
SESPMNT	B12WY7	200 TEL. EXCHANGE	ONSITE	AT	25-Sep-01	TRITIUM	1.44	pCi/m3	0.81	1.2	U		
SESPMNT	B135V0	200 TEL. EXCHANGE	ONSITE	AT	23-Oct-01	TRITIUM	5.48	pCi/m3	0.83	1.3			
SESPMNT	B13HJ3	200 TEL. EXCHANGE	ONSITE	AT	19-Nov-01	TRITIUM	2.53	pCi/m3	0.97	1.5			
SESPMNT	B13NR5	200 TEL. EXCHANGE	ONSITE	AT	17-Dec-01	TRITIUM	3.25	pCi/m3	0.63	0.97			
SESPMNT	B118P5	300 NE	ONSITE	AT	24-Jan-01	TRITIUM	2.52	pCi/m3	0.52	0.82			
SESPMNT	B11CY3	300 NE	ONSITE	AT	16-Feb-01	TRITIUM	4.07	pCi/m3	0.54	0.87			
SESPMNT	B11KT6	300 NE	ONSITE	AT	21-Mar-01	TRITIUM	3.69	pCi/m3	0.71	1.1			
SESPMNT	B11T01	300 NE	ONSITE	AT	18-Apr-01	TRITIUM	4.11	pCi/m3	0.66	1			
SESPMNT	B11YL3	300 NE	ONSITE	AT	16-May-01	TRITIUM	4.55	pCi/m3	0.88	1.4			
SESPMNT	B12515	300 NE	ONSITE	AT	14-Jun-01	TRITIUM	1.58	pCi/m3	0.59	0.9			
SESPMNT	B129P5	300 NE	ONSITE	AT	11-Jul-01	TRITIUM	9.76	pCi/m3	1.1	1.8			
SESPMNT	B12JX4	300 NE	ONSITE	AT	09-Aug-01	TRITIUM	8.37	pCi/m3	1.3	2.1		POWER OUTAGE, OBSERVED ZERO END FLOW, ASSUMED 0.4 CFH.	
SESPMNT	B12TF1	300 NE	ONSITE	AT	05-Sep-01	TRITIUM	6.19	pCi/m3	1.2	1.8			
SESPMNT	B13275	300 NE	ONSITE	AT	02-Oct-01	TRITIUM	12.9	pCi/m3	1.3	2.1			
SESPMNT	B139H2	300 NE	ONSITE	AT	01-Nov-01	TRITIUM	18.8	pCi/m3	1.9	3.2			
SESPMNT	B13KT7	300 NE	ONSITE	AT	27-Nov-01	TRITIUM	7.09	pCi/m3	1	1.6			
SESPMNT	B13PT1	300 NE	ONSITE	AT	27-Dec-01	TRITIUM	4.9	pCi/m3	0.75	1.2			
SESPMNT	B118P3	300 SOUTH GATE	ONSITE	AT	24-Jan-01	TRITIUM	6.69	pCi/m3	0.59	1			
SESPMNT	B118N9	300 SOUTH GATE	ONSITE	AT	24-Jan-01	TRITIUM	4.38	pCi/m3	0.39	0.66			
SESPMNT	B11CY1	300 SOUTH GATE	ONSITE	AT	16-Feb-01	TRITIUM	2.93	pCi/m3	0.46	0.73	J		
SESPMNT	B11CX4	300 SOUTH GATE	ONSITE	AT	16-Feb-01	TRITIUM	1.98	pCi/m3	0.35	0.55	J		
SESPMNT	B11KT4	300 SOUTH GATE	ONSITE	AT	21-Mar-01	TRITIUM	2.63	pCi/m3	0.55	0.85	J		
SESPMNT	B11KR6	300 SOUTH GATE	ONSITE	AT	21-Mar-01	TRITIUM	3.99	pCi/m3	0.66	1			
SESPMNT	B11RY9	300 SOUTH GATE	ONSITE	AT	18-Apr-01	TRITIUM	2.44	pCi/m3	0.55	0.86	J		
SESPMNT	B11RY1	300 SOUTH GATE	ONSITE	AT	18-Apr-01	TRITIUM	1.54	pCi/m3	0.55	0.85	J		
SESPMNT	B11YL1	300 SOUTH GATE	ONSITE	AT	16-May-01	TRITIUM	1.72	pCi/m3	0.6	0.91			
SESPMNT	B11YJ2	300 SOUTH GATE	ONSITE	AT	16-May-01	TRITIUM	2.76	pCi/m3	0.69	1.1			
SESPMNT	B124X9	300 SOUTH GATE	ONSITE	AT	14-Jun-01	TRITIUM	4.35	pCi/m3	0.77	1.2			
SESPMNT	B12513	300 SOUTH GATE	ONSITE	AT	14-Jun-01	TRITIUM	2.05	pCi/m3	0.66	1			
SESPMNT	B129P3	300 SOUTH GATE	ONSITE	AT	11-Jul-01	TRITIUM	5	pCi/m3	0.84	1.3			
SESPMNT	B129N6	300 SOUTH GATE	ONSITE	AT	11-Jul-01	TRITIUM	6.81	pCi/m3	0.95	1.5			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12JX2	300 SOUTH GATE	ONSITE	AT	09-Aug-01	TRITIUM	8.87 pCi/m3		0.99	1.6			
SESPMNT	B12JV5	300 SOUTH GATE	ONSITE	AT	09-Aug-01	TRITIUM	8.86 pCi/m3		1	1.7			
SESPMNT	B12TD9	300 SOUTH GATE	ONSITE	AT	05-Sep-01	TRITIUM	9.84 pCi/m3		1.4	2.2			
SESPMNT	B12T46	300 SOUTH GATE	ONSITE	AT	05-Sep-01	TRITIUM	7.8 pCi/m3		0.88	1.4			
SESPMNT	B13269	300 SOUTH GATE	ONSITE	AT	02-Oct-01	TRITIUM	7.62 pCi/m3		0.82	1.3			
SESPMNT	B13273	300 SOUTH GATE	ONSITE	AT	02-Oct-01	TRITIUM	8.23 pCi/m3		0.76	1.3			
SESPMNT	B139H0	300 SOUTH GATE	ONSITE	AT	01-Nov-01	TRITIUM	13.7 pCi/m3		1.4	2.3			
SESPMNT	B139F5	300 SOUTH GATE	ONSITE	AT	01-Nov-01	TRITIUM	6.64 pCi/m3		0.91	1.4			
SESPMNT	B13KP9	300 SOUTH GATE	ONSITE	AT	27-Nov-01	TRITIUM	5.62 pCi/m3		0.94	1.5			
SESPMNT	B13KT5	300 SOUTH GATE	ONSITE	AT	27-Nov-01	TRITIUM	11.2 pCi/m3		1	1.7			
SESPMNT	B13PR4	300 SOUTH GATE	ONSITE	AT	27-Dec-01	TRITIUM	5.07 pCi/m3		0.88	1.4			
SESPMNT	B13PR9	300 SOUTH GATE	ONSITE	AT	27-Dec-01	TRITIUM	2.37 pCi/m3		0.73	1.1			
SESPMNT	B118R0	300 SOUTH WEST	ONSITE	AT	24-Jan-01	TRITIUM	6.13 pCi/m3		1.3	2.1			
SESPMNT	B11D01	300 SOUTH WEST	ONSITE	AT	16-Feb-01	TRITIUM	1.5 pCi/m3		0.46	0.71	J		
SESPMNT	B11L08	300 SOUTH WEST	ONSITE	AT	21-Mar-01	TRITIUM	4.13 pCi/m3		0.59	0.93			
SESPMNT	B11T07	300 SOUTH WEST	ONSITE	AT	18-Apr-01	TRITIUM	3.54 pCi/m3		0.55	0.86			
SESPMNT	B11YM0	300 SOUTH WEST	ONSITE	AT	16-May-01	TRITIUM	2.42 pCi/m3		0.41	0.64			
SESPMNT	B12520	300 SOUTH WEST	ONSITE	AT	14-Jun-01	TRITIUM	1.35 pCi/m3		0.42	0.65			
SESPMNT	B129R1	300 SOUTH WEST	ONSITE	AT	11-Jul-01	TRITIUM	4.92 pCi/m3		0.73	1.1			
SESPMNT	B12JY1	300 SOUTH WEST	ONSITE	AT	09-Aug-01	TRITIUM	8.64 pCi/m3		0.94	1.5			
SESPMNT	B12TF6	300 SOUTH WEST	ONSITE	AT	05-Sep-01	TRITIUM	12.2 pCi/m3		1.2	2.1			
SESPMNT	B13280	300 SOUTH WEST	ONSITE	AT	02-Oct-01	TRITIUM	9.13 pCi/m3		1	1.6		NO POWER AT STATION.	
SESPMNT	B139H9	300 SOUTH WEST	ONSITE	AT	01-Nov-01	TRITIUM	5.69 pCi/m3		0.89	1.4			
SESPMNT	B13KV2	300 SOUTH WEST	ONSITE	AT	27-Nov-01	TRITIUM	2.65 pCi/m3		0.7	1.1			
SESPMNT	B13PW5	300 SOUTH WEST	ONSITE	AT	27-Dec-01	TRITIUM	2.84 pCi/m3		0.52	0.81			
SESPMNT	B118P4	300 TRENCH	ONSITE	AT	24-Jan-01	TRITIUM	0.941 pCi/m3		0.32	0.5	J		
SESPMNT	B11CY2	300 TRENCH	ONSITE	AT	16-Feb-01	TRITIUM	2.53 pCi/m3		0.45	0.71	J		
SESPMNT	B11KT5	300 TRENCH	ONSITE	AT	21-Mar-01	TRITIUM	2.95 pCi/m3		0.5	0.78	J		
SESPMNT	B11T00	300 TRENCH	ONSITE	AT	18-Apr-01	TRITIUM	1.4 pCi/m3		0.44	0.67	J	ON AND OFF.	
SESPMNT	B11YL2	300 TRENCH	ONSITE	AT	16-May-01	TRITIUM	1.19 pCi/m3		0.29	0.44			
SESPMNT	B12514	300 TRENCH	ONSITE	AT	14-Jun-01	TRITIUM	0.962 pCi/m3		0.29	0.44			
SESPMNT	B129P4	300 TRENCH	ONSITE	AT	11-Jul-01	TRITIUM	4.03 pCi/m3		0.71	1.1			
SESPMNT	B12JX3	300 TRENCH	ONSITE	AT	09-Aug-01	TRITIUM	10.7 pCi/m3		1.7	2.7		BLOWN FUSE, OBSERVED ZERO END FLOW, ASSUMED 0.4 CFH.	
SESPMNT	B12TF0	300 TRENCH	ONSITE	AT	05-Sep-01	TRITIUM	4.9 pCi/m3		0.82	1.3			
SESPMNT	B13274	300 TRENCH	ONSITE	AT	02-Oct-01	TRITIUM	5.39 pCi/m3		0.73	1.2			
SESPMNT	B139H1	300 TRENCH	ONSITE	AT	01-Nov-01	TRITIUM	6.47 pCi/m3		1.1	1.7			
SESPMNT	B13KT6	300 TRENCH	ONSITE	AT	27-Nov-01	TRITIUM	6.19 pCi/m3		0.73	1.2			
SESPMNT	B13PT0	300 TRENCH	ONSITE	AT	27-Dec-01	TRITIUM	5.15 pCi/m3		0.61	0.98			
SESPMNT	B118P9	300 WATER INTAKE	ONSITE	AT	24-Jan-01	TRITIUM	2.39 pCi/m3		0.49	0.78			
SESPMNT	B11D00	300 WATER INTAKE	ONSITE	AT	16-Feb-01	TRITIUM						NO SAMPLE. NO VACUUM ON PUMP.	
SESPMNT	B11L07	300 WATER INTAKE	ONSITE	AT	21-Mar-01	TRITIUM	4.65 pCi/m3		0.67	1.1			
SESPMNT	B11T06	300 WATER INTAKE	ONSITE	AT	18-Apr-01	TRITIUM	0.431 pCi/m3		0.14	0.22	J		
SESPMNT	B11YL9	300 WATER INTAKE	ONSITE	AT	16-May-01	TRITIUM	4.42 pCi/m3		0.69	1.1			
SESPMNT	B12519	300 WATER INTAKE	ONSITE	AT	14-Jun-01	TRITIUM	2.81 pCi/m3		0.76	1.2			
SESPMNT	B129R0	300 WATER INTAKE	ONSITE	AT	11-Jul-01	TRITIUM	19.5 pCi/m3		1.3	2.3			
SESPMNT	B12JY0	300 WATER INTAKE	ONSITE	AT	09-Aug-01	TRITIUM	10.2 pCi/m3		1.1	1.8			
SESPMNT	B12TF5	300 WATER INTAKE	ONSITE	AT	05-Sep-01	TRITIUM	6.22 pCi/m3		1.3	2			
SESPMNT	B13279	300 WATER INTAKE	ONSITE	AT	02-Oct-01	TRITIUM	6.33 pCi/m3		1.2	1.8			
SESPMNT	B139H8	300 WATER INTAKE	ONSITE	AT	01-Nov-01	TRITIUM	5.43 pCi/m3		0.98	1.5			
SESPMNT	B13KV1	300 WATER INTAKE	ONSITE	AT	27-Nov-01	TRITIUM	4.05 pCi/m3		0.9	1.4			
SESPMNT	B13PW4	300 WATER INTAKE	ONSITE	AT	27-Dec-01	TRITIUM	3.26 pCi/m3		0.7	1.1			
SESPMNT	B118P6	400 E	ONSITE	AT	23-Jan-01	TRITIUM	1.64 pCi/m3		0.42	0.65			
SESPMNT	B11CY4	400 E	ONSITE	AT	15-Feb-01	TRITIUM	2.77 pCi/m3		0.48	0.75			
SESPMNT	B11KT7	400 E	ONSITE	AT	16-Mar-01	TRITIUM	1.61 pCi/m3		0.42	0.65	J		
SESPMNT	B11T02	400 E	ONSITE	AT	17-Apr-01	TRITIUM	1.47 pCi/m3		0.48	0.73	J		
SESPMNT	B11YL4	400 E	ONSITE	AT	15-May-01	TRITIUM	2.03 pCi/m3		0.63	0.98			
SESPMNT	B12516	400 E	ONSITE	AT	11-Jun-01	TRITIUM	1.5 pCi/m3		0.69	1.1	U		
SESPMNT	B129P6	400 E	ONSITE	AT	10-Jul-01	TRITIUM	2.61 pCi/m3		0.81	1.2			
SESPMNT	B12JX5	400 E	ONSITE	AT	08-Aug-01	TRITIUM	4.99 pCi/m3		0.99	1.5			
SESPMNT	B12TF2	400 E	ONSITE	AT	04-Sep-01	TRITIUM	5.64 pCi/m3		0.68	1.1			
SESPMNT	B13276	400 E	ONSITE	AT	01-Oct-01	TRITIUM	4.3 pCi/m3		0.83	1.3			
SESPMNT	B139H3	400 E	ONSITE	AT	02-Nov-01	TRITIUM	4.32 pCi/m3		0.82	1.3			
SESPMNT	B13KT8	400 E	ONSITE	AT	26-Nov-01	TRITIUM	12.9 pCi/m3		1.1	1.9			
SESPMNT	B13PT2	400 E	ONSITE	AT	26-Dec-01	TRITIUM	1.64 pCi/m3		0.5	0.77			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11802	BASIN CITY SCHOOL	COMMUNITY	AT	17-Jan-01	TRITIUM	0.273	pCi/m3	0.19	0.3	U		
SESPMNT	B11CD5	BASIN CITY SCHOOL	COMMUNITY	AT	14-Feb-01	TRITIUM	1.26	pCi/m3	0.3	0.46			
SESPMNT	B11JR4	BASIN CITY SCHOOL	COMMUNITY	AT	14-Mar-01	TRITIUM						NO SAMPLE.	
SESPMNT	B11R86	BASIN CITY SCHOOL	COMMUNITY	AT	11-Apr-01	TRITIUM	0.392	pCi/m3	0.36	0.55	U		
SESPMNT	B11WW5	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-01	TRITIUM	0.564	pCi/m3	0.42	0.64	U		
SESPMNT	B124P4	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jun-01	TRITIUM	2.23	pCi/m3	0.43	0.67			
SESPMNT	B129B1	BASIN CITY SCHOOL	COMMUNITY	AT	06-Jul-01	TRITIUM	0.999	pCi/m3	0.4	0.62			
SESPMNT	B12DJ6	BASIN CITY SCHOOL	COMMUNITY	AT	01-Aug-01	TRITIUM	3.58	pCi/m3	1.1	1.7			
SESPMNT	B12PK1	BASIN CITY SCHOOL	COMMUNITY	AT	29-Aug-01	TRITIUM	3.99	pCi/m3	0.99	1.5			
SESPMNT	B12X02	BASIN CITY SCHOOL	COMMUNITY	AT	26-Sep-01	TRITIUM	2.57	pCi/m3	0.87	1.3			
SESPMNT	B135V5	BASIN CITY SCHOOL	COMMUNITY	AT	24-Oct-01	TRITIUM	8.06	pCi/m3	1.2	1.9			
SESPMNT	B13HJ8	BASIN CITY SCHOOL	COMMUNITY	AT	20-Nov-01	TRITIUM	5.97	pCi/m3	0.73	1.2			
SESPMNT	B13NT0	BASIN CITY SCHOOL	COMMUNITY	AT	18-Dec-01	TRITIUM	2.33	pCi/m3	0.41	0.64			
SESPMNT	B118R1	BATTELLE COMPLEX	PERIMETER	AT	24-Jan-01	TRITIUM	3.92	pCi/m3	0.69	1.1			
SESPMNT	B11D02	BATTELLE COMPLEX	PERIMETER	AT	16-Feb-01	TRITIUM	3.28	pCi/m3	0.56	0.89			
SESPMNT	B11L10	BATTELLE COMPLEX	PERIMETER	AT	21-Mar-01	TRITIUM	6.31	pCi/m3	0.76	1.2			
SESPMNT	B11T08	BATTELLE COMPLEX	PERIMETER	AT	18-Apr-01	TRITIUM	1.97	pCi/m3	0.43	0.67	J		
SESPMNT	B11YM1	BATTELLE COMPLEX	PERIMETER	AT	16-May-01	TRITIUM	2.36	pCi/m3	0.6	0.93			
SESPMNT	B12543	BATTELLE COMPLEX	PERIMETER	AT	14-Jun-01	TRITIUM	5.93	pCi/m3	1.1	1.7			
SESPMNT	B129R2	BATTELLE COMPLEX	PERIMETER	AT	11-Jul-01	TRITIUM	5.1	pCi/m3	0.78	1.2			
SESPMNT	B12JY2	BATTELLE COMPLEX	PERIMETER	AT	09-Aug-01	TRITIUM	8.42	pCi/m3	0.96	1.6			
SESPMNT	B12TV2	BATTELLE COMPLEX	PERIMETER	AT	05-Sep-01	TRITIUM	15	pCi/m3	1.3	2.2			
SESPMNT	B13281	BATTELLE COMPLEX	PERIMETER	AT	02-Oct-01	TRITIUM	35.7	pCi/m3	1.8	3.6			
SESPMNT	B139J0	BATTELLE COMPLEX	PERIMETER	AT	01-Nov-01	TRITIUM	8.39	pCi/m3	1.3	2			
SESPMNT	B13KW1	BATTELLE COMPLEX	PERIMETER	AT	27-Nov-01	TRITIUM	6.23	pCi/m3	1.1	1.7			
SESPMNT	B13PW6	BATTELLE COMPLEX	PERIMETER	AT	27-Dec-01	TRITIUM	3.53	pCi/m3	0.74	1.1			
SESPMNT	B11800	BYERS LANDING	PERIMETER	AT	18-Jan-01	TRITIUM	0.698	pCi/m3	0.26	0.4	J		
SESPMNT	B11CD3	BYERS LANDING	PERIMETER	AT	14-Feb-01	TRITIUM	0.544	pCi/m3	0.39	0.6	U		
SESPMNT	B11JR2	BYERS LANDING	PERIMETER	AT	15-Mar-01	TRITIUM	2.55	pCi/m3	0.53	0.83	J		
SESPMNT	B11R84	BYERS LANDING	PERIMETER	AT	12-Apr-01	TRITIUM	4.61	pCi/m3	0.54	0.89			
SESPMNT	B11WW3	BYERS LANDING	PERIMETER	AT	10-May-01	TRITIUM	1.28	pCi/m3	0.62	0.94	U		
SESPMNT	B124P2	BYERS LANDING	PERIMETER	AT	07-Jun-01	TRITIUM	2.04	pCi/m3	1.1	1.6	U		
SESPMNT	B12999	BYERS LANDING	PERIMETER	AT	06-Jul-01	TRITIUM	4.5	pCi/m3	0.82	1.3			
SESPMNT	B12DJ4	BYERS LANDING	PERIMETER	AT	02-Aug-01	TRITIUM	1.55	pCi/m3	0.6	0.92			
SESPMNT	B12PJ9	BYERS LANDING	PERIMETER	AT	30-Aug-01	TRITIUM	14.5	pCi/m3	1.5	2.5			
SESPMNT	B12X00	BYERS LANDING	PERIMETER	AT	26-Sep-01	TRITIUM	3.15	pCi/m3	0.84	1.3			
SESPMNT	B135V3	BYERS LANDING	PERIMETER	AT	26-Oct-01	TRITIUM	3.5	pCi/m3	1	1.6			
SESPMNT	B13HJ6	BYERS LANDING	PERIMETER	AT	21-Nov-01	TRITIUM	2.28	pCi/m3	0.72	1.1			
SESPMNT	B13NR8	BYERS LANDING	PERIMETER	AT	19-Dec-01	TRITIUM	8.06	pCi/m3	0.77	1.3			
SESPMNT	B117Y9	DOGWOOD MET TOWER	PERIMETER	AT	18-Jan-01	TRITIUM	0.558	pCi/m3	0.43	0.65	U		
SESPMNT	B11CD2	DOGWOOD MET TOWER	PERIMETER	AT	14-Feb-01	TRITIUM	1.19	pCi/m3	0.41	0.63			
SESPMNT	B11JR1	DOGWOOD MET TOWER	PERIMETER	AT	15-Mar-01	TRITIUM	3.24	pCi/m3	0.6	0.94			
SESPMNT	B11R83	DOGWOOD MET TOWER	PERIMETER	AT	12-Apr-01	TRITIUM	1.17	pCi/m3	0.5	0.77	J		
SESPMNT	B11WW2	DOGWOOD MET TOWER	PERIMETER	AT	10-May-01	TRITIUM	0.863	pCi/m3	0.66	1	U		
SESPMNT	B124P1	DOGWOOD MET TOWER	PERIMETER	AT	07-Jun-01	TRITIUM	2.95	pCi/m3	0.75	1.2			
SESPMNT	B12998	DOGWOOD MET TOWER	PERIMETER	AT	06-Jul-01	TRITIUM	1.69	pCi/m3	0.55	0.85			
SESPMNT	B12DJ3	DOGWOOD MET TOWER	PERIMETER	AT	02-Aug-01	TRITIUM	2.02	pCi/m3	0.92	1.4	U		
SESPMNT	B12PJ8	DOGWOOD MET TOWER	PERIMETER	AT	30-Aug-01	TRITIUM	7.26	pCi/m3	1.2	1.9			
SESPMNT	B12WY9	DOGWOOD MET TOWER	PERIMETER	AT	26-Sep-01	TRITIUM	4.07	pCi/m3	1.2	1.8			
SESPMNT	B135V2	DOGWOOD MET TOWER	PERIMETER	AT	26-Oct-01	TRITIUM	3.25	pCi/m3	0.87	1.4			
SESPMNT	B13HJ5	DOGWOOD MET TOWER	PERIMETER	AT	21-Nov-01	TRITIUM	3.27	pCi/m3	0.76	1.2			
SESPMNT	B13NR7	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-01	TRITIUM	2.08	pCi/m3	0.66	1			
SESPMNT	B11804	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	17-Jan-01	TRITIUM	1.45	pCi/m3	0.36	0.56			
SESPMNT	B11CD7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Feb-01	TRITIUM	2.62	pCi/m3	0.51	0.8			
SESPMNT	B11JR6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	14-Mar-01	TRITIUM	1.23	pCi/m3	0.31	0.48	J		
SESPMNT	B11R88	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	11-Apr-01	TRITIUM	1.04	pCi/m3	0.42	0.65	J		
SESPMNT	B11WW7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-May-01	TRITIUM	0.62	pCi/m3	0.49	0.75	U		
SESPMNT	B124P6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	06-Jun-01	TRITIUM	0.881	pCi/m3	0.68	1	U		
SESPMNT	B129B3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-01	TRITIUM	1.14	pCi/m3	0.65	0.99	U		
SESPMNT	B12DJ8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	01-Aug-01	TRITIUM	3.99	pCi/m3	1.2	1.9			
SESPMNT	B12PK3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Aug-01	TRITIUM	5.72	pCi/m3	1.3	2			
SESPMNT	B12X04	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Sep-01	TRITIUM	4.66	pCi/m3	0.99	1.5			
SESPMNT	B135V7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-Oct-01	TRITIUM	0.406	pCi/m3	0.54	0.84	U		
SESPMNT	B13HK0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	20-Nov-01	TRITIUM	0.971	pCi/m3	0.59	0.92	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13NT2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-01	TRITIUM	3.64	pCi/m3	0.61	0.95			
SESPMNT	B11803	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Jan-01	TRITIUM	3.11	pCi/m3	0.49	0.77			
SESPMNT	B11CD6	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Feb-01	TRITIUM	8.11	pCi/m3	0.72	1.2			
SESPMNT	B11JR5	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Mar-01	TRITIUM						NO SAMPLE. MIDDLE CAP ON SILICA GEL MAY HAVE BEEN LOOSE.	
SESPMNT	B11R87	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Apr-01	TRITIUM	1.65	pCi/m3	0.46	0.72	J		
SESPMNT	B11WW6	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-May-01	TRITIUM	3.76	pCi/m3	0.65	1			
SESPMNT	B124P5	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Jun-01	TRITIUM	1.36	pCi/m3	0.6	0.93	U		
SESPMNT	B129B2	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jul-01	TRITIUM	3.73	pCi/m3	0.74	1.2			
SESPMNT	B12DJ7	LESLIE GROVES-RCHLND	COMMUNITY	AT	31-Jul-01	TRITIUM	3.79	pCi/m3	0.83	1.3			
SESPMNT	B12PK2	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Aug-01	TRITIUM	1.71	pCi/m3	0.76	1.2			
SESPMNT	B12X03	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Sep-01	TRITIUM	3.66	pCi/m3	0.78	1.2			
SESPMNT	B135V6	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-Oct-01	TRITIUM	3.3	pCi/m3	0.77	1.2			
SESPMNT	B13HJ9	LESLIE GROVES-RCHLND	COMMUNITY	AT	19-Nov-01	TRITIUM	1.69	pCi/m3	0.73	1.1			
SESPMNT	B13NT1	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Dec-01	TRITIUM	3.82	pCi/m3	0.64	1			
SESPMNT	B118P7	PROSSER BARRICADE	PERIMETER	AT	25-Jan-01	TRITIUM	1.21	pCi/m3	0.38	0.61			
SESPMNT	B11CV5	PROSSER BARRICADE	PERIMETER	AT	17-Feb-01	TRITIUM	1.4	pCi/m3	0.37	0.58			
SESPMNT	B11KT8	PROSSER BARRICADE	PERIMETER	AT	22-Mar-01	TRITIUM	2.3	pCi/m3	0.39	0.61	J		
SESPMNT	B11T03	PROSSER BARRICADE	PERIMETER	AT	19-Apr-01	TRITIUM	0.388	pCi/m3	0.37	0.56	U		
SESPMNT	B11YL5	PROSSER BARRICADE	PERIMETER	AT	18-May-01	TRITIUM	1.11	pCi/m3	0.6	0.9	U		
SESPMNT	B12517	PROSSER BARRICADE	PERIMETER	AT	15-Jun-01	TRITIUM	1.07	pCi/m3	0.66	1	U		
SESPMNT	B129P7	PROSSER BARRICADE	PERIMETER	AT	12-Jul-01	TRITIUM	0.73	pCi/m3	0.65	0.99	U		
SESPMNT	B12JX6	PROSSER BARRICADE	PERIMETER	AT	10-Aug-01	TRITIUM	2.17	pCi/m3	0.89	1.4			
SESPMNT	B12TF3	PROSSER BARRICADE	PERIMETER	AT	06-Sep-01	TRITIUM	5.2	pCi/m3	0.96	1.5			
SESPMNT	B13277	PROSSER BARRICADE	PERIMETER	AT	03-Oct-01	TRITIUM	5.45	pCi/m3	0.85	1.4			
SESPMNT	B139H4	PROSSER BARRICADE	PERIMETER	AT	05-Nov-01	TRITIUM	1.87	pCi/m3	0.71	1.1			
SESPMNT	B13KT9	PROSSER BARRICADE	PERIMETER	AT	29-Nov-01	TRITIUM	1.59	pCi/m3	0.68	1			
SESPMNT	B13PT3	PROSSER BARRICADE	PERIMETER	AT	28-Dec-01	TRITIUM	0.753	pCi/m3	0.52	0.8	U		
SESPMNT	B117Y8	RINGOLD MET TOWER	PERIMETER	AT	18-Jan-01	TRITIUM	0.475	pCi/m3	0.27	0.41	U		
SESPMNT	B11CD1	RINGOLD MET TOWER	PERIMETER	AT	14-Feb-01	TRITIUM	0.962	pCi/m3	0.29	0.45	J		
SESPMNT	B11JR0	RINGOLD MET TOWER	PERIMETER	AT	15-Mar-01	TRITIUM	0.672	pCi/m3	0.55	0.84	U		
SESPMNT	B11R82	RINGOLD MET TOWER	PERIMETER	AT	12-Apr-01	TRITIUM	2.35	pCi/m3	0.46	0.72	J		
SESPMNT	B11WW1	RINGOLD MET TOWER	PERIMETER	AT	10-May-01	TRITIUM	2.09	pCi/m3	0.9	1.4			
SESPMNT	B124P0	RINGOLD MET TOWER	PERIMETER	AT	07-Jun-01	TRITIUM	1.63	pCi/m3	0.85	1.3	U		
SESPMNT	B12997	RINGOLD MET TOWER	PERIMETER	AT	06-Jul-01	TRITIUM	2.09	pCi/m3	1	1.6	U		
SESPMNT	B12DJ2	RINGOLD MET TOWER	PERIMETER	AT	02-Aug-01	TRITIUM	2.17	pCi/m3	1	1.6	U		
SESPMNT	B12PJ7	RINGOLD MET TOWER	PERIMETER	AT	30-Aug-01	TRITIUM	4.91	pCi/m3	1.3	2			
SESPMNT	B12WY8	RINGOLD MET TOWER	PERIMETER	AT	26-Sep-01	TRITIUM	3.32	pCi/m3	1.2	1.8			
SESPMNT	B135V1	RINGOLD MET TOWER	PERIMETER	AT	26-Oct-01	TRITIUM	4.73	pCi/m3	1.1	1.7			
SESPMNT	B13HJ4	RINGOLD MET TOWER	PERIMETER	AT	21-Nov-01	TRITIUM	2.68	pCi/m3	0.77	1.2			
SESPMNT	B13NR6	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-01	TRITIUM	2.08	pCi/m3	0.59	0.91			
SESPMNT	B118P0	TOPPENISH	DISTANT	AT	24-Jan-01	TRITIUM	1.13	pCi/m3	0.47	0.76			
SESPMNT	B11CX5	TOPPENISH	DISTANT	AT	21-Feb-01	TRITIUM	1.1	pCi/m3	0.45	0.7	J		
SESPMNT	B11KR7	TOPPENISH	DISTANT	AT	21-Mar-01	TRITIUM	1.45	pCi/m3	0.42	0.63	J		
SESPMNT	B11RY2	TOPPENISH	DISTANT	AT	18-Apr-01	TRITIUM	1.06	pCi/m3	0.47	0.72	U		
SESPMNT	B11YJ3	TOPPENISH	DISTANT	AT	15-May-01	TRITIUM	1.07	pCi/m3	0.62	0.94	U		
SESPMNT	B12500	TOPPENISH	DISTANT	AT	13-Jun-01	TRITIUM	1.17	pCi/m3	0.66	1	U		
SESPMNT	B129N7	TOPPENISH	DISTANT	AT	10-Jul-01	TRITIUM	0.792	pCi/m3	0.62	0.94	U		
SESPMNT	B12JV6	TOPPENISH	DISTANT	AT	08-Aug-01	TRITIUM	3.82	pCi/m3	1.1	1.7			
SESPMNT	B12T86	TOPPENISH	DISTANT	AT	05-Sep-01	TRITIUM	0.367	pCi/m3	0.67	1	U		
SESPMNT	B13270	TOPPENISH	DISTANT	AT	03-Oct-01	TRITIUM	0.771	pCi/m3	0.43	0.66	U		
SESPMNT	B139F6	TOPPENISH	DISTANT	AT	05-Nov-01	TRITIUM	0.874	pCi/m3	0.9	1.4	U	FLOW ADJUSTED TO 1.0 CFH FROM 10/03/01 TO 10/31/01. ON 10/31/01 TO 11/05/01 FLOW ADJUSTED TO 0.4 CFH.	
SESPMNT	B13KR0	TOPPENISH	DISTANT	AT	29-Nov-01	TRITIUM	1.83	pCi/m3	0.76	1.2			
SESPMNT	B13PR5	TOPPENISH	DISTANT	AT	26-Dec-01	TRITIUM	0.732	pCi/m3	0.55	0.84	U		
SESPMNT	B11801	WAHLUKE SLOPE	PERIMETER	AT	17-Jan-01	TRITIUM	0.647	pCi/m3	0.36	0.56	U		
SESPMNT	B11CD4	WAHLUKE SLOPE	PERIMETER	AT	13-Feb-01	TRITIUM	1.67	pCi/m3	0.37	0.58			
SESPMNT	B11JR3	WAHLUKE SLOPE	PERIMETER	AT	14-Mar-01	TRITIUM	1.19	pCi/m3	0.5	0.78	J		
SESPMNT	B11R85	WAHLUKE SLOPE	PERIMETER	AT	11-Apr-01	TRITIUM	1.78	pCi/m3	1.1	1.8	U		
SESPMNT	B11WW4	WAHLUKE SLOPE	PERIMETER	AT	09-May-01	TRITIUM	1.03	pCi/m3	0.59	0.9	U		
SESPMNT	B124P3	WAHLUKE SLOPE	PERIMETER	AT	06-Jun-01	TRITIUM	2.27	pCi/m3	0.71	1.1			
SESPMNT	B129B0	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-01	TRITIUM	1.91	pCi/m3	0.65	1			
SESPMNT	B12DJ5	WAHLUKE SLOPE	PERIMETER	AT	01-Aug-01	TRITIUM	1.3	pCi/m3	0.81	1.3	U		
SESPMNT	B12PK0	WAHLUKE SLOPE	PERIMETER	AT	31-Aug-01	TRITIUM	1.84	pCi/m3	0.99	1.5	U		
SESPMNT	B12X01	WAHLUKE SLOPE	PERIMETER	AT	27-Sep-01	TRITIUM	6.97	pCi/m3	1.2	1.8			

ENVIRONMENTAL SURVEILLANCE DATA CY01

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B135V4	WAHLUKE SLOPE	PERIMETER	AT	24-Oct-01	TRITIUM	8.65	pCi/m3	1.2	1.9			
SESPMNT	B13HJ7	WAHLUKE SLOPE	PERIMETER	AT	20-Nov-01	TRITIUM	0.992	pCi/m3	0.67	1	U		
SESPMNT	B13NR9	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-01	TRITIUM	5.26	pCi/m3	0.68	1.1			
SESPMNT	B118P8	YAKIMA	DISTANT	AT	25-Jan-01	TRITIUM	2.11	pCi/m3	0.53	0.85			
SESPMNT	B11CY6	YAKIMA	DISTANT	AT	17-Feb-01	TRITIUM	1.49	pCi/m3	0.41	0.64			
SESPMNT	B11KT9	YAKIMA	DISTANT	AT	22-Mar-01	TRITIUM	1.64	pCi/m3	1.3	1.9	U		
SESPMNT	B11T04	YAKIMA	DISTANT	AT	19-Apr-01	TRITIUM	0.627	pCi/m3	1.1	1.6	U		
SESPMNT	B11YL6	YAKIMA	DISTANT	AT	18-May-01	TRITIUM	2.02	pCi/m3	0.42	0.64		NO POWER, OBSERVED ZERO END FLOW, ASSUMED 0.4 CFH.	
SESPMNT	B12518	YAKIMA	DISTANT	AT	15-Jun-01	TRITIUM	0.364	pCi/m3	0.43	0.67	U		
SESPMNT	B129P8	YAKIMA	DISTANT	AT	12-Jul-01	TRITIUM	2.35	pCi/m3	0.69	1.1			
SESPMNT	B12JX7	YAKIMA	DISTANT	AT	10-Aug-01	TRITIUM	3.24	pCi/m3	0.65	1			
SESPMNT	B12TF4	YAKIMA	DISTANT	AT	06-Sep-01	TRITIUM	2.38	pCi/m3	0.47	0.73			
SESPMNT	B13278	YAKIMA	DISTANT	AT	03-Oct-01	TRITIUM	4.81	pCi/m3	0.67	1.1			
SESPMNT	B139H5	YAKIMA	DISTANT	AT	05-Nov-01	TRITIUM	0.597	pCi/m3	0.95	1.4	U		
SESPMNT	B13KV0	YAKIMA	DISTANT	AT	29-Nov-01	TRITIUM	1.56	pCi/m3	0.72	1.1	U		
SESPMNT	B13PT4	YAKIMA	DISTANT	AT	28-Dec-01	TRITIUM	1.87	pCi/m3	0.44	0.68			

Surface Water

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	ALPHA	0.178	pCi/L	0.61	0.62	U		
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	ALPHA	0.651	pCi/L	0.73	0.75	U		
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	ALPHA	0.435	pCi/L	0.74	0.75	U		
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	ALPHA	0.476	pCi/L	0.7	0.71	U		
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	ALPHA	0.342	pCi/L	0.67	0.68	U		
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	ALPHA	0.807	pCi/L	0.77	0.8	U		
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	ALPHA	0.479	pCi/L	0.68	0.7	U		
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	ALPHA	0.347	pCi/L	0.63	0.64	U		
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	ALPHA	0.238	pCi/L	0.56	0.57	U		
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	ALPHA	0.093	pCi/L	0.46	0.47	U		
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	ALPHA	0.638	pCi/L	0.42	0.45			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	ALPHA	1.69	pCi/L	1	1.1			
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	ALPHA	0.241	pCi/L	0.62	0.63	U		
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	ALPHA	0.9	pCi/L	0.82	0.85	U		
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	ALPHA	0.31	pCi/L	0.71	0.72	U		
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	ALPHA	1.39	pCi/L	0.98	1			
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	ALPHA	0.538	pCi/L	0.74	0.76	U		
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	ALPHA	0.0515	pCi/L	0.49	0.49	U		
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	ALPHA	1.03	pCi/L	0.87	0.91	U		
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	ALPHA	0.736	pCi/L	0.74	0.76	U		
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	ALPHA	0.036	pCi/L	0.47	0.47	U		
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	ALPHA	0.715	pCi/L	0.75	0.78	U		
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	ALPHA	0.788	pCi/L	0.45	0.49			
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	ALPHA	0.189	pCi/L	0.54	0.55	U		
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	BETA	0.243	pCi/L	1.3	1.4	U		
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	BETA	0.82	pCi/L	1.5	1.6	U		
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	BETA	0.815	pCi/L	1.4	1.5	U		
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	BETA	-1.01	pCi/L	1.4	1.4	U		
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	BETA	-0.721	pCi/L	1.3	1.4	U		
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	BETA	0.00743	pCi/L	1.4	1.5	U		
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	BETA	0.0474	pCi/L	1.4	1.4	U		
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	BETA	-0.0546	pCi/L	1.3	1.4	U		
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	BETA	2.13	pCi/L	1.6	1.7	U		
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	BETA	0.746	pCi/L	1.4	1.5	U		
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	BETA	1.46	pCi/L	0.86	0.94	U		
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	BETA	1.11	pCi/L	1.5	1.6	U		
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	BETA	0.105	pCi/L	1.3	1.4	U		
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	BETA	1.1	pCi/L	1.5	1.6	U		
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	BETA	1.89	pCi/L	1.6	1.7	U		
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	BETA	-0.0103	pCi/L	1.4	1.5	U		
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	BETA	1.62	pCi/L	1.5	1.6	U		
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	BETA	-0.653	pCi/L	1.2	1.3	U		
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	BETA	0.757	pCi/L	1.3	1.4	U		
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	BETA	0.0426	pCi/L	1.2	1.3	U		
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	BETA	0.549	pCi/L	1.4	1.5	U		
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	BETA	-0.081	pCi/L	1.4	1.4	U		
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	BETA	1.27	pCi/L	0.86	0.94	U		
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	BETA	1.6	pCi/L	1.5	1.6	U		
SESPMNT	B114F5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	I-129	0.0000034	pCi/L		5.236E-07			
SESPMNT	B11LH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	I-129	0.0000006	pCi/L		7.08E-08			
SESPMNT	B127T9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	I-129	0.0000024	pCi/L		3.792E-07			
SESPMNT	B130M9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	I-129	0.000019	pCi/L		0.00000247			
SESPMNT	B114H9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	I-129	0.0001882	pCi/L		2.14548E-05			
SESPMNT	B11LJ7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	I-129	0.0001051	pCi/L		1.17712E-05			
SESPMNT	B127W4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	I-129	0.000098	pCi/L		0.0000098			
SESPMNT	B130P4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	I-129	0.0000708	pCi/L		7.6464E-06			
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	SR-90	0.062	pCi/L	0.026	0.033			
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	SR-90	0.0541	pCi/L	0.028	0.033	J		
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	SR-90	0.0554	pCi/L	0.027	0.032			
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	SR-90	0.0921	pCi/L	0.026	0.035			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	SR-90	0.065	pCi/L	0.03	0.035			
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	SR-90	0.0915	pCi/L	0.028	0.035			
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	SR-90	0.0688	pCi/L	0.027	0.033			
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	SR-90	0.0827	pCi/L	0.03	0.036			
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	SR-90	0.0688	pCi/L	0.03	0.036			
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	SR-90	0.0777	pCi/L	0.031	0.037			
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	SR-90	0.0694	pCi/L	0.03	0.037			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	SR-90	0.0911	pCi/L	0.03	0.037			
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	SR-90	0.0628	pCi/L	0.024	0.031			
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	SR-90	0.0734	pCi/L	0.026	0.035			
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	SR-90	0.0598	pCi/L	0.026	0.032			
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	SR-90	0.0795	pCi/L	0.027	0.034			
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	SR-90	0.0717	pCi/L	0.03	0.035			
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	SR-90	0.0715	pCi/L	0.028	0.033			
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	SR-90	0.0692	pCi/L	0.025	0.031			
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	SR-90	0.0625	pCi/L	0.027	0.032			
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	SR-90	0.0573	pCi/L	0.058	0.062	U		
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	SR-90	0.0659	pCi/L	0.032	0.036			
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	SR-90	0.0156	pCi/L	0.051	0.074	U		
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	SR-90	0.0938	pCi/L	0.032	0.039			
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	TC-99	0.258	pCi/L	0.097	0.27	U		
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	TC-99	0.115	pCi/L	0.098	0.27	U		
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	TC-99	-0.103	pCi/L	0.093	0.25	U		
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	TC-99	-0.154	pCi/L	0.095	0.24	U		
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	TC-99	0.0147	pCi/L	0.095	0.25	U		
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	TC-99	-0.152	pCi/L	0.09	0.24	U		
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	TC-99	0.033	pCi/L	0.088	0.19	U		
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	TC-99	-0.059	pCi/L	0.09	0.19	U		
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	TC-99	0.128	pCi/L	0.09	0.19	U		
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	TC-99	-0.0962	pCi/L	0.084	0.17	U		
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	TC-99	-0.0129	pCi/L	0.085	0.17	U		
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	TC-99	0.0157	pCi/L	0.085	0.18	U		
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	TC-99	0.0943	pCi/L	0.095	0.26	U		
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	TC-99	0.00808	pCi/L	0.096	0.26	U		
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	TC-99	-0.0207	pCi/L	0.094	0.25	U		
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	TC-99	-0.058	pCi/L	0.096	0.25	U		
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	TC-99	0.08	pCi/L	0.096	0.25	U		
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	TC-99	-0.0881	pCi/L	0.091	0.24	U		
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	TC-99	0.0283	pCi/L	0.088	0.19	U		
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	TC-99	0.00644	pCi/L	0.088	0.19	U		
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	TC-99	0.117	pCi/L	0.09	0.19	U		
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	TC-99	0.0481	pCi/L	0.086	0.17	U		
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	TC-99	0.111	pCi/L	0.097	0.2	U		
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	TC-99	-0.0348	pCi/L	0.084	0.17	U		
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	LO TRITIUM	42.7	pCi/L	3.6	7.1			
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	LO TRITIUM	33.2	pCi/L	3.3	6.3			
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	LO TRITIUM	32	pCi/L	3.4	6.4			
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	LO TRITIUM	65.9	pCi/L	4	8.8			
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	LO TRITIUM	43.2	pCi/L	3.6	7.1			
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	LO TRITIUM	21.7	pCi/L	3.1	5.6			
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	LO TRITIUM	30.1	pCi/L	3.3	6.2			
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	LO TRITIUM	32.6	pCi/L	3.4	6.4			
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	LO TRITIUM	30.7	pCi/L	3.4	6.3			
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	LO TRITIUM	43.2	pCi/L	3.6	7.2			
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	LO TRITIUM	29.3	pCi/L	3.3	6.2			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	LO TRITIUM	36.1	pCi/L	3.5	6.7			
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	LO TRITIUM	76.3	pCi/L	4.1	9.7			
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	LO TRITIUM	75.7	pCi/L	4.1	9.6			
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	LO TRITIUM	90.7	pCi/L	4.4	11			
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	LO TRITIUM	119	pCi/L	4.8	13			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	LO TRITIUM	130	pCi/L	4.9	14			
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	LO TRITIUM	36.4	pCi/L	3.4	6.6			
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	LO TRITIUM	81	pCi/L	4.1	10			
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	LO TRITIUM	84.3	pCi/L	4.3	10			
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	LO TRITIUM	79	pCi/L	4.2	9.9			
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	LO TRITIUM	80.1	pCi/L	4.3	10			
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	LO TRITIUM	62.7	pCi/L	3.9	8.6			
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	LO TRITIUM	61.6	pCi/L	3.9	8.6			
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	U-234	0.209	pCi/L	0.032	0.049			
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	U-234	0.255	pCi/L	0.035	0.057			
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	U-234	0.246	pCi/L	0.038	0.058			
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	U-234	0.213	pCi/L	0.033	0.05			
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	U-234	0.259	pCi/L	0.036	0.058			
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	U-234	0.205	pCi/L	0.054	0.067			
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	U-234	0.238	pCi/L	0.046	0.064			
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	U-234	0.217	pCi/L	0.037	0.054			
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	U-234	0.232	pCi/L	0.047	0.064			
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	U-234	0.251	pCi/L	0.037	0.06			
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	U-234	0.253	pCi/L	0.044	0.063			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	U-234	0.244	pCi/L	0.04	0.061			
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	U-234	0.26	pCi/L	0.065	0.081			
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	U-234	0.315	pCi/L	0.045	0.072			
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	U-234	0.301	pCi/L	0.05	0.073			
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	U-234	0.315	pCi/L	0.039	0.068			
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	U-234	0.302	pCi/L	0.039	0.065			
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	U-234	0.283	pCi/L	0.046	0.07			
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	U-234	0.281	pCi/L	0.045	0.069			
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	U-234	0.218	pCi/L	0.041	0.058			
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	U-234	0.31	pCi/L	0.052	0.078			
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	U-234	0.262	pCi/L	0.038	0.062			
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	U-234	0.256	pCi/L	0.039	0.06			
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	U-234	0.279	pCi/L	0.041	0.066			
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	U-235	0.00302	pCi/L	0.0056	0.006	U		
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	U-235	0.0084	pCi/L	0.0074	0.0079	J		
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	U-235	0.00521	pCi/L	0.007	0.0073	J		
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	U-235	0.00346	pCi/L	0.006	0.0064	U		
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	U-235	0.0115	pCi/L	0.0077	0.0079			
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	U-235	0.00981	pCi/L	0.016	0.016	U		
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	U-235	0.00692	pCi/L	0.0092	0.0095	U		
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	U-235	0.00411	pCi/L	0.0066	0.0069	U		
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	U-235	0.00815	pCi/L	0.01	0.011	U		
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	U-235	0.00175	pCi/L	0.0063	0.0066	U		
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	U-235	0.0141	pCi/L	0.011	0.011			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	U-235	0.0073	pCi/L	0.0086	0.009	U		
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	U-235	0.0157	pCi/L	0.021	0.022	U		
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	U-235	0.00513	pCi/L	0.0087	0.009	U		
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	U-235	0.0124	pCi/L	0.013	0.013	U		
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	U-235	0.0111	pCi/L	0.0083	0.0088			
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	U-235	0.00638	pCi/L	0.0062	0.0063	U		
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	U-235	0.0039	pCi/L	0.0072	0.0076	U		
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	U-235	0.00501	pCi/L	0.0089	0.0091	U		
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	U-235	0.00776	pCi/L	0.009	0.0093	U		
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	U-235	0.0113	pCi/L	0.011	0.011	U		
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	U-235	0.00873	pCi/L	0.0084	0.0088	U		
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	U-235	0.0119	pCi/L	0.0089	0.0091			
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	U-235	0.0121	pCi/L	0.0097	0.01			
SESPMNT	B114P8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	31-Jan-01	U-238	0.174	pCi/L	0.029	0.042			
SESPMNT	B11C04	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Mar-01	U-238	0.201	pCi/L	0.031	0.047			
SESPMNT	B11J40	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	04-Apr-01	U-238	0.22	pCi/L	0.036	0.053			
SESPMNT	B11LR6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-May-01	U-238	0.171	pCi/L	0.029	0.042			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11WR8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	30-May-01	U-238	0.202	pCi/L	0.032	0.048			
SESPMNT	B124L7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	28-Jun-01	U-238	0.175	pCi/L	0.051	0.06			
SESPMNT	B12834	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	09-Aug-01	U-238	0.13	pCi/L	0.034	0.042			
SESPMNT	B12JR7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	05-Sep-01	U-238	0.152	pCi/L	0.03	0.041			
SESPMNT	B12T28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	02-Oct-01	U-238	0.142	pCi/L	0.037	0.046			
SESPMNT	B130Y7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	01-Nov-01	U-238	0.149	pCi/L	0.029	0.04			
SESPMNT	B13CC6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	27-Nov-01	U-238	0.185	pCi/L	0.037	0.05			
SESPMNT	B13L96	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	03-Jan-02	U-238	0.203	pCi/L	0.037	0.052			
SESPMNT	B114T0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	31-Jan-01	U-238	0.23	pCi/L	0.061	0.074			
SESPMNT	B11C10	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Mar-01	U-238	0.25	pCi/L	0.04	0.06			
SESPMNT	B11J46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	04-Apr-01	U-238	0.24	pCi/L	0.044	0.062			
SESPMNT	B11LT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-May-01	U-238	0.305	pCi/L	0.039	0.066			
SESPMNT	B11WT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	30-May-01	U-238	0.239	pCi/L	0.034	0.054			
SESPMNT	B124M3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	28-Jun-01	U-238	0.189	pCi/L	0.038	0.051			
SESPMNT	B12841	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	09-Aug-01	U-238	0.215	pCi/L	0.039	0.056			
SESPMNT	B12JT2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	05-Sep-01	U-238	0.172	pCi/L	0.036	0.048			
SESPMNT	B12T33	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	02-Oct-01	U-238	0.223	pCi/L	0.044	0.06			
SESPMNT	B13103	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	01-Nov-01	U-238	0.185	pCi/L	0.032	0.047			
SESPMNT	B13CD2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	27-Nov-01	U-238	0.221	pCi/L	0.036	0.054			
SESPMNT	B13LB3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	03-Jan-02	U-238	0.225	pCi/L	0.037	0.055			

ENVIRONMENTAL SURVEILLANCE DATA CY01
RIVERFLOW^(a)

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	06-Jul-01	58300	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jul-01	48700	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jul-01	55300	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jul-01	61900	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jul-01	69900	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jul-01	49600	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jul-01	38300	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jul-01	57200	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jul-01	58300	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jul-01	44400	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jul-01	45700	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jul-01	65600	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jul-01	58100	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jul-01	58200	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jul-01	58400	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jul-01	45600	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jul-01	38200	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jul-01	65700	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jul-01	52500	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jul-01	55200	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jul-01	54700	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jul-01	62200	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jul-01	43700	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jul-01	36800	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jul-01	42300	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jul-01	52300	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Aug-01	53900	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Aug-01	64000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Aug-01	52400	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Aug-01	51000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Aug-01	43500	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Aug-01	59400	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Aug-01	103000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Aug-01	89100	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Aug-01	65700	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Aug-01	74100	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Aug-01	68300	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Aug-01	62600	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Aug-01	69800	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Aug-01	92400	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Aug-01	80300	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Aug-01	81500	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Aug-01	74100	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Aug-01	67700	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Aug-01	57800	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Aug-01	60100	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Aug-01	63700	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Aug-01	65600	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Aug-01	68600	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Aug-01	66000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Aug-01	73600	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Aug-01	62600	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Aug-01	94600	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Aug-01	103000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Aug-01	83800	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Aug-01	82700	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Aug-01	86700	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Sep-01	59600	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Sep-01	47300	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Sep-01	67700	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	04-Sep-01	81700	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Sep-01	85600	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Sep-01	73900	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Sep-01	42900	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Sep-01	42300	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Sep-01	45500	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Sep-01	67300	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Sep-01	99300	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Sep-01	85600	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Sep-01	78300	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Sep-01	62400	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Sep-01	47500	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Sep-01	42000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Sep-01	53800	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Sep-01	61600	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Sep-01	66400	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Sep-01	83800	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Sep-01	78600	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Sep-01	57900	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Sep-01	60700	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Sep-01	68600	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Sep-01	81500	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Sep-01	70200	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Sep-01	68200	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Sep-01	73100	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Sep-01	53400	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Sep-01	64800	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Oct-01	79600	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Oct-01	63100	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Oct-01	55000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Oct-01	59000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Oct-01	61300	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Oct-01	39900	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Oct-01	42700	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Oct-01	60100	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Oct-01	66700	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Oct-01	80000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Oct-01	61100	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Oct-01	70200	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Oct-01	48400	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Oct-01	51100	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Oct-01	69200	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Oct-01	71400	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Oct-01	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Oct-01	69700	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Oct-01	49500	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Oct-01	43800	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Oct-01	43300	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Oct-01	69200	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Oct-01	84500	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Oct-01	66900	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Oct-01	60200	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Oct-01	71300	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Oct-01	62700	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Oct-01	47800	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Oct-01	63000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Oct-01	56400	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Oct-01	71700	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Nov-01	61900	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Nov-01	53500	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	03-Nov-01	47600	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Nov-01	43700	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Nov-01	70400	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Nov-01	75800	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Nov-01	89300	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Nov-01	86600	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Nov-01	85800	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Nov-01	48200	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Nov-01	44300	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Nov-01	68300	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Nov-01	86700	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Nov-01	70700	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Nov-01	71200	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Nov-01	86900	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Nov-01	74400	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Nov-01	68900	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Nov-01	68300	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Nov-01	91100	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Nov-01	88500	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Nov-01	80800	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Nov-01	67900	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Nov-01	87300	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Nov-01	68600	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Nov-01	94900	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Nov-01	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Nov-01	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Nov-01	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Nov-01	94300	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Dec-01	75500	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Dec-01	54700	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Dec-01	68800	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Dec-01	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Dec-01	95900	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Dec-01	88700	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Dec-01	75100	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Dec-01	68800	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Dec-01	53100	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Dec-01	87100	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Dec-01	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Dec-01	93900	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Dec-01	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Dec-01	90100	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Dec-01	75400	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Dec-01	72600	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Dec-01	79200	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Dec-01	95000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Dec-01	102000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Dec-01	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Dec-01	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Dec-01	92700	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Dec-01	87100	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Dec-01	75900	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Dec-01	75300	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Dec-01	90100	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Dec-01	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Dec-01	96000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Dec-01	86600	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Dec-01	73400	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Dec-01	70900	CFS

(a) Daily average river flow data re provided by USGS and are preliminary.

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VN4	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	ANIONS						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B11J36	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J37	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J38	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J39	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J30	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.3 mg/L				C		
SESPMNT	B11J31	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J32	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J33	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J34	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B11J35	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	CHLORIDE	1.8 mg/L				C		
SESPMNT	B11J26	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	CHLORIDE	1.1 mg/L				C		
SESPMNT	B11J27	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	CHLORIDE	1.1 mg/L				C		
SESPMNT	B11J28	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	CHLORIDE	1.1 mg/L				B		
SESPMNT	B11J29	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	CHLORIDE	1.2 mg/L				C		
SESPMNT	B124X1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1.1 mg/L						
SESPMNT	B124X2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124X3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124X4	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1 mg/L						
SESPMNT	B124W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1.1 mg/L						
SESPMNT	B124X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1.6 mg/L						
SESPMNT	B124W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	CHLORIDE	1.1 mg/L						
SESPMNT	B124W1	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	CHLORIDE	1.2 mg/L						
SESPMNT	B124W2	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	CHLORIDE	1.1 mg/L						
SESPMNT	B124W3	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	CHLORIDE	1.1 mg/L						
SESPMNT	B124W4	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VN6	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VN7	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN8	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN9	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VP0	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VP1	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.4 mg/L						
SESPMNT	B12VP2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VP3	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VP4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VP5	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLORIDE	1.4 mg/L						
SESPMNT	B12VM7	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM8	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM9	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN0	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN1	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN2	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.3 mg/L						
SESPMNT	B12VN3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VN5	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR6	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VR7	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR8	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR9	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VT0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VT1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VT2	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VT3	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VT4	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.8 mg/L						
SESPMNT	B12VT5	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	CHLORIDE	1.3 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VP6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1 mg/L						
SESPMNT	B12VP7	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VP8	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1 mg/L						
SESPMNT	B12VP9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR0	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VR1	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	2.9 mg/L						
SESPMNT	B12VR2	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR3	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.6 mg/L						
SESPMNT	B12VR4	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VR5	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	CHLORIDE	1 mg/L						
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.1 mg/L						
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLORIDE	1.2 mg/L						
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	CHLORIDE	2.3 mg/L						
SESPMNT	B13LV4	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	CHLORIDE	0.81 mg/L						
SESPMNT	B13LV5	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	CHLORIDE	0.8 mg/L						
SESPMNT	B13LV6	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	CHLORIDE	0.85 mg/L						
SESPMNT	B13LV7	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	CHLORIDE	0.86 mg/L						
SESPMNT	B13LV0	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.91 mg/L						
SESPMNT	B13LV1	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.92 mg/L						
SESPMNT	B13LV2	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.94 mg/L						
SESPMNT	B13LV3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.97 mg/L						
SESPMNT	B13LT5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	1.1 mg/L						
SESPMNT	B13LT6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.89 mg/L						
SESPMNT	B13LT7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.9 mg/L						
SESPMNT	B13LT8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.91 mg/L						
SESPMNT	B13LT9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	0.91 mg/L						
SESPMNT	B13LT4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	CHLORIDE	1.8 mg/L						
SESPMNT	B11J36	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.14 mg/L						
SESPMNT	B11J37	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J38	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.14 mg/L						
SESPMNT	B11J39	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J30	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J31	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J32	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.14 mg/L						
SESPMNT	B11J33	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J34	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.14 mg/L						
SESPMNT	B11J35	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J26	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J27	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B11J28	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	FLUORIDE	0.14 mg/L						
SESPMNT	B11J29	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124X1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.14 mg/L						
SESPMNT	B124X2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.14 mg/L						
SESPMNT	B124X3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124X4	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.14 mg/L						
SESPMNT	B124W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.14 mg/L						
SESPMNT	B124W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.14 mg/L						
SESPMNT	B124X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	FLUORIDE	0.15 mg/L						
SESPMNT	B124W1	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	FLUORIDE	0.17 mg/L						
SESPMNT	B124W2	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	FLUORIDE	0.13 mg/L						
SESPMNT	B124W3	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	FLUORIDE	0.14 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B124W4	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	FLUORIDE	0.15	mg/L					
SESPMNT	B12VN6	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VN7	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VN8	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VN9	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VP0	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VP1	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VP2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VP3	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.14	mg/L					
SESPMNT	B12VP4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VP5	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.14	mg/L					
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VM7	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VM8	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VM9	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VN0	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VN1	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VN2	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VN3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VN5	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR6	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR7	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR8	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR9	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.11	mg/L					
SESPMNT	B12VT0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VT1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VT2	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VT3	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VT4	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VT5	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VP6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VP7	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VP8	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VP9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR0	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR1	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B12VR2	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR3	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR4	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VR5	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.1	mg/L					
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.11	mg/L					
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	FLUORIDE	0.12	mg/L					
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	FLUORIDE	0.13	mg/L					
SESPMNT	B13LV4	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	FLUORIDE	0.11	mg/L					
SESPMNT	B13LV5	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LV6	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LV7	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	FLUORIDE	0.11	mg/L					
SESPMNT	B13LV0	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LV1	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LV2	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LV3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13LT5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LT6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.11	mg/L					
SESPMNT	B13LT7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LT8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LT9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.12	mg/L					
SESPMNT	B13LT4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	FLUORIDE	0.13	mg/L					
SESPMNT	B11J36	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J37	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J38	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J39	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J30	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J31	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J32	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J33	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J34	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J35	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J26	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J27	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J28	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B11J29	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO2-N	0.0074	mg/L			U		
SESPMNT	B124X1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124X2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124X3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124X4	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W1	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W2	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W3	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B124W4	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN6	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN7	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN8	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN9	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP0	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP1	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP3	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VP5	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM7	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM8	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VM9	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN0	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN1	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN2	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VN5	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VR6	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VR7	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VR8	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VR9	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		
SESPMNT	B12VT0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002	mg/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VT1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VT2	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VT3	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VT4	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VT5	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VP6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VP7	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VP8	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VP9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR0	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR1	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR2	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR3	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR4	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VR5	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV4	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV5	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV6	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV7	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV0	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV1	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV2	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LV3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B13LT4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO2-N	0.002 mg/L				U		
SESPMNT	B11J36	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J37	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J38	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J39	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J30	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.14 mg/L						
SESPMNT	B11J31	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J32	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.12 mg/L						
SESPMNT	B11J33	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J34	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J35	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	NO3-N	0.33 mg/L						
SESPMNT	B11J26	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J27	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO3-N	0.12 mg/L						
SESPMNT	B11J28	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B11J29	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	NO3-N	0.13 mg/L						
SESPMNT	B124X1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.081 mg/L						
SESPMNT	B124X2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.081 mg/L						
SESPMNT	B124X3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.087 mg/L						
SESPMNT	B124X4	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.084 mg/L						
SESPMNT	B124W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.083 mg/L						
SESPMNT	B124W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.086 mg/L						
SESPMNT	B124W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.079 mg/L						
SESPMNT	B124W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.088 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B124W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.094	mg/L					
SESPMNT	B124X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	NO3-N	0.21	mg/L					
SESPMNT	B124W1	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO3-N	0.1	mg/L					
SESPMNT	B124W2	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO3-N	0.11	mg/L					
SESPMNT	B124W3	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO3-N	0.11	mg/L					
SESPMNT	B124W4	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	NO3-N	0.16	mg/L					
SESPMNT	B12VN6	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.11	mg/L					
SESPMNT	B12VN7	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.093	mg/L					
SESPMNT	B12VN8	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.093	mg/L					
SESPMNT	B12VN9	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.095	mg/L					
SESPMNT	B12VP0	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.1	mg/L					
SESPMNT	B12VP1	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.1	mg/L					
SESPMNT	B12VP2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.096	mg/L					
SESPMNT	B12VP3	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.11	mg/L					
SESPMNT	B12VP4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.088	mg/L					
SESPMNT	B12VP5	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	NO3-N	0.1	mg/L					
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO3-N	0.11	mg/L					
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO3-N	0.082	mg/L					
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO3-N	0.093	mg/L					
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	NO3-N	0.2	mg/L					
SESPMNT	B12VM7	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.055	mg/L					
SESPMNT	B12VM8	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.07	mg/L					
SESPMNT	B12VM9	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.074	mg/L					
SESPMNT	B12VN0	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.067	mg/L					
SESPMNT	B12VN1	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.061	mg/L					
SESPMNT	B12VN2	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.036	mg/L					
SESPMNT	B12VN3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.064	mg/L					
SESPMNT	B12VN5	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.059	mg/L					
SESPMNT	B12VR6	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.12	mg/L					
SESPMNT	B12VR7	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.087	mg/L					
SESPMNT	B12VR8	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.073	mg/L					
SESPMNT	B12VR9	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.075	mg/L					
SESPMNT	B12VT0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.073	mg/L					
SESPMNT	B12VT1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.061	mg/L					
SESPMNT	B12VT2	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.064	mg/L					
SESPMNT	B12VT3	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.069	mg/L					
SESPMNT	B12VT4	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.45	mg/L					
SESPMNT	B12VT5	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	NO3-N	0.14	mg/L					
SESPMNT	B12VP6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.051	mg/L					
SESPMNT	B12VP7	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.06	mg/L					
SESPMNT	B12VP8	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.051	mg/L					
SESPMNT	B12VP9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.055	mg/L					
SESPMNT	B12VR0	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.073	mg/L					
SESPMNT	B12VR1	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.33	mg/L					
SESPMNT	B12VR2	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.067	mg/L					
SESPMNT	B12VR3	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.25	mg/L					
SESPMNT	B12VR4	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.065	mg/L					
SESPMNT	B12VR5	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	NO3-N	0.053	mg/L					
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.071	mg/L					
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.066	mg/L					
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.048	mg/L					
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.05	mg/L					
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.051	mg/L					
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.046	mg/L					
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.055	mg/L					
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.031	mg/L					
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	NO3-N	0.062	mg/L					
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	NO3-N	0.38	mg/L					
SESPMNT	B13LV4	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO3-N	0.11	mg/L					
SESPMNT	B13LV5	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO3-N	0.097	mg/L					
SESPMNT	B13LV6	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO3-N	0.093	mg/L					

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13LV7	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	NO3-N	0.11 mg/L						
SESPMNT	B13LV0	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.13 mg/L						
SESPMNT	B13LV1	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.13 mg/L						
SESPMNT	B13LV2	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.13 mg/L						
SESPMNT	B13LV3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.14 mg/L						
SESPMNT	B13LT5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.15 mg/L						
SESPMNT	B13LT6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.11 mg/L						
SESPMNT	B13LT7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.11 mg/L						
SESPMNT	B13LT8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.11 mg/L						
SESPMNT	B13LT9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.12 mg/L						
SESPMNT	B13LT4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	NO3-N	0.39 mg/L						
SESPMNT	B11J36	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.2 mg/L						
SESPMNT	B11J37	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J38	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J39	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10 mg/L						
SESPMNT	B11J30	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.4 mg/L						
SESPMNT	B11J31	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J32	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.2 mg/L						
SESPMNT	B11J33	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J34	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J35	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SULFATE	12.3 mg/L						
SESPMNT	B11J26	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SULFATE	10.3 mg/L						
SESPMNT	B11J27	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SULFATE	10.2 mg/L						
SESPMNT	B11J28	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SULFATE	10.4 mg/L						
SESPMNT	B11J29	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SULFATE	10.5 mg/L						
SESPMNT	B124X1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124X2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124X3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124X4	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.5 mg/L						
SESPMNT	B124W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.5 mg/L						
SESPMNT	B124W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.5 mg/L						
SESPMNT	B124W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	9.6 mg/L						
SESPMNT	B124X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SULFATE	11 mg/L						
SESPMNT	B124W1	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SULFATE	24.7 mg/L				D		
SESPMNT	B124W2	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SULFATE	9.7 mg/L						
SESPMNT	B124W3	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SULFATE	9.7 mg/L						
SESPMNT	B124W4	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SULFATE	10.4 mg/L						
SESPMNT	B12VN6	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.3 mg/L						
SESPMNT	B12VN7	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.1 mg/L						
SESPMNT	B12VN8	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.1 mg/L						
SESPMNT	B12VN9	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.1 mg/L						
SESPMNT	B12VP0	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.4 mg/L						
SESPMNT	B12VP1	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SULFATE	10.1 mg/L						
SESPMNT	B12VP2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.6 mg/L						
SESPMNT	B12VP3	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.6 mg/L						
SESPMNT	B12VP4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.2 mg/L						
SESPMNT	B12VP5	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	SULFATE	9.2 mg/L						
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SULFATE	9.2 mg/L						
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SULFATE	9 mg/L						
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SULFATE	9.1 mg/L						
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SULFATE	10.5 mg/L						
SESPMNT	B12VM7	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VM8	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.8 mg/L						
SESPMNT	B12VM9	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.8 mg/L						
SESPMNT	B12VN0	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VN1	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VN2	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SULFATE	9 mg/L						
SESPMNT	B12VN3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VN5	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.5 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VR6	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	9 mg/L						
SESPMNT	B12VR7	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.8 mg/L						
SESPMNT	B12VR8	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VR9	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VT0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VT1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.8 mg/L						
SESPMNT	B12VT2	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.7 mg/L						
SESPMNT	B12VT3	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	SULFATE	8.7 mg/L						
SESPMNT	B12VT4	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	SULFATE	10.8 mg/L						
SESPMNT	B12VT5	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	SULFATE	9.2 mg/L						
SESPMNT	B12VP6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.5 mg/L						
SESPMNT	B12VP7	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VP8	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.4 mg/L						
SESPMNT	B12VP9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.3 mg/L						
SESPMNT	B12VR0	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VR1	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	16.2 mg/L						
SESPMNT	B12VR2	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VR3	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	SULFATE	9.9 mg/L						
SESPMNT	B12VR4	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	SULFATE	8.7 mg/L						
SESPMNT	B12VR5	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	SULFATE	1.1 mg/L						
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.8 mg/L						
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.6 mg/L						
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.5 mg/L						
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SULFATE	8.9 mg/L						
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	SULFATE	12 mg/L						
SESPMNT	B13LV4	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SULFATE	9.4 mg/L						
SESPMNT	B13LV5	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SULFATE	9.4 mg/L						
SESPMNT	B13LV6	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SULFATE	9.3 mg/L						
SESPMNT	B13LV7	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SULFATE	9.5 mg/L						
SESPMNT	B13LV0	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.8 mg/L						
SESPMNT	B13LV1	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.8 mg/L						
SESPMNT	B13LV2	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	1.9 mg/L						
SESPMNT	B13LV3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.9 mg/L						
SESPMNT	B13LT5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	10 mg/L						
SESPMNT	B13LT6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.6 mg/L						
SESPMNT	B13LT7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.7 mg/L						
SESPMNT	B13LT8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.8 mg/L						
SESPMNT	B13LT9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	9.7 mg/L						
SESPMNT	B13LT4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SULFATE	12.6 mg/L						
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	1,1-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	1BUTANOL	4.9 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ACETONE	1.8 ug/L				JB		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ACETONE	1.8 ug/L				JB		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ACETONE	1.2 ug/L				JB		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.6 ug/L				JB		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	1 ug/L				JB		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.86 ug/L				JB		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	ACETONE	1.1 ug/L				JB		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	15-Sep-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBIDE (Carbon disulfide)	0.33 ug/L				J		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	CARBIDE (Carbon disulfide)	0.29 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	07-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CARBET (Carbon tetrachloride)	0.33 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	CARBETET (Carbon tetrachloride)	0.33 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	CISDCE (cis-1,2-Dichloroethylene)	0.24 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	ETHCYANIDE (Ethyl cyanide)	2 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	HEXONE 4-Methyl-2-Pentanone)	0.42 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	METHONE (2-Butanone)	0.39 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHYCH (Methylenechloride)	0.36 ug/L				JB		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	METHYCH (Methylenechloride)	0.24 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	PERCENE (Tetrachloroethene)	0.36 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	TETHYDF(Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TOLUENE	0.25 ug/L				J		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	TOLUENE	0.98 ug/L				J		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	VINYIDE (Vinyl chloride)	0.32 ug/L				U		
SESPMNT	B12VM3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL9	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VM2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12VL8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	15-Sep-01	XYLENES	0.66 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11H62	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0603	pCi/L	0.025	0.031			
SESPMNT	B11H61	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0744	pCi/L	0.026	0.033			
SESPMNT	B11H60	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.115	pCi/L	0.033	0.044			
SESPMNT	B11H59	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0773	pCi/L	0.028	0.035			
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0758	pCi/L	0.032	0.038			
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.067	pCi/L	0.028	0.034			
SESPMNT	B11H44	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0621	pCi/L	0.025	0.031			
SESPMNT	B11H45	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0669	pCi/L	0.028	0.034			
SESPMNT	B11H46	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.0813	pCi/L	0.029	0.036			
SESPMNT	B11H47	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.067	pCi/L	0.028	0.034			
SESPMNT	B11H48	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	SR-90	0.084	pCi/L	0.027	0.035			
SESPMNT	B11H39	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SR-90	0.0813	pCi/L	0.028	0.035			
SESPMNT	B11H40	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SR-90	0.0768	pCi/L	0.028	0.035			
SESPMNT	B11H41	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SR-90	0.0945	pCi/L	0.032	0.04			
SESPMNT	B11H42	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	SR-90	0.0615	pCi/L	0.028	0.033			
SESPMNT	B12534	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0605	pCi/L	0.025	0.03			
SESPMNT	B12533	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0541	pCi/L	0.023	0.028			
SESPMNT	B12532	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0766	pCi/L	0.027	0.035			
SESPMNT	B12531	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0411	pCi/L	0.025	0.028			
SESPMNT	B12505	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0594	pCi/L	0.027	0.032			
SESPMNT	B12506	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0721	pCi/L	0.028	0.034			
SESPMNT	B12507	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0643	pCi/L	0.027	0.033			
SESPMNT	B12508	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0766	pCi/L	0.031	0.037			
SESPMNT	B12509	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0696	pCi/L	0.027	0.033			
SESPMNT	B12510	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	SR-90	0.0662	pCi/L	0.044	0.048	U		
SESPMNT	B12501	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SR-90	0.0548	pCi/L	0.024	0.029			
SESPMNT	B12502	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SR-90	0.0688	pCi/L	0.026	0.033			
SESPMNT	B12503	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SR-90	0.0804	pCi/L	0.027	0.034			
SESPMNT	B12504	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	SR-90	0.0592	pCi/L	0.024	0.029			
SESPMNT	B12T91	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.142	pCi/L	0.033	0.048			
SESPSPEC	B12T85	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.131	pCi/L	0.032	0.046			
SESPMNT	B12T92	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0618	pCi/L	0.027	0.032			
SESPMNT	B12TD5	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0758	pCi/L	0.027	0.033			
SESPMNT	B12T93	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0678	pCi/L	0.027	0.033			
SESPMNT	B12TD6	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.057	pCi/L	0.025	0.03			
SESPMNT	B12TD4	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0461	pCi/L	0.025	0.029			
SESPMNT	B12TN2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0655	pCi/L	0.027	0.032			
SESPMNT	B12TN5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.285	pCi/L	0.041	0.079			
SESPMNT	B12TN8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.21	pCi/L	0.04	0.064			
SESPMNT	B12TP1	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	SR-90	0.0876	pCi/L	0.028	0.036			
SESPMNT	B12T87	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SR-90	0.0549	pCi/L	0.026	0.03			
SESPMNT	B12T88	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SR-90	0.0875	pCi/L	0.03	0.037			
SESPMNT	B12T89	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SR-90	0.0609	pCi/L	0.026	0.031			
SESPMNT	B12T90	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	SR-90	0.0663	pCi/L	0.026	0.032			
SESPMNT	B12T94	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0645	pCi/L	0.025	0.031			
SESPMNT	B12T97	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0646	pCi/L	0.027	0.032			
SESPMNT	B12T95	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0631	pCi/L	0.025	0.031			
SESPMNT	B12T98	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0642	pCi/L	0.024	0.03			
SESPMNT	B12T99	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0408	pCi/L	0.025	0.028			
SESPMNT	B12TB0	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0764	pCi/L	0.026	0.033			
SESPMNT	B12TT3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0554	pCi/L	0.026	0.031			
SESPMNT	B12TT6	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	SR-90						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B12TT9	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0716	pCi/L	0.024	0.032			
SESPMNT	B12TB1	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0405	pCi/L	0.024	0.028			
SESPMNT	B12TB2	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0599	pCi/L	0.024	0.029			
SESPMNT	B12TB5	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0564	pCi/L	0.024	0.029			
SESPMNT	B12T96	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0692	pCi/L	0.026	0.032			
SESPMNT	B12TB3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0551	pCi/L	0.025	0.029			
SESPMNT	B12TB4	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0621	pCi/L	0.024	0.03			
SESPMNT	B12TF7	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0613	pCi/L	0.025	0.03			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12TF8	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0687	pCi/L	0.028	0.033			
SESPMNT	B12TT0	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0769	pCi/L	0.026	0.033			
SESPMNT	B12TF9	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	SR-90	0.0705	pCi/L	0.026	0.033			
SESPMNT	B12TB6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0744	pCi/L	0.033	0.039			
SESPMNT	B12TB8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0709	pCi/L	0.028	0.034			
SESPMNT	B12TC0	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0566	pCi/L	0.028	0.032			
SESPMNT	B12TC2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0634	pCi/L	0.027	0.032			
SESPMNT	B12TC4	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0536	pCi/L	0.027	0.031			
SESPMNT	B12TC6	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0628	pCi/L	0.03	0.035			
SESPMNT	B12TP4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0818	pCi/L	0.03	0.037			
SESPMNT	B12TP8	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0759	pCi/L	0.029	0.036			
SESPMNT	B12TR2	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0594	pCi/L	0.027	0.032			
SESPMNT	B12TR6	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	SR-90	0.0683	pCi/L	0.027	0.033			
SESPMNT	B12TM3	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0685	pCi/L	0.027	0.033			
SESPMNT	B12TM2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0616	pCi/L	0.027	0.032			
SESPMNT	B12TM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0657	pCi/L	0.026	0.031			
SESPMNT	B12TM0	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0699	pCi/L	0.025	0.031			
SESPMNT	B12TC8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0533	pCi/L	0.029	0.033			
SESPMNT	B12TC9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0743	pCi/L	0.031	0.037			
SESPMNT	B12TD0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0586	pCi/L	0.026	0.031			
SESPMNT	B12TD1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0748	pCi/L	0.027	0.034			
SESPMNT	B12TD2	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0541	pCi/L	0.027	0.031			
SESPMNT	B12TD3	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	SR-90	0.0577	pCi/L	0.029	0.033			
SESPMNT	B13LF3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SR-90	0.107	pCi/L	0.14	0.15	U		
SESPMNT	B13LF4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SR-90	0.0661	pCi/L	0.028	0.034			
SESPMNT	B13LF5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SR-90	0.0643	pCi/L	0.026	0.031			
SESPMNT	B13LF6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	SR-90	0.0533	pCi/L	0.026	0.03			
SESPMNT	B13LJ6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0824	pCi/L	0.028	0.035			
SESPMNT	B13LJ5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0872	pCi/L	0.031	0.039			
SESPMNT	B13LJ4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0888	pCi/L	0.031	0.039			
SESPMNT	B13LJ3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0742	pCi/L	0.03	0.036			
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0704	pCi/L	0.035	0.04			
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0751	pCi/L	0.029	0.036			
SESPMNT	B13LF8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0665	pCi/L	0.03	0.035			
SESPMNT	B13LF9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0558	pCi/L	0.025	0.03			
SESPMNT	B13LH0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0759	pCi/L	0.028	0.034			
SESPMNT	B13LH1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0625	pCi/L	0.025	0.03			
SESPMNT	B13LH2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	SR-90	0.0681	pCi/L	0.031	0.036			
SESPMNT	B11H62	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	47.4	pCi/L	2.6	6.5			
SESPMNT	B11H61	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	49	pCi/L	3.7	7.6			
SESPMNT	B11H60	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	49	pCi/L	3.7	7.6			
SESPMNT	B11H59	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	62	pCi/L	3.9	8.5			
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	64.5	pCi/L	2.8	7.8			
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	62.8	pCi/L	3.2	8.8			
SESPMNT	B11H44	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	53.3	pCi/L	2.6	6.9			
SESPMNT	B11H45	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	40.5	pCi/L	2.5	5.9			
SESPMNT	B11H46	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	40.3	pCi/L	2.5	5.9			
SESPMNT	B11H47	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	38.1	pCi/L	2.5	5.8			
SESPMNT	B11H48	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	LO TRITIUM	33.4	pCi/L	2.4	5.4			
SESPMNT	B11H39	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	LO TRITIUM	34	pCi/L	3.4	6.4			
SESPMNT	B11H40	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	LO TRITIUM	28.5	pCi/L	3.3	6.1			
SESPMNT	B11H41	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	LO TRITIUM	27	pCi/L	3.3	6			
SESPMNT	B11H42	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	LO TRITIUM	29.2	pCi/L	3.3	6.1			
SESPSPEC	B121R7	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE. NOT ABLE TO COLLECT.	
SESPSPEC	B121T6	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE. NOT ABLE TO COLLECT.	
SESPSPEC	B121T7	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE. NOT ABLE TO COLLECT.	
SESPSPEC	B121T8	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE. NOT ABLE TO COLLECT.	
SESPSPEC	B121T9	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE. NOT ABLE TO COLLECT.	
SESPSPEC	B121T5	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE.	
SESPSPEC	B121T4	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE.	

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B121T3	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE.	
SESPSPEC	B121T2	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM						NO SAMPLE.	
SESPSPEC	B121R8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM	126	pCi/L	5.1	14			
SESPSPEC	B121R9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM	125	pCi/L	4.9	14			
SESPSPEC	B121T0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM	60.1	pCi/L	3.9	8.4			
SESPSPEC	B121T1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	17-May-01	LO TRITIUM	49.1	pCi/L	3.7	7.6			
SESPMNT	B12534	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	44.2	pCi/L	3.6	7.1			
SESPMNT	B12533	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	44.8	pCi/L	3.6	7.2			
SESPMNT	B12532	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	42.9	pCi/L	3.5	7			
SESPMNT	B12531	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	28	pCi/L	3.5	6.4			
SESPMNT	B12505	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	88.5	pCi/L	4.5	11			
SESPMNT	B12506	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	69.1	pCi/L	4.5	9.6			
SESPMNT	B12507	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	67.6	pCi/L	4	8.9			
SESPMNT	B12508	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	74.8	pCi/L	4.1	9.5			
SESPMNT	B12509	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	36.7	pCi/L	3.4	6.6			
SESPMNT	B12510	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	LO TRITIUM	42.9	pCi/L	3.5	7			
SESPMNT	B12501	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	LO TRITIUM	70.2	pCi/L	4.1	9.3			
SESPMNT	B12502	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	LO TRITIUM	79.8	pCi/L	4.3	10			
SESPMNT	B12503	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	LO TRITIUM	66.9	pCi/L	4.1	9.1			
SESPMNT	B12504	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	LO TRITIUM	67.2	pCi/L	4.1	9.1			
SESPMNT	B12T91	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	111	pCi/L	4.8	13			
SESPSPEC	B12T85	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	107	pCi/L	4.7	12			
SESPMNT	B12T92	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	38	pCi/L	3.5	6.9			
SESPMNT	B12TD5	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	32.6	pCi/L	3.4	6.5			
SESPMNT	B12T93	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	22.9	pCi/L	3.2	5.9			
SESPMNT	B12TD6	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	28.1	pCi/L	3.4	6.2			
SESPMNT	B12TD4	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	29	pCi/L	3.4	6.3			
SESPMNT	B12TN2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	131	pCi/L	5	14			
SESPMNT	B12TN5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	63.1	pCi/L	4.4	9.3			
SESPMNT	B12TN8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	62.1	pCi/L	4	8.7			
SESPMNT	B12TP1	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	LO TRITIUM	118	pCi/L	5.2	14			
SESPMNT	B12T87	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	LO TRITIUM	27.9	pCi/L	3.4	6.2			
SESPMNT	B12T88	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	LO TRITIUM	22.3	pCi/L	3.2	5.8			
SESPMNT	B12T89	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	LO TRITIUM	23.5	pCi/L	3.3	6			
SESPMNT	B12T90	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	LO TRITIUM	17.5	pCi/L	3.1	5.5			
SESPMNT	B12T94	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	33.7	pCi/L	3.5	6.6			
SESPMNT	B12T97	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	35.9	pCi/L	3.5	6.8			
SESPMNT	B12T95	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	35.3	pCi/L	3.6	6.9			
SESPMNT	B12T98	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	33.6	pCi/L	3.5	6.5			
SESPMNT	B12T99	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	33.5	pCi/L	3.5	6.6			
SESPMNT	B12TB0	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	34	pCi/L	3.7	6.9			
SESPMNT	B12TT3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	34.7	pCi/L	3.5	6.6			
SESPMNT	B12TT6	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B12TT9	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	36.8	pCi/L	4.5	8.3			
SESPMNT	B12TB1	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	821	pCi/L	11	73			
SESPMNT	B12TB2	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	266	pCi/L	6.8	26			
SESPMNT	B12TB5	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	46.2	pCi/L	3.7	7.4			
SESPMNT	B12T96	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	36.7	pCi/L	3.5	6.7			
SESPMNT	B12TB3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	35.7	pCi/L	3.5	6.7			
SESPMNT	B12TB4	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	37.1	pCi/L	3.5	6.8			
SESPMNT	B12TF7	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	39.9	pCi/L	3.6	7			
SESPMNT	B12TF8	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	41.4	pCi/L	3.6	7.1			
SESPMNT	B12TT0	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	5140	pCi/L	27	440			
SESPMNT	B12TF9	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	LO TRITIUM	1380	pCi/L	14	120			
SESPMNT	B12TB6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	43.3	pCi/L	3.6	7.2			
SESPMNT	B12TB8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	48.7	pCi/L	4.1	8.2			
SESPMNT	B12TC0	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	29.7	pCi/L	3.3	6.2			
SESPMNT	B12TC2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	33.9	pCi/L	3.4	6.5			
SESPMNT	B12TC4	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	30.4	pCi/L	3.3	6.3			
SESPMNT	B12TC6	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	32.5	pCi/L	3.6	6.7			
SESPMNT	B12TP4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	135	pCi/L	5	14			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12TP8	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	547	pCi/L	9.1	50			
SESPMNT	B12TR2	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	103	pCi/L	4.8	12			
SESPMNT	B12TR6	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	LO TRITIUM	48.7	pCi/L	3.8	7.7			
SESPMNT	B12TM3	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	46.2	pCi/L	3.7	7.4			
SESPMNT	B12TM2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	43.3	pCi/L	3.6	7.2			
SESPMNT	B12TM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	40.6	pCi/L	3.7	7.2			
SESPMNT	B12TM0	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	37.1	pCi/L	3.5	6.7			
SESPMNT	B12TC8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	87.8	pCi/L	4.4	11			
SESPMNT	B12TC9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	41.4	pCi/L	3.6	7.1			
SESPMNT	B12TD0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	34.4	pCi/L	3.4	6.6			
SESPMNT	B12TD1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	31.2	pCi/L	3.4	6.3			
SESPMNT	B12TD2	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	27.1	pCi/L	3.3	6			
SESPMNT	B12TD3	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	LO TRITIUM	23.4	pCi/L	3.2	5.8			
SESPMNT	B13LF3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	LO TRITIUM	31.2	pCi/L	3.4	6.4			
SESPMNT	B13LF4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	LO TRITIUM	29.2	pCi/L	3.3	6.2			
SESPMNT	B13LF5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	LO TRITIUM	33.5	pCi/L	3.4	6.5			
SESPMNT	B13LF6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	LO TRITIUM	30.1	pCi/L	3.3	6.3			
SESPMNT	B13LJ6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	91.2	pCi/L	4.4	11			
SESPMNT	B13LJ5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	91.8	pCi/L	4.4	11			
SESPMNT	B13LJ4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	94.7	pCi/L	4.4	11			
SESPMNT	B13LJ3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	80.4	pCi/L	4.2	10			
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	90.1	pCi/L	4.3	11			
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	98.8	pCi/L	4.5	11			
SESPMNT	B13LF8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	59.7	pCi/L	3.9	8.4			
SESPMNT	B13LF9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	32.2	pCi/L	3.4	6.4			
SESPMNT	B13LH0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	30.8	pCi/L	3.4	6.4			
SESPMNT	B13LH1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	27.6	pCi/L	3.3	6			
SESPMNT	B13LH2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	LO TRITIUM	29.1	pCi/L	3.5	6.4			
SESPMNT	B11H62	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.264	pCi/L	0.044	0.065			
SESPMNT	B11H61	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.266	pCi/L	0.051	0.07			
SESPMNT	B11H60	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.312	pCi/L	0.049	0.074			
SESPMNT	B11H59	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.251	pCi/L	0.046	0.065			
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.254	pCi/L	0.039	0.06			
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.29	pCi/L	0.039	0.065			
SESPMNT	B11H44	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.224	pCi/L	0.054	0.068			
SESPMNT	B11H45	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.265	pCi/L	0.039	0.061			
SESPMNT	B11H46	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.27	pCi/L	0.038	0.062			
SESPMNT	B11H47	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.22	pCi/L	0.034	0.052			
SESPMNT	B11H48	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-234	0.401	pCi/L	0.065	0.097			
SESPMNT	B11H39	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-234	0.246	pCi/L	0.073	0.086			
SESPMNT	B11H40	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-234	0.21	pCi/L	0.039	0.054			
SESPMNT	B11H41	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-234	0.269	pCi/L	0.038	0.061			
SESPMNT	B11H42	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-234	0.237	pCi/L	0.039	0.058			
SESPMNT	B12534	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.271	pCi/L	0.048	0.067			
SESPMNT	B12533	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.281	pCi/L	0.044	0.066			
SESPMNT	B12532	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.252	pCi/L	0.043	0.062			
SESPMNT	B12531	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.272	pCi/L	0.039	0.061			
SESPMNT	B12505	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.221	pCi/L	0.035	0.052			
SESPMNT	B12506	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.217	pCi/L	0.032	0.049			
SESPMNT	B12507	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.232	pCi/L	0.035	0.053			
SESPMNT	B12508	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.252	pCi/L	0.036	0.057			
SESPMNT	B12509	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.258	pCi/L	0.037	0.058			
SESPMNT	B12510	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-234	0.377	pCi/L	0.045	0.079			
SESPMNT	B12501	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-234	0.369	pCi/L	0.077	0.1			
SESPMNT	B12502	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-234	0.253	pCi/L	0.065	0.081			
SESPMNT	B12503	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-234	0.235	pCi/L	0.044	0.062			
SESPMNT	B12504	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-234	0.251	pCi/L	0.046	0.066			
SESPMNT	B12T91	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.242	pCi/L	0.04	0.06			
SESPSPEC	B12T85	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.226	pCi/L	0.04	0.058			
SESPMNT	B12T92	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.217	pCi/L	0.036	0.054			
SESPMNT	B12TD5	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.224	pCi/L	0.042	0.059			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12T93	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.23	pCi/L	0.045	0.062			
SESPMNT	B12TD6	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.263	pCi/L	0.055	0.074			
SESPMNT	B12TD4	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-234	0.277	pCi/L	0.042	0.066			
SESPMNT	B12TN2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	U-234	0.172	pCi/L	0.04	0.051			
SESPMNT	B12TN5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	U-234	0.209	pCi/L	0.039	0.056			
SESPMNT	B12TN8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	U-234	0.247	pCi/L	0.044	0.063			
SESPMNT	B12TP1	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	U-234	0.197	pCi/L	0.038	0.053			
SESPMNT	B12T87	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-234	0.193	pCi/L	0.037	0.052			
SESPMNT	B12T88	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-234	0.291	pCi/L	0.046	0.071			
SESPMNT	B12T89	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-234	0.238	pCi/L	0.049	0.066			
SESPMNT	B12T90	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-234	0.238	pCi/L	0.041	0.061			
SESPMNT	B12T94	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.214	pCi/L	0.036	0.054			
SESPMNT	B12T97	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.238	pCi/L	0.039	0.059			
SESPMNT	B12T95	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.231	pCi/L	0.038	0.057			
SESPMNT	B12T98	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.203	pCi/L	0.035	0.051			
SESPMNT	B12T99	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.231	pCi/L	0.045	0.063			
SESPMNT	B12TB0	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-234	0.224	pCi/L	0.036	0.055			
SESPMNT	B12TT3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	U-234	0.246	pCi/L	0.04	0.06			
SESPMNT	B12TT6	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	U-234						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B12TT9	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	U-234	0.223	pCi/L	0.036	0.055			
SESPMNT	B12TB1	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.279	pCi/L	0.053	0.074			
SESPMNT	B12TB2	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.224	pCi/L	0.037	0.056			
SESPMNT	B12TB5	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.212	pCi/L	0.036	0.053			
SESPMNT	B12T96	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.212	pCi/L	0.043	0.059			
SESPMNT	B12TB3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.238	pCi/L	0.04	0.059			
SESPMNT	B12TB4	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-234	0.269	pCi/L	0.039	0.063			
SESPMNT	B12TF7	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	U-234	0.245	pCi/L	0.038	0.059			
SESPMNT	B12TF8	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	U-234	0.23	pCi/L	0.038	0.058			
SESPMNT	B12TT0	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	U-234	0.344	pCi/L	0.044	0.077			
SESPMNT	B12TF9	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	U-234	0.261	pCi/L	0.044	0.065			
SESPMNT	B12TB6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.215	pCi/L	0.034	0.052			
SESPMNT	B12TB8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.227	pCi/L	0.036	0.055			
SESPMNT	B12TC0	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.24	pCi/L	0.037	0.058			
SESPMNT	B12TC2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.269	pCi/L	0.04	0.064			
SESPMNT	B12TC4	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.234	pCi/L	0.038	0.058			
SESPMNT	B12TC6	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.972	pCi/L	0.077	0.19			
SESPMNT	B12TP4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	U-234	0.249	pCi/L	0.046	0.065			
SESPMNT	B12TP8	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	U-234	0.351	pCi/L	0.045	0.079			
SESPMNT	B12TR2	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	U-234	0.262	pCi/L	0.043	0.065			
SESPMNT	B12TR6	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	U-234	0.249	pCi/L	0.038	0.06			
SESPMNT	B12TM3	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.25	pCi/L	0.041	0.062			
SESPMNT	B12TM2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.23	pCi/L	0.037	0.057			
SESPMNT	B12TM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.214	pCi/L	0.038	0.055			
SESPMNT	B12TM0	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.261	pCi/L	0.04	0.063			
SESPMNT	B12TC8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.215	pCi/L	0.035	0.053			
SESPMNT	B12TC9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.193	pCi/L	0.033	0.049			
SESPMNT	B12TD0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.222	pCi/L	0.035	0.054			
SESPMNT	B12TD1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.231	pCi/L	0.036	0.056			
SESPMNT	B12TD2	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.215	pCi/L	0.035	0.053			
SESPMNT	B12TD3	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-234	0.542	pCi/L	0.056	0.11			
SESPMNT	B13LF3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-234	0.212	pCi/L	0.035	0.053			
SESPMNT	B13LF4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-234	0.237	pCi/L	0.039	0.059			
SESPMNT	B13LF5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-234	0.224	pCi/L	0.035	0.055			
SESPMNT	B13LF6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-234	0.243	pCi/L	0.037	0.059			
SESPMNT	B13LJ6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.267	pCi/L	0.041	0.064			
SESPMNT	B13LJ5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.285	pCi/L	0.041	0.067			
SESPMNT	B13LJ4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.277	pCi/L	0.041	0.066			
SESPMNT	B13LJ3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.283	pCi/L	0.042	0.067			
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.295	pCi/L	0.041	0.068			
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.325	pCi/L	0.044	0.075			
SESPMNT	B13LF8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.224	pCi/L	0.043	0.06			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13LF9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.237	pCi/L	0.038	0.058			
SESPMNT	B13LH0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.235	pCi/L	0.038	0.058			
SESPMNT	B13LH1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.288	pCi/L	0.042	0.068			
SESPMNT	B13LH2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-234	0.471	pCi/L	0.058	0.1			
SESPMNT	B11H62	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00711	pCi/L	0.01	0.011	U		
SESPMNT	B11H61	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	U-235	-0.000493	pCi/L	0.0072	0.0075	U		
SESPMNT	B11H60	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.0172	pCi/L	0.013	0.013	J		
SESPMNT	B11H59	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	U-235	-0.00253	pCi/L	0.0065	0.0068	U		
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00542	pCi/L	0.0076	0.008	U		
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00542	pCi/L	0.0066	0.007	U		
SESPMNT	B11H44	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00151	pCi/L	0.0089	0.0091	U		
SESPMNT	B11H45	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.0115	pCi/L	0.0094	0.0098	J		
SESPMNT	B11H46	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00805	pCi/L	0.008	0.0084	U		
SESPMNT	B11H47	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.00647	pCi/L	0.0069	0.0073	U		
SESPMNT	B11H48	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-235	0.0158	pCi/L	0.017	0.017	U		
SESPMNT	B11H39	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-235	0.00728	pCi/L	0.018	0.018	U		
SESPMNT	B11H40	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-235	0.00483	pCi/L	0.0087	0.0089	U		
SESPMNT	B11H41	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-235	0.00415	pCi/L	0.0071	0.0074	U		
SESPMNT	B11H42	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-235	0.00611	pCi/L	0.0077	0.0081	U		
SESPMNT	B12534	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.00809	pCi/L	0.011	0.011	U		
SESPMNT	B12533	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.019	pCi/L	0.012	0.013			
SESPMNT	B12532	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.00732	pCi/L	0.0073	0.0074	U		
SESPMNT	B12531	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.0151	pCi/L	0.0094	0.0098			
SESPMNT	B12505	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.00833	pCi/L	0.0073	0.0074	U		
SESPMNT	B12506	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.00821	pCi/L	0.0062	0.0064			
SESPMNT	B12507	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.00551	pCi/L	0.006	0.0061	U		
SESPMNT	B12508	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.0065	pCi/L	0.0058	0.0059			
SESPMNT	B12509	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.017	pCi/L	0.0094	0.0099			
SESPMNT	B12510	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-235	0.016	pCi/L	0.0093	0.0097			
SESPMNT	B12501	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-235	-0.00558	pCi/L	0.0096	0.0098	U		
SESPMNT	B12502	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-235	0.0195	pCi/L	0.022	0.022	U		
SESPMNT	B12503	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-235	0.00752	pCi/L	0.0096	0.01	U		
SESPMNT	B12504	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-235	-0.000926	pCi/L	0.0061	0.0064	U		
SESPMNT	B12T91	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00691	pCi/L	0.0083	0.0087	U		
SESPSPEC	B12T85	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.0155	pCi/L	0.012	0.012			
SESPMNT	B12T92	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00671	pCi/L	0.0076	0.008	U		
SESPMNT	B12TD5	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00616	pCi/L	0.0085	0.0088	U		
SESPMNT	B12T93	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.0112	pCi/L	0.011	0.011	U		
SESPMNT	B12TD6	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	-0.00168	pCi/L	0.0059	0.0062	U		
SESPMNT	B12TD4	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00442	pCi/L	0.0069	0.0073	U		
SESPMNT	B12TN2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00306	pCi/L	0.0074	0.0077	U		
SESPMNT	B12TN5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00718	pCi/L	0.0086	0.0089	U		
SESPMNT	B12TN8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	U-235	0.0127	pCi/L	0.011	0.012			
SESPMNT	B12TP1	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	U-235	0.00217	pCi/L	0.0071	0.0074	U		
SESPMNT	B12T87	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-235	0.00617	pCi/L	0.0084	0.0087	U		
SESPMNT	B12T88	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-235	0.000155	pCi/L	0.0049	0.0052	U		
SESPMNT	B12T89	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-235	0.00625	pCi/L	0.0096	0.0099	U		
SESPMNT	B12T90	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-235	0.007	pCi/L	0.0084	0.0088	U		
SESPMNT	B12T94	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00756	pCi/L	0.0082	0.0086	U		
SESPMNT	B12T97	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00732	pCi/L	0.0081	0.0084	U		
SESPMNT	B12T95	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.0071	pCi/L	0.0079	0.0083	U		
SESPMNT	B12T98	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00176	pCi/L	0.0058	0.0061	U		
SESPMNT	B12T99	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.0072	pCi/L	0.0094	0.0098	U		
SESPMNT	B12TB0	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-235	0.000725	pCi/L	0.0047	0.0051	U		
SESPMNT	B12TT3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00893	pCi/L	0.0087	0.0091	U		
SESPMNT	B12TT6	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	U-235						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B12TT9	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00892	pCi/L	0.0086	0.009	U		
SESPMNT	B12TB1	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	-0.0019	pCi/L	0.0051	0.0054	U		
SESPMNT	B12TB2	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00111	pCi/L	0.0051	0.0055	U		
SESPMNT	B12TB5	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	0.000948	pCi/L	0.005	0.0053	U		
SESPMNT	B12T96	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	0.0128	pCi/L	0.012	0.013			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12TB3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00772	pCi/L	0.0084	0.0087	U		
SESPMNT	B12TB4	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-235	0.0143	pCi/L	0.0098	0.01			
SESPMNT	B12TF7	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00303	pCi/L	0.0063	0.0066	U		
SESPMNT	B12TF8	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	U-235	0.012	pCi/L	0.0097	0.01			
SESPMNT	B12TT0	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00768	pCi/L	0.0078	0.0082	U		
SESPMNT	B12TF9	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	U-235	0.00916	pCi/L	0.0094	0.0098	U		
SESPMNT	B12TB6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	0.00652	pCi/L	0.0074	0.0078	U		
SESPMNT	B12TB8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	0.00779	pCi/L	0.0083	0.0087	U		
SESPMNT	B12TC0	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	0.0126	pCi/L	0.0092	0.0098			
SESPMNT	B12TC2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	-0.000425	pCi/L	0.0041	0.0045	U		
SESPMNT	B12TC4	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	-0.00101	pCi/L	0.0043	0.0047	U		
SESPMNT	B12TC6	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-235	0.0191	pCi/L	0.012	0.012			
SESPMNT	B12TP4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	U-235	0.000713	pCi/L	0.0057	0.006	U		
SESPMNT	B12TP8	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	U-235	0.0117	pCi/L	0.0098	0.01			
SESPMNT	B12TR2	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	U-235	0.000331	pCi/L	0.0061	0.0064	U		
SESPMNT	B12TR6	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	U-235	0.00777	pCi/L	0.0079	0.0083	U		
SESPMNT	B12TM3	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	U-235	-0.00235	pCi/L	0.0035	0.004	U		
SESPMNT	B12TM2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00247	pCi/L	0.0058	0.0061	U		
SESPMNT	B12TM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00638	pCi/L	0.0079	0.0083	U		
SESPMNT	B12TM0	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00546	pCi/L	0.0072	0.0075	U		
SESPMNT	B12TC8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00759	pCi/L	0.0077	0.0081	U		
SESPMNT	B12TC9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00331	pCi/L	0.0059	0.0063	U		
SESPMNT	B12TD0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00131	pCi/L	0.0053	0.0056	U		
SESPMNT	B12TD1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.00421	pCi/L	0.0067	0.007	U		
SESPMNT	B12TD2	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.0033	pCi/L	0.0059	0.0063	U		
SESPMNT	B12TD3	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-235	0.0123	pCi/L	0.0095	0.01			
SESPMNT	B13LF3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-235	0.00779	pCi/L	0.0079	0.0083	U		
SESPMNT	B13LF4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-235	0.00246	pCi/L	0.0071	0.0074	U		
SESPMNT	B13LF5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-235	-0.00117	pCi/L	0.0039	0.0043	U		
SESPMNT	B13LF6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-235	0.00502	pCi/L	0.0068	0.0072	U		
SESPMNT	B13LJ6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	U-235	-0.000581	pCi/L	0.0057	0.006	U		
SESPMNT	B13LJ5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00124	pCi/L	0.0059	0.0062	U		
SESPMNT	B13LJ4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.004	pCi/L	0.0065	0.0069	U		
SESPMNT	B13LJ3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00431	pCi/L	0.0068	0.0071	U		
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00974	pCi/L	0.0087	0.0091			
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00698	pCi/L	0.0078	0.0082	U		
SESPMNT	B13LF8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00557	pCi/L	0.0088	0.0091	U		
SESPMNT	B13LF9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00948	pCi/L	0.0089	0.0094	U		
SESPMNT	B13LH0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.00192	pCi/L	0.0059	0.0063	U		
SESPMNT	B13LH1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.0041	pCi/L	0.0066	0.007	U		
SESPMNT	B13LH2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-235	0.014	pCi/L	0.011	0.011			
SESPMNT	B11H62	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.187	pCi/L	0.037	0.05			
SESPMNT	B11H61	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.212	pCi/L	0.046	0.059			
SESPMNT	B11H60	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.255	pCi/L	0.044	0.063			
SESPMNT	B11H59	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.207	pCi/L	0.042	0.056			
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.232	pCi/L	0.037	0.055			
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.226	pCi/L	0.034	0.052			
SESPMNT	B11H44	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.161	pCi/L	0.046	0.054			
SESPMNT	B11H45	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.207	pCi/L	0.035	0.05			
SESPMNT	B11H46	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.22	pCi/L	0.035	0.052			
SESPMNT	B11H47	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.209	pCi/L	0.032	0.049			
SESPMNT	B11H48	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	26-Feb-01	U-238	0.291	pCi/L	0.056	0.076			
SESPMNT	B11H39	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-238	0.187	pCi/L	0.062	0.071			
SESPMNT	B11H40	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-238	0.204	pCi/L	0.038	0.052			
SESPMNT	B11H41	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-238	0.238	pCi/L	0.036	0.055			
SESPMNT	B11H42	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	27-Feb-01	U-238	0.233	pCi/L	0.039	0.057			
SESPMNT	B12534	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.244	pCi/L	0.045	0.062			
SESPMNT	B12533	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.199	pCi/L	0.038	0.051			
SESPMNT	B12532	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.19	pCi/L	0.037	0.05			
SESPMNT	B12531	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.206	pCi/L	0.034	0.049			
SESPMNT	B12505	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.223	pCi/L	0.035	0.052			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12506	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.221	pCi/L	0.032	0.05			
SESPMNT	B12507	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.206	pCi/L	0.033	0.048			
SESPMNT	B12508	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.187	pCi/L	0.031	0.045			
SESPMNT	B12509	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.196	pCi/L	0.032	0.047			
SESPMNT	B12510	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	12-Jun-01	U-238	0.278	pCi/L	0.039	0.062			
SESPMNT	B12501	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-238	0.23	pCi/L	0.061	0.075			
SESPMNT	B12502	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-238	0.228	pCi/L	0.061	0.075			
SESPMNT	B12503	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-238	0.235	pCi/L	0.043	0.061			
SESPMNT	B12504	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	14-Jun-01	U-238	0.208	pCi/L	0.042	0.057			
SESPMNT	B12T91	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.192	pCi/L	0.035	0.05			
SESPSPEC	B12T85	100 N -1 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.189	pCi/L	0.036	0.05			
SESPMNT	B12T92	100 N -2 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.164	pCi/L	0.031	0.043			
SESPMNT	B12TD5	100 N -3 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.167	pCi/L	0.036	0.048			
SESPMNT	B12T93	100 N -5 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.197	pCi/L	0.041	0.055			
SESPMNT	B12TD6	100 N -7 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.197	pCi/L	0.047	0.06			
SESPMNT	B12TD4	100 N -10 HRM 9.5	ONSITE	SW	RIVER	07-Sep-01	U-238	0.245	pCi/L	0.039	0.06			
SESPMNT	B12TN2	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	07-Sep-01	U-238	0.144	pCi/L	0.036	0.045			
SESPMNT	B12TN5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	07-Sep-01	U-238	0.186	pCi/L	0.037	0.05			
SESPMNT	B12TN8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	07-Sep-01	U-238	0.165	pCi/L	0.036	0.047			
SESPMNT	B12TP1	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	07-Sep-01	U-238	0.157	pCi/L	0.034	0.044			
SESPMNT	B12T87	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-238	0.184	pCi/L	0.036	0.049			
SESPMNT	B12T88	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-238	0.148	pCi/L	0.033	0.043			
SESPMNT	B12T89	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-238	0.21	pCi/L	0.046	0.06			
SESPMNT	B12T90	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	07-Sep-01	U-238	0.204	pCi/L	0.038	0.053			
SESPMNT	B12T94	100 F -1 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.152	pCi/L	0.03	0.041			
SESPMNT	B12T97	100 F -2 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.198	pCi/L	0.035	0.051			
SESPMNT	B12T95	100 F -3 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.16	pCi/L	0.031	0.043			
SESPMNT	B12T98	100 F -5 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.173	pCi/L	0.032	0.045			
SESPMNT	B12T99	100 F -7 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.193	pCi/L	0.041	0.055			
SESPMNT	B12TB0	100 F -10 HRM 19.0	ONSITE	SW	RIVER	10-Sep-01	U-238	0.218	pCi/L	0.035	0.053			
SESPMNT	B12TT3	100 F SHORE HRM 18	ONSITE	SW	RIVER	10-Sep-01	U-238	0.222	pCi/L	0.037	0.055			
SESPMNT	B12TT6	100 F SHORE HRM 22	ONSITE	SW	RIVER	10-Sep-01	U-238						NO SAMPLE. WATER TOO LOW.	
SESPMNT	B12TT9	100 F SHORE HRM 23	ONSITE	SW	RIVER	10-Sep-01	U-238	0.187	pCi/L	0.033	0.048			
SESPMNT	B12TB1	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.215	pCi/L	0.046	0.061			
SESPMNT	B12TB2	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.196	pCi/L	0.035	0.05			
SESPMNT	B12TB5	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.166	pCi/L	0.031	0.044			
SESPMNT	B12T96	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.16	pCi/L	0.037	0.048			
SESPMNT	B12TB3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.194	pCi/L	0.036	0.051			
SESPMNT	B12TB4	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	10-Sep-01	U-238	0.198	pCi/L	0.033	0.049			
SESPMNT	B12TF7	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	10-Sep-01	U-238	0.173	pCi/L	0.031	0.045			
SESPMNT	B12TF8	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	10-Sep-01	U-238	0.175	pCi/L	0.033	0.046			
SESPMNT	B12TT0	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	10-Sep-01	U-238	0.261	pCi/L	0.038	0.061			
SESPMNT	B12TF9	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	10-Sep-01	U-238	0.211	pCi/L	0.039	0.055			
SESPMNT	B12TB6	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.216	pCi/L	0.034	0.052			
SESPMNT	B12TB8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.191	pCi/L	0.033	0.048			
SESPMNT	B12TC0	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.161	pCi/L	0.03	0.042			
SESPMNT	B12TC2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.213	pCi/L	0.036	0.053			
SESPMNT	B12TC4	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.184	pCi/L	0.033	0.047			
SESPMNT	B12TC6	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.787	pCi/L	0.069	0.16			
SESPMNT	B12TP4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	13-Sep-01	U-238	0.197	pCi/L	0.041	0.055			
SESPMNT	B12TP8	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	13-Sep-01	U-238	0.293	pCi/L	0.041	0.067			
SESPMNT	B12TR2	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	13-Sep-01	U-238	0.2	pCi/L	0.037	0.052			
SESPMNT	B12TR6	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	13-Sep-01	U-238	0.213	pCi/L	0.035	0.052			
SESPMNT	B12TM3	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.21	pCi/L	0.038	0.054			
SESPMNT	B12TM2	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.168	pCi/L	0.032	0.044			
SESPMNT	B12TM1	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.167	pCi/L	0.034	0.046			
SESPMNT	B12TM0	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.202	pCi/L	0.035	0.051			
SESPMNT	B12TC8	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.183	pCi/L	0.032	0.046			
SESPMNT	B12TC9	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.22	pCi/L	0.035	0.053			
SESPMNT	B12TD0	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.19	pCi/L	0.032	0.047			
SESPMNT	B12TD1	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.16	pCi/L	0.03	0.042			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12TD2	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.191	pCi/L	0.032	0.048			
SESPMNT	B12TD3	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	13-Sep-01	U-238	0.359	pCi/L	0.046	0.08			
SESPMNT	B13LF3	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-238	0.202	pCi/L	0.034	0.05			
SESPMNT	B13LF4	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-238	0.178	pCi/L	0.034	0.047			
SESPMNT	B13LF5	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-238	0.153	pCi/L	0.029	0.041			
SESPMNT	B13LF6	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	03-Dec-01	U-238	0.205	pCi/L	0.034	0.051			
SESPMNT	B13LJ6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.249	pCi/L	0.04	0.06			
SESPMNT	B13LJ5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.197	pCi/L	0.034	0.05			
SESPMNT	B13LJ4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.195	pCi/L	0.034	0.05			
SESPMNT	B13LJ3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.218	pCi/L	0.037	0.054			
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.227	pCi/L	0.036	0.055			
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.205	pCi/L	0.035	0.052			
SESPMNT	B13LF8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.171	pCi/L	0.037	0.049			
SESPMNT	B13LF9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.186	pCi/L	0.033	0.047			
SESPMNT	B13LH0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.211	pCi/L	0.036	0.053			
SESPMNT	B13LH1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.232	pCi/L	0.038	0.057			
SESPMNT	B13LH2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	04-Dec-01	U-238	0.394	pCi/L	0.053	0.089			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11477	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Feb-01	BE-7	0.0333	pCi/L	0.015	0.015			
SESPMNT	B11478	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Mar-01	BE-7	0.0224	pCi/L	0.013	0.013			
SESPMNT	B11479	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	04-Apr-01	BE-7	0.0273	pCi/L	0.011	0.011			
SESPMNT	B11LT9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-May-01	BE-7	0.0541	pCi/L	0.013	0.013			
SESPMNT	B11LV0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	30-May-01	BE-7	0.0487	pCi/L	0.013	0.013			
SESPMNT	B11LV1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Jun-01	BE-7	0.0625	pCi/L	0.015	0.015			
SESPMNT	B12849	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	09-Aug-01	BE-7	0.0304	pCi/L	0.012	0.012			
SESPMNT	B12850	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Sep-01	BE-7	0.06	pCi/L	0.017	0.017			
SESPMNT	B12851	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Oct-01	BE-7	0.0000815	pCi/L	0.0096	0.0096	U		
SESPMNT	B13110	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	01-Nov-01	BE-7	0.00645	pCi/L	0.0084	0.0084	U		
SESPMNT	B13111	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Nov-01	BE-7	0.0341	pCi/L	0.016	0.016			
SESPMNT	B13112	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Dec-01	BE-7	0.0133	pCi/L	0.008	0.008	U		
SESPMNT	B114W8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Feb-01	BE-7	0.0191	pCi/L	0.0088	0.0088	U		
SESPMNT	B114W9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Mar-01	BE-7	0.0232	pCi/L	0.013	0.013			
SESPMNT	B114X0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	04-Apr-01	BE-7	0.0207	pCi/L	0.012	0.012			
SESPMNT	B11LW7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-May-01	BE-7	0.0705	pCi/L	0.015	0.015			
SESPMNT	B11LW8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	30-May-01	BE-7	0.05	pCi/L	0.015	0.015			
SESPMNT	B11LW9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Jun-01	BE-7	0.0268	pCi/L	0.011	0.011			
SESPMNT	B12870	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	09-Aug-01	BE-7	0.0225	pCi/L	0.013	0.013	U		
SESPMNT	B12871	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Sep-01	BE-7	0.00647	pCi/L	0.0067	0.0067	U		
SESPMNT	B12872	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Oct-01	BE-7	0.00124	pCi/L	0.0095	0.0095	U		
SESPMNT	B13128	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	01-Nov-01	BE-7	0.00811	pCi/L	0.0084	0.0084	U		
SESPMNT	B13129	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Nov-01	BE-7	0.0118	pCi/L	0.0091	0.0091	U		
SESPMNT	B13130	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Dec-01	BE-7	0.0113	pCi/L	0.0083	0.0083	U		
SESPMNT	B11477	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CO-60	0.000462	pCi/L	0.00066	0.00066	U		
SESPMNT	B11478	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CO-60	0.000313	pCi/L	0.00072	0.00072	U		
SESPMNT	B11479	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CO-60	0.000512	pCi/L	0.00069	0.00069	U		
SESPMNT	B11LT9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-May-01	CO-60	0.000402	pCi/L	0.00072	0.00072	U		
SESPMNT	B11LV0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	30-May-01	CO-60	0.000445	pCi/L	0.00067	0.00067	U		
SESPMNT	B11LV1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CO-60	-0.0000407	pCi/L	0.00062	0.00062	U		
SESPMNT	B12849	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CO-60	0.000568	pCi/L	0.0006	0.0006	U		
SESPMNT	B12850	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CO-60	0.000616	pCi/L	0.00082	0.00082	U		
SESPMNT	B12851	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CO-60	0.000945	pCi/L	0.00074	0.00074	U		
SESPMNT	B13110	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CO-60	0.00128	pCi/L	0.00062	0.00062	U		
SESPMNT	B13111	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CO-60	-0.000287	pCi/L	0.0007	0.0007	U		
SESPMNT	B13112	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CO-60	0.000299	pCi/L	0.00071	0.00071	U		
SESPMNT	B114W8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CO-60	-0.000118	pCi/L	0.00076	0.00076	U		
SESPMNT	B114W9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CO-60	0.000448	pCi/L	0.0008	0.0008	U		
SESPMNT	B114X0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CO-60	-0.000267	pCi/L	0.0007	0.0007	U		
SESPMNT	B11LW7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-May-01	CO-60	0.000448	pCi/L	0.00073	0.00073	U		
SESPMNT	B11LW8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	30-May-01	CO-60	-0.0000343	pCi/L	0.00072	0.00072	U		
SESPMNT	B11LW9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CO-60	0.000993	pCi/L	0.00067	0.00067	U		
SESPMNT	B12870	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CO-60	0.000695	pCi/L	0.0011	0.0011	U		
SESPMNT	B12871	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CO-60	0.000711	pCi/L	0.00075	0.00075	U		
SESPMNT	B12872	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CO-60	0.00146	pCi/L	0.0008	0.0008	U		
SESPMNT	B13128	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CO-60	0.000662	pCi/L	0.00072	0.00072	U		
SESPMNT	B13129	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CO-60	0.000755	pCi/L	0.00078	0.00078	U		
SESPMNT	B13130	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CO-60	-0.000029	pCi/L	0.00068	0.00068	U		
SESPMNT	B11477	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CS-134	-0.000881	pCi/L	0.00061	0.00061	U		
SESPMNT	B11478	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CS-134	-0.000816	pCi/L	0.0008	0.0008	U		
SESPMNT	B11479	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CS-134	-0.0000565	pCi/L	0.00077	0.00077	U		
SESPMNT	B11LT9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-May-01	CS-134	-0.00254	pCi/L	0.00077	0.00077	U		
SESPMNT	B11LV0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	30-May-01	CS-134	0.000498	pCi/L	0.00077	0.00077	U		
SESPMNT	B11LV1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CS-134	0.00063	pCi/L	0.00067	0.00067	U		
SESPMNT	B12849	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CS-134	0.000431	pCi/L	0.00067	0.00067	U		
SESPMNT	B12850	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CS-134	0.00155	pCi/L	0.00094	0.00094	U		
SESPMNT	B12851	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CS-134	0.00074	pCi/L	0.00077	0.00077	U		
SESPMNT	B13110	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CS-134	0.000328	pCi/L	0.00066	0.00066	U		
SESPMNT	B13111	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CS-134	0.0000514	pCi/L	0.00075	0.00075	U		
SESPMNT	B13112	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CS-134	0.000199	pCi/L	0.00073	0.00073	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B114W8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CS-134	-0.00148	pCi/L	0.00077	0.00077	U		
SESPMNT	B114W9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CS-134	-0.00152	pCi/L	0.00072	0.00072	U		
SESPMNT	B114X0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CS-134	-0.0000896	pCi/L	0.00068	0.00068	U		
SESPMNT	B11LW7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-May-01	CS-134	-0.00213	pCi/L	0.00075	0.00075	U		
SESPMNT	B11LW8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	30-May-01	CS-134	-0.0000302	pCi/L	0.00075	0.00075	U		
SESPMNT	B11LW9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CS-134	0.0000131	pCi/L	0.00074	0.00074	U		
SESPMNT	B12870	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CS-134	0.000939	pCi/L	0.0012	0.0012	U		
SESPMNT	B12871	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CS-134	-0.000199	pCi/L	0.00073	0.00073	U		
SESPMNT	B12872	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CS-134	0.000216	pCi/L	0.00082	0.00082	U		
SESPMNT	B13128	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CS-134	-0.000205	pCi/L	0.00075	0.00075	U		
SESPMNT	B13129	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CS-134	0.000397	pCi/L	0.00085	0.00085	U		
SESPMNT	B13130	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CS-134	0.000297	pCi/L	0.00068	0.00068	U		
SESPMNT	B114T7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CS-137	0.00086	pCi/L	0.00067	0.00067	U		
SESPMNT	B114T8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CS-137	0.000542	pCi/L	0.00074	0.00074	U		
SESPMNT	B114T9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CS-137	0.000461	pCi/L	0.00067	0.00067	U		
SESPMNT	B11LT9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-May-01	CS-137	0.000497	pCi/L	0.00071	0.00071	U		
SESPMNT	B11LV0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	30-May-01	CS-137	0.000491	pCi/L	0.00069	0.00069	U		
SESPMNT	B11LV1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CS-137	0.00185	pCi/L	0.00066	0.00066	U		
SESPMNT	B12849	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CS-137	0.000962	pCi/L	0.00068	0.00068	U		
SESPMNT	B12850	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CS-137	0.0032	pCi/L	0.0013	0.0013	U		
SESPMNT	B12851	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CS-137	0.000296	pCi/L	0.0007	0.0007	U		
SESPMNT	B13110	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CS-137	0.000365	pCi/L	0.00061	0.00061	U		
SESPMNT	B13111	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CS-137	0.000663	pCi/L	0.00068	0.00068	U		
SESPMNT	B13112	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CS-137	0.000166	pCi/L	0.00064	0.00064	U		
SESPMNT	B114W8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Feb-01	CS-137	0.000532	pCi/L	0.00075	0.00075	U		
SESPMNT	B114W9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Mar-01	CS-137	0.000992	pCi/L	0.00072	0.00072	U		
SESPMNT	B114X0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	04-Apr-01	CS-137	-0.000155	pCi/L	0.00062	0.00062	U		
SESPMNT	B11LW7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-May-01	CS-137	0.000338	pCi/L	0.00073	0.00073	U		
SESPMNT	B11LW8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	30-May-01	CS-137	0.00128	pCi/L	0.00068	0.00068	U		
SESPMNT	B11LW9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Jun-01	CS-137	0.00035	pCi/L	0.00065	0.00065	U		
SESPMNT	B12870	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	09-Aug-01	CS-137	0.000589	pCi/L	0.0011	0.0011	U		
SESPMNT	B12871	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Sep-01	CS-137	0.000694	pCi/L	0.00069	0.00069	U		
SESPMNT	B12872	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Oct-01	CS-137	0.000302	pCi/L	0.00071	0.00071	U		
SESPMNT	B13128	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	01-Nov-01	CS-137	0.000609	pCi/L	0.00063	0.00063	U		
SESPMNT	B13129	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Nov-01	CS-137	0.000177	pCi/L	0.00078	0.00078	U		
SESPMNT	B13130	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Dec-01	CS-137	0.00042	pCi/L	0.00059	0.00059	U		
SESPMNT	B114T7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Feb-01	EU-154	-0.0000737	pCi/L	0.0019	0.0019	U		
SESPMNT	B114T8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Mar-01	EU-154	-0.000483	pCi/L	0.002	0.002	U		
SESPMNT	B114T9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	04-Apr-01	EU-154	-0.00108	pCi/L	0.002	0.002	U		
SESPMNT	B11LT9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-May-01	EU-154	0.000843	pCi/L	0.0019	0.0019	U		
SESPMNT	B11LV0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	30-May-01	EU-154	0.000147	pCi/L	0.002	0.002	U		
SESPMNT	B11LV1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Jun-01	EU-154	0.000244	pCi/L	0.0016	0.0016	U		
SESPMNT	B12849	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	09-Aug-01	EU-154	-0.000325	pCi/L	0.0017	0.0017	U		
SESPMNT	B12850	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Sep-01	EU-154	-0.000263	pCi/L	0.0023	0.0023	U		
SESPMNT	B12851	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Oct-01	EU-154	0.00219	pCi/L	0.0021	0.0021	U		
SESPMNT	B13110	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	01-Nov-01	EU-154	0.000971	pCi/L	0.0018	0.0018	U		
SESPMNT	B13111	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Nov-01	EU-154	0.00108	pCi/L	0.002	0.002	U		
SESPMNT	B13112	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	27-Dec-01	EU-154	0.00109	pCi/L	0.002	0.002	U		
SESPMNT	B114W8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Feb-01	EU-154	-0.0000878	pCi/L	0.0021	0.0021	U		
SESPMNT	B114W9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Mar-01	EU-154	0.00035	pCi/L	0.0021	0.0021	U		
SESPMNT	B114X0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	04-Apr-01	EU-154	-0.000538	pCi/L	0.002	0.002	U		
SESPMNT	B11LW7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-May-01	EU-154	0.000893	pCi/L	0.002	0.002	U		
SESPMNT	B11LW8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	30-May-01	EU-154	-0.00146	pCi/L	0.0021	0.0021	U		
SESPMNT	B11LW9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Jun-01	EU-154	0.000999	pCi/L	0.0019	0.0019	U		
SESPMNT	B12870	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	09-Aug-01	EU-154	-0.00195	pCi/L	0.0032	0.0032	U		
SESPMNT	B12871	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Sep-01	EU-154	0.00132	pCi/L	0.002	0.002	U		
SESPMNT	B12872	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Oct-01	EU-154	0.00114	pCi/L	0.0021	0.0021	U		
SESPMNT	B13128	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	01-Nov-01	EU-154	0.000314	pCi/L	0.0019	0.0019	U		
SESPMNT	B13129	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Nov-01	EU-154	-0.0015	pCi/L	0.0021	0.0021	U		
SESPMNT	B13130	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	27-Dec-01	EU-154	-0.0000627	pCi/L	0.0018	0.0018	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	ALPHA	-0.181 pCi/L		0.59	0.59	U			SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	ALPHA	0.184 pCi/L		0.81	0.81	U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	ALPHA	0.225 pCi/L		0.55	0.55	U			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	ALPHA	0.151 pCi/L		0.65	0.65	U			SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	ALPHA	-0.17 pCi/L		0.53	0.53	U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	ALPHA	0.025 pCi/L		0.71	0.71	U			SK-082-2
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	BETA	3.54 pCi/L		1.3	1.4	J			SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	BETA	1.72 pCi/L		1.4	1.4	U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	BETA	12.3 pCi/L		1.8	2.6				SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	BETA	14.5 pCi/L		2.1	3				SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	BETA	3.82 pCi/L		1.9	2	J			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	BETA	2.32 pCi/L		1.3	1.3	J			SK-082-2
PNL GW	B13608	100-B SPRING 37-1		SW		22-Oct-01	TRITIUM	7990 pCi/L		420	690				SB-037-1
PNL GW	B13611	100-B SPRING 38-3		SW		22-Oct-01	TRITIUM	6160 pCi/L		370	590				SB-038-3
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	TRITIUM	9420 pCi/L		330	1000				SD-98-1
PNL GW	B13620	100-F SPRING 207-1		SW		22-Oct-01	TRITIUM	1470 pCi/L		220	320				SF-207-1
PNL GW	B13623	100-F SPRING 211-1		SW		22-Oct-01	TRITIUM	1340 pCi/L		210	310				SF-211-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	TRITIUM	1300 pCi/L		160	210				SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	TRITIUM	338 pCi/L		120	120	J			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	TRITIUM	205 pCi/L		120	120	J			SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	TRITIUM	91 pCi/L		120	120	U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	TRITIUM	5800 pCi/L		260	640	B			SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	ALPHA	3.3 pCi/L		1.9	2				
PNL GW	B13608	100-B SPRING 37-1		SW		22-Oct-01	ALPHA	2.79 pCi/L		1.7	1.8				SB-037-1
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	ALPHA	9.45 pCi/L		3.2	3.8				
PNL GW	B13611	100-B SPRING 38-3		SW		22-Oct-01	ALPHA	4.44 pCi/L		2	2.2				SB-038-3
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	ALPHA						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	ALPHA						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	ALPHA	1.61 pCi/L		1.8	1.8	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	ALPHA	4.46 pCi/L		2.7	2.9				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	ALPHA	4.17 pCi/L		2.7	2.8				
PNL GW	B13620	100-F SPRING 207-1		SW		22-Oct-01	ALPHA	5.23 pCi/L		2.3	2.6				SF-207-1
PNL GW	B13623	100-F SPRING 211-1		SW		22-Oct-01	ALPHA	3.36 pCi/L		1.9	2				SF-211-1
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	ALPHA	2.81 pCi/L		2.1	2.2	J	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	ALPHA	0.714 pCi/L		0.89	0.91	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	ALPHA	1.05 pCi/L		0.91	0.95	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	ALPHA	1.09 pCi/L		0.98	1	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	ALPHA	0.839 pCi/L		0.92	0.94	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	ALPHA						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	ALPHA	0.663 pCi/L		0.81	0.83	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	ALPHA	3.22 pCi/L		1.8	1.9				
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	ALPHA						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	ALPHA	1.62 pCi/L		1.4	1.5	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	ALPHA	2.18 pCi/L		1.4	1.5				
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	ALPHA	87.5 pCi/L		8.3	21				
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	ALPHA	86.8 pCi/L		8.7	21				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	ALPHA	65.2 pCi/L		9	17				
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	ALPHA	27 pCi/L		5.1	7.9				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	ALPHA						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	ALPHA	3.01 pCi/L		1.8	1.9	J			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	ALPHA						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	ALPHA	4.99 pCi/L		2.2	2.5				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	ALPHA						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	ALPHA	4.2 pCi/L		1.6	1.8				
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	BETA	4.85 pCi/L		1.8	2				
PNL GW	B13608	100-B SPRING 37-1		SW		22-Oct-01	BETA	7.42 pCi/L		1.8	2.1				SB-037-1
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	BETA	23.9 pCi/L		2.9	4.5				
PNL GW	B13611	100-B SPRING 38-3		SW		22-Oct-01	BETA	7.05 pCi/L		1.8	2				SB-038-3

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	BETA						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	BETA						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	BETA	13.8	pCi/L	2.3	3				
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	BETA	10.2	pCi/L	2.2	2.6				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	BETA	6.41	pCi/L	1.9	2.2				
PNLGW	B13620	100-F SPRING 207-1		SW		22-Oct-01	BETA	9.39	pCi/L	2	2.4				SF-207-1
PNLGW	B13623	100-F SPRING 211-1		SW		22-Oct-01	BETA	7.17	pCi/L	1.8	2.1				SF-211-1
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	BETA	8.12	pCi/L	2	2.4		SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	BETA	2.46	pCi/L	1.5	1.6	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	BETA	11.4	pCi/L	2.1	2.7				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	BETA	27.4	pCi/L	2.8	4.7				
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	BETA	4.68	pCi/L	1.8	2				
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	BETA						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	BETA	5.14	pCi/L	1.7	2				
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	BETA	2.81	pCi/L	1.6	1.7	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	BETA						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	BETA	3.73	pCi/L	1.7	1.8				
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	BETA	5.48	pCi/L	1.7	2				
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	BETA	21	pCi/L	2.7	4				
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	BETA	32.7	pCi/L	3	5.4				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	BETA	25.8	pCi/L	2.9	4.6				
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	BETA	16	pCi/L	2.3	3.2				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	BETA						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	BETA						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	BETA	32.2	pCi/L	3	5.4				
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	BETA						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	BETA	35.9	pCi/L	3.2	5.8				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	BETA						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	BETA	8.35	pCi/L	1.3	1.8				
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	AM-241	26	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	AM-241	50	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	BE-7	-3.74	pCi/L	20	20	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	BE-7	-38.2	pCi/L	43	43	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	BE-7						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	BE-7						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	BE-7	-22.3	pCi/L	24	24	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	BE-7	-2.54	pCi/L	16	16	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	BE-7	-14.3	pCi/L	37	37	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	BE-7	11.3	pCi/L	21	21	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	BE-7	-10.8	pCi/L	20	20	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	BE-7	-1.65	pCi/L	24	24	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	BE-7	0.414	pCi/L	18	18	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	BE-7	8.64	pCi/L	28	28	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	BE-7						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	BE-7	-10	pCi/L	26	26	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	BE-7	-17.4	pCi/L	25	25	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	BE-7						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	BE-7	2.14	pCi/L	25	25	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	BE-7	-6.8	pCi/L	27	27	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	BE-7	-16.4	pCi/L	25	25	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	BE-7	-15.3	pCi/L	27	27	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	BE-7	-4.1	pCi/L	28	28	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	BE-7	19.8	pCi/L	21	21	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	BE-7	-5.05 pCi/L		24	24	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	BE-7	-0.91 pCi/L		18	18	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	BE-7						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	BE-7						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	BE-7	-12.5 pCi/L		28	28	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	BE-7						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	BE-7	3.92 pCi/L		26	26	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	BE-7						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	BE-7	11.5 pCi/L		30	30	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CO-58	11 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CO-58	26 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	CO-60	2.66 pCi/L		2.1	2.1	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CO-60	1.1 pCi/L		3.1	3.1	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	CO-60						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	CO-60						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	CO-60	-0.499 pCi/L		3	3	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	CO-60	0.565 pCi/L		2	2	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	CO-60	0.289 pCi/L		2.8	2.8	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	CO-60	3.14 pCi/L		2.4	2.4	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	CO-60	-1.04 pCi/L		1.9	1.9	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	CO-60	0.323 pCi/L		2.2	2.2	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	CO-60	0.727 pCi/L		2.9	2.9	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CO-60	3.2 pCi/L		2.5	2.5	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	CO-60						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CO-60	0.24 pCi/L		2.6	2.6	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CO-60	7.3 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	CO-60	-1.32 pCi/L		3.1	3.1	U			
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CO-60	22 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	CO-60						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	CO-60	1.08 pCi/L		2.8	2.8	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	CO-60	-0.253 pCi/L		2.4	2.4	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	CO-60	0.772 pCi/L		3.3	3.3	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CO-60	0.823 pCi/L		2.5	2.5	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	CO-60	0.773 pCi/L		2.2	2.2	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	CO-60	0.59 pCi/L		2.8	2.8	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CO-60	0.559 pCi/L		2.5	2.5	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	CO-60	1.78 pCi/L		2.4	2.4	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	CO-60						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	CO-60						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	CO-60	2.6 pCi/L		3.9	3.9	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	CO-60						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	CO-60	0.205 pCi/L		3.8	3.8	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	CO-60						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	CO-60	-0.357 pCi/L		2.7	2.7	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	CS-134	1.1 pCi/L		2.7	2.7	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CS-134	-0.262 pCi/L		3.4	3.4	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	CS-134						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	CS-134						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	CS-134	-0.457 pCi/L		2.8	2.8	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	CS-134	1.35 pCi/L		2.4	2.4	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	CS-134	0.0464 pCi/L		3	3	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	CS-134	0.866 pCi/L		2.3	2.3	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	CS-134	-1.03 pCi/L		2	2	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	CS-134	-0.0629	pCi/L	2.1	2.1	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	CS-134	1.36	pCi/L	2.5	2.5	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CS-134	0.733	pCi/L	2.2	2.2	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	CS-134						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CS-134	-0.856	pCi/L	2.1	2.1	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	CS-134	-1.54	pCi/L	2.8	2.8	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	CS-134						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	CS-134	0.274	pCi/L	2.7	2.7	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	CS-134	1.23	pCi/L	2.8	2.8	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	CS-134	0.00413	pCi/L	2.4	2.4	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CS-134	0.968	pCi/L	2.3	2.3	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	CS-134	1.18	pCi/L	2.7	2.7	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	CS-134	0.468	pCi/L	2.8	2.8	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CS-134	2.43	pCi/L	2	2	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	CS-134	-1.29	pCi/L	2.2	2.2	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	CS-134						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	CS-134						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-134	0.0549	pCi/L	3.4	3.4	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-134						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-134	2.3	pCi/L	3.5	3.5	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-134						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	CS-134	-3.31	pCi/L	2.4	2.4	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	CS-137	-0.919	pCi/L	2.5	2.5	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CS-137	2.03	pCi/L	2.5	2.5	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	CS-137						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	CS-137						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	CS-137	0.908	pCi/L	2.4	2.4	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	CS-137	0.434	pCi/L	2.1	2.1	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	CS-137	1.49	pCi/L	2.5	2.5	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	CS-137	1.29	pCi/L	2.3	2.3	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	CS-137	-0.75	pCi/L		2	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	CS-137	-0.531	pCi/L	2.2	2.2	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	CS-137	-1	pCi/L	2.4	2.4	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CS-137	0.0802	pCi/L	1.7	1.7	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	CS-137						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CS-137	1.21	pCi/L	2.3	2.3	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CS-137	7.7	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	CS-137	-0.731	pCi/L	2.5	2.5	U			
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CS-137	17	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	CS-137						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	CS-137	-0.409	pCi/L	2.7	2.7	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	CS-137	1.3	pCi/L	2.2	2.2	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	CS-137	0.0416	pCi/L	2.7	2.7	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CS-137	-0.678	pCi/L	2.9	2.9	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	CS-137	-1.49	pCi/L	2.4	2.4	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	CS-137	-1.93	pCi/L	2.4	2.4	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CS-137	0.269	pCi/L	2.4	2.4	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	CS-137	0.0169	pCi/L	2.1	2.1	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	CS-137						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	CS-137						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-137	-0.999	pCi/L	2.8	2.8	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-137						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	CS-137	0.933	pCi/L	2.9	2.9	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	CS-137						NO SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	CS-137	-1.22 pCi/L		2.2	2.2	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	EU-152	21 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	EU-152	39 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	EU-154	0.664 pCi/L		4.9	4.9	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	EU-154	-2.34 pCi/L		7.8	7.8	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	EU-154						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	EU-154						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	EU-154	-7.01 pCi/L		6.6	6.6	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	EU-154	1.94 pCi/L		5.6	5.6	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	EU-154	-4.06 pCi/L		7.5	7.5	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	EU-154	-4.09 pCi/L		7.1	7.1	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	EU-154	-2.08 pCi/L		3.8	3.8	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	EU-154	-8.15 pCi/L		6.8	6.8	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	EU-154	-1.84 pCi/L		8.3	8.3	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	EU-154	4.31 pCi/L		6.3	6.3	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	EU-154						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	EU-154	-6.75 pCi/L		6.8	6.8	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	EU-154	21 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	EU-154	1.44 pCi/L		7.4	7.4	U			
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	EU-154	49 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	EU-154						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	EU-154	-1.67 pCi/L		7.8	7.8	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	EU-154	-1.29 pCi/L		6.8	6.8	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	EU-154	2.06 pCi/L		5.8	5.8	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	EU-154	-3.01 pCi/L		8.3	8.3	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	EU-154	0.579 pCi/L		6.5	6.5	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	EU-154	3.91 pCi/L		5.8	5.8	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	EU-154	-1.61 pCi/L		5.5	5.5	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	EU-154	3.39 pCi/L		6.5	6.5	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	EU-154						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	EU-154						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-154	-0.0849 pCi/L		8.8	8.8	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-154						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-154	1.44 pCi/L		9.5	9.5	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-154						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	EU-154	-7.55 pCi/L		6.8	6.8	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	EU-155	-2.18 pCi/L		4.4	4.4	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	EU-155	-1.3 pCi/L		5.8	5.8	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	EU-155						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	EU-155						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	EU-155	2.98 pCi/L		5.9	5.9	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	EU-155	-0.189 pCi/L		3.8	3.8	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	EU-155	-0.898 pCi/L		5.2	5.2	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	EU-155	1.57 pCi/L		4.6	4.6	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	EU-155	0.391 pCi/L		3.4	3.4	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	EU-155	-1.62 pCi/L		4.8	4.8	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	EU-155	6.11 pCi/L		4.4	4.4	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	EU-155	-0.867 pCi/L		4.1	4.1	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	EU-155						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	EU-155	-1.08 pCi/L		5.4	5.4	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	EU-155	19 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	EU-155	-0.379 pCi/L		5.3	5.3	U			
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	EU-155	41 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	EU-155						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	EU-155	2.49	pCi/L	4.9	4.9	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	EU-155	-2.96	pCi/L	4.1	4.1	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	EU-155	1.29	pCi/L	5.6	5.6	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	EU-155	2.71	pCi/L	6.2	6.2	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	EU-155	-1.55	pCi/L	3.6	3.6	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	EU-155	0.558	pCi/L	4.3	4.3	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	EU-155	0.0211	pCi/L	4.4	4.4	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	EU-155	-7.11	pCi/L	5.4	5.4	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	EU-155						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	EU-155						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-155	-0.94	pCi/L	5.6	5.6	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-155						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	EU-155	5.53	pCi/L	7.5	7.5	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	EU-155						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	EU-155	-4	pCi/L	5.5	5.5	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	FE-59	25	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	FE-59	52	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	K-40	-52.1	pCi/L	39	39	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	K-40	120	pCi/L	75	75				
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	K-40						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	K-40						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	K-40	15.1	pCi/L	56	56	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	K-40	63.6	pCi/L	45	45				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	K-40	-47.2	pCi/L	47	47	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	K-40	-10.2	pCi/L	38	38	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	K-40	9.47	pCi/L	27	27	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	K-40	8.13	pCi/L	47	47	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	K-40	-34.6	pCi/L	46	46	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	K-40	5.98	pCi/L	39	39	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	K-40						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	K-40	0.782	pCi/L	46	46	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	K-40	94	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	K-40	-34.9	pCi/L	52	52	U			
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	K-40	220	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	K-40						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	K-40	36.8	pCi/L	53	53	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	K-40	-80.9	pCi/L	55	55	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	K-40	-20.8	pCi/L	55	55	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	K-40	-78.9	pCi/L	56	56	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	K-40	-19.3	pCi/L	52	52	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	K-40	-33.3	pCi/L	47	47	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	K-40	-22.7	pCi/L	50	50	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	K-40	-57.2	pCi/L	36	36	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	K-40						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	K-40						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	K-40	-55.2	pCi/L	68	68	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	K-40						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	K-40	5.54	pCi/L	48	48	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	K-40						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	K-40	-59.1	pCi/L	45	45	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	RA-226	14	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	RA-226	30	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	RA-228	55	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	RA-228	78	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	RU-106	-17.1	pCi/L	22	22	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	RU-106	-9.9	pCi/L	25	25	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	RU-106						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	RU-106						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	RU-106	-14	pCi/L	24	24	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	RU-106	-0.0196	pCi/L	18	18	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	RU-106	4.02	pCi/L	24	24	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	RU-106	13.6	pCi/L	21	21	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	RU-106	9.73	pCi/L	18	18	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	RU-106	-10.7	pCi/L	21	21	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	RU-106	-2.27	pCi/L	22	22	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	RU-106	-21.6	pCi/L	20	20	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	RU-106						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	RU-106	17.2	pCi/L	22	22	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	RU-106	6.44	pCi/L	21	21	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	RU-106						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	RU-106	-7.59	pCi/L	23	23	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	RU-106	-10.5	pCi/L	20	20	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	RU-106	2.86	pCi/L	21	21	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	RU-106	-4.34	pCi/L	24	24	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	RU-106	3.13	pCi/L	22	22	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	RU-106	0.733	pCi/L	20	20	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	RU-106	-12.7	pCi/L	19	19	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	RU-106	14.4	pCi/L	21	21	U			
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	RU-106						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	RU-106						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	RU-106	-17.3	pCi/L	28	28	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	RU-106						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	RU-106	10.8	pCi/L	27	27	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	RU-106						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	RU-106	9.04	pCi/L	25	25	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	SB-125	-1.24	pCi/L	6.3	6.3	U			
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	SB-125	0.0823	pCi/L	7.1	7.1	U			
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	SB-125						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	SB-125						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	SB-125	-4.46	pCi/L	6.3	6.3	U			
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	SB-125	2.23	pCi/L	5.3	5.3	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	SB-125	2.84	pCi/L	6.7	6.7	U			
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	SB-125	-2.03	pCi/L	4.5	4.5	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	SB-125	2.87	pCi/L	4.5	4.5	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	SB-125	0.535	pCi/L	4.4	4.4	U			
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	SB-125	1.09	pCi/L	5.4	5.4	U			
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	SB-125	1.46	pCi/L	5.3	5.3	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	SB-125						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	SB-125	-2.47	pCi/L	5.5	5.5	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	SB-125	0.0622	pCi/L	6.2	6.2	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	SB-125						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	SB-125	-0.117	pCi/L	6.4	6.4	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	SB-125	2.87	pCi/L	5.3	5.3	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	SB-125	-2.21	pCi/L	5.9	5.9	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	SB-125	-4.67	pCi/L	6.3	6.3	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	SB-125	0.877	pCi/L	4.9	4.9	U			
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	SB-125	0.0122	pCi/L	5.8	5.8	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	SB-125	-0.192	pCi/L	5.8	5.8	U			
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	SB-125	-0.72	pCi/L	5.7	5.7	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	SB-125						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	SB-125						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	SB-125	-0.891	pCi/L	7	7	U			
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	SB-125						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	SB-125	6.69	pCi/L	7.2	7.2	U			
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	SB-125						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	SB-125	-2.01	pCi/L	6.3	6.3	U			
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	TH-228	11	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	TH-228	43	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA	SK-082-2
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	TH-232	55	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	TH-232	78	pCi/L			U		VALUE REPORTED REPRESENTED BY MDA	SK-082-2
SESPMNT	B11W85	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	I-129	0.0034235	pCi/L		0.000335503				
SESPMNT	B12RN1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	I-129	0.0041188	pCi/L		0.000469543				
SESPMNT	B12X83	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	I-129						NO SAMPLE.		
SESPMNT	B11W34	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	I-129	0.0067254	pCi/L		0.000659089				
SESPMNT	B12RL8	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	I-129	0.0033792	pCi/L		0.000398746				
SESPMNT	B12WX8	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	I-129						NO SAMPLE.		
SESPSPEC	B12RN3	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	I-129						NO SAMPLE.		
SESPMNT	B11W61	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	I-129	0.2472086	pCi/L		0.022248774				
SESPMNT	B12X59	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	I-129						NO SAMPLE.		
SESPMNT	B11W60	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	I-129						NO SAMPLE.		
SESPMNT	B12X58	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	I-129						NO SAMPLE.		
SESPMNT	B11W33	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	I-129	0.2173509	pCi/L		0.019996283				
SESPMNT	B12WX7	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	I-129						NO SAMPLE.		
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	SR-90	0.0255	pCi/L	0.049	0.055	U			
PNL GW	B13608	100-B SPRING 37-1		SW		22-Oct-01	SR-90	0.0696	pCi/L	0.27	0.28	U			SB-037-1
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	SR-90	-0.0132	pCi/L	0.047	0.047	U			
PNL GW	B13611	100-B SPRING 38-3		SW		22-Oct-01	SR-90	0.0134	pCi/L	0.31	0.31	U			SB-038-3
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	SR-90						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	SR-90						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	SR-90	0.549	pCi/L	0.1	0.17				
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	SR-90	-0.0261	pCi/L	0.039	0.069	U			
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	SR-90	-0.0205	pCi/L	0.031	0.031	U			
PNL GW	B13620	100-F SPRING 207-1		SW		22-Oct-01	SR-90	0.267	pCi/L	0.43	0.43	U			SF-207-1
PNL GW	B13623	100-F SPRING 211-1		SW		22-Oct-01	SR-90	-0.091	pCi/L	0.36	0.36	U			SF-211-1
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	SR-90	0.0248	pCi/L	0.081	0.086	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	SR-90	0.062	pCi/L	0.06	0.063	U			
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	SR-90	3.77	pCi/L	0.15	0.8				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	SR-90	14.2	pCi/L	0.31	3.2				
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	SR-90	0.0435	pCi/L	0.041	0.044	U			
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	SR-90						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	SR-90	1.96	pCi/L	0.14	0.47				
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	SR-90	0.0275	pCi/L	0.058	0.059	U			
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	SR-90						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	SR-90	0.0129	pCi/L	0.043	0.043	U			
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	SR-90	0.0393	pCi/L	0.044	0.044	U			
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	SR-90	0.192	pCi/L	0.064	0.081				
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	SR-90	0.202	pCi/L	0.039	0.062				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	SR-90	0.215	pCi/L	0.041	0.066				
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	SR-90	0.143	pCi/L	0.048	0.06				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	SR-90						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	SR-90	0.0264	pCi/L	0.061	0.061	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	TC-99	2.15	pCi/L	0.12	0.38				
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TC-99	5.88	pCi/L	0.16	0.5				
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	TC-99						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	TC-99						NO SAMPLE.		
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	TC-99	-0.29	pCi/L	0.092	0.23	U	SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	TC-99	-0.0455	pCi/L	0.084	0.17	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	TC-99	4.5 pCi/L		0.14	0.41				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	TC-99	0.341 pCi/L		0.1	0.27				
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	TC-99	2.31 pCi/L		0.11	0.28				
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	TC-99						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	TC-99	0.0347 pCi/L		0.086	0.17	U			
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	TC-99	0.236 pCi/L		0.2	0.51	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	TC-99	10.1 pCi/L		0.34	0.95				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	TC-99	10.6 pCi/L		0.33	0.96				
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	TC-99	81.8 pCi/L		0.49	5.6				
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	TC-99						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	TC-99						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	TC-99						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	TC-99	112 pCi/L		0.58	7.5				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	TC-99						NO SAMPLE.		
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-228	0.00472 pCi/L		0.0085	0.0086	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	TH-228	0.00229 pCi/L		0.013	0.013	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-228	0.0837 pCi/L		0.026	0.033				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	TH-228	0.00178 pCi/L		0.018	0.018	U			
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	TH-228	0.0232 pCi/L		0.015	0.016				
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-230	0.00303 pCi/L		0.0056	0.0056	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	TH-230	0.00969 pCi/L		0.011	0.011	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-230	0.0542 pCi/L		0.021	0.025				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	TH-230	0.00444 pCi/L		0.0081	0.0082	U			
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	TH-230	0.00589 pCi/L		0.0081	0.0082	U			
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-232	0.000378 pCi/L		0.0043	0.0043	U			
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	TH-232	0.00269 pCi/L		0.0054	0.0054	U			
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TH-232	0.0871 pCi/L		0.026	0.034				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	TH-232	0.00554 pCi/L		0.0078	0.0079	U			
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	TH-232						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	TH-232						NO SAMPLE.		
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	TH-232	0.0104 pCi/L		0.013	0.013	U			
SESPMNT	B11W40	100-B SPRING 37-1	ONSITE	SW	SEEP	04-May-01	TRITIUM	6120 pCi/L		200	380				
SESPMNT	B12X38	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TRITIUM	6380 pCi/L		200	380				
SESPMNT	B11W35	100-N SPRING 8-13	ONSITE	SW	SEEP	04-May-01	TRITIUM	17300 pCi/L		330	800				
SESPMNT	B12WY1	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	TRITIUM	6550 pCi/L		230	430				
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TRITIUM	8380 pCi/L		230	460				
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	TRITIUM	6940 pCi/L		240	440				
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	TRITIUM	11700 pCi/L		260	580				
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TRITIUM	6300 pCi/L		200	380				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	TRITIUM	7410 pCi/L		240	460				
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	TRITIUM	107000 pCi/L		770	4100				
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	TRITIUM	102000 pCi/L		760	3900				
SESPMNT	B11W41	100-B SPRING 39-2	ONSITE	SW	SEEP	04-May-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12X39	100-B SPRING 39-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B11W49	100-D SPRING 102-1	ONSITE	SW	SEEP	04-May-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12X47	100-D SPRING 102-1	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B11W48	100-D SPRING 110-1	ONSITE	SW	SEEP	04-May-01	LO TRITIUM	5170 pCi/L		27	450				
SESPMNT	B12X46	100-D SPRING 110-1	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	LO TRITIUM	1380 pCi/L		14	120				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	LO TRITIUM	1370 pCi/L		14	120				
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	LO TRITIUM	5460 pCi/L		27	470		SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	LO TRITIUM	1190 pCi/L		13	100				
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	LO TRITIUM	362 pCi/L		8	34				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	LO TRITIUM	836 pCi/L		11	74				
SESPMNT	B12X41	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	LO TRITIUM	1200 pCi/L		13	110				
SESPMNT	B11W44	100-K SPRING 77-1	ONSITE	SW	SEEP	04-May-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12X42	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	LO TRITIUM	55.7 pCi/L		3.8	8.1				
SESPMNT	B11W43	100-K SPRING 82-2	ONSITE	SW	SEEP	04-May-01	LO TRITIUM	6140 pCi/L		29	530				
SESPMNT	B11W46	100-N SPRING 199N-46	ONSITE	SW	SEEP	04-May-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12X44	100-N SPRING 199N-46	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	LO TRITIUM	6400 pCi/L		30	550				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	LO TRITIUM						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	LO TRITIUM						NO SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	LO TRITIUM						NO SAMPLE.		
SESPSPEC	B121V4	RICHLAND SPR HRM44.4	OFFSITE	SW	SEEP	17-May-01	LO TRITIUM	232 pCi/L		6.5	23				
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	LO TRITIUM	35.4 pCi/L		3.7	6.9				
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	U-234	2.38 pCi/L		0.11	0.43				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	U-234	2.74 pCi/L		0.16	0.52				
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	U-234	1.32 pCi/L		0.084	0.25		SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	U-234	0.482 pCi/L		0.05	0.1				
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	U-234	0.994 pCi/L		0.073	0.19				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	U-234	0.507 pCi/L		0.049	0.1				
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	U-234	37.9 pCi/L		0.43	6.6				
SESPSPEC	B12RN6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-234	38.5250481 pCi/L							
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-234	53.3 pCi/L		0.53	9.6				
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	U-234	36.3 pCi/L		0.44	6.6				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	U-234						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	U-234	26.5 pCi/L		0.79	5				
SESPSPEC	B12RN5	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-234	10.3024845 pCi/L							
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-234	14.6 pCi/L		0.3	2.7				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	U-234	17.1 pCi/L		0.31	3.1				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	U-234						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	U-234						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-234						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-234						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-234						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-234	2.29 pCi/L		0.12	0.42				
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-234						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-234						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-234						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	U-234	2.25 pCi/L		0.13	0.42				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	U-234						NO SAMPLE.		
SESPSPEC	B121V4	RICHLAND SPR HRM44.4	OFFSITE	SW	SEEP	17-May-01	U-234	0.844 pCi/L		0.092	0.18				
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	U-234	0.246 pCi/L		0.037	0.058				
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	U-235	0.0741 pCi/L		0.019	0.023				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	U-235	0.0783 pCi/L		0.027	0.031				
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	U-235	0.045 pCi/L		0.016	0.018		SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	U-235	0.0329 pCi/L		0.014	0.015				
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	U-235	0.056 pCi/L		0.018	0.021				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	U-235	0.017 pCi/L		0.0098	0.011				
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	U-235	26 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	U-235	56 pCi/L				U		VALUE REPORTED REPRESENTED BY MDA.	SK-082-2
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	U-235	2.93 pCi/L		0.12	0.52				
SESPSPEC	B12RN6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-235	1.77727656 pCi/L							
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-235	2.24 pCi/L		0.11	0.42				
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	U-235	1.5 pCi/L		0.09	0.29				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	U-235						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	U-235	1.17 pCi/L		0.17	0.27				
SESPSPEC	B12RN5	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-235	0.47075448 pCi/L							
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-235	0.615 pCi/L		0.062	0.13				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	U-235	0.655 pCi/L		0.061	0.13				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	U-235						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	U-235						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-235						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-235						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-235						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-235	0.0586 pCi/L		0.021	0.023				
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-235						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-235						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-235						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	U-235	0.0594 pCi/L		0.023	0.025				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	U-235						NO SAMPLE.		
SESPSPEC	B121V4	RICHLAND SPR HRM44.4	OFFSITE	SW	SEEP	17-May-01	U-235	0.0138 pCi/L		0.014	0.015	U			
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	U-235	0.00255 pCi/L		0.0053	0.0053	U			
SESPSPEC	B12RN6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-236	1.005516 pCi/L							
SESPSPEC	B12RN5	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-236	0.2886804 pCi/L							
SESPMNT	B11W52	100-F SPRING 207-1	ONSITE	SW	SEEP	30-Apr-01	U-238	1.96 pCi/L		0.096	0.35				
SESPMNT	B12X50	100-F SPRING 207-1	ONSITE	SW	SEEP	22-Oct-01	U-238	2.41 pCi/L		0.15	0.46				

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11W50	100-H SPRING 145-1	ONSITE	SW	SEEP	30-Apr-01	U-238	1.11 pCi/L		0.077	0.21		SAMPLE COLLECTED 50 METERS FROM SPRING 145-1.		
SESPMNT	B12X48	100-H SPRING 145-1	ONSITE	SW	SEEP	01-Nov-01	U-238	0.39 pCi/L		0.045	0.084				
SESPMNT	B12X85	100-H SPRING 152-2	ONSITE	SW	SEEP	01-Nov-01	U-238	0.668 pCi/L		0.06	0.13				
SESPMNT	B11W86	100-H SPRING 153-1	ONSITE	SW	SEEP	30-Apr-01	U-238	0.467 pCi/L		0.047	0.094				
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	U-238	1000 pCi/L				U	VALUE REPORTED REPRESENTED BY MDA.		SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	U-238	1900 pCi/L				U	VALUE REPORTED REPRESENTED BY MDA.		SK-082-2
SESPMNT	B11W57	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	03-May-01	U-238	34.2 pCi/L		0.41	6				
SESPSPEC	B12RN6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-238	34.019958 pCi/L							
SESPMNT	B12RM6	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	U-238	47.5 pCi/L		0.5	8.6				
SESPMNT	B12XK2	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	17-Sep-01	U-238	33.8 pCi/L		0.43	6.1				
SESPMNT	B12X55	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	24-Sep-01	U-238						NO SAMPLE.		
SESPMNT	B11W38	300 AREA SPRING 42-2	ONSITE	SW	SEEP	10-May-01	U-238	25.3 pCi/L		0.77	4.7				
SESPSPEC	B12RN5	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-238	9.21723 pCi/L							
SESPMNT	B12RM1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	U-238	13.4 pCi/L		0.29	2.4				
SESPMNT	B12XK1	300 AREA SPRING 42-2	ONSITE	SW	SEEP	18-Sep-01	U-238	16.1 pCi/L		0.3	2.9				
SESPMNT	B12WY4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	24-Sep-01	U-238						NO SAMPLE.		
SESPSPEC	B12RW3	300 SPR 11	ONSITE	SW	SEEP	27-Aug-01	U-238						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-238						NO SAMPLE.		
SESPSPEC	B12RX7	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-238						NO SAMPLE.		
SESPSPEC	B12RN8	300 SPR 14	ONSITE	SW	SEEP	27-Aug-01	U-238						NO SAMPLE.		
SESPMNT	B11W55	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-238	1.4 pCi/L		0.096	0.26				
SESPMNT	B12X53	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-238						NO SAMPLE.		
SESPMNT	B11W54	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	30-Apr-01	U-238						NO SAMPLE.		
SESPMNT	B12X52	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	24-Sep-01	U-238						NO SAMPLE.		
SESPMNT	B11W36	HANFORD SPRING 28-2	ONSITE	SW	SEEP	30-Apr-01	U-238	1.58 pCi/L		0.11	0.3				
SESPMNT	B12WY2	HANFORD SPRING 28-2	ONSITE	SW	SEEP	24-Sep-01	U-238						NO SAMPLE.		
SESPSPEC	B121V4	RICHLAND SPR HRM44.4	OFFSITE	SW	SEEP	17-May-01	U-238	0.729 pCi/L		0.085	0.16				
SESPSPEC	B13J17	VERNITA BRIDGE -1	ONSITE	SW	SEEP	14-Nov-01	U-238	0.188 pCi/L		0.033	0.047				
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	BROMIDE	0.25 mg/L				U			SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	BROMIDE	0.25 mg/L				U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	BROMIDE	0.25 mg/L				U			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	BROMIDE	0.25 mg/L				U			SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	BROMIDE	0.25 mg/L				U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	BROMIDE	0.25 mg/L				U			SK-082-2
PNLGW	B13607	100-B SPRING 37-1		SW		22-Oct-01	CHLORIDE	13.4 mg/L				D			SB-037-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CHLORIDE	10.1 mg/L				D			
PNLGW	B13610	100-B SPRING 38-3		SW		22-Oct-01	CHLORIDE	10 mg/L				D			SB-038-3
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CHLORIDE	3.2 mg/L							SD-98-1
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	CHLORIDE	13.8 mg/L				D			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	CHLORIDE	11 mg/L				D			SF-211-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CHLORIDE	4.4 mg/L							SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CHLORIDE	2.9 mg/L							SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CHLORIDE	2.1 mg/L							SH-153-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CHLORIDE	4.7 mg/L							
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CHLORIDE	1.3 mg/L							SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CHLORIDE	7.6 mg/L							SK-082-2
SESPMNT	B135P7	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	CHLORIDE	4.8 mg/L							
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CHLORIDE	17.2 mg/L				D			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CHLORIDE	11.4 mg/L				D			
PNLGW	B13607	100-B SPRING 37-1		SW		22-Oct-01	FLUORIDE	0.18 mg/L							SB-037-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	FLUORIDE	0.15 mg/L							
PNLGW	B13610	100-B SPRING 38-3		SW		22-Oct-01	FLUORIDE	0.15 mg/L							SB-038-3
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	FLUORIDE	0.5 mg/L				U			SD-98-1
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	FLUORIDE	0.21 mg/L							SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	FLUORIDE	0.25 mg/L							SF-211-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	FLUORIDE	0.5 mg/L				U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	FLUORIDE	0.5 mg/L				U			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	FLUORIDE	0.5 mg/L				U			SH-153-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	FLUORIDE	0.15 mg/L							
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	FLUORIDE	0.5 mg/L				U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	FLUORIDE	0.5 mg/L				U			SK-082-2
SESPMNT	B135P7	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	FLUORIDE	0.15 mg/L							
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	FLUORIDE	0.26 mg/L							
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	FLUORIDE	0.21 mg/L							
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	NITRATE	7.5 mg/L							SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	NITRATE	6.56 mg/L							SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	NITRATE	5.52 mg/L							SH-152-2

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	NITRATE	2.45 mg/L							SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	NITRATE	0.89 mg/L							SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	NITRATE	6.86 mg/L							SK-082-2
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	NITRITE	0.25 mg/L				U			SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	NITRITE	0.25 mg/L				U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	NITRITE	0.25 mg/L				U			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	NITRITE	0.25 mg/L				U			SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	NITRITE	0.25 mg/L				U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	NITRITE	0.25 mg/L				U			SK-082-2
PNL GW	B13607	100-B SPRING 37-1		SW		22-Oct-01	NO2-N	0.002 mg/L				U			SB-037-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	NO2-N	0.002 mg/L				U			
PNL GW	B13610	100-B SPRING 38-3		SW		22-Oct-01	NO2-N	0.002 mg/L				U			SB-038-3
PNL GW	B13619	100-F SPRING 207-1		SW		22-Oct-01	NO2-N	0.002 mg/L				U			SF-207-1
PNL GW	B13622	100-F SPRING 211-1		SW		22-Oct-01	NO2-N	0.002 mg/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	NO2-N	0.002 mg/L				U			
SESPMNT	B135P7	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	NO2-N	0.002 mg/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	NO2-N	0.002 mg/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	NO2-N	0.002 mg/L				U			
PNL GW	B13607	100-B SPRING 37-1		SW		22-Oct-01	NO3-N	3 mg/L				D			SB-037-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	NO3-N	1.5 mg/L				D			
PNL GW	B13610	100-B SPRING 38-3		SW		22-Oct-01	NO3-N	1.5 mg/L				D			SB-038-3
PNL GW	B13619	100-F SPRING 207-1		SW		22-Oct-01	NO3-N	12.6 mg/L				D			SF-207-1
PNL GW	B13622	100-F SPRING 211-1		SW		22-Oct-01	NO3-N	9.9 mg/L				D			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	NO3-N	1.7 mg/L				D			
SESPMNT	B135P7	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	NO3-N	2 mg/L				D			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	NO3-N	4.9 mg/L				D			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	NO3-N	3.2 mg/L				D			
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	PHOSPHATE	0.25 mg/L				U			SD-98-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	PHOSPHATE	0.25 mg/L				U			SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	PHOSPHATE	0.25 mg/L				U			SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	PHOSPHATE	0.25 mg/L				U			SH-153-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	PHOSPHATE	0.25 mg/L				U			SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	PHOSPHATE	0.25 mg/L				U			SK-082-2
PNL GW	B13607	100-B SPRING 37-1		SW		22-Oct-01	SULFATE	41.2 mg/L				D			SB-037-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	SULFATE	36.5 mg/L				D			
PNL GW	B13610	100-B SPRING 38-3		SW		22-Oct-01	SULFATE	36.8 mg/L				D			SB-038-3
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	SULFATE	21.9 mg/L							SD-98-1
PNL GW	B13619	100-F SPRING 207-1		SW		22-Oct-01	SULFATE	59.4 mg/L				D			SF-207-1
PNL GW	B13622	100-F SPRING 211-1		SW		22-Oct-01	SULFATE	51.5 mg/L				D			SF-211-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	SULFATE	21.9 mg/L							SH-145-1
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	SULFATE	15.8 mg/L							SH-152-2
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	SULFATE	13.4 mg/L							SH-153-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	SULFATE	17.3 mg/L							
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	SULFATE	10.6 mg/L							SK-077-1
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	SULFATE	61 mg/L							SK-082-2
SESPMNT	B135P7	100-N SPRING 8-13	ONSITE	SW	SEEP	25-Oct-01	SULFATE	28.2 mg/L				D			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	SULFATE	50 mg/L				D			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	SULFATE	35.4 mg/L				D			
PNL GW	B13606	100-B SPRING 37-1		SW		22-Oct-01	AG	0.9 ug/L				U			SB-037-1
PNL GW	B13609	100-B SPRING 38-3		SW		22-Oct-01	AG	0.9 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	AG	0.75 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	AG	0.6 ug/L				U			SD-98-1
PNL GW	B13618	100-F SPRING 207-1		SW		22-Oct-01	AG	0.9 ug/L				U			SF-207-1
PNL GW	B13621	100-F SPRING 211-1		SW		22-Oct-01	AG	0.9 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	AG	0.6 ug/L				U			SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	AG	0.6 ug/L				U			SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	AG	0.6 ug/L				U			SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	AG	0.6 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	AG	0.6 ug/L				U			SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	AG	0.6 ug/L				U			SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	AG	0.6 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	AG	0.65 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	AG	0.6 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	AG	0.6 ug/L				U			SK-082-2
PNL GW	B13606	100-B SPRING 37-1		SW		22-Oct-01	AL	30.6 ug/L				U			SB-037-1
PNL GW	B13609	100-B SPRING 38-3		SW		22-Oct-01	AL	144 ug/L				B			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	AL	14 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	AL	3470 ug/L							SD-98-1

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	AL	30.6 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	AL	30.6 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	AL	61.6 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	AL	76.5 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	AL	31.1 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	AL	56.1 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	AL	47.1 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	AL	77.6 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	AL	14 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	AL	35.3 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	AL	14 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	AL	306 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	BA	73.9 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	BA	94.1 ug/L				B			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	BA	32 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	BA	65.8 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	BA	57.2 ug/L				B			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	BA	51.8 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	BA	30 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	BA	30.2 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	BA	23.4 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	BA	24.4 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	BA	25.2 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	BA	24.1 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	BA	27.6 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	BA	26.1 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	BA	45.1 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	BA	47.9 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	BE	0.41 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	BE	0.41 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	BE	0.1 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	BE	0.1 ug/L				U			SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	BE	0.41 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	BE	0.41 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	BE	0.22 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	BE	0.24 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	BE	0.16 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	BE	0.18 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	BE	0.18 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	BE	0.22 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	BE	0.1 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	BE	0.1 ug/L				U			SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	BE	0.1 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	BE	0.1 ug/L				U			SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	CA	44800 ug/L							SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	CA	51100 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	CA	25800 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CA	25800 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	CA	65300 ug/L							SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	CA	54100 ug/L							SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	CA	26300 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CA	26500 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	CA	23900 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CA	24200 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	CA	23100 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CA	22300 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	CA	20500 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CA	18700 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	CA	37400 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CA	37200 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	CD	0.53 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	CD	0.53 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	CD	0.3 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CD	0.42 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	CD	0.53 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	CD	0.53 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	CD	0.3 ug/L				U			SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CD	0.3 ug/L				U			SH-145-1

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	CD	0.3 ug/L				U			SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CD	0.3 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	CD	0.3 ug/L				U			SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CD	0.3 ug/L				U			SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	CD	0.3 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CD	0.3 ug/L				U			SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	CD	0.3 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CD	0.3 ug/L				U			SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	CO	1.4 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	CO	1.4 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	CO	0.8 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CO	1.7 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	CO	1.4 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	CO	1.4 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	CO	0.8 ug/L				U			SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CO	0.8 ug/L				U			SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	CO	0.8 ug/L				U			SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CO	0.8 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	CO	0.8 ug/L				U			SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CO	0.8 ug/L				U			SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	CO	0.8 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CO	0.8 ug/L				U			SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	CO	0.8 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CO	0.8 ug/L				U			SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	CR	8.5 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	CR	6 ug/L				B			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	CR	21.5 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CR	26.9 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	CR	17.1 ug/L							SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	CR	15.3 ug/L							SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	CR	20 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CR	19.6 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	CR	9.8 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CR	10.7 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	CR	5.6 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CR	5.5 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	CR	0.81 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CR	1 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	CR	45.6 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CR	46.4 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	CU	1 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	CU	14.2 ug/L				B			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	CU	3.4 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	CU	13.8 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	CU	1 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	CU	1 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	CU	2.6 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	CU	3.4 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	CU	3.5 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	CU	2.7 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	CU	2.3 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	CU	2.3 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	CU	3.9 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	CU	8.1 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	CU	3.9 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	CU	5.5 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	FE	31.5 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	FE	243 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	FE	17.3 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	FE	4410 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	FE	31.5 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	FE	31.5 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	FE	17.3 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	FE	36.1 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	FE	42.9 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	FE	17.3 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	FE	17.3 ug/L				U			SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	FE	38.8 ug/L							SH-153-1

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	FE	17.3 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	FE	55.5 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	FE	17.3 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	FE	383 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	K	4440 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	K	5030 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	K	2310 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	K	2840 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	K	3810 ug/L				B			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	K	4930 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	K	2240 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	K	2190 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	K	1670 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	K	1780 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	K	1480 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	K	1430 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	K	1150 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	K	1080 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	K	2330 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	K	2420 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	MG	10200 ug/L							SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	MG	9090 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	MG	6580 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	MG	7470 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	MG	13800 ug/L							SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	MG	12300 ug/L							SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	MG	6280 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	MG	6310 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	MG	4710 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	MG	4820 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	MG	4570 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	MG	4400 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	MG	4960 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	MG	4650 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	MG	9550 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	MG	9570 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	MN	0.5 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	MN	27.8 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	MN	0.95 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	MN	257 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	MN	0.5 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	MN	1 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	MN	7.7 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	MN	3.3 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	MN	0.29 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	MN	2.9 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	MN	3.5 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	MN	4.7 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	MN	0.35 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	MN	4.2 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	MN	0.21 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	MN	16.8 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	NA	10700 ug/L							SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	NA	9740 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	NA	9140 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	NA	9180 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	NA	19100 ug/L							SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	NA	15500 ug/L							SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	NA	6340 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	NA	6020 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	NA	6040 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	NA	6340 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	NA	2900 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	NA	2820 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	NA	2640 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	NA	2540 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	NA	12100 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	NA	12300 ug/L							SK-082-2

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	NI	3.9 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	NI	1.5 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	NI	1.3 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	NI	7.6 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	NI	1.5 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	NI	1.5 ug/L				U			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	NI	1 ug/L				U			SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	NI	1.3 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	NI	3 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	NI	1 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	NI	1.5 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	NI	1.3 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	NI	1.3 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	NI	1 ug/L				U			SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	NI	1.4 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	NI	2.2 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	SB	2.2 ug/L				U			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	SB	2.2 ug/L				U			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	SB	1.7 ug/L				U			SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	SB	1.7 ug/L				U			SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	SB	2.2 ug/L				U			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	SB	3.4 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	SB	1.7 ug/L				U			SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	SB	1.7 ug/L				U			SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	SB	1.7 ug/L				U			SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	SB	1.7 ug/L				U			SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	SB	1.7 ug/L				U			SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	SB	1.7 ug/L				U			SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	SB	1.7 ug/L				U			SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	SB	1.7 ug/L				U			SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	SB	1.7 ug/L				U			SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	SB	1.7 ug/L				U			SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	SR	204 ug/L							SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	SR	224 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	SR	146 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	SR	151 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	SR	378 ug/L							SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	SR	309 ug/L							SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	SR	142 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	SR	142 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	SR	121 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	SR	124 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	SR	118 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	SR	113 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	SR	108 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	SR	100 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	SR	202 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	SR	201 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	V (Vanadium)	6.6 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	V (Vanadium)	6.1 ug/L				B			SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	V (Vanadium)	9.3 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	V (Vanadium)	20.2 ug/L							SD-98-1
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	V (Vanadium)	5.5 ug/L				B			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	V (Vanadium)	5.5 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	V (Vanadium)	3.8 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	V (Vanadium)	3.9 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	V (Vanadium)	2 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	V (Vanadium)	1.9 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	V (Vanadium)	1.2 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	V (Vanadium)	0.65 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	V (Vanadium)	0.81 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	V (Vanadium)	0.73 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	V (Vanadium)	4.6 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	V (Vanadium)	5.8 ug/L							SK-082-2
PNLGW	B13606	100-B SPRING 37-1		SW		22-Oct-01	ZN	13.3 ug/L				B			SB-037-1
PNLGW	B13609	100-B SPRING 38-3		SW		22-Oct-01	ZN	25.2 ug/L							SB-038-3
CENTPLAT	B135X2	100-D SPRING 98-1		SW		25-Oct-01	ZN	8 ug/L							SD-98-1
CENTPLAT	B135X3	100-D SPRING 98-1		SW		25-Oct-01	ZN	79.6 ug/L							SD-98-1

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
PNLGW	B13618	100-F SPRING 207-1		SW		22-Oct-01	ZN	2.8 ug/L				B			SF-207-1
PNLGW	B13621	100-F SPRING 211-1		SW		22-Oct-01	ZN	4.4 ug/L				B			SF-211-1
CENTPLAT	B135X8	100-H SPRING 145-1		SW		01-Nov-01	ZN	3.6 ug/L							SH-145-1
CENTPLAT	B135X9	100-H SPRING 145-1		SW		01-Nov-01	ZN	7.5 ug/L							SH-145-1
CENTPLAT	B135Y4	100-H SPRING 152-2		SW		01-Nov-01	ZN	4.2 ug/L							SH-152-2
CENTPLAT	B135Y5	100-H SPRING 152-2		SW		01-Nov-01	ZN	4.1 ug/L							SH-152-2
CENTPLAT	B135Y6	100-H SPRING 153-1		SW		01-Nov-01	ZN	12 ug/L							SH-153-1
CENTPLAT	B135Y7	100-H SPRING 153-1		SW		01-Nov-01	ZN	11.6 ug/L							SH-153-1
CENTPLAT	B13600	100-K SPRING 77-1		SW		25-Oct-01	ZN	4.6 ug/L							SK-077-1
CENTPLAT	B13601	100-K SPRING 77-1		SW		25-Oct-01	ZN	6.6 ug/L							SK-077-1
CENTPLAT	B13604	100-K SPRING 82-2		SW		25-Oct-01	ZN	3.7 ug/L							SK-082-2
CENTPLAT	B13605	100-K SPRING 82-2		SW		25-Oct-01	ZN	24.3 ug/L							SK-082-2
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	14DICLBENZ (1,4-Dichlorobenzene)	0.25 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	1BUTANOL	4.9 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	1BUTANOL	4.9 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	1BUTANOL	4.9 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	1BUTANOL	4.9 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	1BUTANOL	4.9 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	1BUTANOL	4.9 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	1BUTANOL	4.9 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	ACETONE	1.3 ug/L				JB			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	ACETONE	0.3 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	ACETONE	0.3 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	ACETONE	0.3 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	ACETONE	1.7 ug/L				JB			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	ACETONE	0.3 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	ACETONE	0.3 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	BENZENE	0.23 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	BENZENE	0.23 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	BENZENE	0.23 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	BENZENE	0.23 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	BENZENE	0.23 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	BENZENE	0.23 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	BENZENE	0.23 ug/L				U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CARBIDE	0.29 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	CARBIDE	0.29 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	CARBIDE	0.29 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CARBIDE	0.29 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CARBIDE	0.29 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CARBIDE	0.29 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CARBIDE	0.29 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CARBETET	0.33 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	CARBETET	0.33 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	CARBETET	0.33 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CARBETET	0.33 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CARBETET	0.33 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CARBETET	0.33 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CARBETET	0.33 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	CHLOROFORM	0.21 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	CHLOROFORM	0.21 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	CHLOROFORM	0.21 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	CHLOROFORM	0.21 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	CHLOROFORM	0.21 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	CHLOROFORM	0.21 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	CHLOROFORM	0.21 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	cis-1,2-Dichloroethylene	0.32 ug/L				J			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	cis-1,2-Dichloroethylene	0.24 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	ETHBENZENE	0.24 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	ETHBENZENE	0.24 ug/L				U			SF-211-1
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	ETHCYANIDE	2 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	ETHCYANIDE	2 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	ETHCYANIDE	2 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	ETHCYANIDE	2 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	ETHCYANIDE	2 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	ETHCYANIDE	2 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	ETHCYANIDE	2 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	HEXONE	0.42 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	HEXONE	0.42 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	HEXONE	0.42 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	HEXONE	0.42 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	HEXONE	0.42 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	HEXONE	0.42 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	HEXONE	0.42 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	METHONE	0.39 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	METHONE	0.39 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	METHONE	0.39 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	METHONE	0.39 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	METHONE	0.39 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	METHONE	0.39 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	METHONE	0.39 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	METHYCH	0.24 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	METHYCH	0.24 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	METHYCH	0.24 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	METHYCH	0.24 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	METHYCH	0.24 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	METHYCH	0.66 ug/L				JB			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	METHYCH	0.56 ug/L				JB			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	PERCENE	0.36 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	PERCENE	0.36 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	PERCENE	0.36 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	PERCENE	0.36 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	PERCENE	0.36 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	PERCENE	0.36 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	PERCENE	0.36 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			SF-211-1

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TOLUENE	0.23 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	TOLUENE	0.23 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	TOLUENE	0.23 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	TOLUENE	0.23 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	TOLUENE	0.23 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TOLUENE	0.23 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TOLUENE	0.23 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TRANDCE (trans-1,2-Dichloroethylene)	0.23 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	TRICELN (Trichloroethene)	0.29 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	TRICELN (Trichloroethene)	0.29 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	TRICELN (Trichloroethene)	0.29 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	TRICELN (Trichloroethene)	2 ug/L				J			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	TRICELN (Trichloroethene)	0.29 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	TRICELN (Trichloroethene)	2 ug/L							
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	TRICELN (Trichloroethene)	0.29 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	VINYIDE	0.32 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	VINYIDE	0.32 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	VINYIDE	0.32 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	VINYIDE	0.32 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	VINYIDE	0.32 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	VINYIDE	0.32 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	VINYIDE	0.32 ug/L				U			
SESPMNT	B135P3	100-B SPRING 38-3	ONSITE	SW	SEEP	22-Oct-01	XYLENES	0.66 ug/L				U			
PNLGW	B13619	100-F SPRING 207-1		SW		22-Oct-01	XYLENES	0.66 ug/L				U			SF-207-1
PNLGW	B13622	100-F SPRING 211-1		SW		22-Oct-01	XYLENES	0.66 ug/L				U			SF-211-1
SESPMNT	B135P5	100-K SPRING 63-1	ONSITE	SW	SEEP	25-Oct-01	XYLENES	0.66 ug/L				U			
SESPMNT	B135P6	100-K SPRING 77-1	ONSITE	SW	SEEP	25-Oct-01	XYLENES	0.66 ug/L				U			
SESPMNT	B12RL1	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	27-Aug-01	XYLENES	0.66 ug/L				U			
SESPMNT	B12RL2	300 AREA SPRING 42-2	ONSITE	SW	SEEP	27-Aug-01	XYLENES	0.66 ug/L				U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	ALPHA	0.749	pCi/L	0.83	0.86	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	ALPHA	0.788	pCi/L	0.79	0.82	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	ALPHA	0.0134	pCi/L	0.49	0.49	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	ALPHA	0.985	pCi/L	0.83	0.86	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	ALPHA	0.705	pCi/L	0.74	0.77	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	ALPHA	0.333	pCi/L	0.63	0.64	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	BETA	1.02	pCi/L	1.5	1.6	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	BETA	1.62	pCi/L	1.5	1.6	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	BETA	0.601	pCi/L	1.4	1.5	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	BETA	0.224	pCi/L	1.3	1.4	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	BETA	0.558	pCi/L	1.3	1.4	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	BETA	0.921	pCi/L	1.4	1.5	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	BE-7	11	pCi/L	22	22	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	BE-7	-9.18	pCi/L	19	19	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	BE-7	-2.06	pCi/L	18	18	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	BE-7	-2.19	pCi/L	20	20	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	BE-7	5.62	pCi/L	20	20	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	BE-7	-2.37	pCi/L	22	22	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	CO-60	-1.51	pCi/L	3.1	3.1	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	CO-60	0.202	pCi/L	2.5	2.5	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	CO-60	0.576	pCi/L	2.5	2.5	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	CO-60	0.892	pCi/L	2.2	2.2	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	CO-60	-2.43	pCi/L	2.5	2.5	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	CO-60	1.12	pCi/L	2.6	2.6	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	CS-134	-0.453	pCi/L	2.5	2.5	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	CS-134	1.62	pCi/L	2.9	2.9	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	CS-134	-0.268	pCi/L	2.5	2.5	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	CS-134	0.501	pCi/L	2.4	2.4	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	CS-134	0.467	pCi/L	2.4	2.4	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	CS-134	-0.601	pCi/L	3	3	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	CS-137	-1.33	pCi/L	2.6	2.6	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	CS-137	0.482	pCi/L	2.1	2.1	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	CS-137	0.0157	pCi/L	1.7	1.7	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	CS-137	-0.0446	pCi/L	2.2	2.2	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	CS-137	-1.1	pCi/L	2.6	2.6	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	CS-137	-1	pCi/L	2.7	2.7	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	EU-154	1.54	pCi/L	7.6	7.6	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	EU-154	0.714	pCi/L	7.1	7.1	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	EU-154	0.0723	pCi/L	6.3	6.3	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	EU-154	-0.366	pCi/L	6.9	6.9	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	EU-154	1.39	pCi/L	6	6	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	EU-154	2.21	pCi/L	7.5	7.5	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	EU-155	2.06	pCi/L	5.7	5.7	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	EU-155	-2.76	pCi/L	3.8	3.8	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	EU-155	3.12	pCi/L	4.2	4.2	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	EU-155	2.83	pCi/L	4.4	4.4	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	EU-155	0.0234	pCi/L	5	5	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	EU-155	1.34	pCi/L	5.2	5.2	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	K-40	8.27	pCi/L	54	54	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	K-40	-8.44	pCi/L	43	43	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	K-40	-33.5	pCi/L	43	43	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	K-40	-44.2	pCi/L	57	57	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	K-40	-30.1	pCi/L	46	46	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	K-40	11.4	pCi/L	61	61	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	RU-106	-26.8	pCi/L	24	24	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	RU-106	7.08	pCi/L	18	18	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	RU-106	1.06	pCi/L	18	18	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	RU-106	5.75	pCi/L	20	20	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	RU-106	16.3	pCi/L	20	20	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	RU-106	-1.16	pCi/L	21	21	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	SB-125	1.91	pCi/L	6.5	6.5	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	SB-125	2.75	pCi/L	4.5	4.5	U		
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	SB-125	1.21	pCi/L	5	5	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	SB-125	2.81	pCi/L	5	5	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	SB-125	1.07	pCi/L	6.5	6.5	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	SB-125	-0.986	pCi/L	5.8	5.8	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	SR-90	0.0825	pCi/L	0.034	0.04			
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	SR-90	0.091	pCi/L	0.038	0.044			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	SR-90	0.0559	pCi/L	0.024	0.028			
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	SR-90	0.075	pCi/L	0.025	0.033			
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	SR-90	0.0658	pCi/L	0.027	0.033			
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	SR-90	0.0709	pCi/L	0.028	0.034			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	TRITIUM	11.9	pCi/L	75	110	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	TRITIUM	-86.9	pCi/L	71	110	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	LO TRITIUM	130	pCi/L	4.9	14			
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	LO TRITIUM	33.9	pCi/L	3.4	6.5			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	LO TRITIUM	123	pCi/L	5.1	14			
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	LO TRITIUM	44.1	pCi/L	3.6	7.3			
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	LO TRITIUM	132	pCi/L	5	14			
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	LO TRITIUM	120	pCi/L	4.8	13			
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	U-234	0.452	pCi/L	0.048	0.093			
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	U-234	0.306	pCi/L	0.039	0.067			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	U-234	0.188	pCi/L	0.035	0.048			
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	U-234	0.274	pCi/L	0.038	0.061			
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	U-234	0.336	pCi/L	0.071	0.095			
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	U-234	0.31	pCi/L	0.065	0.087			
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	U-235	0.00436	pCi/L	0.0067	0.0071	U		
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	U-235	0.0103	pCi/L	0.0082	0.0087			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	U-235	0.00421	pCi/L	0.0058	0.0058	U		
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	U-235	0.00811	pCi/L	0.0071	0.0072	U		
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	U-235	0.00362	pCi/L	0.014	0.014	U		
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	U-235	0.0148	pCi/L	0.018	0.018	U		
SESPMNT	B11WV8	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-May-01	U-238	0.425	pCi/L	0.046	0.088			
SESPMNT	B11WX0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-May-01	U-238	0.227	pCi/L	0.033	0.052			
SESPMNT	B124N7	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	07-Jun-01	U-238	0.16	pCi/L	0.032	0.043			
SESPMNT	B124P7	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	07-Jun-01	U-238	0.258	pCi/L	0.037	0.058			
SESPMNT	B12994	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	09-Jul-01	U-238	0.22	pCi/L	0.057	0.07			
SESPMNT	B129B4	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	09-Jul-01	U-238	0.259	pCi/L	0.059	0.076			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	ALPHA	0.632	pCi/L	1.2	1.3	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	ALPHA	-0.608	pCi/L	0.74	0.75	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	ALPHA	0.435	pCi/L	1.1	1.1	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	ALPHA	0.216	pCi/L	1.4	1.4	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	ALPHA	1.34	pCi/L	0.7	0.76			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	ALPHA	650	pCi/L	160	220			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	ALPHA	749	pCi/L	420	450			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	ALPHA	7060	pCi/L	1400	2100			
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	BE-7	15.8	pCi/L	18	18	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	BE-7	-5.85	pCi/L	16	16	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	BE-7	7.79	pCi/L	20	20	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	BE-7	17.7	pCi/L	29	29	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	BE-7	3.63	pCi/L	23	23	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	BE-7	-241	pCi/L	230	230	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	BE-7	3.91	pCi/L	240	240	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	BE-7	-42.2	pCi/L	230	230	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	BETA	12.1	pCi/L	2.3	2.9			
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	BETA	12.2	pCi/L	2.2	2.9			
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	BETA	10.1	pCi/L	2.1	2.6			
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	BETA	14	pCi/L	2.4	3			
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	BETA	8.65	pCi/L	2.1	2.5			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	BETA	1040	pCi/L	110	180			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	BETA	1460	pCi/L	190	280			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	BETA	7570	pCi/L	1200	1600			
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	CO-60	2.14	pCi/L	2.6	2.6	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	CO-60	1.1	pCi/L	2	2	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	CO-60	-1.4	pCi/L	2.2	2.2	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	CO-60	-0.874	pCi/L	2.8	2.8	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	CO-60	-0.866	pCi/L	2.6	2.6	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	CO-60	2.33	pCi/L	24	24	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	CO-60	0.861	pCi/L	22	22	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	CO-60	-26.3	pCi/L	29	29	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	CS-134	-0.16	pCi/L	1.8	1.8	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	CS-134	-0.436	pCi/L	1.9	1.9	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	CS-134	-0.14	pCi/L	1.8	1.8	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	CS-134	0.373	pCi/L	3.2	3.2	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	CS-134	-0.123	pCi/L	2.6	2.6	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	CS-134	-13.9	pCi/L	27	27	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	CS-134	9.39	pCi/L	23	23	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	CS-134	6.57	pCi/L	27	27	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	CS-137	0.853	pCi/L	2	2	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	CS-137	-0.363	pCi/L	2.3	2.3	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	CS-137	-0.791	pCi/L	2	2	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	CS-137	-0.89	pCi/L	2.4	2.4	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	CS-137	1.07	pCi/L	2.3	2.3	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	CS-137	26.5	pCi/L	29	29	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	CS-137	4.06	pCi/L	20	20	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	CS-137	3.99	pCi/L	23	23	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	EU-154	-2.9	pCi/L	6.4	6.4	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	EU-154	3.22	pCi/L	6.2	6.2	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	EU-154	2.37	pCi/L	6.2	6.2	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	EU-154	-6.52	pCi/L	8.2	8.2	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	EU-154	2.56	pCi/L	6.4	6.4	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	EU-154	28.6	pCi/L	79	79	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	EU-154	15.6	pCi/L	61	61	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	EU-154	-32.4	pCi/L	100	100	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	EU-155	0.95	pCi/L	5.7	5.7	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	EU-155	2.41	pCi/L	3.5	3.5	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	EU-155	2.63	pCi/L	3.7	3.7	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	EU-155	3.3	pCi/L	5.5	5.5	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	EU-155	2.16	pCi/L	5.6	5.6	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	EU-155	-45	pCi/L	64	64	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	EU-155	-7.26	pCi/L	48	48	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	EU-155	-30.1	pCi/L	67	67	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	K-40	0.232	pCi/L	40	40	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	K-40	5.66	pCi/L	28	28	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	K-40	61	pCi/L	57	57			
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	K-40	-6.02	pCi/L	57	57	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	K-40	23.1	pCi/L	37	37	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	K-40	567	pCi/L	600	600	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	K-40	461	pCi/L	620	620	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	K-40	2140	pCi/L	800	800			
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	RU-106	-19.9	pCi/L	20	20	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	RU-106	-8.05	pCi/L	16	16	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	RU-106	-2	pCi/L	19	19	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	RU-106	13.9	pCi/L	25	25	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	RU-106	-9.92	pCi/L	19	19	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	RU-106	-72.6	pCi/L	240	240	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	RU-106	22.8	pCi/L	220	220	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	RU-106	28	pCi/L	220	220	U		
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	SB-125	-3.15	pCi/L	5.3	5.3	U		
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	SB-125	-2.6	pCi/L	4.4	4.4	U		
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	SB-125	-0.306	pCi/L	5.1	5.1	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	SB-125	2.11	pCi/L	5.9	5.9	U		
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	SB-125	0.157	pCi/L	5.7	5.7	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	SB-125	46.1	pCi/L	71	71	U		
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	SB-125	-42.9	pCi/L	62	62	U		
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	SB-125	-0.978	pCi/L	64	64	U		
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	TC-99	27.1	pCi/L	8.1	23			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	TC-99	26.7	pCi/L	8	22			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	TC-99	353	pCi/L	12	41			
SESPMNT	B11CC8	FFTF POND	ONSITE	SW	POND	12-Feb-01	TRITIUM	3340	pCi/L	160	270			
SESPMNT	B11N00	FFTF POND	ONSITE	SW	POND	03-Apr-01	TRITIUM	3860	pCi/L	160	280			
SESPSPEC	B11N01	FFTF POND	ONSITE	SW	POND	03-Apr-01	TRITIUM	3500	pCi/L	150	260			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	TRITIUM	105	pCi/L	80	120	U		
SESPMNT	B134K9	WEST LAKE	ONSITE	SW	POND	08-Oct-01	TRITIUM	85.8	pCi/L	81	120	U		
SESPMNT	B12993	FFTF POND	ONSITE	SW	POND	09-Jul-01	LO TRITIUM	3330	pCi/L	21	290			
SESPMNT	B134L0	FFTF POND	ONSITE	SW	POND	08-Oct-01	LO TRITIUM	3140	pCi/L	21	270			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	LO TRITIUM	114	pCi/L	4.7	13			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	U-234	345	pCi/L	5.9	60			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	U-234	461	pCi/L	7.2	81			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	U-234	2460	pCi/L	57	450			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	U-235	13.5	pCi/L	1.2	2.6			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	U-235	17.5	pCi/L	1.4	3.4			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	U-235	88.5	pCi/L	11	19			
SESPMNT	B11CC7	WEST LAKE	ONSITE	SW	POND	12-Feb-01	U-238	326	pCi/L	5.7	57			
SESPMNT	B11MY9	WEST LAKE	ONSITE	SW	POND	03-Apr-01	U-238	425	pCi/L	6.9	74			
SESPMNT	B12992	WEST LAKE	ONSITE	SW	POND	09-Jul-01	U-238	2240	pCi/L	55	410			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - SHALLOW GROUNDWATER DRIVE POINT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	BE-7	28.1	pCi/L	35	35	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	BE-7	29.7	pCi/L	33	33	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	BE-7	11.5	pCi/L	31	31	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	BE-7	-30.7	pCi/L	25	25	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	BE-7	4.75	pCi/L	25	25	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	BE-7	-30.8	pCi/L	30	30	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	BE-7	7.35	pCi/L	24	24	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	BE-7	7.82	pCi/L	25	25	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	BE-7	11.3	pCi/L	27	27	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	BE-7	-16.8	pCi/L	26	26	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CO-60	1.58	pCi/L	3.1	3.1	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CO-60	2.38	pCi/L	3.1	3.1	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CO-60	2.68	pCi/L	2.4	2.4	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CO-60	0.396	pCi/L	1.8	1.8	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CO-60	0.217	pCi/L	2.3	2.3	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CO-60	1.22	pCi/L	2.8	2.8	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CO-60	-0.502	pCi/L	2.3	2.3	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CO-60	0.726	pCi/L	2.2	2.2	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CO-60	-0.779	pCi/L	2.4	2.4	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CO-60	-0.458	pCi/L	2	2	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-134	1.82	pCi/L	3.1	3.1	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-134	2.79	pCi/L	2.6	2.6	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-134	0.374	pCi/L	2.7	2.7	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-134	-0.762	pCi/L	2.1	2.1	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-134	-0.887	pCi/L	2.2	2.2	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-134	-1.65	pCi/L	2.6	2.6	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-134	0.912	pCi/L	2.1	2.1	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-134	0.593	pCi/L	2	2	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-134	-0.456	pCi/L	2.2	2.2	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-134	0.117	pCi/L	2.7	2.7	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-137	-0.728	pCi/L	2.8	2.8	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-137	-1.24	pCi/L	2.9	2.9	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-137	0.937	pCi/L	2.4	2.4	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-137	0.246	pCi/L	2	2	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	CS-137	1.05	pCi/L	2.3	2.3	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-137	2.56	pCi/L	2.6	2.6	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-137	0.178	pCi/L	1.9	1.9	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-137	-0.533	pCi/L	1.9	1.9	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-137	0.613	pCi/L	2.4	2.4	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	CS-137	0.865	pCi/L	2.4	2.4	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-154	-5.82	pCi/L	9	9	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-154	-6.67	pCi/L	8.7	8.7	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-154	-1.66	pCi/L	7.3	7.3	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-154	-1.03	pCi/L	6.3	6.3	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-154	-4.93	pCi/L	7.3	7.3	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-154	2.31	pCi/L	5.7	5.7	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-154	6.45	pCi/L	7.3	7.3	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-154	1.44	pCi/L	5.9	5.9	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-154	-1.67	pCi/L	6.4	6.4	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-154	3.63	pCi/L	7.4	7.4	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-155	0.774	pCi/L	6.1	6.1	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-155	-2.35	pCi/L	5.6	5.6	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-155	3.73	pCi/L	5	5	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-155	1.13	pCi/L	4	4	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	EU-155	-5.47	pCi/L	5.8	5.8	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-155	3.03	pCi/L	4.7	4.7	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-155	3.38	pCi/L	4	4	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-155	-1.56	pCi/L	3.7	3.7	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-155	0.789	pCi/L	5.3	5.3	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	EU-155	0.789	pCi/L	4.3	4.3	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - SHALLOW GROUNDWATER DRIVE POINT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	K-40	-85.8 pCi/L		58	58	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	K-40	-111 pCi/L		57	57	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	K-40	-12.9 pCi/L		47	47	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	K-40	-37.3 pCi/L		40	40	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	K-40	-42.3 pCi/L		30	30	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	K-40	-33.6 pCi/L		46	46	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	K-40	9.56 pCi/L		47	47	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	K-40	19.4 pCi/L		36	36	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	K-40	6.37 pCi/L		36	36	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	K-40	-30.9 pCi/L		61	61	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	RU-106	5.35 pCi/L		26	26	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	RU-106	4.57 pCi/L		22	22	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	RU-106	29.4 pCi/L		23	23	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	RU-106	-0.942 pCi/L		19	19	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	RU-106	-15.5 pCi/L		17	17	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	RU-106	26.9 pCi/L		23	23	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	RU-106	-0.484 pCi/L		13	13	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	RU-106	9.94 pCi/L		18	18	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	RU-106	10.9 pCi/L		19	19	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	RU-106	9.18 pCi/L		19	19	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	SB-125	4.13 pCi/L		6.6	6.6	U		
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	SB-125	-2.42 pCi/L		6.8	6.8	U		
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	SB-125	4.88 pCi/L		6.6	6.6	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	SB-125	1.97 pCi/L		5.1	5.1	U		
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	SB-125	-3.58 pCi/L		5.4	5.4	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	SB-125	2.55 pCi/L		6.1	6.1	U		
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	SB-125	-3.84 pCi/L		5.4	5.4	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	SB-125	7.01 pCi/L		5.5	5.5	U		
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	SB-125	-1.26 pCi/L		5.8	5.8	U		
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	SB-125	-0.177 pCi/L		5.3	5.3	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TC-99	9.43 pCi/L		0.34	0.93			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TC-99	20.2 pCi/L		0.43	1.5			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TC-99	12 pCi/L		0.35	1			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TC-99	11.4 pCi/L		0.72	1.7			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TC-99	10.7 pCi/L		0.34	0.96			
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TC-99							Insufficient sample volume received for analysis
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TC-99	9.93 pCi/L		0.38	1			
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TC-99	25.9 pCi/L		0.75	2.2			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TC-99	9.07 pCi/L		0.33	0.9			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TC-99							Insufficient sample volume received for analysis
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-228	0.0437 pCi/L		0.018	0.019			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-228	0.0568 pCi/L		0.021	0.022			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-228	0.029 pCi/L		0.018	0.018			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-228	0.0719 pCi/L		0.029	0.031			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-228	0.00902 pCi/L		0.018	0.018	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-228	0.0645 pCi/L		0.026	0.027			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-228	0.00568 pCi/L		0.015	0.015	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-228	0.745 pCi/L		0.081	0.13			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-228	0.0768 pCi/L		0.029	0.031			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-228	0.0289 pCi/L		0.025	0.025	U		
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-230	0.0285 pCi/L		0.014	0.014			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-230	0.0432 pCi/L		0.017	0.018			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-230	0.00755 pCi/L		0.0086	0.0086	U		
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-230	0.0618 pCi/L		0.024	0.025			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-230	0.0115 pCi/L		0.011	0.011	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-230	0.0543 pCi/L		0.022	0.023			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-230	0.0097 pCi/L		0.0097	0.0098	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-230	1.09 pCi/L		0.094	0.18			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-230	0.0876 pCi/L		0.028	0.031			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-230	0.0177 pCi/L		0.014	0.014			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - SHALLOW GROUNDWATER DRIVE POINT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-232	0.0398	pCi/L	0.016	0.017			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-232	0.0527	pCi/L	0.019	0.02			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-232	0.0243	pCi/L	0.015	0.015			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-232	0.0526	pCi/L	0.021	0.023			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TH-232	0.00399	pCi/L	0.0073	0.0074	U		
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-232	0.0377	pCi/L	0.019	0.019			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-232	0.00728	pCi/L	0.0084	0.0085	U		
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-232	0.499	pCi/L	0.064	0.096			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-232	0.0291	pCi/L	0.017	0.017			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TH-232	0.0295	pCi/L	0.017	0.018			
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TRITIUM	6060	pCi/L	220	400			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TRITIUM	7590	pCi/L	250	460			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TRITIUM	7800	pCi/L	250	470			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TRITIUM	7620	pCi/L	250	460			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	TRITIUM	7160	pCi/L	240	450			
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TRITIUM	7560	pCi/L	250	460			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TRITIUM	8020	pCi/L	250	480			
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TRITIUM	8390	pCi/L	260	490			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TRITIUM	8420	pCi/L	260	490			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	TRITIUM	8660	pCi/L	260	500			
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-234	35.7	pCi/L	0.52	6.5			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-234	53.7	pCi/L	0.6	9.7			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-234	56.6	pCi/L	0.6	10			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-234	56.3	pCi/L	0.62	10			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-234	70.5	pCi/L	0.66	13			
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-234	62.8	pCi/L	0.62	11			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-234	32.3	pCi/L	0.46	5.9			
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-234	33.7	pCi/L	0.57	6.2			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-234	32.2	pCi/L	0.52	5.9			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-234	37.4	pCi/L	0.5	6.8			
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-235	1.7	pCi/L	0.11	0.33			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-235	1.13	pCi/L	0.087	0.22			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-235	2.38	pCi/L	0.12	0.45			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-235	2.32	pCi/L	0.13	0.44			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-235	4.25	pCi/L	0.16	0.79			
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-235	2.88	pCi/L	0.13	0.54			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-235	1.21	pCi/L	0.088	0.24			
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-235	1.43	pCi/L	0.12	0.29			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-235	1.43	pCi/L	0.11	0.28			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-235	0.292	pCi/L	0.045	0.07			
SESPSPEC	B12XK8	300 SPR 9 -1 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-238	31.6	pCi/L	0.49	5.8			
SESPSPEC	B12XK9	300 SPR 9 -1 (4 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-238	46.8	pCi/L	0.56	8.5			
SESPSPEC	B12XL0	300 SPR 9 -2 (2 FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-238	51.8	pCi/L	0.57	9.4			
SESPSPEC	B12XL1	300 SPR 9 -2 (4.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-238	51.8	pCi/L	0.59	9.4			
SESPSPEC	B12XL2	300 SPR 9 -3 (5.5FT)	ONSITE	SW	DRIVE POINT	17-Sep-01	U-238	67.9	pCi/L	0.64	12			
SESPSPEC	B12XK3	300 SPR 7 -1 (2.5FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-238	64.7	pCi/L	0.63	12			
SESPSPEC	B12XK4	300 SPR 7 -1 (4 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-238	31.2	pCi/L	0.45	5.7			
SESPSPEC	B12XK5	300 SPR 7 -1 (6 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-238	31.5	pCi/L	0.55	5.8			
SESPSPEC	B12XK6	300 SPR 7 -2 (2 FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-238	30.9	pCi/L	0.51	5.6			
SESPSPEC	B12XK7	300 SPR 7 -2 (4.2FT)	ONSITE	SW	DRIVE POINT	18-Sep-01	U-238	34.6	pCi/L	0.49	6.3			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	ALPHA	1.04 pCi/L		0.9	0.93	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	-7.45 pCi/L		23	23	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	10.1 pCi/L		20	20	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	-2.24 pCi/L		26	26	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	-14.5 pCi/L		22	22	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	-15 pCi/L		25	25	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	6.52 pCi/L		21	21	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	6.2 pCi/L		21	21	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	-2.69 pCi/L		22	22	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	-7.12 pCi/L		23	23	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	13.5 pCi/L		22	22	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	12.3 pCi/L		25	25	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	-8.12 pCi/L		19	19	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	BE-7	11.9 pCi/L		23	23	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	5.23 pCi/L		21	21	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	-10.5 pCi/L		29	29	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	0.427 pCi/L		21	21	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	15.5 pCi/L		23	23	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	BE-7	1.01 pCi/L		24	24	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	4.98 pCi/L		25	25	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	-15.2 pCi/L		23	23	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	-7.42 pCi/L		20	20	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	1.03 pCi/L		22	22	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	-9.64 pCi/L		24	24	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	4.4 pCi/L		22	22	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	18.8 pCi/L		21	21	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	-9.1 pCi/L		21	21	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	10.7 pCi/L		22	22	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	-13.8 pCi/L		22	22	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	5.22 pCi/L		22	22	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	10.8 pCi/L		22	22	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	BE-7	-0.517 pCi/L		23	23	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	BE-7	9.33 pCi/L		22	22	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	BE-7	5.64 pCi/L		24	24	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	BE-7	3.99 pCi/L		18	18	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	BETA	1.54 pCi/L		1.5	1.6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.27 pCi/L		2.5	2.5	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.595 pCi/L		2.3	2.3	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.349 pCi/L		2.1	2.1	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.2 pCi/L		1.9	1.9	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.57 pCi/L		2.7	2.7	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.7 pCi/L		2.8	2.8	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.605 pCi/L		1.9	1.9	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.539 pCi/L		1.8	1.8	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.51 pCi/L		2.3	2.3	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.726 pCi/L		2.4	2.4	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.84 pCi/L		3.1	3.1	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.186 pCi/L		1.8	1.8	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.53 pCi/L		2.7	2.7	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.436 pCi/L		1.7	1.7	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.25 pCi/L		2.6	2.6	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.758 pCi/L		2.2	2.2	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.0182 pCi/L		2	2	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.0216 pCi/L		2	2	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.598 pCi/L		2	2	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.75 pCi/L		2.2	2.2	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.581 pCi/L		2	2	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.89 pCi/L		2.6	2.6	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.478 pCi/L		2.7	2.7	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	-1.48 pCi/L		2.5	2.5	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.275 pCi/L		2.1	2.1	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.77 pCi/L		2.9	2.9	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.4 pCi/L		2.6	2.6	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.352 pCi/L		1.9	1.9	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.7 pCi/L		2.8	2.8	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	-0.611 pCi/L		2.2	2.2	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.257 pCi/L		2.3	2.3	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.143 pCi/L		2.5	2.5	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	CO-60	1.28 pCi/L		2.5	2.5	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	CO-60	0.545 pCi/L		1.5	1.5	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.17 pCi/L		2.1	2.1	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.01 pCi/L		2.1	2.1	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.0974 pCi/L		2.4	2.4	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	-1.16 pCi/L		1.7	1.7	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	3.55 pCi/L		2.5	2.5	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.319 pCi/L		2.5	2.5	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.04 pCi/L		2.1	2.1	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	-1.71 pCi/L		2.4	2.4	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	-1.06 pCi/L		2.5	2.5	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.268 pCi/L		2.2	2.2	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.0598 pCi/L		2.1	2.1	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.95 pCi/L		1.9	1.9	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.43 pCi/L		2.4	2.4	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.521 pCi/L		2.1	2.1	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	2.07 pCi/L		2.4	2.4	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.065 pCi/L		2.1	2.1	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.729 pCi/L		2	2	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.56 pCi/L		1.9	1.9	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	-1.21 pCi/L		2.7	2.7	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.366 pCi/L		2.3	2.3	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.397 pCi/L		2.4	2.4	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.41 pCi/L		2.6	2.6	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.838 pCi/L		2.2	2.2	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.206 pCi/L		2.9	2.9	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.251 pCi/L		2	2	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.0729 pCi/L		2.7	2.7	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.2 pCi/L		2.7	2.7	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.166 pCi/L		2.3	2.3	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	-0.179 pCi/L		2.5	2.5	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	0.374 pCi/L		2.2	2.2	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.84 pCi/L		2.6	2.6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CS-134	-1.59 pCi/L		2.6	2.6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.25 pCi/L		3	3	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	CS-134	1.02 pCi/L		1.8	1.8	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.337 pCi/L		2.1	2.1	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.0345 pCi/L		2.1	2.1	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.0126 pCi/L		2.5	2.5	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	-2.89 pCi/L		2.1	2.1	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.301 pCi/L		2.4	2.4	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.301 pCi/L		2.1	2.1	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	2.19 pCi/L		2.2	2.2	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.934 pCi/L		2.1	2.1	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.704 pCi/L		2.2	2.2	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.921 pCi/L		2.3	2.3	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.358 pCi/L		2	2	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.44 pCi/L		1.9	1.9	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.243 pCi/L		2	2	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.971 pCi/L		1.8	1.8	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.936 pCi/L		2.3	2.3	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.132 pCi/L		2.1	2.1	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	-1.13 pCi/L		1.7	1.7	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.482 pCi/L		2	2	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.6 pCi/L		2.3	2.3	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.215 pCi/L		1.7	1.7	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	-1.85 pCi/L		2	2	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.21 pCi/L		2.4	2.4	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.59 pCi/L		2.1	2.1	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	2.86 pCi/L		2.4	2.4	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.88 pCi/L		2	2	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	1.04 pCi/L		2.3	2.3	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	-0.244 pCi/L		2	2	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	2.23 pCi/L		2	2	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.575 pCi/L		2.5	2.5	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	-2.19 pCi/L		2.3	2.3	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.819 pCi/L		2.1	2.1	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CS-137	0.629 pCi/L		2	2	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	CS-137	2.7 pCi/L		2.3	2.3	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	CS-137	-2.07 pCi/L		1.8	1.8	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	5.7 pCi/L		5.7	5.7	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	0.881 pCi/L		5.2	5.2	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE	RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	4.46	pCi/L		7.6	7.6	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	1.96	pCi/L		6.8	6.8	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	-4.47	pCi/L		5.4	5.4	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	2.38	pCi/L		6.7	6.7	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	0.815	pCi/L		5.2	5.2	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	-2.92	pCi/L		6.2	6.2	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	3.97	pCi/L		6.9	6.9	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	6.64	pCi/L		6.8	6.8	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	-4.71	pCi/L		6.9	6.9	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	0.14	pCi/L		4.1	4.1	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	EU-154	4.14	pCi/L		7.5	7.5	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	-4.85	pCi/L		5.1	5.1	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	1.92	pCi/L		7.3	7.3	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	-4.11	pCi/L		9.1	9.1	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	4	pCi/L		7.9	7.9	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	EU-154	3.54	pCi/L		7.3	7.3	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	-0.477	pCi/L		8	8	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	3.75	pCi/L		6	6	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	0.227	pCi/L		6.1	6.1	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	-1.1	pCi/L		5.9	5.9	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	-3.6	pCi/L		8.1	8.1	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	2.39	pCi/L		7.4	7.4	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	0.83	pCi/L		6.5	6.5	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	6.43	pCi/L		7.3	7.3	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	5.58	pCi/L		7.1	7.1	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	1.41	pCi/L		6.2	6.2	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	-2.25	pCi/L		6.3	6.3	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	1.16	pCi/L		5.8	5.8	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	EU-154	-3.97	pCi/L		5.3	5.3	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	EU-154	-2.24	pCi/L		7.9	7.9	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	EU-154	-0.337	pCi/L		7.2	7.2	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	EU-154	-2.12	pCi/L		3.8	3.8	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.0892	pCi/L		3.8	3.8	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.57	pCi/L		3.8	3.8	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	3.57	pCi/L		4.4	4.4	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.03	pCi/L		3.7	3.7	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	3.84	pCi/L		4.7	4.7	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	2.09	pCi/L		4.7	4.7	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.944	pCi/L		3.9	3.9	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.774	pCi/L		5.4	5.4	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	1.56	pCi/L		4.4	4.4	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.771	pCi/L		6.2	6.2	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.97	pCi/L		4.3	4.3	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.764	pCi/L		3.8	3.8	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	EU-155	1.65	pCi/L		3.7	3.7	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.77	pCi/L		3.6	3.6	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.136	pCi/L		4.6	4.6	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.142	pCi/L		4.7	4.7	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	1.88	pCi/L		3.9	3.9	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	EU-155	-2.28	pCi/L		6	6	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	1.96	pCi/L		5.4	5.4	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.00883	pCi/L		3.7	3.7	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.795	pCi/L		3.7	3.7	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.917	pCi/L		4.3	4.3	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.464	pCi/L		4	4	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.14	pCi/L		4.4	4.4	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	5.64	pCi/L		3.7	3.7	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	0.313	pCi/L		6	6	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	3.54	pCi/L		5.6	5.6	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	-1.66	pCi/L		4.1	4.1	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	-3.32	pCi/L		4.3	4.3	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.0934	pCi/L		3.6	3.6	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	EU-155	3.46	pCi/L		4.1	4.1	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	EU-155	-2.16	pCi/L		6.1	6.1	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	EU-155	2.19	pCi/L		4.5	4.5	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	EU-155	-0.472	pCi/L		3.6	3.6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	10.6	pCi/L		53	53	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	2.07	pCi/L		30	30	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	-4.6	pCi/L		45	45	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	-2.73	pCi/L		39	39	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	-28.1 pCi/L		42	42	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	-14.6 pCi/L		42	42	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	-27.5 pCi/L		37	37	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	17.6 pCi/L		39	39	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	11.9 pCi/L		47	47	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	29.5 pCi/L		37	37	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	-52.7 pCi/L		58	58	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	-3.33 pCi/L		29	29	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	K-40	-40.6 pCi/L		49	49	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	14.1 pCi/L		27	27	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	-27.9 pCi/L		45	45	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	8.42 pCi/L		48	48	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	6.54 pCi/L		41	41	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	K-40	21.7 pCi/L		36	36	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	-1.05 pCi/L		34	34	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	-32.3 pCi/L		46	46	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	36.7 pCi/L		33	33	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	-0.347 pCi/L		44	44	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	-28 pCi/L		47	47	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	-3.35 pCi/L		45	45	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	-1.5 pCi/L		41	41	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	7.56 pCi/L		37	37	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	K-40	22.8 pCi/L		41	41	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	K-40	-48.9 pCi/L		50	50	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	K-40	47.9 pCi/L		49	49	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	K-40	-29 pCi/L		33	33	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	K-40	57.9 pCi/L		47	47		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	K-40	1.19 pCi/L		39	39	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	K-40	29.4 pCi/L		64	64	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	K-40	-6.93 pCi/L		26	26	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	3.47 pCi/L		18	18	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	-9.69 pCi/L		18	18	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-13.2 pCi/L		22	22	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	1.11 pCi/L		17	17	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	-2.13 pCi/L		22	22	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	-12.5 pCi/L		21	21	U		
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-8.3 pCi/L		16	16	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	-7.36 pCi/L		22	22	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	2.16 pCi/L		22	22	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	-22.5 pCi/L		20	20	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-5.77 pCi/L		22	22	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	3.29 pCi/L		18	18	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	RU-106	4.9 pCi/L		19	19	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	-9.75 pCi/L		18	18	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	-19.6 pCi/L		22	22	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-7.21 pCi/L		20	20	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	-2.99 pCi/L		19	19	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	RU-106	6.54 pCi/L		22	22	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	-6.15 pCi/L		22	22	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	4.17 pCi/L		21	21	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	4.78 pCi/L		18	18	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	-8.21 pCi/L		21	21	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	-13.4 pCi/L		22	22	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	5.62 pCi/L		21	21	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-10.4 pCi/L		20	20	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	-7.67 pCi/L		20	20	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	7.53 pCi/L		20	20	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	6 pCi/L		19	19	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	11.3 pCi/L		19	19	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	-4.79 pCi/L		18	18	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	RU-106	-12.5 pCi/L		17	17	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	RU-106	1.43 pCi/L		21	21	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	RU-106	-16.8 pCi/L		23	23	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	RU-106	10.7 pCi/L		17	17	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.662 pCi/L		4.5	4.5	U		
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.418 pCi/L		4.1	4.1	U		
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.57 pCi/L		6.4	6.4	U		
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.943 pCi/L		4.8	4.8	U		
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.151 pCi/L		5.4	5.4	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.56 pCi/L		5.1	5.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	1.54 pCi/L		4.7	4.7	U		
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-3.12 pCi/L		5.2	5.2	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.68 pCi/L		5.5	5.5	U		
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	0.225 pCi/L		5.6	5.6	U		
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.6 pCi/L		6	6	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	1.39 pCi/L		4.5	4.5	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	SB-125	-3.94 pCi/L		5.2	5.2	U		
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	-4.87 pCi/L		5.2	5.2	U		
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	-2.5 pCi/L		6.2	6.2	U		
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	2.2 pCi/L		5	5	U		
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.0336 pCi/L		4.4	4.4	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	SB-125	-3.18 pCi/L		5.5	5.5	U		
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	0.429 pCi/L		5.6	5.6	U		
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.738 pCi/L		4.9	4.9	U		
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	4.29 pCi/L		4.6	4.6	U		
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.55 pCi/L		4.9	4.9	U		
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	4.75 pCi/L		6.3	6.3	U		
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	0.747 pCi/L		4.6	4.6	U		
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.21 pCi/L		4.7	4.7	U		
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	2.02 pCi/L		5.8	5.8	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	6.7 pCi/L		5.5	5.5	U		
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	0.311 pCi/L		5.6	5.6	U		
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	-2.67 pCi/L		5	5	U		
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.28 pCi/L		5	5	U		
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	SB-125	1.92 pCi/L		4.6	4.6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	SB-125	-1.2 pCi/L		6	6	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.529 pCi/L		5.8	5.8	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	SB-125	-0.853 pCi/L		4.8	4.8	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TH-228	-0.00562 pCi/L	0.018	0.018	0.018	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TH-230	0.0116 pCi/L	0.013	0.014	0.014	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TH-232	0.00386 pCi/L	0.0077	0.0078	0.0078	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	5.05 pCi/L	0.16	0.16	0.16			
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.703 pCi/L	0.061	0.061	0.061			
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	1.39 pCi/L	0.086	0.086	0.086			
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.719 pCi/L	0.064	0.064	0.064			
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	0.459 pCi/L	0.058	0.058	0.058			
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.431 pCi/L	0.05	0.05	0.05			
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.542 pCi/L	0.057	0.057	0.057			
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.371 pCi/L	0.047	0.047	0.047			
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	5.14 pCi/L	0.17	0.17	0.17			
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	1.77 pCi/L	0.1	0.1	0.1			
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.56 pCi/L	0.054	0.054	0.054			
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.418 pCi/L	0.05	0.05	0.05			
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01	U-234	0.479 pCi/L	0.055	0.055	0.055			
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	30.5 pCi/L	0.42	0.42	0.42			
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	1.31 pCi/L	0.11	0.11	0.11			
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.356 pCi/L	0.052	0.052	0.052			
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.263 pCi/L	0.046	0.046	0.046			
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01	U-234	0.538 pCi/L	0.055	0.055	0.055			
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	2.59 pCi/L	0.12	0.12	0.12			
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.652 pCi/L	0.061	0.061	0.061			
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.493 pCi/L	0.064	0.064	0.064			
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.384 pCi/L	0.054	0.054	0.054			
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	1.43 pCi/L	0.089	0.089	0.089			
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.606 pCi/L	0.057	0.057	0.057			
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.418 pCi/L	0.049	0.049	0.049			
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.267 pCi/L	0.041	0.041	0.041			
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01	U-234	4.7 pCi/L	0.16	0.16	0.16			
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01	U-234	5.27 pCi/L	0.18	0.18	0.18			
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01	U-234	1.67 pCi/L	0.095	0.095	0.095			
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.315 pCi/L	0.042	0.042	0.042			
SESPSPEC	B12RN4	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	U-234	0.10614681 pCi/L						
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	U-234	0.218 pCi/L	0.035	0.035	0.035		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RN7	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.17483004 pCi/L						
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	U-234	0.214 pCi/L	0.036	0.036	0.036		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01	U-234	0.368 pCi/L	0.049	0.049	0.049		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01	U-234	0.225 pCi/L	0.042	0.042	0.042		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01	U-235	0.248 pCi/L	0.036	0.036	0.036			
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01	U-235	0.0274 pCi/L	0.013	0.013	0.013			
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01	U-235	0.058 pCi/L	0.018	0.018	0.018			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0322 pCi/L		0.014	0.016			
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00885 pCi/L		0.01	0.011	U		
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0223 pCi/L		0.012	0.013			
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0116 pCi/L		0.0098	0.01			
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0066 pCi/L		0.0075	0.0079	U		
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.184 pCi/L		0.033	0.047			
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.101 pCi/L		0.025	0.031			
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00849 pCi/L		0.0083	0.0087	U		
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0085 pCi/L		0.0084	0.0088	U		
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0107 pCi/L		0.0094	0.0098			
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		1.14 pCi/L		0.082	0.22			
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0607 pCi/L		0.023	0.026			
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0139 pCi/L		0.011	0.012			
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00187 pCi/L		0.0079	0.0081	U		
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0187 pCi/L		0.011	0.012			
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0937 pCi/L		0.024	0.03			
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0251 pCi/L		0.013	0.014			
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0307 pCi/L		0.016	0.018			
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.017 pCi/L		0.012	0.013			
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0617 pCi/L		0.019	0.022			
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0141 pCi/L		0.01	0.011			
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0132 pCi/L		0.0095	0.01			
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00739 pCi/L		0.0081	0.0085	U		
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.288 pCi/L		0.041	0.066			
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.374 pCi/L		0.047	0.083			
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0782 pCi/L		0.021	0.026			
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0103 pCi/L		0.009	0.0095			
SESPSPEC	B12RN4	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.004908648 pCi/L						
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00374 pCi/L		0.0068	0.0072	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RN7	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.006314208 pCi/L						
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01 U-235		0.000984 pCi/L		0.005	0.0053	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01 U-235		0.0124 pCi/L		0.01	0.01		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01 U-235		0.00979 pCi/L		0.0099	0.01	U	WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RN4	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01 U-236		0.002465136 pCi/L						
SESPSPEC	B12RW5	300 SPR 11 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		4.48 pCi/L		0.15	0.82			
SESPSPEC	B12RW7	300 SPR 11 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.627 pCi/L		0.058	0.13			
SESPSPEC	B12RW9	300 SPR 11 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		1.28 pCi/L		0.082	0.24			
SESPSPEC	B12T21	300 SPR 11 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.639 pCi/L		0.061	0.13			
SESPSPEC	B12RX9	300 SPR 14 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		0.454 pCi/L		0.058	0.1			
SESPSPEC	B12RY1	300 SPR 14 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.433 pCi/L		0.05	0.093			
SESPSPEC	B12RY3	300 SPR 14 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.407 pCi/L		0.049	0.089			
SESPSPEC	B12T25	300 SPR 14 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.278 pCi/L		0.04	0.065			
SESPSPEC	B12RR5	300 SPR 7 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		4.85 pCi/L		0.17	0.89			
SESPSPEC	B12RR7	300 SPR 7 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		1.56 pCi/L		0.096	0.3			
SESPSPEC	B12RR9	300 SPR 7 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.442 pCi/L		0.048	0.093			
SESPSPEC	B12T13	300 SPR 7 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.378 pCi/L		0.048	0.084			
SESPSPEC	B12RT7	300 SPR 7 THRU SPR 9	ONSITE	SW	RIVER	27-Aug-01 U-238		0.374 pCi/L		0.049	0.084			
SESPSPEC	B12RT9	300 SPR 9 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		27.8 pCi/L		0.4	5			
SESPSPEC	B12RV1	300 SPR 9 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		1.17 pCi/L		0.1	0.24			
SESPSPEC	B12RV3	300 SPR 9 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.348 pCi/L		0.05	0.081			
SESPSPEC	B12T17	300 SPR 9 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.222 pCi/L		0.041	0.058			
SESPSPEC	B12RW1	300 SPR 9 THRU SPR 11	ONSITE	SW	RIVER	27-Aug-01 U-238		0.542 pCi/L		0.055	0.11			
SESPSPEC	B12RX1	300 SPR DR 11 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		2.48 pCi/L		0.12	0.47			
SESPSPEC	B12RX3	300 SPR DR 11 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.609 pCi/L		0.059	0.13			
SESPSPEC	B12RX5	300 SPR DR 11 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.437 pCi/L		0.06	0.1			
SESPSPEC	B12T23	300 SPR DR 11 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.287 pCi/L		0.046	0.07			
SESPSPEC	B12RT1	300 SPR DR 7 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		1.27 pCi/L		0.084	0.25			
SESPSPEC	B12RT3	300 SPR DR 7 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.482 pCi/L		0.051	0.1			
SESPSPEC	B12RT5	300 SPR DR 7 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.354 pCi/L		0.045	0.078			
SESPSPEC	B12T15	300 SPR DR 7 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.255 pCi/L		0.04	0.062			
SESPSPEC	B12RV5	300 SPR DR 9 -1	ONSITE	SW	RIVER	27-Aug-01 U-238		4.26 pCi/L		0.16	0.78			
SESPSPEC	B12RV7	300 SPR DR 9 -2	ONSITE	SW	RIVER	27-Aug-01 U-238		4.62 pCi/L		0.17	0.85			
SESPSPEC	B12RV9	300 SPR DR 9 -3	ONSITE	SW	RIVER	27-Aug-01 U-238		1.57 pCi/L		0.092	0.3			
SESPSPEC	B12T19	300 SPR DR 9 -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.254 pCi/L		0.037	0.06			
SESPSPEC	B12RN4	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01 U-238		0.102897804 pCi/L						
SESPSPEC	B12RP9	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01 U-238		0.22 pCi/L		0.035	0.053		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RN7	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.131957216 pCi/L						
SESPSPEC	B12RR1	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01 U-238		0.156 pCi/L		0.031	0.042		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12RR3	VERNITA BRIDGE -3	ONSITE	SW	RIVER	27-Aug-01 U-238		0.343 pCi/L		0.047	0.078		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	
SESPSPEC	B12T11	VERNITA BRIDGE -4	ONSITE	SW	RIVER	27-Aug-01 U-238		0.149 pCi/L		0.034	0.044		WATER CAME UP 2-3 FEET INTO RIPARIAN VEGETATION. 1 METER DEPTH AT GPS FLAG.	

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - 300 AREA RIVER STUDY

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CHLORIDE	1 mg/L						
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CHLORIDE	1 mg/L						
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	FLUORIDE	0.006 mg/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	FLUORIDE	0.1 mg/L						
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	NO2-N	0.002 mg/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	NO3-N	0.05 mg/L						
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	NO3-N	0.054 mg/L						
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	SULFATE	8.8 mg/L						
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	SULFATE	8.9 mg/L						
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	1,1,1-T (1,1,1-Trichloroethane)	0.31 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	1,1,2-T (1,1,2-Trichloroethane)	0.27 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	1,1-DCL (1,1-Dichloroethane)	0.25 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	1,2-DCL (1,2-Dichloroethane)	0.27 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	Dichlorobenzene	0.25 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	Dichlorobenzene	0.25 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	IBUTANOL	4.9 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	IBUTANOL	4.9 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	ACETONE	0.3 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	BENZENE	0.23 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CARBIDE	0.29 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CARBIDE	0.29 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CARB TET	0.33 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CARB TET	0.33 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	CHLOROFORM	0.21 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	cis-1,2-Dichloroethylene	0.24 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	cis-1,2-Dichloroethylene	0.24 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	ETHCYANIDE	2 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	ETHCYANIDE	2 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	HEXONE	0.42 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	HEXONE	0.42 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	METHONE	0.39 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	METHONE	0.39 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	METHYCH	0.24 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	METHYCH	0.58 ug/L				JB		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	PERCENE	0.36 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	PERCENE	0.36 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	TETHYDF (Tetrahydrofuran)	2.3 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	TOLUENE	0.23 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	Dichloroethylene	0.23 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	Dichloroethylene	0.23 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	TRICELN (Trichloroethene)	0.29 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	VINYIDE	0.32 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	VINYIDE	0.32 ug/L				U		
SESPMNT	B12RL5	VERNITA BRIDGE -1	ONSITE	SW	RIVER	27-Aug-01	XYLENES	0.66 ug/L				U		
SESPMNT	B12RL3	VERNITA BRIDGE -2	ONSITE	SW	RIVER	27-Aug-01	XYLENES	0.66 ug/L				U		

Table W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington (mg/L unless otherwise noted)

Sample Date	Discharge, CFS	Field Turbidity NTU	Barometric Pressure	Oxygen, dis.	Oxygen Dissolved % saturation	pH	Specific Conductance (µS/cm)	Air Temp. °C	Water Temp. °C	Hardness, noncarb. Dis. as CaCO ₃	Hardness, total as CaCO ₃	Calcium	Magnesium
10-Apr-01	64800	2.3	753	12.8	106	8.5	158		6.6	8	70.9	20.1	5.03
05-Jun-01	96600	2.2	753	11.7	113	8.2	139		13.4	8	61.8	17.6	4.32
22-Aug-01	22900	3	752	9.4	102	8	134	26.5	18.7	5	58.8	16.6	4.19
11-Dec-01	75700	1.3	753	11.2	98	8	144	4	9	4	64.3	18.3	4.53

Sample Date	Alkalinity, dis. Tot.	Bicarbonate, dis	Carbonate, dis	Chloride	Fluoride	Sulfate	Total Non-filterable residue	Residue, 180 °C	Ammonia	Total KjD	Filtered NO ₂ +NO ₃	Filtered Nitrite	Total Nitrogen
04-Jan-00	63	72	2	1.2	<0.2	11	<10	90	<.041	0.16	0.152	<0.006	0.311
05-Jun-01	53	65	0	1.1	0.1 ^(a)	9.3	<10	97	<.040	0.07 ^(a)	0.1	0.004 ^(a)	
22-Aug-01	54	66	0	0.9	<0.2	8.4	<10	80	<.040	0.09	0.046 ^(a)	<0.006	
11-Dec-01	60	73	0	0.9	<0.1	8.6	<10	80	<.040	0.13	0.096	0.004 ^(a)	0.228

Sample Date	Filtered Ortho-Phosphorus	Total Phosphorus	Organic carbon	Chromium, dis.	Iron	Sediment, suspended	Sediment discharge, sus.
10-Apr-01	<0.018	<0.060	1.1	<0.8	<10	3	525
05-Jun-01	<0.020	<0.060	1.3	<0.8	<10	2	522
22-Aug-01	<0.020	<0.060	2.4	<0.8	<10	3	185
11-Dec-01	0.011 ^(a)	<0.060	1.3	<0.8	<10	2	409

(a) Estimated value.

Table W-2. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pumphouse (mg/L unless otherwise noted)

Sample Date	Field Turbidity NTU	Barometric Pressure	Oxygen, dis.	Oxygen Dissolved % saturation	pH	Specific Conductance (µS/cm)	Air Temp. °C	Water Temp. °C	Hardness, noncarb. Dis. as CaCO ₃	Hardness, total as CaCO ₃	Calcium	Magnesium	Alkalinity, dis. Tot.
09-Jan-01		753	12.4	97	8.2	143		4.5	6	65.7	18.8	4.57	60
11-Apr-01	1.7	755	12.4	103	8.3	161		7	10	74	20.9	5.29	64
06-Jun-01	4.1	760	11.4	111	7.9	139		14	12	63.9	18.1	4.56	52
21-Aug-01	0.9	753	8.9	97.8	8.1	140	26.7	19.3	6	60.9	17.1	4.45	55
12-Dec-01	1.9	760	11.2	96	7.9	147	4	8.5	5	65.4	18.5	4.66	60

Sample Date	Bicarbonate, dis	Carbonate, dis	Chloride	Fluoride	Sulfate	Total Non-filterable residue	Residue, 180 °C	Ammonia	Total KjD	Filtered NO ₂ +NO ₃	Filtered Nitrite	Total Nitrogen	Filtered Ortho-Phosphorus
09-Jan-01	73	0	1.1	<0.2	9.1	<10	79	<0.041	0.14	0.152	0.004 ^(a)	0.293	<0.018
11-Apr-01	78	0	1.4	<0.2	11.5	<10	97	<0.041	0.14	0.165	<0.006	0.302	0.044
06-Jun-01	63	0	1.1	<0.2	9.1		75	<0.040	0.14	0.095	0.004 ^(a)	0.236	<0.020
21-Aug-01	67	0	1.2	<0.2	9.3	<10	75	<0.040	0.07 ^(a)	0.073	<0.006		<0.020
12-Dec-01	73	0	1	0.1	9.3	<10	84	<0.040	0.13	0.108	<0.008	0.235	0.011 ^(a)

Sample Date	Total Phosphorus	Organic carbon	Chromium, dis.	Iron	Sediment, suspended
09-Jan-01	<0.060	1.4	<0.8	<10	2
11-Apr-01	<0.060	^(b)	<0.8	<10	4
06-Jun-01	<0.060	1.5	<0.8	<10	3
21-Aug-01	<0.060	1.7	<0.8	<10	5
12-Dec-01	<0.060	1.1	<0.8	<10	3

(a) Estimated value.

(b) Presence varified, not quantified.

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2001 (concentrations in µg/L - not blank corrected)

Samp Num	Samp Site Name	Coll Mthd	Sample Date	Hg	Be	Cr	Ni	Cu	Zn	As	Se	Ag	Cd	Sb	Tl	Pb	
B11H66	RICH.PMPHS HRM 43.5	FILTERED	26-Feb-01	0.000388	0.008	U	0.0937	0.21	0.496	1.26	0.508	0.112 U	0.00722	0.0178	0.194	0.0197	0.00543
B11H70	RICH.PMPHS HRM 43.5	UNFILTERED	26-Feb-01	0.000807	0.0083		0.259	0.462	0.691	2.77	0.57	0.112 U	0.0126	0.027	0.174	0.021	0.119
B11H65	RICH.PMPHS HRM 43.9	FILTERED	26-Feb-01	0.000384	0.00886		0.0584	0.244	0.469	1.2	0.529	0.112 U	0.00755	0.0206	0.18	0.0201	0.0089
B11H69	RICH.PMPHS HRM 43.9	UNFILTERED	26-Feb-01	0.000662	0.008	U	0.223	0.394	0.66	2.5	0.599	0.112 U	0.011	0.0259	0.178	0.0206	0.0747
B11H64	RICH.PMPHS HRM 45.0	FILTERED	26-Feb-01	0.000435	0.008	U	0.108	0.295	0.506	1.31	0.54	0.112 U	0.00764	0.0183	0.177	0.0203	0.00521
B11H68	RICH.PMPHS HRM 45.0	UNFILTERED	26-Feb-01	0.000753	0.008	U	0.187	0.321	0.641	2.53	0.564	0.112 U	0.00967	0.0302	0.167	0.0198	0.0887
B11H63	RICH.PMPHS HRM 45.8	FILTERED	26-Feb-01	0.000457	0.008	U	0.0487	0.361	0.468	1.15	0.56	0.112 U	0.00651	0.0187	0.17	0.0205	0.00633
B11H67	RICH.PMPHS HRM 45.8	UNFILTERED	26-Feb-01	0.000588	0.008	U	0.223	0.467	0.716	2.45	0.567	0.112 U	0.011	0.0278	0.18	0.0199	0.0827
B11H53	RICH.PMPHS-1 HRM46.4	FILTERED	26-Feb-01	0.000667	0.008	U	0.0345 U	0.291	0.435	1.06	0.561	0.112 U	0.0105	0.0191	0.173	0.0187	0.00547
B11H53	RICH.PMPHS-1 HRM46.4	FILTERED	26-Feb-01		0.008	U	0.103	0.328	0.531	1.32	0.553	0.212	0.00861	0.0174	0.178	0.0173	0.00292
B11H31	RICH.PMPHS-1 HRM46.4	UNFILTERED	26-Feb-01	0.000739	0.008	U	0.148	0.417	0.63	2.24	0.599	0.112 U	0.0194	0.0287	0.192	0.0195	0.0635
B11H31	RICH.PMPHS-1 HRM46.4	UNFILTERED	26-Feb-01		0.008	U	0.197	0.362	0.621	2.2	0.611	0.112 U	0.0157	0.0282	0.185	0.0205	0.0633
B11H54	RICH.PMPHS-2 HRM46.4	FILTERED	26-Feb-01	0.000461	0.008	U	0.0792	0.263	0.498	1.34	0.52	0.249	0.0164	0.0203	0.188	0.0186	0.00402
B11H32	RICH.PMPHS-2 HRM46.4	UNFILTERED	26-Feb-01	0.000595	0.008	U	0.177	0.379	0.667	2.66	0.55	0.112 U	0.016	0.0253	0.18	0.0201	0.0851
B11H55	RICH.PMPHS-3 HRM46.4	FILTERED	26-Feb-01	0.000466	0.008	U	0.19	3.25	0.495	1.24	0.533	0.184	0.0137	0.0204	0.188	0.0187	0.00335
B11H33	RICH.PMPHS-3 HRM46.4	UNFILTERED	26-Feb-01	0.000538	0.008	U	0.202	0.511	0.63	2.44	0.571	0.112 U	0.0155	0.0261	0.172	0.021	0.138
B11H33	RICH.PMPHS-3 HRM46.4	UNFILTERED	26-Feb-01	0.000555													
B11H56	RICH.PMPHS-5 HRM46.4	FILTERED	26-Feb-01	0.000225	0.008	U	0.0448	0.275	0.452	1.09	0.551	0.122	0.0109	0.0188	0.185	0.0185	0.00206
B11H34	RICH.PMPHS-5 HRM46.4	UNFILTERED	26-Feb-01	0.000578	0.008	U	0.231	0.404	0.646	2.45	0.569	0.112 U	0.00961	0.0233	0.17	0.0202	0.0814
B11H57	RICH.PMPHS-7 HRM46.4	FILTERED	26-Feb-01	0.000528	0.008	U	0.0473	0.348	0.458	1.2	0.493	0.128	0.00966	0.0175	0.185	0.0202	0.00464
B11H35	RICH.PMPHS-7 HRM46.4	UNFILTERED	26-Feb-01	0.000799	0.008	U	0.263	0.456	0.693	2.61	0.579	0.112 U	0.0158	0.0272	0.191	0.0207	0.115
B11H58	RICH.PMPHS-10 HRM46.4	FILTERED	26-Feb-01	0.000561	0.008	U	0.0993	0.225	0.5	1.23	0.68	0.158	0.00846	0.0181	0.179	0.0188	0.00491
B11H36	RICH.PMPHS-10 HRM46.4	UNFILTERED	26-Feb-01	0.000965	0.0097		0.35	0.443	0.759	2.81	0.728	0.211	0.0132	0.0267	0.197	0.0195	0.133
B11H49	VERNITA-1 HRM 0.3	FILTERED	27-Feb-01	0.000412	0.008	U	0.246	0.585	0.587	1.6	0.51	0.117	0.00719	0.0224	0.202	0.0185	0.007
B11H37	VERNITA-1 HRM 0.3	UNFILTERED	27-Feb-01	0.000415	0.008	U	0.274	0.621	0.62	2.3	0.604	0.112 U	0.00807	0.0246	0.18	0.0204	0.074
B11H50	VERNITA-2 HRM 0.3	FILTERED	27-Feb-01	0.000481	0.008	U	0.271	0.606	0.535	1.48	0.532	0.112 U	0.0173	0.0197	0.201	0.0196	0.00856
B11H28	VERNITA-2 HRM 0.3	UNFILTERED	27-Feb-01	0.000559	0.008	U	0.295	0.656	0.689	2.48	0.574	0.112 U	0.00809	0.029	0.189	0.0207	0.0852
B11H28	VERNITA-2 HRM 0.3	UNFILTERED	27-Feb-01	0.000636													
B11H51	VERNITA-3 HRM 0.3	FILTERED	27-Feb-01	0.00044	0.008	U	0.208	0.618	0.53	1.57	0.564	0.112 U	0.0137	0.0183	0.194	0.0203	0.00347
B11H29	VERNITA-3 HRM 0.3	UNFILTERED	27-Feb-01	0.000573	0.0135		0.313	0.741	0.739	2.36	0.569	0.112 U	0.0068	0.0264	0.199	0.0187	0.075
B11H52	VERNITA-4 HRM 0.3	FILTERED	27-Feb-01	0.000395	0.008	U	0.287	0.539	0.547	1.54	0.536	0.145	0.0126	0.0179	0.193	0.02	0.00751
B11H30	VERNITA-4 HRM 0.3	UNFILTERED	27-Feb-01	0.000605	0.008	U	0.202	0.613	0.656	2.34	0.549	0.112 U	0.0065	0.025	0.192	0.0193	0.104
B12538	RICH.PMPHS HRM 43.5	FILTERED	12-Jun-01	0.000496	0.008	U	0.0165 U	0.258	0.675	1.1	0.602	0.112 U	0.00531	0.0156	0.217	0.0265	0.0924
B12542	RICH.PMPHS HRM 43.5	UNFILTERED	12-Jun-01	0.000838	0.008	U	0.0165 U	0.33	0.86	2.48	0.65	0.112 U	0.0031	0.025	0.211	0.0287	0.139
B12542	RICH.PMPHS HRM 43.5	UNFILTERED	12-Jun-01	0.00077													
B12537	RICH.PMPHS HRM 43.9	FILTERED	12-Jun-01	0.00051	0.008	U	0.0165 U	0.201	0.589	0.843	0.524	0.112 U	0.00361	0.0102	0.185	0.0221	0.0258
B12541	RICH.PMPHS HRM 43.9	UNFILTERED	12-Jun-01	0.00107	0.008	U	0.0165 U	0.406	0.849	2.4	0.679	0.112 U	0.0035	0.0215	0.214	0.0302	0.12
B12536	RICH.PMPHS HRM 45.0	FILTERED	12-Jun-01	0.000547	0.008	U	0.0165 U	0.215	0.623	1.02	0.578	0.112 U	0.00324	0.0106	0.197	0.0233	0.0131
B12540	RICH.PMPHS HRM 45.0	UNFILTERED	12-Jun-01	0.00076	0.008	U	0.059	0.351	0.853	2.85	0.701	0.112 U	0.00377	0.027	0.208	0.0298	0.188
B12535	RICH.PMPHS HRM 45.8	FILTERED	12-Jun-01	0.000539	0.008	U	0.0165 U	0.187	0.59	0.821	0.553	0.112 U	0.00317	0.00983	0.197	0.0225	0.0168
B12539	RICH.PMPHS HRM 45.8	UNFILTERED	12-Jun-01	0.00106	0.008	U	0.0211	0.362	0.866	2.88	0.636	0.112 U	0.00299	0.0264	0.197	0.0276	0.204
B12525	RICH.PMPHS-1 HRM46.4	FILTERED	12-Jun-01	0.000442	0.008	U	0.0538	0.311	0.626	0.845	0.584	0.112 U	0.00569	0.0109	0.216	0.0248	0.0161
B124Y3	RICH.PMPHS-1 HRM46.4	UNFILTERED	12-Jun-01	0.000964	0.008	U	0.128	0.509	0.971	3.57	0.696	0.112 U	0.00479	0.039	0.207	0.0304	0.344
B124Y3	RICH.PMPHS-1 HRM46.4	UNFILTERED	12-Jun-01		0.008	U	0.065	0.436	0.973	3.73	0.719	0.112 U	0.00326	0.0387	0.21	0.0303	0.335
B12526	RICH.PMPHS-2 HRM46.4	FILTERED	12-Jun-01	0.000456	0.008	U	0.0165 U	0.202	0.617	0.885	0.563	0.112 U	0.00373	0.0111	0.197	0.0238	0.0139
B124Y4	RICH.PMPHS-2 HRM46.4	UNFILTERED	12-Jun-01	0.00108	0.008	U	0.0391	0.438	0.879	2.76	0.674	0.112 U	0.00848	0.0285	0.223	0.0306	0.173
B124Y4	RICH.PMPHS-2 HRM46.4	UNFILTERED	12-Jun-01	0.00109													
B12527	RICH.PMPHS-3 HRM46.4	FILTERED	12-Jun-01	0.00029	0.008	U	0.0165 U	0.163	0.601	0.815	0.549	0.112 U	0.00353	0.0123	0.197	0.0232	0.0413
B124Y5	RICH.PMPHS-3 HRM46.4	UNFILTERED	12-Jun-01	0.00106	0.008	U	0.114	0.603	0.993	2.92	0.735	0.112 U	0.00768	0.0238	0.213	0.0322	0.228
B12528	RICH.PMPHS-5 HRM46.4	FILTERED	12-Jun-01	0.000467	0.008	U	0.0715	0.296	0.664	3.89	0.609	0.112 U	0.0291	0.0168	0.213	0.025	0.114
B12528	RICH.PMPHS-5 HRM46.4	FILTERED	12-Jun-01		0.008	U	0.0878	0.261	0.656	3.99	0.609	0.112 U	0.00447	0.0108	0.22	0.0248	0.0228
B124Y6	RICH.PMPHS-5 HRM46.4	UNFILTERED	12-Jun-01	0.000972	0.008	U	0.0579	0.411	0.917	2.79	0.679	0.112 U	0.00577	0.0213	0.208	0.0283	0.195
B12529	RICH.PMPHS-7 HRM46.4	FILTERED	12-Jun-01	0.000545	0.008	U	0.0165 U	0.271	0.639	1.46	0.632	0.112 U	0.00879	0.012	0.218	0.0253	0.00411
B124Y7	RICH.PMPHS-7 HRM46.4	UNFILTERED	12-Jun-01	0.00132	0.008	U	0.145	0.65	1.08	3.12	0.739	0.143	0.0057	0.0253	0.209	0.0321	0.264

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2001 (concentrations in µg/L - not blank corrected)

Samp Num	Samp Site Name	Coll Mthd	Sample Date	Hg	Be	Cr	Ni	Cu	Zn	As	Se	Ag	Cd	Sb	Tl	Pb			
B12530	RICH.PMPHS-10 HRM46.4	FILTERED	12-Jun-01	0.000426	0.008	U	0.0165	U	0.209	0.71	0.931	0.782	0.112	U	0.00595	0.0126	0.219	0.0218	0.0594
B124Y8	RICH.PMPHS-10 HRM46.4	UNFILTERED	12-Jun-01	0.00098	0.0143		0.24	0.675	1.27	3.49	0.928	0.112	U	0.0054	0.0256	0.203	0.0285	0.275	
B12521	VERNITA-1 HRM 0.3	FILTERED	14-Jun-01	0.000553	0.008	U	0.0194	0.198	0.626	1.01	0.57	0.112	U	0.00229	0.0109	0.213	0.0256	0.0041	
B124Y9	VERNITA-1 HRM 0.3	UNFILTERED	14-Jun-01	0.000844	0.008	U	0.0165	U	0.248	0.799	1.79	0.679	0.112	U	0.00145	0.0175	0.215	0.0302	0.0682
B12522	VERNITA-2 HRM 0.3	FILTERED	14-Jun-01	0.000397	0.008	U	0.0234	0.228	0.685	1.11	0.634	0.112	U	0.00209	0.0112	0.23	0.0262	0.0111	
B124Y0	VERNITA-2 HRM 0.3	UNFILTERED	14-Jun-01	0.000559	0.008	U	0.0165	U	0.258	0.763	1.71	0.636	0.112	U	0.00682	0.0147	0.226	0.0302	0.0511
B124Y0	VERNITA-2 HRM 0.3	UNFILTERED	14-Jun-01	0.000575															
B12523	VERNITA-3 HRM 0.3	FILTERED	14-Jun-01	0.000342	0.008	U	0.0165	U	0.205	0.683	1.1	0.66	0.112	U	0.0017	0.0118	0.226	0.0282	0.0198
B124Y1	VERNITA-3 HRM 0.3	UNFILTERED	14-Jun-01	0.000545	0.008	U	0.0165	U	0.304	0.785	1.86	0.67	0.112	U	0.00592	0.0153	0.231	0.0297	0.0483
B12524	VERNITA-4 HRM 0.3	FILTERED	14-Jun-01	0.000369	0.008	U	0.0165	U	0.216	0.618	1	0.573	0.112	U	0.00193	0.01	0.193	0.0254	0.0307
B124Y2	VERNITA-4 HRM 0.3	UNFILTERED	14-Jun-01	0.000529	0.008	U	0.0165	U	0.321	0.769	1.79	0.656	0.112	U	0.00399	0.0157	0.222	0.0295	0.0652
B12TJ0	100 N -1 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.443	0.309	0.588	1.21	0.713	0.237		0.00194	0.0136	0.243	0.0357	0.0172	
B12T64	100 N -1 HRM 9.5	UNFILTERED	07-Sep-01		0.008	U	0.832	0.335	0.648	1.7	0.874	0.267		0.00434	0.0228	0.24	0.0307	0.0705	
B12TJ1	100 N -2 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.404	0.289	0.555	1.23	0.728	0.271		0.00305	0.0119	0.233	0.0346	0.0175	
B12T65	100 N -2 HRM 9.5	UNFILTERED	07-Sep-01		0.008	U	0.824	0.297	0.628	1.66	0.803	0.237		0.0032	0.0216	0.212	0.0283	0.069	
B12TJ2	100 N -3 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.367	0.202	0.564	1.47	0.704	0.208		0.00164	0.0123	0.23	0.0344	0.019	
B12T66	100 N -3 HRM 9.5	UNFILTERED	07-Sep-01		0.008	U	0.672	0.332	0.658	1.8	0.836	0.217		0.0012	U	0.0261	0.235	0.0323	0.0823
B12TJ3	100 N -5 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.0573	0.219	0.598	1.56	0.634	0.205		0.00839		0.00805	0.236	0.0339	0.0437
B12T67	100 N -5 HRM 9.5	UNFILTERED	07-Sep-01			0.000995	0.594	0.316	0.669	1.89	0.82	0.281		0.0012	U	0.0292	0.226	0.0321	0.102
B12TJ4	100 N -7 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.515	0.171	0.56	1.21	0.691	0.168		0.00835		0.0117	0.229		0.0325
B12TJ4	100 N -7 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.491	0.162	0.533	1.15	0.661	0.155		0.00507		0.0133	0.219		0.0255
B12T68	100 N -7 HRM 9.5	UNFILTERED	07-Sep-01		0.008	U	0.54	0.238	0.692	1.82	0.748	0.232		0.00635		0.0179	0.228		0.0692
B12TJ5	100 N -10 HRM 9.5	FILTERED	07-Sep-01		0.008	U	0.375	0.242	0.545	1.32	0.709	0.252		0.0012	U	0.0076	0.204		0.0123
B12T69	100 N -10 HRM 9.5	UNFILTERED	07-Sep-01		0.008	U	0.671	0.37	0.654	1.7	0.915	0.3		0.00332		0.0219	0.225	0.0302	0.0766
B12TN4	100 N SHORE HRM 8.4	FILTERED	07-Sep-01		0.008	U	0.784	0.296	0.58	4.6	0.722	0.256		0.00492		0.0148	0.245	0.0349	0.00992
B12TN3	100 N SHORE HRM 8.4	UNFILTERED	07-Sep-01		0.008	U	1.2	0.39	0.773	3.42	0.873	0.323		0.00395		0.0436	0.221	0.0318	0.277
B12TN7	100 N SHORE HRM 8.9	FILTERED	07-Sep-01		0.008	U	0.453	0.296	0.592	1.25	0.739	0.264		0.00256		0.0148	0.23	0.038	0.0278
B12TN6	100 N SHORE HRM 8.9	UNFILTERED	07-Sep-01		0.008	U	0.843	0.301	0.617	1.58	0.825	0.257		0.00205		0.0247	0.216	0.0279	0.0789
B12TP0	100 N SHORE HRM 9.2	FILTERED	07-Sep-01		0.008	U	0.423	0.306	0.595	1.2	0.743	0.209		0.00426		0.0108	0.255	0.0385	0.0149
B12TN9	100 N SHORE HRM 9.2	UNFILTERED	07-Sep-01		0.008	U	0.448	0.29	0.634	1.6	0.756	0.273		0.0012	U	0.0261	0.219	0.0267	0.0751
B12TP3	100 N SHORE HRM 9.8	FILTERED	07-Sep-01		0.008	U	0.421	0.275	0.569	4.52	0.709	0.247		0.00206		0.0131	0.236	0.0397	0.0175
B12TP2	100 N SHORE HRM 9.8	UNFILTERED	07-Sep-01		0.008	U	0.749	0.326	0.62	1.65	0.86	0.237		0.00617		0.0186	0.24	0.0292	0.0782
B12TH6	VERNITA-1 HRM 0.3	FILTERED	07-Sep-01		0.008	U	0.589	0.252	0.559	1.55	0.711	0.175		0.0072		0.013	0.238		0.0278
B12T84	VERNITA-1 HRM 0.3	UNFILTERED	07-Sep-01		0.008	U	0.525	0.224	0.648	1.7	0.723	0.202		0.00731		0.0161	0.239		0.0532
B12TH7	VERNITA-2 HRM 0.3	FILTERED	07-Sep-01		0.008	U	0.523	0.245	0.605	1.36	0.707	0.212		0.00496		0.00992	0.237		0.0289
B12T75	VERNITA-2 HRM 0.3	UNFILTERED	07-Sep-01		0.008	U	0.539	0.269	0.697	2.04	0.728	0.257		0.00557		0.0205	0.241		0.101
B12TH8	VERNITA-3 HRM 0.3	FILTERED	07-Sep-01		0.008	U	0.55	0.181	0.544	1.13	0.644	0.183		0.00292		0.00882	0.231		0.0196
B12T76	VERNITA-3 HRM 0.3	UNFILTERED	07-Sep-01		0.008	U	0.483	0.301	0.686	2.4	0.724	0.215		0.00523		0.0155	0.238		0.0876
B12TH9	VERNITA-4 HRM 0.3	FILTERED	07-Sep-01		0.008	U	0.682	0.202	0.594	2.29	0.752	0.282		0.00261		0.0114	0.228		0.0156
B12T77	VERNITA-4 HRM 0.3	UNFILTERED	07-Sep-01		0.008	U	0.498	0.2	0.675	1.85	0.738	0.355		0.00341		0.0161	0.231		0.0516
B12T70	100 F -1 HRM 19.0	FILTERED	10-Sep-01		0.008	U	0.452	0.252	0.669	1.47	0.756	0.164		0.00361		0.0147	0.23		0.0408
B12TL4	100 F -1 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	1.05	0.688	0.594	33.1	0.682	0.122		0.00544		0.0105	0.228		0.00648
B12T71	100 F -2 HRM 19.0	FILTERED	10-Sep-01		0.008	U	0.257	0.373	0.688	1.76	0.685	0.183		0.0012	U	0.0131	0.219		0.088
B12TL5	100 F -2 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	0.394	0.244	0.583	3.42	0.733	0.132		0.00496		0.0106	0.236		0.0482
B12T72	100 F -3 HRM 19.0	FILTERED	10-Sep-01		0.008	U	0.558	0.226	0.646	1.49	0.768	0.22		0.0253		0.0156	0.218		0.0473
B12TL6	100 F -3 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	0.524	0.286	0.575	2.46	0.739	0.148		0.00358		0.0166	0.237		0.0955
B12T73	100 F -5 HRM 19.0	FILTERED	10-Sep-01		0.008	U	0.522	0.234	0.665	1.5	0.768	0.266		0.00934		0.013	0.226		0.0773
B12TL7	100 F -5 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	1.63	1.22	0.618	28.5	0.72	0.168		0.0104		0.0105	0.252		0.0201
B12T74	100 F -7 HRM 19.0	FILTERED	10-Sep-01		0.008	U	0.271	0.254	0.668	1.64	0.661	0.119		0.0012	U	0.011	0.213		0.0712
B12TL8	100 F -7 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	0.543	0.208	0.551	1.91	0.728	0.198		0.00414		0.00749	0.225		0.0182
B12T54	100 F -10 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	0.492	0.198	0.684	1.25	0.839	0.272		0.0537		0.0123	0.263		0.0633
B12TL9	100 F -10 HRM 19.0	UNFILTERED	10-Sep-01		0.008	U	1.31	1.01	0.581	18.5	0.767	0.219		0.0108		0.00745	0.252		0.0173
B12TT5	100 F SHORE HRM 18	FILTERED	10-Sep-01		0.008	U	0.891	0.711	0.626	29.8	0.727	0.254		0.00979		0.0109	0.251		0.0245
B12TT4	100 F SHORE HRM 18	UNFILTERED	10-Sep-01		0.008	U	0.452	0.239	0.654	1.47	0.742	0.164		0.0184		0.015	0.238		0.0498

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2001 (concentrations in µg/L - not blank corrected)

Samp Num	Samp Site Name	Coll Mthd	Sample Date	Hg	Be	Cr	Ni	Cu	Zn	As	Se	Ag	Cd	Sb	Tl	Pb
B12TV1	100 F SHORE HRM 23	FILTERED	10-Sep-01		0.008	U	0.576	0.239	0.596	1.18	0.756	0.222	0.00651	0.0122	0.228	0.0363
B12TV0	100 F SHORE HRM 23	UNFILTERED	10-Sep-01	0.000548	0.008	U	0.391	0.227	0.633	1.04	0.75	0.234	0.00917	0.015	0.242	0.0296
B12TK8	HANFRD TS-1 HRM 28.7	FILTERED	10-Sep-01	0.00054	0.008	U	0.55	0.256	0.597	1.11	0.756	0.245	0.00127	0.0171	0.25	0.0554
B12T55	HANFRD TS-1 HRM 28.7	UNFILTERED	10-Sep-01		0.008	U	0.456	0.242	0.701	1.59	0.822	0.251	0.00473	0.0177	0.229	0.0523
B12TK9	HANFRD TS-2 HRM 28.7	FILTERED	10-Sep-01	0.000462	0.008	U	0.456	0.259	0.585	1.13	0.693	0.202	0.00925	0.0114	0.249	0.0115
B12T56	HANFRD TS-2 HRM 28.7	UNFILTERED	10-Sep-01		0.008	U	0.468	0.211	0.69	1.6	0.779	0.211	0.00456	0.0165	0.224	0.0608
B12TL0	HANFRD TS-3 HRM 28.7	FILTERED	10-Sep-01	0.000457	0.008	U	0.474	0.235	0.578	1.06	0.713	0.186	0.00775	0.0105	0.242	0.00231
B12TL0	HANFRD TS-3 HRM 28.7	FILTERED	10-Sep-01	0.000527												
B12T57	HANFRD TS-3 HRM 28.7	UNFILTERED	10-Sep-01		0.008	U	0.409	0.221	0.661	1.51	0.736	0.224	0.00258	0.0158	0.222	0.0482
B12TL1	HANFRD TS-5 HRM 28.7	FILTERED	10-Sep-01	0.000375	0.008	U	0.516	0.231	0.562	1.02	0.701	0.232	0.00622	0.0101	0.227	0.0196
B12T58	HANFRD TS-5 HRM 28.7	UNFILTERED	10-Sep-01		0.008	U	0.303	0.239	0.667	1.56	0.719	0.272	0.00687	0.0174	0.247	0.0532
B12TL2	HANFRD TS-7 HRM 28.7	FILTERED	10-Sep-01	0.000396	0.008	U	0.372	0.206	0.569	1.12	0.674	0.162	0.00479	0.0081	0.228	0.00636
B12T59	HANFRD TS-7 HRM 28.7	UNFILTERED	10-Sep-01		0.008	U	0.399	0.234	0.714	1.82	0.752	0.283	0.00523	0.018	0.235	0.093
B12T60	HANFRD TS-10 HRM 28.7	FILTERED	10-Sep-01	0.000603	0.008	U	0.375	0.373	0.596	8.66	0.662	0.205	0.0012	U	0.00561	0.0377
B12TL3	HANFRD TS-10 HRM 28.7	FILTERED	10-Sep-01		0.008	U	0.408	0.312	0.657	1.56	0.716	0.153	0.0012	U	0.0145	0.198
B12TH3	HANFRD TWNSITE HRM26	FILTERED	10-Sep-01	0.000548	0.008	U	0.456	0.441	0.635	17.3	0.697	0.158	0.0012	U	0.00888	0.218
B12TH0	HANFRD TWNSITE HRM26	UNFILTERED	10-Sep-01		0.008	U	0.234	0.301	0.658	2.34	0.66	0.183	0.0012	U	0.0111	0.211
B12TH4	HANFRD TWNSITE HRM27	FILTERED	10-Sep-01		0.008	U	0.31	0.261	0.548	1.27	0.669	0.151	0.0012	U	0.0103	0.207
B12TH1	HANFRD TWNSITE HRM27	UNFILTERED	10-Sep-01		0.008	U	0.453	0.439	0.65	11.1	0.644	0.176	0.0012	U	0.0117	0.202
B12TT2	HANFRD TWNSITE HRM28	FILTERED	10-Sep-01	0.000921	0.008	U	0.457	0.315	0.558	4.85	0.907	0.324	0.0012	U	0.00901	0.197
B12TT1	HANFRD TWNSITE HRM28	UNFILTERED	10-Sep-01		0.008	U	0.492	0.275	0.658	2.25	0.901	0.3	0.0012	U	0.0143	0.202
B12TH5	HANFRD TWNSITE HRM30	FILTERED	10-Sep-01	0.000483	0.008	U	0.325	0.266	0.54	1.64	0.726	0.219	0.0012	U	0.00892	0.205
B12TH2	HANFRD TWNSITE HRM30	UNFILTERED	10-Sep-01		0.008	U	0.284	0.3	0.676	2.14	0.693	0.194	0.0012	U	0.0131	0.205
B12TK2	300 AREA -1 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.374	0.259	0.684	2.36	0.707	0.182	0.0012	U	0.0216	0.21
B12T61	300 AREA -1 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.662	0.582	0.713	22.4	0.662	0.214	0.0012	U	0.0124	0.231
B12TK3	300 AREA -2 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.288	0.225	0.565	1.26	0.683	0.215	0.0012	U	0.00982	0.225
B12TK3	300 AREA -2 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.211	0.208	0.565	1.2	0.653	0.167	0.0012	U	0.00836	0.215
B12T62	300 AREA -2 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.255	0.313	0.689	4.42	0.69	0.145	0.0012	U	0.00965	0.225
B12T62	300 AREA -2 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.26	0.307	0.679	4.45	0.674	0.205	0.0012	U	0.0101	0.216
B12TK4	300 AREA -3 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.37	0.283	0.649	1.81	0.711	0.17	0.0012	U	0.0162	0.212
B12T63	300 AREA -3 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.213	0.3	0.685	1.95	0.664	0.194	0.0012	U	0.017	0.219
B12TK5	300 AREA -5 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.363	0.246	0.577	1.2	0.694	0.163	0.0012	U	0.00978	0.217
B12T51	300 AREA -5 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.196	0.277	0.669	2.05	0.68	0.211	0.0012	U	0.0124	0.219
B12TK6	300 AREA -7 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.348	0.242	0.575	1.29	0.712	0.178	0.0012	U	0.00916	0.217
B12T52	300 AREA -7 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	0.222	0.318	0.699	2.02	0.713	0.159	0.0012	U	0.0101	0.215
B12TK7	300 AREA-10 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.477	0.248	0.638	1.54	0.788	0.776	0.0012	U	0.0163	0.212
B12TK7	300 AREA-10 HRM 43.1	FILTERED	13-Sep-01		0.008	U	0.431	0.244	0.658	1.55	0.844	0.804	0.0012	U	0.0141	0.215
B12T53	300 AREA-10 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	1.71	1.03	0.747	56.9	0.727	0.666	0.0012	U	0.0194	0.199
B12T53	300 AREA-10 HRM 43.1	UNFILTERED	13-Sep-01		0.008	U	1.59	1.09	0.824	64.6	0.857	0.731	0.0012	U	0.0156	0.223
B12TP7	300 AREA SHR HRM41.5	FILTERED	13-Sep-01		0.008	U	0.317	0.288	0.612	1.54	0.705	0.177	0.0012	U	0.0125	0.214
B12TP6	300 AREA SHR HRM41.5	UNFILTERED	13-Sep-01		0.008	U	0.168	0.275	0.673	1.73	0.687	0.144	0.0012	U	0.0101	0.218
B12TR1	300 AREA SHR HRM42.1	FILTERED	13-Sep-01		0.008	U	0.406	0.226	0.554	1.37	0.878	0.26	0.0012	U	0.0104	0.21
B12TR0	300 AREA SHR HRM42.1	UNFILTERED	13-Sep-01		0.008	U	0.382	0.395	0.815	3.11	0.926	0.299	0.0012	U	0.0261	0.21
B12TR5	300 AREA SHR HRM42.5	FILTERED	13-Sep-01		0.008	U	0.261	0.263	0.548	1.31	0.707	0.194	0.0012	U	0.0109	0.212
B12TR4	300 AREA SHR HRM42.5	UNFILTERED	13-Sep-01		0.008	U	0.205	0.296	0.703	2.08	0.681	0.202	0.0012	U	0.0148	0.217
B12TR9	300 AREA SHR HRM42.9	FILTERED	13-Sep-01		0.008	U	0.289	0.182	0.577	1.4	0.674	0.211	0.0012	U	0.0116	0.22
B12TR8	300 AREA SHR HRM42.9	UNFILTERED	13-Sep-01		0.008	U	0.241	0.353	0.824	2.94	0.712	0.207	0.0012	U	0.0219	0.215
B12TM7	RICH.PMPHS HRM 43.5	FILTERED	13-Sep-01		0.008	U	0.347	0.211	0.571	1.45	0.691	0.17	0.0012	U	0.0069	0.233
B12TN1	RICH.PMPHS HRM 43.5	UNFILTERED	13-Sep-01		0.008	U	0.298	0.46	0.749	2.93	0.681	0.113	0.0012	U	0.0186	0.22
B12TM6	RICH.PMPHS HRM 43.9	FILTERED	13-Sep-01		0.008	U	0.249	0.232	0.62	1.65	0.674	0.18	0.0012	U	0.0566	0.213
B12TN0	RICH.PMPHS HRM 43.9	UNFILTERED	13-Sep-01		0.008	U	0.223	0.385	0.695	1.85	0.641	0.185	0.0012	U	0.0123	0.22
B12TM5	RICH.PMPHS HRM 45.0	FILTERED	13-Sep-01		0.008	U	0.204	0.236	0.574	1.61	0.694	0.158	0.0012	U	0.009	0.216
B12TM9	RICH.PMPHS HRM 45.0	UNFILTERED	13-Sep-01		0.008	U	0.186	0.328	0.676	1.72	0.655	0.112	U	0.0012	U	0.0119
B12TM4	RICH.PMPHS HRM 45.8	FILTERED	13-Sep-01		0.008	U	0.275	0.182	0.589	1.22	0.772	0.182	0.0012	U	0.00639	0.24

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2001 (concentrations in µg/L - not blank corrected)

Samp Num	Samp Site Name	Coll Mthd	Sample Date	Hg	Be	Cr	Ni	Cu	Zn	As	Se	Ag	Cd	Sb	Tl	Pb
B12TM8	RICH.PMPHS HRM 45.8	UNFILTERED	13-Sep-01		0.008 U	0.183	0.337	0.695	1.76	0.696	0.162	0.0012 U	0.0111	0.208		0.0812
B12TJ6	RICH.PMPHS-1 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.656	0.148	0.574	2.21	0.808	0.24	0.0044	0.00873	0.239		0.0175
B12T78	RICH.PMPHS-1 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.0165 U	0.402	0.756	1.55	0.006	0.257	0.00667	0.00674	0.186		0.0622
B12TJ7	RICH.PMPHS-2 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.674	0.203	0.609	1.13	0.834	0.269	0.00354	0.012	0.255		0.0376
B12T79	RICH.PMPHS-2 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.203	0.328	0.685	1.93	0.752	0.239	0.0012 U	0.0126	0.222		0.084
B12T79	RICH.PMPHS-2 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.381	0.287	0.714	1.71	0.791	0.221	0.0564	0.0166	0.29		0.0598
B12TJ8	RICH.PMPHS-3 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.401	0.242	0.615	1.18	0.683	0.226	0.0012 U	0.0181	0.232		0.0189
B12T80	RICH.PMPHS-3 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.257	0.32	0.695	1.77	0.706	0.163	0.0012 U	0.0142	0.222		0.107
B12TJ9	RICH.PMPHS-5 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.319	0.251	0.601	5.1	0.681	0.138	0.0012 U	0.0143	0.215		0.0244
B12T81	RICH.PMPHS-5 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.229	0.332	0.752	2.07	0.742	0.203	0.0012 U	0.0164	0.219		0.12
B12TK0	RICH.PMPHS-7 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.337	0.229	0.613	1.26	0.68	0.157	0.0012 U	0.015	0.222		0.0176
B12T82	RICH.PMPHS-7 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.241	0.32	0.682	2.35	0.718	0.268	0.0012 U	0.0131	0.22		0.0732
B12TK1	RICH.PMPHS-10 HRM46.4	FILTERED	13-Sep-01		0.008 U	0.395	0.29	0.671	1.3	1.09	0.312	0.0012 U	0.0102	0.228		0.0327
B12T83	RICH.PMPHS-10 HRM46.4	UNFILTERED	13-Sep-01		0.008 U	0.291	0.389	0.866	2.14	1.03	0.192	0.0012 U	0.0108	0.222		0.118
B13LF1	VERNITA-1 HRM 0.3	UNFILTERED	03-Dec-01		0.008 U	0.128	0.182	0.587	1.51	0.599	0.112 U	0.0012 U	0.0662	0.154	0.026	0.105
B13LH3	VERNITA-1 HRM 0.3	FILTERED	03-Dec-01		0.0105	0.121	0.171	0.562	1.15	0.618	0.112 U	0.00557	0.0555	0.174	0.0284	0.0324
B13LD2	VERNITA-2 HRM 0.3	UNFILTERED	03-Dec-01		0.008 U	0.143	0.234	0.58	1.52	0.579	0.112 U	0.0012 U	0.0623	0.164	0.0267	0.103
B13LH4	VERNITA-2 HRM 0.3	FILTERED	03-Dec-01		0.0179	0.2	0.248	0.488	1	0.583	0.112 U	0.00227	0.0382	0.17	0.0264	0.0194
B13LD3	VERNITA-3 HRM 0.3	UNFILTERED	03-Dec-01		0.008 U	0.15	0.301	0.549	1.51	0.557	0.112 U	0.0012 U	0.0561	0.143	0.0237	0.104
B13LH5	VERNITA-3 HRM 0.3	FILTERED	03-Dec-01		0.008 U	0.2	0.174	0.448	0.886	0.519	0.112 U	0.0012 U	0.0491	0.16	0.0205	0.0217
B13LD4	VERNITA-4 HRM 0.3	UNFILTERED	03-Dec-01		0.008 U	0.225	0.283	0.603	1.78	0.63	0.112 U	0.0012 U	0.0784	0.174	0.022	0.156
B13LH6	VERNITA-4 HRM 0.3	FILTERED	03-Dec-01		0.0111	0.224	0.176	0.486	1.07	0.611	0.112 U	0.0012 U	0.0441	0.183	0.0234	0.0186
B13LK4	RICH.PMPHS HRM 43.5	UNFILTERED	04-Dec-01		0.008 U	0.206	0.25	0.607	1.86	0.635	0.112 U	0.00525	0.0716	0.167	0.0251	0.126
B13LK0	RICH.PMPHS HRM 43.5	FILTERED	04-Dec-01		0.008 U	0.153	0.28	0.506	1.23	0.572	0.112 U	0.0012 U	0.0364	0.175	0.0219	0.0124
B13LK0	RICH.PMPHS HRM 43.5	FILTERED	04-Dec-01		0.008 U	0.273	0.177	0.494	1.22	0.576	0.112 U	0.0012 U	0.0487	0.158	0.0202	0.0122
B13LK3	RICH.PMPHS HRM 43.9	UNFILTERED	04-Dec-01		0.008 U	0.251	0.304	0.744	2.76	0.575	0.112 U	0.0012 U	0.0726	0.17	0.0318	0.238
B13LJ9	RICH.PMPHS HRM 43.9	FILTERED	04-Dec-01		0.008 U	0.289	0.258	0.47	1.04	0.617	0.112 U	0.00285	0.0411	0.16	0.0187	0.0145
B13LK2	RICH.PMPHS HRM 45.0	UNFILTERED	04-Dec-01		0.008 U	0.115	0.212	0.565	1.49	0.583	0.112 U	0.0012 U	0.0718	0.134	0.0343	0.112
B13LJ8	RICH.PMPHS HRM 45.0	FILTERED	04-Dec-01		0.008 U	0.235	0.153	0.475	0.956	0.627	0.112 U	0.0012 U	0.0528	0.176	0.0191	0.0168
B13LK1	RICH.PMPHS HRM 45.8	UNFILTERED	04-Dec-01		0.008 U	0.169	0.173	0.617	1.67	0.682	0.112 U	0.0012 U	0.0478	0.153	0.0253	0.131
B13LJ7	RICH.PMPHS HRM 45.8	FILTERED	04-Dec-01		0.0133	0.104	0.117	0.511	1	0.616	0.112 U	0.0012 U	0.0327	0.19	0.0255	0.0182
B13LD5	RICH.PMPHS-1 HRM46.4	UNFILTERED	04-Dec-01		0.008 U	0.359	0.475	1.51	10.3	1.46	0.112 U	0.0012 U	0.0798	0.2	0.0265	3.47
B13LH7	RICH.PMPHS-1 HRM46.4	FILTERED	04-Dec-01		0.0114	0.245	0.239	0.623	1.4	0.775	0.112 U	0.0012 U	0.0688	0.173	0.0204	0.223
B13LD6	RICH.PMPHS-2 HRM46.4	UNFILTERED	04-Dec-01		0.008 U	0.199	0.188	0.609	1.98	0.625	0.217	0.0012 U	0.0683	0.165	0.022	0.132
B13LH8	RICH.PMPHS-2 HRM46.4	FILTERED	04-Dec-01		0.008 U	0.204	0.271	0.502	1.13	0.58	0.112 U	0.0012 U	0.0491	0.208	0.0255	0.0211
B13LD7	RICH.PMPHS-3 HRM46.4	UNFILTERED	04-Dec-01		0.008 U	0.224	0.356	0.646	2.92	0.599	0.112 U	0.0012 U	0.064	0.167	0.0266	0.143
B13LH9	RICH.PMPHS-3 HRM46.4	FILTERED	04-Dec-01		0.008 U	0.199	0.176	0.449	0.886	0.62	0.112 U	0.0012 U	0.0462	0.169	0.0194	0.0253
B13LD8	RICH.PMPHS-5 HRM46.4	UNFILTERED	04-Dec-01		0.008 U	0.181	0.231	0.574	1.58	0.638	0.112 U	0.0012 U	0.0596	0.157	0.0267	0.113
B13LJ0	RICH.PMPHS-5 HRM46.4	FILTERED	04-Dec-01		0.008 U	0.143	0.148	0.493	0.938	0.596	0.112 U	0.0012 U	0.0579	0.173	0.0239	0.0217
B13LJ1	RICH.PMPHS-7 HRM46.4	FILTERED	04-Dec-01		0.008 U	0.176	0.188	0.486	0.994	0.548	0.112 U	0.0012 U	0.055	0.186	0.0283	0.0226
B13LD9	RICH.PMPHS-7 HRM46.4	UNFILTERED	04-Dec-01		0.008 U	0.193	0.324	0.625	1.83	0.629	0.137	0.0012 U	0.0547	0.169	0.0239	0.186
B13LJ2	RICH.PMPHS - 10 HRM46.	FILTERED	04-Dec-01		0.0171	0.225	0.196	0.497	0.992	0.881	0.112 U	0.0012 U	0.0473	0.163	0.0203	0.0269
B13LF0	RICH.PMPHS - 10 HRM46.	UNFILTERED	04-Dec-01		0.0176	0.223	0.229	0.612	1.55	0.853	0.168	0.0012 U	0.0467	0.162	0.0278	0.118
B13LF0	RICH.PMPHS - 10 HRM46.	UNFILTERED	04-Dec-01		0.008 U	0.24	0.342	0.692	1.73	0.841	0.112 U	0.0012 U	0.0658	0.15	0.0238	0.127

U -Analyzed but not detected or is represented by the analytical detection limit.

Table W-4. Data for Total Recoverable Metals, Columbia River Riverbank Springs, 2001 (concentrations in µg/L - not blank corrected)

Samp Num	Sample Site Name	Coll Mthd	Date	Sb	As	Be	Cd	Cr	Cu	Pb	Hg	Ni	Se	Ag	Tl	Zn
B11W76	100-F SPRING 207-1	FILTERED	30-Apr-01	0.226	2.16	0.0451 U	0.0135	18.5	0.317	0.0164 U		0.0695	1.45	0.0213 U	0.00353 U	1.31
B11W75	100-F SPRING 207-1	UNFILTERED	30-Apr-01	0.0949	2.66	0.0451 U	0.0719	20.7	0.909	0.35		0.637	2.06	0.0213 U	0.00518	4.82
B11W74	100-H SPRING 145-1	FILTERED	30-Apr-01	0.422	2.96	0.0451 U	0.0186	87.5	0.882	0.0164 U		0.213	1.7	0.0213 U	0.00628	4.94
B11W74	100-H SPRING 145-1	FILTERED	30-Apr-01	0.376	2.74	0.0451 U	0.0163	82.3	0.876	0.0164 U		0.117	1.57	0.0213 U	0.00765	4.99
B11W73	100-H SPRING 145-1	UNFILTERED	30-Apr-01	0.275	4.54	0.0991	0.0876	98.5	6.64	5.1		2.87	2.42	0.0463	0.045	20.6
B11W73	100-H SPRING 145-1	UNFILTERED	30-Apr-01	0.269	4.76	0.0991	0.107	98.9	6.53	5.11		3.17	2.93	0.0405	0.0385	20.6
B11W88	100-H SPRING 153-1	FILTERED	30-Apr-01	0.278	0.302	0.0451 U	0.0214	12.4	0.293	0.0164 U		0.0695	0.651	0.0213 U	0.00587	0.541
B11W87	100-H SPRING 153-1	UNFILTERED	30-Apr-01	0.148	0.774	0.0451 U	0.0475	15.1	1.78	1.46		1.08	0.873	0.0213 U	0.0187	9.18
B11W81	HANFORD SPR DR 28-2	FILTERED	30-Apr-01	0.315	3.86	0.0451 U	0.0104 U	3.86	0.202	0.0229		0.0419	1.94	0.0213 U	0.0167	1.39
B11W80	HANFORD SPR DR 28-2	UNFILTERED	30-Apr-01	0.138	4.89	0.0451 U	0.0186	4.37	0.262	0.0164 U		0.0949	2.09	0.0213 U	0.0152	1.96
B11W77	HANFORD SPRING 28-2	FILTERED	30-Apr-01	0.262	3.95	0.0451 U	0.0408	3.44	0.565	0.0164 U		0.295	2.32	0.0213 U	0.02	3.14
B11W30	HANFORD SPRING 28-2	UNFILTERED	30-Apr-01	0.146	4.77	0.0451 U	0.123	5.38	1.98	1.08		1.65	2.18	0.0213	0.0403	13.3
B11W84	300 AREA SPR DR 42-2	FILTERED	03-May-01	0.332	1.15	0.0451 U	0.0117	2.75	0.446	0.0164 U		0.147	2.56	0.0213 U	0.0257	2.27
B11W83	300 AREA SPR DR 42-2	UNFILTERED	03-May-01	0.208	1.03	0.0451 U	0.0254	2.94	0.487	0.0164 U		0.171	2.33	0.0213 U	0.0262	2.91
B11W53	100-B SPRING 37-1	FILTERED	04-May-01	0.0807	1.44	0.0451 U	0.0104 U	8.9	0.199	0.0866		0.0369 U	1.42	0.0213 U	0.00353 U	1.65
B11W45	100-B SPRING 37-1	UNFILTERED	04-May-01	0.106	1.45	0.0451 U	0.0239	12.3	0.831	1		0.761	2.17	0.0213	0.0159	8.13
B11W70	100-D SPRING 110-1	FILTERED	04-May-01	0.222	1.29	0.0451 U	0.0911	143	1.39	0.0164 U		0.598	2	0.0213 U	0.0983	5.02
B11W69	100-D SPRING 110-1	UNFILTERED	04-May-01	0.202	1.55	0.0451 U	0.0867	174	1.81	0.0604		0.507	2.73	0.0213 U	0.118	7.61
B11W63	100-K SPRING 82-2	FILTERED	04-May-01	0.136	2.06	0.0451 U	0.0506	81.7	0.85	0.0164 U		0.623	1.26	0.0213 U	0.00786	2.97
B11W62	100-K SPRING 82-2	UNFILTERED	04-May-01	0.122	2.1	0.0451 U	0.0306	92.7	0.423	0.212		0.508	1.15	0.0213 U	0.0045	4.45
B11W66	100-N SPRING 8-13	FILTERED	06-May-01	0.193	3.35	0.0451 U	0.015	12.2	0.313	0.0164 U		0.027	0.871	0.0213 U	0.0105	2.43
B11W32	100-N SPRING 8-13	UNFILTERED	06-May-01	0.156	3.73	0.0451 U	0.0299	14.2	0.562	0.239		0.289	0.739	0.0213	0.00956	4.53
B11W82	300 AREA SPRING 42-2	FILTERED	10-May-01	0.217	2.88	0.0451 U	0.0138	3.86	0.391	0.0164 U		0.0554	4.04	0.0213 U	0.0133	2.21
B11W31	300 AREA SPRING 42-2	UNFILTERED	10-May-01	0.192	3.82	0.0451 U	0.0992	6.37	3	2		2.66	4.08	0.0213	0.0384	17.5
B12X51	100-B SPRING 38-3	FILTERED	22-Oct-01	0.269	1.43	0.008 U	0.0206	11.1	0.404	0.045		0.287	1.42	0.0012 U	0.0196	4.62
B12X51	100-B SPRING 38-3	FILTERED	22-Oct-01	0.276	1.22	0.008 U	0.0211	9.31	0.426	0.0444		0.229	1.37	0.0012 U	0.0192	4.8
B12X43	100-B SPRING 38-3	UNFILTERED	22-Oct-01	0.122	1	0.0112	0.0741	8.1	0.717	0.635		0.444	1.54	0.0012 U	0.0231	7.33
B12X74	100-F SPRING 207-1	FILTERED	22-Oct-01	0.143	2.58	0.008 U	0.0229	18.3	0.449	0.033		0.198	2.14	0.0012 U	0.00719	2.53
B12X73	100-F SPRING 207-1	UNFILTERED	22-Oct-01	0.133	4.3	0.0463	0.194	33.4	2.99	4.21		2.41	2.09	0.0109	0.0474	27.2
B12X61	100-K SPRING 63-1	FILTERED	25-Oct-01	0.237	1.23	0.008 U	0.00801	32.6	0.443	0.0124		0.124	0.469	0.0012 U	0.0146	1.16
B12X60	100-K SPRING 63-1	UNFILTERED	25-Oct-01	0.185	1.46	0.008 U	0.0958	38.4	0.59	0.305		0.618	0.505	0.0012 U	0.017	10.9
B12X63	100-K SPRING 77-1	FILTERED	25-Oct-01	0.175	0.526	0.008 U	0.0178	2.74	0.512	0.0162		0.14	0.122	0.0012 U	0.0214	2.11
B12X62	100-K SPRING 77-1	UNFILTERED	25-Oct-01	0.165	0.632	0.008 U	0.032	5.85	0.588	0.178		0.191	0.106	0.0012 U	0.0239	3.36
B12X66	100-N SPRING 199N-46	FILTERED	25-Oct-01	0.241	1.4	0.008 U	0.0132	5.57	0.405	0.00613		0.083	0.508	0.0012 U	0.0155	1.48
B12X65	100-N SPRING 199N-46	UNFILTERED	25-Oct-01	0.165	1.73	0.0389	0.179	9.32	1.41	2.47		1.14	0.412	0.0012 U	0.0479	18.7
B13J19	VERNITA BRIDGE -1 SEEP	FILTERED	14-Nov-01	0.272	1.73	0.008 U	0.0117	0.375	0.45	0.0137	0.00174	0.171	0.263	0.0012 U	0.015	1.35
B13J18	VERNITA BRIDGE -1 SEEP	UNFILTERED	14-Nov-01	0.139	1.11	0.008 U	0.0209	2.17	0.505	0.0953	0.000848	0.254	0.271	0.0012 U	0.0156	1.84
B12X72	100-H SPRING 145-1	FILTERED	31-Oct-02	0.251	2.9	0.008 U	0.0174	21.9	0.67	0.0142	0.000748	0.19	0.641	0.0012 U	0.0223	1.78
B12X72	100-H SPRING 145-1	FILTERED	31-Oct-02								0.000738					
B12X71	100-H SPRING 145-1	UNFILTERED	31-Oct-02	0.181	2.85	0.008 U	0.0248	21.7	0.739	0.174	0.000921	0.258	0.729	0.0012 U	0.022	2.6
B12X71	100-H SPRING 145-1	UNFILTERED	31-Oct-02	0.173	2.3	0.008 U	0.0227	22.2	0.727	0.171		0.276	0.774	0.0012 U	0.0226	2.57
B12X87	100-H SPRING 152-2	FILTERED	31-Oct-02	0.236	2.14	0.008 U	0.0128	10.4	0.57	0.0203	0.000886	0.238	0.371	0.0012 U	0.0217	1.2
B12X87	100-H SPRING 152-2	FILTERED	31-Oct-02	0.237	1.65	0.008 U	0.0126	10.4	0.559	0.0197		0.265	0.409	0.0012 U	0.0202	1.22
B12X86	100-H SPRING 152-2	UNFILTERED	31-Oct-02	0.299	1.93	0.008 U	0.0122	11.7	1.09	0.0111	0.000559	0.281	0.479	0.0012 U	0.02	1.47

U -Analyzed but not detected or is represented by the analytical detection limit.

Table W-5. Metals in Riverbank Springs and the Columbia River at Vernita Bridge from the 300 Area Nearshore Study, 2001 (concentrations in µg/L)

Samp Num	Nearshore River Water	Sample Date	Filtered	Hg	Be	Al	Cr	Mn	Ni	Cu	Zn	As	Se	Ag	Cd	Sb	Pb	Ba	Tl
B12T10	300 SPR 7 -1	27-Aug-01	Yes		0.008 U	1.43	1.52	4.23	0.276	0.582	2.15	1.73	1.57	0.00134	0.0224	0.226	0.0271	50.3	0.0445
B12RP2	300 SPR 9 -1	27-Aug-01	Yes		0.008 U	0.991	2.37	1.97	0.254	0.535	2.50	1.10	2.34	0.0012 U	0.0257	0.226	0.0282	59.4	0.0486
B12RP6	300 SPR 11 -1	27-Aug-01	Yes		0.008 U	1.03	0.423	2.21	0.191	0.637	1.16	0.732	0.313	0.0012 U	0.0143	0.224	0.0261	30.9	0.0252
B12RP0	VERNITA BRIDGE -1	27-Aug-01	Yes	0.00102	0.008 U	2.49	0.0783	1.38	0.300	0.696	1.24	0.668	0.238	0.00534	0.0283	0.223	0.0267	28.0	0.0284
B12RP4	VERNITA BRIDGE -2	27-Aug-01	Yes		0.008 U	1.38	0.247	1.24	0.191	0.627	0.925	0.650	0.190	0.0012 U	0.0149	0.207	0.0217	28.2	0.0230
Riverbank Spring Water																			
B12RM8	300 AREA SPRING 42-2	27-Aug-01	Yes	0.00155	0.008 U	4.64	1.98	2.19	0.329	0.606	3.05	1.17	2.20	0.00277	0.0517	0.392	0.0387	72.1	0.0380
B12RN0	300 AREA SPR DR 42-2	27-Aug-01	Yes	0.000971	0.008 U	59.2	3.13	0.243	0.272	0.532	3.57	1.14	3.35	0.0012 U	0.0415	0.211	0.0367	77.5	0.0682
Nearshore River Water																			
B12T09	300 SPR 7 -1	27-Aug-01	No		0.008 U	30.6	1.18	7.17	0.375	0.672	2.69	1.80	1.58	0.0012 U	0.0259	0.206	0.0789	50.9	0.0239
B12RP1	300 SPR 9 -1	27-Aug-01	No		0.008 U	62.7	2.17	8.16	0.465	0.742	4.20	1.19	2.23	0.0012 U	0.0481	0.208	0.213	59.3	0.0216
B12RP5	300 SPR 11 -1	27-Aug-01	No		0.008 U	123	0.328	13.1	0.526	0.900	4.09	0.793	0.373	0.00596	0.0416	0.224	0.330	32.6	0.0271
B12RN9	VERNITA BRIDGE -1	27-Aug-01	No		0.008 U	16.2	0.533	4.17	0.302	0.742	1.77	0.758	0.312	0.00272	0.0244	0.201	0.0947	28.4	0.0240
B12RP3	VERNITA BRIDGE -2	27-Aug-01	No		0.008 U	32.8	0.214	5.08	0.357	0.764	2.85	0.712	0.273	0.00458	0.0243	0.208	0.168	29.4	0.0255
Riverbank Spring Water																			
B12RM9	300 AREA SPR DR 42-2	27-Aug-01	No		0.008 U	39.4	3.09	2.59	0.365	0.575	4.49	1.20	3.47	0.0012 U	0.0494	0.201	0.731	80.9	0.0272
B12RL6	300 AREA SPRING 42-2	27-Aug-01	No		0.008 U	88.4	2.08	4.63	0.494	0.879	5.92	1.32	2.42	0.0014	0.3020	0.233	0.2090	79.2	0.0221

U -Analyzed but not detected or is represented by the analytical detection limit.

Drinking Water

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11CX6	100 B AREA-RIVER	ONSITE	SW	DRINKING	15-Feb-01	LO TRITIUM	145	pCi/L	5.1	15			Sample spilled during preparation.
SESPMNT	B11RY4	100 B AREA-RIVER	ONSITE	SW	DRINKING	17-Apr-01	LO TRITIUM							
SESPMNT	B129N8	100 B AREA-RIVER	ONSITE	SW	DRINKING	09-Jul-01	LO TRITIUM	224	pCi/L	6.1	22			
SESPMNT	B11CY8	100 K AREA	ONSITE	SW	DRINKING	15-Feb-01	LO TRITIUM	49.7	pCi/L	3.6	7.5			
SESPMNT	B11T05	100 K AREA	ONSITE	SW	DRINKING	17-Apr-01	LO TRITIUM	55.7	pCi/L	3.8	8.1			
SESPMNT	B129P9	100 K AREA	ONSITE	SW	DRINKING	09-Jul-01	LO TRITIUM	149	pCi/L	5.2	16			
SESPMNT	B134L1	100 B AREA-RIVER	ONSITE	SW	DRINKING	08-Oct-01	TRITIUM	177	pCi/L	95	140	U		
SESPMNT	B11CX7	100 D AREA	ONSITE	SW	DRINKING	15-Feb-01	TRITIUM	-10.5	pCi/L	75	120	U		
SESPMNT	B11RY5	100 D AREA	ONSITE	SW	DRINKING	17-Apr-01	TRITIUM	46.1	pCi/L	73	110	U		
SESPMNT	B129N9	100 D AREA	ONSITE	SW	DRINKING	09-Jul-01	TRITIUM	99.6	pCi/L	73	110	U		
SESPMNT	B134L2	100 D AREA	ONSITE	SW	DRINKING	08-Oct-01	TRITIUM	-90.7	pCi/L	83	130	U		
SESPMNT	B134L4	100 K AREA	ONSITE	SW	DRINKING	08-Oct-01	TRITIUM	-77.1	pCi/L	84	130	U		
SESPMNT	B11CX8	FFTF	ONSITE	SW	DRINKING	15-Feb-01	TRITIUM	3510	pCi/L	160	270			
SESPMNT	B11RY6	FFTF	ONSITE	SW	DRINKING	17-Apr-01	TRITIUM	3810	pCi/L	160	280			
SESPMNT	B129P0	FFTF	ONSITE	SW	DRINKING	09-Jul-01	TRITIUM	3500	pCi/L	160	270			
SESPMNT	B134L3	FFTF	ONSITE	SW	DRINKING	08-Oct-01	TRITIUM	3010	pCi/L	190	310			
SESPMNT	B11CX6	100 B AREA-RIVER	ONSITE	SW	DRINKING	15-Feb-01	SR-90	0.083	pCi/L	0.028	0.035			
SESPMNT	B11RY4	100 B AREA-RIVER	ONSITE	SW	DRINKING	17-Apr-01	SR-90	0.0784	pCi/L	0.026	0.034			
SESPMNT	B129N8	100 B AREA-RIVER	ONSITE	SW	DRINKING	09-Jul-01	SR-90	0.077	pCi/L	0.027	0.034			
SESPMNT	B134L1	100 B AREA-RIVER	ONSITE	SW	DRINKING	08-Oct-01	SR-90	0.0543	pCi/L	0.097	0.097	U		
SESPMNT	B11CX7	100 D AREA	ONSITE	SW	DRINKING	15-Feb-01	SR-90	0.0719	pCi/L	0.027	0.033			
SESPMNT	B11RY5	100 D AREA	ONSITE	SW	DRINKING	17-Apr-01	SR-90	0.108	pCi/L	0.031	0.041			
SESPMNT	B129N9	100 D AREA	ONSITE	SW	DRINKING	09-Jul-01	SR-90	0.11	pCi/L	0.031	0.041			
SESPMNT	B134L2	100 D AREA	ONSITE	SW	DRINKING	08-Oct-01	SR-90	0.0866	pCi/L	0.039	0.046			
SESPMNT	B11CY8	100 K AREA	ONSITE	SW	DRINKING	15-Feb-01	SR-90	0.0825	pCi/L	0.03	0.037			
SESPMNT	B11T05	100 K AREA	ONSITE	SW	DRINKING	17-Apr-01	SR-90	0.0752	pCi/L	0.026	0.033			
SESPMNT	B129P9	100 K AREA	ONSITE	SW	DRINKING	09-Jul-01	SR-90	0.0878	pCi/L	0.029	0.037			
SESPMNT	B134L4	100 K AREA	ONSITE	SW	DRINKING	08-Oct-01	SR-90	0.0811	pCi/L	0.041	0.048			
SESPMNT	B11CX8	FFTF	ONSITE	SW	DRINKING	15-Feb-01	SR-90	-0.0163	pCi/L	0.0037	0.037	U		
SESPMNT	B11RY6	FFTF	ONSITE	SW	DRINKING	17-Apr-01	SR-90	-0.0114	pCi/L	0.0032	0.024	U		
SESPMNT	B129P0	FFTF	ONSITE	SW	DRINKING	09-Jul-01	SR-90	0.000251	pCi/L	0.024	0.024	U		
SESPMNT	B134L3	FFTF	ONSITE	SW	DRINKING	08-Oct-01	SR-90	-0.00696	pCi/L	0.032	0.053	U		
SESPMNT	B11CX6	100 B AREA-RIVER	ONSITE	SW	DRINKING	15-Feb-01	ALPHA	-0.0601	pCi/L	0.49	0.49	U		
SESPMNT	B11RY4	100 B AREA-RIVER	ONSITE	SW	DRINKING	17-Apr-01	ALPHA	0.151	pCi/L	0.57	0.58	U		
SESPMNT	B129N8	100 B AREA-RIVER	ONSITE	SW	DRINKING	09-Jul-01	ALPHA	0.483	pCi/L	0.69	0.7	U		
SESPMNT	B134L1	100 B AREA-RIVER	ONSITE	SW	DRINKING	08-Oct-01	ALPHA	0.0656	pCi/L	0.46	0.47	U		
SESPMNT	B11CX7	100 D AREA	ONSITE	SW	DRINKING	15-Feb-01	ALPHA	0.748	pCi/L	0.79	0.82	U		
SESPMNT	B11RY5	100 D AREA	ONSITE	SW	DRINKING	17-Apr-01	ALPHA	0.14	pCi/L	0.58	0.58	U		
SESPMNT	B129N9	100 D AREA	ONSITE	SW	DRINKING	09-Jul-01	ALPHA	0.967	pCi/L	0.93	0.96	U		
SESPMNT	B134L2	100 D AREA	ONSITE	SW	DRINKING	08-Oct-01	ALPHA	1.94	pCi/L	1.1	1.2			
SESPMNT	B11CY8	100 K AREA	ONSITE	SW	DRINKING	15-Feb-01	ALPHA	0.523	pCi/L	0.69	0.7	U		
SESPMNT	B11T05	100 K AREA	ONSITE	SW	DRINKING	17-Apr-01	ALPHA	0.342	pCi/L	0.63	0.65	U		
SESPMNT	B129P9	100 K AREA	ONSITE	SW	DRINKING	09-Jul-01	ALPHA	0.752	pCi/L	0.76	0.79	U		
SESPMNT	B134L4	100 K AREA	ONSITE	SW	DRINKING	08-Oct-01	ALPHA	-0.125	pCi/L	0.38	0.38	U		
SESPMNT	B11CX8	FFTF	ONSITE	SW	DRINKING	15-Feb-01	ALPHA	-0.0624	pCi/L	0.68	0.69	U		
SESPMNT	B11RY6	FFTF	ONSITE	SW	DRINKING	17-Apr-01	ALPHA	-0.291	pCi/L	0.68	0.69	U		
SESPMNT	B129P0	FFTF	ONSITE	SW	DRINKING	09-Jul-01	ALPHA	0.867	pCi/L	1.1	1.1	U		
SESPMNT	B134L3	FFTF	ONSITE	SW	DRINKING	08-Oct-01	ALPHA	3.08	pCi/L	2.8	2.8	U		
SESPMNT	B11CX6	100 B AREA-RIVER	ONSITE	SW	DRINKING	15-Feb-01	BETA	1.58	pCi/L	1.4	1.5	U		
SESPMNT	B11RY4	100 B AREA-RIVER	ONSITE	SW	DRINKING	17-Apr-01	BETA	1.15	pCi/L	1.4	1.5	U		
SESPMNT	B129N8	100 B AREA-RIVER	ONSITE	SW	DRINKING	09-Jul-01	BETA	2.43	pCi/L	1.5	1.6	U		
SESPMNT	B134L1	100 B AREA-RIVER	ONSITE	SW	DRINKING	08-Oct-01	BETA	1.09	pCi/L	1.4	1.5	U		
SESPMNT	B11CX7	100 D AREA	ONSITE	SW	DRINKING	15-Feb-01	BETA	0.0438	pCi/L	1.4	1.5	U		
SESPMNT	B11RY5	100 D AREA	ONSITE	SW	DRINKING	17-Apr-01	BETA	1.11	pCi/L	1.4	1.5	U		
SESPMNT	B129N9	100 D AREA	ONSITE	SW	DRINKING	09-Jul-01	BETA	1.54	pCi/L	1.5	1.6	U		
SESPMNT	B134L2	100 D AREA	ONSITE	SW	DRINKING	08-Oct-01	BETA	-0.234	pCi/L	1.4	1.5	U		
SESPMNT	B11CY8	100 K AREA	ONSITE	SW	DRINKING	15-Feb-01	BETA	1.74	pCi/L	1.4	1.5	U		
SESPMNT	B11T05	100 K AREA	ONSITE	SW	DRINKING	17-Apr-01	BETA	2.21	pCi/L	1.4	1.6	U		
SESPMNT	B129P9	100 K AREA	ONSITE	SW	DRINKING	09-Jul-01	BETA	1.64	pCi/L	1.5	1.6	U		
SESPMNT	B134L4	100 K AREA	ONSITE	SW	DRINKING	08-Oct-01	BETA	1.25	pCi/L	1.4	1.5	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WATER - DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11CX8	FFTF	ONSITE	SW	DRINKING	15-Feb-01	BETA	5.42	pCi/L	1.8	2			
SESPMNT	B11RY6	FFTF	ONSITE	SW	DRINKING	17-Apr-01	BETA	9.05	pCi/L	1.9	2.4			
SESPMNT	B129P0	FFTF	ONSITE	SW	DRINKING	09-Jul-01	BETA	6.97	pCi/L	1.9	2.2			
SESPMNT	B134L3	FFTF	ONSITE	SW	DRINKING	08-Oct-01	BETA	13.8	pCi/L	2.3	3.1			

Biota

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	BE-7	0.733 pCi/g		0.2	0.2			
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	BE-7	1.78 pCi/g		0.86	0.86			
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	BE-7	0.539 pCi/g		0.42	0.42	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	BE-7	0.65 pCi/g		0.26	0.26			
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	CO-60	0.0137 pCi/g		0.018	0.018	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	CO-60	0.0164 pCi/g		0.057	0.057	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	CO-60	-0.00173 pCi/g		0.048	0.048	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	CO-60	0.0141 pCi/g		0.021	0.021	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	CS-134	-0.00703 pCi/g		0.018	0.018	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	CS-134	-0.0167 pCi/g		0.056	0.056	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	CS-134	-0.007 pCi/g		0.049	0.049	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	CS-134	0.00775 pCi/g		0.021	0.021	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	CS-137	0.0113 pCi/g		0.015	0.015	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	CS-137	0.00376 pCi/g		0.049	0.049	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	CS-137	0.00303 pCi/g		0.042	0.042	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	CS-137	-0.00336 pCi/g		0.018	0.018	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	EU-154	-0.0184 pCi/g		0.063	0.063	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	EU-154	-0.00398 pCi/g		0.17	0.17	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	EU-154	0.0109 pCi/g		0.14	0.14	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	EU-154	-0.0129 pCi/g		0.072	0.072	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	EU-155	-0.0145 pCi/g		0.036	0.036	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	EU-155	0.0258 pCi/g		0.12	0.12	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	EU-155	0.064 pCi/g		0.091	0.091	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	EU-155	0.0209 pCi/g		0.036	0.036	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	K-40	31 pCi/g		3.8	3.8			
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	K-40	26.4 pCi/g		3.9	3.9			
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	K-40	22.2 pCi/g		3.2	3.2			
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	K-40	23.6 pCi/g		3	3			
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	RU-106	0.012 pCi/g		0.13	0.13	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	RU-106	-0.0799 pCi/g		0.45	0.45	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	RU-106	-0.0776 pCi/g		0.39	0.39	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	RU-106	0.0248 pCi/g		0.15	0.15	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	SB-125	-0.00582 pCi/g		0.034	0.034	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	SB-125	-0.0325 pCi/g		0.12	0.12	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	SB-125	0.0047 pCi/g		0.11	0.11	U		
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	SB-125	0.0167 pCi/g		0.04	0.04	U		
SESPMNT	B11YJ4	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	24-May-01	SR-90	0.0566 pCi/g		0.056	0.056	U		
SESPMNT	B11YJ6	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	17-May-01	SR-90	0.0473 pCi/g		0.035	0.038	U		
SESPMNT	B11YK1	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	18-May-01	SR-90	0.0656 pCi/g		0.038	0.042			
SESPMNT	B11YK5	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	25-May-01	SR-90	0.152 pCi/g		0.067	0.081			
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	BE-7	0.0182 pCi/g		0.045	0.045	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	BE-7	-0.0265 pCi/g		0.041	0.041	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	BE-7	-0.00754 pCi/g		0.047	0.047	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	BE-7	0.00175 pCi/g		0.042	0.042	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	CO-60	0.00182 pCi/g		0.0058	0.0058	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	CO-60	0.000971 pCi/g		0.0056	0.0056	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	CO-60	0.00416 pCi/g		0.0058	0.0058	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	CO-60	-0.00591 pCi/g		0.0058	0.0058	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	CS-134	0.00278 pCi/g		0.0057	0.0057	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	CS-134	0.00108 pCi/g		0.0054	0.0054	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	CS-134	-0.000364 pCi/g		0.0063	0.0063	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	CS-134	0.00528 pCi/g		0.0056	0.0056	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	CS-137	-0.0043 pCi/g		0.0051	0.0051	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	CS-137	0.000113 pCi/g		0.0047	0.0047	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	CS-137	0.00128 pCi/g		0.0052	0.0052	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	CS-137	0.00173 pCi/g		0.0046	0.0046	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	EU-154	0.0167 pCi/g		0.018	0.018	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	EU-154	-0.0101 pCi/g		0.018	0.018	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	EU-154	-0.0157 pCi/g		0.017	0.017	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	EU-154	-0.00848 pCi/g		0.015	0.015	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	EU-155	0.00723 pCi/g		0.013	0.013	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	EU-155	-0.00793 pCi/g		0.013	0.013	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	EU-155	-0.00624 pCi/g		0.013	0.013	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	EU-155	-0.00288 pCi/g		0.012	0.012	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	K-40	3.02 pCi/g		0.42	0.42			

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	K-40	3.04	pCi/g	0.41	0.41			
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	K-40	2.68	pCi/g	0.38	0.38			
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	K-40	2.6	pCi/g	0.37	0.37			
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	RU-106	0.0076	pCi/g	0.045	0.045	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	RU-106	0.0126	pCi/g	0.043	0.043	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	RU-106	0.0118	pCi/g	0.044	0.044	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	RU-106	-0.000201	pCi/g	0.043	0.043	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	SB-125	0.00677	pCi/g	0.013	0.013	U		
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	SB-125	0.00291	pCi/g	0.011	0.011	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	SB-125	0.00906	pCi/g	0.014	0.014	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	SB-125	-0.00257	pCi/g	0.012	0.012	U		
SESPMNT	B12PH1	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	24-Sep-01	SR-90	0.00722	pCi/g	0.0031	0.0037			
SESPMNT	B12PH6	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	26-Sep-01	SR-90	0.00174	pCi/g	0.0023	0.0024	U		
SESPMNT	B12PH9	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	21-Sep-01	SR-90	-0.0000219	pCi/g	0.0019	0.002	U		
SESPMNT	B12PJ2	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	06-Sep-01	SR-90	0.00175	pCi/g	0.0031	0.0031	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	BE-7	14.3	pCi/L	26	26	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	BE-7	-3.73	pCi/L	28	28	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	BE-7	8.16	pCi/L	26	26	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	BE-7	-1.43	pCi/L	19	19	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	BE-7	-16.5	pCi/L	27	27	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	BE-7	-0.429	pCi/L	25	25	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	BE-7	47.6	pCi/L	43	43	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	BE-7	28.9	pCi/L	43	43	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	BE-7	23.2	pCi/L	32	32	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	BE-7	31.2	pCi/L	26	26	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	BE-7	1.84	pCi/L	30	30	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	BE-7	-12.7	pCi/L	37	37	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	BE-7	10.3	pCi/L	25	25	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	BE-7	-7.15	pCi/L	24	24	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	BE-7	-0.754	pCi/L	24	24	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	BE-7	-8.88	pCi/L	22	22	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	CO-60	-0.208	pCi/L	3.5	3.5	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	CO-60	2	pCi/L	3.9	3.9	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	CO-60	-4.05	pCi/L	3.7	3.7	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	CO-60	0.928	pCi/L	2.2	2.2	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	CO-60	-0.506	pCi/L	3.1	3.1	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	CO-60	1.27	pCi/L	3	3	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	CO-60	3.01	pCi/L	4.1	4.1	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	CO-60	2.67	pCi/L	4.7	4.7	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	CO-60	3.41	pCi/L	3.5	3.5	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	CO-60	4.65	pCi/L	3.6	3.6	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	CO-60	-1.07	pCi/L	4.5	4.5	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	CO-60	0.461	pCi/L	4.8	4.8	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	CO-60	0.0192	pCi/L	3.2	3.2	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	CO-60	-0.16	pCi/L	3.4	3.4	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	CO-60	-1.04	pCi/L	3.2	3.2	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	CO-60	-1.47	pCi/L	2.6	2.6	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	CS-134	-2.58	pCi/L	3	3	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	CS-134	-3.35	pCi/L	3.2	3.2	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	CS-134	-4.58	pCi/L	3.2	3.2	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	CS-134	-0.55	pCi/L	2.3	2.3	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	CS-134	3.44	pCi/L	3.3	3.3	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	CS-134	3.84	pCi/L	3.3	3.3	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	CS-134	-3.02	pCi/L	4.4	4.4	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	CS-134	-2.86	pCi/L	4.8	4.8	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	CS-134	-0.622	pCi/L	4	4	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	CS-134	-0.013	pCi/L	3.4	3.4	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	CS-134	3.35	pCi/L	5	5	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	CS-134	2.07	pCi/L	4.9	4.9	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	CS-134	1.77	pCi/L	3.1	3.1	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	CS-134	-0.674	pCi/L	3.3	3.3	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	CS-134	3.09	pCi/L	3.3	3.3	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	CS-134	-0.0394	pCi/L	2.8	2.8	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	CS-137	-0.259	pCi/L	3.2	3.2	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	CS-137	-2.06	pCi/L	3.2	3.2	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	CS-137	-0.0299 pCi/L		3.4	3.4	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	CS-137	2.18 pCi/L		2.1	2.1	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	CS-137	-1.63 pCi/L		2.8	2.8	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	CS-137	0.453 pCi/L		3	3	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	CS-137	1.01 pCi/L		3.9	3.9	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	CS-137	2.86 pCi/L		3.8	3.8	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	CS-137	0.0214 pCi/L		3.2	3.2	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	CS-137	0.698 pCi/L		3.1	3.1	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	CS-137	0.111 pCi/L		3.8	3.8	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	CS-137	-0.00906 pCi/L		4	4	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	CS-137	1.47 pCi/L		2.8	2.8	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	CS-137	-1.42 pCi/L		2.8	2.8	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	CS-137	1.25 pCi/L		3.1	3.1	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	CS-137	-2.13 pCi/L		2.7	2.7	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	EU-154	-2.54 pCi/L		10	10	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	EU-154	-2.77 pCi/L		11	11	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	EU-154	5.72 pCi/L		10	10	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	EU-154	-0.156 pCi/L		7.1	7.1	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	EU-154	0.0728 pCi/L		9.3	9.3	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	EU-154	3.06 pCi/L		9.3	9.3	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	EU-154	-0.563 pCi/L		13	13	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	EU-154	4.64 pCi/L		13	13	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	EU-154	8.11 pCi/L		12	12	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	EU-154	-0.598 pCi/L		10	10	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	EU-154	8.19 pCi/L		14	14	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	EU-154	0.514 pCi/L		12	12	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	EU-154	-0.802 pCi/L		8.8	8.8	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	EU-154	-1.85 pCi/L		10	10	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	EU-154	-2.73 pCi/L		9.6	9.6	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	EU-154	7.11 pCi/L		8.9	8.9	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	EU-155	9.79 pCi/L		9.2	9.2	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	EU-155	3.87 pCi/L		7.8	7.8	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	EU-155	2.02 pCi/L		7.4	7.4	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	EU-155	1.57 pCi/L		5	5	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	EU-155	-0.301 pCi/L		6.2	6.2	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	EU-155	1.02 pCi/L		7.4	7.4	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	EU-155	3.3 pCi/L		8.7	8.7	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	EU-155	-7.5 pCi/L		11	11	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	EU-155	-2.04 pCi/L		7.1	7.1	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	EU-155	3.75 pCi/L		9.4	9.4	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	EU-155	2.63 pCi/L		8.5	8.5	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	EU-155	-6.27 pCi/L		9.9	9.9	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	EU-155	0.944 pCi/L		6	6	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	EU-155	3.33 pCi/L		6.2	6.2	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	EU-155	-2.19 pCi/L		7.4	7.4	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	EU-155	5.8 pCi/L		6.4	6.4	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	K-40	1360 pCi/L		200	200			
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	K-40	1190 pCi/L		190	190			
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	K-40	1140 pCi/L		180	180			
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	K-40	1230 pCi/L		170	170			
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	K-40	1180 pCi/L		190	190			
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	K-40	1150 pCi/L		180	180			
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	K-40	862 pCi/L		190	190			
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	K-40	1310 pCi/L		220	220			
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	K-40	1110 pCi/L		190	190			
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	K-40	1390 pCi/L		210	210			
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	K-40	1050 pCi/L		200	200			
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	K-40	1360 pCi/L		220	220			
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	K-40	1250 pCi/L		190	190			
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	K-40	1380 pCi/L		200	200			
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	K-40	1360 pCi/L		210	210			
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	K-40	1400 pCi/L		200	200			
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	RU-106	-3.63 pCi/L		27	27	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	RU-106	-9.9 pCi/L		29	29	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	RU-106	15.1 pCi/L		29	29	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B111WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	RU-106	-3.86 pCi/L		19	19	U		
SESPMNT	B111YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	RU-106	-9.49 pCi/L		25	25	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	RU-106	-29.6 pCi/L		27	27	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	RU-106	8.52 pCi/L		35	35	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	RU-106	-5.43 pCi/L		37	37	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	RU-106	5.13 pCi/L		30	30	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	RU-106	14.3 pCi/L		29	29	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	RU-106	24.7 pCi/L		33	33	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	RU-106	-22.1 pCi/L		37	37	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	RU-106	-15.4 pCi/L		25	25	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	RU-106	4.43 pCi/L		26	26	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	RU-106	0.0789 pCi/L		25	25	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	RU-106	16 pCi/L		23	23	U		
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	SB-125	0.603 pCi/L		8.2	8.2	U		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	SB-125	-8.57 pCi/L		7.3	7.3	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	SB-125	-1.06 pCi/L		7.7	7.7	U		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	SB-125	2 pCi/L		5.4	5.4	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	SB-125	-1.23 pCi/L		6.8	6.8	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	SB-125	-0.276 pCi/L		7.4	7.4	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	SB-125	6.37 pCi/L		9.4	9.4	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	SB-125	2.38 pCi/L		9.9	9.9	U		
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	SB-125	1.34 pCi/L		7.4	7.4	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	SB-125	0.798 pCi/L		7.6	7.6	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	SB-125	-0.555 pCi/L		9.3	9.3	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	SB-125	3.72 pCi/L		10	10	U		
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	SB-125	-0.188 pCi/L		6.9	6.9	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	SB-125	0.45 pCi/L		6.7	6.7	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	SB-125	-0.0275 pCi/L		7.1	7.1	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	SB-125	-1.45 pCi/L		6.6	6.6	U		
SESPMNT	B11WW9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	I-129	0.0002301 pCi/L			3.72762E-05			
SESPMNT	B11YK8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	I-129	0.0002361 pCi/L			0.000040137			
SESPMNT	B121F1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	I-129	0.0003778 pCi/L			0.000041558			
SESPMNT	B135V9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	I-129	0.0004632 pCi/L			7.59648E-05			
SESPMNT	B135W1	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	I-129	0.0004992 pCi/L			5.69088E-05			
SESPMNT	B139F7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	I-129	0.0002269 pCi/L			3.04046E-05			
SESPMNT	B11CD8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	SR-90	0.49 pCi/L		0.27	0.33	J		
SESPMNT	B11CD9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	SR-90	0.262 pCi/L		0.23	0.28	U		
SESPMNT	B11CY7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	17-Feb-01	SR-90	0.458 pCi/L		0.26	0.33	J		
SESPMNT	B11WW8	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	SR-90	0.653 pCi/L		0.44	0.46	U		
SESPMNT	B11YL7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	18-May-01	SR-90	0.365 pCi/L		0.26	0.32	U		
SESPMNT	B121F0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	SR-90	0.354 pCi/L		0.38	0.43	U		
SESPMNT	B12DJ9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	SR-90	0.339 pCi/L		0.28	0.32	U		
SESPMNT	B12DK0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	SR-90	0.511 pCi/L		0.29	0.35			
SESPMNT	B12JX8	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	10-Aug-01	SR-90	0.46 pCi/L		0.37	0.41	U		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	SR-90	0.271 pCi/L		0.28	0.32	U		
SESPMNT	B135W0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	SR-90	0.173 pCi/L		0.28	0.31	U		
SESPMNT	B139H6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-Nov-01	SR-90	0.497 pCi/L		0.27	0.33			
SESPSPEC	B121C6	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	SR-90	0.425 pCi/L		0.38	0.42	U		
SESPSPEC	B121C7	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	SR-90	0.217 pCi/L		0.31	0.34	U		
SESPSPEC	B135T7	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	26-Oct-01	SR-90	0.24 pCi/L		0.29	0.32	U		
SESPSPEC	B135T8	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	26-Oct-01	SR-90	0.442 pCi/L		0.3	0.35	U		
SESPMNT	B11CF0	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	14-Feb-01	TRITIUM	83.6 pCi/L			2.5			
SESPMNT	B11CF1	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	13-Feb-01	TRITIUM	32.7 pCi/L			1			
SESPMNT	B11CY9	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	17-Feb-01	TRITIUM	20.2 pCi/L			0.6			
SESPMNT	B11WX1	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-01	TRITIUM	34.1 pCi/L			1			
SESPMNT	B11YL8	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	18-May-01	TRITIUM	21.2 pCi/L			0.6			
SESPMNT	B121F2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	25-May-01	TRITIUM	62.3 pCi/L			1.9			
SESPMNT	B12DL1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	02-Aug-01	TRITIUM	49.8 pCi/L			1.8			
SESPMNT	B12DL2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-01	TRITIUM	22.9 pCi/L			0.7			
SESPMNT	B12JX9	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	10-Aug-01	TRITIUM	17.1 pCi/L			0.7			
SESPSPEC	B121F3	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	25-May-01	TRITIUM	54.3 pCi/L			1.6			
SESPSPEC	B121F4	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	25-May-01	TRITIUM	54 pCi/L			1.6			
SESPMNT	B135W2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	26-Oct-01	TRITIUM	32.7 pCi/L			1.1			
SESPMNT	B135W3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-Nov-01	TRITIUM	19.3 pCi/L			6.1			SAMPLE BEING REANALYZED.
SESPMNT	B139H7	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	05-Nov-01	TRITIUM	18.8 pCi/L			0.8			

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	BE-7	0.216 pCi/g		0.12	0.12	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	BE-7	-0.075 pCi/g		0.1	0.1	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	BE-7	0.0912 pCi/g		0.11	0.11	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	CO-60	0.00706 pCi/g		0.015	0.015	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	CO-60	0.0122 pCi/g		0.013	0.013	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	CO-60	-0.00289 pCi/g		0.014	0.014	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	CS-134	0.00777 pCi/g		0.017	0.017	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	CS-134	0.00309 pCi/g		0.013	0.013	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	CS-134	0.00164 pCi/g		0.013	0.013	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	CS-137	0.0027 pCi/g		0.015	0.015	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	CS-137	-0.00336 pCi/g		0.011	0.011	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	CS-137	-0.000565 pCi/g		0.013	0.013	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	EU-154	-0.0206 pCi/g		0.048	0.048	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	EU-154	0.0212 pCi/g		0.037	0.037	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	EU-154	-0.0386 pCi/g		0.044	0.044	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	EU-155	-0.00645 pCi/g		0.036	0.036	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	EU-155	-0.0142 pCi/g		0.027	0.027	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	EU-155	-0.015 pCi/g		0.024	0.024	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	K-40	5.51 pCi/g		0.85	0.85			
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	K-40	5.16 pCi/g		0.75	0.75		CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	K-40	5.68 pCi/g		0.85	0.85			
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	RU-106	-0.158 pCi/g		0.13	0.13	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	RU-106	0.00405 pCi/g		0.1	0.1	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	RU-106	0.0212 pCi/g		0.11	0.11	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	SB-125	-0.0112 pCi/g		0.036	0.036	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	SB-125	0.0111 pCi/g		0.027	0.027	U	CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	SB-125	0.0116 pCi/g		0.032	0.032	U		
SESPMNT	B121C8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	06-Jun-01	SR-90	-0.0014 pCi/g		0.0017	0.0017	U		
SESPMNT	B121D1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	27-Jul-01	SR-90	0.00942 pCi/g		0.0035	0.0043		CABBAGE.	
SESPMNT	B121D6	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	01-Jun-01	SR-90	0.000425 pCi/g		0.0021	0.0022	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	BE-7	-0.0217 pCi/g		0.032	0.032	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	BE-7	0.0114 pCi/g		0.047	0.047	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	BE-7	-0.0321 pCi/g		0.065	0.065	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	CO-60	0.00148 pCi/g		0.005	0.005	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	CO-60	-0.00229 pCi/g		0.0063	0.0063	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	CO-60	-0.000827 pCi/g		0.007	0.007	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	CS-134	0.00121 pCi/g		0.005	0.005	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	CS-134	0.00172 pCi/g		0.0064	0.0064	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	CS-134	0.00099 pCi/g		0.0072	0.0072	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	CS-137	0.000411 pCi/g		0.0043	0.0043	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	CS-137	0.00182 pCi/g		0.0059	0.0059	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	CS-137	0.00319 pCi/g		0.0058	0.0058	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	EU-154	0.00527 pCi/g		0.015	0.015	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	EU-154	0.0036 pCi/g		0.018	0.018	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	EU-154	-0.00215 pCi/g		0.022	0.022	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	EU-155	-0.00651 pCi/g		0.012	0.012	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	EU-155	-0.00477 pCi/g		0.011	0.011	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	EU-155	0.00284 pCi/g		0.015	0.015	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	K-40	4.45 pCi/g		0.56	0.56			
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	K-40	4.1 pCi/g		0.55	0.55			
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	K-40	4.46 pCi/g		0.6	0.6			
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	RU-106	-0.0252 pCi/g		0.038	0.038	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	RU-106	-0.0453 pCi/g		0.051	0.051	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	RU-106	-0.0332 pCi/g		0.056	0.056	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	SB-125	0.000202 pCi/g		0.011	0.011	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	SB-125	-0.00317 pCi/g		0.014	0.014	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	SB-125	0.00754 pCi/g		0.014	0.014	U		
SESPMNT	B12JV9	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	13-Aug-01	SR-90	0.00229 pCi/g		0.0052	0.0052	U		
SESPMNT	B12JW1	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	10-Aug-01	SR-90	0.00218 pCi/g		0.0042	0.0042	U		
SESPMNT	B12JW5	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	14-Sep-01	SR-90	-0.000683 pCi/g		0.0065	0.0065	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	BE-7	-0.0375 pCi/g		0.055	0.055	U	DONATED TO PNHL BY DOH.	
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	27-Jul-01	BE-7	-0.00571 pCi/g		0.039	0.039	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	CO-60	0.00347 pCi/g		0.0068	0.0068	U	DONATED TO PNHL BY DOH.	
SESPMNT	B12JV7	HARRAH/WAPATO AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	CO-60	-0.000804 pCi/g		0.0047	0.0047	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	CS-134	0.00488 pCi/g		0.0066	0.0066	U	DONATED TO PNHL BY DOH.	

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	CS-134	0.00111	pCi/g	0.0047	0.0047	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	CS-137	0.000684	pCi/g	0.0059	0.0059	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	CS-137	-0.00228	pCi/g	0.0044	0.0044	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	EU-154	-0.0268	pCi/g	0.02	0.02	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	EU-154	-0.0195	pCi/g	0.016	0.016	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	EU-155	0.00485	pCi/g	0.013	0.013	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	EU-155	0.00423	pCi/g	0.0097	0.0097	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	K-40	2.07	pCi/g	0.34	0.34		DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	K-40	2.47	pCi/g	0.36	0.36			
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	RU-106	0.00247	pCi/g	0.049	0.049	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	RU-106	0.0011	pCi/g	0.038	0.038	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	SB-125	0.0103	pCi/g	0.014	0.014	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	SB-125	0.00799	pCi/g	0.01	0.01	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	SR-90	0.000987	pCi/g	0.0026	0.0027	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	SR-90	-0.000108	pCi/g	0.0019	0.0021	U		
SESPMNT	B12JV7	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	07-Sep-01	TRITIUM	0.115	pCi/g	0.059	0.088	U	DONATED TO PNNL BY DOH.	
SESPMNT	B12JW7	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-01	TRITIUM	0.024	pCi/g	0.042	0.065	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	BE-7	32.3	pCi/L	47	47	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	BE-7	-38.4	pCi/L	170	170	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	BE-7	17.8	pCi/L	39	39	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	BE-7	-19.8	pCi/L	38	38	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CO-60	5.16	pCi/L	4.1	4.1	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CO-60	1.23	pCi/L	3.9	3.9	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CO-60	-3.71	pCi/L	4	4	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CO-60	-1.53	pCi/L	3.3	3.3	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CS-134	-0.168	pCi/L	3.9	3.9	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CS-134	0.719	pCi/L	4.7	4.7	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CS-134	-3.02	pCi/L	3.5	3.5	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CS-134	1.82	pCi/L	3.5	3.5	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CS-137	2.03	pCi/L	3.5	3.5	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	CS-137	0.93	pCi/L	3.5	3.5	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CS-137	0.0378	pCi/L	3.1	3.1	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	CS-137	1.85	pCi/L	3.4	3.4	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	EU-154	-13.9	pCi/L	11	11	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	EU-154	-1.41	pCi/L	11	11	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	EU-154	-5.5	pCi/L	10	10	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	EU-154	-5.47	pCi/L	10	10	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	EU-155	1.79	pCi/L	9.9	9.9	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	EU-155	-10.6	pCi/L	9.8	9.8	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	EU-155	-2.07	pCi/L	9.4	9.4	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	EU-155	0.88	pCi/L	7.1	7.1	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	K-40	1200	pCi/L	190	190			
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	K-40	1140	pCi/L	180	180			
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	K-40	1030	pCi/L	160	160			
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	K-40	938	pCi/L	170	170			
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	RU-106	-16.6	pCi/L	32	32	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	RU-106	-5.22	pCi/L	41	41	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	RU-106	12.6	pCi/L	27	27	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	RU-106	-20.7	pCi/L	28	28	U		
SESPMNT	B13KR1	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	SB-125	-4.33	pCi/L	8.7	8.7	U		
SESPMNT	B13KR2	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	SB-125	-3.86	pCi/L	9.3	9.3	U		
SESPMNT	B13KR7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	SB-125	-3.15	pCi/L	7.9	7.9	U		
SESPMNT	B13KR8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	SB-125	5.87	pCi/L	7.6	7.6	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	BE-7	-12.7	pCi/L	29	29	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	BE-7	2.82	pCi/L	30	30	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	BE-7	0.062	pCi/L	42	42	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	BE-7	4.34	pCi/L	33	33	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CO-60	1.56	pCi/L	4.1	4.1	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CO-60	-3.09	pCi/L	4	4	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CO-60	1.47	pCi/L	3.8	3.8	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CO-60	-1.45	pCi/L	3	3	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CS-134	1.28	pCi/L	4.3	4.3	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CS-134	1.75	pCi/L	4.2	4.2	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CS-134	1.41	pCi/L	3.6	3.6	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CS-134	2.71	pCi/L	2.9	2.9	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CS-137	-1.03 pCi/L		3.7	3.7	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	CS-137	0.115 pCi/L		3.8	3.8	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CS-137	-4.02 pCi/L		3.1	3.1	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	CS-137	-0.829 pCi/L		2.3	2.3	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	EU-154	2.15 pCi/L		12	12	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	EU-154	-5.66 pCi/L		11	11	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	EU-154	-2.52 pCi/L		10	10	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	EU-154	4.73 pCi/L		8	8	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	EU-155	-3.53 pCi/L		8	8	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	EU-155	9.46 pCi/L		11	11	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	EU-155	-4.11 pCi/L		8.8	8.8	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	EU-155	1 pCi/L		6.3	6.3	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	K-40	190 pCi/L		120	120			
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	K-40	327 pCi/L		130	130			
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	K-40	612 pCi/L		120	120			
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	K-40	847 pCi/L		150	150			
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	RU-106	20.9 pCi/L		32	32	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	RU-106	-2.73 pCi/L		33	33	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	RU-106	-4.72 pCi/L		32	32	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	RU-106	-13.2 pCi/L		25	25	U		
SESPMNT	B13KR4	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	SB-125	-3.3 pCi/L		9.1	9.1	U		
SESPMNT	B13KR5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	SB-125	-11.5 pCi/L		9.4	9.4	U		
SESPMNT	B13KT0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	SB-125	-5.19 pCi/L		8.1	8.1	U		
SESPMNT	B13KT1	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	SB-125	8.72 pCi/L		6.8	6.8	U		
SESPMNT	B13KV3	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	TRITIUM	11.5 pCi/L			0.6			
SESPMNT	B13KV4	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	28-Nov-01	TRITIUM	11.4 pCi/L			0.6			
SESPMNT	B13KV5	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	TRITIUM	22.7 pCi/L			0.8			
SESPMNT	B13KV6	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	28-Nov-01	TRITIUM	21.6 pCi/L			0.8			
SESPMNT	B13KV7	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	TRITIUM	37.2 pCi/L			1.1			
SESPMNT	B13KV8	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	10-Dec-01	TRITIUM	45.3 pCi/L			1.1			
SESPMNT	B13KV9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	TRITIUM	19.6 pCi/L			0.8			
SESPMNT	B13KW0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	10-Dec-01	TRITIUM	46.3 pCi/L			1.2			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11612	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	CARCASS	30-Nov-01 SR-90		0.0226 pCi/g		0.025	0.027	U		
SESPMNT	B11613	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	CARCASS	30-Nov-01 SR-90		0.0256 pCi/g		0.023	0.025	U		
SESPMNT	B11614	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	CARCASS	30-Nov-01 SR-90		0.0145 pCi/g		0.021	0.025	U		
SESPMNT	B11615	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	CARCASS	30-Nov-01 SR-90		0.0256 pCi/g		0.03	0.032	U		
SESPMNT	B11616	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	CARCASS	30-Nov-01 SR-90		0.0176 pCi/g		0.023	0.028	U		
SESPMNT	B11623	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	CARCASS	01-Dec-99 SR-90		0.221 pCi/g		0.042	0.067		SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11624	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	CARCASS	01-Dec-99 SR-90		0.151 pCi/g		0.032	0.049		SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 BE-7		0.176 pCi/g		0.24	0.24	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 BE-7		-0.157 pCi/g		0.27	0.27	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 BE-7		-0.107 pCi/g		0.41	0.41	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 BE-7		-0.134 pCi/g		0.24	0.24	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 BE-7		-0.042 pCi/g		0.27	0.27	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 BE-7		-0.368 pCi/g		25	25	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 BE-7		3.05 pCi/g		18	18	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 CO-60		0.00809 pCi/g		0.024	0.024	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 CO-60		-0.00206 pCi/g		0.023	0.023	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 CO-60		0.0127 pCi/g		0.04	0.04	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 CO-60		0.0109 pCi/g		0.026	0.026	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 CO-60		0.00502 pCi/g		0.022	0.022	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 CO-60		0.0189 pCi/g		0.034	0.034	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 CO-60		0.0311 pCi/g		0.023	0.023	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 CS-134		0.00977 pCi/g		0.023	0.023	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 CS-134		0.0164 pCi/g		0.027	0.027	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 CS-134		0.0021 pCi/g		0.042	0.042	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 CS-134		-0.00854 pCi/g		0.025	0.025	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 CS-134		-0.0278 pCi/g		0.029	0.029	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 CS-134		-0.0684 pCi/g		0.042	0.042	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 CS-134		-0.0127 pCi/g		0.025	0.025	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 CS-137		0.00242 pCi/g		0.022	0.022	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 CS-137		0.00459 pCi/g		0.024	0.024	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 CS-137		-0.00291 pCi/g		0.037	0.037	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 CS-137		0.0209 pCi/g		0.024	0.024	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 CS-137		0.0331 pCi/g		0.027	0.027	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 CS-137		-0.00408 pCi/g		0.027	0.027	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 CS-137		0.00345 pCi/g		0.02	0.02	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 EU-154		-0.0793 pCi/g		0.068	0.068	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 EU-154		0.0336 pCi/g		0.075	0.075	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 EU-154		0.0139 pCi/g		0.11	0.11	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 EU-154		0.0066 pCi/g		0.059	0.059	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 EU-154		-0.00882 pCi/g		0.086	0.086	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 EU-154		0.029 pCi/g		0.097	0.097	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 EU-154		-0.00171 pCi/g		0.068	0.068	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 EU-155		0.019 pCi/g		0.043	0.043	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 EU-155		0.0296 pCi/g		0.065	0.065	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 EU-155		0.0187 pCi/g		0.081	0.081	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 EU-155		0.0096 pCi/g		0.045	0.045	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 EU-155		-0.0214 pCi/g		0.067	0.067	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 EU-155		0.0655 pCi/g		0.069	0.069	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 EU-155		-0.00929 pCi/g		0.045	0.045	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 K-40		3.1 pCi/g		0.72	0.72			
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 K-40		3.01 pCi/g		0.78	0.78			
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 K-40		5.05 pCi/g		1.2	1.2			
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 K-40		3.78 pCi/g		0.84	0.84			
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 K-40		3.32 pCi/g		0.81	0.81			
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 K-40		3.44 pCi/g		0.98	0.98		SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 K-40		3.24 pCi/g		0.71	0.71		SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 RU-106		0.039 pCi/g		0.2	0.2	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 RU-106		0.162 pCi/g		0.23	0.23	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 RU-106		0.00888 pCi/g		0.33	0.33	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 RU-106		-0.0127 pCi/g		0.21	0.21	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 RU-106		-0.112 pCi/g		0.24	0.24	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 RU-106		-0.0553 pCi/g		0.52	0.52	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 RU-106		-0.175 pCi/g		0.32	0.32	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11606	100-N - 100-D	ONSITE	BI	2001WHITEFISH1	WHITEFISH	MUSCLE	30-Nov-01 SB-125		0.00136 pCi/g		0.051	0.051	U		
SESPMNT	B11607	100-N - 100-D	ONSITE	BI	2001WHITEFISH2	WHITEFISH	MUSCLE	30-Nov-01 SB-125		-0.0116 pCi/g		0.053	0.053	U		
SESPMNT	B11608	100-N - 100-D	ONSITE	BI	2001WHITEFISH3	WHITEFISH	MUSCLE	30-Nov-01 SB-125		-0.0304 pCi/g		0.085	0.085	U		
SESPMNT	B11609	100-N - 100-D	ONSITE	BI	2001WHITEFISH4	WHITEFISH	MUSCLE	30-Nov-01 SB-125		0.00754 pCi/g		0.055	0.055	U		
SESPMNT	B11610	100-N - 100-D	ONSITE	BI	2001WHITEFISH5	WHITEFISH	MUSCLE	30-Nov-01 SB-125		0.0126 pCi/g		0.057	0.057	U		
SESPMNT	B11618	BACKGROUND	OFFSITE	BI	2001WHITEFISH7	WHITEFISH	MUSCLE	01-Dec-99 SB-125		-0.0192 pCi/g		0.089	0.089	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPMNT	B11619	BACKGROUND	OFFSITE	BI	2001WHITEFISH8	WHITEFISH	MUSCLE	01-Dec-99 SB-125		0.0398 pCi/g		0.055	0.055	U	SAMPLE SPORTMAN DONATED - CLEARWATER IDAHO.	
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01 BE-7		1.17 pCi/g		1.2	1.2	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01 BE-7		0.314 pCi/g		0.86	0.86	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01 BE-7		1.05 pCi/g		3.9	3.9	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01 BE-7		-0.498 pCi/g		1.1	1.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	CO-60	0.0675	pCi/g	0.073	0.073	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	CO-60	-0.0104	pCi/g	0.062	0.062	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	CO-60	0.0211	pCi/g	0.24	0.24	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	CO-60	0.0506	pCi/g	0.078	0.078	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	CS-134	0.0173	pCi/g	0.075	0.075	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	CS-134	-0.00168	pCi/g	0.063	0.063	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	CS-134	0.185	pCi/g	0.24	0.24	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	CS-134	0.0433	pCi/g	0.077	0.077	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	CS-137	-0.0156	pCi/g	0.054	0.054	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	CS-137	-0.0132	pCi/g	0.062	0.062	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	CS-137	-0.0296	pCi/g	0.23	0.23	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	CS-137	-0.0211	pCi/g	0.066	0.066	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	EU-154	0.011	pCi/g	0.23	0.23	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	EU-154	-0.0545	pCi/g	0.19	0.19	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	EU-154	0.314	pCi/g	0.75	0.75	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	EU-154	-0.0943	pCi/g	0.2	0.2	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	EU-155	0.107	pCi/g	0.11	0.11	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	EU-155	0.026	pCi/g	0.12	0.12	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	EU-155	-0.397	pCi/g	0.41	0.41	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	EU-155	-0.0263	pCi/g	0.12	0.12	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	K-40	3.52	pCi/g	1.8	1.8			
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	K-40	0.283	pCi/g	1.5	1.5	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	K-40	2.43	pCi/g	4.6	4.6	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	K-40	3.35	pCi/g	1.9	1.9			
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	RU-106	-0.23	pCi/g	0.65	0.65	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	RU-106	-0.15	pCi/g	0.54	0.54	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	RU-106	1.38	pCi/g	2.3	2.3	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	RU-106	0.297	pCi/g	0.64	0.64	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	SB-125	-0.0234	pCi/g	0.15	0.15	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	SB-125	0.085	pCi/g	0.14	0.14	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	SB-125	0.347	pCi/g	0.56	0.56	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	SB-125	-0.0944	pCi/g	0.18	0.18	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	SR-90	0.00578	pCi/g	0.02	0.022	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	SR-90	0.0103	pCi/g	0.019	0.02	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	SR-90	0.0198	pCi/g	0.05	0.057	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	SR-90	0.0181	pCi/g	0.019	0.021	U		
SESPSPEC	B12XY4	VERNITA BRIDGE -1	ONSITE	BI	2001SCULPIN1	SCULPIN	CARCASS	26-Aug-01	TC-99	-0.0222	pCi/g	0.068	0.13	U		
SESPSPEC	B12XY5	300 SPR 14	ONSITE	BI	2001SCULPIN2	SCULPIN	CARCASS	27-Aug-01	TC-99	-0.0448	pCi/g	0.067	0.13	U		
SESPSPEC	B12Y68	300 AREA SPRING 42-2	ONSITE	BI	2001SCULPIN3	SCULPIN	CARCASS	27-Aug-01	TC-99	0.0968	pCi/g	0.17	0.34	U		
SESPSPEC	B12Y69	300 SPR 11	ONSITE	BI	2001SCULPIN4	SCULPIN	CARCASS	27-Aug-01	TC-99	0.0351	pCi/g	0.068	0.14	U		
SESPMNT	B11R54	200 E AREA	ONSITE	BI	2001JACK RABBIT1	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R55	200 E AREA	ONSITE	BI	2001JACK RABBIT2	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R56	200 E AREA	ONSITE	BI	2001JACK RABBIT3	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R57	200 E AREA	ONSITE	BI	2001JACK RABBIT4	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R62	200 W AREA	ONSITE	BI	2001JACK RABBIT5	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R63	200 W AREA	ONSITE	BI	2001JACK RABBIT6	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R64	200 W AREA	ONSITE	BI	2001JACK RABBIT7	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R65	200 W AREA	ONSITE	BI	2001JACK RABBIT8	JACK RABBIT	MUSCLE	13-Apr-01	GAMMA SCAN						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R58	200 E AREA	ONSITE	BI	2001JACK RABBIT1	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R59	200 E AREA	ONSITE	BI	2001JACK RABBIT2	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R60	200 E AREA	ONSITE	BI	2001JACK RABBIT3	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R61	200 E AREA	ONSITE	BI	2001JACK RABBIT4	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R66	200 W AREA	ONSITE	BI	2001JACK RABBIT5	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R67	200 W AREA	ONSITE	BI	2001JACK RABBIT6	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R68	200 W AREA	ONSITE	BI	2001JACK RABBIT7	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R69	200 W AREA	ONSITE	BI	2001JACK RABBIT8	JACK RABBIT	BONES	13-Apr-01	SR-90						WILL NOT COLLECT JACK RABBIT, RECENTLY ADDED TO STATE THREATENED AND ENDANGERED SPECIES LIST.	
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	BE-7	-0.297	pCi/g	0.95	0.95	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	BE-7	0.11	pCi/g	0.67	0.67	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	BE-7	-0.207	pCi/g	0.55	0.55	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	BE-7	0.0788 pCi/g		0.49	0.49	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	CO-60	-0.00741 pCi/g		0.063	0.063	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CO-60	0.0032 pCi/g		0.047	0.047	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CO-60	-0.0263 pCi/g		0.04	0.04	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CO-60	0.0319 pCi/g		0.039	0.039	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	CS-134	-0.011 pCi/g		0.062	0.062	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-134	0.011 pCi/g		0.05	0.05	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-134	0.00585 pCi/g		0.047	0.047	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-134	0.00952 pCi/g		0.032	0.032	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	CS-137	-0.0357 pCi/g		0.059	0.059	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-137	0.125 pCi/g		0.055	0.055	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-137	0.02 pCi/g		0.037	0.037	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	CS-137	0.0122 pCi/g		0.036	0.036	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	EU-154	0.0714 pCi/g		0.16	0.16	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-154	-0.102 pCi/g		0.13	0.13	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-154	0.0875 pCi/g		0.12	0.12	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-154	0.0394 pCi/g		0.1	0.1	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	EU-155	-0.052 pCi/g		0.13	0.13	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-155	0.0705 pCi/g		0.096	0.096	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-155	0.00052 pCi/g		0.071	0.071	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	EU-155	0.0212 pCi/g		0.062	0.062	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	K-40	5.05 pCi/g		1.6	1.6			
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	K-40	3.16 pCi/g		1.2	1.2			
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	K-40	3.93 pCi/g		1.2	1.2			
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	K-40	2.11 pCi/g		0.97	0.97			
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	RU-106	-0.335 pCi/g		0.6	0.6	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	RU-106	-0.343 pCi/g		0.42	0.42	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	RU-106	-0.247 pCi/g		0.36	0.36	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	RU-106	-0.114 pCi/g		0.3	0.3	U		
SESPMNT	B11R70	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	05-Oct-01	SB-125	-0.0293 pCi/g		0.14	0.14	U		
SESPMNT	B11R71	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	SB-125	0.00796 pCi/g		0.11	0.11	U		
SESPMNT	B11R72	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	SB-125	-0.0715 pCi/g		0.089	0.089	U		
SESPMNT	B11R73	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	17-Oct-01	SB-125	0.109 pCi/g		0.086	0.086	U		
SESPMNT	B11R75	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT1	COTTONTAIL RABBIT	BONES	05-Oct-01	SR-90	0.163 pCi/g		0.032	0.051			
SESPMNT	B11R76	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT2	COTTONTAIL RABBIT	BONES	17-Oct-01	SR-90	8.99 pCi/g		0.19	2			
SESPMNT	B11R77	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT3	COTTONTAIL RABBIT	BONES	17-Oct-01	SR-90	0.161 pCi/g		0.032	0.05			
SESPMNT	B11R78	100 N AREA	ONSITE	BI	2001COTTONTAIL RABBIT4	COTTONTAIL RABBIT	BONES	17-Oct-01	SR-90	0.14 pCi/g		0.029	0.045			
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	BE-7	-1.87 pCi/g		3.2	3.2	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	BE-7	0.0944 pCi/g		3.4	3.4	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	BE-7	1.75 pCi/g		4.3	4.3	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	BE-7						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	CO-60	0.0743 pCi/g		0.089	0.089	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	CO-60	-0.00615 pCi/g		0.098	0.098	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	CO-60	0.0317 pCi/g		0.15	0.15	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	CO-60						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	CS-134	0.0223 pCi/g		0.11	0.11	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	CS-134	0.0297 pCi/g		0.11	0.11	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	CS-134	-0.00871 pCi/g		0.14	0.14	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	CS-134						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	CS-137	-0.00969 pCi/g		0.081	0.081	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	CS-137	0.04 pCi/g		0.094	0.094	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	CS-137	-0.00323 pCi/g		0.11	0.11	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	CS-137						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	EU-154	-0.186 pCi/g		0.28	0.28	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	EU-154	-0.122 pCi/g		0.26	0.26	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	EU-154	0.106 pCi/g		0.37	0.37	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	EU-154						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	EU-155	0.0128 pCi/g		0.18	0.18	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	EU-155	-0.00889 pCi/g		0.16	0.16	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	EU-155	0.115 pCi/g		0.26	0.26	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	EU-155						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	K-40	3.26 pCi/g		1.6	1.6			
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	K-40	2.58 pCi/g		2.4	2.4			
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	K-40	2.03 pCi/g		2.3	2.3	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	K-40						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	RU-106	0.114 pCi/g		0.85	0.85	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	RU-106	0.111 pCi/g		1	1	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	RU-106	0.24 pCi/g		1.3	1.3	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	RU-106						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	SB-125	0.00409 pCi/g		0.21	0.21	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	SB-125	0.295 pCi/g		0.21	0.21	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	SB-125	0.119 pCi/g		0.3	0.3	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	SB-125						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	SR-90	0.00889 pCi/g		0.022	0.023	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	SR-90	-0.0097 pCi/g		0.022	0.022	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	SR-90	-0.00786 pCi/g		0.019	0.022	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	SR-90						NO SAMPLE.	
SESPSPEC	B12XY6	300 AREA SPRING 42-2	ONSITE	BI	2001HOUSE MOUSE1	HOUSE MOUSE	CARCASS	27-Aug-01	TC-99	0.00629 pCi/g		0.068	0.14	U		
SESPSPEC	B12XY7	300 SPR 14	ONSITE	BI	2001HOUSE MOUSE2	HOUSE MOUSE	CARCASS	28-Aug-01	TC-99	-0.0212 pCi/g		0.068	0.14	U		
SESPSPEC	B12XY8	300 SPR 11	ONSITE	BI	2001HOUSE MOUSE3	HOUSE MOUSE	CARCASS	29-Aug-01	TC-99	-0.0302 pCi/g		0.066	0.14	U		
SESPSPEC	B12Y70	300 AREA SPR DR 42-2	ONSITE	BI	2001HOUSE MOUSE4	HOUSE MOUSE	CARCASS	27-Aug-01	TC-99						NO SAMPLE.	
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	BE-7	1.08 pCi/g		1.5	1.5	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	BE-7	-1.12 pCi/g		1.6	1.6	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	BE-7	0.895 pCi/g		2.1	2.1	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	BE-7	-0.0832 pCi/g		2	2	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	BE-7	-1.16 pCi/g		1.9	1.9	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	CO-60	0.0653 pCi/g		0.13	0.13	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	CO-60	-0.0444 pCi/g		0.11	0.11	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	CO-60	0.042 pCi/g		0.2	0.2	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	CO-60	0.11 pCi/g		0.17	0.17	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	CO-60	0.0408 pCi/g		0.14	0.14	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	CS-134	0.0785 pCi/g		0.1	0.1	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	CS-134	0.017 pCi/g		0.11	0.11	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	CS-134	-0.119 pCi/g		0.18	0.18	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	CS-134	0.0462 pCi/g		0.17	0.17	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	CS-134	0.129 pCi/g		0.17	0.17	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	CS-137	-0.135 pCi/g		0.094	0.094	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	CS-137	0.0804 pCi/g		0.095	0.095	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	CS-137	-0.00512 pCi/g		0.16	0.16	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	CS-137	0.0553 pCi/g		0.13	0.13	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	CS-137	0.0817 pCi/g		0.15	0.15	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	EU-154	0.0398 pCi/g		0.28	0.28	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	EU-154	-0.152 pCi/g		0.29	0.29	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	EU-154	0.0491 pCi/g		0.5	0.5	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	EU-154	0.0208 pCi/g		0.48	0.48	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	EU-154	0.111 pCi/g		0.43	0.43	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	EU-155	-0.0263 pCi/g		0.15	0.15	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	EU-155	0.0859 pCi/g		0.18	0.18	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	EU-155	-0.0138 pCi/g		0.28	0.28	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	EU-155	-0.0438 pCi/g		0.26	0.26	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	EU-155	0.0173 pCi/g		0.29	0.29	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	K-40	2.32 pCi/g		2.9	2.9	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	K-40	2.68 pCi/g		2.2	2.2			
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	K-40	3.31 pCi/g		3.8	3.8	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	K-40	7.14 pCi/g		3.9	3.9			
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	K-40	0.771 pCi/g		2.5	2.5	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	RU-106	0.593 pCi/g		0.92	0.92	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	RU-106	-0.467 pCi/g		1	1	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	RU-106	2.01 pCi/g		1.5	1.5	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	RU-106	-0.467 pCi/g		1.3	1.3	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	RU-106	0.532 pCi/g		1.2	1.2	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	SB-125	-0.044 pCi/g		0.22	0.22	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	SB-125	-0.184 pCi/g		0.26	0.26	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	SB-125	0.236 pCi/g		0.34	0.34	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	SB-125	0.212 pCi/g		0.32	0.32	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	SB-125	0.0398 pCi/g		0.3	0.3	U		
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	SR-90	0.0843 pCi/g		0.024	0.033			
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	SR-90	0.114 pCi/g		0.025	0.038			
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	SR-90	0.0792 pCi/g		0.025	0.033			
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	SR-90	0.267 pCi/g		0.037	0.073			
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	SR-90	0.137 pCi/g		0.028	0.044			
SESPSPEC	B12XY9	300 AREA SPRING 42-2	ONSITE	BI	2001CRAYFISH1	CRAYFISH	CARCASS	27-Aug-01	TC-99	0.0309 pCi/g		0.068	0.14	U		
SESPSPEC	B12Y00	300 AREA SPR DR 42-2	ONSITE	BI	2001CRAYFISH2	CRAYFISH	CARCASS	27-Aug-01	TC-99	0.121 pCi/g		0.07	0.14	U		
SESPSPEC	B12Y01	300 SPR 11	ONSITE	BI	2001CRAYFISH3	CRAYFISH	CARCASS	10-Sep-01	TC-99	0.0873 pCi/g		0.069	0.14	U		
SESPSPEC	B12Y02	300 SPR 14	ONSITE	BI	2001CRAYFISH4	CRAYFISH	CARCASS	10-Sep-01	TC-99	0.0314 pCi/g		0.069	0.14	U		
SESPSPEC	B12Y03	VERNITA BRIDGE -1	ONSITE	BI	2001CRAYFISH5	CRAYFISH	CARCASS	10-Sep-01	TC-99	0.00027 pCi/g		0.067	0.13	U		
SESPMNT	B12DF4	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.278 pCi/g		0.037	0.075			
SESPMNT	B12DF5	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0551 pCi/g		0.022	0.027			
SESPMNT	B12DF6	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0492 pCi/g		0.022	0.028			
SESPMNT	B12DF7	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.164 pCi/g		0.031	0.051			
SESPMNT	B12DF8	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.079 pCi/g		0.024	0.032			
SESPMNT	B12DH5	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0736 pCi/g		0.024	0.032			
SESPMNT	B12DH6	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0422 pCi/g		0.021	0.025			
SESPMNT	B12DH7	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0545 pCi/g		0.022	0.028			
SESPMNT	B12DH8	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0933 pCi/g		0.025	0.035			
SESPMNT	B12DH9	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	BONES	06-Aug-01	SR-90	0.0292 pCi/g		0.021	0.024	U		
SESPMNT	B12DK6	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	BONES	12-Nov-01	SR-90	0.141 pCi/g		0.028	0.045		ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.00478 pCi/g		0.12	0.12	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	-0.149 pCi/g		0.15	0.15	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	-0.033 pCi/g		0.14	0.14	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	-0.031 pCi/g		0.11	0.11	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.0892 pCi/g		0.14	0.14	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.00791 pCi/g		0.14	0.14	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.228 pCi/g		0.15	0.15	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	-0.0156 pCi/g		0.1	0.1	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.0343 pCi/g		0.15	0.15	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	BE-7	0.08 pCi/g		0.14	0.14	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	BE-7	0.00128 pCi/g		0.08	0.08	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00623 pCi/g		0.0081	0.0081	U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	-0.00209 pCi/g		0.011	0.011	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00983 pCi/g		0.0096	0.0096	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	-0.00306 pCi/g		0.0077	0.0077	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00309 pCi/g		0.0092	0.0092	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00149 pCi/g		0.0082	0.0082	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	-0.00378 pCi/g		0.01	0.01	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00249 pCi/g		0.0066	0.0066	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00512 pCi/g		0.0099	0.0099	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	CO-60	0.00264 pCi/g		0.0087	0.0087	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	CO-60	-0.00207 pCi/g		0.007	0.007	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00538 pCi/g		0.0091	0.0091	U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00188 pCi/g		0.011	0.011	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00128 pCi/g		0.01	0.01	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	-0.00332 pCi/g		0.0082	0.0082	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00222 pCi/g		0.0087	0.0087	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	-0.00614 pCi/g		0.0084	0.0084	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00233 pCi/g		0.0095	0.0095	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.00351 pCi/g		0.0072	0.0072	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	0.000886 pCi/g		0.0099	0.0099	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	CS-134	-0.00612 pCi/g		0.0091	0.0091	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	CS-134	0.000276 pCi/g		0.0061	0.0061	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.000776 pCi/g		0.0072	0.0072	U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.0142 pCi/g		0.0089	0.0089	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.00697 pCi/g		0.0089	0.0089	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.0133 pCi/g		0.0073	0.0073	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.00412 pCi/g		0.0085	0.0085	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	-0.00515 pCi/g		0.0074	0.0074	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	-2.22E-05 pCi/g		0.0079	0.0079	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	-0.000461 pCi/g		0.0066	0.0066	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	0.00472 pCi/g		0.0098	0.0098	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	CS-137	-0.0014 pCi/g		0.0079	0.0079	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	CS-137	0.15 pCi/g		0.023	0.023	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.004 pCi/g		0.028	0.028	U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.0106 pCi/g		0.031	0.031	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.0179 pCi/g		0.028	0.028	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	-0.0132 pCi/g		0.025	0.025	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	-0.0234 pCi/g		0.026	0.026	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.000319 pCi/g		0.026	0.026	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	-0.00101 pCi/g		0.031	0.031	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.0035 pCi/g		0.023	0.023	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.0134 pCi/g		0.03	0.03	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	EU-154	0.00558 pCi/g		0.027	0.027	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	EU-154	0.00577 pCi/g		0.022	0.022	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.0041 pCi/g		0.016	0.016	U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.0118 pCi/g		0.02	0.02	U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.00112 pCi/g		0.02	0.02	U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	0.00152 pCi/g		0.015	0.015	U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.00105 pCi/g		0.017	0.017	U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.000958 pCi/g		0.017	0.017	U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.000563 pCi/g		0.022	0.022	U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	0.0108 pCi/g		0.016	0.016	U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	0.00196 pCi/g		0.022	0.022	U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	EU-155	-0.00292 pCi/g		0.017	0.017	U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	EU-155	0.00237 pCi/g		0.013	0.013	U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.82 pCi/g		0.47	0.47			
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	3.05 pCi/g		0.51	0.51			
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	3.08 pCi/g		0.49	0.49			
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	3.22 pCi/g		0.48	0.48			
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.66 pCi/g		0.44	0.44			
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	3.14 pCi/g		0.49	0.49			
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.67 pCi/g		0.47	0.47			
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.64 pCi/g		0.42	0.42			
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.92 pCi/g		0.51	0.51			

ENVIRONMENTAL SURVEILLANCE DATA CY01

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	K-40	2.67 pCi/g	0.44	0.44				
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	K-40	2.94 pCi/g	0.44	0.44			ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.0112 pCi/g	0.077	0.077		U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.109 pCi/g	0.088	0.088		U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	0.0561 pCi/g	0.077	0.077		U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.0019 pCi/g	0.058	0.058		U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.0322 pCi/g	0.084	0.084		U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.0471 pCi/g	0.072	0.072		U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	0.00656 pCi/g	0.078	0.078		U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	0.0117 pCi/g	0.06	0.06		U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	0.00916 pCi/g	0.085	0.085		U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	RU-106	-0.0107 pCi/g	0.071	0.071		U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	RU-106	-0.044 pCi/g	0.05	0.05		U	ON RIVER BY VANTAGE TOWN.	
SESPMNT	B12DD8	100 AREAS	ONSITE	BI	2001CANADA GOOSE1	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.0139 pCi/g	0.017	0.017		U		
SESPMNT	B12DD9	100 AREAS	ONSITE	BI	2001CANADA GOOSE2	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.004 pCi/g	0.021	0.021		U		
SESPMNT	B12DF0	100 AREAS	ONSITE	BI	2001CANADA GOOSE3	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.00216 pCi/g	0.02	0.02		U		
SESPMNT	B12DF1	100 AREAS	ONSITE	BI	2001CANADA GOOSE4	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.00713 pCi/g	0.016	0.016		U		
SESPMNT	B12DF2	100 AREAS	ONSITE	BI	2001CANADA GOOSE5	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	-0.00262 pCi/g	0.019	0.019		U		
SESPMNT	B12DH3	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE10	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.00139 pCi/g	0.018	0.018		U		
SESPMNT	B12DH4	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE11	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.000494 pCi/g	0.02	0.02		U		
SESPMNT	B12DH0	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE7	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.0115 pCi/g	0.016	0.016		U		
SESPMNT	B12DH1	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	0.00408 pCi/g	0.022	0.022		U		
SESPMNT	B12DH2	HANFORD TOWNSITE	ONSITE	BI	2001CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-01	SB-125	-0.0042 pCi/g	0.019	0.019		U		
SESPMNT	B12DK1	BACKGROUND		BI	2001CANADA GOOSE12	CANADA GOOSE	MUSCLE	12-Nov-01	SB-125	-0.000225 pCi/g	0.015	0.015		U	ON RIVER BY VANTAGE TOWN.	
SESPSPEC	B12XM6	ISLAND #1	RIVER_SHORELINE	BI	2001CANADA GOOSE17	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.348 pCi/g	0.046	0.093			NEST 422	
SESPSPEC	B12XM7	ISLAND #1	RIVER_SHORELINE	BI	2001CANADA GOOSE18	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.307 pCi/g	0.048	0.086			NEST 524	
SESPSPEC	B12XM8	ISLAND #1	RIVER_SHORELINE	BI	2001CANADA GOOSE19	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.265 pCi/g	0.044	0.076			NEST 421	
SESPSPEC	B12XN2	ISLAND #5	RIVER_SHORELINE	BI	2001CANADA GOOSE23	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.341 pCi/g	0.053	0.095			NEST 246	
SESPSPEC	B12XN3	ISLAND #5	RIVER_SHORELINE	BI	2001CANADA GOOSE24	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.312 pCi/g	0.044	0.085			NEST 616	
SESPSPEC	B12XN4	ISLAND #5	RIVER_SHORELINE	BI	2001CANADA GOOSE25	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.375 pCi/g	0.09	0.13			NEST 248	
SESPSPEC	B12XN8	ISLAND #10	RIVER_SHORELINE	BI	2001CANADA GOOSE29	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.34 pCi/g	0.048	0.092			NEST 245	
SESPSPEC	B12XN9	ISLAND #10	RIVER_SHORELINE	BI	2001CANADA GOOSE30	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.257 pCi/g	0.041	0.073			NEST 614	
SESPSPEC	B12XP0	ISLAND #10	RIVER_SHORELINE	BI	2001CANADA GOOSE31	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.26 pCi/g	0.046	0.077			NEST 418	
SESPSPEC	B12XP5	ISLAND #15	RIVER_SHORELINE	BI	2001CANADA GOOSE36	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.58 pCi/g	0.058	0.14			NEST 504	
SESPSPEC	B12XP6	ISLAND #15	RIVER_SHORELINE	BI	2001CANADA GOOSE37	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.742 pCi/g	0.066	0.18			NEST 238	
SESPSPEC	B12XP7	ISLAND #15	RIVER_SHORELINE	BI	2001CANADA GOOSE38	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.412 pCi/g	0.05	0.11			NEST 606	
SESPSPEC	B12XR1	ISLAND #18	RIVER_SHORELINE	BI	2001CANADA GOOSE42	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.174 pCi/g	0.037	0.056			NEST 127	
SESPSPEC	B12XR2	ISLAND #18	RIVER_SHORELINE	BI	2001CANADA GOOSE43	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.228 pCi/g	0.053	0.077			NEST 129	
SESPSPEC	B12XR3	ISLAND #18	RIVER_SHORELINE	BI	2001CANADA GOOSE44	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.372 pCi/g	0.051	0.1			NEST 129A	
SESPSPEC	B12XR4	ISLAND #18	RIVER_SHORELINE	BI	2001CANADA GOOSE45	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.212 pCi/g	0.053	0.076			NEST 321	
SESPSPEC	B12XR9	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE50	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.296 pCi/g	0.051	0.086			NEST 333	
SESPSPEC	B12XT0	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE51	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.389 pCi/g	0.044	0.1			NEST 111	
SESPSPEC	B12XT1	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE52	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.742 pCi/g	0.065	0.18			NEST 308	
SESPSPEC	B12XT2	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE53	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.131 pCi/g	0.033	0.047			NEST 113	
SESPSPEC	B12XT3	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE54	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.398 pCi/g	0.053	0.11			NEST 205	
SESPSPEC	B12XT4	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE55	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.515 pCi/g	0.059	0.13			NEST 206	
SESPSPEC	B12XT5	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE56	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.202 pCi/g	0.06	0.078			NEST 266	
SESPSPEC	B12XT6	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE57	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.239 pCi/g	0.068	0.09			NEST 203	
SESPSPEC	B12XT7	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE58	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.468 pCi/g	0.067	0.13			NEST 318	
SESPSPEC	B12XT8	ISLAND #19	RIVER_SHORELINE	BI	2001CANADA GOOSE59	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.16 pCi/g	0.056	0.069			NEST 329	
SESPSPEC	B12XT9	PRIEST RAPIDS RESERVOIR	RIVER_SHORELINE	BI	2001CANADA GOOSE60	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.357 pCi/g	0.06	0.1			NEST 800	
SESPSPEC	B12XV0	PRIEST RAPIDS RESERVOIR	RIVER_SHORELINE	BI	2001CANADA GOOSE61	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.179 pCi/g	0.04	0.059			NEST 801	
SESPSPEC	B12XV1	PRIEST RAPIDS RESERVOIR	RIVER_SHORELINE	BI	2001CANADA GOOSE62	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.379 pCi/g	0.064	0.11			NEST 802	
SESPSPEC	B12XV5	ISLAND #17	RIVER_SHORELINE	BI	2001CANADA GOOSE66	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.325 pCi/g	0.086	0.12			NEST 228	
SESPSPEC	B12XV6	ISLAND #17	RIVER_SHORELINE	BI	2001CANADA GOOSE67	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.321 pCi/g	0.056	0.094			NEST 232	
SESPSPEC	B12XV7	ISLAND #17	RIVER_SHORELINE	BI	2001CANADA GOOSE68	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.283 pCi/g	0.065	0.095			NEST 235	
SESPSPEC	B12XW2	ISLAND #20	RIVER_SHORELINE	BI	2001CANADA GOOSE73	CANADA GOOSE	SHELLS	01-May-01	SR-90	0.18 pCi/g	0.046	0.064			NEST 273	

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 BE-7		0.838 pCi/g		0.44	0.44		SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 BE-7		1.31 pCi/g		0.5	0.5		SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 BE-7		1.13 pCi/g		0.37	0.37		SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 BE-7		2.56 pCi/g		2.5	2.5		SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 BE-7		2.2 pCi/g		2.2	2.2		SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CO-60		0.00113 pCi/g		0.017	0.017	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CO-60		0.00777 pCi/g		0.016	0.016	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CO-60		0.0049 pCi/g		0.016	0.016	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CO-60		0.0334 pCi/g		0.14	0.14	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 CO-60		0.0209 pCi/g		0.13	0.13	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-134		0.0178 pCi/g		0.017	0.017	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-134		-0.00733 pCi/g		0.018	0.018	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-134		0.0138 pCi/g		0.017	0.017	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-134		-0.0776 pCi/g		0.14	0.14	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 CS-134		0.0349 pCi/g		0.14	0.14	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-137		0.271 pCi/g		0.046	0.046		SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-137		0.00601 pCi/g		0.016	0.016	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-137		0.246 pCi/g		0.04	0.04		SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 CS-137		0.0616 pCi/g		0.12	0.12	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 CS-137		0.0804 pCi/g		0.12	0.12	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-154		0.0193 pCi/g		0.052	0.052	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-154		0.0286 pCi/g		0.054	0.054	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-154		-0.0337 pCi/g		0.052	0.052	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-154		-0.18 pCi/g		0.38	0.38	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 EU-154		-0.0581 pCi/g		0.33	0.33	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-155		0.0127 pCi/g		0.03	0.03	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-155		-0.000399 pCi/g		0.034	0.034	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-155		-0.000156 pCi/g		0.025	0.025	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 EU-155		0.0788 pCi/g		0.21	0.21	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 EU-155		-0.0125 pCi/g		0.2	0.2	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 K-40		8.57 pCi/g		1.2	1.2		SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 K-40		11.9 pCi/g		1.6	1.6		SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 K-40		14.8 pCi/g		1.9	1.9		SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 K-40		20.1 pCi/g		4.6	4.6		SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 K-40		23.9 pCi/g		4.8	4.8		SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 RU-106		0.0615 pCi/g		0.14	0.14	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 RU-106		0.0549 pCi/g		0.14	0.14	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 RU-106		0.031 pCi/g		0.13	0.13	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 RU-106		-0.783 pCi/g		1.2	1.2	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 RU-106		-0.629 pCi/g		1.1	1.1	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SB-125		0.000213 pCi/g		0.036	0.036	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SB-125		-0.0119 pCi/g		0.035	0.035	U	SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SB-125		0.0109 pCi/g		0.029	0.029	U	SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SB-125		0.246 pCi/g		0.29	0.29	U	SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 SB-125		-0.216 pCi/g		0.27	0.27	U	SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SR-90		0.0594 pCi/g		0.048	0.052	U	SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SR-90		0.0935 pCi/g		0.04	0.046		SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SR-90		0.0942 pCi/g		0.036	0.043		SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 SR-90		0.058 pCi/g		0.032	0.036		SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 SR-90		0.176 pCi/g		0.042	0.059		SWEET CLOVER.		
SESPSPEC	B12WB4	300 AREA SPR DR 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 TC-99		0.204 pCi/g		0.072	0.15		SWEET CLOVER.		
SESPSPEC	B12WB3	300 AREA SPRING 42-2	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 TC-99		0.334 pCi/g		0.074	0.15		SWEET CLOVER.		
SESPSPEC	B12WB6	300 SPR 11	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 TC-99		0.316 pCi/g		0.074	0.15		SWEET CLOVER.		
SESPSPEC	B12WB7	300 SPR 14	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	27-Aug-01 TC-99		0.202 pCi/g		0.072	0.15		SWEET CLOVER.		
SESPSPEC	B12WB5	VERNITA BRIDGE -1	ONSITE	BI	RIPARIAN VEGETATION	STM-LV	28-Aug-01 TC-99		-0.0184 pCi/g		0.069	0.14	U	SWEET CLOVER.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 BE-7		1.88 pCi/g		0.44	0.44		100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 BE-7		1.76 pCi/g		0.46	0.46		100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 BE-7		2.62 pCi/g		0.54	0.54		100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 BE-7		1.98 pCi/g		0.65	0.65		100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 BE-7							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 BE-7		2.49 pCi/g		0.51	0.51		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 BE-7		2.45 pCi/g		0.57	0.57		100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 BE-7		2.16 pCi/g		0.61	0.61		100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 BE-7		3.28 pCi/g		0.52	0.52		100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 BE-7		2.26 pCi/g		0.54	0.54		100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 BE-7		2.67 pCi/g		0.64	0.64		20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 BE-7		1.9 pCi/g		0.58	0.58		10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 BE-7		1.76 pCi/g		0.39	0.39		100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 BE-7		0.967 pCi/g		0.57	0.57		70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 CO-60		0.00361 pCi/g		0.021	0.021	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 CO-60		0.0039 pCi/g		0.02	0.02	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 CO-60		0.00781 pCi/g		0.025	0.025	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 CO-60		0.00573 pCi/g		0.02	0.02	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 CO-60							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 CO-60		-0.0158 pCi/g		0.02	0.02	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11JF0	HANFRD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CO-60	0.0105 pCi/g		0.02	0.02	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CO-60	-0.00681 pCi/g		0.025	0.025	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CO-60	-0.009 pCi/g		0.018	0.018	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CO-60	0.0234 pCi/g		0.021	0.021	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CO-60	0.0156 pCi/g		0.021	0.021	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CO-60	0.00573 pCi/g		0.016	0.016	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CO-60	0.0113 pCi/g		0.014	0.014	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CO-60	0.00846 pCi/g		0.019	0.019	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-134	-0.00453 pCi/g		0.021	0.021	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-134	0.00664 pCi/g		0.02	0.02	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-134	-0.00891 pCi/g		0.024	0.024	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-134	0.00368 pCi/g		0.02	0.02	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-134						NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-134	-0.00182 pCi/g		0.02	0.02	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFRD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CS-134	-0.0094 pCi/g		0.023	0.023	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CS-134	0.0146 pCi/g		0.023	0.023	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-134	0.00521 pCi/g		0.018	0.018	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-134	-0.00238 pCi/g		0.021	0.021	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-134	0.000709 pCi/g		0.021	0.021	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-134	-0.00268 pCi/g		0.015	0.015	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-134	0.0146 pCi/g		0.015	0.015	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-134	0.00221 pCi/g		0.019	0.019	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-137	0.0187 pCi/g		0.018	0.018	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-137	-0.00495 pCi/g		0.016	0.016	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-137	0.00594 pCi/g		0.021	0.021	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-137	0.00709 pCi/g		0.017	0.017	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-137						NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-137	0.055 pCi/g		0.029	0.029		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFRD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CS-137	0.0132 pCi/g		0.019	0.019	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	CS-137	-0.0123 pCi/g		0.019	0.019	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	CS-137	0.000111 pCi/g		0.015	0.015	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-137	0.00937 pCi/g		0.018	0.018	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-137	0.00605 pCi/g		0.018	0.018	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	CS-137	0.0141 pCi/g		0.013	0.013	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-137	0.0142 pCi/g		0.013	0.013	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	CS-137	-0.00986 pCi/g		0.017	0.017	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-154	-0.00281 pCi/g		0.068	0.068	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-154	0.0516 pCi/g		0.06	0.06	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-154	0.0828 pCi/g		0.084	0.084	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-154	-0.0149 pCi/g		0.061	0.061	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-154						NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-154	-0.00795 pCi/g		0.069	0.069	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFRD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	EU-154	0.0982 pCi/g		0.068	0.068	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	EU-154	-0.00607 pCi/g		0.076	0.076	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-154	0.00192 pCi/g		0.062	0.062	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-154	0.0184 pCi/g		0.068	0.068	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-154	-0.0887 pCi/g		0.067	0.067	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-154	-0.0325 pCi/g		0.052	0.052	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-154	-0.0219 pCi/g		0.047	0.047	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-154	0.0211 pCi/g		0.063	0.063	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-155	0.0175 pCi/g		0.036	0.036	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-155	-0.0252 pCi/g		0.034	0.034	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-155	-0.0224 pCi/g		0.052	0.052	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-155	0.0152 pCi/g		0.037	0.037	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-155						NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-155	-0.0296 pCi/g		0.043	0.043	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFRD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	EU-155	-0.0267 pCi/g		0.046	0.046	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	EU-155	0.0229 pCi/g		0.038	0.038	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	EU-155	-0.00687 pCi/g		0.031	0.031	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-155	0.00496 pCi/g		0.032	0.032	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-155	-0.0266 pCi/g		0.043	0.043	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	EU-155	-0.00597 pCi/g		0.026	0.026	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-155	-0.00705 pCi/g		0.025	0.025	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	EU-155	-0.0276 pCi/g		0.038	0.038	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 K-40		17.2 pCi/g		2.2	2.2		100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 K-40		17.5 pCi/g		2.2	2.2		100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 K-40		19.8 pCi/g		2.6	2.6		100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 K-40		16.6 pCi/g		2.2	2.2		100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 K-40							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 K-40		23.1 pCi/g		2.9	2.9		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 K-40		17.3 pCi/g		2.2	2.2		100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 K-40		21 pCi/g		2.7	2.7		100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 K-40		14.2 pCi/g		1.8	1.8		100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 K-40		18.8 pCi/g		2.4	2.4		100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 K-40		21.7 pCi/g		2.7	2.7		20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 K-40		22.6 pCi/g		2.8	2.8		10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 K-40		13.5 pCi/g		1.7	1.7		100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 K-40		18.9 pCi/g		2.4	2.4		70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-238		0.00000395 pCi/g	0.000046	0.000051	U		100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-238		0.0000047 pCi/g	0.000054	0.000058	U		100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-238		0.0000291 pCi/g	0.000052	0.000056	U		100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-238		-0.0000398 pCi/g	0.000044	0.000048	U		100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-238							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-238		0.0000474 pCi/g	0.0001	0.00011	U		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 PU-238		0.0000739 pCi/g	0.000083	0.000086	U		100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 PU-238		0.00000637 pCi/g	0.000055	0.000059	U		100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-238		-0.00000895 pCi/g	0.000065	0.000065	U		100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-238		0.000051 pCi/g	0.000099	0.0001	U		100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-238		0.00027 pCi/g	0.00023	0.00023			20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-238		0.0000861 pCi/g	0.00016	0.00016	U		10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-238		0.0000236 pCi/g	0.000065	0.000068	U		100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-238		0.00000835 pCi/g	0.000062	0.000065	U		70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-239/240		0.00126 pCi/g	0.00033	0.00038			100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-239/240		0.00047 pCi/g	0.00018	0.0002			100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-239/240		0.00369 pCi/g	0.00047	0.00069			100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-239/240		0.000512 pCi/g	0.00029	0.0003			100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-239/240							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-239/240		0.0009 pCi/g	0.00099	0.0014			20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 PU-239/240		0.00206 pCi/g	0.00041	0.00051			100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 PU-239/240		0.000754 pCi/g	0.00028	0.0003			100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 PU-239/240		0.000359 pCi/g	0.0002	0.0002			100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-239/240		0.00116 pCi/g	0.00036	0.0004			100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-239/240		0.00117 pCi/g	0.00045	0.00048			20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 PU-239/240		0.000903 pCi/g	0.00041	0.00043			10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-239/240		0.00134 pCi/g	0.00042	0.00046			100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 PU-239/240		0.000225 pCi/g	0.00018	0.00018			70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 RU-106		-0.126 pCi/g	0.16	0.16	U		100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 RU-106		-0.0535 pCi/g	0.15	0.15	U		100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 RU-106		-0.122 pCi/g	0.19	0.19	U		100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 RU-106		0.078 pCi/g	0.16	0.16	U		100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 RU-106							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 RU-106		-0.197 pCi/g	0.16	0.16	U		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 RU-106		-0.1 pCi/g	0.17	0.17	U		100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 RU-106		-0.139 pCi/g	0.17	0.17	U		100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 RU-106		0.0358 pCi/g	0.13	0.13	U		100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 RU-106		-0.00491 pCi/g	0.16	0.16	U		100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 RU-106		0.0354 pCi/g	0.17	0.17	U		20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 RU-106		-0.0241 pCi/g	0.12	0.12	U		10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 RU-106		-0.0706 pCi/g	0.11	0.11	U		100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 RU-106		-0.0115 pCi/g	0.16	0.16	U		70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 SB-125		-0.026 pCi/g	0.045	0.045	U		100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 SB-125		0.0162 pCi/g	0.039	0.039	U		100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 SB-125		0.00644 pCi/g	0.049	0.049	U		100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01 SB-125		-0.0399 pCi/g	0.041	0.041	U		100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01 SB-125							NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01 SB-125		-0.0121 pCi/g	0.039	0.039	U		20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 SB-125		-0.00886 pCi/g	0.048	0.048	U		100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWNSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01 SB-125		-0.0288 pCi/g	0.042	0.042	U		100% SAGEBRUSH.		

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SB-125	0.0309 pCi/g		0.033	0.033	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SB-125	0.0103 pCi/g		0.04	0.04	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SB-125	-0.0111 pCi/g		0.043	0.043	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SB-125	0.0197 pCi/g		0.029	0.029	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	SB-125	-0.00797 pCi/g		0.03	0.03	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	SB-125	-0.0163 pCi/g		0.038	0.038	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SR-90	0.0102 pCi/g		0.05	0.057	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SR-90	0.0369 pCi/g		0.053	0.053	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SR-90	0.0526 pCi/g		0.067	0.072	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SR-90	0.0315 pCi/g		0.058	0.066	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SR-90					U	NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	SR-90	0.0417 pCi/g		0.064	0.076	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	SR-90	-0.032 pCi/g		0.075	0.075	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	SR-90	0.0262 pCi/g		0.086	0.088	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	SR-90	0.0943 pCi/g		0.055	0.061	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SR-90	0.0549 pCi/g		0.072	0.073	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SR-90	0.06 pCi/g		0.11	0.11	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	SR-90	0.0148 pCi/g		0.052	0.075	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	SR-90	0.0868 pCi/g		0.096	0.1	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	SR-90	0.045 pCi/g		0.071	0.076	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	TC-99	0.593 pCi/g		0.09	0.26	U	100% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-234	0.0165 pCi/g		0.0092	0.01	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-234	0.00596 pCi/g		0.0064	0.0068	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-234	0.00171 pCi/g		0.0049	0.0052	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-234	0.021 pCi/g		0.0096	0.011	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-234					U	NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-234	0.00705 pCi/g		0.0064	0.0068	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-234	-0.000144 pCi/g		0.0063	0.0065	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-234	-0.00251 pCi/g		0.0062	0.0064	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-234	0.0103 pCi/g		0.0079	0.0084	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-234	0.0145 pCi/g		0.0077	0.0085	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-234	0.00269 pCi/g		0.0055	0.0058	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-234	0.0117 pCi/g		0.0072	0.0079	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-234	0.00418 pCi/g		0.0084	0.0087	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-234	0.00448 pCi/g		0.0074	0.0077	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-235	0.00804 pCi/g		0.0059	0.0062	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-235	0.000497 pCi/g		0.0026	0.0027	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-235	-0.00128 pCi/g		0.0007	0.001	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-235	0.000824 pCi/g		0.0025	0.0026	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-235					U	NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-235	-0.000107 pCi/g		0.0016	0.0018	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-235	0.00218 pCi/g		0.0047	0.0048	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-235	0.00581 pCi/g		0.0062	0.0063	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-235	-0.000729 pCi/g		0.0021	0.0022	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-235	-0.000482 pCi/g		0.0016	0.0018	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-235	-0.00206 pCi/g		0.0023	0.0024	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-235	0.00139 pCi/g		0.0027	0.0028	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-235	-0.000489 pCi/g		0.0036	0.0036	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-235	0.000154 pCi/g		0.0022	0.0023	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPMNT	B11J02	100 K AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-238	0.00623 pCi/g		0.0065	0.0068	U	100% RABBIT BRUSH.		
SESPMNT	B11J06	100N SPRING SHORELIN	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-238	-0.00057 pCi/g		0.004	0.0043	U	100% RABBIT BRUSH.		
SESPMNT	B11J09	300 AREA SHORELINE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-238	0.00505 pCi/g		0.0061	0.0064	U	100% SAGEBRUSH.		COLLECTED E OF 300 AREA PUMPHOUSE BETWEEN FENCE AND RIVER.
SESPMNT	B11JF5	BYERS LANDING	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-238	0.0156 pCi/g		0.0086	0.0094	U	100% RABBIT BRUSH.		
SESPMNT	B11J04	E OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-238					U	NO SAMPLE. NO VEGETATION IN AREA, ALL SAGEBRUSH DEAD.		
SESPMNT	B11J08	E OF 200 W GATE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-238	0.0053 pCi/g		0.006	0.0063	U	20% RABBIT BRUSH, 80% SAGEBRUSH.		COLLECTED 50 YARDS EAST OF SOIL SAMPLE, B11J99.
SESPMNT	B11JF0	HANFORD TOWNSITE	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-238	-0.000152 pCi/g		0.0057	0.0059	U	100% SAGEBRUSH.		
SESPMNT	B11JF1	HANFRD TWSITE HRM28	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	25-Jun-01	U-238	-0.00145 pCi/g		0.005	0.0052	U	100% SAGEBRUSH.		
SESPMNT	B11J03	NE OF 100 N AREA	ONSITE	BI	PERENNIAL VEGETATION	STM-LV	13-Jul-01	U-238	0.00574 pCi/g		0.0064	0.0068	U	100% SAGEBRUSH.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JF3	RINGOLD AREA	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-238	0.0105 pCi/g		0.0068	0.0074	U	100% SAGEBRUSH.		
SESPMNT	B11JF6	RIVRVIEW-HARRIS	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-238	0.00468 pCi/g		0.0062	0.0066	U	20% SAGEBRUSH, 80% RABBIT BRUSH.		
SESPMNT	B11JF4	SAGEMOOR FARM	PERIMETER	BI	PERENNIAL VEGETATION	STM-LV	08-Jun-01	U-238	0.00887 pCi/g		0.0066	0.0071	U	10% SAGEBRUSH, 90% RABBIT BRUSH.		
SESPMNT	B11JF7	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-238	0.0079 pCi/g		0.008	0.0084	U	100% SAGEBRUSH.		
SESPMNT	B11J75	TOPPENISH	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	22-Jun-01	U-238	0.00383 pCi/g		0.0066	0.0069	U	70% RABBIT BRUSH, 30% SAGEBRUSH.		
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	BE-7	3.86 pCi/g		1.4	1.4	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	BE-7	2.34 pCi/g		0.42	0.42	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	BE-7	2.69 pCi/g		1.5	1.5	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	BE-7	3.69 pCi/g		1.7	1.7	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	BE-7	3.47 pCi/g		0.59	0.59	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CO-60	-0.0335 pCi/g		0.081	0.081	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CO-60	0.0121 pCi/g		0.012	0.012	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CO-60	0.0586 pCi/g		0.081	0.081	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CO-60	0.135 pCi/g		0.096	0.096	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	CO-60	0.00182 pCi/g		0.015	0.015	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-134	-0.0112 pCi/g		0.079	0.079	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-134	-0.00324 pCi/g		0.012	0.012	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-134	0.0495 pCi/g		0.073	0.073	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-134	0.0367 pCi/g		0.1	0.1	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	CS-134	0.00756 pCi/g		0.015	0.015	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-137	0.00236 pCi/g		0.065	0.065	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-137	0.00113 pCi/g		0.0099	0.0099	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-137	0.0343 pCi/g		0.065	0.065	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	CS-137	-0.0218 pCi/g		0.086	0.086	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	CS-137	0.00688 pCi/g		0.012	0.012	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-154	-0.0299 pCi/g		0.27	0.27	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-154	-0.022 pCi/g		0.039	0.039	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-154	-0.0073 pCi/g		0.26	0.26	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-154	-0.0888 pCi/g		0.28	0.28	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	EU-154	-0.0109 pCi/g		0.044	0.044	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-155	-0.00751 pCi/g		0.11	0.11	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-155	0.00996 pCi/g		0.023	0.023	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-155	0.0223 pCi/g		0.12	0.12	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	EU-155	-0.0532 pCi/g		0.15	0.15	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	EU-155	-0.00252 pCi/g		0.03	0.03	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	K-40	36.7 pCi/g		5.4	5.4				
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	K-40	14.8 pCi/g		1.8	1.8				
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	K-40	23.9 pCi/g		3.8	3.8				
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	K-40	20.4 pCi/g		3.8	3.8				
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	K-40	7.97 pCi/g		1.1	1.1				
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	RU-106	-0.483 pCi/g		0.64	0.64	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	RU-106	-0.0216 pCi/g		0.094	0.094	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	RU-106	-0.301 pCi/g		0.72	0.72	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	RU-106	-0.586 pCi/g		0.81	0.81	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	RU-106	-0.00165 pCi/g		0.12	0.12	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SB-125	0.0626 pCi/g		0.16	0.16	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SB-125	0.0021 pCi/g		0.024	0.024	U			
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SB-125	-0.0121 pCi/g		0.18	0.18	U			
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SB-125	-0.108 pCi/g		0.21	0.21	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	SB-125	-0.00225 pCi/g		0.03	0.03	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SR-90	0.167 pCi/g		0.033	0.051				
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SR-90	0.0771 pCi/g		0.037	0.042				
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SR-90	0.0553 pCi/g		0.03	0.034				
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	SR-90	0.0485 pCi/g		0.026	0.029				
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	SR-90	0.149 pCi/g		0.039	0.053				
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	TC-99	6.54 pCi/g		0.14	0.47				
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	TC-99	0.771 pCi/g		0.08	0.17				
SESPSPEC	B12WC1	300 SPR 11	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	TC-99	3.46 pCi/g		0.11	0.31				
SESPSPEC	B12WC2	300 SPR 14	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	TC-99	0.183 pCi/g		0.072	0.15				
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	TC-99	-0.0089 pCi/g		0.069	0.14	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-234	0.0384 pCi/g		0.011	0.014				
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-234	0.031 pCi/g		0.011	0.012				
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	U-234	-0.00256 pCi/g		0.003	0.0034	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-235	0.00038 pCi/g		0.0027	0.0028	U			
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-235	0.00215 pCi/g		0.0031	0.0032	U			
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	U-235	-0.000187 pCi/g		0.0015	0.0016	U			
SESPSPEC	B12WB9	300 AREA SPR DR 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-238	0.041 pCi/g		0.012	0.014				
SESPSPEC	B12WB8	300 AREA SPRING 42-2	ONSITE	BI	MULBERRY	LEAVES	27-Aug-01	U-238	0.0286 pCi/g		0.01	0.012				
SESPSPEC	B12WC0	VERNITA BRIDGE -1	ONSITE	BI	MULBERRY	LEAVES	28-Aug-01	U-238	-0.00162 pCi/g		0.0033	0.0037	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	BE-7						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	BE-7	1.27 pCi/g		2.7	2.7	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	BE-7	1.54 pCi/g		1.4	1.4	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	BE-7	0.351 pCi/g		2.2	2.2	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	BE-7	1.22 pCi/g		3.2	3.2	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CO-60						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CO-60	0.126 pCi/g		0.16	0.16	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CO-60	0.00659 pCi/g		0.082	0.082	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CO-60	0.0266 pCi/g		0.13	0.13	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	CO-60	0.0417 pCi/g		0.17	0.17	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-134						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-134	-0.00226 pCi/g		0.16	0.16	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-134	0.00692 pCi/g		0.078	0.078	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-134	0.124 pCi/g		0.14	0.14	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	CS-134	0.0975 pCi/g		0.2	0.2	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-137						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-137	0.0901 pCi/g		0.14	0.14	U			

ENVIRONMENTAL SURVEILLANCE DATA CY01

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-137	0.0116 pCi/g		0.068	0.068	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	CS-137	0.121 pCi/g		0.12	0.12	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	CS-137	-0.0102 pCi/g		0.17	0.17	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-154						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-154	-0.237 pCi/g		0.48	0.48	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-154	-0.113 pCi/g		0.2	0.2	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-154	0.134 pCi/g		0.37	0.37	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	EU-154	-0.418 pCi/g		0.51	0.51	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-155						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-155	-0.0845 pCi/g		0.34	0.34	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-155	-0.0645 pCi/g		0.12	0.12	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	EU-155	-0.231 pCi/g		0.21	0.21	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	EU-155	-0.00344 pCi/g		0.29	0.29	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	K-40						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	K-40	22.6 pCi/g		5.7	5.7				
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	K-40	12.7 pCi/g		2.5	2.5				
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	K-40	20 pCi/g		4.1	4.1				
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	K-40	22.2 pCi/g		5.7	5.7				
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	RU-106						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	RU-106	-0.142 pCi/g		1.5	1.5	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	RU-106	0.0415 pCi/g		0.69	0.69	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	RU-106	-0.16 pCi/g		1.2	1.2	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	RU-106	0.379 pCi/g		1.6	1.6	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SB-125						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SB-125	0.0403 pCi/g		0.35	0.35	U			
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SB-125	0.0357 pCi/g		0.16	0.16	U			
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SB-125	0.0324 pCi/g		0.31	0.31	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	SB-125	0.317 pCi/g		0.4	0.4	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SR-90						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SR-90	0.0869 pCi/g		0.029	0.036				
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SR-90	0.0776 pCi/g		0.028	0.034				
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	SR-90	0.061 pCi/g		0.027	0.032				
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	SR-90	0.0725 pCi/g		0.026	0.033				
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	TC-99						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	TC-99	0.22 pCi/g		0.071	0.15				
SESPSPEC	B12WB1	300 SPR 11	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	TC-99	0.309 pCi/g		0.073	0.15				
SESPSPEC	B12WB2	300 SPR 14	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	TC-99	0.0355 pCi/g		0.069	0.14	U			
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	TC-99	0.0947 pCi/g		0.07	0.14	U			
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-234						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-234	1.95 pCi/g		0.078	0.36				
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	U-234	1.41 pCi/g		0.067	0.26				
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-235						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-235	0.0794 pCi/g		0.016	0.021				
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	U-235	0.0468 pCi/g		0.012	0.015				
SESPSPEC	B12W99	300 AREA SPR DR 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-238						NO SAMPLE.		
SESPSPEC	B12W98	300 AREA SPRING 42-2	ONSITE	BI	MILFOIL	STM-LV	27-Aug-01	U-238	1.73 pCi/g		0.074	0.32				
SESPSPEC	B12WB0	VERNITA BRIDGE -1	ONSITE	BI	MILFOIL	STM-LV	28-Aug-01	U-238	1.13 pCi/g		0.06	0.21				

Table B-1. Metals in Biota from the 300 Area Nearshore Study, 2001 (concentrations in µg/g dry wt)

Samp Num	Samp Site Name	Samp Date	Samp From	Samp Item	Sub-Sample Depth ^(a)	Al	Sb	As	Be	Cd	Cr	Cu	Pb	Mn	Hg	Ni	Se	Ag	Tl	U	Zn
DETECTION LIMITS:						5	0.01	0.1	0.04	0.01	0.1	0.03	0.03	0.02	0.0008	0.05	0.2	0.01 or 0.2 ^(b)	0.01	0.01	0.2
B12YR5	300 SPR 7 THRU SPR 9	27-Aug-01	CORBICULA	SHELLS		89	0.03	0.2	0.04 U	0.10	0.2	8.16	0.26	61.50	0.0008 U	9.09	0.4	0.03	0.06	0.18	6.1
B12YR7	300 SPR 9 THRU SPR 11	27-Aug-01	CORBICULA	SHELLS		22	0.01 U	1.2	0.04 U	0.02	0.3	2.20	0.03	7.22	0.0008 U	5.70	0.2 U	0.01 U	0.01 U	0.08	1.3
B12YF1	300 SPR 11	27-Aug-01	CORBICULA	SHELLS	1	31	0.02	0.1 U	0.04 U	0.09	0.1 U	10.40	0.14	17.50	0.0008 U	9.10	0.4	0.02	0.04	0.55	4.7
B12YF2	300 SPR 11	27-Aug-01	CORBICULA	SHELLS	2	30	0.01 U	0.2	0.04 U	0.12	0.2	5.77	0.12	33.50	0.0008 U	9.25	0.2 U	0.02	0.02	0.54	7.5
B12YF3	300 SPR 11	27-Aug-01	CORBICULA	SHELLS	3	53	0.01 U	0.1	0.04 U	0.09	0.3	7.21	0.18	44.70	0.0008 U	8.95	0.2 U	0.02	0.05	1.70	6.9
B12YF4	300 SPR 11	27-Aug-01	CORBICULA	SHELLS	4	61	0.01 U	0.1	0.04 U	0.09	0.3	8.13	0.20	79.10	0.0008 U	8.61	0.2 U	0.04	0.04	1.06	7.7
B12YF9	300 SPR 14	27-Aug-01	CORBICULA	SHELLS	1	21	0.01 U	0.1 U	0.04 U	0.07	0.1	3.89	0.12	35.10	0.0008 U	8.84	0.2 U	0.01 U	0.02	0.10	2.9
B12YH0	300 SPR 14	27-Aug-01	CORBICULA	SHELLS	2	24	0.01 U	1.2	0.04 U	0.01	0.1 U	1.24	0.04	6.09	0.0008 U	5.81	0.5	0.01 U	0.01 U	0.02	1.0
B12YH1	300 SPR 14	27-Aug-01	CORBICULA	SHELLS	3	55	0.01	0.1 U	0.04 U	0.06	0.1	5.32	0.16	15.90	0.0008 U	9.21	0.2 U	0.01 U	0.03	0.08	3.6
B12YH2	300 SPR 14	27-Aug-01	CORBICULA	SHELLS	4	62	0.02	0.3	0.04 U	0.08	0.2	5.70	0.28	20.20	0.0008 U	9.48	0.2 U	0.02	0.03	0.03	5.4
B12Y96	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SHELLS	0	39	0.02	0.1 U	0.04 U	0.09	0.1	5.80	0.13	16.40	0.0008 U	9.52	0.2 U	0.02	0.03	0.58	3.4
B12Y97	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SHELLS	1	22	0.01 U	0.1 U	0.04 U	0.01 U	0.1 U	3.79	0.08	11.20	0.0008 U	9.43	0.3	0.01 U	0.02	0.46	1.5
B12Y98	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SHELLS	2	43	0.02	0.8	0.04 U	0.01 U	0.2	4.24	0.17	80.90	0.0008 U	9.39	0.2 U	0.02	0.08	0.91	2.6
B12Y99	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SHELLS	3	55	0.03	2.3	0.04 U	0.04	0.3	6.76	0.33	258.00	0.0008 U	8.72	0.2	0.02	0.06	1.30	7.6
B12Y80	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SHELLS	4	18	0.02	0.2	0.04 U	0.01	0.2	3.79	0.09	40.20	0.0008 U	9.55	0.2 U	0.01 U	0.03	1.29	5.0
B12Y85	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SHELLS	1	64	0.02	0.1 U	0.04 U	0.05	0.0	9.60	0.19	29.90	0.0008 U	9.22	0.5	0.01	0.05	2.32	6.9
B12Y86	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SHELLS	2	15	0.01 U	0.1 U	0.04 U	0.01	0.0	2.96	0.08	19.00	0.0008 U	10.30	0.2 U	0.01 U	0.02	0.38	2.1
B12Y87	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SHELLS	3	40	0.01	0.1 U	0.04 U	0.03	0.0	3.66	0.13	31.50	0.0008 U	10.20	0.2 U	0.01	0.02	1.32	4.7
B12Y88	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SHELLS	4	25	0.01 U	0.1 U	0.04 U	0.05	0.1	6.96	0.09	40.90	0.0008 U	9.70	0.2 U	0.01	0.01	0.27	4.8
B12YC4	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SHELLS	0	52	0.01	0.1 U	0.04 U	0.05	0.3	7.35	0.15	24.10	0.0008 U	9.46	0.2	0.01	0.05	4.40	5.1
B12YC5	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SHELLS	1	87	0.02	0.1 U	0.04 U	0.06	0.5	8.07	0.19	14.90	0.0008 U	9.46	1.2	0.01 U	0.03	11.20	6.6
B12YC6	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SHELLS	2	53	0.02	0.1 U	0.04 U	0.06	0.3	8.13	0.13	42.60	0.0008 U	9.98	0.2 U	0.01 U	0.03	4.23	6.1
B12YC7	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SHELLS	3	44	0.01	0.1 U	0.04 U	0.06	0.1 U	11.50	0.11	34.30	0.0008 U	10.00	0.2 U	0.01 U	0.02	0.22	5.4
B12YC8	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SHELLS	4	28	0.02	0.1 U	0.04 U	0.05	0.1 U	7.56	0.09	15.00	0.0008 U	7.85	0.3	0.02	0.04	0.68	4.3
B12YD3	300 SPR DR 9 -1	27-Aug-01	CORBICULA	SHELLS	1	82	0.02	0.2	0.04 U	0.07	43.2	12.60	0.59	58.70	0.0008 U	47.90	0.3	0.03	0.04	5.99	6.6
B12YD4	300 SPR DR 9 -1	27-Aug-01	CORBICULA	SHELLS	2	69	0.01	0.1	0.04 U	0.10	0.4	9.81	0.18	70.70	0.0008 U	9.72	0.4	0.01	0.03	6.48	6.5
B12YD5	300 SPR DR 9 -1	27-Aug-01	CORBICULA	SHELLS	3	58	0.01	0.1 U	0.04 U	0.04	0.2	7.28	0.11	25.20	0.0008 U	9.51	0.2 U	0.01	0.04	2.53	4.4
B12YD6	300 SPR DR 9 -1	27-Aug-01	CORBICULA	SHELLS	4	66	0.02	0.1	0.04 U	0.12	0.4	9.50	0.18	58.80	0.0008 U	9.39	0.4	0.01 U	0.07	1.97	10.3
B12YY9	VERNITA BRIDGE -1	11-Sep-01	CORBICULA	SHELLS	0	40	0.01	0.1 U	0.04 U	0.07	0.1 U	4.58	0.14	50.60	0.0008 U	9.19	0.2 U	0.01	0.22	0.10	5.2
B13000	VERNITA BRIDGE -1	11-Sep-01	CORBICULA	SHELLS	1	52	0.02	0.2	0.04 U	0.11	0.1 U	6.41	0.30	111.00	0.0008 U	8.95	0.2 U	0.01	0.03	0.07	7.4
B13001	VERNITA BRIDGE -1	11-Sep-01	CORBICULA	SHELLS	2	80	0.04	1.5	0.04 U	0.29	0.2	6.99	0.49	1040.00	0.0008 U	9.85	0.2 U	0.02	0.14	0.11	23.7
B13002	VERNITA BRIDGE -1	11-Sep-01	CORBICULA	SHELLS	3	64	0.02	0.1 U	0.04 U	0.12	0.1	6.07	0.57	77.90	0.0008 U	9.70	0.2 U	0.02	0.04	0.07	5.4
B13003	VERNITA BRIDGE -1	11-Sep-01	CORBICULA	SHELLS	4	13	0.01 U	0.1 U	0.04 U	0.04	0.1 U	3.23	0.06	19.50	0.0008 U	10.40	0.2 U	0.01 U	0.01 U	0.02	2.0
B12YR4	300 SPR 7 THRU SPR 9	27-Aug-01	CORBICULA	SOFT TISSUE		247	0.03	14.3	0.06	2.59	2.9	40.70	0.97	39.70	0.0737	1.80	4.0	0.09	0.11	0.63	133.0
B12YR6	300 SPR 9 THRU SPR 11	27-Aug-01	CORBICULA	SOFT TISSUE		404	0.02	10.2	0.05	2.30	1.8	22.90	0.89	35.40	0.0554	1.49	2.3	0.06	0.08	0.82	146.0
B12YD7	300 SPR 11	27-Aug-01	CORBICULA	SOFT TISSUE	1	89	0.01 U	9.1	0.04 U	1.47	2.4	21.20	0.33	15.20	0.0269	0.71	1.7	0.04	0.04	1.84	90.3
B12YD8	300 SPR 11	27-Aug-01	CORBICULA	SOFT TISSUE	2	140	0.02	11.3	0.04	1.50	1.6	24.30	0.73	40.50	0.0497	1.06	1.7	0.07	0.09	1.95	122.0
B12YD9	300 SPR 11	27-Aug-01	CORBICULA	SOFT TISSUE	3	120	0.01 U	12.2	0.04 U	1.42	1.8	17.50	0.48	18.70	0.0180	0.68	0.6 U	0.02	0.03	0.47	99.3
B12YF0	300 SPR 11	27-Aug-01	CORBICULA	SOFT TISSUE	4	75	0.01	10.6	0.04 U	1.31	1.5	26.90	0.45	19.90	0.0384	0.70	1.3	0.06	0.04	0.94	96.9
B12YF5	300 SPR 14	27-Aug-01	CORBICULA	SOFT TISSUE	1	267	0.01	11.1	0.05	2.13	2.4	33.70	0.64	23.20	0.0499	1.01	0.6 U	0.07	0.10	0.22	106.0
B12YF6	300 SPR 14	27-Aug-01	CORBICULA	SOFT TISSUE	2	154	0.01 U	13.4	0.04 U	1.92	1.5	23.20	0.82	27.90	0.0163	1.00	0.6 U	0.03	0.07	0.11	101.0
B12YF7	300 SPR 14	27-Aug-01	CORBICULA	SOFT TISSUE	3	105	0.01	16.2	0.04 U	2.47	3.4	48.30	0.68	25.10	0.0493	0.84	1.5	0.09	0.04	0.21	95.8
B12YF8	300 SPR 14	27-Aug-01	CORBICULA	SOFT TISSUE	4	97	0.01 U	7.1	0.04 U	0.64	0.5	13.70	0.32	5.45	0.0261	0.32	0.2 U	0.02	0.04	0.05	70.2
B12Y91	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	0	209	0.01	8.9	0.04 U	2.81	3.7	29.30	0.22	18.60	0.0254	1.13	0.2 U	0.10	0.09	2.07	116.0
B12Y92	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	1	400	0.04	11.4	0.21	2.20	4.0	26.00	1.68	39.80	0.0742	1.84	0.2 U	0.14	0.16	4.31	164.0
B12Y93	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	2	409	0.04	17.9	0.06	2.27	9.2	65.70	0.76	37.70	0.0612	1.67	0.8	0.13	0.24	1.88	117.0
B12Y94	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	3	201	0.01	11.0	0.04 U	0.92	2.0	22.80	0.50	17.00	0.0316	0.71	1.6	0.06	0.05	0.54	85.1
B12Y95	300 AREA SPRING 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	4	303	0.02	11.5	0.05	1.82	3.0	27.20	0.92	41.50	0.0480	1.46	0.2 U	0.08	0.08	0.80	181.0
B12YB1	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SOFT TISSUE	1	326	0.03	16.4	0.04 U	1.92	1.9	28.70	0.85	30.40	0.0409	1.36	0.2 U	0.08	0.16	2.03	154.0
B12YB2	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SOFT TISSUE	2	374	0.03	11.6	0.08	1.56	1.6	24.00	1.23	44.20	0.0459	1.68	3.1	0.09	0.25	1.82	135.0
B12YB3	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SOFT TISSUE	3	91	0.01	12.6	0.04 U	1.70	1.7	44.80	0.43	20.80	0.0395	0.82	1.1	0.08	0.07	0.72	97.1
B12YB4	300 SPR DR 7 -1	27-Aug-01	CORBICULA	SOFT TISSUE	4	83	0.02	13.3	0.04 U	1.64	1.6	31.20	0.55	29.00	0.0358	0.92	2.5	0.07	0.05	0.46	131.0
B12YB9	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	0	162	0.01	13.0	0.04 U	2.00	3.2	37.10	0.31	18.80	0.0325	0.74	2.2	0.09	0.04	3.34	90.8
B12YC0	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	1	142	0.03	18.5	0.09	3.86	11.3	62.30	0.79	22.70	0.0478	1.39	0.2 U	0.15	0.13	6.77	136.0
B12YC1	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	2	91	0.01	15.4	0.04 U	1.78	5.6	49.80	0.45	23.80	0.0330	0.72	3.0	0.08	0.04	2.10	109.0
B12YC2	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	3	257	0.02	11.3	0.04 U	1.49	1.6	24.70	0.64	33.20	0.0319	1.02	2.2	0.06	0.05	0.28	120.0
B12YC3	300 AREA SPR DR 42-2	27-Aug-01	CORBICULA	SOFT TISSUE	4	319	0.03	11.7	0.05	2.04	2.6	26.80	1.01	46.20	0.0403	1.39	0.9	0.07	0.08	0.95	153.0
B12																					

Table B-1. Metals in Biota from the 300 Area Nearshore Study, 2001 (concentrations in µg/g dry wt)

Samp Num	Samp Site Name	Samp Date	Samp From	Samp Item	Sub-Sample Depth ^(a)	Al	Sb	As	Be	Cd	Cr	Cu	Pb	Mn	Hg	Ni	Se	Ag	Tl	U	Zn
DETECTION LIMITS:						5	0.01	0.1	0.04	0.01	0.1	0.03	0.03	0.02	0.0008	0.05	0.2	0.01 or 0.2 ^(b)	0.01	0.01	0.2
B13010	300 SPR 14	10-Sep-01	CRAYFISH	HEPATOPANCREAS		5 U	0.04	5.9	0.04 U	7.09	0.4	372.00	0.12	131.00	0.0247	0.05 U	0.2 U	1.45	0.01 U	0.29	224.0
B13011	300 SPR 14	10-Sep-01	CRAYFISH	HEPATOPANCREAS		6	0.08	6.2	0.04 U	2.77	0.6	386.00	0.12	74.80	0.0205	0.05 U	0.2 U	1.27	0.01 U	0.23	138.0
B13012	300 SPR 14	10-Sep-01	CRAYFISH	HEPATOPANCREAS		5 U	0.05	5.5	0.04 U	9.90	0.6	402.00	0.14	147.00	0.0175	0.05 U	0.2 U	0.84	0.01 U	0.33	124.0
B13013	300 SPR 14	10-Sep-01	CRAYFISH	HEPATOPANCREAS		7	0.13	9.1	0.04 U	9.73	0.7	730.00	0.17	115.00	0.0739	0.05 U	0.2 U	2.67	0.01 U	0.40	206.0
B12YP3	300 AREA SPRING 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		10	0.10	9.6	0.04 U	1.25	0.6	50.50	0.10	53.10	0.0036	0.05 U	0.2 U	0.29	0.01 U	1.26	94.9
B12YP4	300 AREA SPRING 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		13	0.04	5.6	0.04 U	2.07	0.4	363.00	0.14	65.30	0.0156	2.35	0.2 U	2.29	0.01 U	2.21	95.5
B12YP5	300 AREA SPRING 42-2	10-Sep-01	CRAYFISH	HEPATOPANCREAS		6	0.04	3.2	0.04 U	5.34	0.5	225.00	0.14	102.00	0.0247	0.05 U	0.2 U	1.18	0.02	1.07	105.0
B12YP6	300 AREA SPRING 42-2	10-Sep-01	CRAYFISH	HEPATOPANCREAS		9	0.07	4.0	0.04 U	2.15	0.6	328.00	0.14	66.10	0.0147	0.05 U	0.2 U	1.97	0.01 U	1.57	122.0
B12YP7	300 AREA SPRING 42-2	10-Sep-01	CRAYFISH	HEPATOPANCREAS		5 U	0.07	6.8	0.04 U	4.63	0.7	205.00	0.10	83.30	0.0207	0.05 U	0.2 U	1.21	0.01 U	1.28	127.0
B12YP8	300 AREA SPR DR 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		31	0.11	8.2	0.04 U	24.70	0.8	979.00	0.31	214.00	0.0645	0.98	0.2 U	3.52	0.01 U	6.29	274.0
B12YP9	300 AREA SPR DR 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		5 U	0.04	5.3	0.04 U	2.83	0.4	192.00	0.03	101.00	0.0066	0.05 U	0.2 U	1.51	0.01 U	0.67	64.7
B12YR0	300 AREA SPR DR 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		11	0.05	13.1	0.04 U	10.60	0.8	835.00	0.14	124.00	0.0258	0.69	0.2 U	3.52	0.30	3.77	232.0
B12YR1	300 AREA SPR DR 42-2	27-Aug-01	CRAYFISH	HEPATOPANCREAS		5 U	0.08	6.6	0.04 U	8.23	0.7	233.00	0.11	32.90	0.0359	1.26	0.2 U	1.97	0.03	2.89	118.0
B13014	VERNITA BRIDGE -1	10-Sep-01	CRAYFISH	HEPATOPANCREAS		6	0.12	9.9	0.04 U	11.40	0.6		0.18	233.00	0.0879	0.25	0.2 U	6.99	0.01 U	0.38	462.0
B13015	VERNITA BRIDGE -1	10-Sep-01	CRAYFISH	HEPATOPANCREAS		9	0.16	12.2	0.04 U	14.10	0.6		0.44	408.00	0.0570	1.28	0.2 U	5.82	0.01 U	0.68	247.0
B13016	VERNITA BRIDGE -1	10-Sep-01	CRAYFISH	HEPATOPANCREAS		124	0.10	7.5	0.04 U	14.50	0.9	827.00	0.71	322.00	0.0188	0.34	0.2 U	4.22	0.02	0.47	229.0
B13017	VERNITA BRIDGE -1	10-Sep-01	CRAYFISH	HEPATOPANCREAS		5 U	0.07	5.3	0.04 U	7.43	0.5	826.00	0.15	130.00	0.0392	0.95	0.2 U	4.97	0.01 U	0.26	147.0
B13018	VERNITA BRIDGE -1	10-Sep-01	CRAYFISH	HEPATOPANCREAS		9	0.10	5.9	0.04 U	9.40	0.9	994.00	0.34	267.00	0.0112	0.05 U	0.2 U	2.82	0.47	0.64	209.0
B13022	300 SPR 11	10-Sep-01	DARKLING BEETLE	WHOLEORG		1700 ^(c)	0.02	0.1 U	0.04 U	0.01 U	1.8	18.30	0.47	30.30	0.0008 U	0.99	0.2 U	0.20 U	0.17	0.12	79.8
B13023	300 SPR 14	10-Sep-01	DARKLING BEETLE	WHOLEORG		520 ^(c)	0.05	1.2	0.04 U	0.16	1.7	10.30	0.36	22.30	0.0337	0.43	0.2 U	0.20 U	0.11	0.03	56.2
B13020	300 AREA SPRING 42-2	10-Sep-01	DARKLING BEETLE	WHOLEORG		290 ^(c)	0.02	1.1	0.04 U	0.08	1.3	14.50	0.30	14.50	0.0220	1.00	0.2 U	0.20 U	0.04	0.16	71.0
B13021	300 AREA SPR DR 42-2	10-Sep-01	DARKLING BEETLE	WHOLEORG		41	0.02	0.1 U	0.04 U	0.04	1.0	15.20	0.09	45.30	0.0144	0.32	0.2 U	0.20 U	0.01	0.04	112.0
B13019	VERNITA BRIDGE -1	10-Sep-01	DARKLING BEETLE	WHOLEORG		1210 ^(c)	0.03	0.1 U	0.04 U	0.18	1.9	10.90	0.96	43.20	0.0134	0.97	0.2 U	0.20 U	0.20	0.13	67.9
B12Y14	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1	0.04 U	1.82	0.1 U	7.51	0.15	1.65	0.1177	0.05 U	1.7	0.01 U	0.01 U	0.01 U	24.9
B12Y15	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.2	0.04 U	0.76	0.1 U	8.68	0.26	3.44	0.1140	0.08	2.0	0.06	0.01 U	0.01 U	29.2
B12Y16	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.2	0.04 U	3.57	0.1 U	8.15	0.14	2.44	0.0317	0.05 U	2.4	0.07	0.01 U	0.01 U	24.2
B12Y17	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		6	0.01 U	0.2	0.04 U	0.39	0.1 U	7.44	0.16	5.55	0.0448	0.09	2.2	0.01 U	0.01 U	0.01 U	22.8
B12Y18	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	5.52	0.1 U	9.39	0.15	1.92	0.0857	0.11	2.1	0.01 U	0.01 U	0.01 U	27.6
B12Y19	100 AREAS	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	1.99	0.1 U	7.44	0.11	1.57	0.0801	0.05 U	1.4	0.01 U	0.01 U	0.01 U	23.8
B12Y25	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	3.26	0.1 U	8.07	0.09	2.20	0.0557	0.05 U	1.9	0.01 U	0.01 U	0.01 U	29.9
B12Y26	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	0.19	0.1 U	7.61	0.07	1.31	0.0312	0.05 U	1.2	0.01 U	0.01 U	0.01 U	19.4
B12Y27	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	2.79	0.1 U	11.50	0.31	2.80	0.1194	0.05 U	2.7	0.01 U	0.01 U	0.01 U	29.7
B12Y29	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	KIDNEY		5	0.01 U	0.1 U	0.04 U	0.69	0.1 U	7.65	0.08	1.93	0.0567	0.05 U	2.9	0.01 U	0.01 U	0.01 U	25.8
B12Y08	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.2	0.04 U	0.78	0.1 U	11.20	0.10	2.36	0.1036	0.05 U	1.1	0.01 U	0.01 U	0.01 U	31.2
B12Y09	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1	0.04 U	0.43	0.1 U	8.39	0.03 U	2.35	0.0720	0.05 U	0.9	0.01 U	0.01 U	0.01 U	30.4
B12Y10	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1	0.04 U	0.85	0.1 U	13.40	0.04	2.40	0.0349	0.05 U	1.3	0.01	0.01	0.01 U	27.2
B12Y11	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1	0.04 U	0.16	0.1 U	18.40	0.04	2.82	0.0450	0.05 U	1.5	0.01	0.01 U	0.01 U	29.5
B12Y12	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	2.59	0.1 U	9.85	0.03 U	2.12	0.0936	0.05 U	1.8	0.01 U	0.01 U	0.01 U	37.6
B12Y13	100 AREAS	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.59	0.1 U	9.55	0.06	2.21	0.0739	0.05 U	1.4	0.01 U	0.01 U	0.01 U	28.8
B12Y20	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.56	0.1 U	15.40	0.03 U	1.89	0.0246	0.05 U	0.6	0.01 U	0.01 U	0.01 U	28.4
B12Y21	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.25	0.1 U	11.20	0.03	2.33	0.0457	0.05 U	2.0	0.01	0.01 U	0.01 U	102.0
B12Y22	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.50	0.1 U	15.90	0.07	1.77	0.0618	0.05 U	1.2	0.01 U	0.01 U	0.01 U	22.8
B12Y23	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.18	0.1 U	16.10	0.03 U	1.94	0.0516	0.05 U	0.9	0.01 U	0.01 U	0.01 U	25.7
B12Y24	HANFORD TOWNSITE	06-Aug-01	CANADA GOOSE	LIVER		5	0.01 U	0.1 U	0.04 U	0.41	0.1 U	28.40	0.03 U	2.46	0.0456	0.05 U	2.1	0.02	0.01 U	0.01 U	39.7
B12XM9	ISLAND #1	10-May-01	CANADA GOOSE	SHELLS		13	0.01 U	0.1 U	0.04 U	0.08	0.1 U	1.30	0.10	13.40	0.0008 U	9.08	0.2 U	0.01 U	5.01	0.01 U	7.0
B12XN0	ISLAND #1	10-May-01	CANADA GOOSE	SHELLS		9	0.01 U	0.1 U	0.04 U	0.05	0.2	1.81	0.03 U	1.44	0.0008 U	8.83	0.2 U	0.01 U	6.51	0.01 U	0.9
B12XN1	ISLAND #1	10-May-01	CANADA GOOSE	SHELLS		8	0.01	0.1 U	0.04 U	0.06	0.1 U	1.73	0.03	1.47	0.0008 U	8.61	0.2 U	0.01 U	6.75	0.01 U	0.9
B12XP1	ISLAND #10	10-May-01	CANADA GOOSE	SHELLS		8	0.01 U	0.1 U	0.04 U	0.08	0.1	2.43	0.04	0.63	0.0008 U	11.20	0.2 U	0.01 U	9.28	0.01 U	0.4
B12XP2	ISLAND #10	10-May-01	CANADA GOOSE	SHELLS		11	0.01 U	0.1 U	0.04 U	0.08	0.1 U	2.48	0.05	0.89	0.0008 U	12.10	0.2 U	0.01 U	9.52	0.01 U	0.5
B12XP3	ISLAND #10	10-May-01	CANADA GOOSE	SHELLS		8	0.01 U	0.1 U	0.04 U	0.09	0.1	2.01	0.04	0.52	0.0008 U	12.10	0.2 U	0.01 U	8.49	0.01 U	0.3
B12XP4	ISLAND #10	10-May-01	CANADA GOOSE	SHELLS		13	0.01 U	0.1 U	0.04 U	0.07	0.1 U	2.06	0.04	0.79	0.0008 U	12.50	0.2 U	0.01 U	9.17	0.01 U	0.5
B12XP8	ISLAND #15	10-May-01	CANADA GOOSE	SHELLS		8	0.01 U	0.1 U	0.04 U	0.03	0.1	1.78	0.04	1.16	0.0008 U	9.32	0.2 U	0.01 U	7.20	0.01 U	0.7
B12XP9	ISLAND #15	10-May-01	CANADA GOOSE	SHELLS		23	0.01 U	0.1 U	0.04 U	0.08	0.2	1.78	0.14	4.58	0.0008 U	9.75	0.2 U	0.01 U	6.65	0.01 U	3.6
B12XR0	ISLAND #15	10-May-01	CANADA GOOSE	SHELLS		12	0.01 U	0.1 U	0.04 U	0.10	0.1 U	1.33	0.21	6.01	0.0008 U	9.23	0.2 U	0.01 U	6.75	0.01 U	6.9
B12XV8	ISLAND #17	10-May-01	CANADA GOOSE	SHELLS		9	0.01 U	0.1 U	0.04 U	0.06	0.1	2.22	0.04	0.78	0.0008 U	10.20	0.2 U	0.01 U	6.90	0.01 U	8.5
B12XV9	ISLAND #17	10-May-01	CANADA GOOSE	SHELLS		11	0.01 U	0.1 U	0.04 U	0.05	0.1	1.76	0.04	0.74	0.0008 U	9.52	0.2 U	0.01 U	7.59	0.01 U	1.5
B12XW0	ISLAND #17	10-May-01	CANADA GOOSE	SHELLS		11	0.01 U	0.1 U	0.04 U	0.05	0.1	1.53	0.41	0.69	0.0008 U	10.80	0.2 U	0.01 U	7.35	0.01 U	3.1
B12XW1	ISLAND #17	10-May-01	CANADA GOOSE	SHELLS		11															

Samp Num	Samp Site Name	Samp Date	Samp From	Samp Item	Sub-																	
					Sample Depth ^(a)	Al	Sb	As	Be	Cd	Cr	Cu	Pb	Mn	Hg	Ni	Se	Ag	Tl	U	Zn	
DETECTION LIMITS:					5	0.01	0.1	0.04	0.01	0.1	0.03	0.03	0.02	0.0008	0.05	0.2	0.01 or 0.2 ^(b)	0.01	0.01	0.01	0.2	
B12XX5	ISLAND #19	10-May-01	CANADA GOOSE	SHELLS	10	0.01 U	0.1 U	0.04 U	0.08	0.2	1.78	0.05	3.74	0.0008 U	12.40	0.2 U	0.01 U	10.00	0.01 U	22.9		
B12XX5	ISLAND #19	10-May-01	CANADA GOOSE	SHELLS	16	0.01	0.1 U	0.04 U	0.08	0.1 U	1.85	0.05	1.00	0.0008 U	13.30	0.4	0.01 U	10.60	0.01 U	2.0		
B12XX2	ISLAND #19	10-May-01	CANADA GOOSE	SHELLS	14	0.01 U	0.1 U	0.04 U	0.08	0.1	2.24	0.05	0.49	0.0086	11.20	0.2 U	0.01 U	8.87	0.01 U	1.8		
B12XN5	ISLAND #5	10-May-01	CANADA GOOSE	SHELLS	16	0.01 U	0.1 U	0.04 U	0.04	0.2	2.07	0.04	3.42	0.0008 U	9.22	0.2 U	0.01 U	6.62	0.01 U	1.1		
B12XN6	ISLAND #5	10-May-01	CANADA GOOSE	SHELLS	17	0.01 U	0.1 U	0.04 U	0.08	0.2	2.40	0.09	4.78	0.0008 U	9.04	0.2 U	0.01 U	6.74	0.01	1.9		
B12XN7	ISLAND #5	10-May-01	CANADA GOOSE	SHELLS	9	0.01 U	0.1 U	0.04 U	0.04	0.1	6.13	0.04	0.71	0.0008 U	8.42	0.2 U	0.01 U	5.70	0.01 U	0.6		
B12XV2	PRIEST RAPIDS RESERVOIR	10-May-01	CANADA GOOSE	SHELLS	9	0.01 U	0.1 U	0.04 U	0.10	0.1 U	1.75	0.04	1.34	0.0008 U	11.70	0.2 U	0.01 U	9.24	0.01 U	0.9		
B12XV3	PRIEST RAPIDS RESERVOIR	10-May-01	CANADA GOOSE	SHELLS	13	0.02	0.1 U	0.04 U	0.10	0.1	1.28	0.04	1.67	0.0023	11.60	0.2 U	0.01 U	9.94	0.01 U	0.4		
B12XV4	PRIEST RAPIDS RESERVOIR	10-May-01	CANADA GOOSE	SHELLS	21	0.01 U	0.1 U	0.04 U	0.09	0.1	1.12	0.35	4.30	0.0008 U	11.80	0.2 U	0.01 U	9.81	0.01 U	1.5		
B13025	300 SPR 11	10-Sep-01	MAYFLIES	WHOLEORG	3910 ^(c)	0.32	0.1 U	0.04 U	0.82	0.4	14.00	2.86	21 ^(d)	0.0008 U	2.76	0.2 U	0.24	0.25	7.14	67.0		
B13026	300 SPR 14	10-Sep-01	MAYFLIES	WHOLEORG	2950 ^(c)	0.18	0.1 U	0.04 U	1.46	2.9	18.50	4.85	371 ^(d)	0.0373	8.35	0.2 U	0.20 U	0.41	1.20	81.3		
B12YR2	300 AREA SPRING 42-2	27-Aug-01	MAYFLIES	WHOLEORG	1030 ^(c)	0.10	1.0	0.04 U	6.33	2.3	23.20	1.31	142 ^(d)	0.0442	1.72	1.3	0.57	0.15	3.06	104.0		
B13024	VERNITA BRIDGE -1	10-Sep-01	MAYFLIES	WHOLEORG	4910 ^(c)	0.28	0.1 U	0.04 U	1.08	7.4	19.80	8.11	383 ^(d)	0.0446	6.43	0.2 U	0.20 U	1.03	2.34	169.0		
B12WC6	300 SPR 11	27-Aug-01	MILFOIL	STM-LV	3200 ^(c)	0.10	3.6	0.04 U	1.50	3.6	7.95	1.68	640 ^(d)	0.0207	4.64	0.2 U	0.20 U	0.32	7.71	135.0		
B12WC7	300 SPR 14	27-Aug-01	MILFOIL	STM-LV	6480 ^(c)	0.15	4.8	0.08	2.25	5.7	9.04	1.57	1230 ^(d)	0.0244	7.74	0.6	0.20 U	0.72	6.31	185.0		
B12WC3	300 AREA SPRING 42-2	27-Aug-01	MILFOIL	STM-LV	5550 ^(c)	0.13	6.8	0.08	1.49	6.7	8.82	2.56	1439 ^(d)	0.0206	7.37	3.6	0.20 U	0.80	9.29	138.0		
B12WC5	VERNITA BRIDGE -1	28-Aug-01	MILFOIL	STM-LV	1860 ^(c)	0.07	6.9	0.04 U	2.01	3.5	9.02	1.28	549 ^(d)	0.0243	4.64	0.2 U	0.20 U	0.22	1.91	168.0		
B12WD6	300 SPR 11	27-Aug-01	MULBERRY	LEAVES	53	0.01	0.1 U	0.04 U	0.01 U	0.6	1.99	0.07	15.50	0.0080	0.88	0.2 U	0.20 U	0.02	0.02	14.9		
B12WD7	300 SPR 14	27-Aug-01	MULBERRY	LEAVES																		

Table B-1. Metals in Biota from the 300 Area Nearshore Study, 2001 (concentrations in µg/g dry wt)

Samp Num	Samp Site Name	Samp Date	Samp From	Samp Item	Sub-Sample Depth ^(a)	Al	Sb	As	Be	Cd	Cr	Cu	Pb	Mn	Hg	Ni	Se	Ag	Tl	U	Zn
DETECTION LIMITS:						5	0.01	0.1	0.04	0.01	0.1	0.03	0.03	0.02	0.0008	0.05	0.2	0.01 or 0.2 ^(b)	0.01	0.01	0.2
B12YK2	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	BONES																	0.13
B12YH8	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	BONES																	0.12
B12YH9	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	BONES																	0.07
B12YJ0	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	BONES																	0.04
B12YJ1	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	BONES																	0.08
B12YJ2	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	BONES																	0.08
B12YL5	300 SPR 14	27-Aug-01	SCULPIN	KIDNEY																	0.02
B12YK3	300 SPR 11	27-Aug-01	SCULPIN	LIVER		14	0.12	9.0	0.04 U	10.30	1.4	19.30	0.31	5.30	0.3880	0.05 U	0.2 U	0.18	0.01 U	0.01 U	252.0
B12YK5	300 SPR 14	27-Aug-01	SCULPIN	LIVER		6	0.01	2.8	0.04 U	17.10	0.4	36.20	0.14	6.56	0.8720	0.05 U	0.2 U	0.12	0.01 U	0.02	463.0
B12YK6	300 SPR 14	27-Aug-01	SCULPIN	LIVER		64	0.09	12.3	0.04 U	15.80	2.3	57.70	0.56	6.88	0.3550	0.05 U	0.2 U	0.31	0.01 U	0.02	373.0
B12YK7	300 SPR 14	27-Aug-01	SCULPIN	LIVER		8	0.03	5.1	0.04 U	1.62	0.3	5.82	0.16	3.08	0.0879	0.05 U	0.2 U	0.08	0.01 U	0.01 U	94.9
B12YK8	300 SPR 14	27-Aug-01	SCULPIN	LIVER		5 U	0.04	1.7	0.04 U	5.77	0.4	70.40	0.05	3.12	0.2310	0.05 U	0.2 U	0.08	0.01 U	0.01 U	250.0
B130K1	300 SPR 14	27-Aug-01	SCULPIN	LIVER		6	0.01 U	1.1	0.04 U	7.69	0.2	72.20	0.09	3.15	0.3600	0.05 U	0.2 U	0.08	0.01 U	0.01	363.0
B12YK9	300 SPR 14	27-Aug-01	SCULPIN	LIVER		5 U	0.02	4.3	0.04 U	1.11	0.4	6.64	0.10	2.47	0.0328	0.05 U	0.2 U	0.08	0.01 U	0.01 U	107.0
B12YJ3	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	LIVER		6	0.01 U	3.3	0.39	2.07	0.2	16.20	0.40	3.54	0.2500	0.05 U	0.2 U	0.09	0.01 U	0.02	188.0
B12YJ4	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	LIVER		5	0.01	4.1	0.35	6.36	0.1 U	20.20	0.15	6.70	0.2360	0.05 U	0.2 U	0.08	0.01 U	0.05	206.0
B12YJ5	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	LIVER		5	0.01	3.3	0.28	3.61	0.1 U	10.00	0.23	4.20	0.1170	0.05 U	0.2 U	0.06	0.01 U	0.01 U	166.0
B12YJ6	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	LIVER		28	0.08	7.6	1.42	6.48	0.1 U	60.30	0.42	8.81	0.1200	0.05 U	0.2 U	0.37	0.01 U	0.03	291.0
B12YJ7	300 AREA SPRING 42-2	27-Aug-01	SCULPIN	LIVER		20	0.03	11.5	0.04 U	1.91	3.8	29.70	0.45	6.50	0.1160	0.05 U	0.2 U	0.29	0.25	0.04	169.0
B12YH3	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	LIVER		5 U	0.02	2.7	0.38	4.19	0.2	12.50	0.13	1.84	0.2130	0.05 U	0.2 U	0.08	0.01 U	0.01	104.0
B12YH4	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	LIVER		14	0.01 U	2.3	0.17	7.76	0.1 U	13.60	0.15	2.39	0.4680	0.05 U	0.2 U	0.06	0.01 U	0.02	163.0
B12YH5	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	LIVER		5 U	0.01 U	2.0	0.10	0.69	0.1 U	4.57	0.12	1.83	0.0756	0.05 U	0.2 U	0.05	0.01 U	0.01 U	101.0
B12YH6	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	LIVER		10	0.02	3.7	0.50	12.10	0.1 U	29.80	0.24	2.91	0.5110	0.05 U	0.2 U	0.14	0.01 U	0.03	214.0
B12YH7	VERNITA BRIDGE -1	26-Aug-01	SCULPIN	LIVER		6	0.02	4.1	0.33	4.20	0.1 U	24.60	0.21	3.25	0.1430	0.05 U	0.2 U	0.14	0.59	0.01 U	111.0

(a) Sample depths are: 0 = Seep, 1 = 0.25m, 2 = 0.5m, 3 = 1.0m, 4 = 1.5m

(b) Detection Limit 0.2 µg/g for Milfoil, Mulberry, Periphyton, Riparian Vegetation, Eleodes, and Mayflies.

(c) Detection Limit adjusted to 50 µg/g.

(d) Detection Limit adjusted to 2 µg/g.

U - Analyzed but not detected or is represented by the analytical detection limit.

Soil

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	AM-241	0.00402 pCi/g		0.00051	0.00084		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	AM-241	0.000612 pCi/g		0.00023	0.00026		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	AM-241	0.00014 pCi/g		0.00018	0.00019	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	AM-241	0.0133 pCi/g		0.0017	0.0029		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	AM-241	0.00426 pCi/g		0.00056	0.0009		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J86	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.212 pCi/g		0.48	0.48	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.338 pCi/g		0.5	0.5	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	-0.129 pCi/g		0.52	0.52	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.0998 pCi/g		0.59	0.59	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	-0.867 pCi/g		0.49	0.49	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.463 pCi/g		0.51	0.51	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.307 pCi/g		0.49	0.49	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	-0.255 pCi/g		0.48	0.48	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	-0.22 pCi/g		0.43	0.43	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	BE-7	0.00925 pCi/g		0.51	0.51	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	BE-7	0.124 pCi/g		0.54	0.54	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	BE-7	0.302 pCi/g		0.41	0.41	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	BE-7	0.0421 pCi/g		0.36	0.36	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	BE-7	-0.389 pCi/g		0.36	0.36	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	BE-7	-0.191 pCi/g		0.47	0.47	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	BE-7	0.0443 pCi/g		0.5	0.5	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	BE-7	-0.0552 pCi/g		0.46	0.46	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	BE-7	0.627 pCi/g		0.59	0.59	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	BE-7	0.024 pCi/g		0.37	0.37	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	BE-7	-0.0227 pCi/g		0.56	0.56	U	0.5 CM CRUST, WET HEAVY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	BE-7	0.116 pCi/g		0.94	0.94	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	BE-7	0.187 pCi/g		0.44	0.44	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	BE-7	-0.103 pCi/g		0.36	0.36	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	BE-7	0.106 pCi/g		0.36	0.36	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	BE-7	0.0712 pCi/g		0.33	0.33	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	BE-7	0.0273 pCi/g		0.34	0.34	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	BE-7	0.0625 pCi/g		0.31	0.31	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	BE-7	0.124 pCi/g		0.34	0.34	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	BE-7	0.102 pCi/g		0.28	0.28	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	-0.0539 pCi/g		0.13	0.13	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	0.0805 pCi/g		0.16	0.16	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	-0.0103 pCi/g		0.15	0.15	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	0.0109 pCi/g		0.2	0.2	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIV/RVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	-0.00302 pCi/g		0.14	0.14	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	BE-7	0.0169 pCi/g		0.17	0.17	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	BE-7	0.0185 pCi/g		0.15	0.15	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	BE-7	-0.114 pCi/g		0.13	0.13	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	BE-7	0.135 pCi/g		0.15	0.15	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	BE-7	0.0926 pCi/g		0.17	0.17	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	BE-7	0.0447 pCi/g		0.15	0.15	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	BE-7	-0.0468 pCi/g		0.1	0.1	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	BE-7	0.0354 pCi/g		0.11	0.11	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	BE-7	0.0662 pCi/g		0.11	0.11	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE LOCATION.
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	0.0031 pCi/g		0.012	0.012	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.00326 pCi/g		0.011	0.011	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	0.009 pCi/g		0.012	0.012	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.00742 pCi/g		0.013	0.013	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.0048 pCi/g		0.011	0.011	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.0118 pCi/g		0.013	0.013	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	0.00714 pCi/g		0.01	0.01	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.00212 pCi/g		0.013	0.013	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.0105 pCi/g		0.0098	0.0098	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CO-60	-0.00503 pCi/g		0.012	0.012	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	CO-60	0.0232 pCi/g		0.013	0.013	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CO-60	-0.0126 pCi/g		0.012	0.012	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CO-60	0.00777 pCi/g		0.0092	0.0092	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CO-60	-0.000789 pCi/g		0.0099	0.0099	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CO-60	0.000848 pCi/g		0.013	0.013	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CO-60	0.0113 pCi/g		0.015	0.015	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CO-60	0.01 pCi/g		0.012	0.012	U	NO CRUST, SANDY, SIEVED SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CO-60	-0.0134 pCi/g		0.014	0.014	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	CO-60	0.000652 pCi/g		0.011	0.011	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	CO-60	0.00303 pCi/g		0.014	0.014	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CO-60	-0.00292 pCi/g		0.01	0.01	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CO-60	0.0103 pCi/g		0.012	0.012	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CO-60	0.00786 pCi/g		0.0094	0.0094	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CO-60	0.00256 pCi/g		0.011	0.011	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CO-60	-0.00218 pCi/g		0.012	0.012	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CO-60	-0.0113 pCi/g		0.013	0.013	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CO-60	-0.00246 pCi/g		0.011	0.011	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CO-60	0.0125 pCi/g		0.01	0.01	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	CO-60	0.00861 pCi/g		0.011	0.011	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	-0.0015 pCi/g		0.0091	0.0091	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	-0.00129 pCi/g		0.011	0.011	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	0.00117 pCi/g		0.011	0.011	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	-0.00314 pCi/g		0.014	0.014	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	0.00252 pCi/g		0.012	0.012	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CO-60	-0.000452 pCi/g		0.013	0.013	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	CO-60	0.0047 pCi/g		0.011	0.011	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CO-60	0.0101 pCi/g		0.011	0.011	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CO-60	0.00295 pCi/g		0.012	0.012	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	CO-60	-0.00336 pCi/g		0.014	0.014	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CO-60	0.0932 pCi/g		0.02	0.02	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CO-60	0.0209 pCi/g		0.013	0.013	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CO-60	-0.00064 pCi/g		0.012	0.012	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CO-60	0.00122 pCi/g		0.0095	0.0095	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0389 pCi/g		0.022	0.022	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0395 pCi/g		0.022	0.022	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0413 pCi/g		0.016	0.016	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0613 pCi/g		0.027	0.027	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0641 pCi/g		0.025	0.025	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0313 pCi/g		0.016	0.016	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0389 pCi/g		0.02	0.02	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0465 pCi/g		0.026	0.026	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0444 pCi/g		0.019	0.019	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-134	0.0486 pCi/g		0.026	0.026	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	CS-134	0.057 pCi/g		0.021	0.021	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-134	0.0592 pCi/g		0.021	0.021	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-134	0.0324 pCi/g		0.017	0.017	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-134	0.0475 pCi/g		0.017	0.017	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-134	0.0613 pCi/g		0.025	0.025	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-134	0.0731 pCi/g		0.03	0.03	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CS-134	0.0422 pCi/g		0.017	0.017	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CS-134	0.0404 pCi/g		0.019	0.019	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	CS-134	0.0507 pCi/g		0.018	0.018	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	CS-134	0.0478 pCi/g		0.019	0.019	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-134	0.0498 pCi/g		0.021	0.021	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-134	0.0517 pCi/g		0.016	0.016	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-134	0.0451 pCi/g		0.019	0.019	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CS-134	0.0598 pCi/g		0.021	0.021	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CS-134	0.0524 pCi/g		0.02	0.02	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-134	0.0413 pCi/g		0.022	0.022	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-134	0.0653 pCi/g		0.02	0.02	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-134	0.0395 pCi/g		0.02	0.02	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	CS-134	0.0365 pCi/g		0.016	0.016	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.0489 pCi/g		0.018	0.018	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.0534 pCi/g		0.019	0.019	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.035 pCi/g		0.014	0.014	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.0622 pCi/g		0.027	0.027	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.0283 pCi/g		0.017	0.017	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-134	0.0446 pCi/g		0.018	0.018	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-134	0.0385 pCi/g		0.016	0.016	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-134	0.04 pCi/g		0.016	0.016	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-134	0.0461 pCi/g		0.022	0.022	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	CS-134	0.0368 pCi/g		0.019	0.019	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-134	0.0304	pCi/g	0.019	0.019	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-134	0.0352	pCi/g	0.016	0.016	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-134	0.0343	pCi/g	0.013	0.013	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-134	0.0475	pCi/g	0.024	0.024	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.0926	pCi/g	0.026	0.026		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.514	pCi/g	0.067	0.067		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.507	pCi/g	0.067	0.067		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.362	pCi/g	0.054	0.054		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.357	pCi/g	0.05	0.05		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.424	pCi/g	0.06	0.06		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.381	pCi/g	0.05	0.05		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.0759	pCi/g	0.02	0.02		<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.485	pCi/g	0.062	0.062		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	CS-137	0.229	pCi/g	0.035	0.035		NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	CS-137	0.319	pCi/g	0.045	0.045		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-137	0.269	pCi/g	0.039	0.039		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-137	0.127	pCi/g	0.022	0.022		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-137	0.435	pCi/g	0.057	0.057		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-137	0.48	pCi/g	0.064	0.064		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	CS-137	0.131	pCi/g	0.029	0.029		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CS-137	0.618	pCi/g	0.078	0.078		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	CS-137	1.13	pCi/g	0.14	0.14		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	CS-137	0.114	pCi/g	0.023	0.023		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	CS-137	0.525	pCi/g	0.07	0.07		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-137	11.8	pCi/g	1.4	1.4		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-137	0.186	pCi/g	0.031	0.031		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	CS-137	0.0844	pCi/g	0.018	0.018		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CS-137	0.267	pCi/g	0.039	0.039		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	CS-137	0.243	pCi/g	0.035	0.035		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-137	0.0513	pCi/g	0.026	0.026		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-137	0.0427	pCi/g	0.017	0.017		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	CS-137	0.252	pCi/g	0.038	0.038		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	CS-137	0.464	pCi/g	0.06	0.06		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.014	pCi/g	0.012	0.012	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.0366	pCi/g	0.014	0.014		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.093	pCi/g	0.02	0.02		1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.31	pCi/g	0.048	0.048		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIV/RVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.0395	pCi/g	0.017	0.017		.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	CS-137	0.0262	pCi/g	0.014	0.014		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-137	0.603	pCi/g	0.076	0.076		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-137	0.386	pCi/g	0.053	0.053		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	CS-137	0.0194	pCi/g	0.018	0.018		1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	CS-137	0.632	pCi/g	0.082	0.082		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-137	1.8	pCi/g	0.22	0.22		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-137	0.0805	pCi/g	0.019	0.019		0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-137	0.337	pCi/g	0.046	0.046		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	CS-137	0.402	pCi/g	0.054	0.054		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.0411	pCi/g	0.043	0.043	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.0312	pCi/g	0.035	0.035	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	0.00114	pCi/g	0.044	0.044	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.0161	pCi/g	0.046	0.046	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.02	pCi/g	0.041	0.041	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.00195	pCi/g	0.044	0.044	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	-0.0106	pCi/g	0.036	0.036	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	0.0177	pCi/g	0.043	0.043	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	0.0222	pCi/g	0.033	0.033	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-154	0.0336	pCi/g	0.039	0.039	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	EU-154	0.0346	pCi/g	0.036	0.036	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-154	-0.0117	pCi/g	0.04	0.04	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-154	-0.00512	pCi/g	0.03	0.03	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-154	-0.00767	pCi/g	0.032	0.032	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-154	-0.0553	pCi/g	0.041	0.041	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-154	-0.0133	pCi/g	0.05	0.05	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	EU-154	-0.016	pCi/g	0.038	0.038	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	EU-154	-0.0327	pCi/g	0.044	0.044	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	EU-154	-0.0331	pCi/g	0.036	0.036	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	EU-154	-0.0428	pCi/g	0.046	0.046	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-154	-0.00231	pCi/g	0.036	0.036	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-154	0.0141	pCi/g	0.041	0.041	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-154	0.00000887	pCi/g	0.032	0.032	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	EU-154	-0.0166	pCi/g	0.036	0.036	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	EU-154	-0.0246	pCi/g	0.038	0.038	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-154	-0.0248	pCi/g	0.042	0.042	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-154	0.0113	pCi/g	0.036	0.036	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-154	-0.0234	pCi/g	0.037	0.037	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	EU-154	0.00166	pCi/g	0.032	0.032	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	0.0243	pCi/g	0.032	0.032	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	-0.0109	pCi/g	0.034	0.034	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	-0.0259	pCi/g	0.036	0.036	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	-0.0219	pCi/g	0.048	0.048	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	-0.00823	pCi/g	0.042	0.042	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-154	-0.0691	pCi/g	0.043	0.043	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-154	-0.009	pCi/g	0.037	0.037	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-154	-0.00841	pCi/g	0.031	0.031	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-154	-0.0293	pCi/g	0.042	0.042	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	EU-154	-0.00281	pCi/g	0.044	0.044	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-154	0.114	pCi/g	0.042	0.042	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-154	0.00236	pCi/g	0.036	0.036	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-154	0.0168	pCi/g	0.037	0.037	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-154	-0.0228	pCi/g	0.032	0.032	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0416	pCi/g	0.043	0.043	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0451	pCi/g	0.029	0.029	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0689	pCi/g	0.043	0.043	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0726	pCi/g	0.05	0.05	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0765	pCi/g	0.035	0.035	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0121	pCi/g	0.039	0.039	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0428	pCi/g	0.031	0.031	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0675	pCi/g	0.041	0.041	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.043	pCi/g	0.029	0.029	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	EU-155	0.0401	pCi/g	0.032	0.032	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	EU-155	0.02	pCi/g	0.03	0.03	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-155	0.0726	pCi/g	0.033	0.033	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-155	0.028	pCi/g	0.027	0.027	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-155	0.0581	pCi/g	0.028	0.028	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-155	0.124	pCi/g	0.039	0.039	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	EU-155	0.0845	pCi/g	0.05	0.05	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	EU-155	0.0711	pCi/g	0.04	0.04	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	EU-155	0.0287	pCi/g	0.046	0.046	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	EU-155	0.0379	pCi/g	0.035	0.035	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	EU-155	0.032	pCi/g	0.042	0.042	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-155	0.0753	pCi/g	0.047	0.047	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-155	0.0475	pCi/g	0.038	0.038	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	EU-155	0.0781	pCi/g	0.03	0.03	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	EU-155	0.04	pCi/g	0.03	0.03	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	EU-155	0.034	pCi/g	0.037	0.037	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-155	0.0647	pCi/g	0.044	0.044	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-155	0.0962	pCi/g	0.033	0.033	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	EU-155	0.0106	pCi/g	0.036	0.036	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	EU-155	0.0292	pCi/g	0.026	0.026	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0405	pCi/g	0.028	0.028	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0562	pCi/g	0.028	0.028	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0266	pCi/g	0.031	0.031	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0644	pCi/g	0.04	0.04	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0442	pCi/g	0.037	0.037	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	EU-155	0.0463	pCi/g	0.045	0.045	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-155	0.102	pCi/g	0.042	0.042	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-155	0.0211	pCi/g	0.027	0.027	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	EU-155	0.0598	pCi/g	0.04	0.04	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J3C	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	EU-155	0.0528	pCi/g	0.051	0.051	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-155	0.0302	pCi/g	0.033	0.033	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-155	0.0497	pCi/g	0.032	0.032	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-155	0.0796	pCi/g	0.04	0.04	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	EU-155	0.0484	pCi/g	0.032	0.032	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	15.3	pCi/g	1.9	1.9		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	16.1	pCi/g	2	2		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	16.7	pCi/g	2.1	2.1		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	16.6	pCi/g	2	2		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	19.6	pCi/g	2.4	2.4		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	18.5	pCi/g	2.2	2.2		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	15.9	pCi/g	1.9	1.9		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	16.1	pCi/g	2	2		<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	15.9	pCi/g	1.9	1.9		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	K-40	15.1	pCi/g	1.9	1.9		NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	K-40	16.5	pCi/g	2	2		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	K-40	14.1	pCi/g	1.7	1.7		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	K-40	15.7	pCi/g	1.9	1.9		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	K-40	14.9	pCi/g	1.8	1.8		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	K-40	18.3	pCi/g	2.2	2.2		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	K-40	19.4	pCi/g	2.4	2.4		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	K-40	14.3	pCi/g	1.8	1.8		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	K-40	14.6	pCi/g	1.8	1.8		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	K-40	13.2	pCi/g	1.6	1.6		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	K-40	16.2	pCi/g	2	2		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	K-40	16.2	pCi/g	2	2		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	K-40	17.8	pCi/g	2.2	2.2		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	K-40	16.3	pCi/g	2	2		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	K-40	15	pCi/g	1.8	1.8		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	K-40	13.7	pCi/g	1.7	1.7		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	K-40	14.5	pCi/g	1.8	1.8		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	K-40	15.3	pCi/g	1.9	1.9		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	K-40	13.7	pCi/g	1.7	1.7		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	K-40	13	pCi/g	1.6	1.6		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	17.3	pCi/g	2.1	2.1		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	17.2	pCi/g	2.1	2.1		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	13.9	pCi/g	1.7	1.7		1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	22.3	pCi/g	2.7	2.7		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIV/VIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	20.5	pCi/g	2.5	2.5		.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	K-40	17.3	pCi/g	2.1	2.1		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	K-40	14.4	pCi/g	1.8	1.8		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	K-40	11.1	pCi/g	1.4	1.4		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	K-40	16.1	pCi/g	2	2		1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	K-40	15.7	pCi/g	1.9	1.9		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	K-40	12.1	pCi/g	1.5	1.5		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	K-40	14	pCi/g	1.7	1.7		0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	K-40	14.9	pCi/g	1.8	1.8		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	K-40	15.3	pCi/g	1.9	1.9		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.00121	pCi/g	0.00029	0.00034		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000346	pCi/g	0.00017	0.00018		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000234	pCi/g	0.00013	0.00013		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.00043	pCi/g	0.00017	0.00018		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000343	pCi/g	0.00016	0.00017		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000506	pCi/g	0.00022	0.00023		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.00055	pCi/g	0.00022	0.00024		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000628	pCi/g	0.00007	0.000072	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.000535	pCi/g	0.00019	0.00021		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-238	0.0000775	pCi/g	0.0001	0.0001	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	PU-238	0.000382	pCi/g	0.00018	0.00019		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-238	0.000439	pCi/g	0.00024	0.00025		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-238	0.000338	pCi/g	0.00016	0.00017		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-238	0.000516	pCi/g	0.00026	0.00027		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-238	0.000349	pCi/g	0.00016	0.00017		0.5 CM CRUST, ROCKY.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-238	0.0000977	pCi/g	0.00011	0.00011	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	PU-238	0.00077	pCi/g	0.00024	0.00026		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	PU-238	0.000339	pCi/g	0.00016	0.00017		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	PU-238	0.00048	pCi/g	0.00029	0.0003		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	PU-238	0.00056	pCi/g	0.00019	0.00021		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-238	0.000482	pCi/g	0.00021	0.00022		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-238	0.000153	pCi/g	0.00011	0.00011		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-238	0.0000964	pCi/g	0.000093	0.000095		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	PU-238	0.000447	pCi/g	0.00032	0.00033		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	PU-238	0.000307	pCi/g	0.00024	0.00024		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-238	0.0000321	pCi/g	0.000056	0.000057	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-238	0.000104	pCi/g	0.000091	0.000093		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-238	0.000466	pCi/g	0.00018	0.00019		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	PU-238	0.000431	pCi/g	0.0002	0.00021		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.0000089	pCi/g	0.000033	0.000035	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.0000361	pCi/g	0.00006	0.000061	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.0000204	pCi/g	0.00011	0.00011	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.000255	pCi/g	0.00015	0.00016		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.0000242	pCi/g	0.000066	0.000067	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-238	0.000244	pCi/g	0.00019	0.00019		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-238	0.00141	pCi/g	0.0005	0.00054		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-238	0.000398	pCi/g	0.00017	0.00018		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-238	0.0000339	pCi/g	0.000059	0.00006	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	PU-238	0.000411	pCi/g	0.00018	0.00019		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-238	0.00684	pCi/g	0.00078	0.0012		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-238	0.0000392	pCi/g	0.000064	0.000065	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-238	0.000372	pCi/g	0.00017	0.00018		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-238	0.000305	pCi/g	0.00016	0.00016		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.132	pCi/g	0.003	0.019		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0113	pCi/g	0.00095	0.0018		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0101	pCi/g	0.00083	0.0016		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0125	pCi/g	0.00092	0.002		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0301	pCi/g	0.0015	0.0044		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.00951	pCi/g	0.00093	0.0016		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0212	pCi/g	0.0014	0.0033		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.00221	pCi/g	0.0004	0.0005		<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.0116	pCi/g	0.0009	0.0018		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	PU-239/240	0.00632	pCi/g	0.0007	0.0011		NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	PU-239/240	0.00762	pCi/g	0.0008	0.0013		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-239/240	0.0109	pCi/g	0.0012	0.002		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-239/240	0.0278	pCi/g	0.0014	0.0041		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-239/240	0.0176	pCi/g	0.0015	0.003		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-239/240	0.0139	pCi/g	0.001	0.0022		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	PU-239/240	0.00354	pCi/g	0.00061	0.00079		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	PU-239/240	0.0172	pCi/g	0.0011	0.0026		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	PU-239/240	0.0202	pCi/g	0.0012	0.003		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	PU-239/240	0.00388	pCi/g	0.00081	0.001		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	PU-239/240	0.02	pCi/g	0.0011	0.003		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-239/240	0.0387	pCi/g	0.0019	0.0058		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-239/240	0.00717	pCi/g	0.00072	0.0012		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	PU-239/240	0.00379	pCi/g	0.00056	0.00078		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	PU-239/240	0.00931	pCi/g	0.0014	0.002		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	PU-239/240	0.014	pCi/g	0.0015	0.0026		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-239/240	0.0017	pCi/g	0.00037	0.00045		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-239/240	0.000699	pCi/g	0.00023	0.00025		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	PU-239/240	0.00979	pCi/g	0.00083	0.0016		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	PU-239/240	0.0188	pCi/g	0.0013	0.0029		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00186	pCi/g	0.00035	0.00044		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00165	pCi/g	0.00034	0.00041		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00369	pCi/g	0.00065	0.00083		1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00768	pCi/g	0.00082	0.0014		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00269	pCi/g	0.00044	0.00058		.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	PU-239/240	0.00127	pCi/g	0.0004	0.00044		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-239/240	0.0809	pCi/g	0.0038	0.012		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-239/240	0.0143	pCi/g	0.00099	0.0022		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	PU-239/240	0.00126 pCi/g		0.00033	0.00037		1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	PU-239/240	0.0167 pCi/g		0.0011	0.0026		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-239/240	0.0928 pCi/g		0.0035	0.014		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-239/240	0.00187 pCi/g		0.00037	0.00045		0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-239/240	0.0125 pCi/g		0.00097	0.002		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	PU-239/240	0.0131 pCi/g		0.001	0.0021		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0195 pCi/g		0.12	0.12	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.00577 pCi/g		0.11	0.11	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0516 pCi/g		0.12	0.12	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	-0.0979 pCi/g		0.13	0.13	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0634 pCi/g		0.12	0.12	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0137 pCi/g		0.12	0.12	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	-0.0315 pCi/g		0.11	0.11	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0353 pCi/g		0.12	0.12	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	0.0494 pCi/g		0.095	0.095	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	RU-106	-0.00422 pCi/g		0.12	0.12	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	RU-106	0.00506 pCi/g		0.11	0.11	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	RU-106	0.0204 pCi/g		0.11	0.11	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	RU-106	0.0201 pCi/g		0.087	0.087	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	RU-106	0.0185 pCi/g		0.091	0.091	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	RU-106	-0.0551 pCi/g		0.12	0.12	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	RU-106	0.142 pCi/g		0.13	0.13	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	RU-106	0.0479 pCi/g		0.11	0.11	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	RU-106	0.00269 pCi/g		0.13	0.13	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	RU-106	-0.0302 pCi/g		0.1	0.1	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	RU-106	-0.0402 pCi/g		0.13	0.13	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	RU-106	-0.0471 pCi/g		0.16	0.16	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	RU-106	0.00707 pCi/g		0.11	0.11	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	RU-106	-0.0234 pCi/g		0.093	0.093	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	RU-106	0.0792 pCi/g		0.11	0.11	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	RU-106	0.0166 pCi/g		0.11	0.11	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11JB5	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	RU-106	0.0279 pCi/g		0.11	0.11	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JB6	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	RU-106	-0.0029 pCi/g		0.1	0.1	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JB7	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	RU-106	0.0541 pCi/g		0.11	0.11	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	RU-106	-0.0503 pCi/g		0.092	0.092	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	-0.00184 pCi/g		0.084	0.084	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	0.018 pCi/g		0.09	0.09	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11JB0	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	0.0381 pCi/g		0.084	0.084	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	0.036 pCi/g		0.12	0.12	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11JB1	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	-0.0377 pCi/g		0.087	0.087	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	RU-106	0.045 pCi/g		0.11	0.11	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	RU-106	-0.00702 pCi/g		0.089	0.089	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	RU-106	-0.0534 pCi/g		0.088	0.088	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	RU-106	0.00308 pCi/g		0.1	0.1	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	RU-106	-0.0138 pCi/g		0.11	0.11	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	RU-106	-0.0284 pCi/g		0.1	0.1	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	RU-106	0.0679 pCi/g		0.086	0.086	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	RU-106	0.0834 pCi/g		0.09	0.09	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	RU-106	-0.0144 pCi/g		0.085	0.085	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.00432 pCi/g		0.029	0.029	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.0149 pCi/g		0.028	0.028	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.000254 pCi/g		0.028	0.028	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	-0.014 pCi/g		0.033	0.033	U	1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.00819 pCi/g		0.029	0.029	U	1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.0136 pCi/g		0.031	0.031	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	-0.0165 pCi/g		0.026	0.026	U	MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	-0.00438 pCi/g		0.026	0.026	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.00085 pCi/g		0.025	0.025	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SB-125	0.00913 pCi/g		0.029	0.029	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	SB-125	0.0139 pCi/g		0.029	0.029	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SB-125	-0.00735 pCi/g		0.028	0.028	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	SB-125	-0.0019 pCi/g		0.022	0.022	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	SB-125	0.00208 pCi/g		0.024	0.024	U	2 CM CRUST, SANDY, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SB-125	0.0035 pCi/g		0.031	0.031	U	0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SB-125	0.0183 pCi/g		0.034	0.034	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	SB-125	0.021 pCi/g		0.028	0.028	U	NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	SB-125	-0.0042 pCi/g		0.036	0.036	U	2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	SB-125	0.0289 pCi/g		0.028	0.028	U	1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	SB-125	-0.00478 pCi/g		0.034	0.034	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SB-125	-0.0402 pCi/g		0.059	0.059	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SB-125	-0.0226 pCi/g		0.029	0.029	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SB-125	-0.00687 pCi/g		0.022	0.022	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	SB-125	-0.0167 pCi/g		0.029	0.029	U	2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	SB-125	0.00659 pCi/g		0.027	0.027	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SB-125	0.0116 pCi/g		0.029	0.029	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SB-125	-0.000437 pCi/g		0.025	0.025	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SB-125	0.00501 pCi/g		0.03	0.03	U	2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	SB-125	-0.0126 pCi/g		0.026	0.026	U	1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	0.00533 pCi/g		0.022	0.022	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	-0.000308 pCi/g		0.025	0.025	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SB-125	0.016 pCi/g		0.023	0.023	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SB-125	0.0202 pCi/g		0.032	0.032	U	2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SB-125	-0.00178 pCi/g		0.023	0.023	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SB-125	0.0186 pCi/g		0.028	0.028	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	SB-125	0.00478 pCi/g		0.026	0.026	U	0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	SB-125	0.00404 pCi/g		0.025	0.025	U	2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	SB-125	-0.0148 pCi/g		0.027	0.027	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	SB-125	-0.0152 pCi/g		0.033	0.033	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SB-125	-0.00418 pCi/g		0.033	0.033	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SB-125	-0.00473 pCi/g		0.024	0.024	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SB-125	0.0203 pCi/g		0.025	0.025	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SB-125	0.00346 pCi/g		0.025	0.025	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0107 pCi/g		0.022	0.025	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0622 pCi/g		0.028	0.033		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0488 pCi/g		0.026	0.03		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0795 pCi/g		0.028	0.035		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0688 pCi/g		0.027	0.033		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.11 pCi/g		0.03	0.041		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0817 pCi/g		0.029	0.036		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0151 pCi/g		0.022	0.023	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0852 pCi/g		0.03	0.037		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	SR-90	0.0346 pCi/g		0.023	0.027	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	SR-90	0.0645 pCi/g		0.05	0.054	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SR-90	0.0957 pCi/g		0.027	0.037		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	SR-90	0.0525 pCi/g		0.025	0.029		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	SR-90	0.108 pCi/g		0.031	0.042		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SR-90	0.0629 pCi/g		0.025	0.031		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	SR-90	0.0495 pCi/g		0.024	0.028		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	SR-90	0.102 pCi/g		0.035	0.044		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	SR-90	0.208 pCi/g		0.043	0.065		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	SR-90	0.0371 pCi/g		0.022	0.025		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	SR-90	0.148 pCi/g		0.037	0.052		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SR-90	3.06 pCi/g		0.13	0.7		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SR-90	0.145 pCi/g		0.041	0.054		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	SR-90	0.0285 pCi/g		0.023	0.026	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	SR-90	0.0708 pCi/g		0.026	0.033		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	SR-90	0.0836 pCi/g		0.028	0.035		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SR-90	0.0142 pCi/g		0.018	0.02	U	2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SR-90	0.0119 pCi/g		0.016	0.019	U	0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	SR-90	0.136 pCi/g		0.033	0.046		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	SR-90	0.0888 pCi/g		0.028	0.037		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	-0.00273 pCi/g		0.018	0.018	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	0.00383 pCi/g		0.019	0.021	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	0.0149 pCi/g		0.023	0.024	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	0.0559 pCi/g		0.027	0.033		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	0.0153 pCi/g		0.022	0.024	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	SR-90	-0.00938 pCi/g		0.014	0.019	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	SR-90	0.158 pCi/g		0.035	0.052		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	SR-90	0.0877	pCi/g	0.029	0.037		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	SR-90	0.0124	pCi/g	0.027	0.031	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	SR-90	0.092	pCi/g	0.033	0.039		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SR-90	0.228	pCi/g	0.039	0.063		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SR-90	0.0396	pCi/g	0.026	0.028	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SR-90	0.0922	pCi/g	0.031	0.042		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	SR-90	0.12	pCi/g	0.035	0.045		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.084	pCi/g	0.016	0.023		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0835	pCi/g	0.016	0.023		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0855	pCi/g	0.016	0.023		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.201	pCi/g	0.026	0.045		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.186	pCi/g	0.025	0.042		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0637	pCi/g	0.015	0.019		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.115	pCi/g	0.019	0.029		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0794	pCi/g	0.017	0.023		<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0713	pCi/g	0.015	0.02		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-234	0.0806	pCi/g	0.016	0.023		NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	U-234	0.146	pCi/g	0.023	0.035		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-234	0.0813	pCi/g	0.016	0.022		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-234	0.49	pCi/g	0.046	0.1		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-234	0.156	pCi/g	0.024	0.037		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-234	0.33	pCi/g	0.036	0.07		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-234	0.0858	pCi/g	0.018	0.024		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-234	0.102	pCi/g	0.019	0.027		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-234	0.139	pCi/g	0.021	0.033		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	U-234	0.133	pCi/g	0.021	0.032		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	U-234	0.139	pCi/g	0.021	0.033		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-234	0.102	pCi/g	0.018	0.026		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-234	0.114	pCi/g	0.019	0.029		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-234	0.0907	pCi/g	0.017	0.024		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-234	0.11	pCi/g	0.019	0.027		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-234	0.119	pCi/g	0.023	0.031		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-234	0.119	pCi/g	0.02	0.029		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-234	0.226	pCi/g	0.027	0.048		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-234	0.114	pCi/g	0.021	0.029		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	U-234	0.0886	pCi/g	0.018	0.024		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.0999	pCi/g	0.018	0.026		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.121	pCi/g	0.02	0.03		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.118	pCi/g	0.019	0.029		1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.278	pCi/g	0.031	0.059		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.077	pCi/g	0.017	0.022		.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-234	0.123	pCi/g	0.02	0.03		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	U-234	0.219	pCi/g	0.027	0.048		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-234	0.0988	pCi/g	0.018	0.026		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-234	0.153	pCi/g	0.023	0.036		1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	U-234	0.0725	pCi/g	0.019	0.024		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-234	0.122	pCi/g	0.023	0.032		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-234	0.0935	pCi/g	0.021	0.027		0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-234	0.0764	pCi/g	0.019	0.024		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-234	0.106	pCi/g	0.022	0.03		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	-0.000852	pCi/g	0.0015	0.0016	U	NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.000718	pCi/g	0.0031	0.0031	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00266	pCi/g	0.0035	0.0036	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00667	pCi/g	0.0052	0.0055		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.0101	pCi/g	0.0061	0.0064		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00257	pCi/g	0.0037	0.0038	U	1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00789	pCi/g	0.0053	0.0055		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	-0.0036	pCi/g	0.0044	0.0044	U	<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00239	pCi/g	0.0035	0.0037	U	0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-235	0.00212	pCi/g	0.0034	0.0035	U	NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	U-235	0.00464	pCi/g	0.0047	0.0048	U	0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-235	0.00396	pCi/g	0.0042	0.0043	U	NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-235	0.0224	pCi/g	0.01	0.011		NO CRUST, SANDY, SIEVED SAMPLE.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-235	0.0109 pCi/g		0.0066	0.0068		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-235	0.0185 pCi/g		0.0088	0.0095		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-235	0.00233 pCi/g		0.0039	0.004	U	1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-235	0.00486 pCi/g		0.0046	0.0048		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-235	0.00461 pCi/g		0.0044	0.0045		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	U-235	0.00637 pCi/g		0.0048	0.0049		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	U-235	0.00146 pCi/g		0.0031	0.0032	U	0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-235	0.00323 pCi/g		0.0039	0.0041	U	CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-235	0.00428 pCi/g		0.0042	0.0043	U	0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-235	0.00139 pCi/g		0.003	0.0031	U	NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-235	0.0122 pCi/g		0.0063	0.0066		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-235	0.00762 pCi/g		0.0084	0.0085	U	2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-235	0.0061 pCi/g		0.0046	0.0047		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-235	0.0114 pCi/g		0.0061	0.0064		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-235	0.00561 pCi/g		0.0046	0.0047		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	U-235	0.00515 pCi/g		0.0042	0.0043		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	0.00516 pCi/g		0.0045	0.0047		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	0.00404 pCi/g		0.0043	0.0044	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	0.00352 pCi/g		0.0039	0.004	U	1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	0.00943 pCi/g		0.0061	0.0064		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	-0.00115 pCi/g		0.0017	0.0018	U	.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-235	0.0018 pCi/g		0.0034	0.0035	U	1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	U-235	0.00659 pCi/g		0.0052	0.0054		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-235	0.00515 pCi/g		0.0048	0.0049		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-235	0.00388 pCi/g		0.0042	0.0043	U	1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	U-235	0.00155 pCi/g		0.0037	0.0038	U	2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-235	0.0026 pCi/g		0.0049	0.005	U	0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-235	0.00563 pCi/g		0.0055	0.0056	U	0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-235	0.0043 pCi/g		0.0056	0.0057	U	1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-235	0.00452 pCi/g		0.0058	0.0059	U	2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE
SESPMNT	B11JB6	400 E	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.107 pCi/g		0.018	0.027		NO CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J88	600 H	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.0914 pCi/g		0.017	0.024		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPSPEC	B11J89	600 I	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.0967 pCi/g		0.017	0.024		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J82	BENTON CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.221 pCi/g		0.027	0.048		1 CM CRUST, POWDER SOIL, SAMPLE SIEVED.		
SESPMNT	B11JC8	N END VERNITA BRIDGE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.173 pCi/g		0.024	0.039		1 CM CRUST, SANDY AND WET, SAMPLE SIEVED.		
SESPMNT	B11JC5	PROSSER BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.0774 pCi/g		0.016	0.021		1 CM CRUST, SANDY, BURNED AREA, SAMPLE SIEVED.		
SESPMNT	B11JB1	S OF 200 W	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.119 pCi/g		0.019	0.029		MEDIUM SAND, BURNED AREA NO CRUST, SAMPLE SIEVED.		
SESPMNT	B11JB7	SE SIDE OF FFTF	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.101 pCi/g		0.019	0.026		<0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JC4	WYE BARRICADE	ONSITE	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.0807 pCi/g		0.016	0.022		0.1 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JB5	YAKIMA BARRICADE	PERIMETER	SO	SURFACE	SURF_SOIL	05-Mar-01	U-238	0.0905 pCi/g		0.017	0.024		NO CRUST, LIGHT DRY SOIL, SAMPLE SIEVED.		
SESPMNT	B11JH2	100N SHORE ABOVE HGP	ONSITE	SO	SURFACE	SURF_SOIL	06-Mar-01	U-238	0.178 pCi/g		0.025	0.04		0.5 CM CRUST, FLUFFY LIGHT SAND AND DRY, SAMPLE SIEVED 1/4 INCH.		
SESPMNT	B11JD0	BERG RANCH	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-238	0.0802 pCi/g		0.016	0.022		NO CRUST, LIGHT DRY SOIL.		
SESPMNT	B11JB9	NORTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-238	0.568 pCi/g		0.049	0.11		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC1	SOUTH 300 AREA	ONSITE	SO	SURFACE	SURF_SOIL	12-Mar-01	U-238	0.179 pCi/g		0.026	0.041		2 CM CRUST, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J78	TAYLOR FLATS NO. 2	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-238	0.376 pCi/g		0.038	0.078		0.5 CM CRUST, ROCKY.		
SESPMNT	B11J77	W END OF FIR ROAD	PERIMETER	SO	SURFACE	SURF_SOIL	12-Mar-01	U-238	0.104 pCi/g		0.019	0.027		1 CM CRUST, LIGHT FLUFFY, SIEVED SAMPLE.		
SESPMNT	B11J94	200 ESE	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-238	0.12 pCi/g		0.02	0.03		NO CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J93	E OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	13-Mar-01	U-238	0.158 pCi/g		0.022	0.036		2 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11JC9	WAHLUKE SLOPE	PERIMETER	SO	SURFACE	SURF_SOIL	14-Mar-01	U-238	0.138 pCi/g		0.022	0.033		1 CM CRUST, LIGHT SOIL, SIEVED SAMPLE.		
SESPMNT	B11JH5	100 AREA FIRE STAT	ONSITE	SO	SURFACE	SURF_SOIL	16-Mar-01	U-238	0.145 pCi/g		0.021	0.034		0.5 CM CRUST, WET HEAVEY, SAMPLE SIEVED.		
SESPMNT	B11J92	200 ENC	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-238	0.113 pCi/g		0.019	0.028		CRUST, SAMPLE SIEVED.		
SESPMNT	B11J96	S OF 200 E	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-238	0.125 pCi/g		0.02	0.03		0.5 CM CRUST, SANDY, SIEVED SAMPLE.		
SESPMNT	B11J97	SW OF B/C CRIBS	ONSITE	SO	SURFACE	SURF_SOIL	19-Mar-01	U-238	0.088 pCi/g		0.017	0.023		NO CRUST, NEW BLOWN SAND, SIEVED SAMPLE.		
SESPMNT	B11JC7	ALE FIELD LAB	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-238	0.118 pCi/g		0.019	0.028		2.5 CM CRUST, LIGHT, BURNED, SIEVED SAMPLE.		
SESPMNT	B11JB3	RATTLESNAKE SPRINGS	PERIMETER	SO	SURFACE	SURF_SOIL	21-Mar-01	U-238	0.133 pCi/g		0.023	0.033		2 CM CRUST, LIGHT, SIEVED SAMPLE.		
SESPMNT	B11J85	MC NARY DAM	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-238	0.127 pCi/g		0.021	0.031		2 CM CRUST, SANDY AND LIGHT, SAMPLE SIEVED.		
SESPMNT	B11J86	WALLA WALLA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-238	0.243 pCi/g		0.028	0.051		0.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11J87	WASHTUCNA	DISTANT	SO	SURFACE	SURF_SOIL	26-Mar-01	U-238	0.116 pCi/g		0.021	0.029		2.5 CM CRUST, DAMP, SAMPLE SIEVED.		
SESPMNT	B11JH4	ABOVE 100D PUMPHOUSE	ONSITE	SO	SURFACE	SURF_SOIL	03-Apr-01	U-238	0.0915 pCi/g		0.018	0.024		1 CM CRUST, ROCKY, SIEVED SAMPLE.		
SESPSPEC	B11J90	BASIN FARM A	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.0862 pCi/g		0.017	0.023		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPSPEC	B11J91	BASIN FARM B	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.13 pCi/g		0.02	0.031		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J80	BYERS LANDING	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.156 pCi/g		0.022	0.036		1 CM CRUST, LIGHT, SANDY, DRY, SOIL SIEVED.		
SESPMNT	B11JD1	RINGOLD AREA	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.286 pCi/g		0.031	0.06		2 CM CRUST, DRY, CLAY, LIGHT, SOIL SIEVED.		
SESPMNT	B11J81	RIVRVIEW-HARRIS	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.0897 pCi/g		0.017	0.024		.1 CM CRUST, SANDY, DRY, SAMPLE SIEVED.		
SESPMNT	B11J79	SAGEMOOR FARM	PERIMETER	SO	SURFACE	SURF_SOIL	08-Jun-01	U-238	0.162 pCi/g		0.022	0.037		1 CM CRUST, ROCKY, SANDY, DRY, SAMPLE SIEVED.		

ENVIRONMENTAL SURVEILLANCE DATA CY01
SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	SAMPLE LOCATION
SESPMNT	B11J99	E OF 200 W GATE	ONSITE	SO	SURFACE	SURF_SOIL	22-Jun-01	U-238	0.238	pCi/g	0.028	0.051		0.5 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11J84	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-238	0.11	pCi/g	0.019	0.028		2 CM CRUST, ROCKY, LIGHT DRY, SAMPLE SIEVED.		
SESPMNT	B11J76	TOPPENISH	DISTANT	SO	SURFACE	SURF_SOIL	22-Jun-01	U-238	0.173	pCi/g	0.024	0.039		1 CM CRUST, DRY, CLAY, LARGE ROCKS, SAMPLE SIEVED.		
SESPMNT	B11JC3	HANFORD TOWNSITE	ONSITE	SO	SURFACE	SURF_SOIL	25-Jun-01	U-238	0.0646	pCi/g	0.017	0.021		2 CM CRUST, DRY, SANDY, SAMPLE SIEVED.		
SESPMNT	B11JF8	100 K AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-238	0.122	pCi/g	0.022	0.031		0.5 CM CRUST, ROCKY, DRY, LIGHT, SAMPLE SIEVED.		
SESPMNT	B11JH3	100N SPRING SHORELIN	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-238	0.122	pCi/g	0.023	0.032		0.5 CM CRUST, SANDY, ROCKY.		
SESPMNT	B11JH0	E OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-238	0.1	pCi/g	0.021	0.028		1 CM CRUST, DRY, LIGHT.		
SESPMNT	B11JF9	NE OF 100 N AREA	ONSITE	SO	SURFACE	SURF_SOIL	13-Jul-01	U-238	0.0911	pCi/g	0.02	0.026		2 CM CRUST, LIGHT, DRY, SAMPLE SIEVED.		
																RESTORATION WORK AT ORIGINAL SAMPLE LOCATION, COLLECTED ~100 YARDS SOUTH OF ORIGINAL SAMPLE

Sediment

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	ALPHA	13.2	pCi/g	5.5	6.2			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	BE-7	-0.0283	pCi/g	0.15	0.15	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	BETA	28.1	pCi/g	3.1	4.8			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	CO-60	0.00608	pCi/g	0.012	0.012	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	CS-134	0.0394	pCi/g	0.022	0.022	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	CS-137	1.88	pCi/g	0.23	0.23			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	EU-154	-0.0326	pCi/g	0.043	0.043	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	EU-155	0.0515	pCi/g	0.034	0.034	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	K-40	16	pCi/g	2	2			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	RU-106	0.0638	pCi/g	0.1	0.1	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	SB-125	0.0154	pCi/g	0.034	0.034	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	SR-90	0.752	pCi/g	0.1	0.2			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	TC-99	-0.0488	pCi/g	0.067	0.14	U		
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	U-234	2.46	pCi/g	0.091	0.45			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	U-235	0.0949	pCi/g	0.018	0.025			
SESPMNT	B134L5	WEST LAKE	ONSITE	SO	POND	SEDIMENT	08-Oct-01	U-238	2.4	pCi/g	0.09	0.44			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	BE-7	0.0758	pCi/g	0.22	0.22	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	BE-7	-0.203	pCi/g	0.24	0.24	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	0.0187	pCi/g	0.29	0.29	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	0.116	pCi/g	0.26	0.26	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	-0.152	pCi/g	0.33	0.33	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	BE-7	0.262	pCi/g	0.33	0.33	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	BE-7	0.0239	pCi/g	0.31	0.31	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	-0.103	pCi/g	0.33	0.33	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	BE-7	0.131	pCi/g	0.25	0.25	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	BE-7	0.0109	pCi/g	0.34	0.34	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	-0.022	pCi/g	0.3	0.3	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	BE-7	-0.0558	pCi/g	0.28	0.28	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	BE-7	-0.17	pCi/g	0.37	0.37	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	BE-7	0.015	pCi/g	0.21	0.21	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	BE-7	0.069	pCi/g	0.31	0.31	U		
SESPSPEC	B12RY5	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	BETA	33.3	pCi/g	3.4	5.7			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	CO-60	0.00684	pCi/g	0.021	0.021	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CO-60	0.0259	pCi/g	0.026	0.026	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	-0.000343	pCi/g	0.028	0.028	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	0.0136	pCi/g	0.027	0.027	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	-0.0141	pCi/g	0.036	0.036	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CO-60	0.0153	pCi/g	0.034	0.034	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CO-60	0.0248	pCi/g	0.03	0.03	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	0.124	pCi/g	0.042	0.042	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CO-60	0.00427	pCi/g	0.025	0.025	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CO-60	0.0551	pCi/g	0.04	0.04	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	0.0462	pCi/g	0.031	0.031	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CO-60	0.00338	pCi/g	0.028	0.028	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CO-60	-0.00234	pCi/g	0.036	0.036	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	CO-60	0.032	pCi/g	0.023	0.023	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CO-60	0.0509	pCi/g	0.031	0.031	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-134	0.0642	pCi/g	0.028	0.028	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CS-134	0.0575	pCi/g	0.032	0.032	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.112	pCi/g	0.039	0.039	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.109	pCi/g	0.059	0.059	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.0357	pCi/g	0.039	0.039	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-134	0.0414	pCi/g	0.034	0.034	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-134	0.0647	pCi/g	0.036	0.036	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.063	pCi/g	0.039	0.039	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-134	0.0372	pCi/g	0.029	0.029	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-134	0.0538	pCi/g	0.041	0.041	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.066	pCi/g	0.035	0.035	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-134	0.0324	pCi/g	0.033	0.033	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-134	0.0385	pCi/g	0.041	0.041	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	CS-134	0.023	pCi/g	0.026	0.026	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CS-134	0.0507	pCi/g	0.033	0.033	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-137	0.159	pCi/g	0.045	0.045			

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CS-137	0.027	pCi/g	0.026	0.026	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	0.196	pCi/g	0.05	0.05			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	0.129	pCi/g	0.044	0.044			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	0.355	pCi/g	0.078	0.078			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-137	0.246	pCi/g	0.068	0.068			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-137	0.389	pCi/g	0.077	0.077			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	1.1	pCi/g	0.15	0.15			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-137	0.221	pCi/g	0.049	0.049			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	CS-137	0.528	pCi/g	0.099	0.099			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	0.442	pCi/g	0.085	0.085			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-137	0.502	pCi/g	0.09	0.09			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	CS-137	0.444	pCi/g	0.1	0.1			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	CS-137	0.241	pCi/g	0.049	0.049			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	CS-137	0.578	pCi/g	0.098	0.098			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-154	-0.016	pCi/g	0.067	0.067	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	EU-154	-0.00273	pCi/g	0.089	0.089	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	-0.0717	pCi/g	0.09	0.09	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	-0.0815	pCi/g	0.096	0.096	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	0.101	pCi/g	0.11	0.11	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-154	0.05	pCi/g	0.081	0.081	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-154	-0.0274	pCi/g	0.087	0.087	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	0.123	pCi/g	0.11	0.11	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-154	0.0462	pCi/g	0.077	0.077	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-154	-0.00852	pCi/g	0.12	0.12	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	-0.0225	pCi/g	0.082	0.082	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-154	-0.125	pCi/g	0.096	0.096	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-154	-0.0479	pCi/g	0.1	0.1	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	EU-154	0.0892	pCi/g	0.066	0.066	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	EU-154	-0.043	pCi/g	0.088	0.088	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-155	0.069	pCi/g	0.062	0.062	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	EU-155	0.0594	pCi/g	0.064	0.064	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.0297	pCi/g	0.075	0.075	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.0357	pCi/g	0.097	0.097	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.123	pCi/g	0.087	0.087	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-155	0.08	pCi/g	0.084	0.084	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-155	0.0136	pCi/g	0.079	0.079	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.107	pCi/g	0.081	0.081	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-155	0.129	pCi/g	0.066	0.066	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	EU-155	0.0488	pCi/g	0.088	0.088	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.0851	pCi/g	0.072	0.072	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-155	0.0444	pCi/g	0.065	0.065	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	EU-155	0.00512	pCi/g	0.093	0.093	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	EU-155	0.0353	pCi/g	0.056	0.056	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	EU-155	0.0531	pCi/g	0.075	0.075	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	K-40	15.6	pCi/g	2.1	2.1			
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	K-40	9.92	pCi/g	1.6	1.6			
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	15.4	pCi/g	2.1	2.1			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	16.9	pCi/g	2.3	2.3			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	15.2	pCi/g	2.2	2.2			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	K-40	15.6	pCi/g	2.2	2.2			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	K-40	17.3	pCi/g	2.4	2.4			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	15.1	pCi/g	2.2	2.2			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	K-40	15.9	pCi/g	2.2	2.2			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	K-40	15	pCi/g	2.2	2.2			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	14.8	pCi/g	2	2			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	K-40	12.7	pCi/g	1.8	1.8			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	K-40	15	pCi/g	2.2	2.2			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	K-40	16.4	pCi/g	2.2	2.2			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	K-40	16.6	pCi/g	2.3	2.3			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-238	0.0000443	pCi/g	0.000073	0.000075	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	PU-238	0.0000273	pCi/g	0.000088	0.000089	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000158	pCi/g	0.00012	0.00013			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000264	pCi/g	0.00019	0.0002			

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000389	pCi/g	0.00018	0.00019			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-238	0.000196	pCi/g	0.00013	0.00013			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-238	0.000488	pCi/g	0.0002	0.00021			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000968	pCi/g	0.00033	0.00035			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-238	0.0000667	pCi/g	0.000074	0.000076	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-238	0.000267	pCi/g	0.00015	0.00015			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000119	pCi/g	0.00013	0.00013	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-238	0.000571	pCi/g	0.00019	0.0002			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-238	0.000359	pCi/g	0.00017	0.00018			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	PU-238	0.000049	pCi/g	0.00008	0.000081	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	PU-238	0.000266	pCi/g	0.00021	0.00021			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-239/240	0.00197	pCi/g	0.00045	0.00054			
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	PU-239/240	0.000398	pCi/g	0.00023	0.00023			
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.00573	pCi/g	0.00071	0.0011			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.0048	pCi/g	0.00078	0.001			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.00996	pCi/g	0.00089	0.0017			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-239/240	0.00795	pCi/g	0.00076	0.0013			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-239/240	0.00787	pCi/g	0.00078	0.0014			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.0316	pCi/g	0.0018	0.0048			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-239/240	0.00509	pCi/g	0.00062	0.00094			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	PU-239/240	0.0104	pCi/g	0.00087	0.0017			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.0091	pCi/g	0.0011	0.0017			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-239/240	0.00962	pCi/g	0.00076	0.0015			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	PU-239/240	0.00959	pCi/g	0.00088	0.0016			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	PU-239/240	0.00163	pCi/g	0.00043	0.00049			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	PU-239/240	0.0044	pCi/g	0.0008	0.001			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	RU-106	-0.117	pCi/g	0.19	0.19	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	RU-106	0.0173	pCi/g	0.2	0.2	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	0.114	pCi/g	0.24	0.24	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	-0.0143	pCi/g	0.25	0.25	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	0.0414	pCi/g	0.28	0.28	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	RU-106	0.0396	pCi/g	0.27	0.27	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	RU-106	0.0343	pCi/g	0.25	0.25	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	0.033	pCi/g	0.28	0.28	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	RU-106	0.186	pCi/g	0.22	0.22	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	RU-106	-0.0252	pCi/g	0.29	0.29	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	-0.0649	pCi/g	0.24	0.24	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	RU-106	-0.231	pCi/g	0.24	0.24	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	RU-106	-0.037	pCi/g	0.32	0.32	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	RU-106	0.000512	pCi/g	0.18	0.18	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	RU-106	0.0352	pCi/g	0.24	0.24	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	SB-125	0.00508	pCi/g	0.052	0.052	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	SB-125	-0.00437	pCi/g	0.06	0.06	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	0.0195	pCi/g	0.07	0.07	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	0.0146	pCi/g	0.066	0.066	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	0.0831	pCi/g	0.079	0.079	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SB-125	-0.0378	pCi/g	0.079	0.079	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SB-125	-0.000138	pCi/g	0.072	0.072	U		
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	0.0415	pCi/g	0.084	0.084	U		
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SB-125	0.0448	pCi/g	0.061	0.061	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SB-125	-0.0442	pCi/g	0.084	0.084	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	-0.0183	pCi/g	0.071	0.071	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	SB-125	0.0289	pCi/g	0.067	0.067	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	SB-125	-0.00997	pCi/g	0.089	0.089	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	SB-125	0.0122	pCi/g	0.057	0.057	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	SB-125	0.0479	pCi/g	0.074	0.074	U		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	SR-90	-0.0103	pCi/g	0.018	0.018	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	SR-90	0.00207	pCi/g	0.02	0.02	U		
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	0.00286	pCi/g	0.019	0.021	U		
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	-0.00338	pCi/g	0.02	0.02	U		
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	0.0088	pCi/g	0.018	0.02	U		
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SR-90	0.00637	pCi/g	0.022	0.023	U		
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SR-90	0.00252	pCi/g	0.02	0.021	U		

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	0.0434	pCi/g	0.025	0.028			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SR-90	-0.00999	pCi/g	0.016	0.019	U		
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	SR-90	0.00824	pCi/g	0.02	0.021	U		
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	0.0182	pCi/g	0.02	0.023	U		
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	SR-90	-0.00432	pCi/g	0.017	0.019	U		
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	SR-90	0.0217	pCi/g	0.021	0.023	U		
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	SR-90	-0.00733	pCi/g	0.023	0.023	U		
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	SR-90	-0.0135	pCi/g	0.015	0.017	U		
SESPMNT	B12CT0	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	TOC	2030	mg/kg			N		
SESPMNT	B12CT1	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	TOC	1130	mg/kg					
SESPSPEC	B12CT2	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	12700	mg/kg					
SESPSPEC	B12CT3	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	7000	mg/kg					
SESPSPEC	B12CT4	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	15700	mg/kg					
SESPSPEC	B12CT5	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	TOC	13200	mg/kg					
SESPSPEC	B12CT6	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	TOC	10300	mg/kg					
SESPMNT	B12CT8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	13500	mg/kg					
SESPSPEC	B12CT7	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	TOC	10600	mg/kg					
SESPSPEC	B12CT9	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	4460	mg/kg					
SESPMNT	B12CV0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	13400	mg/kg					
SESPMNT	B12CV1	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	TOC	14100	mg/kg			N		
SESPMNT	B12CV2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	TOC	10300	mg/kg			N		
SESPMNT	B12CV3	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	TOC	4170	mg/kg					
SESPMNT	B12CV4	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	TOC	16500	mg/kg			EN		
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-234	0.133	pCi/g	0.021	0.032			
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-234	0.125	pCi/g	0.02	0.03			
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	0.878	pCi/g	0.067	0.17			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	0.796	pCi/g	0.05	0.15			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	1.09	pCi/g	0.058	0.2			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-234	0.808	pCi/g	0.05	0.15			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-234	0.803	pCi/g	0.05	0.15			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	0.731	pCi/g	0.061	0.15			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-234	0.51	pCi/g	0.039	0.1			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-234	0.862	pCi/g	0.052	0.16			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	0.873	pCi/g	0.06	0.17			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-234	0.459	pCi/g	0.039	0.091			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-234	0.818	pCi/g	0.051	0.15			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	U-234	0.165	pCi/g	0.032	0.044			
SESPSPEC	B12T03	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-234	0.064312479	pCi/g					
SESPSPEC	B12RY5	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-234	0.23	pCi/g	0.027	0.05			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-234	0.474	pCi/g	0.037	0.093			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-235	0.00226	pCi/g	0.0035	0.0036	U		
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-235	0.00459	pCi/g	0.0044	0.0045			
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0217	pCi/g	0.012	0.012			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0172	pCi/g	0.0081	0.0088			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0151	pCi/g	0.0073	0.0079			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-235	0.0212	pCi/g	0.0083	0.0093			
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-235	0.0196	pCi/g	0.0082	0.009			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0197	pCi/g	0.01	0.011			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-235	0.0213	pCi/g	0.0084	0.0093			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-235	0.0324	pCi/g	0.01	0.012			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0278	pCi/g	0.011	0.012			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-235	0.0182	pCi/g	0.0081	0.0088			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-235	0.0367	pCi/g	0.011	0.013			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	U-235	0.0108	pCi/g	0.0091	0.0094	U		
SESPSPEC	B12T03	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-235	0.002681376	pCi/g					
SESPSPEC	B12RY5	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-235	0.0055	pCi/g	0.0048	0.0049			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-235	0.0133	pCi/g	0.0065	0.007			
SESPMNT	B12CL6	100 F SLOUGH	ONSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-238	0.122	pCi/g	0.02	0.03			
SESPMNT	B12CK8	HANFORD SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-238	0.133	pCi/g	0.02	0.031			
SESPSPEC	B12CJ0	ICE HARBOR-FRANKLIN SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.649	pCi/g	0.058	0.13			
SESPSPEC	B12CJ1	ICE HARBOR-MID RIVER	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.524	pCi/g	0.041	0.1			
SESPSPEC	B12CH3	ICE HARBOR-WALLA WALLA SHORE	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.685	pCi/g	0.046	0.13			
SESPSPEC	B12CL2	MCNARY-1/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-238	0.65	pCi/g	0.045	0.12			

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12CL3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-238	0.635	pCi/g	0.045	0.12			
SESPMNT	B12CN0	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.591	pCi/g	0.055	0.12			
SESPSPEC	B12CL1	MCNARY-OREGON SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-238	0.394	pCi/g	0.035	0.078			
SESPSPEC	B12CL4	MCNARY-WASH. SHORE	OFFSITE	SO	RIVER	SEDIMENT	20-Jul-01	U-238	0.612	pCi/g	0.044	0.12			
SESPMNT	B12CN2	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.652	pCi/g	0.052	0.13			
SESPMNT	B12CM4	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-238	0.46	pCi/g	0.039	0.091			
SESPMNT	B12CM2	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	RIVER	SEDIMENT	19-Jul-01	U-238	0.6	pCi/g	0.043	0.12			
SESPMNT	B12CK9	RICHLAND-RIVER	RIVER_SHORELINE	SO	RIVER	SEDIMENT	23-Jul-01	U-238	0.117	pCi/g	0.026	0.034			
SESPSPEC	B12T03	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-238	0.062677164	pCi/g					
SESPSPEC	B12RY5	VERNITA BRIDGE -1	ONSITE	SO	RIVER	SEDIMENT	28-Aug-01	U-238	0.186	pCi/g	0.025	0.042			
SESPMNT	B12CL5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	RIVER	SEDIMENT	19-Jul-01	U-238	0.378	pCi/g	0.033	0.075			
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	BE-7	-0.0314	pCi/g	0.11	0.11	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	BE-7	0.0983	pCi/g	0.1	0.1	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BE-7							NO SAMPLE.
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BE-7	0.0108	pCi/g	0.1	0.1	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	BE-7							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BETA							NO SAMPLE.
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BETA	29.7	pCi/g	3.3	5.1			
SESPSPEC	B12RY9	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BETA	22.2	pCi/g	2.9	4.2			
SESPSPEC	B12T01	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	BETA	20.9	pCi/g	2.8	4			
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CO-60	0.0224	pCi/g	0.013	0.013	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CO-60	0.0162	pCi/g	0.011	0.011	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CO-60							NO SAMPLE.
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CO-60	0.000667	pCi/g	0.0089	0.0089	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CO-60							NO SAMPLE.
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CS-134	0.059	pCi/g	0.02	0.02	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CS-134	0.068	pCi/g	0.019	0.019	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134							NO SAMPLE.
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CS-134							NO SAMPLE.
SESPMNT	B12X28	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134	0.054	pCi/g	0.018	0.018	U		
SESPMNT	B12RL9	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CS-134							NO SAMPLE.
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134							NO SAMPLE.
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134							NO SAMPLE.
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-134							NO SAMPLE.
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CS-137	0.0747	pCi/g	0.019	0.019			
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	CS-137	0.145	pCi/g	0.025	0.025			
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CS-137							NO SAMPLE.
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	CS-137	0.0379	pCi/g	0.013	0.013			
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	CS-137							NO SAMPLE.
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	EU-154	-0.0229	pCi/g	0.041	0.041	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	EU-154	-0.0125	pCi/g	0.032	0.032	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154							NO SAMPLE.
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154							NO SAMPLE.
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	EU-154							NO SAMPLE.
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154							NO SAMPLE.
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	EU-154	-0.000208	pCi/g	0.031	0.031	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154							NO SAMPLE.

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-154						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	EU-155	0.0882	pCi/g	0.036	0.036	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	EU-155	0.0697	pCi/g	0.031	0.031	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	EU-155						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	EU-155	0.0643	pCi/g	0.027	0.027	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	EU-155						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	K-40	14.7	pCi/g	1.8	1.8			
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	K-40	14	pCi/g	1.7	1.7			
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	K-40						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	K-40	15.1	pCi/g	1.8	1.8			
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	K-40						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	RU-106	0.0356	pCi/g	0.092	0.092	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	RU-106	-0.0163	pCi/g	0.084	0.084	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	RU-106						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	RU-106	0.0224	pCi/g	0.073	0.073	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	RU-106						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	SB-125	-0.00221	pCi/g	0.026	0.026	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	SB-125	0.00499	pCi/g	0.026	0.026	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	SB-125						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	SB-125	0.0031	pCi/g	0.019	0.019	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SB-125						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	SR-90	0.00297	pCi/g	0.021	0.025	U		
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	SR-90	0.0018	pCi/g	0.023	0.025	U		
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	SR-90						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	SR-90	0.0117	pCi/g	0.049	0.05	U		
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	SR-90						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-234	0.476	pCi/g	0.045	0.097			
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-234	0.702	pCi/g	0.052	0.14			
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPSPEC	B12T05	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	1.470445515	pCi/g					
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPSPEC	B12T04	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	0.896003955	pCi/g					
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	2.71	pCi/g	0.092	0.49			
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPSPEC	B12T06	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	1.472943087	pCi/g					

ENVIRONMENTAL SURVEILLANCE DATA CY01

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B12RY9	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	1.85	pCi/g	0.076	0.34			
SESPSPEC	B12T07	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	0.070556409	pCi/g					
SESPSPEC	B12T01	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-234	0.328	pCi/g	0.033	0.068			
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-234						NO SAMPLE.	
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-235	0.0139	pCi/g	0.0085	0.0089			
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-235	0.0597	pCi/g	0.015	0.019			
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPSPEC	B12T05	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.066543535	pCi/g					
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPSPEC	B12T04	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.040367683	pCi/g					
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.102	pCi/g	0.018	0.026			
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPSPEC	B12T06	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.065762909	pCi/g					
SESPSPEC	B12RY9	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.0757	pCi/g	0.015	0.021			
SESPSPEC	B12T07	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.002869505	pCi/g					
SESPSPEC	B12T01	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-235	0.00987	pCi/g	0.0061	0.0065			
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-235						NO SAMPLE.	
SESPSPEC	B12T05	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-236	0.039442176	pCi/g					
SESPSPEC	B12T04	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-236	0.024067512	pCi/g					
SESPSPEC	B12T06	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-236	0.038793456	pCi/g					
SESPSPEC	B12T07	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-236	3.11386E-05	pCi/g					
SESPMNT	B12X20	100-B SPRING 38-3	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-238	0.413	pCi/g	0.042	0.085			
SESPMNT	B12X35	100-F SPRING 207-1	ONSITE	SO	SEEP	SEDIMENT	22-Oct-01	U-238	0.654	pCi/g	0.05	0.13			
SESPMNT	B12X31	100-K SPRING 63-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	
SESPMNT	B12X33	100-K SPRING 77-1	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	
SESPSPEC	B12T05	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	1.270972224	pCi/g					
SESPMNT	B12RM3	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238						NO SAMPLE.	
SESPMNT	B12X28	300 AREA SPR DR 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	
SESPSPEC	B12T04	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	0.784637652	pCi/g					
SESPMNT	B12RL9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	2.45	pCi/g	0.088	0.44			
SESPMNT	B12WX9	300 AREA SPRING 42-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	
SESPSPEC	B12T06	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	1.271307396	pCi/g					
SESPSPEC	B12RY9	300 SPR 11	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	1.79	pCi/g	0.074	0.33			
SESPSPEC	B12T07	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	0.050610972	pCi/g					
SESPSPEC	B12T01	300 SPR 14	ONSITE	SO	SEEP	SEDIMENT	27-Aug-01	U-238	0.346	pCi/g	0.034	0.071			
SESPMNT	B12X25	HANFORD SPR DR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	
SESPMNT	B12X23	HANFORD SPR UR 28-2	ONSITE	SO	SEEP	SEDIMENT	24-Sep-01	U-238						NO SAMPLE.	

Table S-1. Metals in Columbia and Snake River and Riverbank Springs Sediment, 2001
(concentrations in µg/g dry wt - not blank corrected)

Samp Num	Samp Site Name	Samp Date	Ag	Be	Cr	Ni	Cu	Zn	As	Se	Cd	Sb	Tl	Pb	Hg
Columbia and Snake River															
B12CH5	ICE HARBOR-FRANKLIN SHORE	07/23/01	0.345	1.78	55.7	21.5	30.4	136	7.43	0.505 ^(a)	0.193	0.773	0.499	17.6	0.0659
B12CH7	ICE HARBOR-MID RIVER	07/23/01	0.420	1.56	71.0	31.7	33.4	316	8.16	0.798 ^(a)	1.89	0.793	0.862	28.2	0.102
B12CH9	ICE HARBOR-WALLA WALLA SHORE	07/23/01	0.378	1.78	58.7	22.6	33.4	131	8.31	0.535 ^(a)	0.242	0.742	0.462	16.9	0.0691
B12CJ7	100 F SLOUGH	07/19/01	0.297	1.54	76.1	17.0	20.7	212	4.27	0.464 ^(a)	0.605	0.546	0.599	21.7	0.0042
B12CJ9	HANFORD SLOUGH	07/19/01	0.274	1.60	64.5	21.3	13.1	108	3.53	1.52 ^(a)	0.297	0.469	0.601	16.8	0.0018
B12CK1	RICHLAND-RIVER	07/23/01	0.325	1.34	52.6	18.2	26.1	366	7.35	0.347 U	1.50	0.809	0.716	57.3	0.0114
B12CK3	MCNARY-OREGON SHORE	07/20/01	0.294	1.47	51.3	21.9	25.7	175	6.64	0.347 U	0.935	0.640	0.621	18.2	0.0438
B12CK5	MCNARY-WASH. SHORE	07/20/01	0.295	1.28	59.7	21.6	21.2	223	4.49	0.347 U	0.824	0.524	0.600	17.0	0.0374
B12CJ3	MCNARY-1/3 OR. SHORE	07/20/01	0.414	1.71	70.5	30.4	36.0	280	9.16	0.957 ^(a)	1.61	0.822	0.740	26.3	0.0768
B12CK7	MCNARY-2/3 OR. SHORE	07/20/01	0.349	1.41	72.8	24.3	32.9	375	12.2	0.403 ^(a)	2.20	0.861	0.823	51.5	0.0374
B12CM7	MCNARY-OR.SIDE NEAR DAM	07/23/01	0.375	1.70	70.4	28.0	39.1	345	10.2	0.611 ^(a)	4.32	1.14	0.880	36.9	0.312
B12CM9	MCNARY-WASH.SIDE NEAR DAM	07/23/01	0.417	1.80	70.2	30.1	37.0	322	8.33	0.539 ^(a)	2.53	0.843	0.846	31.0	0.123
B12CL9	PRD-YAKIMA SIDE NEAR DAM	07/19/01	0.397	1.48	80.1	37.5	38.5	510 ^(b)	8.23	0.347 U	5.01	0.799	0.910	56.3	0.137
B12CM1	PRD-GRANT SIDE NEAR DAM	07/19/01	0.502	1.59	93.0	46.2	58.9	616 ^(b)	9.57	1.68 ^(a)	7.98	1.08	1.88	55.6	0.169
B12RY7	VERNITA BRIDGE -1	08/28/01	0.334	1.66	66.2	22.4	27.3	148	6.48	0.347 U	0.553	0.728	0.491	33.2	0.0135
Riverbank Springs															
B12X22	100-B SPRING 38-3	10/22/2001	0.033 U	1.29	85.6	15.7	12.8	141	2.26	0.347 U	0.769	0.392	0.770	17.6	
B12X37	100-F SPRING 207-1	10/22/2001	0.0477	1.32	87.6	19.8	21.7	199	3.85	0.347 U	0.871	0.620	0.607	26.2	
B12RY8	300 SPR 11	08/27/01	0.206	1.24	34.1	12.0	11.4	128	3.35	0.347 U	0.343	0.536	0.423	15.8	0.000896 U
B12T08	300 SPR 14	08/27/01	0.224	1.34	43.2	16.3	16.8	154	5.89	0.347 U	0.341	0.498	0.435	16.6	0.000896 U
B12RL7	300 AREA SPRING 42-2	08/27/01	0.236	1.42	77.9	19.5	15.7	144	6.60	0.347 U	0.363	0.717	0.513	18.5	0.000896 U
B12RM5	300 AREA SPR DR 42-2	08/27/01	0.233	1.26	55.0	18.4	21.3	215	7.84	0.504 ^(a)	0.867	0.564	0.589	22.7	0.0144

U -Analyzed but not detected or is represented by the analytical detection limit.

(a) Detected in blank.

(b) Estimated value.

Table S-2. Metals in Riverbank Spring Sediment from the 300 Area Nearshore Study, 2001
(concentrations in µg/g dry wt)

<u>Samp Num</u>	<u>Samp Site Name</u>	<u>Samp Date</u>	<u>Hg</u>	<u>Be</u>	<u>Cr</u>	<u>Ni</u>	<u>Cu</u>	<u>Zn</u>	<u>As</u>	<u>Se</u>	<u>Ag</u>	<u>Cd</u>	<u>Sb</u>	<u>Tl</u>	<u>Pb</u>
B12RM5	300 AREA SPR DR 42-2	08/27/01	0.000896 U	1.42	77.9	19.5	15.7	144	6.60	0.301	0.236	0.363	0.717	0.513	18.5
B12RL7	300 AREA SPRING 42-2	08/27/01	0.0144	1.26	55.0	18.4	21.3	215	7.84	0.504	0.233	0.867	0.564	0.589	22.7
B12RY8	300 SPR 11	08/27/01	0.000896 U	1.24	34.1	12.0	11.4	128	3.35	0.0312	0.206	0.343	0.536	0.423	15.8
B12T08	300 SPR 14	08/27/01	0.000896 U	1.34	43.2	16.3	16.8	154	5.89	0.347	0.224	0.341	0.498	0.435	16.6
B12RY7	VERNITA BRIDGE -1	08/28/01	0.0135	1.66	66.2	22.4	27.3	148	6.48	0	0.334	0.553	0.728	0.491	33.2

U -Analyzed but not detected or is represented by the analytical detection limit.

External Radiation

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11KX7	100 D AREA	ONSITE	ER	27-Mar-01	TLD	0.203 mR/d		0.014		TLD WAS DISCOVERED ON GROUND. TLD WAS PLACED IN A BAGGIE AND RECLIPPED TO THE TLD STAKE.	
SESPMNT	B126B7	100 D AREA	ONSITE	ER	27-Jun-01	TLD	0.229 mR/d		0.005			
SESPMNT	B12W46	100 D AREA	ONSITE	ER	18-Sep-01	TLD	0.256 mR/d		0.013			
SESPMNT	B13PT5	100 D AREA	ONSITE	ER	26-Dec-01	TLD	0.257 mR/d		0.002			
SESPMNT	B11KW0	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	29-Mar-01	TLD	0.237 mR/d		0.008			
SESPMNT	B12699	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	25-Jun-01	TLD	0.228 mR/d		0.017			
SESPMNT	B12W29	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	18-Sep-01	TLD	0.236 mR/d		0.005			
SESPMNT	B13NV3	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	21-Dec-01	TLD	0.256 mR/d		0.005			
SESPMNT	B11L04	100 F MET TOWER	ONSITE	ER	27-Mar-01	TLD	0.238 mR/d		0.005			
SESPMNT	B126D3	100 F MET TOWER	ONSITE	ER	27-Jun-01	TLD	0.226 mR/d		0.008			
SESPMNT	B12W63	100 F MET TOWER	ONSITE	ER	18-Sep-01	TLD	0.23 mR/d		0.015			
SESPMNT	B13PW1	100 F MET TOWER	ONSITE	ER	26-Dec-01	TLD	0.257 mR/d		0.001			
SESPMNT	B11L09	100 H AREA	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.243 mR/d		0.013			
SESPMNT	B125W9	100 H AREA	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.228 mR/d		0.001			
SESPMNT	B12W66	100 H AREA	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.223 mR/d		0.003			
SESPMNT	B13NY6	100 H AREA	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.25 mR/d		0.002			
SESPMNT	B11KX8	100 K AREA	ONSITE	ER	27-Mar-01	TLD	0.241 mR/d		0.007			
SESPMNT	B126B8	100 K AREA	ONSITE	ER	27-Jun-01	TLD	0.195 mR/d		0.004			
SESPMNT	B12W47	100 K AREA	ONSITE	ER	18-Sep-01	TLD	0.2 mR/d		0.001			
SESPMNT	B13PT6	100 K AREA	ONSITE	ER	26-Dec-01	TLD	0.226 mR/d		0.009			
SESPMNT	B11KR9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.35 mR/d		0.001			
SESPMNT	B125R1	100 N TRENCH SPRING	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.353 mR/d		0.006			
SESPMNT	B12W16	100 N TRENCH SPRING	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.344 mR/d		0.006			
SESPMNT	B13NR0	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.363 mR/d		0.005			
SESPMNT	B11KW6	100-D ISLAND	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.214 mR/d		0.006			
SESPMNT	B125T8	100-D ISLAND	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.206 mR/d		0.003			
SESPMNT	B12W35	100-D ISLAND	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.21 mR/d		0.006			
SESPMNT	B13NV9	100-D ISLAND	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.238 mR/d		0.004			
SESPMNT	B11L80	200 ESE	ONSITE	ER	19-Mar-01	TLD	0.224 mR/d		0.005			
SESPMNT	B125V9	200 ESE	ONSITE	ER	19-Jun-01	TLD	0.232 mR/d		0.007			
SESPMNT	B12X11	200 ESE	ONSITE	ER	25-Sep-01	TLD	0.237 mR/d		0.005			
SESPMNT	B13NX6	200 ESE	ONSITE	ER	17-Dec-01	TLD	0.26 mR/d		0.002			
SESPMNT	B11L81	200 TEL. EXCHANGE	ONSITE	ER	19-Mar-01	TLD	0.231 mR/d		0.003			
SESPMNT	B125W0	200 TEL. EXCHANGE	ONSITE	ER	19-Jun-01	TLD	0.208 mR/d		0.002			
SESPMNT	B12X12	200 TEL. EXCHANGE	ONSITE	ER	25-Sep-01	TLD	0.232 mR/d		0.008			
SESPMNT	B13NX7	200 TEL. EXCHANGE	ONSITE	ER	17-Dec-01	TLD	0.265 mR/d		0.004			
SESPMNT	B11L82	200 W SE	ONSITE	ER	19-Mar-01	TLD	0.228 mR/d		0.003			
SESPMNT	B125W1	200 W SE	ONSITE	ER	19-Jun-01	TLD	0.227 mR/d		0.002		TLD FOUND ON GROUND.	
SESPMNT	B12X13	200 W SE	ONSITE	ER	25-Sep-01	TLD	0.227 mR/d		0.003			
SESPMNT	B13NX8	200 W SE	ONSITE	ER	17-Dec-01	TLD	0.236 mR/d		0.005			
SESPMNT	B11KY8	300 NE	ONSITE	ER	21-Mar-01	TLD	0.227 mR/d		0.004			
SESPMNT	B126C8	300 NE	ONSITE	ER	28-Jun-01	TLD	0.231 mR/d		0.005			
SESPMNT	B12W57	300 NE	ONSITE	ER	19-Sep-01	TLD	0.245 mR/d		0.018			
SESPMNT	B13PV6	300 NE	ONSITE	ER	27-Dec-01	TLD	0.249 mR/d		0			
SESPMNT	B11KY6	300 SOUTH GATE	ONSITE	ER	21-Mar-01	TLD	0.229 mR/d		0.011			
SESPMNT	B126C6	300 SOUTH GATE	ONSITE	ER	28-Jun-01	TLD	0.213 mR/d		0.009			
SESPMNT	B12W55	300 SOUTH GATE	ONSITE	ER	19-Sep-01	TLD	0.226 mR/d		0.014			
SESPMNT	B13PV4	300 SOUTH GATE	ONSITE	ER	27-Dec-01	TLD	0.244 mR/d		0.01			
SESPMNT	B11KY7	300 SOUTHWEST GATE	ONSITE	ER	21-Mar-01	TLD	0.231 mR/d		0.019			
SESPMNT	B126C7	300 SOUTHWEST GATE	ONSITE	ER	28-Jun-01	TLD	0.204 mR/d		0.002			
SESPMNT	B12W56	300 SOUTHWEST GATE	ONSITE	ER	19-Sep-01	TLD	0.209 mR/d		0.007			
SESPMNT	B13PV5	300 SOUTHWEST GATE	ONSITE	ER	27-Dec-01	TLD	0.237 mR/d		0.008			
SESPMNT	B11KY3	300 TRENCH	ONSITE	ER	21-Mar-01	TLD	0.218 mR/d		0.006			
SESPMNT	B126C3	300 TRENCH	ONSITE	ER	28-Jun-01	TLD	0.225 mR/d		0.005			
SESPMNT	B12W52	300 TRENCH	ONSITE	ER	19-Sep-01	TLD	0.224 mR/d		0.007			
SESPMNT	B13PV1	300 TRENCH	ONSITE	ER	27-Dec-01	TLD	0.24 mR/d		0.002			
SESPMNT	B11KY5	300 WATER INTAKE	ONSITE	ER	21-Mar-01	TLD	0.221 mR/d		0			
SESPMNT	B126C5	300 WATER INTAKE	ONSITE	ER	28-Jun-01	TLD	0.21 mR/d		0.003			
SESPMNT	B12W54	300 WATER INTAKE	ONSITE	ER	19-Sep-01	TLD	0.213 mR/d		0.004			
SESPMNT	B13PV3	300 WATER INTAKE	ONSITE	ER	27-Dec-01	TLD	0.235 mR/d		0.004			
SESPMNT	B11KY4	3705 BLDG. 300 AREA	ONSITE	ER	21-Mar-01	TLD	0.236 mR/d		0.008			
SESPMNT	B126C4	3705 BLDG. 300 AREA	ONSITE	ER	28-Jun-01	TLD	0.209 mR/d		0.01			
SESPMNT	B12W53	3705 BLDG. 300 AREA	ONSITE	ER	19-Sep-01	TLD	0.216 mR/d		0.006			
SESPMNT	B13PV2	3705 BLDG. 300 AREA	ONSITE	ER	27-Dec-01	TLD	0.241 mR/d		0.001			
SESPMNT	B11KY9	400 E	ONSITE	ER	27-Mar-01	TLD	0.22 mR/d		0.002			
SESPMNT	B126C9	400 E	ONSITE	ER	27-Jun-01	TLD	0.223 mR/d		0.001			
SESPMNT	B12W58	400 E	ONSITE	ER	18-Sep-01	TLD	0.221 mR/d		0.005			
SESPMNT	B13PV7	400 E	ONSITE	ER	26-Dec-01	TLD	0.235 mR/d		0.013			
SESPMNT	B11L00	400 N	ONSITE	ER	27-Mar-01	TLD	0.225 mR/d		0.005			
SESPMNT	B126D0	400 N	ONSITE	ER	27-Jun-01	TLD	0.218 mR/d		0.003			
SESPMNT	B12W59	400 N	ONSITE	ER	18-Sep-01	TLD	0.206 mR/d		0.003			
SESPMNT	B13PV8	400 N	ONSITE	ER	26-Dec-01	TLD	0.234 mR/d		0.007			
SESPMNT	B11L01	400 S	ONSITE	ER	27-Mar-01	TLD	0.224 mR/d		0.001			
SESPMNT	B126D1	400 S	ONSITE	ER	27-Jun-01	TLD	0.212 mR/d		0.001			

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12W60	400 S	ONSITE	ER	18-Sep-01	TLD	0.214	mR/d	0.009			
SESPMNT	B13PV9	400 S	ONSITE	ER	26-Dec-01	TLD	0.25	mR/d	0.005			
SESPMNT	B11L02	400 W	ONSITE	ER	27-Mar-01	TLD	0.236	mR/d	0.004			
SESPMNT	B126D2	400 W	ONSITE	ER	27-Jun-01	TLD	0.218	mR/d	0.01			
SESPMNT	B12W61	400 W	ONSITE	ER	18-Sep-01	TLD	0.236	mR/d	0.01			
SESPMNT	B13PW0	400 W	ONSITE	ER	26-Dec-01	TLD	0.247	mR/d	0.01			
SESPMNT	B11KW3	ABOVE 100 B AREA	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.231	mR/d	0.004			
SESPMNT	B125T5	ABOVE 100 B AREA	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.237	mR/d	0.002			
SESPMNT	B12W32	ABOVE 100 B AREA	RIVER_SHORELINE	ER	17-Sep-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B13NV6	ABOVE 100 B AREA	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.267	mR/d	0.005			
SESPMNT	B11KW2	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.234	mR/d	0.002			
SESPMNT	B125T4	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.214	mR/d	0.002			
SESPMNT	B12W31	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.229	mR/d	0.003			
SESPMNT	B13NV5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.238	mR/d	0.004			
SESPMNT	B11KT1	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.253	mR/d	0.007			
SESPMNT	B125R4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.247	mR/d	0.006			
SESPMNT	B12W18	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.256	mR/d	0.004			
SESPMNT	B13NR3	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.262	mR/d	0.001			
SESPMNT	B11L69	ARMY LOOP CAMP	ONSITE	ER	19-Mar-01	TLD	0.232	mR/d	0.004			
SESPMNT	B125P7	ARMY LOOP CAMP	ONSITE	ER	19-Jun-01	TLD	0.225	mR/d	0.006			
SESPMNT	B12WW8	ARMY LOOP CAMP	ONSITE	ER	25-Sep-01	TLD	0.234	mR/d	0.002			
SESPMNT	B13NP6	ARMY LOOP CAMP	ONSITE	ER	17-Dec-01	TLD	0.256	mR/d	0.013			
SESPMNT	B11L79	B POND	ONSITE	ER	19-Mar-01	TLD	0.251	mR/d	0.003			
SESPMNT	B125V8	B POND	ONSITE	ER	19-Jun-01	TLD	0.256	mR/d	0			
SESPMNT	B12X10	B POND	ONSITE	ER	25-Sep-01	TLD	0.264	mR/d	0.001			
SESPMNT	B13NX5	B POND	ONSITE	ER	17-Dec-01	TLD	0.277	mR/d	0.006			
SESPMNT	B11L86	BASIN CITY SCHOOL	COMMUNITY	ER	29-Mar-01	TLD	0.213	mR/d	0.002			
SESPMNT	B125W5	BASIN CITY SCHOOL	COMMUNITY	ER	21-Jun-01	TLD	0.202	mR/d	0.006			
SESPMNT	B12X17	BASIN CITY SCHOOL	COMMUNITY	ER	26-Sep-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B13NY2	BASIN CITY SCHOOL	COMMUNITY	ER	19-Dec-01	TLD	0.227	mR/d	0.01			
SESPMNT	B11KY2	BATTELLE COMPLEX	PERIMETER	ER	21-Mar-01	TLD	0.215	mR/d	0.007			
SESPMNT	B126C2	BATTELLE COMPLEX	PERIMETER	ER	28-Jun-01	TLD	0.211	mR/d	0			
SESPMNT	B12W51	BATTELLE COMPLEX	PERIMETER	ER	19-Sep-01	TLD	0.212	mR/d	0			
SESPMNT	B13PV0	BATTELLE COMPLEX	PERIMETER	ER	27-Dec-01	TLD	0.239	mR/d	0.009			
SESPMNT	B11KW5	BELOW 100 D AREA	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.208	mR/d	0.002			
SESPMNT	B125T7	BELOW 100 D AREA	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.197	mR/d	0.005			
SESPMNT	B12W34	BELOW 100 D AREA	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.204	mR/d	0.003			
SESPMNT	B13NV8	BELOW 100 D AREA	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.234	mR/d	0.009			
SESPMNT	B11KX0	BELOW 100 F	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.223	mR/d	0.009			
SESPMNT	B125V2	BELOW 100 F	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.212	mR/d	0.008			
SESPMNT	B12W39	BELOW 100 F	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.223	mR/d	0.003			
SESPMNT	B13NW3	BELOW 100 F	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.229	mR/d	0.006			
SESPMNT	B11KW4	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.259	mR/d	0			
SESPMNT	B125T6	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.254	mR/d	0.004			
SESPMNT	B12W33	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.251	mR/d	0.007			
SESPMNT	B13NV7	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.296	mR/d	0.016			
SESPMNT	B11KT0	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.32	mR/d	0.019			
SESPMNT	B125R3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.287	mR/d	0.006			
SESPMNT	B12W17	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.294	mR/d	0.01			
SESPMNT	B13NR2	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.306	mR/d	0.008			
SESPMNT	B11KY1	BENTON CITY	COMMUNITY	ER	22-Mar-01	TLD	0.238	mR/d	0.018			
SESPMNT	B126C1	BENTON CITY	COMMUNITY	ER	29-Jun-01	TLD	0.21	mR/d	0.008			
SESPMNT	B12W50	BENTON CITY	COMMUNITY	ER	21-Sep-01	TLD	0.225	mR/d	0.005			
SESPMNT	B13PT9	BENTON CITY	COMMUNITY	ER	28-Dec-01	TLD	0.269	mR/d	0			
SESPMNT	B11L84	BYERS LANDING	PERIMETER	ER	29-Mar-01	TLD	0.3	mR/d	0.001			
SESPMNT	B125W3	BYERS LANDING	PERIMETER	ER	21-Jun-01	TLD	0.253	mR/d	0.011			
SESPMNT	B12X15	BYERS LANDING	PERIMETER	ER	26-Sep-01	TLD	0.256	mR/d	0.001			
SESPMNT	B13NY0	BYERS LANDING	PERIMETER	ER	19-Dec-01	TLD	0.278	mR/d	0.013			
SESPMNT	B11L71	DOGWOOD MET TOWER	PERIMETER	ER	29-Mar-01	TLD	0.259	mR/d	0.009			
SESPMNT	B125P9	DOGWOOD MET TOWER	PERIMETER	ER	21-Jun-01	TLD	0.252	mR/d	0.004			
SESPMNT	B12WX0	DOGWOOD MET TOWER	PERIMETER	ER	26-Sep-01	TLD	0.252	mR/d	0.008			
SESPMNT	B13NP8	DOGWOOD MET TOWER	PERIMETER	ER	19-Dec-01	TLD	0.271	mR/d	0.009			
SESPMNT	B11L78	E OF 200 E	ONSITE	ER	19-Mar-01	TLD	0.25	mR/d	0.017			
SESPMNT	B125V7	E OF 200 E	ONSITE	ER	19-Jun-01	TLD	0.234	mR/d	0.002			
SESPMNT	B12X09	E OF 200 E	ONSITE	ER	25-Sep-01	TLD	0.236	mR/d	0.001			
SESPMNT	B13NX4	E OF 200 E	ONSITE	ER	17-Dec-01	TLD	0.269	mR/d	0.016			
SESPMNT	B11L85	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	29-Mar-01	TLD	0.204	mR/d	0.001			
SESPMNT	B125W4	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	21-Jun-01	TLD	0.204	mR/d	0.003			
SESPMNT	B12X16	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	26-Sep-01	TLD	0.21	mR/d	0.008			
SESPMNT	B13NY1	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	19-Dec-01	TLD	0.218	mR/d	0.011			
SESPMNT	B11KV0	HANF POWERLINE KING	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.249	mR/d	0.002			
SESPMNT	B125R5	HANF POWERLINE KING	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.247	mR/d	0			
SESPMNT	B12W19	HANF POWERLINE KING	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.27	mR/d	0.012			
SESPMNT	B13NT3	HANF POWERLINE KING	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.267	mR/d	0.009			

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11KV1	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.248	mR/d	0.001			
SESPMNT	B125R6	HANFORD RR TRACK	RIVER_SHORELINE	ER	18-Jun-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B12W20	HANFORD RR TRACK	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.268	mR/d	0.006			
SESPMNT	B13NT4	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.272	mR/d	0.008			
SESPMNT	B11KW1	HANFORD SLOUGH	RIVER_SHORELINE	ER	29-Mar-01	TLD	0.248	mR/d	0.001			
SESPMNT	B126B0	HANFORD SLOUGH	RIVER_SHORELINE	ER	25-Jun-01	TLD	0.253	mR/d	0.004			
SESPMNT	B12W30	HANFORD SLOUGH	RIVER_SHORELINE	ER	18-Sep-01	TLD	0.268	mR/d	0.007			
SESPMNT	B13NV4	HANFORD SLOUGH	RIVER_SHORELINE	ER	21-Dec-01	TLD	0.287	mR/d	0.003			
SESPMNT	B11L05	HANFORD TOWNSITE	ONSITE	ER	27-Mar-01	TLD	0.214	mR/d	0.006			
SESPMNT	B126D4	HANFORD TOWNSITE	ONSITE	ER	27-Jun-01	TLD	0.211	mR/d	0.001			
SESPMNT	B12W64	HANFORD TOWNSITE	ONSITE	ER	18-Sep-01	TLD	0.218	mR/d	0.017			
SESPMNT	B13PW2	HANFORD TOWNSITE	ONSITE	ER	26-Dec-01	TLD	0.23	mR/d	0.005			
SESPMNT	B11KR4	HORN RAPIDS SUBSTA	PERIMETER	ER	22-Mar-01	TLD	0.245	mR/d	0.019			
SESPMNT	B12695	HORN RAPIDS SUBSTA	PERIMETER	ER	29-Jun-01	TLD	0.227	mR/d	0.006			
SESPMNT	B12W13	HORN RAPIDS SUBSTA	PERIMETER	ER	21-Sep-01	TLD	0.231	mR/d	0.009			
SESPMNT	B13PR2	HORN RAPIDS SUBSTA	PERIMETER	ER	28-Dec-01	TLD	0.25	mR/d	0.01			
SESPMNT	B11KV9	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.253	mR/d	0.002			
SESPMNT	B125T3	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	18-Jun-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B12W28	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	17-Sep-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B13NV2	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.267	mR/d	0.006			
SESPMNT	B11KV7	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.247	mR/d	0.007			
SESPMNT	B125T2	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.236	mR/d	0.006			
SESPMNT	B12W26	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.231	mR/d	0.002			
SESPMNT	B13NV0	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.274	mR/d	0.016			
SESPMNT	B11KV6	ISLAND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.247	mR/d	0.006			
SESPMNT	B125T1	ISLAND ABOVE 300 AREA	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.243	mR/d	0.008			
SESPMNT	B12W25	ISLAND ABOVE 300 AREA	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.243	mR/d	0.004			
SESPMNT	B13NT9	ISLAND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.275	mR/d	0.009			
SESPMNT	B11L75	KENNEWICK-ELY STREET	COMMUNITY	ER	29-Mar-01	TLD	0.212	mR/d	0.005			
SESPMNT	B125V4	KENNEWICK-ELY STREET	COMMUNITY	ER	21-Jun-01	TLD	0.194	mR/d	0.002			
SESPMNT	B12X06	KENNEWICK-ELY STREET	COMMUNITY	ER	26-Sep-01	TLD	0.201	mR/d	0			
SESPMNT	B13NX1	KENNEWICK-ELY STREET	COMMUNITY	ER	19-Dec-01	TLD	0.223	mR/d	0.002			
SESPMNT	B11L87	LESLIE GROVES-RCHLND	COMMUNITY	ER	28-Mar-01	TLD					NO SAMPLE. TLD ON GROUND AND REMOVED FROM PROTECTIVE PLASTIC AND ALUMINUM. LAB UNABLE TO PROCESS.	
SESPMNT	B125W6	LESLIE GROVES-RCHLND	COMMUNITY	ER	20-Jun-01	TLD					NO SAMPLE. TLD MISSING, VANDALIZED.	
SESPMNT	B12X18	LESLIE GROVES-RCHLND	COMMUNITY	ER	27-Sep-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B13NY3	LESLIE GROVES-RCHLND	COMMUNITY	ER	18-Dec-01	TLD	0.249	mR/d	0		TLD DISCONTINUED.	
SESPMNT	B11KW7	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.243	mR/d	0.011			
SESPMNT	B125T9	LO END LOCKE ISL	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.251	mR/d	0.009			
SESPMNT	B12W36	LO END LOCKE ISL	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.246	mR/d	0			
SESPMNT	B13NW0	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.28	mR/d	0.005			
SESPMNT	B11L88	MATTAWA	COMMUNITY	ER	28-Mar-01	TLD	0.224	mR/d	0.006			
SESPMNT	B125W7	MATTAWA	COMMUNITY	ER	20-Jun-01	TLD	0.206	mR/d	0.009			
SESPMNT	B12X19	MATTAWA	COMMUNITY	ER	27-Sep-01	TLD	0.206	mR/d	0.005			
SESPMNT	B13NY4	MATTAWA	COMMUNITY	ER	18-Dec-01	TLD	0.232	mR/d	0.001			
SESPMNT	B11L77	N OF 200 E	ONSITE	ER	19-Mar-01	TLD	0.247	mR/d	0.001			
SESPMNT	B125V6	N OF 200 E	ONSITE	ER	20-Jun-01	TLD	0.243	mR/d	0.005			
SESPMNT	B12X08	N OF 200 E	ONSITE	ER	25-Sep-01	TLD	0.23	mR/d	0.002			
SESPMNT	B13NX3	N OF 200 E	ONSITE	ER	17-Dec-01	TLD	0.271	mR/d	0.015			
SESPMNT	B11L73	OTHELLO	COMMUNITY	ER	29-Mar-01	TLD	0.204	mR/d	0.01			
SESPMNT	B125R2	OTHELLO	COMMUNITY	ER	20-Jun-01	TLD	0.2	mR/d	0.015			
SESPMNT	B12WX6	OTHELLO	COMMUNITY	ER	27-Sep-01	TLD	0.202	mR/d	0.002			
SESPMNT	B13NR1	OTHELLO	COMMUNITY	ER	18-Dec-01	TLD	0.226	mR/d	0.015			
SESPMNT	B11L74	PASCO	COMMUNITY	ER	29-Mar-01	TLD	0.24	mR/d	0			
SESPMNT	B125V3	PASCO	COMMUNITY	ER	21-Jun-01	TLD	0.237	mR/d	0.009			
SESPMNT	B12X05	PASCO	COMMUNITY	ER	26-Sep-01	TLD	0.226	mR/d	0			
SESPMNT	B13NX0	PASCO	COMMUNITY	ER	19-Dec-01	TLD	0.24	mR/d	0.001			
SESPMNT	B11KV8	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	29-Mar-01	TLD	0.224	mR/d	0.009			
SESPMNT	B12698	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	25-Jun-01	TLD	0.217	mR/d	0.016			
SESPMNT	B12W27	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	18-Sep-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B13NV1	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	21-Dec-01	TLD	0.255	mR/d	0.002			
SESPMNT	B11KV4	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.231	mR/d	0			
SESPMNT	B125R9	POWERLINE CROSSING	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.23	mR/d	0.003			
SESPMNT	B12W23	POWERLINE CROSSING	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.24	mR/d	0			
SESPMNT	B13NT7	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.25	mR/d	0.004			
SESPMNT	B11KR5	PROSSER BARRICADE	PERIMETER	ER	22-Mar-01	TLD	0.249	mR/d	0.001			
SESPMNT	B12696	PROSSER BARRICADE	PERIMETER	ER	29-Jun-01	TLD	0.244	mR/d	0.001			
SESPMNT	B12W14	PROSSER BARRICADE	PERIMETER	ER	21-Sep-01	TLD	0.243	mR/d	0.014			
SESPMNT	B13PR3	PROSSER BARRICADE	PERIMETER	ER	28-Dec-01	TLD	0.269	mR/d	0.001			
SESPMNT	B11L06	RATTLESNAKE SPRINGS	PERIMETER	ER	21-Mar-01	TLD	0.242	mR/d	0			
SESPMNT	B126D5	RATTLESNAKE SPRINGS	PERIMETER	ER	28-Jun-01	TLD	0.244	mR/d	0			
SESPMNT	B12W65	RATTLESNAKE SPRINGS	PERIMETER	ER	19-Sep-01	TLD	0.276	mR/d	0.006			
SESPMNT	B13PW3	RATTLESNAKE SPRINGS	PERIMETER	ER	27-Dec-01	TLD	0.273	mR/d	0.005			
SESPMNT	B11KV3	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.226	mR/d	0.007			
SESPMNT	B125R8	RINGOLD ISLAND	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.221	mR/d	0			

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B12W22	RINGOLD ISLAND	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.236	mR/d	0.015			
SESPMNT	B13NT6	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.245	mR/d	0.003			
SESPMNT	B11L83	RINGOLD MET TOWER	PERIMETER	ER	29-Mar-01	TLD	0.258	mR/d	0.02			
SESPMNT	B125W2	RINGOLD MET TOWER	PERIMETER	ER	21-Jun-01	TLD	0.25	mR/d	0.006			
SESPMNT	B12X14	RINGOLD MET TOWER	PERIMETER	ER	26-Sep-01	TLD	0.252	mR/d	0.01			
SESPMNT	B13NX9	RINGOLD MET TOWER	PERIMETER	ER	19-Dec-01	TLD	0.271	mR/d	0.023			
SESPMNT	B11L03	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.217	mR/d	0			
SESPMNT	B125W8	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.197	mR/d	0.005			
SESPMNT	B12W62	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.194	mR/d	0.002			
SESPMNT	B13NY5	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Dec-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B11KV5	S END WOODED ISLAND	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.255	mR/d	0.006			
SESPMNT	B125T0	S END WOODED ISLAND	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.25	mR/d	0.018			
SESPMNT	B12W24	S END WOODED ISLAND	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.259	mR/d	0.01			
SESPMNT	B13NT8	S END WOODED ISLAND	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.311	mR/d	0			
SESPMNT	B11L76	S OF 200 E	ONSITE	ER	19-Mar-01	TLD	0.266	mR/d	0.002			
SESPMNT	B125V5	S OF 200 E	ONSITE	ER	19-Jun-01	TLD	0.246	mR/d	0.003			
SESPMNT	B12X07	S OF 200 E	ONSITE	ER	25-Sep-01	TLD	0.262	mR/d	0.006			
SESPMNT	B13NX2	S OF 200 E	ONSITE	ER	17-Dec-01	TLD	0.179	mR/d	0.011			
SESPMNT	B11KV2	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.215	mR/d	0.002			
SESPMNT	B125R7	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.208	mR/d	0.006			
SESPMNT	B12W21	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.217	mR/d	0.006			
SESPMNT	B13NT5	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.231	mR/d	0.009			
SESPMNT	B11L89	SW OF B/C CRIBS	ONSITE	ER	19-Mar-01	TLD	0.231	mR/d	0			
SESPMNT	B125X0	SW OF B/C CRIBS	ONSITE	ER	19-Jun-01	TLD	0.232	mR/d	0.002			
SESPMNT	B12X84	SW OF B/C CRIBS	ONSITE	ER	25-Sep-01	TLD	0.228	mR/d	0.014			
SESPMNT	B13NY7	SW OF B/C CRIBS	ONSITE	ER	17-Dec-01	TLD	0.276	mR/d	0.013		TLD FOUND ON GROUND WITHOUT WRAPPING.	
SESPMNT	B11KR8	TOPPENISH	DISTANT	ER	22-Mar-01	TLD	0.186	mR/d	0.005			
SESPMNT	B12697	TOPPENISH	DISTANT	ER	29-Jun-01	TLD	0.193	mR/d	0.013			
SESPMNT	B12W15	TOPPENISH	DISTANT	ER	21-Sep-01	TLD	0.185	mR/d	0			
SESPMNT	B13PR6	TOPPENISH	DISTANT	ER	28-Dec-01	TLD	0.215	mR/d	0.013			
SESPMNT	B11KX1	US ECOLOGY NE CORNER	ONSITE	ER	29-Mar-01	TLD	0.241	mR/d	0.007		TLD HOLDER/CROSSMEMBER LAYING ON GROUND ALONG WITH TLD.	
SESPMNT	B126B1	US ECOLOGY NE CORNER	ONSITE	ER	25-Jun-01	TLD	0.222	mR/d	0.005			
SESPMNT	B12W40	US ECOLOGY NE CORNER	ONSITE	ER	18-Sep-01	TLD	0.245	mR/d	0.007			
SESPMNT	B13NW4	US ECOLOGY NE CORNER	ONSITE	ER	21-Dec-01	TLD	0.255	mR/d	0.009			
SESPMNT	B11KX3	US ECOLOGY NW CORNER	ONSITE	ER	29-Mar-01	TLD	0.229	mR/d	0.002			
SESPMNT	B126B3	US ECOLOGY NW CORNER	ONSITE	ER	25-Jun-01	TLD	0.23	mR/d	0.002			
SESPMNT	B12W42	US ECOLOGY NW CORNER	ONSITE	ER	18-Sep-01	TLD	0.258	mR/d	0.012			
SESPMNT	B13NW6	US ECOLOGY NW CORNER	ONSITE	ER	21-Dec-01	TLD	0.243	mR/d	0.009			
SESPMNT	B11KX2	US ECOLOGY SE CORNER	ONSITE	ER	29-Mar-01	TLD	0.239	mR/d	0.002			
SESPMNT	B126B2	US ECOLOGY SE CORNER	ONSITE	ER	25-Jun-01	TLD	0.229	mR/d	0.007			
SESPMNT	B12W41	US ECOLOGY SE CORNER	ONSITE	ER	18-Sep-01	TLD	0.241	mR/d	0.017			
SESPMNT	B13NW5	US ECOLOGY SE CORNER	ONSITE	ER	21-Dec-01	TLD	0.251	mR/d	0.006			
SESPMNT	B11KX4	US ECOLOGY SW CORNER	ONSITE	ER	29-Mar-01	TLD	0.269	mR/d	0.007			
SESPMNT	B126B4	US ECOLOGY SW CORNER	ONSITE	ER	25-Jun-01	TLD	0.248	mR/d	0.006			
SESPMNT	B12W43	US ECOLOGY SW CORNER	ONSITE	ER	18-Sep-01	TLD	0.253	mR/d	0.009			
SESPMNT	B13NW7	US ECOLOGY SW CORNER	ONSITE	ER	21-Dec-01	TLD	0.262	mR/d	0.011			
SESPMNT	B11L72	W END OF FIR ROAD	PERIMETER	ER	29-Mar-01	TLD	0.25	mR/d	0.001			
SESPMNT	B125R0	W END OF FIR ROAD	PERIMETER	ER	21-Jun-01	TLD	0.245	mR/d	0.001			
SESPMNT	B12WX1	W END OF FIR ROAD	PERIMETER	ER	26-Sep-01	TLD	0.251	mR/d	0.002			
SESPMNT	B13NP9	W END OF FIR ROAD	PERIMETER	ER	19-Dec-01	TLD	0.271	mR/d	0.005			
SESPMNT	B11L70	WAHLUKE SLOPE	PERIMETER	ER	28-Mar-01	TLD	0.249	mR/d	0.001			
SESPMNT	B125P8	WAHLUKE SLOPE	PERIMETER	ER	20-Jun-01	TLD	0.241	mR/d	0.001			
SESPMNT	B12WWW9	WAHLUKE SLOPE	PERIMETER	ER	27-Sep-01	TLD	0.249	mR/d	0.002			
SESPMNT	B13NP7	WAHLUKE SLOPE	PERIMETER	ER	18-Dec-01	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B11KW9	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Mar-01	TLD	0.248	mR/d	0.002			
SESPMNT	B125V1	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.223	mR/d	0.003			
SESPMNT	B12W38	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.229	mR/d	0.002			
SESPMNT	B13NW2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Dec-01	TLD	0.248	mR/d	0.002			
SESPMNT	B11KW8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	20-Mar-01	TLD					NO SAMPLE. UNABLE TO COLLECT ON 03/20/01 DUE TO EAGLE NESTING AREA. TLD WILL REMAIN IN FIELD.	
SESPMNT	B125V0	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	18-Jun-01	TLD	0.256	mR/d	0.002			
SESPMNT	B12W37	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	17-Sep-01	TLD	0.299	mR/d	0.001			
SESPMNT	B13NW1	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	20-Dec-01	TLD					NO SAMPLE. UNABLE TO COLLECT ON 12/20/01 DUE TO EAGLE NESTING AREA. TLD WILL REMAIN IN FIELD.	
SESPMNT	B11KX5	WPPSS 1; S OF WNP 2	ONSITE	ER	29-Mar-01	TLD	0.24	mR/d	0.007			
SESPMNT	B126B5	WPPSS 1; S OF WNP 2	ONSITE	ER	25-Jun-01	TLD	0.238	mR/d	0.002			
SESPMNT	B12W44	WPPSS 1; S OF WNP 2	ONSITE	ER	18-Sep-01	TLD	0.244	mR/d	0			
SESPMNT	B13NW8	WPPSS 1; S OF WNP 2	ONSITE	ER	21-Dec-01	TLD	0.249	mR/d	0.006			
SESPMNT	B11KX6	WPPSS 4; WPS WAREHSE	PERIMETER	ER	29-Mar-01	TLD	0.229	mR/d	0.004			
SESPMNT	B126B6	WPPSS 4; WPS WAREHSE	PERIMETER	ER	25-Jun-01	TLD	0.211	mR/d	0.012			
SESPMNT	B12W45	WPPSS 4; WPS WAREHSE	PERIMETER	ER	18-Sep-01	TLD	0.215	mR/d	0.007			
SESPMNT	B13NW9	WPPSS 4; WPS WAREHSE	PERIMETER	ER	21-Dec-01	TLD	0.246	mR/d	0.015			
SESPMNT	B11KX9	WYE BARRICADE	ONSITE	ER	27-Mar-01	TLD	0.239	mR/d	0.016			
SESPMNT	B126B9	WYE BARRICADE	ONSITE	ER	27-Jun-01	TLD	0.225	mR/d	0.003			
SESPMNT	B12W48	WYE BARRICADE	ONSITE	ER	18-Sep-01	TLD					NO SAMPLE. TLD WAS BELIEVED TO HAVE BEEN COLLECTED AND SUBMITTED TO LAB FOR PROCESSING, BUT LAB REPORTED LOCATION AS NOT BEING RETURNED.	

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B13PT7	WYE BARRICADE	ONSITE	ER	26-Dec-01	TLD	0.262	mR/d	0.013			
SESPMNT	B11KY0	YAKIMA	DISTANT	ER	22-Mar-01	TLD	0.207	mR/d	0.016			
SESPMNT	B126C0	YAKIMA	DISTANT	ER	29-Jun-01	TLD	0.189	mR/d	0.007			
SESPMNT	B12W49	YAKIMA	DISTANT	ER	21-Sep-01	TLD	0.196	mR/d	0.003			
SESPMNT	B13PT8	YAKIMA	DISTANT	ER	28-Dec-01	TLD	0.213	mR/d	0.001			
SESPMNT	B11KR3	YAKIMA BARRICADE	PERIMETER	ER	21-Mar-01	TLD	0.25	mR/d	0.003			
SESPMNT	B12694	YAKIMA BARRICADE	PERIMETER	ER	28-Jun-01	TLD	0.249	mR/d	0.004			
SESPMNT	B12W12	YAKIMA BARRICADE	PERIMETER	ER	19-Sep-01	TLD	0.269	mR/d	0.009			
SESPMNT	B13PR1	YAKIMA BARRICADE	PERIMETER	ER	27-Dec-01	TLD	0.277	mR/d	0.013			
SESPMNT	B11KR9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	100	cpm			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B125R1	100 N TRENCH SPRING	RIVER_SHORELINE	ER	18-Jun-01	GM_READING						
SESPMNT	B12W16	100 N TRENCH SPRING	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NR0	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KW6	100-D ISLAND	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	80	cpm				
SESPMNT	B125T8	100-D ISLAND	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W35	100-D ISLAND	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NV9	100-D ISLAND	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KW2	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125T4	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W31	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NV5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KT1	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	100	cpm				
SESPMNT	B125R4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W18	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NR3	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KX0	BELOW 100 F	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125V2	BELOW 100 F	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W39	BELOW 100 F	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NW3	BELOW 100 F	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KT0	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	100	cpm				
SESPMNT	B125R3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W17	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NR2	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KV0	HANF POWERLINE XING	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	100	cpm				
SESPMNT	B125R5	HANF POWERLINE XING	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W19	HANF POWERLINE XING	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NT3	HANF POWERLINE XING	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KV1	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125R6	HANFORD RR TRACK	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W20	HANFORD RR TRACK	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NT4	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KV6	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125T1	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W25	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NT9	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KW7	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125T9	LO END LOCKE ISL	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W36	LO END LOCKE ISL	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NW0	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KV4	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	80	cpm				
SESPMNT	B125R9	POWERLINE CROSSING	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W23	POWERLINE CROSSING	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NT7	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KV3	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125R8	RINGOLD ISLAND	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W22	RINGOLD ISLAND	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NT6	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11L03	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	80	cpm				
SESPMNT	B125W8	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W62	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NY5	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KW9	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Mar-01	GM_READING	50	cpm				
SESPMNT	B125V1	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	18-Jun-01	GM_READING					GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W38	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	17-Sep-01	GM_READING	<100	cpm				
SESPMNT	B13NW2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Dec-01	GM_READING	100	cpm				
SESPMNT	B11KR9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	20	uRem/hr				
SESPMNT	B125R1	100 N TRENCH SPRING	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	13	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W16	100 N TRENCH SPRING	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	12	uRem/hr				
SESPMNT	B13NR0	100 N TRENCH SPRING	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	18	uRem/hr				
SESPMNT	B11KW6	100-D ISLAND	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	10	uRem/hr				
SESPMNT	B125T8	100-D ISLAND	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	5	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W35	100-D ISLAND	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	6	uRem/hr				
SESPMNT	B13NV9	100-D ISLAND	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KW2	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	12	uRem/hr				

ENVIRONMENTAL SURVEILLANCE DATA CY01

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B125T4	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	6	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W31	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	8	uRem/hr				
SESPMNT	B13NV5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KT1	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	18	uRem/hr				
SESPMNT	B125R4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	8	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W18	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	10	uRem/hr				
SESPMNT	B13NR3	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	16	uRem/hr				
SESPMNT	B11KX0	BELOW 100 F	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	12	uRem/hr				
SESPMNT	B125V2	BELOW 100 F	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	5	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W39	BELOW 100 F	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	7	uRem/hr				
SESPMNT	B13NW3	BELOW 100 F	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KT0	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	18	uRem/hr				
SESPMNT	B125R3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	10	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W17	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	11	uRem/hr				
SESPMNT	B13NR2	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	20	uRem/hr				
SESPMNT	B11KV0	HANF POWERLINE XING	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	15	uRem/hr				
SESPMNT	B125R5	HANF POWERLINE XING	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	8	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W19	HANF POWERLINE XING	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	7	uRem/hr				
SESPMNT	B13NT3	HANF POWERLINE XING	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	15	uRem/hr				
SESPMNT	B11KV1	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	15	uRem/hr				
SESPMNT	B125R6	HANFORD RR TRACK	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	8	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W20	HANFORD RR TRACK	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	7	uRem/hr				
SESPMNT	B13NT4	HANFORD RR TRACK	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KV6	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	12	uRem/hr				
SESPMNT	B125T1	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	7	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W25	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	8	uRem/hr				
SESPMNT	B13NT9	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KW7	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	15	uRem/hr				
SESPMNT	B125T9	LO END LOCKE ISL	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	7	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W36	LO END LOCKE ISL	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	6	uRem/hr				
SESPMNT	B13NW0	LO END LOCKE ISL	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KV4	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	12	uRem/hr				
SESPMNT	B125R9	POWERLINE CROSSING	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	7	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W23	POWERLINE CROSSING	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	6	uRem/hr				
SESPMNT	B13NT7	POWERLINE CROSSING	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KV3	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	15	uRem/hr				
SESPMNT	B125R8	RINGOLD ISLAND	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	7	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W22	RINGOLD ISLAND	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	6	uRem/hr				
SESPMNT	B13NT6	RINGOLD ISLAND	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11L03	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	13	uRem/hr				
SESPMNT	B125W8	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	6	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W62	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	5	uRem/hr				
SESPMNT	B13NY5	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				
SESPMNT	B11KW9	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Mar-01	BICRONREAD	20	uRem/hr				
SESPMNT	B125V1	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	18-Jun-01	BICRONREAD	6	uRem/hr			GM RADIATION SURVEY NOT PERFORMED.	
SESPMNT	B12W38	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	17-Sep-01	BICRONREAD	8	uRem/hr				
SESPMNT	B13NW2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	20-Dec-01	BICRONREAD	12	uRem/hr				

Dose Calculation

Table D-1. Distribution of Population in 80-km Radius of the 100 Areas by Grid Sector^{(a)(b)}

Direction	Number of People						Totals
	6.4-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	
S	0	0	3	6547	182	211	6943
SSW	0	0	9	2119	23063	170	25361
SW	0	0	26	2273	25238	228	27765
WSW	0	0	41	60	13230	20815	34146
W	0	31	1308	0	3685	120158	125182
WNW	0	53	3859	10	108	4359	8389
NW	0	162	282	665	168	430	1707
NNW	0	95	456	765	2241	6901	10458
N	0	28	2591	235	1698	10057	14609
NNE	0	19	645	804	29927	1136	32531
NE	0	0	714	856	4014	165	5749
ENE	0	0	898	10028	239	178	11343
E	0	12	464	992	3237	418	5123
ESE	0	4	685	2393	207	1016	4305
SE	0	0	27	2116	52980	10811	65934
SSE	0	0	0	35431	65528	1353	102312
Totals	0	404	12008	65294	225745	178406	481857

(a) Based on U.S. Census Bureau (Census). 2001a. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Washington. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C. Available URL: <<http://www.ofm.wa.gov/census2000/index.htm>>

(b) Based on U.S. Census Bureau (Census). 2001c. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Oregon. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C.

Table D-2. Distribution of Population in 80-km Radius of the 200 Areas by Grid Sector^{(a)(b)}

Direction	Number of People						Totals
	6.4-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	
S	0	0	959	790	175	4281	6205
SSW	0	0	180	12966	293	298	13737
SW	0	0	33	30654	3205	95	33987
WSW	0	1	53	2309	23398	7055	32816
W	0	7	37	188	10558	118630	129420
WNW	0	0	1365	33	10	6178	7586
NW	0	11	3358	933	92	2336	6730
NNW	0	4	320	751	1713	7123	9911
N	0	0	170	2980	438	3018	6606
NNE	0	0	29	1085	4150	27277	32541
NE	0	0	115	10821	3651	670	15257
ENE	0	0	347	1184	1705	220	3456
E	0	0	548	2387	1953	325	5213
ESE	0	0	305	1851	514	1301	3971
SE	0	0	213	51919	96942	1250	150324
SSE	0	0	2316	17659	905	7655	28535
Totals	0	23	10348	138510	149702	187712	486295

(a) Based on U.S. Census Bureau (Census). 2001a. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Washington. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C. Available URL: <<http://www.ofm.wa.gov/census2000/index.htm>>

(b) Based on U.S. Census Bureau (Census). 2001c. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Oregon. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C.

Table D-3. Distribution of Population in 80-km Radius of the 300 Area by Grid Sector^{(a)(b)}

Direction	Number of People										Totals
	0-1.6 km	1.6-3.2 km	3.2-4.8 km	4.8-6.4 km	6.4-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	
S	0	0	186	2683	8115	22011	5168	199	28269	2710	69341
SSW	0	0	1	76	72	7114	677	126	4003	3790	15859
SW	0	0	7	440	99	3051	2490	70	84	329	6570
WSW	0	0	1	23	21	734	4318	11670	13984	195	30946
W	0	0	0	0	3	370	80	700	22224	20941	44318
WNW	0	0	0	0	0	0	0	54	39	382	475
NW	0	0	0	0	0	0	0	14	4921	1347	6282
NNW	0	0	0	0	0	4	17	9	1061	3135	4226
N	0	0	0	0	0	6	350	1688	9709	2372	14125
NNE	0	0	5	12	21	282	1977	1151	801	3359	7608
NE	0	5	23	28	64	331	864	3504	271	205	5295
ENE	0	21	43	108	59	414	368	81	313	153	1560
E	0	18	21	28	132	302	199	907	226	533	2366
ESE	0	14	16	27	49	205	726	335	173	22299	23844
SE	0	3	49	70	39	4465	48507	961	804	1181	56079
SSE	0	0	555	1841	331	5897	50943	93	191	319	60170
Totals	0	61	907	5336	9005	45186	116684	21562	87073	63250	349064

(a) Based on U.S. Census Bureau (Census). 2001a. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Washington. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C. Available URL: <<http://www.ofm.wa.gov/census2000/index.htm>>

(b) Based on U.S. Census Bureau (Census). 2001c. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Oregon. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C.

Table D-4. Distribution of Population in 80-km Radius of the 400 Area by Grid Sector^{(a)(b)}

Direction	Number of People							Totals
	4.8-6.4 km	6.4-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	
S	0	0	4625	7638	52	13774	19359	45448
SSW	0	51	852	4947	172	1112	3944	11078
SW	0	43	268	2455	7982	159	278	11185
WSW	0	0	9	217	14171	23070	303	37770
W	0	0	0	11	212	5365	23858	29446
WNW	0	0	0	0	104	1017	1090	2211
NW	0	0	0	0	476	4463	348	5287
NNW	0	0	0	0	205	3344	992	4541
N	0	0	0	107	715	1331	22038	24191
NNE	4	0	25	507	10856	2541	2355	16288
NE	0	0	207	1790	1963	272	158	4390
ENE	0	0	298	1037	1704	162	383	3584
E	0	2	312	703	101	188	116	1422
ESE	0	0	605	578	658	918	367	3126
SE	0	0	335	47925	14898	332	1155	64645
SSE	0	0	12055	68931	6865	706	538	89095
Totals	4	96	19591	136846	61134	58754	77282	353707

(a) Based on U.S. Census Bureau (Census). 2001a. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Washington. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C. Available URL: <<http://www.ofm.wa.gov/census2000/index.htm>>

(b) Based on U.S. Census Bureau (Census). 2001c. Census 2000 Redistricting Data (P.L. 94-171) Summary File - Oregon. . U.S. Bureau of the Census, U.S. Department of Commerce, Washington, D.C.

Table D-5. Annual Average Dispersion Factor Around the 100-K Area During 2001 for an 89-Meter Release Height

\bar{X}/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	1.26E-07	4.76E-08	3.34E-08	2.50E-08	1.98E-08	1.18E-08	5.50E-09	3.08E-09	2.09E-09	1.56E-09
NNE	9.51E-08	3.64E-08	2.68E-08	2.05E-08	1.65E-08	1.00E-08	4.74E-09	2.67E-09	1.81E-09	1.35E-09
NE	6.15E-08	3.22E-08	2.55E-08	2.01E-08	1.63E-08	9.99E-09	4.75E-09	2.66E-09	1.80E-09	1.34E-09
ENE	6.63E-08	3.82E-08	2.96E-08	2.30E-08	1.85E-08	1.13E-08	5.33E-09	2.98E-09	2.02E-09	1.51E-09
E	8.15E-08	4.67E-08	3.58E-08	2.77E-08	2.23E-08	1.35E-08	6.35E-09	3.54E-09	2.39E-09	1.78E-09
ESE	9.37E-08	4.82E-08	3.54E-08	2.69E-08	2.13E-08	1.26E-08	5.86E-09	3.25E-09	2.19E-09	1.63E-09
SE	7.30E-08	4.39E-08	3.44E-08	2.67E-08	2.14E-08	1.29E-08	6.03E-09	3.34E-09	2.25E-09	1.67E-09
SSE	6.16E-08	3.64E-08	2.91E-08	2.29E-08	1.85E-08	1.13E-08	5.29E-09	2.94E-09	1.98E-09	1.47E-09
S	4.87E-08	3.16E-08	2.63E-08	2.10E-08	1.71E-08	1.05E-08	5.00E-09	2.78E-09	1.87E-09	1.39E-09
SSW	4.96E-08	3.09E-08	2.53E-08	2.01E-08	1.63E-08	1.00E-08	4.75E-09	2.65E-09	1.79E-09	1.33E-09
SW	6.86E-08	3.96E-08	3.18E-08	2.52E-08	2.05E-08	1.27E-08	6.06E-09	3.41E-09	2.31E-09	1.73E-09
WSW	1.14E-07	6.18E-08	5.12E-08	4.14E-08	3.42E-08	2.18E-08	1.08E-08	6.20E-09	4.27E-09	3.21E-09
W	1.60E-07	9.31E-08	7.68E-08	6.16E-08	5.05E-08	3.16E-08	1.54E-08	8.72E-09	5.95E-09	4.46E-09
WNW	1.35E-07	7.33E-08	5.70E-08	4.42E-08	3.55E-08	2.15E-08	1.01E-08	5.63E-09	3.81E-09	2.84E-09
NW	1.16E-07	5.28E-08	3.97E-08	3.04E-08	2.43E-08	1.46E-08	6.88E-09	3.84E-09	2.61E-09	1.94E-09
NNW	1.33E-07	4.86E-08	3.53E-08	2.68E-08	2.13E-08	1.27E-08	5.92E-09	3.29E-09	2.23E-09	1.66E-09

Table D-6. Annual Average Dispersion Factor Around the 200 Areas During 2001 for an 89-Meter Release Height

\bar{X}/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	7.60E-08	2.81E-08	2.11E-08	1.65E-08	1.34E-08	8.48E-09	4.23E-09	2.46E-09	1.70E-09	1.29E-09
NNE	5.50E-08	2.58E-08	2.04E-08	1.61E-08	1.30E-08	8.05E-09	3.88E-09	2.20E-09	1.51E-09	1.13E-09
NE	7.47E-08	2.91E-08	2.22E-08	1.73E-08	1.39E-08	8.57E-09	4.16E-09	2.40E-09	1.66E-09	1.26E-09
ENE	6.63E-08	3.10E-08	2.61E-08	2.15E-08	1.80E-08	1.17E-08	6.02E-09	3.54E-09	2.47E-09	1.88E-09
E	5.79E-08	3.51E-08	3.10E-08	2.60E-08	2.21E-08	1.47E-08	7.66E-09	4.53E-09	3.17E-09	2.41E-09
ESE	6.82E-08	6.14E-08	5.57E-08	4.69E-08	3.97E-08	2.63E-08	1.36E-08	8.00E-09	5.57E-09	4.23E-09
SE	1.21E-07	1.03E-07	8.79E-08	7.14E-08	5.90E-08	3.74E-08	1.85E-08	1.06E-08	7.26E-09	5.45E-09
SSE	1.11E-07	6.97E-08	5.60E-08	4.45E-08	3.63E-08	2.28E-08	1.13E-08	6.53E-09	4.52E-09	3.42E-09
S	1.05E-07	5.44E-08	4.19E-08	3.26E-08	2.63E-08	1.61E-08	7.68E-09	4.32E-09	2.94E-09	2.20E-09
SSW	6.52E-08	4.14E-08	3.21E-08	2.46E-08	1.95E-08	1.15E-08	5.18E-09	2.81E-09	1.87E-09	1.38E-09
SW	7.37E-08	3.60E-08	2.71E-08	2.07E-08	1.64E-08	9.78E-09	4.52E-09	2.50E-09	1.69E-09	1.25E-09
WSW	4.78E-08	2.34E-08	1.85E-08	1.44E-08	1.16E-08	7.01E-09	3.27E-09	1.81E-09	1.22E-09	9.03E-10
W	6.20E-08	3.59E-08	2.79E-08	2.16E-08	1.73E-08	1.04E-08	4.81E-09	2.64E-09	1.77E-09	1.31E-09
WNW	7.96E-08	4.04E-08	3.15E-08	2.45E-08	1.96E-08	1.18E-08	5.50E-09	3.04E-09	2.04E-09	1.51E-09
NW	9.61E-08	4.88E-08	3.79E-08	2.94E-08	2.35E-08	1.42E-08	6.58E-09	3.64E-09	2.45E-09	1.82E-09
NNW	7.19E-08	3.22E-08	2.57E-08	2.04E-08	1.67E-08	1.05E-08	5.16E-09	2.96E-09	2.03E-09	1.53E-09

Table D-7. Annual Average Dispersion Factor Around the 300 Area During 2001 for a 10-Meter Release Height

\bar{X}/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	3.33E-06	6.64E-07	3.14E-07	1.94E-07	1.36E-07	6.65E-08	2.59E-08	1.30E-08	8.37E-09	6.02E-09
NNE	3.13E-06	6.08E-07	2.86E-07	1.76E-07	1.23E-07	6.01E-08	2.33E-08	1.17E-08	7.53E-09	5.41E-09
NE	2.67E-06	5.08E-07	2.38E-07	1.46E-07	1.02E-07	4.99E-08	1.93E-08	9.73E-09	6.24E-09	4.48E-09
ENE	1.61E-06	3.03E-07	1.41E-07	8.65E-08	6.03E-08	2.94E-08	1.13E-08	5.68E-09	3.63E-09	2.61E-09
E	1.49E-06	2.81E-07	1.31E-07	8.02E-08	5.58E-08	2.71E-08	1.04E-08	5.17E-09	3.29E-09	2.35E-09
ESE	1.82E-06	3.59E-07	1.69E-07	1.04E-07	7.26E-08	3.54E-08	1.36E-08	6.83E-09	4.36E-09	3.12E-09
SE	2.93E-06	5.88E-07	2.77E-07	1.71E-07	1.19E-07	5.81E-08	2.24E-08	1.12E-08	7.18E-09	5.14E-09
SSE	4.11E-06	8.01E-07	3.76E-07	2.30E-07	1.61E-07	7.83E-08	3.02E-08	1.51E-08	9.67E-09	6.94E-09
S	3.39E-06	6.64E-07	3.12E-07	1.91E-07	1.34E-07	6.51E-08	2.51E-08	1.26E-08	8.03E-09	5.76E-09
SSW	1.46E-06	2.74E-07	1.28E-07	7.81E-08	5.44E-08	2.65E-08	1.03E-08	5.17E-09	3.32E-09	2.39E-09
SW	7.36E-07	1.44E-07	6.83E-08	4.22E-08	2.96E-08	1.47E-08	5.81E-09	2.98E-09	1.93E-09	1.40E-09
WSW	6.95E-07	1.45E-07	7.02E-08	4.39E-08	3.10E-08	1.55E-08	6.20E-09	3.19E-09	2.08E-09	1.51E-09
W	1.04E-06	1.97E-07	9.25E-08	5.69E-08	3.99E-08	1.96E-08	7.67E-09	3.90E-09	2.51E-09	1.82E-09
WNW	3.24E-06	6.44E-07	3.06E-07	1.89E-07	1.32E-07	6.50E-08	2.53E-08	1.28E-08	8.24E-09	5.93E-09
NW	5.11E-06	1.04E-06	4.94E-07	3.05E-07	2.14E-07	1.06E-07	4.12E-08	2.09E-08	1.34E-08	9.67E-09
NNW	3.57E-06	7.14E-07	3.38E-07	2.09E-07	1.46E-07	7.19E-08	2.80E-08	1.41E-08	9.07E-09	6.53E-09

Table D-8. Annual Average Dispersion Factor Around the 400 Area During 2001 for a 10-Meter Release Height

\bar{X}/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	3.71E-06	7.27E-07	3.44E-07	2.12E-07	1.48E-07	7.29E-08	2.84E-08	1.44E-08	9.25E-09	6.66E-09
NNE	3.79E-06	7.36E-07	3.47E-07	2.13E-07	1.49E-07	7.31E-08	2.84E-08	1.43E-08	9.21E-09	6.63E-09
NE	2.19E-06	4.22E-07	1.98E-07	1.22E-07	8.50E-08	4.15E-08	1.60E-08	8.07E-09	5.17E-09	3.71E-09
ENE	1.65E-06	3.15E-07	1.48E-07	9.07E-08	6.33E-08	3.09E-08	1.19E-08	5.99E-09	3.83E-09	2.75E-09
E	1.70E-06	3.29E-07	1.55E-07	9.50E-08	6.64E-08	3.24E-08	1.25E-08	6.30E-09	4.03E-09	2.89E-09
ESE	2.09E-06	4.03E-07	1.89E-07	1.16E-07	8.04E-08	3.90E-08	1.49E-08	7.45E-09	4.75E-09	3.39E-09
SE	3.30E-06	6.33E-07	2.97E-07	1.82E-07	1.26E-07	6.13E-08	2.34E-08	1.17E-08	7.43E-09	5.31E-09
SSE	3.09E-06	6.09E-07	2.87E-07	1.77E-07	1.24E-07	6.04E-08	2.33E-08	1.17E-08	7.50E-09	5.38E-09
S	2.41E-06	4.84E-07	2.30E-07	1.42E-07	9.94E-08	4.89E-08	1.91E-08	9.66E-09	6.21E-09	4.47E-09
SSW	1.93E-06	3.75E-07	1.77E-07	1.09E-07	7.60E-08	3.72E-08	1.44E-08	7.28E-09	4.67E-09	3.36E-09
SW	1.40E-06	2.68E-07	1.26E-07	7.73E-08	5.41E-08	2.65E-08	1.03E-08	5.22E-09	3.36E-09	2.42E-09
WSW	8.97E-07	1.64E-07	7.67E-08	4.69E-08	3.27E-08	1.60E-08	6.19E-09	3.13E-09	2.01E-09	1.45E-09
W	9.06E-07	1.66E-07	7.74E-08	4.74E-08	3.31E-08	1.61E-08	6.26E-09	3.16E-09	2.03E-09	1.46E-09
WNW	1.13E-06	2.19E-07	1.03E-07	6.37E-08	4.46E-08	2.19E-08	8.59E-09	4.37E-09	2.82E-09	2.04E-09
NW	2.33E-06	4.45E-07	2.09E-07	1.28E-07	8.96E-08	4.39E-08	1.71E-08	8.62E-09	5.54E-09	3.99E-09
NNW	3.68E-06	7.26E-07	3.43E-07	2.11E-07	1.48E-07	7.26E-08	2.83E-08	1.43E-08	9.18E-09	6.61E-09

Quality Assurance

Table Q-1. Severn Trent Laboratories, Inc., Richland, WA, Performance Data on Surface Environmental Surveillance Project Blind Samples, 2001

Media	Con Short Name	True Value	Units	Reported Value	Units	Reported/True	% Bias
Water	TRITIUM	12448	pCi/L	9730	pCi/L	0.78	-22
Water	CS-137	2190	pCi/L	2340	pCi/L	1.07	6.8
Water	SR-90	66.0	pCi/L	61.9	pCi/L	0.94	-6.2
Water	CO-60	937	pCi/L	961	pCi/L	1.03	2.6
Water	PU-238	49.9	pCi/L	50.9	pCi/L	1.02	2.0
Water	PU-239/240	22.7	pCi/L	22.8	pCi/L	1.00	0.0
Water	TRITIUM	5483	pCi/L	4990	pCi/L	0.91	-9.0
Water	CS-137	1731	pCi/L	1900	pCi/L	1.10	9.8
Water	SR-90	573	pCi/L	651	pCi/L	1.14	14
Water	CO-60	1503	pCi/L	1450	pCi/L	0.97	-3.5
Water	PU-238	33.9	pCi/L	34.2	pCi/L	1.01	0.94
Water	PU-239/240	23.0	pCi/L	22	pCi/L	0.96	-4.2
Vegetation	CS-137	4.65	pCi/g	5.49	pCi/g	1.18	18
Vegetation	SR-90	33.8	pCi/g	36.6	pCi/g	1.08	8.2
Vegetation	CO-60	0.167	pCi/g	0.179	pCi/g	1.07	7.2
Vegetation	K-40	26.8	pCi/g	31.9	pCi/g	1.19	19
Vegetation	PU-239/240	0.0529	pCi/g	0.0548	pCi/g	1.04	3.6
Vegetation	CS-137	4.65	pCi/g	5.45	pCi/g	1.17	17
Vegetation	SR-90	8.83	pCi/g	10.7	pCi/g	1.21	21
Vegetation	CO-60	0.197	pCi/g	0.254	pCi/g	1.29	29
Vegetation	K-40	21.9	pCi/g	25.9	pCi/g	1.18	18
Vegetation	PU-238	0.00476	pCi/g	0.00363	pCi/g	0.76	-24
Vegetation	PU-239/240	0.0524	pCi/g	0.0567	pCi/g	1.08	8.1
Soil	CS-137	37.9	pCi/g	42.3	pCi/g	1.12	12
Soil	SR-90	1.70	pCi/g	1.63	pCi/g	0.96	-4.2
Soil	CO-60	0.0447	pCi/g	0.0551	pCi/g	1.23	23
Soil	K-40	8.10	pCi/g	9.03	pCi/g	1.11	11
Soil	PU-238	0.0295	pCi/g	0.0238	pCi/g	0.81	-19
Soil	PU-239/240	0.589	pCi/g	0.609	pCi/g	1.03	3.5
Soil	CS-137	20.3	pCi/g	26.2	pCi/g	1.29	29
Soil	SR-90	0.986	pCi/g	1.1	pCi/g	1.12	12
Soil	CO-60	0.017	pCi/g	0.041	pCi/g	2.45	145
Soil	K-40	9.02	pCi/g	10.5	pCi/g	1.16	16
Soil	PU-238	0.0139	pCi/g	0.0111	pCi/g	0.80	-20
Soil	PU-239/240	3.64	pCi/g	3.13	pCi/g	0.86	-14
Air Filter	CS-137	208	pCi/filter	212	pCi/filter	1.02	1.9
Air Filter	SR-90	12.8	pCi/filter	14.8	pCi/filter	1.16	16
Air Filter	CO-60	132	pCi/filter	142	pCi/filter	1.08	7.6
Air Filter	CS-134	68.5	pCi/filter	86.7	pCi/filter	1.27	27
Air Filter	PU-238	3.08	pCi/filter	2.91	pCi/filter	0.94	-5.5
Air Filter	SB-125	98.6	pCi/filter	113	pCi/filter	1.15	15
Air Filter	CS-137	427	pCi/filter	437	pCi/filter	1.02	2.3
Air Filter	SR-90	70.8	pCi/filter	74.3	pCi/filter	1.05	4.9
Air Filter	CO-60	156	pCi/filter	166	pCi/filter	1.06	6.4
Air Filter	CS-134	145	pCi/filter	132	pCi/filter	0.91	-9.0
Air Filter	PU-238	5.23	pCi/filter	5.37	pCi/filter	1.03	2.7
Air Filter	SB-125	234	pCi/filter	290	pCi/filter	1.24	24
Air Filter	PU-239/240	6.42	pCi/filter	6.59	pCi/filter	1.03	2.6

Table Q-2. Severn Trent Laboratories (STL) Inc., Richland WA, Performance Data on Environmental Resource Associates (ERA) Proficiency Testing Program Water Samples, 2001

Media	Con Short Name	Blind	STL Value ^(a)	Experimental Deviation ^(b)	ERA Known	Mean Recovery	Number of Participants	Expected Deviation ^(b)	Bias%	Performance Evaluation	Report Issue Date	Comments
Water	GROSS ALPHA	RAD-33	41.7	0.967	45.7	40.5	31	11.4	-8.75	Acceptable	13-Mar-01	
Water	GROSS BETA	RAD-33	18.0	3.45	16.7	19.1	31	5.0	7.78	Acceptable	13-Mar-01	
Water	SR-89	RAD-32	8.52	0.515	11.1	11.1	15	5.0	-23.24	Acceptable	10-Apr-01	
Water	SR-90	RAD-32	7.87	0.147	7.86	7.28	17	5.0	0.13	Acceptable	10-Apr-01	
Water	I-131	RAD-34	31.1	1.77	28.3	28.2	17	3.0	9.89	Acceptable	10-Apr-01	
Water	TRITIUM	RAD-36	16400	449	17800	17000	34	1780	-7.87	Acceptable	24-Apr-01	
Water	U-TOTAL	RAD-35	19.0	0.172	20.4	18.4	29	3.0	-6.86	Acceptable	27-Apr-01	
Water	RA-226	RAD-35	4.04	0.375	4.65	4.6	31	0.698	-13.12	Acceptable	27-Apr-01	
Water	RA-228	RAD-35	11.2	0.907	14.4	13.0	29	3.6	-22.22	Acceptable	27-Apr-01	
Water	U-TOTAL	RAD-37	14.7	0.1	15.6	14.1	29	3.0	-5.77	Acceptable	19-Jul-01	
Water	RA-226	RAD-37	15.4	1.14	17.7	16.4	29	2.66	-12.99	Acceptable	19-Jul-01	
Water	RA-228	RAD-37	7.67	0.153	8.09	7.23	30	2.02	-5.19	Acceptable	19-Jul-01	
Water	GROSS ALPHA	RAD-37	60.6	0.2	56.0	60.6	37	14.0	8.21	Acceptable	19-Jul-01	
Water	CO-60	RAD-37	27.0	2.43	26.4	27.8	31	5.0	2.27	Acceptable	19-Jul-01	
Water	CS-134	RAD-37	12.7	2.31	16.9	16.0	30	5.0	-24.85	Acceptable	19-Jul-01	
Water	CS-137	RAD-37	188	6.01	186	184	31	9.32	1.08	Acceptable	19-Jul-01	
Water	SR-89	RAD-37	49.9	4.61	64.1	59.4	23	5.0	-22.15	Not Acceptable	19-Jul-01	Value + error overlaps error bar of mean -error.
Water	SR-90	RAD-37	33.7	0.757	33.8	32.7	25	5.0	-0.30	Acceptable	19-Jul-01	
Water	GROSS BETA	RAD-37	288	10.7	340	326	35	51	-15.29	Acceptable	19-Jul-01	
Water	BA-133	RAD-38	32.7	2.11	36.0	34.9	36	5.0	-9.17	Acceptable	7-Aug-01	
Water	CO-60	RAD-38	50.8	4.61	46.8	49.8	36	5.0	8.55	Acceptable	7-Aug-01	
Water	CS-134	RAD-38	18.1	2.93	15.9	15.1	37	5.0	13.84	Acceptable	7-Aug-01	
Water	CS-137	RAD-38	203	11.4	197	207	36	9.9	3.05	Acceptable	7-Aug-01	
Water	ZN-65	RAD-38	38.1	8.0	36.2	37.2	35	5.0	5.25	Acceptable	7-Aug-01	
Water	U-TOTAL	RAD-39	44.4	0.473	55.7	52.9	22	5.6	-20.29	Not Acceptable	21-Aug-01	Matrix effects.
Water	RA-226	RAD-39	13.6	0.929	15.4	13.9	23	2.3	-11.69	Acceptable	21-Aug-01	
Water	RA-228	RAD-39	4.73	0.153	4.51	4.73	18	1.1	4.88	Acceptable	21-Aug-01	
Water	GROSS ALPHA	RAD-41	18.1	1.65	17.8	18.1	43	5.0	1.69	Acceptable	27-Aug-01	
Water	GROSS BETA	RAD-41	57.7	3.61	53.0	51.1	41	10.0	8.87	Acceptable	27-Aug-01	
Water	U-TOTAL	RAD-45	31.6	0.611	37.2	35	23	3.7	-15.05	Check for Error	17-Jan-02	Value falls within acceptable range.
Water	RA-226	RAD-45	9.17	0.424	10.8	9.96	23	1.6	-15.09	Acceptable	17-Jan-02	
Water	RA-228	RAD-45	15.2	0.436	15.6	14	24	3.9	-2.56	Acceptable	17-Jan-02	
Water	GROSS ALPHA	RAD-45	79.0	3.76	97.5	97.5	29	24.4	-18.97	Acceptable	17-Jan-02	
Water	CO-60	RAD-45	81.1	4.62	78.4	83.4	25	5.0	3.44	Acceptable	17-Jan-02	
Water	CS-134	RAD-45	53.8	3.29	54.1	53.3	25	5.0	-0.55	Acceptable	17-Jan-02	
Water	CS-137	RAD-45	37.2	3.54	35.0	37.9	25	5.0	6.29	Acceptable	17-Jan-02	
Water	SR-89	RAD-45	16.8	0.751	16.7	15.9	20	5.0	0.60	Acceptable	17-Jan-02	
Water	SR-90	RAD-45	7.92	0.201	7.7	7.49	20	5.0	2.86	Acceptable	17-Jan-02	
Water	GROSS BETA	RAD-45	131	11.4	192	162	29	28.8	-31.77	Not Acceptable	17-Jan-02	Reviewed, corrective actions determined.
Water	BA-133	RAD-47	68.4	5.79	74.6	65.4	27	7.5	-8.31	Acceptable	2-Jan-02	
Water	CO-60	RAD-47	60.8	2.95	59.7	60.5	26	5.0	1.84	Acceptable	2-Jan-02	
Water	CS-134	RAD-47	85.9	0.404	93.9	87.5	27	5.0	-8.52	Check for Error	2-Jan-02	Value falls within acceptable range.
Water	CS-137	RAD-47	47.5	1.47	42.0	43.8	26	5.0	13.10	Acceptable	2-Jan-02	
Water	ZN-65	RAD-47	80.3	6.72	77.3	79.1	26	7.7	3.88	Acceptable	2-Jan-02	
Water	SR-89	RAD-40	32.9	0.781	31.2	30.7	19	5.0	5.45	Acceptable	27-Sep-01	
Water	SR-90	RAD-40	26	0.971	25.9	25	21	5.0	0.39	Acceptable	27-Sep-01	

(a) Three results are reported to ERA, this represents the average of the three results \pm 1 standard deviation of the mean.

(b) ERA known concentration \pm 1 standard deviation.

Table Q-3. Severn Trent Laboratories (STL) Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2001

Media	Con Short Name	EML Value	Units	EML Unit Conversion		STL Value	Units	STL Unit Conversion		STL / EML	%bias	Evaluation
				Value	Units			Value	Units			
Air Filter	AM-241	0.486	Bq/filter	13.13513514	pCi/filter	0.4	Bq/filter	10.81081081	pCi/filter	0.823045267	-17.69547325	Acceptable with Warning
Air Filter	AM-241	0.088	Bq/filter	2.378378378	pCi/filter	0.1	Bq/filter	2.702702703	pCi/filter	1.136363636	13.63636364	Acceptable
Air Filter	CO-60	19.44	Bq/filter	525.4054054	pCi/filter	18.5	Bq/filter	500	pCi/filter	0.951646091	-4.835390947	Acceptable
Air Filter	CO-60	17.5	Bq/filter	472.972973	pCi/filter	18	Bq/filter	486.4864865	pCi/filter	1.028571429	2.857142857	Acceptable
Air Filter	CS-134	2.83	Bq/filter	76.48648649	pCi/filter	2.4	Bq/filter	64.86486486	pCi/filter	0.848056537	-15.19434629	Acceptable
Air Filter	CS-134	12.95	Bq/filter	350	pCi/filter	14	Bq/filter	378.3783784	pCi/filter	1.081081081	8.108108108	Acceptable
Air Filter	CS-137	8.76	Bq/filter	236.7567568	pCi/filter	8.4	Bq/filter	227.027027	pCi/filter	0.95890411	-4.109589041	Acceptable
Air Filter	CS-137	17.1	Bq/filter	462.1621622	pCi/filter	20	Bq/filter	540.5405405	pCi/filter	1.169590643	16.95906433	Acceptable
Air Filter	GROSS ALPHA	3.97	Bq/filter	107.2972973	pCi/filter	4.1	Bq/filter	110.8108108	pCi/filter	1.032745592	3.274559194	Acceptable
Air Filter	GROSS ALPHA	5.362	Bq/filter	144.9189189	pCi/filter	5.3	Bq/filter	143.2432432	pCi/filter	0.98843715	-1.156284968	Acceptable
Air Filter	GROSS BETA	2.58	Bq/filter	69.72972973	pCi/filter	3	Bq/filter	81.08108108	pCi/filter	1.162790698	16.27906977	Acceptable
Air Filter	GROSS BETA	12.77	Bq/filter	345.1351351	pCi/filter	12.5	Bq/filter	337.8378378	pCi/filter	0.978856695	-2.114330462	Acceptable
Air Filter	MN-54	6.52	Bq/filter	176.2162162	pCi/filter	6.52	Bq/filter	176.2162162	pCi/filter	1	0	Acceptable
Air Filter	MN-54	81.15	Bq/filter	2193.243243	pCi/filter	92	Bq/filter	2486.486486	pCi/filter	1.133703019	13.37030191	Acceptable
Air Filter	PU-238	0.215	Bq/filter	5.810810811	pCi/filter	0.2	Bq/filter	5.405405405	pCi/filter	0.930232558	-6.976744186	Acceptable
Air Filter	PU-238	0.071	Bq/filter	1.918918919	pCi/filter	0.07	Bq/filter	1.891891892	pCi/filter	0.985915493	-1.408450704	Acceptable
Air Filter	PU-239	0.136	Bq/filter	3.675675676	pCi/filter	0.1	Bq/filter	2.702702703	pCi/filter	0.735294118	-26.47058824	Acceptable with Warning
Air Filter	PU-239	0.229	Bq/filter	6.189189189	pCi/filter	0.24	Bq/filter	6.486486486	pCi/filter	1.048034934	4.80349345	Acceptable
Air Filter	SR-90	7.1	Bq/filter	191.8918919	pCi/filter	7.6	Bq/filter	205.4054054	pCi/filter	1.070422535	7.042253521	Acceptable
Air Filter	SR-90	3.481	Bq/filter	94.08108108	pCi/filter	3.4	Bq/filter	91.89189189	pCi/filter	0.976730824	-2.326917552	Acceptable
Air Filter	U-234	0.046	Bq/filter	1.243243243	pCi/filter	0.04	Bq/filter	1.081081081	pCi/filter	0.869565217	-13.04347826	Acceptable with Warning
Air Filter	U-238	0.046	Bq/filter	1.243243243	pCi/filter	0.05	Bq/filter	1.351351351	pCi/filter	1.086956522	8.695652174	Acceptable
Air Filter	U-UG	3.7	Bq/filter	3.7	pCi/filter	3.6	Bq/filter	3.6	pCi/filter	0.972972973	-2.702702703	Acceptable
Air Filter	U-UG	8.844	Bq/filter	8.844	pCi/filter	8.8	Bq/filter	8.8	pCi/filter	0.995024876	-0.497512438	Acceptable
Soil	AC-228	42.7	Bq/Kg	1.154054054	pCi/Kg	55	Bq/Kg	1.486486486	pCi/Kg	1.288056206	28.80562061	Acceptable with Warning
Soil	AC-228	59.57	Bq/Kg	1.61	pCi/Kg	72	Bq/Kg	1.945945946	pCi/Kg	1.208662078	20.86620782	Acceptable
Soil	AM-241	14.8	Bq/Kg	0.4	pCi/Kg	13.6	Bq/Kg	0.367567568	pCi/Kg	0.918918919	-8.108108108	Acceptable
Soil	AM-241	4.432	Bq/Kg	0.119783784	pCi/Kg	5.3	Bq/Kg	0.143243243	pCi/Kg	1.195848375	19.58483755	Acceptable
Soil	BI-212	42	Bq/Kg	1.135135135	pCi/Kg	49.9	Bq/Kg	1.348648649	pCi/Kg	1.188095238	18.80952381	Acceptable with Warning
Soil	BI-212	62.067	Bq/Kg	1.677486486	pCi/Kg	80	Bq/Kg	2.162162162	pCi/Kg	1.288929705	28.8929705	Not Acceptable
Soil	BI-214	32.66	Bq/Kg	0.881081081	pCi/Kg	34.2	Bq/Kg	0.924324324	pCi/Kg	1.049079755	4.90797546	Acceptable
Soil	BI-214	36.9	Bq/Kg	0.997297297	pCi/Kg	43	Bq/Kg	1.162162162	pCi/Kg	1.165311653	16.53116531	Acceptable
Soil	CS-137	1740	Bq/Kg	47.02702703	pCi/Kg	2097	Bq/Kg	56.67567568	pCi/Kg	1.205172414	20.51724138	Acceptable with Warning
Soil	CS-137	612.33	Bq/Kg	16.54945946	pCi/Kg	730	Bq/Kg	19.72972973	pCi/Kg	1.192167622	19.2167622	Acceptable with Warning
Soil	K-40	468	Bq/Kg	12.64864865	pCi/Kg	547.5	Bq/Kg	14.7972973	pCi/Kg	1.169871795	16.98717949	Acceptable
Soil	K-40	623.33	Bq/Kg	16.84675676	pCi/Kg	678	Bq/Kg	18.32432432	pCi/Kg	1.087706351	8.770635137	Acceptable
Soil	PB-212	41.5	Bq/Kg	1.121621622	pCi/Kg	52.2	Bq/Kg	1.410810811	pCi/Kg	1.257831325	25.78313253	Acceptable with Warning
Soil	PB-212	58.33	Bq/Kg	1.576486486	pCi/Kg	74	Bq/Kg	2	pCi/Kg	1.268643923	26.86439225	Acceptable with Warning
Soil	PB-214	34.3	Bq/Kg	0.927027027	pCi/Kg	39.1	Bq/Kg	1.056756757	pCi/Kg	1.139941691	13.9941691	Acceptable
Soil	PB-214	39.67	Bq/Kg	1.072162162	pCi/Kg	46	Bq/Kg	1.243243243	pCi/Kg	1.159566423	15.9566423	Acceptable
Soil	PU-239	25.6	Bq/Kg	0.691891892	pCi/Kg	24.9	Bq/Kg	0.672972973	pCi/Kg	0.97265625	-2.734375	Acceptable
Soil	PU-239	8.948	Bq/Kg	0.241837838	pCi/Kg	9.4	Bq/Kg	0.254054054	pCi/Kg	1.050514081	5.051408136	Acceptable
Soil	SR-90	69	Bq/Kg	1.864864865	pCi/Kg	65.6	Bq/Kg	1.772972973	pCi/Kg	0.950724638	-4.927536232	Acceptable
Soil	TH-234	46.6	Bq/Kg	1.259459459	pCi/Kg	30.9	Bq/Kg	0.835135135	pCi/Kg	0.663090129	-33.69098712	Not Acceptable
Soil	TH-234	100.067	Bq/Kg	2.704513514	pCi/Kg	108	Bq/Kg	2.918918919	pCi/Kg	1.079276884	7.927688449	Acceptable
Soil	U-234	43.6	Bq/Kg	1.178378378	pCi/Kg	34.7	Bq/Kg	0.937837838	pCi/Kg	0.79587156	-20.41284404	Acceptable with Warning
Soil	U-238	46.1	Bq/Kg	1.245945946	pCi/Kg	36.8	Bq/Kg	0.994594595	pCi/Kg	0.798264642	-20.17353579	Acceptable with Warning
Soil	U-UG	3.73	Bq/Kg	3.73	pCi/Kg	2.4	Bq/Kg	2.4	pCi/Kg	0.643431635	-35.65683646	Acceptable with Warning
Soil	U-UG	7.948	Bq/Kg	7.948	pCi/Kg	7	Bq/Kg	7	pCi/Kg	0.880724711	-11.92752894	Acceptable
Vegetation	AM-241	6.17	Bq/Kg	166.7567568	pCi/Kg	5.1	Bq/Kg	137.8378378	pCi/Kg	0.826580227	-17.34197731	Acceptable with Warning
Vegetation	AM-241	6.915	Bq/Kg	0.186891892	pCi/Kg	7.2	Bq/Kg	0.194594595	pCi/Kg	1.041214751	4.121475054	Acceptable
Vegetation	Cm-244	3.69	Bq/Kg	99.72972973	pCi/Kg	3.3	Bq/Kg	89.18918919	pCi/Kg	0.894308943	-10.56910569	Acceptable
Vegetation	Cm-244	4.308	Bq/Kg	0.116432432	pCi/Kg	2.8	Bq/Kg	0.075675676	pCi/Kg	0.649953575	-35.00464253	Acceptable with Warning
Vegetation	CO-60	30.4	Bq/Kg	821.6216216	pCi/Kg	28.8	Bq/Kg	778.3783784	pCi/Kg	0.947368421	-5.263157895	Acceptable
Vegetation	CO-60	35.3	Bq/Kg	0.954054054	pCi/Kg	42	Bq/Kg	1.135135135	pCi/Kg	1.1898017	18.98016997	Acceptable
Vegetation	CS-137	842	Bq/Kg	22756.75676	pCi/Kg	854.8	Bq/Kg	23102.7027	pCi/Kg	1.0152019	1.520190024	Acceptable
Vegetation	CS-137	1030	Bq/Kg	27.83783784	pCi/Kg	1170	Bq/Kg	31.62162162	pCi/Kg	1.13592233	13.59223301	Acceptable
Vegetation	K-40	603	Bq/Kg	16297.2973	pCi/Kg	579	Bq/Kg	15648.64865	pCi/Kg	0.960199005	-3.980099502	Acceptable
Vegetation	K-40	898.67	Bq/Kg	24.28837838	pCi/Kg	964	Bq/Kg	26.05405405	pCi/Kg	1.072696318	7.269631789	Acceptable
Vegetation	PU-239	9.58	Bq/Kg	258.9189189	pCi/Kg	9	Bq/Kg	243.2432432	pCi/Kg	0.939457203	-6.054279749	Acceptable
Vegetation	PU-239	11.022	Bq/Kg	0.297891892	pCi/Kg	10.7	Bq/Kg	0.289189189	pCi/Kg	0.970785701	-2.921429868	Acceptable
Vegetation	SR-90	1330	Bq/Kg	35945.94595	pCi/Kg	1326	Bq/Kg	35837.83784	pCi/Kg	0.996992481	-0.30075188	Acceptable
Vegetation	SR-90	1612.8	Bq/Kg	43.58918919	pCi/Kg	1640	Bq/Kg	44.32432432	pCi/Kg	1.016865079	1.686507937	Acceptable
Water	AM-241	1.67	Bq/L	45.13513514	pCi/L	1.5	Bq/L	40.54054054	pCi/L	0.898203593	-10.17964072	Acceptable with Warning
Water	AM-241	0.76	Bq/L	20.54054054	pCi/L	0.89	Bq/L	24.05405405	pCi/L	1.171052632	17.10526316	Acceptable
Water	CO-60	98.2	Bq/L	2654.054054	pCi/L	105.4	Bq/L	2848.648649	pCi/L	1.073319756	7.33197556	Acceptable
Water	CO-60	209	Bq/L	5648.648649	pCi/L	152	Bq/L	4108.108108	pCi/L	0.727272727	-27.27272727	Not Acceptable
Water	CS-137	73	Bq/L	1972.972973	pCi/L	79.6	Bq/L	2151.351351	pCi/L	1.090410959	9.04109589	Acceptable
Water	CS-137	45.133	Bq/L	1219.810811	pCi/L	33	Bq/L	891.8918919	pCi/L	0.731172313	-26.88276871	Not Acceptable
Water	GROSS ALPHA	1900	Bq/L	51351.35135	pCi/L	1960.9	Bq/L	52997.2973	pCi/L	1.032052632	3.205263158	Acceptable
Water	GROSS ALPHA	1150	Bq/L	31081.08108	pCi/L	951	Bq/L	25702.7027	pCi/L	0.826956522	-17.30434783	Acceptable
Water	GROSS BETA	1297	Bq/L	35054.05405	pCi/L	1260.3	Bq/L	34062.16216	pCi/L	0.971703932	-2.829606785	Acceptable
Water	GROSS BETA	7970	Bq/L	215405.4054	pCi/L	7670	Bq/L	207297.2973	pCi/L	0.962358846	-3.764115433	Acceptable
Water	H-3	79.3	Bq/L	2143.243243	pCi/L	77.4	Bq/L	2091.891892	pCi/L	0.976040353	-2.395964691	Acceptable
Water	H-3	207	Bq/L	5594.594595	pCi/L	213	Bq/L	5756.756757	pCi/L	1.028985507	2.898550725	Acceptable
Water	PU-238	1.58	Bq/L	42.7027027	pCi/L	1.5	Bq/L	40.54054054	pCi/L	0.949367089	-5.063291139	Acceptable
Water	PU-238	1.088	Bq/L	29.40540541	pCi/L	1.11	Bq/L	30	pCi/L	1.02020588	2.020205882	Acceptable
Water	PU-239	1.64	Bq/L	44.32432432	pCi/L	1.6	Bq/L	43.24324324	pCi/L	0.975609756	-2.43902439	Acceptable
Water	PU-239	1.628	Bq/L	44	pCi/L	1.68	Bq/L	45.40540541	pCi/L	1.031941032	3.194103194	Acceptable
Water	SR-90	4.4	Bq/L	118.9189189	pCi/L	5	Bq/L	135.1351351	pCi/L	1.136363636	13.63636364	Acceptable
Water	SR-90	3.729	Bq/L	100.7837838	pCi/L	3.95	Bq/L	106.7567568	pCi/L	1.059265219	5.926521856	Acceptable
Water	U-234	1.04	Bq/L	28.10810811	pCi/L	0.9	Bq/L	24.32432432	pCi/L	0.865384615	-13.46153846	Acceptable with Warning
Water	U-238	1.04	Bq/L	28.10810811	pCi/L	0.9	Bq/L	24.32432432	pCi/L	0.865384615	-13.46153846	Acceptable with Warning
Water	U-UG	0.08	Bq/L	0.08	pCi/L	0.08	Bq/L	0.08	pCi/L	1	0	Acceptable
Water	U-UG	0.094	Bq/L	0.094	pCi/L	0.084	Bq/L	0.084	pCi/L	0.893617021	-10.63829787	Acceptable with Warning

Table Q-4. Biota Sample Field Duplicate Results, 2001

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	BE-7	-0.429			pCi/L	25	25	U	42.2
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	CO-60	1.27			pCi/L	3	3	U	5.34
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	CS-134	3.84			pCi/L	3.3	3.3	U	5.81
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	CS-137	0.453			pCi/L	3	3	U	5.23
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	EU-154	3.06			pCi/L	9.3	9.3	U	16.2
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	EU-155	1.02			pCi/L	7.4	7.4	U	12.7
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	K-40	1150			pCi/L	180	180		46.3
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	RU-106	-29.6			pCi/L	27	27	U	42.4
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	SB-125	-0.276			pCi/L	7.4	7.4	U	12.3
SESPMNT	B121F0	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	SR-90	0.354			pCi/L	0.38	0.43	U	0.696
SESPMNT	B121F2	SAGEMOOR COMPOSITE	BI	COW	MILK	25-May-01	TRITIUM	62.3			pCi/L		1.9		
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	BE-7	-7.15	-0.429	-177	pCi/L	24	24	U	40.3
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	CO-60	-0.16	1.27	258	pCi/L	3.4	3.4	U	5.96
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	CS-134	-0.674	3.84	285	pCi/L	3.3	3.3	U	5.59
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	CS-137	-1.42	0.453	-387	pCi/L	2.8	2.8	U	4.69
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	EU-154	-1.85	3.06	812	pCi/L	10	10	U	17.1
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	EU-155	3.33	1.02	106	pCi/L	6.2	6.2	U	10.6
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	K-40	1380	1150	18	pCi/L	200	200		50.3
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	RU-106	4.43	-29.6	-270	pCi/L	26	26	U	44.4
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	SB-125	0.45	-0.276	834	pCi/L	6.7	6.7	U	11.5
SESPSPEC	B121C7	FRANKLIN FARM A	BI	COW	MILK	25-May-01	SR-90	0.217	0.354	48	pCi/L	0.31	0.34	U	0.528
SESPSPEC	B121F3	FRANKLIN FARM A	BI	COW	MILK	25-May-01	TRITIUM	54.3	62.3	14	pCi/L		1.6		
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	BE-7	10.3	-0.429	217	pCi/L	25	25	U	43.1
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	CO-60	0.0192	1.27	194	pCi/L	3.2	3.2	U	5.54
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	CS-134	1.77	3.84	74	pCi/L	3.1	3.1	U	5.46
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	CS-137	1.47	0.453	106	pCi/L	2.8	2.8	U	4.77
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	EU-154	-0.802	3.06	342	pCi/L	8.8	8.8	U	15.3
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	EU-155	0.944	1.02	8	pCi/L	6	6	U	10.1
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	K-40	1250	1150	8	pCi/L	190	190		46.9
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	RU-106	-15.4	-29.6	-63	pCi/L	25	25	U	40.7
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	SB-125	-0.188	-0.276	-38	pCi/L	6.9	6.9	U	11.8
SESPSPEC	B121C6	FRANKLIN FARM B	BI	COW	MILK	25-May-01	SR-90	0.425	0.354	18	pCi/L	0.38	0.42	U	0.656
SESPSPEC	B121F4	FRANKLIN FARM B	BI	COW	MILK	25-May-01	TRITIUM	54	62.3	14	pCi/L		1.6		
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	BE-7	31.2			pCi/L	26	26	U	47.9
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	CO-60	4.65			pCi/L	3.6	3.6	U	6.91
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	CS-134	-0.013			pCi/L	3.4	3.4	U	6.06
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	CS-137	0.698			pCi/L	3.1	3.1	U	5.47
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	EU-154	-0.598			pCi/L	10	10	U	18.4
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	EU-155	3.75			pCi/L	9.4	9.4	U	16.6
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	K-40	1390			pCi/L	210	210		57
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	RU-106	14.3			pCi/L	29	29	U	50.8
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	SB-125	0.798			pCi/L	7.6	7.6	U	12.9
SESPMNT	B135V8	SAGEMOOR COMPOSITE	BI	COW	MILK	26-Oct-01	SR-90	0.271			pCi/L	0.28	0.32	U	0.475
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	BE-7	-8.88	31.2	359	pCi/L	22	22	U	37.9
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	CO-60	-1.47	4.65	385	pCi/L	2.6	2.6	U	4.43
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	CS-134	-0.039	-0.013	-101	pCi/L	2.8	2.8	U	5.01
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	CS-137	-2.13	0.698	-395	pCi/L	2.7	2.7	U	4.32
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	EU-154	7.11	-0.598	237	pCi/L	8.9	8.9	U	16.5
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	EU-155	5.8	3.75	43	pCi/L	6.4	6.4	U	10.9
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	K-40	1400	1390	1	pCi/L	200	200		45.6
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	RU-106	16	14.3	11	pCi/L	23	23	U	41.3
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	SB-125	-1.45	0.798	-690	pCi/L	6.6	6.6	U	11.4
SESPSPEC	B135T8	FRANKLIN FARM A	BI	COW	MILK	26-Oct-01	SR-90	0.442	0.271	48	pCi/L	0.3	0.35	U	0.486
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	BE-7	-0.754	31.2	210	pCi/L	24	24	U	41.6
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	CO-60	-1.04	4.65	315	pCi/L	3.2	3.2	U	5.46
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	CS-134	3.09	-0.013	202	pCi/L	3.3	3.3	U	6.15
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	CS-137	1.25	0.698	57	pCi/L	3.1	3.1	U	5.42
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	EU-154	-2.73	-0.598	-128	pCi/L	9.6	9.6	U	16.6
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	EU-155	-2.19	3.75	762	pCi/L	7.4	7.4	U	12.1
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	K-40	1360	1390	2	pCi/L	210	210		51.1
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	RU-106	0.0789	14.3	198	pCi/L	25	25	U	42.9
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	SB-125	-0.028	0.798	214	pCi/L	7.1	7.1	U	12.2
SESPSPEC	B135T7	FRANKLIN FARM B	BI	COW	MILK	26-Oct-01	SR-90	0.24	0.271	12	pCi/L	0.29	0.32	U	0.502

Table Q-5. Water Sample Field Duplicate Results, 2001

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	SR-90	0.0758	0.067	12.3	pCi/L	0.032	0.038		0.045
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	TRITIUM	64.5	62.8	2.7	pCi/L	2.8	7.8		4.51
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-234	0.254	0.29	13.2	pCi/L	0.039	0.06		0.0097
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-235	0.00542	0.00542	0.0	pCi/L	0.0076	0.008	U	0.0097
SESPMNT	B11H43	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-238	0.232	0.226	2.6	pCi/L	0.037	0.055		0.00383
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	SR-90	0.067			pCi/L	0.028	0.034		0.0417
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	TRITIUM	62.8			pCi/L	3.2	8.8		5.13
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-234	0.29			pCi/L	0.039	0.065		0.00707
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-235	0.00542			pCi/L	0.0066	0.007	U	0.00339
SESPSPEC	B11H38	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	26-Feb-01	U-238	0.226			pCi/L	0.034	0.052		0.00339
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	ALPHA	-0.608	0.435	-1206	pCi/L	0.74	0.75	U	3.2
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	BE-7	-5.85	7.79	1406	pCi/L	16	16	U	27.2
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	BETA	12.2	10.1	19	pCi/L	2.2	2.9		2.92
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CO-60	1.1	-1.4	-1667	pCi/L	2	2	U	4.47
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CS-134	-0.436	-0.14	-103	pCi/L	1.9	1.9	U	3.29
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CS-137	-0.791	-0.363	-74	pCi/L	2	2	U	3.43
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	EU-154	3.22	2.37	30	pCi/L	6.2	6.2	U	13.3
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	EU-155	2.41	2.63	8.7	pCi/L	3.5	3.5	U	6.72
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	K-40	5.66	61	166	pCi/L	28	28	U	62.5
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	RU-106	-8.05	-2	-120	pCi/L	16	16	U	27.1
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	SB-125	-2.6	-0.306	-158	pCi/L	4.4	4.4	U	7.54
SESPMNT	B11N00	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	TRITIUM	3860	3500	10	pCi/L	160	280		180
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	ALPHA	0.435			pCi/L	1.1	1.1	U	2.28
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	BE-7	7.79			pCi/L	20	20	U	37.7
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	BETA	10.1			pCi/L	2.1	2.6		3.06
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CO-60	-1.4			pCi/L	2.2	2.2	U	3.73
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CS-134	-0.14			pCi/L	1.8	1.8	U	3.35
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	CS-137	-0.363			pCi/L	2.3	2.3	U	4.19
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	EU-154	2.37			pCi/L	6.2	6.2	U	13.3
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	EU-155	2.63			pCi/L	3.7	3.7	U	7.23
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	K-40	61			pCi/L	57	57		43.2
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	RU-106	-2			pCi/L	19	19	U	35.1
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	SB-125	-0.306			pCi/L	5.1	5.1	U	9.27
SESPSPEC	B11N01	FFTF POND	SW	UNFILTERED	SURFACE	3-Apr-01	TRITIUM	3500			pCi/L	150	260		165
SESPMNT	B12T91	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	SR-90	0.142	0.131	8.1	pCi/L	0.033	0.048		0.041
SESPMNT	B12T91	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	TRITIUM	111	107	3.7	pCi/L	4.8	13		6.67
SESPMNT	B12T91	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-234	0.242	0.226	6.8	pCi/L	0.04	0.06		0.00421
SESPMNT	B12T91	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-235	0.00691	0.0155	76.7	pCi/L	0.0083	0.0087	U	0.00878
SESPMNT	B12T91	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-238	0.192	0.189	1.6	pCi/L	0.035	0.05		0.00421
SESPSPEC	B12T85	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	SR-90	0.131			pCi/L	0.032	0.046		0.0409
SESPSPEC	B12T85	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	TRITIUM	107			pCi/L	4.7	12		6.47
SESPSPEC	B12T85	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-234	0.226			pCi/L	0.04	0.058		0.0115
SESPSPEC	B12T85	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-235	0.0155			pCi/L	0.012	0.012		0.0115
SESPSPEC	B12T85	100 N -1 HRM 9.5	SW	TRANSECT	RIVER	7-Sep-01	U-238	0.189			pCi/L	0.036	0.05		0.0095
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	SR-90	0.0704	0.0751	6	pCi/L	0.035	0.04		0.0545
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	TRITIUM	90.1	98.8	9	pCi/L	4.3	11		6.26
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-234	0.295	0.325	10	pCi/L	0.041	0.068		0.00368
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-235	0.00974	0.00698	33	pCi/L	0.0087	0.0091		0.00768
SESPMNT	B13LF7	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-238	0.227	0.205	10	pCi/L	0.036	0.055		0.00368
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	SR-90	0.0751			pCi/L	0.029	0.036		0.0435
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	TRITIUM	98.8			pCi/L	4.5	11		6.27
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-234	0.325			pCi/L	0.044	0.075		0.00399
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-235	0.00698			pCi/L	0.0078	0.0082	U	0.00399
SESPSPEC	B13LF2	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER	4-Dec-01	U-238	0.205			pCi/L	0.035	0.052		0.00833

Table Q-6. Surface Soil Sample Field Duplicate Results, 2001

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	BE-7	-0.22			pCi/g	0.43	0.43	U	0.717
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	CO-60	-0.0105			pCi/g	0.0098	0.0098	U	0.0157
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	CS-134	0.0444			pCi/g	0.019	0.019	U	0.0224
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	CS-137	0.485			pCi/g	0.062	0.062		0.0158
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	EU-154	0.0222			pCi/g	0.033	0.033	U	0.0583
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	EU-155	0.043			pCi/g	0.029	0.029	U	0.0481
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	K-40	15.9			pCi/g	1.9	1.9		0.123
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	PU-238	0.000535			pCi/g	0.00019	0.00021		0.0000474
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	PU-239/240	0.0116			pCi/g	0.0009	0.0018		0.00012
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	RU-106	0.0494			pCi/g	0.095	0.095	U	0.163
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	SB-125	0.00085			pCi/g	0.025	0.025	U	0.042
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	SR-90	0.0852			pCi/g	0.03	0.037		0.0426
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	U-234	0.0713			pCi/g	0.015	0.02		0.00193
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	U-235	0.00239			pCi/g	0.0035	0.0037	U	0.00403
SESPMNT	B11JC4	WYE BARRICADE	SO	SURFACE	5-Mar-01	U-238	0.0807			pCi/g	0.016	0.022		0.0049
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	BE-7	0.338	-0.22	946	pCi/g	0.5	0.5	U	0.851
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	CO-60	-0.00326	-0.0105	-105	pCi/g	0.011	0.011	U	0.0186
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	CS-134	0.0395	0.0444	12	pCi/g	0.022	0.022	U	0.0257
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	CS-137	0.514	0.485	6	pCi/g	0.067	0.067		0.0176
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	EU-154	-0.0312	0.0222	-1187	pCi/g	0.035	0.035	U	0.057
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	EU-155	0.0451	0.043	5	pCi/g	0.029	0.029	U	0.0485
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	K-40	16.1	15.9	1	pCi/g	2	2		0.13
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	PU-238	0.000346	0.000535	43	pCi/g	0.00017	0.00018		0.000114
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	PU-239/240	0.0113	0.0116	3	pCi/g	0.00095	0.0018		0.0000543
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	RU-106	0.00577	0.0494	158	pCi/g	0.11	0.11	U	0.183
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	SB-125	0.0149	0.00085	178	pCi/g	0.028	0.028	U	0.0475
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	SR-90	0.0622	0.0852	31	pCi/g	0.028	0.033		0.0419
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	U-234	0.0835	0.0713	16	pCi/g	0.016	0.023		0.00415
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	U-235	0.000718	0.00239	108	pCi/g	0.0031	0.0031	U	0.00504
SESPSPEC	B11J88	600 H	SO	SURFACE	5-Mar-01	U-238	0.0914	0.0807	12	pCi/g	0.017	0.024		0.00415
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	BE-7	-0.129	-0.22	-52	pCi/g	0.52	0.52	U	0.868
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	CO-60	0.009	-0.0105	-2600	pCi/g	0.012	0.012	U	0.0216
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	CS-134	0.0413	0.0444	7	pCi/g	0.016	0.016	U	0.0275
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	CS-137	0.507	0.485	4	pCi/g	0.067	0.067		0.0199
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	EU-154	0.00114	0.0222	180	pCi/g	0.044	0.044	U	0.0752
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	EU-155	0.0689	0.043	46	pCi/g	0.043	0.043	U	0.0741
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	K-40	16.7	15.9	5	pCi/g	2.1	2.1		0.162
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	PU-238	0.000234	0.000535	78	pCi/g	0.00013	0.00013		0.0000468
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	PU-239/240	0.0101	0.0116	14	pCi/g	0.00083	0.0016		0.0000467
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	RU-106	0.0516	0.0494	4	pCi/g	0.12	0.12	U	0.207
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	SB-125	0.000254	0.00085	108	pCi/g	0.028	0.028	U	0.0487
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	SR-90	0.0488	0.0852	54	pCi/g	0.026	0.03		0.041
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	U-234	0.0855	0.0713	18	pCi/g	0.016	0.023		0.00192
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	U-235	0.00266	0.00239	11	pCi/g	0.0035	0.0036	U	0.00192
SESPSPEC	B11J89	600 I	SO	SURFACE	5-Mar-01	U-238	0.0967	0.0807	18	pCi/g	0.017	0.024		0.00192
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	BE-7	0.0169			pCi/g	0.17	0.17	U	0.297
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	CO-60	-0.000452			pCi/g	0.013	0.013	U	0.0219
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	CS-134	0.0446			pCi/g	0.018	0.018	U	0.027
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	CS-137	0.0262			pCi/g	0.014	0.014		0.0201
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	EU-154	-0.0691			pCi/g	0.043	0.043	U	0.0679
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	EU-155	0.0463			pCi/g	0.045	0.045	U	0.0769
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	K-40	17.3			pCi/g	2.1	2.1		0.19
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	PU-238	0.000244			pCi/g	0.00019	0.00019		0.000211
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	PU-239/240	0.00127			pCi/g	0.0004	0.00044		0.000211
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	RU-106	0.045			pCi/g	0.11	0.11	U	0.185
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	SB-125	0.0186			pCi/g	0.028	0.028	U	0.0482
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	SR-90	-0.00938			pCi/g	0.014	0.019	U	0.0367
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	U-234	0.123			pCi/g	0.02	0.03		0.00201
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	U-235	0.0018			pCi/g	0.0034	0.0035	U	0.0042
SESPMNT	B11J79	SAGEMOOR FARM	SO	SURFACE	8-Jun-01	U-238	0.162			pCi/g	0.022	0.037		0.0042
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	BE-7	-0.0539	0.0169	-383	pCi/g	0.13	0.13	U	0.222

Table Q-6. Surface Soil Sample Field Duplicate Results, 2001

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	CO-60	-0.0015	-0.000452	-107	pCi/g	0.0091	0.0091	U	0.0158
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	CS-134	0.0489	0.0446	9	pCi/g	0.018	0.018	U	0.022
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	CS-137	0.014	0.0262	61	pCi/g	0.012	0.012	U	0.0156
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	EU-154	0.0243	-0.0691	-417	pCi/g	0.032	0.032	U	0.056
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	EU-155	0.0405	0.0463	13	pCi/g	0.028	0.028	U	0.0468
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	K-40	17.3	17.3	0	pCi/g	2.1	2.1		0.113
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	PU-238	0.0000089	0.000244	186	pCi/g	0.000033	0.000035	U	0.0000446
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	PU-239/240	0.00188	0.00127	39	pCi/g	0.00035	0.00044		0.0000929
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	RU-106	-0.00184	0.045	217	pCi/g	0.084	0.084	U	0.142
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	SB-125	0.00533	0.0186	111	pCi/g	0.022	0.022	U	0.0372
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	SR-90	-0.00273	-0.00938	-110	pCi/g	0.018	0.018	U	0.0332
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	U-234	0.0999	0.123	21	pCi/g	0.018	0.026		0.00204
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	U-235	0.00516	0.0018	97	pCi/g	0.0045	0.0047		0.00204
SESPSPEC	B11J90	BASIN FARM A	SO	SURFACE	8-Jun-01	U-238	0.0862	0.162	61	pCi/g	0.017	0.023		0.00518
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	BE-7	0.0805	0.0169	131	pCi/g	0.16	0.16	U	0.265
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	CO-60	-0.00129	-0.000452	-96	pCi/g	0.011	0.011	U	0.0184
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	CS-134	0.0534	0.0446	18	pCi/g	0.019	0.019	U	0.0248
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	CS-137	0.0366	0.0262	33	pCi/g	0.014	0.014		0.0176
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	EU-154	-0.0109	-0.0691	-146	pCi/g	0.034	0.034	U	0.0573
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	EU-155	0.0562	0.0463	19	pCi/g	0.028	0.028	U	0.048
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	K-40	17.2	17.3	1	pCi/g	2.1	2.1		0.12
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	PU-238	0.0000361	0.000244	148	pCi/g	0.00006	0.000061	U	0.0000948
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	PU-239/240	0.00165	0.00127	26	pCi/g	0.00034	0.00041		0.000131
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	RU-106	0.018	0.045	86	pCi/g	0.09	0.09	U	0.155
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	SB-125	-0.000308	0.0186	207	pCi/g	0.025	0.025	U	0.0412
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	SR-90	0.00383	-0.00938	-476	pCi/g	0.019	0.021	U	0.0372
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	U-234	0.121	0.123	2	pCi/g	0.02	0.03		0.00421
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	U-235	0.00404	0.0018	77	pCi/g	0.0043	0.0044	U	0.00421
SESPSPEC	B11J91	BASIN FARM B	SO	SURFACE	8-Jun-01	U-238	0.13	0.162	22	pCi/g	0.02	0.031		0.00202

Distribution

No. of Copies

OFFSITE

P Basin City Branch of Mid-Columbia Library
50-A N. Canal Boulevard
Basin City, WA 99343

P Benton City Branch of the Mid-Columbia
Library
City Hall
Benton City, WA 99320

P Burbank Community Library
875 Lake Road
Burbank, WA 99323

P Connell Branch of the Mid-Columbia Library
130 Columbia
Connell, WA 99326

P Kahlotus Branch of the Mid-Columbia
Library
255 E. Weston
Kahlotus, WA 99335

P Kennewick Branch of the Mid-Columbia
Library
1620 S. Union Street
Kennewick, WA 99338

CD Sandi E. Langford MS-7827
Environmental Radiation Section
Division of Radiation Protection
Washington State Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

No. of Copies

P Knight Library
Serials Department
1299 University of Oregon
Eugene, OR 97403-1299

P Merrill's Corner Branch of the
Mid-Columbia Library
5240 Eltopia Way
Eltopia, WA 99330

P Othello Community Library
Mid-Columbia Branch
101 East Main
Othello, WA 99344

P Pasco Branch of the Mid-Columbia Library
1320 W. Hopkins
Pasco, WA 99301

P Richland Public Library
955 Northgate
Richland, WA 99352

P U.S. Geological Survey Library
Special Attn: Exchange, Mail Stop 950
National Center
Reston, VA 22092

P Washington State Department of Ecology
Library, PV-11
P.O. Box 47600
Olympia, WA 98504-7600

P West Benton Branch of the Mid-Columbia
Library
614 6th Street
Prosser, WA 99350

**No. of
Copies**

**No. of
Copies**

P West Richland Branch of the Mid-Columbia
Library
3803 W. Van Giesen
West Richland, WA 99353

E. A. Lepel (P) P8-01
B. A. Napier (P) K3-54
G. W. Patton (P) K6-75
T. M. Poston (P) K6-75
P. K. Schuette (4P) K1-33
B. L. Tiller (P) K6-85
DOE Public Reading Room (2P) H2-53
Hanford Site Administrative
Record (2P) H6-08
Historical File - Ted Poston (P) K6-75
Hanford Technical Library (2P) P8-55
LMSI Central Files (P) B1-07

ONSITE (38)

E. J. Antonio (P) K3-54
L. E. Bisping (15P) K6-75
R. L. Dirkes (P) K6-75
B. Fritz (P) K6-75
R. W. Fulton (P) K6-75
R. W. Hanf (2P) K6-75