

**Pacific Northwest
National Laboratory**

Operated by Battelle for the
U.S. Department of Energy

**Hanford Site Environmental
Surveillance Master Sampling
Schedule for Calendar Year 2004**

L. E. Bisping

February 2004

Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RL01830



DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY
operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RL01830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information,
P.O. Box 62, Oak Ridge, TN 37831-0062;
ph: (865) 576-8401
fax: (865) 576-5728
email: reports@adonis.osti.gov

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161
ph: (800) 553-6847
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/ordering.htm>



This document was printed on recycled paper.

(8/00)

**HANFORD SITE ENVIRONMENTAL SURVEILLANCE MASTER
SAMPLING SCHEDULE FOR CALENDAR YEAR 2004**

L. E. Bisping

February 2004

Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

SUMMARY

Environmental surveillance of the Hanford Site and surrounding areas is conducted by the Pacific Northwest National Laboratory (PNNL)^(a) for the U.S. Department of Energy (DOE). Sampling is conducted to evaluate levels of radioactive and nonradioactive pollutants in the Hanford environs, as required in DOE Order 450.1, "Environmental Protection Program," and DOE Order 5400.5, "Radiation Protection of the Public and the Environment." The sampling design is described in the Hanford Site Environmental Monitoring Plan (DOE/RL-91-50, U.S. Department of Energy, Richland Operations Office, Richland, Washington). The changing mission at Hanford from plutonium production to clean-up has resulted in decreases in radiological sampling scope over the past ten years.

This document contains the calendar year 2004 schedules for the routine and non-routine collection of samples for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project. Each section includes sampling locations, sample types, and analyses to be performed. In some cases, samples are scheduled on a rotating basis and may not be collected in 2004 in which case the anticipated year for collection is provided. In addition, a map showing approximate sampling locations is included for each media scheduled for collection in 2004.

SESP SAMPLING

The SESP is a multimedia environmental surveillance effort to measure the concentrations of radionuclides and chemicals in environmental media and assess the integrated effects of these materials on the environment and the public. Project staff collect samples of air, surface water, agricultural products, wildlife, and sediments. In addition, soil and natural vegetation samples are collected approximately every 5 years. Analytical capabilities include the measurement of radionuclides at very low environmental concentrations and, in selected media, nonradiological chemicals including metals, anions, and volatile organic compounds. In addition, the project includes the capability to measure ambient external radiation and monitor particulate matter mass concentrations in air.

(a) Pacific Northwest National Laboratory is operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract DE-AC06-76RL01830.

DRINKING WATER MONITORING PROJECT SAMPLING

Fluor Hanford, Inc. is responsible for monitoring the quality of drinking water supplied by the DOE to its onsite facilities in accordance with federal and state regulations. PNNL conducts radiological monitoring of onsite drinking water for Fluor Hanford concurrent with SESP activities to promote sampling efficiency and consistency, utilize expertise developed over the years, and reduce costs associated with management, sample collection procedure development, analytical contracting, data management, quality control, and reporting.

DATA MANAGEMENT

The Hanford Environmental Information System (HEIS) database is used as a repository for data gathered during environmental surveillance activities at the Hanford Site. For ease in retrieving SESP or drinking water data from the HEIS database, the majority of the location names in this document reflect the location names used in the database.

SCHEDED CHANGES

This schedule is subject to modification during the year in response to changes in site operations, program requirements, and the nature of the observed results. Operational limitations such as weather, mechanical failures, sample availability, etc., may also impact scheduled sampling. Therefore, this document may not be an accurate record of samples collected during the year.

COSAMPLES

Samples that are cosampled and analyzed by both PNNL and the Washington State Department of Health (DOH) are indicated in the schedule as are samples that are cosampled and analyzed by both PNNL and the U.S. Food and Drug Administration (FDA).

ADDITIONAL INFORMATION

Questions relating to the content of this document can be directed to Mr. T. M. Poston, Manager, Surface Environmental Surveillance Project, (509) 376-5678 or Mr. R. W. (Bill) Hanf, Manager, Drinking Water Monitoring Project, (509) 376-8264.

CONTENTS

SUMMARY	iii
ABBREVIATIONS	viii
1.0 AIR SURVEILLANCE	1
1.1 AIR – PARTICULATE FILTER.....	1
1.2 AIR – TRITIUM AND IODINE	3
1.3 AIR – PARTICULATE MASS CONCENTRATION	3
2.0 SURFACE WATER SURVEILLANCE	5
2.1 WATER – COLUMBIA RIVER.....	5
2.2 RIVERBANK SPRINGS	7
2.3 ONSITE PONDS	8
2.4 OFFSITE IRRIGATION WATER	8
2.5 ONSITE DRINKING WATER	9
3.0 BIOTA	11
3.1 FOODSTUFFS AND FARM PRODUCTS	11
3.1.1 Whole Milk	11
3.1.2 Leafy Vegetables.....	11
3.1.3 Vegetables	11
3.1.4 Fruit.....	12
3.1.5 Wine	12
3.1.6 Alfalfa	13
3.1.7 Honey	13
3.2 WILDLIFE	15
3.2.1 Aquatic Biota	15
3.2.2 Geese	16
3.2.3 Game Birds.....	16
3.2.4 Rabbits.....	17
3.2.5 Deer/Elk	17
4.0 SOIL AND VEGETATION	19
4.1 SOIL	19
4.2 VEGETATION.....	20
5.0 SEDIMENT	22
6.0 EXTERNAL RADIATION	24
6.1 THERMOLUMINESCENT DOSIMETERS (TLDS).....	24
6.1.1 Terrestrial Locations	24
6.1.2 Columbia River Shoreline Locations	28
6.2 COLUMBIA RIVER SHORELINE RADIATION SURVEYS.....	28

7.0 HORSeshoe LANDFILL SAMPLING	30
7.1 SOIL	30
7.2 BIOTA	30

FIGURES

Figure 1.1. 2004 Air Sampling Locations.....	4
Figure 2.1. 2004 Surface Water and Drinking Water Sampling Locations	10
Figure 3.1. 2004 Food and Farm Product Sampling Locations	14
Figure 3.2. 2004 Wildlife Sampling Locations	18
Figure 4.1 2004 Soil and Vegetation Sampling Locations	21
Figure 5.1. 2004 Sediment Sampling Locations	23
Figure 6.1. 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Site	26
Figure 6.2. 2004 Thermoluminescent Dosimeter (TLD) Locations for Perimeter, Community, and Distant Sites	27
Figure 6.3. 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Reach of the Columbia River	29
Figure 7.1. 2004 Horseshoe Landfill Sampling Locations	31

ABBREVIATIONS

FREQUENCY SYMBOLS USED

A	annually
BE	biennial (every 2 years)
BW	biweekly (every 2 weeks)
M	monthly
M Comp.	monthly composite
Q	quarterly
Q Comp.	quarterly composite
SA	semiannually
TE	triennial (every 3 years)

ANALYTICAL SYMBOLS USED

Generally, standard element, chemical, and isotope designations are used to indicate the analyses performed. Other analytical designations used are:

Alpha	gross alpha activity of sample
Anions	major anions—generally chloride, fluoride, nitrate, nitrite, sulfate
Beta	gross beta activity of sample
DDD	dichlorodiphenyl dichloroethane
DDE	dichlorodiphenyl dichloroethylene
DDT	dichlorodiphenyl trichloroethane
Gamma Scan	analysis of photon energy spectrum for individual photon-emitting radionuclides
HTO	tritiated water ($^3\text{H}^1\text{H}^{16}\text{O}$)
Hg-CVAA	mercury by cold vapor atomic absorbance spectrometry
Hg-CVAF	total mercury in water by cold vapor atomic fluorescence
ICP-u, ICP-3	major metals by inductively coupled plasma spectrometry – samples unfiltered unless otherwise noted
Lo ^3H	analytical procedure includes electrolytic enrichment
PM ₁₀ & PM _{2.5}	particulates having an aerodynamic diameter less than 10 and 2.5 micro meters respectively. Note that a PM ₁₀ includes PM _{2.5}
Pu	isotopic plutonium (^{238}Pu , $^{239/240}\text{Pu}$)
SEM/AVS	Simultaneously Extracted Metals/Acid Volatile Sulfide
TOC	Total Organic Carbon
U	isotopic uranium (^{234}U , ^{235}U , ^{238}U)
VOA	Volatile Organic Compounds

INSTRUMENT SYMBOLS USED

BICRON	Microrem meter
GM	Geiger-Müller counter
PIC	Pressurized ionization chamber

1.0 AIR SURVEILLANCE

1.1 AIR – PARTICULATE FILTER

Location	Individual Samples			Composited Samples		
	Location Number ^(a)	Fre-quency	Analyses	Composite Group	Fre-quency	Analyses
<u>Onsite</u>						
100 K Area	1	BW	Beta ,Alpha	100 Areas	Q	⁹⁰ Sr, Pu, Gamma Scan
100 N-1325 Crib	2	BW	Beta ,Alpha			
100 D Area	3	BW	Beta ,Alpha			
100 F Met Tower	4	BW	Beta ,Alpha	Hanford Townsite	Q	⁹⁰ Sr, Pu, Gamma Scan
Hanford Townsite	5	BW	Beta ,Alpha			
N of 200 E	6	BW	Beta, Alpha	N of 200 E	Q	Gamma Scan
200 ESE ^(b)	7	BW	Beta, Alpha	200 E Area	Q	⁹⁰ Sr, Pu, U, Gamma Scan
S of 200 E	8	BW	Beta, Alpha			
B Pond	9	BW	Beta, Alpha	B Pond	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Army Loop Camp	10	BW	Beta, Alpha	200 W South East	Q	⁹⁰ Sr, Pu, U, Gamma Scan
200 Tel. Exchange	11	BW	Beta, Alpha			
SW of B/C Cribs	12	BW	Beta, Alpha			
200 W SE	13	BW	Beta, Alpha	200 West Area	Q	⁹⁰ Sr, Pu, U, Gamma Scan
300 Water Intake	14	BW	Beta, Alpha	300 Area	Q	⁹⁰ Sr, Pu, U, Gamma Scan
300 South Gate	15	BW	Beta, Alpha			
300 South West	16	BW	Beta, Alpha			
300 Trench	17	BW	Beta, Alpha	300 NE	Q	⁹⁰ Sr, Pu, U, Gamma Scan
300 NE	18	BW	Beta, Alpha			
400 E	19	BW	Beta , Alpha	400 Area	Q	⁹⁰ Sr, Pu, Gamma Scan
400 W	20	BW	Beta , Alpha			
400 S	21	BW	Beta , Alpha			
400 N	22	BW	Beta , Alpha			
Wye Barricade ^(b)	23	BW	Beta, Alpha	Wye Barricade	Q	⁹⁰ Sr, Pu, U, Gamma Scan
<u>Perimeter</u>						
Ringold Met Tower	24	BW	Beta, Alpha	Ringold Met Tower	Q	⁹⁰ Sr, Pu, Gamma Scan
W End of Fir Road ^(b)	25	BW	Beta, Alpha	W End of Fir Road	Q	⁹⁰ Sr, Pu, U, Gamma Scan

1.1 AIR - PARTICULATE FILTER (contd)

Location	Location Number ^(a)	Individual Samples		Composited Samples		
		Fre-quency	Analyses	Composite Group	Fre-quency	Analyses
<u>Perimeter</u>						
Dogwood Met Tower	26	BW	Beta, Alpha	Dogwood Met Tower	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Byers Landing	27	BW	Beta, Alpha	Byers Landing	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Battelle Complex ^(b)	28	BW	Beta, Alpha	Battelle Complex	Q	Gamma Scan
Horn Rapids Substa Prosser Barricade ^(b)	29 30	BW BW	Beta, Alpha } Beta, Alpha }	Prosser Barricade	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Yakima Barricade ^(b) Rattlesnake Springs	31 32	BW BW	Beta, Alpha } Beta, Alpha }	Yakima Barricade	Q	⁹⁰ Sr, Pu, Gamma Scan
Wahluke Slope S End Vernita Bridge	33 34	BW BW	Beta, Alpha } Beta, Alpha }	Wahluke Slope	Q	⁹⁰ Sr, Pu, Gamma Scan
<u>Community</u>						
Basin City School ^(c)	35	BW	Beta, Alpha	Basin City School	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Leslie Groves-Rchlnd ^(c)	36	BW	Beta, Alpha	Leslie Groves-Rchlnd	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Pasco Kennewick-Ely Street	37 38	BW BW	Beta } Beta , Alpha }	Tri Cities	Q	⁹⁰ Sr, Pu, Gamma Scan
Benton City	39	BW	Beta	Benton City	Q	Gamma Scan
Edwin Markham School ^(c)	40	BW	Beta, Alpha	Edwin Markham School	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Mattawa	41	BW	Beta	Mattawa	Q	Gamma Scan
Othello	42	BW	Beta	Othello	Q	Gamma Scan
<u>Distant</u>						
Yakima	43	BW	Beta, Alpha	Yakima	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Toppenish ^(c)	44	BW	Beta, Alpha	Toppenish	Q	⁹⁰ Sr, Pu, U, Gamma Scan

(a) Refer to Figure 1.1, 2004 Air Sampling Locations.

(b) Washington State Department of Health air sampler also at this location.

(c) Community-operated environmental surveillance station.

1.2 AIR – TRITIUM AND IODINE

<u>Location</u>	<u>Location Number^(a)</u>	<u>Frequency^(b)</u>	<u>Analysis</u>	<u>Frequency</u>	<u>Analysis^(c)</u>
<u>Onsite</u>					
100 K Area	1			M	^3H
100 N-1325 Crib	2			M	^3H
200 ESE	7	Q Comp	^{129}I	M	^3H
200 Tel. Exchange	11			M	^3H
300 Water Intake	14			M	^3H
300 South Gate ^(d)	15			M	^3H
300 South West	16			M	^3H
300 Trench	17			M	^3H
300 NE	18			M	^3H
400 E	19			M	^3H
<u>Perimeter</u>					
Ringold Met Tower	24	Q Comp	^{129}I	M	^3H
Dogwood Met Tower	26			M	^3H
Byers Landing	27	Q Comp	^{129}I	M	^3H
Battelle Complex ^(e)	28			M	^3H
Prosser Barricade ^(e)	30			M	^3H
Wahluke Slope	33			M	^3H
<u>Community^(f)</u>					
Basin City School	35			M	^3H
Leslie Groves-Rchlnd	36			M	^3H
Edwin Markham School	40			M	^3H
<u>Distant</u>					
Yakima	43	Q Comp	^{129}I	M	^3H
Toppenish ^(f)	44			M	^3H

- (a) Refer to Figure 1.1, 2004 Air Sampling Locations.
- (b) Samples are collected monthly and composited for quarterly analyses.
- (c) As HTO.
- (d) Two tritium samples are collected from this location.
- (e) Washington State Department of Health air sampler also at this location.
- (f) Community-operated environmental surveillance station.

1.3 AIR – PARTICULATE MASS CONCENTRATION

<u>Location</u>	<u>Location Number^(a)</u>	<u>Frequency</u>	<u>Analysis^(b)</u>
Hanford Meteorological Station	45	Hourly	Mass Concentration

- (a) Refer to Figure 1.1, 2004 Air Sampling Locations.
- (b) Hourly average mass concentration data are collected at the Hanford Meteorological Station for two size fractions, PM₁₀ and PM_{2.5}. These data are not available in the HEIS database but can be obtained from the SESP manager.




Figure 1.1. 2004 Air Sampling Locations

2.0 SURFACE WATER SURVEILLANCE

2.1 WATER – COLUMBIA RIVER

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
Priest Rapids-River	Cumulative	M Comp ^(b) Q Comp ^(b)	Alpha, Beta, Lo ^3H , ^{90}Sr , ^{99}Tc , U, DOH ^(c) ^{129}I
	Particulate (filter)	M Comp ^(d) Q Comp ^(d)	Gamma Scan Pu
	Soluble (resin)	M Comp ^(d) Q Comp ^(d)	Gamma San Pu
Rich.Pmphs HRM 46.4	Cumulative	M Comp ^(b) Q Comp ^(b)	Alpha, Beta, Lo ^3H , ^{90}Sr , ^{99}Tc , U ^{129}I
	Particulate (filter)	M Comp ^(d) Q Comp ^(d)	Gamma Scan Pu
	Soluble (resin)	M Comp ^(d) Q Comp ^(d)	Gamma Scan Pu
Rich.Pmphs-1 HRM46.4	Grab	3/Yr	USGS-NASQAN ^(e)
	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
Rich.Pmphs-7 HRM46.4	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Rich.Pmphs-10 HRM46.4	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Rich.Pmphs HRM 43.5	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Rich.Pmphs HRM 43.9	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Rich.Pmphs HRM 45.0	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Rich.Pmphs HRM 45.8	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Vernita	Grab	3/Yr	USGS-NASQAN ^(e)
Vernita-1 HRM 0.3	Transect	Q	Lo ^3H , ^{90}Sr , U, Anions
Vernita-2 HRM 0.3	Transect	Q	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
		A	Lo ^3H , ^{90}Sr , U, Anions
		Q	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA, DOH ^(f)
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA, DOH ^(f)
		Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA, DOH ^(f)
		Q	Lo ^3H , ^{90}Sr , U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA, DOH ^(f)

2.1 WATER – COLUMBIA RIVER (contd)

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
Vernita-3 HRM 0.3	Transect	Q	Lo ³ H, ⁹⁰ Sr, U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
Vernita-4 HRM 0.3	Transect	Q	Lo ³ H, ⁹⁰ Sr, U, Anions
		A	ICP-3, Hg-CVAF, ICP-3 Filtered, VOA
100 N -1 HRM 9.5	Transect		Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N -2 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N -3 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N -5 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N -7 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N -10 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 N Shore HRM 8.4	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 N Shore HRM 8.9	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 N Shore HRM 9.2	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 N Shore HRM 9.8	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 F -1 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F -2 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F -3 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F -5 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F -7 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F -10 HRM 19.0	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100 F Shore HRM 18	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 F Shore HRM 22	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
100 F Shore HRM 23	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
Hanfrd TS-1 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd TS-2 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd TS-3 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd TS-5 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd TS-7 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd TS-10 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanfrd Twnsite HRM26	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
Hanfrd Twnsite HRM27	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
Hanfrd Twnsite HRM28	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
Hanfrd Twnsite HRM30	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
300 Area -1 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area -2 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area -3 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area -5 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area -7 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area -10 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
300 Area Shr HRM41.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)

2.1 WATER – COLUMBIA RIVER (contd)

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
300 Area Shr HRM42.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
300 Area Shr HRM42.4	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)
300 Area Shr HRM42.9	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(f)

- (a) Refer to Figure 2.1, 2004 Surface Water and Drinking Water Sampling Locations. Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.
- (b) Cumulative sample is collected weekly and composited for analysis.
- (c) Cosample provided to the Washington State Department of Health (January and June only).
- (d) Sample is collected biweekly and composited for analysis.
- (e) Analyses are performed by the United States Geological Survey (USGS) in conjunction with the National Stream Quality Accounting Network (NASQAN) Program, and include: conductance, pH, temperature, turbidity, dissolved oxygen, hardness, Ca, Mg, alkalinity, carbonates, sulfate, Cl, F, solids, NH₄-N, NO₃+NO₂, N-Kjeldahl, P, Cr, Fe, dissolved organic carbon.
- (f) Cosample provided to the Washington State Department of Health.

2.2 RIVERBANK SPRINGS

<u>Location^(a)</u>	<u>HRM^(b)</u>	<u>Sample Type</u>	<u>Fre-quency</u>	<u>Analyses/Cosample</u>
100-B Spring 38-3	3.8	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA
100-B Spring 39-2	3.9	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA
100-K Spring 63-1	6.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA, DOH ^(c)
100-K Spring 77-1	7.6	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA, DOH ^(c)
100-N Spring Near 199N-46	8.9	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100-N Spring 8-13	9.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(c)
100-D Spring 102-1	10.2	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100-D Spring 110-1	11.0	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
100-H Spring 145-1	14.4	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U, Gamma Scan, Hg-CVAF, ICP-3, ICP-3 Filtered, Anions
100-H Spring 152-2	15.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U, Gamma Scan, Hg-CVAF, ICP-3, ICP-3 Filtered, Anions
100-F Spring 207-1	21.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA
Hanford Spr UR 28-2 ^(d)	27.8	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanford Spring 28-2	28.1	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions
Hanford Spr DR 28-2 ^(e)	28.3	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, DOH ^(c)

2.2 RIVERBANK SPRINGS (contd)

<u>Location^(a)</u>	<u>HRM^(b)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
300 Area Spring 41-9	41.9	Grab	A	³ H, U
300 Area Spring 42-7	42.7	Grab	A	³ H, U
300 Area Spring 43-5	43.5	Grab	A	³ H, U
300 Area Spring 42-2	42.1	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, ¹²⁹ I, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA, DOH ^(c)
300 Area Spr DR 42-2 ^(e)	42.4	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, ¹²⁹ I, Gamma Scan, ICP-3, Hg-CVAF, ICP-3 Filtered, Anions, VOA, DOH ^(c)

(a) Refer to Figure 2.1, 2004 Surface Water and Drinking Water Sampling Locations.

(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.

(c) Cosample provided to the Washington State Department of Health.

(d) UR - Upriver from noted location.

(e) DR - Downriver from noted location.

2.3 ONSITE PONDS

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses</u>
West Lake	Grab	Q	³ H
FFTF Pond	Grab	Q	Alpha, Beta, ³ H, Gamma Scan

(a) Refer to Figure 2.1, 2004 Surface Water and Drinking Water Sampling Locations.

2.4 OFFSITE IRRIGATION WATER

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
Riverview Canal	Grab	3 (May-Sept)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, U, Gamma Scan, DOH ^(b)
Horn Rapids Area	Grab	3 (May-Sept)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, U, Gamma Scan, DOH ^(b)

(a) Refer to Figure 2.1, 2004 Surface Water and Drinking Water Sampling Locations.

(b) One cosample provided to the Washington State Department of Health.

2.5 ONSITE DRINKING WATER

Location ^(a)	Sample Type	Individual Samples		Composited Samples		
		Fre-quency	Analyses/Cosample	Composite Group	Fre-quency	Analyses
100 N Area	Grab	M ^(b)		100 N Area	Q	Beta
100 N Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	100 N Area	A	⁹⁰ Sr, ³ H
200 W Area	Grab	M ^(b)		200 W Area	Q	Beta
200 W Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	200 W Area	A	⁹⁰ Sr, ³ H
100 K Area	Grab	M ^(b)		100 K Area	Q	Beta
100 K Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	100 K Area	A	⁹⁰ Sr, ³ H
400 Area	Grab	M ^(b)		400 Area	Q	Beta
400 Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I , ³ H, DOH ^(d) }	400 Area	A	⁹⁰ Sr

(a) Refer to Figure 2.1, 2004 Surface Water and Drinking Water Sampling Locations.

(b) Sample is collected monthly and composited for quarterly analysis.

(c) Sample is collected and analyzed quarterly and then composited for annual analysis.

(d) Cosample provided to the Washington State Department of Health for ³H (January only).




Figure 2.1. 2004 Surface Water and Drinking Water Sampling Locations

3.0 BIOTA

3.1 FOODSTUFFS AND FARM PRODUCTS

3.1.1 Whole Milk

<u>Location^(a)</u>	<u>Frequency</u>	<u>Analyses</u>
East Wahluke Area ^(b)	Q	Lo ³ H, ⁹⁰ Sr, Gamma Scan
	SA	¹²⁹ I
Sagemoor Composite ^(b)	Q	Lo ³ H, ⁹⁰ Sr, Gamma Scan
	SA	¹²⁹ I
Sunnyside Area	Q	Lo ³ H, ⁹⁰ Sr, Gamma Scan
	SA	¹²⁹ I

(a) Refer to Figure 3.1, 2004 Food and Farm Product Sampling Locations.

(b) Sample composited from multiple dairies in each area.

3.1.2 Leafy Vegetables

<u>Location^{(a)(b)}</u>	<u>Frequency^(c)</u>	<u>Analyses/Cosample</u>
Riverview Area	A	⁹⁰ Sr, Gamma Scan, FDA ^(d)
Sunnyside Area	A	⁹⁰ Sr, Gamma Scan, FDA ^(d)
East Wahluke Area	BE (2004)	⁹⁰ Sr, Gamma Scan, DOH ^(e)
Sagemoor Area	BE (2005)	⁹⁰ Sr, Gamma Scan, DOH ^(e)

(a) Refer to Figure 3.1, 2004 Food and Farm Product Sampling Locations.

(b) Two samples collected within each area, one sample analyzed and one archived.

(c) Samples are collected in 2004 according to their specified frequency unless otherwise noted.

(d) Cosamples sent to U.S. Food and Drug Administration.

(e) Cosample provided to the Washington State Department of Health.

3.1.3 Vegetables

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency^(c)</u>	<u>Analyses/Cosample</u>
Riverview Area	Potatoes	A	⁹⁰ Sr, Gamma Scan
	Tomatoes	A	⁹⁰ Sr, ³ H, Gamma Scan
	Asparagus	A	⁹⁰ Sr, U, Gamma Scan, DOH ^(d)
Sunnyside Area	Potatoes	A	⁹⁰ Sr, Gamma Scan, FDA ^(e)
	Asparagus	A	⁹⁰ Sr, U, Gamma Scan, DOH ^(d)
East Wahluke Area	Potatoes	A	⁹⁰ Sr, Gamma Scan
Harrah/Wapato Area ^(f)	Tomatoes	A	⁹⁰ Sr, ³ H, Gamma Scan, DOH
	Asparagus	A	⁹⁰ Sr, U, Gamma Scan, DOH ^(d)
Sagemoor Area	Potatoes	TE (2006)	⁹⁰ Sr, Gamma Scan, DOH ^(d) , FDA ^(e)
	Potatoes	TE (2005)	⁹⁰ Sr, Gamma Scan, DOH ^(d) , FDA ^(e)
Horn Rapids Area	Potatoes		

(a) Refer to Figure 3.1, 2004 Food and Farm Product Sampling Locations.

(b) Two samples collected within each area, one sample analyzed and one archived.

(c) Samples are collected in 2004 according to their specified frequency unless otherwise noted.

(d) Cosample provided to the Washington State Department of Health.

(e) Cosamples sent to U.S. Food and Drug Administration.

(f) Samples provided to PNNL by Washington State Department of Health.

3.1.4 Fruit

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency^(c)</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
Sagemoor Area	Concord Grapes ^(d)	TE (2004)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e)
	Cherries	TE (2005)	June	⁹⁰ Sr, Gamma Scan, DOH ^(e) , FDA ^(f)
	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e) , FDA ^(f)
Sunnyside Area	Concord Grapes ^(d)	TE (2004)	September	⁹⁰ Sr, Gamma Scan
	Cherries	TE (2005)	June	⁹⁰ Sr, Gamma Scan, DOH ^(e)
	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e)
Riverview Area	Concord Grapes ^(d)	TE (2004)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e) , FDA ^(f)
	Cherries	TE (2005)	June	⁹⁰ Sr, Gamma Scan, DOH ^(e)
	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e) , FDA ^(f)
Cold Creek Area	Concord Grapes ^(d)	TE (2004)	September	⁹⁰ Sr, Gamma Scan
Ringold Area	Cherries	TE (2005)	June	⁹⁰ Sr, Gamma Scan, DOH ^(e)
East Wahluke Area	Cherries	TE (2005)	June	⁹⁰ Sr, Gamma Scan
Mattawa Area	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(e)

- (a) Refer to Figure 3.1, 2004 Food and Farm Product Sampling Locations.
- (b) Two samples collected within each area, one sample analyzed and one archived.
- (c) Samples are collected in 2004 according to their specified frequency unless otherwise noted.
- (d) Concord grapes preferred; table grapes acceptable if concord grapes are unavailable.
- (e) Cosample provided to the Washington State Department of Health.
- (f) Cosamples sent to U.S. Food and Drug Administration.

3.1.5 Wine

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
Columbia Basin	White	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
	Red	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
Yakima Valley	White	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
	Red	A	December	Lo ³ H, Gamma Scan, DOH ^(c)

- (a) Refer to Figure 3.1, 2004 Food and Farm Product Sampling Locations.
- (b) Two samples of each type collected within each area.
- (c) Cosample provided to the Washington State Department of Health.

3.1.6 Alfalfa

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
Sagemoor Area	Alfalfa	BE (2005)	May	⁹⁰ Sr, Gamma Scan
Riverview Area	Alfalfa	BE (2005)	May	⁹⁰ Sr, Gamma Scan, DOH ^(b) , FDA ^(c)
Sunnyside Area	Alfalfa	BE (2005)	May	⁹⁰ Sr, Gamma Scan, FDA ^(c)
Horn Rapids Area	Alfalfa	BE (2005)	May	⁹⁰ Sr, Gamma Scan, DOH ^(b)

(a) Two samples collected within each area, one sample analyzed and one archived.

(b) Cosample provided to the Washington State Department of Health

(c) Cosamples sent to U.S. Food and Drug Administration.

3.1.7 Honey

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
Sagemoor Area	Honey	BE (2005)	Aug-Oct	⁹⁰ Sr, Pu, U, ³ H, Gamma Scan, DOH ^(b)
Cold Creek Area	Honey	BE (2005)	Aug-Oct	⁹⁰ Sr, Pu, U, ³ H, Gamma Scan, DOH ^(b)

(a) One sample collected within each area.

(b) Cosample provided to the Washington State Department of Health.




Figure 3.1. 2004 Food and Farm Product Sampling Locations

3.2 WILDLIFE

3.2.1 Aquatic Biota

<u>Location^(a)</u>	<u>Species/ Sample</u>	<u>Number of Samples</u>	<u>Frequency^(b)</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100-N Area to 100-D Area ^(c)	Carp Fillet Carcass Liver ^(e)	5 5 5	BE (2004) BE (2004) BE (2004)	June June June	Gamma Scan, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3
	Whitefish Fillet Carcass Liver ^(e)	5 5 5	BE (2005) BE (2005) BE (2005)	January January January	Gamma Scan, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3
300 Area ^(c)	Carp Fillet Carcass Liver ^(e)	5 5 5	BE (2004) BE (2004) BE (2004)	June June June	Gamma Scan, U, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3, Hg-CVAA
	Bass Fillet Carcass Liver ^(e)	5 5 5	TE (2005) TE (2005) TE (2005)	May-June May-June May-June	Gamma Scan, U ⁹⁰ Sr ICP-3, Hg-CVAA
Background - Desert Aire/Vantage	Carp Fillet Carcass Liver ^(e)	5 5 5	BE (2004) BE (2004) BE (2004)	June June June	Gamma Scan, U ⁹⁰ Sr ICP-3, Hg-CVAA
	Bass Fillet Carcass Liver ^(e)	5 5 5	TE (2005) TE (2005) TE (2005)	June June June	Gamma Scan, U, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3, Hg-CVAA
Background - Priest Rapids/Wanapum Pools	Whitefish Fillet Carcass Liver ^(e)	5 5 5	BE (2005) BE (2005) BE (2005)	Jan & Dec Jan & Dec Jan & Dec	Gamma Scan, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3, Hg-CVAA
100 F Slough	Bass Fillet Carcass Liver ^(e)	5 5 5	TE (2005) TE (2005) TE (2005)	May-June May-June May-June	Gamma Scan, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3, Hg-CVAA
Hanford Slough	Bass Fillet Carcass Liver ^(e)	5 5 5	TE (2005) TE (2005) TE (2005)	May-June May-June May-June	Gamma Scan, DOH ^(d) ⁹⁰ Sr, DOH ^(d) ICP-3, Hg-CVAA

(a) Refer to Figure 3.2, 2004 Wildlife Sampling Locations.

(b) Samples are collected in 2004 according to their specified frequency unless otherwise noted.

(c) If available, PNNL will collect one Northern Pike Minnow sample and provide to the Washington State Department of Health.

(d) One cosample provided to the Washington State Department of Health.

(e) Ecological assessment monitoring.

3.2.2 Geese

<u>Location</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100 Areas	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan, DOH ^(a)
	Bone	5	BE (2005)	Jul-Aug	⁹⁰ Sr, DOH ^(a)
Hanford Townsite	Liver ^(b)	5	BE (2005)	Jul-Aug	ICP-3, Hg-CVAA
	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan
Background -Vantage	Bone	5	BE (2005)	Jul-Aug	⁹⁰ Sr
	Liver ^(b)	5	BE (2005)	Jul-Aug	ICP-3, Hg-CVAA
	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan
	Bone	5	BE (2005)	Jul-Aug	⁹⁰ Sr
	Liver ^(b)	5	BE (2005)	Jul-Aug	ICP-3, Hg-CVAA

(a) One cosample provided to the Washington State Department of Health.

(b) Ecological assessment monitoring.

3.2.3 Game Birds

<u>Location^(a)</u>	<u>Species/Sample^(b)</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100 D Area to 100 H Area	Pheasant				
	Muscle	4	BE (2004)	September	Gamma Scan
	Bone	4	BE (2004)	September	⁹⁰ Sr
100 H Area to 100 F Area	Liver ^(c)	4	BE (2004)	September	ICP-3
	Pheasant				
	Muscle	6	BE (2004)	September	Gamma Scan, DOH ^(d)
Background	Bone	6	BE (2004)	September	⁹⁰ Sr, DOH ^(d)
	Liver ^(c)	6	BE (2004)	September	ICP-3
	Pheasant				
	Muscle	5	BE (2004)	September	Gamma Scan, DOH ^(d)
	Bone	5	BE (2004)	September	⁹⁰ Sr, DOH ^(d)
	Liver ^(c)	6	BE (2004)	September	ICP-3

(a) Refer to Figure 3.2, 2004 Wildlife Sampling Locations.

(b) Pheasant preferred; chukar or quail acceptable if pheasant is unavailable.

(c) Ecological assessment monitoring

(d) One cosample provided to the Washington State Department of Health.

3.2.4 Rabbits

<u>Location</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100 N Area	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan, DOH ^(a)
	Bone	4	BE (2005)	Jan-Dec	⁹⁰ Sr, DOH ^(a)
	Liver ^(b)	4	BE (2005)	Jan-Dec	ICP-3
200 E Area	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan
	Bone	4	BE (2005)	Jan-Dec	⁹⁰ Sr
	Liver ^(b)	4	BE (2005)	Jan-Dec	Pu, ICP-3
200 West	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan
	Bone	4	BE (2005)	Jan-Dec	⁹⁰ Sr
	Liver ^(b)	4	BE (2005)	Jan-Dec	Pu, ICP-3
Background - Grant/ Douglas Counties	Cottontail				
	Muscle	5	TE (2006)	Jan-Dec	Gamma Scan
	Bone	5	TE (2006)	Jan-Dec	⁹⁰ Sr
	Liver ^(b)	5	TE (2006)	Jan-Dec	Pu, ICP-3

(a) One cosample provided to the Washington State Department of Health.

(b) Ecological assessment monitoring.

3.2.5 Deer/Elk

<u>Location^(a)</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100 N Area	Mule Deer				
	Muscle	2	BE (2004)	Nov-Dec	Gamma Scan, DOH ^(b)
	Bone	2	BE (2004)	Nov-Dec	⁹⁰ Sr, DOH ^(b)
	Liver ^(c)	2	BE (2004)	Nov-Dec	ICP-3
200 Areas	Mule Deer				
	Muscle	2	BE (2004)	December	Gamma Scan
	Bone	2	BE (2004)	December	⁹⁰ Sr
	Liver ^(c)	2	BE (2004)	December	Pu, ICP-3
Road Kill at Onsite Location ^(d)	Mule Deer or Elk				
	Muscle	10	BE (2004)	As Available	Gamma Scan
Background ^(e)	Bone	10	BE (2004)	As Available	⁹⁰ Sr
	Mule Deer				
	Muscle	2	BE (2004)	October	Gamma Scan, DOH ^(b)
	Bone	2	BE (2004)	October	⁹⁰ Sr, DOH ^(b)
	Liver ^(c)	2	BE (2004)	October	Pu, ICP-3

(a) Refer to Figure 3.2, 2004 Wildlife Sampling Locations.

(b) One cosample provided to the Washington State Department of Health.

(c) Ecological assessment monitoring not provided to Washington State Department of Health.

(d) As available, according to location.

(e) One background sample provided to the Washington State Department of Health, the other background sample will be provided to PNNL by Washington State Department of Health.




Figure 3.2. 2004 Wildlife Sampling Locations

4.0 SOIL AND VEGETATION

4.1 SOIL

Location	Location Number ^(a)	Frequency ^(b)	Collection Period	Analyses/Cosample
100 K Area	1	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
NE of 100 N Area	2	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 100 N Area	3	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
100N Shore Above HGP	4	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100N Spring Shoreline	5	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Above 100D Pumphouse	6	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100 Area Fire Stat	7	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
200 ENC	8	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 200 E	9	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
200 ESE	10	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
S of 200 E	11	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
SW of B/C Cribs	12	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am, DOH ^(c)
E of 200 W Gate	13	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am, DOH ^(c)
S of 200 W	14	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Rattlesnake Springs	15	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Yakima Barricade	16	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
400 E	17	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
SE Side of FFTF	18	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
North of 300 Area	19	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
South of 300 Area	20	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Hanford Townsite	21	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Wye Barricade	22	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Prosser Barricade	23	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
ALE Field Lab	24	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
N End Vernita Bridge	25	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Wahluke Slope	26	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Berg Ranch	27	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Ringold Area	28	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
W End of Fir Road	29	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Taylor Flats No. 2	30	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sagemoor Farm	31	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
Byers Landing	32	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Riverview-Harris	33	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Benton City	34	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sunnyside	35	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
McNary Dam	36	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Walla Walla	37	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Washtucna	38	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Toppenish	39	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
George	40	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Othello	41	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Wanapum	42	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)

(a) Refer to Figure 4.1, 2004 Soil and Vegetation Sampling Locations.

(b) Samples are collected once every 3 to 5 years and will be collected in 2004.

(c) Cosample provided to the Washington State Department of Health.

4.2 VEGETATION

<u>Location</u>	<u>Location Number^(a)</u>	<u>Frequency^(b)</u>	<u>Collection Period</u>	<u>Analyses/Cosample</u>
100 K Area	1	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
NE of 100 N Area	2	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
E of 100 N Area	3	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100N Spring Shoreline	5	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 200 W Gate	13	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
300 Area Shoreline	43	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Hanford Townsite	21	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Hanford Townsite HRM28	44	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Ringold Area	29	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sagemoor Farm	31	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Byers Landing	32	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Riverview-Harris	33	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sunnyside	35	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Toppenish	39	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
George	40	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Othello	41	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)
Wanapum	42	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(c)

(a) Refer to Figure 4.1, 2004 Soil and Vegetation Sampling Locations.

(b) Samples are collected once every 3 to 5 years and will be collected in 2004.

(c) Cosample provided to the Washington State Department of Health.




Figure 4.1 2004 Soil and Vegetation Sampling Locations

5.0 SEDIMENT

<u>Location^(a)</u>	<u>HRM^(b)</u>	<u>Frequency</u>	<u>Analyses/Cosample</u>
Onsite Pond			
West Lake		Q	Gamma Scan, ⁹⁰ Sr, U, ⁹⁹ Tc, Alpha, Beta
River			
McNary Dam			
McNary-OR. Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH ^(c)
McNary-Wash. Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH ^(c)
Priest Rapids Dam (PRD)			
PRD-Grant Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH ^(c)
PRD-Yakima Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH ^(c)
White Bluffs Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
100 F Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH ^(c)
Hanford Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
Richland		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-u, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
Riverbank Springs			
100-B Spring 38-3	3.8	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA
100-K Spring 63-1	6.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA, DOH ^(c)
100-H Spring 145-1	14.4	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA
100-F Spring 207-1	21.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA
Hanford Spr UR 28-2 ^(d)	27.8	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA
Hanford Spr DR 28-2 ^(e)	28.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA, DOH ^(c)
300 Area Spring 41-9	41.9	A	Gamma Scan, U
300 Area Spring 42-7	42.7	A	Gamma Scan, U
300 Area Spring 43-5	43.5	A	Gamma Scan, U
300 Area Spring 42-2	42.1	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA, DOH ^(c)
300 Area Spr DR 42-2 ^(e)	42.4	A	Gamma Scan, ⁹⁰ Sr, U, ICP-u, Hg-CVAA, DOH ^(c)

(a) Refer to Figure 5.1, 2004 Sediment Sampling Locations.

(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.

(c) Cosample provided to the Washington State Department of Health.

(d) UR - Upriver from noted location.

(e) DR - Downriver from noted location.




Figure 5.1. 2004 Sediment Sampling Locations

6.0 EXTERNAL RADIATION

6.1 THERMOLUMINESCENT DOSIMETERS (TLDS)

6.1.1 Terrestrial Locations

<u>Location</u>	<u>Location Number</u>	<u>Frequency</u>	<u>Measurement/Cosample</u>	<u>Instrument</u>
<u>Onsite^(a)</u>				
100 B Reactor Museum	1	Q	Ambient Dose, DOH ^(b)	
100 K Area ^(c)	2	Q	Ambient Dose	
100 D Area ^(c)	3	Q	Ambient Dose	
100 F Met Tower ^(c)	4	Q	Ambient Dose	
Hanford Townsite ^(c)	5	Q	Ambient Dose	
West Lake	6	Q	Ambient Dose	
N of 200 E ^(c)	7	Q	Ambient Dose, DOH ^(b)	
B Pond ^(c)	8	Q	Ambient Dose	
E of 200 E	9	Q	Ambient Dose, DOH ^(b)	
200 ESE ^(c)	10	Q	Ambient Dose	
S of 200 E ^(c)	11	Q	Ambient Dose	
200 Tel. Exchange ^(c)	12	Q	Ambient Dose	
SW of B/C Cribs ^(c)	13	Q	Ambient Dose	
200 W SE ^(c)	14	Q	Ambient Dose	
Army Loop Camp ^(c)	15	Q	Ambient Dose	
3705 Bldg. 300 Area	16	Q	Ambient Dose	
313 Bldg.	17	Q	Ambient Dose, DOH ^(b)	
300 Water Intake ^(c)	18	Q	Ambient Dose	
300 Southwest Gate	19	Q	Ambient Dose	
300 South Gate ^(c)	20	Q	Ambient Dose	
300 Trench ^(c)	21	Q	Ambient Dose	
300 NE ^(c)	22	Q	Ambient Dose	
400 E ^(c)	23	Q	Ambient Dose	
400 W ^(c)	24	Q	Ambient Dose	
400 S ^(c)	25	Q	Ambient Dose	
400 N ^(c)	26	Q	Ambient Dose	
US Ecology NE Corner	27	Q	Ambient Dose, DOH ^(b)	
US Ecology SE Corner	28	Q	Ambient Dose, DOH ^(b)	
US Ecology NW Corner	29	Q	Ambient Dose, DOH ^(b)	
US Ecology SW Corner	30	Q	Ambient Dose, DOH ^(b)	
Wye Barricade ^(c)	31	Q	Ambient Dose, DOH ^(b)	
WPPSS 1; S of WNP 2	32	Q	Ambient Dose	
LIGO	33	Q	Ambient Dose, DOH ^(b)	
<u>Perimeter^(d)</u>				
Ringold Met Tower ^(c)	1	Q	Ambient Dose	
W End of Fir Road ^(c)	2	Q	Ambient Dose, DOH ^(b)	
Dogwood Met Tower ^(c)	3	Q	Ambient Dose	
Byers Landing ^(c)	4	Q	Ambient Dose, DOH ^(b)	
Battelle Complex ^(c)	5	Q	Ambient Dose	
WPPSS 4; WPS Warehse	6	Q	Ambient Dose, DOH ^(b)	
Horn Rapids Substa ^(c)	7	Q	Ambient Dose, DOH ^(b)	

6.1.1 Terrestrial Locations (contd)

<u>Location</u>	<u>Location Number</u>	<u>Frequency</u>	<u>Measurement/Cosample</u>	<u>Instrument</u>
Prosser Barricade ^(c)	8	Q	Ambient Dose	
Yakima Barricade ^(c)	9	Q	Ambient Dose, DOH ^(b)	
Rattlesnake Springs ^(c)	10	Q	Ambient Dose	
Wahluke Slope ^(c)	11	Q	Ambient Dose	
<u>Community^(d)</u>				
Mattawa ^(c)	12	Q	Ambient Dose	
Othello ^(c)	13	Q	Ambient Dose, DOH ^(b)	
Basin City School ^{(c)(e)}	14	Q	Ambient Dose	PIC
Edwin Markham School ^{(c)(e)}	15	Q	Ambient Dose	PIC
Pasco ^(c)	16	Q	Ambient Dose	
Kennewick-Ely Street ^(c)	17	Q	Ambient Dose, DOH ^(b)	
Benton City ^(c)	18	Q	Ambient Dose	
<u>Distant^(d)</u>				
Yakima ^(c)	19	Q	Ambient Dose, DOH ^(b)	
Toppenish ^{(c)(e)}	20	Q	Ambient Dose, DOH ^(b)	PIC

(a) Refer to Figure 6.1, 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Site.

(b) Washington State Department of Health TLD also at this location.

(c) Collocated with air sampling station.

(d) Refer to Figure 6.2, 2004 Thermoluminescent Dosimeter (TLD) Locations for Perimeter, Community, and Distant Sites.

(e) Community-operated environmental surveillance station.




Figure 6.1. 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Site




Figure 6.2. 2004 Thermoluminescent Dosimeter (TLD) Locations for Perimeter, Community, and Distant Sites

6.1.2 Columbia River Shoreline Locations

<u>Location^(a)</u>	<u>Location Number</u>	<u>Frequency</u>	<u>Measurement</u>	<u>Instrument</u>
S End Vernita Bridge ^(b)	1	Q	Ambient Dose	
Above 100 B Area	2	Q	Ambient Dose	
Below 100 B Ret Basin	3	Q	Ambient Dose	
Above 1K Boat Ramp	4	Q	Ambient Dose	
Below 100N Outfall	5	Q	Ambient Dose	
Above Tip 100N Berm	6	Q	Ambient Dose	
100 N Trench Spring	7	Q	Ambient Dose	
Below 100 D Area	8	Q	Ambient Dose	
100-D Island	9	Q	Ambient Dose	
100 H Area	10	Q	Ambient Dose	
Lo End Locke Isl	11	Q	Ambient Dose	
White Bluffs Fy Lnd.	12	Q	Ambient Dose	
White Bluffs Slough	13	Q	Ambient Dose	
Below 100 F	14	Q	Ambient Dose	
100 F Floodplain	15	Q	Ambient Dose	
Hanford Slough	16	Q	Ambient Dose	
Hanf Powerline Xing	17	Q	Ambient Dose	
Hanford RR Track	18	Q	Ambient Dose	
Savage Isl Slough	19	Q	Ambient Dose	
Ringold Island	20	Q	Ambient Dose	
Powerline Crossing	21	Q	Ambient Dose	
S End Wooded Island	22	Q	Ambient Dose	
Islnd Above 300 Area	23	Q	Ambient Dose	
Island Near 300 Area	24	Q	Ambient Dose	
Port of Benton-River	25	Q	Ambient Dose	
N. Richland	26	Q	Ambient Dose	PIC ^(c)
Isl DS Bateman Isl	27	Q	Ambient Dose	

(a) Refer to Figure 6.3, 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Reach of the Columbia River.

(b) Collocated with air sampling station.

(c) PIC located at Leslie Groves-Rchlnsd air sampling station.

6.2 COLUMBIA RIVER SHORELINE RADIATION SURVEYS

<u>Location^(a)</u>	<u>Location Number</u>	<u>Frequency</u>	<u>Measurement</u>	<u>Instrument</u>
S End Vernita Bridge	1	Q	Exposure, Surface contamination	BICRON, GM
Above 1K Boat Ramp	4	Q	Exposure, Surface contamination	BICRON, GM
Below 100N Outfall	5	Q	Exposure, Surface contamination	BICRON, GM
Above Tip 100N Berm	6	Q	Exposure, Surface contamination	BICRON, GM
100 N Trench Spring	7	Q	Exposure, Surface contamination	BICRON, GM
100-D Island	9	Q	Exposure, Surface contamination	BICRON, GM
Lo End Locke Isl	11	Q	Exposure, Surface contamination	BICRON, GM
White Bluffs Fy Lnd.	12	Q	Exposure, Surface contamination	BICRON, GM
Below 100 F	14	Q	Exposure, Surface contamination	BICRON, GM
Hanf Powerline Xing	17	Q	Exposure, Surface contamination	BICRON, GM
Hanford RR Track	18	Q	Exposure, Surface contamination	BICRON, GM
Ringold Island	20	Q	Exposure, Surface contamination	BICRON, GM
Powerline Crossing	21	Q	Exposure, Surface contamination	BICRON, GM
Islnd Above 300 Area	23	Q	Exposure, Surface contamination	BICRON, GM

(a) Refer to Figure 6.3, 2004 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Reach of the Columbia River.




Figure 6.3. 2004 Thermoluminescent Dosimeter (TLD) and Radiation Survey Locations on the Hanford Reach of the Columbia River

7.0 HORSESHOE LANDFILL SAMPLING

7.1 SOIL

<u>Location^(a)</u>	<u>Sample Type^(b)</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses</u>
Horseshoe Landfill	Soil	7	A (2004)	May-June	DDT, DDE, DDD
Background (Reference Site)	Soil	3	A (2004)	May-June	DDT, DDE, DDD

(a) Refer to Figure 7.1, 2004 Horseshoe Landfill Sampling Locations.

(b) Ecological assessment monitoring.

7.2 BIOTA

<u>Location^(a)</u>	<u>Sample Type^(b)</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses</u>
Horseshoe Landfill	Bird Brain Egg content	5 5	A (2004) A (2004)	May-Aug May-Aug	DDT, DDE, DDD DDT, DDE, DDD
Background (Reference Site)	Bird Brain Eggs content	3 3	A (2004) A (2004)	May-Aug May-Aug	DDT, DDE, DDD DDT, DDE, DDD

(a) Refer to Figure 7.1, 2004 Horseshoe Landfill Sampling Locations.

(b) Ecological assessment monitoring.




Figure 7.1. 2004 Horseshoe Landfill Sampling Locations

DISTRIBUTION

<u>No. of Copies</u>	<u>No. of Copies</u>
OFFSITE (24)	
2 L. Albin Division of Radiation Protection Washington State Dept. of Health P.O. Box 47827 Olympia, WA 98504-7827	R. E. Jaquish Washington State Department of Health 1232 Vintage Avenue Richland, WA 99352
R. Buck, Jr. Wanapum Indian Band P.O. Box 878 Ephrata, WA 98823	R. Jim, Manager Environmental Restoration and Waste Management Program The Confederated Tribes and Bands of the Yakama Nation P.O. Box 151 Toppenish, WA 98948
2 N. Ceto U.S. Environmental Protection Agency, Hanford Project Office 712 Swift Boulevard, Suite 5, MS B5-01 Richland, WA 99352	D. Landeen Hanford Natural Resources Trustee Council Nez Perce Tribe P.O. Box 365 Lapwai, ID 83540
Office of Environmental Cleanup Director - Hanford Project Office 1200 6 th Avenue Seattle, WA 98101	S. Langford Division of Radiation Protection Washington State Dept. of Health P.O. Box 47827 Olympia, WA 98504-7827
A. Fredin Confederated Tribes of the Colville Reservation P.O. Box 150 Nespelem, WA 99155	D. McBaugh Division of Radiation Protection Washington State Department of Health P.O. Box 47890 Olympia, WA 98504-7890
R. Gay Confederated Tribes of the Umatilla Indian Reservation P.O. Box 638 Pendleton, OR 97801	J. E. McDonald, Environmental Scientist Energy Northwest P.O. Box 968 Richland, WA 99352
M. L. Goldstein U.S. Environmental Protection Agency, Hanford Project Office 712 Swift Blvd, Suite 5 MS B5-01 Richland WA 99352	C. Palmer Yakama Nation Department of Natural Resources P.O. Box 151 Toppenish, WA 98948
G. Hughes U.S. Fish and Wildlife Service 3250 Port of Benton Boulevard Richland, WA 99352-1670	M. Priddy Washington State Department of Health 309 Bradley Suite 201 Richland, WA 99352

