
**Pacific Northwest
National Laboratory**

Operated by Battelle for the
U.S. Department of Energy

**Hanford Site Environmental
Surveillance Data Report for
Calendar Year 2003**

L. E. Bisping

September 2004



Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RL01830

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY
operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RL01830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information,
P.O. Box 62, Oak Ridge, TN 37831-0062;
ph: (865) 576-8401
fax: (865) 576-5728
email: reports@adonis.osti.gov

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161
ph: (800) 553-6847
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/ordering.htm>



This document was printed on recycled paper.

HANFORD SITE ENVIRONMENTAL SURVEILLANCE
DATA REPORT FOR CALENDAR YEAR 2003

L. E. Bisping

September 2004

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

PREFACE

Environmental surveillance at the Hanford Site, located in southeastern Washington State, is conducted by Pacific Northwest National Laboratory (PNNL), which is operated by Battelle for the U.S. Department of Energy. The data collected provide a historical record of radionuclide and radiation levels attributable to natural causes, worldwide fallout, and Hanford operations. Data are also collected to monitor several chemicals and metals in Columbia River water and sediment. For more information regarding the 2003 sampling schedule for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project, refer to L. E. Bisping, Environmental Surveillance Master Sampling Schedule (PNNL-14184, Pacific Northwest National Laboratory, Richland, Washington).

PNNL publishes an annual environmental report for the Hanford Site each calendar year. The Hanford Site Environmental Report for Calendar Year 2003 describes the site mission and activities, general environmental features, radiological and chemical releases from operations, status of compliance with environmental regulations, status of programs to accomplish compliance, and environmental monitoring activities and results. Sections of the annual environmental report include tables and summaries of offsite and onsite environmental surveillance data collected by PNNL during 2003. This data report contains the actual raw data used to create those tables and summaries. In addition to providing raw data collected during routine sampling efforts in 2003, this data report also includes data from special sampling studies performed by PNNL during 2003. Results for samples collected and submitted for analysis by PNNL in support of the 100-B/C Risk Assessment Pilot Project are also included in this data report.

For further information regarding environmental management activities and compliance issues, refer to T. M. Poston, R. W. Hanf, R. L. Dirkes, and L. F. Morasch, 2003, Hanford Site Environmental Report for Calendar Year 2003 (PNNL-14687, Pacific Northwest National Laboratory, Richland, Washington), Internet address: <http://hanford-site.pnl.gov/envreport> or contact T. M. Poston, Pacific Northwest National Laboratory, P.O. Box 999, Richland, Washington 99352 (ted.poston@pnl.gov).

INTRODUCTION

The following sections provide tables of data on which PNNL's environmental surveillance summary information in the Hanford Site Environmental Report for Calendar Year 2003 was based. Information that may help the reader to understand these data tables is provided below.

GENERAL

Some degree of inherent uncertainty is associated with all analytical measurements. The total propagated analytical uncertainty for an individual result is a 2-sigma counting error. For samples that are prepared or manipulated in the laboratory prior to counting, the total propagated analytical uncertainty includes both the counting uncertainty and the uncertainty connected with sample preparation and chemical separations. For samples that are not manipulated in the laboratory before counting, the total propagated analytical uncertainty only accounts for the uncertainty associated with counting the sample. The uncertainty associated with samples that are analyzed but not counted includes only the analytical process uncertainty.

EXTERNAL RADIATION DATA

The thermoluminescent dosimeter (TLD) readings in this data volume are in milliroentgens per day (mR/day) and have been converted to mrem/year for presentation in the annual report.

The following section provides definitions of column headings in the data tables in this document.

COLUMN HEADING	DEFINITION
OWNER ID	Identifies the owner of the data (SESPMNT = PNNL SESP routine collection, SESPSPEC = PNNL SESP special study, PNLGW = PNNL Groundwater)
SAMP NUM	Sample Number is a unique identifier for a sample
SAMP SITE NAME	Sample Site Name is the name of the sampling site as identified in the Hanford Environmental Information System (HEIS) database
DIST CLASS	Distant Classification is the location of the sampling site relative to the Hanford Site (Onsite, Offsite, Community, Distant, Perimeter, River_Shoreline). Field not utilized by OWNER ID PNLGW
MEDIA	<p>Categorizes samples into logical groups or subject areas:</p> <p>AT Air</p> <p>BI Biota (foodstuffs, wildlife, vegetation)</p> <p>ER External Radiation</p> <p>GW Samples collected from wells, including engineered structures that provide access to the aquifer for groundwater samples at locations close to the river. 'GW' is also assigned to samples collected from tubes inserted ~1 meter or deeper into the always-submerged riverbed.</p> <p>SO Soil/Sediment</p> <p>SW Surface Water (also represents water collected from rivers, ponds and springs, and drinking water)</p>
SAMP FROM	Sample From identifies the media-dependent entity that was sampled (e.g., COW, WINE, WHITEFISH, etc.). Field not utilized by OWNER ID PNLGW
SAMP ITEM	Sample Item identifies the media-dependent item (e.g., MILK, RED WINE, MUSCLE, etc.) that was sampled from the entity identified in the SAMP FROM field
COLL MTHD	<p>Collection Method is used to denote the type of method used for surface water (SW) collections</p> <p>FILTER Filter material of cloth or paper</p> <p>RESIN Resin sampler for collecting cations and anions from water</p>

COLUMN HEADING	DEFINITION
SAMP DATE	Sample Date is the date the sample was collected
CON SHORT NAME	Constituent Short Name for the specific radiological or chemical compound or physical parameter
VALUE RPTD	The concentration or result reported by the analytical laboratory or read from an instrument
ANAL UNITS RPTD	The units in which the result was originally reported
COUNTING ERROR	The 2-sigma Counting Error for radioanalytical results only
TOTAL ANAL ERROR	The 2-sigma Total Analytical Error may be reported for any result
LAB QUALIFIER	<p>A flag identifying issues that could impact the quality of the reported result. Qualifiers that apply to the 2003 data include:</p> <p>B For organics the analyte was found in the associated blank as well as in the sample, indicates possible/probable blank contamination. For inorganics or the analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the Instrument Detection Limit (IDL) or Method Detection Limit (MDL). ORGANICS - The analyte was detected in both the associated QC blank and in the sample.</p> <p>C Possible contamination has occurred. For metals 'C' qualifier analyte was detected in the associated blank above lab detection limit.</p> <p>BC Characteristics from both 'B' and 'C' qualifiers exist</p> <p>D Identifies all compounds in an analysis at a secondary dilution factor</p> <p>CD Characteristics from both 'C' and 'D' qualifiers exist</p> <p>E Report value is estimated.</p> <p>J Value is estimated; no 'U' qualifier has been assigned and the result is below the required detection level (RDL)</p> <p>JB Characteristics from both 'J' and 'B' qualifiers exist</p>

COLUMN HEADING	DEFINITION
	N Matrix spike/matrix spike duplicate outside of the control limit.
	JBN Characteristics from both 'JB' and 'N' qualifiers exist.
	U Indicates constituent was analyzed for but not detected or value reported < 0; value reported < counting error; value reported < total analytical error; value_rptd <=contract Method Detection Limit (MDL), Instrument Detection Limit (IDL), Minimum Detectable Activity (MDA), or Practical Quantitation Limit (PQL). For metals, 'U' qualifier may be represented by the lab detection limit.
	UN Characteristics from both 'U' and 'N' qualifiers exist
SAMP COMMENT	Contains pertinent information about a sample, which may affect the quality and use of the data
RESULT COMMENT	Contains pertinent information about the result, which may effect the quality and use of the data
TAG ID	Identifier used to group the different portions collected from a single biota sample. For example, a single Tag ID would be used to group the muscle and bone samples collected from a single deer.
WELL NAME	Name provided to identify ground-water wells including aquifer tubes.
FLOW RATE	Columbia River daily average flow downstream of Priest Rapids Dam
FLOW RATE UNITS	Columbia River flow in cubic feet per second (CFS)
REPLICATE ID	Core sample number
REPLICATE VALUE	Core value reported
RELATIVE % DIFFERENCE	The relative percent difference between the measured concentration of the original value reported and the replicate value reported. The formula is: $100 * VALUE\ RPTD - REPLICATE\ VALUE / ((VALUE\ RPTD + REPLICATE\ VALUE) / 2)$
MIN DETECTABLE ACTIVITY	Minimum detectable activity (MDA) is assumed to be a sample-dependent estimate, typically dependent on the background of the measurement instrument and sample yield, reported in the same units as the result value for the reported analyte.

CONTENTS

PREFACE	iii
INTRODUCTION	v
AIR	
AIR BETA/ALPHA	1
AIR GAMMA.....	33
AIR COMPOSITES AND I-129, H-3.....	53
WATER	
WATER - COLUMBIA RIVER COMPOSITES	69
RIVERFLOW	73
WATER - COLUMBIA RIVER TRANSECT.....	75
WATER - COLUMBIA RIVER FILTER/RESIN.....	132
WATER - COLUMBIA RIVER SHORELINE SPRINGS.....	141
WATER - IRRIGATION.....	165
WATER - ONSITE PONDS	175
WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS.....	177
TABLE W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington.....	204
TABLE W-2. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pumphouse	205
DRINKING WATER.....	209
BIOTA	
FOODSTUFFS.....	213

CONTENTS (contd)

WILDLIFE.....	222
Table B-1. Metals in Biota, 2003.....	230
Table B-2. DDD, DDE, DDT in Biota, 2003.....	233
SOIL	237
Table S-1. DDD, DDE, DDT in Soil, 2003.....	240
SEDIMENT	243
TABLE Sed-1. Acid Volatile Sulfide (AVS)/Simultaneously Extracted Metals (SEM) in Columbia River Sediment, 2003.....	257
EXTERNAL RADIATION	261
DOSE CALCULATIONS	
TABLE D-1. Distribution of Population in 80-km Radius of the 100-K Area by Grid Sector	271
TABLE D-2. Distribution of Population in 80-km Radius of the 200 Areas by Grid Sector	272
TABLE D-3. Distribution of Population in 80-km Radius of the 300 Area by Grid Sector	273
TABLE D-4. Distribution of Population in 80-km Radius of the 400 Area by Grid Sector	274
TABLE D-5. Annual Average Dispersion Factor Around the 100-K Area During 2003 for a 10-Meter Release Height	275
TABLE D-6. Annual Average Dispersion Factor Around the 200 Areas During 2003 for a 89-Meter Release Height	276
TABLE D-7. Annual Average Dispersion Factor Around the 300 Area During 2003 for a 10-Meter Release Height	277
TABLE D-8. Annual Average Dispersion Factor Around the 400 Area During 2003 for a 10-Meter Release Height	278

CONTENTS (contd)

QUALITY ASSURANCE

TABLE Q-1. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Surface Environmental Surveillance Project Blind Spikes, 2003.....	281
TABLE Q-2. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Environmental Resources Associates (ERA) Proficiency Testing Program Water Samples, 2003.....	282
TABLE Q-3. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2003.....	283
TABLE Q-4. Biota Sample Field Duplicate Results, 2003	285
TABLE Q-5. Water Sample Field Duplicate Results, 2003.....	287

Air

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168D7	100 D AREA	ONSITE	AT	21-Jan-03	BETA	0.0355	pCi/m3	0.0018	0.0063			
SESPMNT	B168D8	100 D AREA	ONSITE	AT	04-Feb-03	BETA	0.0114	pCi/m3	0.0011	0.0023			
SESPMNT	B168D9	100 D AREA	ONSITE	AT	18-Feb-03	BETA	0.026	pCi/m3	0.0016	0.0046			
SESPMNT	B168F0	100 D AREA	ONSITE	AT	03-Mar-03	BETA	0.0163	pCi/m3	0.0014	0.0032			
SESPMNT	B168F1	100 D AREA	ONSITE	AT	18-Mar-03	BETA	0.00556	pCi/m3	0.00086	0.0014			
SESPMNT	B168F2	100 D AREA	ONSITE	AT	31-Mar-03	BETA	0.00607	pCi/m3	0.001	0.0016			
SESPMNT	B16PT0	100 D AREA	ONSITE	AT	15-Apr-03	BETA	0.00723	pCi/m3	0.00099	0.0017			
SESPMNT	B16PT1	100 D AREA	ONSITE	AT	29-Apr-03	BETA	0.0083	pCi/m3	0.0011	0.0019			
SESPMNT	B16PT2	100 D AREA	ONSITE	AT	12-May-03	BETA	0.0103	pCi/m3	0.0012	0.0022			
SESPMNT	B16PT3	100 D AREA	ONSITE	AT	29-May-03	BETA	0.0107	pCi/m3	0.00099	0.0021			
SESPMNT	B16PT4	100 D AREA	ONSITE	AT	11-Jun-03	BETA	0.0139	pCi/m3	0.0013	0.0028			
SESPMNT	B16PT5	100 D AREA	ONSITE	AT	24-Jun-03	BETA	0.00925	pCi/m3	0.0012	0.0021			
SESPMNT	B16PT6	100 D AREA	ONSITE	AT	08-Jul-03	BETA	0.0112	pCi/m3	0.0012	0.0024			
SESPMNT	B175N7	100 D AREA	ONSITE	AT	22-Jul-03	BETA	0.011	pCi/m3	0.0011	0.0023			
SESPMNT	B175N8	100 D AREA	ONSITE	AT	04-Aug-03	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B175N9	100 D AREA	ONSITE	AT	18-Aug-03	BETA	0.0138	pCi/m3	0.0013	0.0028			
SESPMNT	B175P0	100 D AREA	ONSITE	AT	02-Sep-03	BETA	0.0178	pCi/m3	0.0012	0.0031			
SESPMNT	B175P1	100 D AREA	ONSITE	AT	15-Sep-03	BETA	0.0146	pCi/m3	0.0013	0.003			
SESPMNT	B175P2	100 D AREA	ONSITE	AT	01-Oct-03	BETA	0.012	pCi/m3	0.0011	0.0024			
SESPMNT	B17P97	100 D AREA	ONSITE	AT	13-Oct-03	BETA	0.0248	pCi/m3	0.0017	0.0046			
SESPMNT	B17P98	100 D AREA	ONSITE	AT	28-Oct-03	BETA	0.0248	pCi/m3	0.0015	0.0045			
SESPMNT	B17P99	100 D AREA	ONSITE	AT	11-Nov-03	BETA	0.0365	pCi/m3	0.0017	0.0061			
SESPMNT	B17PB0	100 D AREA	ONSITE	AT	24-Nov-03	BETA	0.0177	pCi/m3	0.0014	0.0034			
SESPMNT	B17PB1	100 D AREA	ONSITE	AT	11-Dec-03	BETA	0.0113	pCi/m3	0.00097	0.0022			
SESPMNT	B17PB2	100 D AREA	ONSITE	AT	22-Dec-03	BETA	0.0185	pCi/m3	0.0016	0.0036			
SESPMNT	B17PB3	100 D AREA	ONSITE	AT	06-Jan-04	BETA	0.0189	pCi/m3	0.0013	0.0035			
SESPMNT	B16987	100 F MET TOWER	ONSITE	AT	21-Jan-03	BETA	0.0303	pCi/m3	0.0017	0.0053			
SESPMNT	B16988	100 F MET TOWER	ONSITE	AT	04-Feb-03	BETA	0.00676	pCi/m3	0.00095	0.0016			
SESPMNT	B16989	100 F MET TOWER	ONSITE	AT	18-Feb-03	BETA	0.0221	pCi/m3	0.0015	0.0041			
SESPMNT	B16990	100 F MET TOWER	ONSITE	AT	03-Mar-03	BETA	0.0172	pCi/m3	0.0014	0.0034			
SESPMNT	B16991	100 F MET TOWER	ONSITE	AT	18-Mar-03	BETA	0.00598	pCi/m3	0.00093	0.0015			
SESPMNT	B16992	100 F MET TOWER	ONSITE	AT	31-Mar-03	BETA	0.00675	pCi/m3	0.0011	0.0017			
SESPMNT	B16RL6	100 F MET TOWER	ONSITE	AT	15-Apr-03	BETA	0.00568	pCi/m3	0.00086	0.0014			
SESPMNT	B16RL7	100 F MET TOWER	ONSITE	AT	29-Apr-03	BETA	0.00804	pCi/m3	0.001	0.0018			
SESPMNT	B16RL8	100 F MET TOWER	ONSITE	AT	12-May-03	BETA	0.0096	pCi/m3	0.0011	0.0021			
SESPMNT	B16RL9	100 F MET TOWER	ONSITE	AT	29-May-03	BETA	0.0106	pCi/m3	0.00098	0.0022			
SESPMNT	B16RM0	100 F MET TOWER	ONSITE	AT	11-Jun-03	BETA	0.0163	pCi/m3	0.0014	0.0031			
SESPMNT	B16RM1	100 F MET TOWER	ONSITE	AT	24-Jun-03	BETA	0.00831	pCi/m3	0.0011	0.0019			
SESPMNT	B16RM2	100 F MET TOWER	ONSITE	AT	08-Jul-03	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B176J7	100 F MET TOWER	ONSITE	AT	22-Jul-03	BETA	0.0108	pCi/m3	0.0011	0.0023			
SESPMNT	B176J8	100 F MET TOWER	ONSITE	AT	04-Aug-03	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B176J9	100 F MET TOWER	ONSITE	AT	18-Aug-03	BETA	0.0123	pCi/m3	0.0013	0.0026			
SESPMNT	B176K0	100 F MET TOWER	ONSITE	AT	02-Sep-03	BETA	0.0185	pCi/m3	0.0013	0.0033			
SESPMNT	B176K1	100 F MET TOWER	ONSITE	AT	15-Sep-03	BETA	0.0161	pCi/m3	0.0014	0.0032			
SESPMNT	B176K2	100 F MET TOWER	ONSITE	AT	01-Oct-03	BETA	0.00917	pCi/m3	0.001	0.002			
SESPMNT	B17R53	100 F MET TOWER	ONSITE	AT	13-Oct-03	BETA	0.0293	pCi/m3	0.0018	0.0054			
SESPMNT	B17R54	100 F MET TOWER	ONSITE	AT	28-Oct-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17R55	100 F MET TOWER	ONSITE	AT	11-Nov-03	BETA	0.0274	pCi/m3	0.0015	0.0047			
SESPMNT	B17R56	100 F MET TOWER	ONSITE	AT	24-Nov-03	BETA	0.0171	pCi/m3	0.0014	0.0033			
SESPMNT	B17R57	100 F MET TOWER	ONSITE	AT	11-Dec-03	BETA	0.0114	pCi/m3	0.00098	0.0023			
SESPMNT	B17R58	100 F MET TOWER	ONSITE	AT	22-Dec-03	BETA	0.018	pCi/m3	0.0016	0.0036			
SESPMNT	B17R59	100 F MET TOWER	ONSITE	AT	06-Jan-04	BETA	0.0169	pCi/m3	0.0013	0.0032			
SESPMNT	B168C5	100 K AREA	ONSITE	AT	21-Jan-03	BETA	0.0361	pCi/m3	0.0019	0.0062			
SESPMNT	B168C6	100 K AREA	ONSITE	AT	04-Feb-03	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B168C7	100 K AREA	ONSITE	AT	18-Feb-03	BETA	0.0269	pCi/m3	0.0016	0.0048			
SESPMNT	B168C8	100 K AREA	ONSITE	AT	03-Mar-03	BETA	0.018	pCi/m3	0.0015	0.0034			
SESPMNT	B168C9	100 K AREA	ONSITE	AT	18-Mar-03	BETA	0.00574	pCi/m3	0.00092	0.0015			
SESPMNT	B168D0	100 K AREA	ONSITE	AT	31-Mar-03	BETA	0.00817	pCi/m3	0.0011	0.0019			
SESPMNT	B16PP6	100 K AREA	ONSITE	AT	15-Apr-03	BETA	0.00638	pCi/m3	0.00089	0.0016			
SESPMNT	B16PP7	100 K AREA	ONSITE	AT	29-Apr-03	BETA	0.00868	pCi/m3	0.001	0.002			
SESPMNT	B16PP8	100 K AREA	ONSITE	AT	12-May-03	BETA	0.00969	pCi/m3	0.0011	0.0021			
SESPMNT	B16PP9	100 K AREA	ONSITE	AT	29-May-03	BETA	0.0104	pCi/m3	0.001	0.0021			
SESPMNT	B16PR0	100 K AREA	ONSITE	AT	11-Jun-03	BETA	0.0151	pCi/m3	0.0013	0.003			
SESPMNT	B16PR1	100 K AREA	ONSITE	AT	24-Jun-03	BETA	0.00802	pCi/m3	0.0011	0.0019			
SESPMNT	B16PR2	100 K AREA	ONSITE	AT	08-Jul-03	BETA	0.00866	pCi/m3	0.0011	0.0019			
SESPMNT	B175M5	100 K AREA	ONSITE	AT	22-Jul-03	BETA	0.0115	pCi/m3	0.0012	0.0024			
SESPMNT	B175M6	100 K AREA	ONSITE	AT	04-Aug-03	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B175M7	100 K AREA	ONSITE	AT	18-Aug-03	BETA	0.0128	pCi/m3	0.0012	0.0026			
SESPMNT	B175M8	100 K AREA	ONSITE	AT	02-Sep-03	BETA	0.0162	pCi/m3	0.0011	0.0028			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175M9	100 K AREA	ONSITE	AT	15-Sep-03	BETA	0.015	pCi/m3	0.0013	0.003			
SESPMNT	B175N0	100 K AREA	ONSITE	AT	01-Oct-03	BETA	0.0124	pCi/m3	0.0011	0.0025			
SESPMNT	B17P83	100 K AREA	ONSITE	AT	13-Oct-03	BETA	0.0269	pCi/m3	0.0017	0.0049			
SESPMNT	B17P84	100 K AREA	ONSITE	AT	28-Oct-03	BETA	0.0283	pCi/m3	0.0016	0.005			
SESPMNT	B17P85	100 K AREA	ONSITE	AT	11-Nov-03	BETA	0.0367	pCi/m3	0.0018	0.0062			
SESPMNT	B17P86	100 K AREA	ONSITE	AT	24-Nov-03	BETA	0.0175	pCi/m3	0.0014	0.0033			
SESPMNT	B17P87	100 K AREA	ONSITE	AT	11-Dec-03	BETA	0.0123	pCi/m3	0.001	0.0024			
SESPMNT	B17P88	100 K AREA	ONSITE	AT	22-Dec-03	BETA	0.0167	pCi/m3	0.0015	0.0033			
SESPMNT	B17P89	100 K AREA	ONSITE	AT	06-Jan-04	BETA	0.0175	pCi/m3	0.0013	0.0033			
SESPMNT	B168D1	100 N-1325 CRIB	ONSITE	AT	21-Jan-03	BETA	0.0241	pCi/m3	0.0016	0.0044			
SESPMNT	B168D2	100 N-1325 CRIB	ONSITE	AT	04-Feb-03	BETA	0.00519	pCi/m3	0.00087	0.0014			
SESPMNT	B168D3	100 N-1325 CRIB	ONSITE	AT	18-Feb-03	BETA	0.0169	pCi/m3	0.0015	0.0033			
SESPMNT	B168D4	100 N-1325 CRIB	ONSITE	AT	03-Mar-03	BETA	0.0176	pCi/m3	0.0014	0.0034			
SESPMNT	B168D5	100 N-1325 CRIB	ONSITE	AT	18-Mar-03	BETA	0.00658	pCi/m3	0.00089	0.0016			
SESPMNT	B168D6	100 N-1325 CRIB	ONSITE	AT	31-Mar-03	BETA	0.00662	pCi/m3	0.00099	0.0017			
SESPMNT	B16PR3	100 N-1325 CRIB	ONSITE	AT	15-Apr-03	BETA	0.00553	pCi/m3	0.00085	0.0014			
SESPMNT	B16PR4	100 N-1325 CRIB	ONSITE	AT	29-Apr-03	BETA	0.00883	pCi/m3	0.0011	0.002			
SESPMNT	B16PR5	100 N-1325 CRIB	ONSITE	AT	12-May-03	BETA	0.0108	pCi/m3	0.0012	0.0023			
SESPMNT	B16PR6	100 N-1325 CRIB	ONSITE	AT	29-May-03	BETA	0.0113	pCi/m3	0.001	0.0023			
SESPMNT	B16PR7	100 N-1325 CRIB	ONSITE	AT	11-Jun-03	BETA	0.0135	pCi/m3	0.0013	0.0028			
SESPMNT	B16PR8	100 N-1325 CRIB	ONSITE	AT	24-Jun-03	BETA	0.00979	pCi/m3	0.0011	0.0021			
SESPMNT	B16PR9	100 N-1325 CRIB	ONSITE	AT	08-Jul-03	BETA	0.0121	pCi/m3	0.0013	0.0025			
SESPMNT	B175N1	100 N-1325 CRIB	ONSITE	AT	22-Jul-03	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B175N2	100 N-1325 CRIB	ONSITE	AT	04-Aug-03	BETA	0.0152	pCi/m3	0.0013	0.003			
SESPMNT	B175N3	100 N-1325 CRIB	ONSITE	AT	18-Aug-03	BETA	0.0167	pCi/m3	0.0016	0.0034			
SESPMNT	B175N4	100 N-1325 CRIB	ONSITE	AT	02-Sep-03	BETA	0.017	pCi/m3	0.0013	0.003			
SESPMNT	B175N5	100 N-1325 CRIB	ONSITE	AT	15-Sep-03	BETA	0.0149	pCi/m3	0.0013	0.003			
SESPMNT	B175N6	100 N-1325 CRIB	ONSITE	AT	01-Oct-03	BETA	0.0127	pCi/m3	0.0011	0.0025			
SESPMNT	B17P90	100 N-1325 CRIB	ONSITE	AT	13-Oct-03	BETA	0.0282	pCi/m3	0.0018	0.0052			
SESPMNT	B17P91	100 N-1325 CRIB	ONSITE	AT	28-Oct-03	BETA	0.0266	pCi/m3	0.0016	0.0048			
SESPMNT	B17P92	100 N-1325 CRIB	ONSITE	AT	11-Nov-03	BETA	0.0337	pCi/m3	0.0017	0.0056			
SESPMNT	B17P93	100 N-1325 CRIB	ONSITE	AT	24-Nov-03	BETA	0.0299	pCi/m3	0.0018	0.0054			
SESPMNT	B17P94	100 N-1325 CRIB	ONSITE	AT	11-Dec-03	BETA	0.0116	pCi/m3	0.00099	0.0023			
SESPMNT	B17P95	100 N-1325 CRIB	ONSITE	AT	22-Dec-03	BETA	0.0169	pCi/m3	0.0015	0.0034			
SESPMNT	B17P96	100 N-1325 CRIB	ONSITE	AT	06-Jan-04	BETA	0.0165	pCi/m3	0.0013	0.0031			
SESPMNT	B168F4	200 ESE	ONSITE	AT	14-Jan-03	BETA	0.0199	pCi/m3	0.0014	0.0037			
SESPMNT	B168F5	200 ESE	ONSITE	AT	28-Jan-03	BETA	0.0145	pCi/m3	0.0013	0.0029			
SESPMNT	B168F6	200 ESE	ONSITE	AT	11-Feb-03	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B168F7	200 ESE	ONSITE	AT	25-Feb-03	BETA	0.0176	pCi/m3	0.0014	0.0033			
SESPMNT	B168F8	200 ESE	ONSITE	AT	10-Mar-03	BETA	0.0203	pCi/m3	0.0015	0.0038			
SESPMNT	B168F9	200 ESE	ONSITE	AT	26-Mar-03	BETA	0.00652	pCi/m3	0.00091	0.0016			
SESPMNT	B168H0	200 ESE	ONSITE	AT	08-Apr-03	BETA	0.00627	pCi/m3	0.00098	0.0016			
SESPMNT	B16PT8	200 ESE	ONSITE	AT	21-Apr-03	BETA	0.00869	pCi/m3	0.0011	0.002			
SESPMNT	B16PT9	200 ESE	ONSITE	AT	06-May-03	BETA	0.00989	pCi/m3	0.001	0.0021			
SESPMNT	B16PV0	200 ESE	ONSITE	AT	20-May-03	BETA	0.0118	pCi/m3	0.0012	0.0024			
SESPMNT	B16PV1	200 ESE	ONSITE	AT	02-Jun-03	BETA	0.0117	pCi/m3	0.0012	0.0025			
SESPMNT	B16PV2	200 ESE	ONSITE	AT	17-Jun-03	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B16PV3	200 ESE	ONSITE	AT	30-Jun-03	BETA	0.00966	pCi/m3	0.0015	0.0024			
SESPMNT	B175P4	200 ESE	ONSITE	AT	15-Jul-03	BETA	0.00948	pCi/m3	0.0011	0.0021			
SESPMNT	B175P5	200 ESE	ONSITE	AT	29-Jul-03	BETA	0.0154	pCi/m3	0.0013	0.003			
SESPMNT	B175P6	200 ESE	ONSITE	AT	12-Aug-03	BETA	0.0134	pCi/m3	0.0012	0.0027			
SESPMNT	B175P7	200 ESE	ONSITE	AT	25-Aug-03	BETA	0.0163	pCi/m3	0.0013	0.0029			
SESPMNT	B175P8	200 ESE	ONSITE	AT	10-Sep-03	BETA	0.0148	pCi/m3	0.0012	0.0029			
SESPMNT	B175P9	200 ESE	ONSITE	AT	22-Sep-03	BETA	0.0107	pCi/m3	0.0012	0.0023			
SESPMNT	B175R0	200 ESE	ONSITE	AT	07-Oct-03	BETA	0.0253	pCi/m3	0.0015	0.0045			
SESPMNT	B17PB5	200 ESE	ONSITE	AT	21-Oct-03	BETA	0.00974	pCi/m3	0.0011	0.0021			
SESPMNT	B17PB6	200 ESE	ONSITE	AT	05-Nov-03	BETA						NO SAMPLE. BAD REGULATOR, UNKNOWN FLOW.	
SESPMNT	B17PB7	200 ESE	ONSITE	AT	18-Nov-03	BETA	0.0351	pCi/m3	0.0018	0.0062			
SESPMNT	B17PB8	200 ESE	ONSITE	AT	01-Dec-03	BETA	0.0134	pCi/m3	0.0012	0.0027			
SESPMNT	B17PB9	200 ESE	ONSITE	AT	17-Dec-03	BETA	0.014	pCi/m3	0.0011	0.0027			
SESPMNT	B17PC0	200 ESE	ONSITE	AT	30-Dec-03	BETA	0.0171	pCi/m3	0.0014	0.0033			
SESPMNT	B168K4	200 TEL. EXCHANGE	ONSITE	AT	14-Jan-03	BETA	0.0208	pCi/m3	0.0014	0.0038			
SESPMNT	B168K5	200 TEL. EXCHANGE	ONSITE	AT	28-Jan-03	BETA	0.016	pCi/m3	0.0013	0.0031			
SESPMNT	B168K6	200 TEL. EXCHANGE	ONSITE	AT	11-Feb-03	BETA	0.0113	pCi/m3	0.0012	0.0024			
SESPMNT	B168K7	200 TEL. EXCHANGE	ONSITE	AT	25-Feb-03	BETA	0.0157	pCi/m3	0.0013	0.003			
SESPMNT	B168K8	200 TEL. EXCHANGE	ONSITE	AT	10-Mar-03	BETA	0.0191	pCi/m3	0.0015	0.0037			
SESPMNT	B168K9	200 TEL. EXCHANGE	ONSITE	AT	26-Mar-03	BETA	0.00527	pCi/m3	0.0008	0.0013			
SESPMNT	B168L0	200 TEL. EXCHANGE	ONSITE	AT	08-Apr-03	BETA	0.00592	pCi/m3	0.001	0.0016			
SESPMNT	B16PX4	200 TEL. EXCHANGE	ONSITE	AT	21-Apr-03	BETA	0.00835	pCi/m3	0.0011	0.002			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16PX5	200 TEL. EXCHANGE	ONSITE	AT	06-May-03	BETA	0.00999	pCi/m3	0.0011	0.0021			
SESPMNT	B16PX6	200 TEL. EXCHANGE	ONSITE	AT	20-May-03	BETA	0.00953	pCi/m3	0.0011	0.0021			
SESPMNT	B16PX7	200 TEL. EXCHANGE	ONSITE	AT	02-Jun-03	BETA	0.0125	pCi/m3	0.0012	0.0026			
SESPMNT	B16PX8	200 TEL. EXCHANGE	ONSITE	AT	17-Jun-03	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B16PX9	200 TEL. EXCHANGE	ONSITE	AT	30-Jun-03	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B175V4	200 TEL. EXCHANGE	ONSITE	AT	15-Jul-03	BETA	0.00903	pCi/m3	0.001	0.002			
SESPMNT	B175V5	200 TEL. EXCHANGE	ONSITE	AT	29-Jul-03	BETA	0.0142	pCi/m3	0.0013	0.0028			
SESPMNT	B175V6	200 TEL. EXCHANGE	ONSITE	AT	12-Aug-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B175V7	200 TEL. EXCHANGE	ONSITE	AT	25-Aug-03	BETA	0.0156	pCi/m3	0.0012	0.0028			
SESPMNT	B175V8	200 TEL. EXCHANGE	ONSITE	AT	10-Sep-03	BETA	0.0156	pCi/m3	0.0012	0.0029			
SESPMNT	B175V9	200 TEL. EXCHANGE	ONSITE	AT	22-Sep-03	BETA	0.0105	pCi/m3	0.0012	0.0023			
SESPMNT	B175W0	200 TEL. EXCHANGE	ONSITE	AT	07-Oct-03	BETA	0.025	pCi/m3	0.0015	0.0045			
SESPMNT	B17PF1	200 TEL. EXCHANGE	ONSITE	AT	21-Oct-03	BETA	0.00897	pCi/m3	0.0011	0.002			
SESPMNT	B17PF2	200 TEL. EXCHANGE	ONSITE	AT	05-Nov-03	BETA	0.0163	pCi/m3	0.0012	0.0031			
SESPMNT	B17PF3	200 TEL. EXCHANGE	ONSITE	AT	18-Nov-03	BETA	0.0329	pCi/m3	0.0019	0.0058			
SESPMNT	B17PF4	200 TEL. EXCHANGE	ONSITE	AT	01-Dec-03	BETA	0.00934	pCi/m3	0.0011	0.0021			
SESPMNT	B17PF5	200 TEL. EXCHANGE	ONSITE	AT	17-Dec-03	BETA	0.0128	pCi/m3	0.0011	0.0025			
SESPMNT	B17PF6	200 TEL. EXCHANGE	ONSITE	AT	30-Dec-03	BETA	0.0168	pCi/m3	0.0014	0.0033			
SESPMNT	B168L9	200 W SE	ONSITE	AT	14-Jan-03	BETA	0.0174	pCi/m3	0.0013	0.0033	U		
SESPMNT	B168M0	200 W SE	ONSITE	AT	28-Jan-03	BETA	-0.000329	pCi/m3	0.00065	0.00071			
SESPMNT	B168M1	200 W SE	ONSITE	AT	11-Feb-03	BETA	0.0278	pCi/m3	0.0018	0.005			
SESPMNT	B168M2	200 W SE	ONSITE	AT	25-Feb-03	BETA	0.017	pCi/m3	0.0013	0.0032			
SESPMNT	B168M3	200 W SE	ONSITE	AT	10-Mar-03	BETA	0.0144	pCi/m3	0.0013	0.0029			
SESPMNT	B168M4	200 W SE	ONSITE	AT	26-Mar-03	BETA	0.00555	pCi/m3	0.00084	0.0014			
SESPMNT	B168M5	200 W SE	ONSITE	AT	08-Apr-03	BETA	0.00595	pCi/m3	0.00096	0.0016			
SESPMNT	B16PY7	200 W SE	ONSITE	AT	21-Apr-03	BETA	0.00723	pCi/m3	0.001	0.0018			
SESPMNT	B16PY8	200 W SE	ONSITE	AT	06-May-03	BETA	0.00901	pCi/m3	0.001	0.002			
SESPMNT	B16PY9	200 W SE	ONSITE	AT	20-May-03	BETA	0.00936	pCi/m3	0.0011	0.002			
SESPMNT	B16R00	200 W SE	ONSITE	AT	02-Jun-03	BETA	0.0143	pCi/m3	0.0013	0.0028			
SESPMNT	B16R01	200 W SE	ONSITE	AT	17-Jun-03	BETA	0.0123	pCi/m3	0.0011	0.0025			
SESPMNT	B16R02	200 W SE	ONSITE	AT	30-Jun-03	BETA	0.0107	pCi/m3	0.0012	0.0023			
SESPMNT	B175W9	200 W SE	ONSITE	AT	15-Jul-03	BETA	0.00922	pCi/m3	0.001	0.002			
SESPMNT	B175X0	200 W SE	ONSITE	AT	29-Jul-03	BETA	0.0115	pCi/m3	0.0012	0.0024			
SESPMNT	B175X1	200 W SE	ONSITE	AT	12-Aug-03	BETA	0.0157	pCi/m3	0.0013	0.003			
SESPMNT	B175X2	200 W SE	ONSITE	AT	25-Aug-03	BETA	0.0172	pCi/m3	0.0013	0.003			
SESPMNT	B175X3	200 W SE	ONSITE	AT	10-Sep-03	BETA	0.0134	pCi/m3	0.0011	0.0026			
SESPMNT	B175X4	200 W SE	ONSITE	AT	22-Sep-03	BETA	0.0114	pCi/m3	0.0013	0.0025			
SESPMNT	B175X5	200 W SE	ONSITE	AT	07-Oct-03	BETA	0.0255	pCi/m3	0.0016	0.0047			
SESPMNT	B17PH4	200 W SE	ONSITE	AT	21-Oct-03	BETA	0.00951	pCi/m3	0.0011	0.0021			
SESPMNT	B17PH5	200 W SE	ONSITE	AT	05-Nov-03	BETA	0.0171	pCi/m3	0.0012	0.0032			
SESPMNT	B17PH6	200 W SE	ONSITE	AT	18-Nov-03	BETA	0.0348	pCi/m3	0.0019	0.0061			
SESPMNT	B17PH7	200 W SE	ONSITE	AT	01-Dec-03	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B17PH8	200 W SE	ONSITE	AT	17-Dec-03	BETA	0.013	pCi/m3	0.0011	0.0026			
SESPMNT	B17PH9	200 W SE	ONSITE	AT	30-Dec-03	BETA	0.0161	pCi/m3	0.0014	0.0031			
SESPMNT	B167W1	300 NE	ONSITE	AT	22-Jan-03	BETA	0.0186	pCi/m3	0.0014	0.0035			
SESPMNT	B167W2	300 NE	ONSITE	AT	05-Feb-03	BETA	0.00255	pCi/m3	0.00073	0.001			
SESPMNT	B167W3	300 NE	ONSITE	AT	19-Feb-03	BETA						NO SAMPLE. NO FLOW. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B167W4	300 NE	ONSITE	AT	05-Mar-03	BETA	0.0169	pCi/m3	0.0013	0.0032			
SESPMNT	B167W5	300 NE	ONSITE	AT	20-Mar-03	BETA	0.00683	pCi/m3	0.00092	0.0016			
SESPMNT	B167W6	300 NE	ONSITE	AT	02-Apr-03	BETA	0.00725	pCi/m3	0.001	0.0018			
SESPMNT	B16P74	300 NE	ONSITE	AT	15-Apr-03	BETA	0.00846	pCi/m3	0.0011	0.002			
SESPMNT	B16P75	300 NE	ONSITE	AT	30-Apr-03	BETA	0.00894	pCi/m3	0.001	0.0019			
SESPMNT	B16P76	300 NE	ONSITE	AT	13-May-03	BETA	0.0113	pCi/m3	0.0012	0.0024			
SESPMNT	B16P77	300 NE	ONSITE	AT	28-May-03	BETA	0.00993	pCi/m3	0.001	0.0021			
SESPMNT	B16P78	300 NE	ONSITE	AT	12-Jun-03	BETA						NO SAMPLE. HOSE DISCONNECTED. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B16P79	300 NE	ONSITE	AT	25-Jun-03	BETA	0.0127	pCi/m3	0.0011	0.0023			
SESPMNT	B16P80	300 NE	ONSITE	AT	10-Jul-03	BETA	0.00934	pCi/m3	0.001	0.002			
SESPMNT	B17555	300 NE	ONSITE	AT	23-Jul-03	BETA	0.0129	pCi/m3	0.0013	0.0027			
SESPMNT	B17556	300 NE	ONSITE	AT	08-Aug-03	BETA	0.0147	pCi/m3	0.0012	0.0028			
SESPMNT	B17557	300 NE	ONSITE	AT	20-Aug-03	BETA	0.0166	pCi/m3	0.0014	0.0033			
SESPMNT	B17558	300 NE	ONSITE	AT	03-Sep-03	BETA	0.0162	pCi/m3	0.0013	0.0031			
SESPMNT	B17559	300 NE	ONSITE	AT	17-Sep-03	BETA	0.0144	pCi/m3	0.0013	0.0029			
SESPMNT	B17560	300 NE	ONSITE	AT	30-Sep-03	BETA	0.0152	pCi/m3	0.0013	0.0031			
SESPMNT	B17NR5	300 NE	ONSITE	AT	15-Oct-03	BETA	0.0252	pCi/m3	0.0015	0.0045			
SESPMNT	B17NR6	300 NE	ONSITE	AT	29-Oct-03	BETA	0.0156	pCi/m3	0.0013	0.0031			
SESPMNT	B17NR7	300 NE	ONSITE	AT	12-Nov-03	BETA	0.0366	pCi/m3	0.0018	0.0061			
SESPMNT	B17NR8	300 NE	ONSITE	AT	25-Nov-03	BETA	0.0191	pCi/m3	0.0014	0.0036			
SESPMNT	B17NR9	300 NE	ONSITE	AT	12-Dec-03	BETA	0.0148	pCi/m3	0.0011	0.0028		CONSTRUCTION IN AREA.	
SESPMNT	B17NT0	300 NE	ONSITE	AT	23-Dec-03	BETA	0.0223	pCi/m3	0.0016	0.0039			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17NT1	300 NE	ONSITE	AT	08-Jan-04	BETA	0.0218	pCi/m3	0.0013	0.0039			
SESPMNT	B168N3	300 SOUTH GATE	ONSITE	AT	22-Jan-03	BETA	0.0406	pCi/m3	0.0019	0.0071			
SESPMNT	B168N4	300 SOUTH GATE	ONSITE	AT	05-Feb-03	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B168N5	300 SOUTH GATE	ONSITE	AT	19-Feb-03	BETA	0.0245	pCi/m3	0.0016	0.0044			
SESPMNT	B168N6	300 SOUTH GATE	ONSITE	AT	05-Mar-03	BETA	0.0188	pCi/m3	0.0014	0.0036			
SESPMNT	B168N7	300 SOUTH GATE	ONSITE	AT	20-Mar-03	BETA	0.00577	pCi/m3	0.00086	0.0015			
SESPMNT	B168N8	300 SOUTH GATE	ONSITE	AT	02-Apr-03	BETA	0.0068	pCi/m3	0.001	0.0017			
SESPMNT	B16R11	300 SOUTH GATE	ONSITE	AT	15-Apr-03	BETA	0.00681	pCi/m3	0.001	0.0017			
SESPMNT	B16R12	300 SOUTH GATE	ONSITE	AT	30-Apr-03	BETA	0.00775	pCi/m3	0.001	0.0018			
SESPMNT	B16R13	300 SOUTH GATE	ONSITE	AT	13-May-03	BETA	0.012	pCi/m3	0.0013	0.0025			
SESPMNT	B16R14	300 SOUTH GATE	ONSITE	AT	28-May-03	BETA	0.0103	pCi/m3	0.001	0.0022			
SESPMNT	B16R15	300 SOUTH GATE	ONSITE	AT	12-Jun-03	BETA	0.0134	pCi/m3	0.0012	0.0027			
SESPMNT	B16R16	300 SOUTH GATE	ONSITE	AT	25-Jun-03	BETA	0.0115	pCi/m3	0.0011	0.0021			
SESPMNT	B16R17	300 SOUTH GATE	ONSITE	AT	10-Jul-03	BETA	0.0109	pCi/m3	0.0011	0.0022			
SESPMNT	B175Y3	300 SOUTH GATE	ONSITE	AT	23-Jul-03	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B175Y4	300 SOUTH GATE	ONSITE	AT	08-Aug-03	BETA	0.0164	pCi/m3	0.0012	0.0031			
SESPMNT	B175Y5	300 SOUTH GATE	ONSITE	AT	20-Aug-03	BETA	0.0167	pCi/m3	0.0014	0.0033			
SESPMNT	B175Y6	300 SOUTH GATE	ONSITE	AT	03-Sep-03	BETA	0.0151	pCi/m3	0.0013	0.0029			
SESPMNT	B175Y7	300 SOUTH GATE	ONSITE	AT	17-Sep-03	BETA	0.0141	pCi/m3	0.0012	0.0028			
SESPMNT	B175Y8	300 SOUTH GATE	ONSITE	AT	30-Sep-03	BETA	0.0139	pCi/m3	0.0013	0.0028			
SESPMNT	B17PJ8	300 SOUTH GATE	ONSITE	AT	15-Oct-03	BETA	0.0276	pCi/m3	0.0016	0.005			
SESPMNT	B17PJ9	300 SOUTH GATE	ONSITE	AT	29-Oct-03	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B17PK0	300 SOUTH GATE	ONSITE	AT	12-Nov-03	BETA	0.0364	pCi/m3	0.0018	0.0062			
SESPMNT	B17PK1	300 SOUTH GATE	ONSITE	AT	25-Nov-03	BETA	0.0188	pCi/m3	0.0014	0.0036			
SESPMNT	B17PK2	300 SOUTH GATE	ONSITE	AT	12-Dec-03	BETA	0.0148	pCi/m3	0.0011	0.0028			
SESPMNT	B17PK3	300 SOUTH GATE	ONSITE	AT	23-Dec-03	BETA	0.0233	pCi/m3	0.0016	0.0041			
SESPMNT	B17PK4	300 SOUTH GATE	ONSITE	AT	08-Jan-04	BETA	0.0197	pCi/m3	0.0013	0.0036			
SESPMNT	B168N9	300 SOUTH WEST	ONSITE	AT	22-Jan-03	BETA	0.0258	pCi/m3	0.0016	0.0047			
SESPMNT	B168P0	300 SOUTH WEST	ONSITE	AT	05-Feb-03	BETA	0.00271	pCi/m3	0.00075	0.001			
SESPMNT	B168P1	300 SOUTH WEST	ONSITE	AT	19-Feb-03	BETA	0.0207	pCi/m3	0.0016	0.0039			
SESPMNT	B168P2	300 SOUTH WEST	ONSITE	AT	05-Mar-03	BETA	0.0167	pCi/m3	0.0014	0.0032			
SESPMNT	B168P3	300 SOUTH WEST	ONSITE	AT	20-Mar-03	BETA	0.00584	pCi/m3	0.00086	0.0014			
SESPMNT	B168P4	300 SOUTH WEST	ONSITE	AT	02-Apr-03	BETA	0.00715	pCi/m3	0.001	0.0018			
SESPMNT	B16R18	300 SOUTH WEST	ONSITE	AT	15-Apr-03	BETA	0.0084	pCi/m3	0.0011	0.0019			
SESPMNT	B16R19	300 SOUTH WEST	ONSITE	AT	30-Apr-03	BETA	0.00931	pCi/m3	0.0011	0.002			
SESPMNT	B16R20	300 SOUTH WEST	ONSITE	AT	13-May-03	BETA	0.0155	pCi/m3	0.0014	0.0031			
SESPMNT	B16R21	300 SOUTH WEST	ONSITE	AT	28-May-03	BETA	0.00969	pCi/m3	0.0011	0.0021			
SESPMNT	B16R22	300 SOUTH WEST	ONSITE	AT	12-Jun-03	BETA	0.0137	pCi/m3	0.0012	0.0027			
SESPMNT	B16R23	300 SOUTH WEST	ONSITE	AT	25-Jun-03	BETA	0.01	pCi/m3	0.0011	0.0019			
SESPMNT	B16R24	300 SOUTH WEST	ONSITE	AT	10-Jul-03	BETA	0.00997	pCi/m3	0.001	0.0021			
SESPMNT	B175Y9	300 SOUTH WEST	ONSITE	AT	23-Jul-03	BETA	0.0131	pCi/m3	0.0013	0.0027			
SESPMNT	B17600	300 SOUTH WEST	ONSITE	AT	08-Aug-03	BETA	0.0151	pCi/m3	0.0012	0.0029			
SESPMNT	B17601	300 SOUTH WEST	ONSITE	AT	20-Aug-03	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B17602	300 SOUTH WEST	ONSITE	AT	03-Sep-03	BETA	0.0153	pCi/m3	0.0013	0.003			
SESPMNT	B17603	300 SOUTH WEST	ONSITE	AT	17-Sep-03	BETA	0.0146	pCi/m3	0.0012	0.0029			
SESPMNT	B17604	300 SOUTH WEST	ONSITE	AT	30-Sep-03	BETA	0.0136	pCi/m3	0.0013	0.0027			
SESPMNT	B17PK5	300 SOUTH WEST	ONSITE	AT	15-Oct-03	BETA	0.0246	pCi/m3	0.0015	0.0045			
SESPMNT	B17PK6	300 SOUTH WEST	ONSITE	AT	29-Oct-03	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B17PK7	300 SOUTH WEST	ONSITE	AT	12-Nov-03	BETA	0.036	pCi/m3	0.0017	0.006			
SESPMNT	B17PK8	300 SOUTH WEST	ONSITE	AT	25-Nov-03	BETA	0.02	pCi/m3	0.0015	0.0038			
SESPMNT	B17PK9	300 SOUTH WEST	ONSITE	AT	12-Dec-03	BETA	0.0132	pCi/m3	0.0011	0.0026			
SESPMNT	B17PL0	300 SOUTH WEST	ONSITE	AT	23-Dec-03	BETA	0.0208	pCi/m3	0.0016	0.0037			
SESPMNT	B17PL1	300 SOUTH WEST	ONSITE	AT	08-Jan-04	BETA	0.0209	pCi/m3	0.0013	0.0038			
SESPMNT	B167V5	300 TRENCH	ONSITE	AT	22-Jan-03	BETA	0.0222	pCi/m3	0.0015	0.0041			
SESPMNT	B167V6	300 TRENCH	ONSITE	AT	05-Feb-03	BETA	0.00599	pCi/m3	0.00091	0.0015			
SESPMNT	B167V7	300 TRENCH	ONSITE	AT	19-Feb-03	BETA	0.0191	pCi/m3	0.0016	0.0037			
SESPMNT	B167V8	300 TRENCH	ONSITE	AT	05-Mar-03	BETA	0.0162	pCi/m3	0.0014	0.0031			
SESPMNT	B167V9	300 TRENCH	ONSITE	AT	20-Mar-03	BETA	0.00647	pCi/m3	0.0011	0.0017			
SESPMNT	B167W0	300 TRENCH	ONSITE	AT	02-Apr-03	BETA	0.00546	pCi/m3	0.00096	0.0015			
SESPMNT	B16P67	300 TRENCH	ONSITE	AT	15-Apr-03	BETA	0.00698	pCi/m3	0.00094	0.0017			
SESPMNT	B16P68	300 TRENCH	ONSITE	AT	30-Apr-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16P69	300 TRENCH	ONSITE	AT	13-May-03	BETA	0.00938	pCi/m3	0.0012	0.0021			
SESPMNT	B16P70	300 TRENCH	ONSITE	AT	28-May-03	BETA	0.00891	pCi/m3	0.0011	0.002			
SESPMNT	B16P71	300 TRENCH	ONSITE	AT	12-Jun-03	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B16P72	300 TRENCH	ONSITE	AT	25-Jun-03	BETA	0.0111	pCi/m3	0.0011	0.0021			
SESPMNT	B16P73	300 TRENCH	ONSITE	AT	10-Jul-03	BETA	0.0092	pCi/m3	0.001	0.002			
SESPMNT	B17549	300 TRENCH	ONSITE	AT	23-Jul-03	BETA	0.0129	pCi/m3	0.0013	0.0027			
SESPMNT	B17550	300 TRENCH	ONSITE	AT	08-Aug-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B17551	300 TRENCH	ONSITE	AT	20-Aug-03	BETA	0.0121	pCi/m3	0.0012	0.0025			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17552	300 TRENCH	ONSITE	AT	03-Sep-03	BETA	0.0146	pCi/m3	0.0012	0.0029			
SESPMNT	B17553	300 TRENCH	ONSITE	AT	17-Sep-03	BETA	0.0135	pCi/m3	0.0013	0.0027			
SESPMNT	B17554	300 TRENCH	ONSITE	AT	30-Sep-03	BETA	0.0154	pCi/m3	0.0014	0.0031			
SESPMNT	B17NP8	300 TRENCH	ONSITE	AT	15-Oct-03	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B17NP9	300 TRENCH	ONSITE	AT	29-Oct-03	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B17NR0	300 TRENCH	ONSITE	AT	12-Nov-03	BETA	0.0354	pCi/m3	0.0016	0.0059			
SESPMNT	B17NR1	300 TRENCH	ONSITE	AT	25-Nov-03	BETA	0.0203	pCi/m3	0.0015	0.0039			
SESPMNT	B17NR2	300 TRENCH	ONSITE	AT	12-Dec-03	BETA	0.0157	pCi/m3	0.0011	0.003		CONSTRUCTION IN AREA.	
SESPMNT	B17NR3	300 TRENCH	ONSITE	AT	23-Dec-03	BETA	0.0228	pCi/m3	0.0016	0.004			
SESPMNT	B17NR4	300 TRENCH	ONSITE	AT	08-Jan-04	BETA	0.0208	pCi/m3	0.0013	0.0037			
SESPMNT	B168M7	300 WATER INTAKE	ONSITE	AT	22-Jan-03	BETA	0.0384	pCi/m3	0.0019	0.0066			
SESPMNT	B168M8	300 WATER INTAKE	ONSITE	AT	05-Feb-03	BETA	0.00888	pCi/m3	0.001	0.002			
SESPMNT	B168M9	300 WATER INTAKE	ONSITE	AT	19-Feb-03	BETA	0.0257	pCi/m3	0.0016	0.0046			
SESPMNT	B168N0	300 WATER INTAKE	ONSITE	AT	05-Mar-03	BETA	0.0167	pCi/m3	0.0014	0.0032			
SESPMNT	B168N1	300 WATER INTAKE	ONSITE	AT	20-Mar-03	BETA	0.00616	pCi/m3	0.0009	0.0015			
SESPMNT	B168N2	300 WATER INTAKE	ONSITE	AT	02-Apr-03	BETA	0.00538	pCi/m3	0.00088	0.0014			
SESPMNT	B16R04	300 WATER INTAKE	ONSITE	AT	15-Apr-03	BETA	0.0072	pCi/m3	0.001	0.0017			
SESPMNT	B16R05	300 WATER INTAKE	ONSITE	AT	30-Apr-03	BETA	0.00768	pCi/m3	0.001	0.0018			
SESPMNT	B16R06	300 WATER INTAKE	ONSITE	AT	13-May-03	BETA	0.0126	pCi/m3	0.0012	0.0026			
SESPMNT	B16R07	300 WATER INTAKE	ONSITE	AT	28-May-03	BETA	0.0108	pCi/m3	0.0011	0.0023			
SESPMNT	B16R08	300 WATER INTAKE	ONSITE	AT	12-Jun-03	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B16R09	300 WATER INTAKE	ONSITE	AT	25-Jun-03	BETA	0.0116	pCi/m3	0.0011	0.0022			
SESPMNT	B16R10	300 WATER INTAKE	ONSITE	AT	10-Jul-03	BETA	0.01	pCi/m3	0.001	0.0021			
SESPMNT	B175X7	300 WATER INTAKE	ONSITE	AT	23-Jul-03	BETA	0.0119	pCi/m3	0.0012	0.0025			
SESPMNT	B175X8	300 WATER INTAKE	ONSITE	AT	08-Aug-03	BETA	0.0149	pCi/m3	0.0012	0.0028			
SESPMNT	B175X9	300 WATER INTAKE	ONSITE	AT	20-Aug-03	BETA	-0.0029	pCi/m3	0.00041	0.00052	U		
SESPMNT	B175Y0	300 WATER INTAKE	ONSITE	AT	03-Sep-03	BETA	0.0152	pCi/m3	0.0013	0.0029		POSSIBLE LEAK IN COLUMN.	
SESPMNT	B175Y1	300 WATER INTAKE	ONSITE	AT	17-Sep-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B175Y2	300 WATER INTAKE	ONSITE	AT	30-Sep-03	BETA	0.0156	pCi/m3	0.0013	0.0031			
SESPMNT	B17PJ1	300 WATER INTAKE	ONSITE	AT	15-Oct-03	BETA	0.0257	pCi/m3	0.0015	0.0047			
SESPMNT	B17PJ2	300 WATER INTAKE	ONSITE	AT	29-Oct-03	BETA	0.0134	pCi/m3	0.0012	0.0027			
SESPMNT	B17PJ3	300 WATER INTAKE	ONSITE	AT	12-Nov-03	BETA	0.0375	pCi/m3	0.0018	0.0063			
SESPMNT	B17PJ4	300 WATER INTAKE	ONSITE	AT	25-Nov-03	BETA	0.0188	pCi/m3	0.0015	0.0036			
SESPMNT	B17PJ5	300 WATER INTAKE	ONSITE	AT	12-Dec-03	BETA	0.0142	pCi/m3	0.0011	0.0028			
SESPMNT	B17PJ6	300 WATER INTAKE	ONSITE	AT	23-Dec-03	BETA	0.0221	pCi/m3	0.0016	0.0039			
SESPMNT	B17PJ7	300 WATER INTAKE	ONSITE	AT	08-Jan-04	BETA	0.0208	pCi/m3	0.0013	0.0038			
SESPMNT	B168P6	400 E	ONSITE	AT	21-Jan-03	BETA	0.0359	pCi/m3	0.0018	0.0062			
SESPMNT	B168P7	400 E	ONSITE	AT	04-Feb-03	BETA	0.00862	pCi/m3	0.001	0.0019			
SESPMNT	B168P8	400 E	ONSITE	AT	18-Feb-03	BETA	0.0228	pCi/m3	0.0015	0.0042			
SESPMNT	B168P9	400 E	ONSITE	AT	03-Mar-03	BETA	0.0187	pCi/m3	0.0015	0.0036			
SESPMNT	B168R0	400 E	ONSITE	AT	18-Mar-03	BETA	0.00485	pCi/m3	0.00083	0.0013			
SESPMNT	B168R1	400 E	ONSITE	AT	31-Mar-03	BETA	0.00672	pCi/m3	0.00099	0.0017			
SESPMNT	B16R26	400 E	ONSITE	AT	15-Apr-03	BETA	0.00696	pCi/m3	0.00098	0.0017			
SESPMNT	B16R27	400 E	ONSITE	AT	29-Apr-03	BETA	0.00954	pCi/m3	0.0011	0.0021			
SESPMNT	B16R28	400 E	ONSITE	AT	12-May-03	BETA	0.0112	pCi/m3	0.0012	0.0024			
SESPMNT	B16R29	400 E	ONSITE	AT	29-May-03	BETA	0.0106	pCi/m3	0.001	0.0021			
SESPMNT	B16R30	400 E	ONSITE	AT	11-Jun-03	BETA	0.0183	pCi/m3	0.0014	0.0035			
SESPMNT	B16R31	400 E	ONSITE	AT	24-Jun-03	BETA	0.00961	pCi/m3	0.0011	0.0021			
SESPMNT	B16R32	400 E	ONSITE	AT	08-Jul-03	BETA	0.0096	pCi/m3	0.0011	0.0021			
SESPMNT	B17606	400 E	ONSITE	AT	22-Jul-03	BETA	0.0119	pCi/m3	0.0012	0.0025			
SESPMNT	B17607	400 E	ONSITE	AT	04-Aug-03	BETA	0.0145	pCi/m3	0.0013	0.0029			
SESPMNT	B17608	400 E	ONSITE	AT	18-Aug-03	BETA	0.0136	pCi/m3	0.0012	0.0027			
SESPMNT	B17609	400 E	ONSITE	AT	02-Sep-03	BETA	0.0203	pCi/m3	0.0013	0.0035			
SESPMNT	B17610	400 E	ONSITE	AT	15-Sep-03	BETA	0.016	pCi/m3	0.0013	0.0031			
SESPMNT	B17611	400 E	ONSITE	AT	01-Oct-03	BETA	0.0145	pCi/m3	0.0011	0.0028			
SESPMNT	B17PL3	400 E	ONSITE	AT	13-Oct-03	BETA	0.0312	pCi/m3	0.0019	0.0056			
SESPMNT	B17PL4	400 E	ONSITE	AT	28-Oct-03	BETA	0.0275	pCi/m3	0.0016	0.005			
SESPMNT	B17PL5	400 E	ONSITE	AT	11-Nov-03	BETA	0.0349	pCi/m3	0.0018	0.0058			
SESPMNT	B17PL6	400 E	ONSITE	AT	24-Nov-03	BETA	0.0165	pCi/m3	0.0014	0.0032			
SESPMNT	B17PL7	400 E	ONSITE	AT	11-Dec-03	BETA	0.012	pCi/m3	0.001	0.0023			
SESPMNT	B17PL8	400 E	ONSITE	AT	22-Dec-03	BETA	0.017	pCi/m3	0.0015	0.0034			
SESPMNT	B17PL9	400 E	ONSITE	AT	06-Jan-04	BETA	0.0177	pCi/m3	0.0013	0.0034			
SESPMNT	B168T4	400 N	ONSITE	AT	21-Jan-03	BETA	0.029	pCi/m3	0.0017	0.0051			
SESPMNT	B168T5	400 N	ONSITE	AT	04-Feb-03	BETA	0.00796	pCi/m3	0.001	0.0018			
SESPMNT	B168T6	400 N	ONSITE	AT	18-Feb-03	BETA	0.0207	pCi/m3	0.0015	0.0039			
SESPMNT	B168T7	400 N	ONSITE	AT	03-Mar-03	BETA	0.0185	pCi/m3	0.0015	0.0035			
SESPMNT	B168T8	400 N	ONSITE	AT	18-Mar-03	BETA	0.0053	pCi/m3	0.00083	0.0014			
SESPMNT	B168T9	400 N	ONSITE	AT	31-Mar-03	BETA	0.00547	pCi/m3	0.00094	0.0015			
SESPMNT	B16R47	400 N	ONSITE	AT	15-Apr-03	BETA	0.00712	pCi/m3	0.00092	0.0016			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16R48	400 N	ONSITE	AT	29-Apr-03	BETA	0.00845	pCi/m3	0.001	0.0019			
SESPMNT	B16R49	400 N	ONSITE	AT	12-May-03	BETA	0.0108	pCi/m3	0.0012	0.0023			
SESPMNT	B16R50	400 N	ONSITE	AT	29-May-03	BETA	0.0107	pCi/m3	0.00099	0.0022			
SESPMNT	B16R51	400 N	ONSITE	AT	11-Jun-03	BETA	0.015	pCi/m3	0.0013	0.003			
SESPMNT	B16R52	400 N	ONSITE	AT	24-Jun-03	BETA	0.0107	pCi/m3	0.0012	0.0023			
SESPMNT	B16R53	400 N	ONSITE	AT	08-Jul-03	BETA	0.0107	pCi/m3	0.0011	0.0023			
SESPMNT	B17624	400 N	ONSITE	AT	22-Jul-03	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B17625	400 N	ONSITE	AT	04-Aug-03	BETA	0.0165	pCi/m3	0.0014	0.0033			
SESPMNT	B17626	400 N	ONSITE	AT	18-Aug-03	BETA	0.0142	pCi/m3	0.0012	0.0028			
SESPMNT	B17627	400 N	ONSITE	AT	02-Sep-03	BETA	0.0191	pCi/m3	0.0013	0.0033			
SESPMNT	B17628	400 N	ONSITE	AT	15-Sep-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17629	400 N	ONSITE	AT	01-Oct-03	BETA	0.0139	pCi/m3	0.0011	0.0027			
SESPMNT	B17PN4	400 N	ONSITE	AT	13-Oct-03	BETA	0.029	pCi/m3	0.0018	0.0053			
SESPMNT	B17PN5	400 N	ONSITE	AT	28-Oct-03	BETA	0.0267	pCi/m3	0.0015	0.0047			
SESPMNT	B17PN6	400 N	ONSITE	AT	11-Nov-03	BETA	0.0348	pCi/m3	0.0016	0.0059			
SESPMNT	B17PN7	400 N	ONSITE	AT	24-Nov-03	BETA	0.0188	pCi/m3	0.0015	0.0036			
SESPMNT	B17PN8	400 N	ONSITE	AT	11-Dec-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17PN9	400 N	ONSITE	AT	22-Dec-03	BETA	0.0172	pCi/m3	0.0015	0.0035			
SESPMNT	B17PP0	400 N	ONSITE	AT	06-Jan-04	BETA	0.0171	pCi/m3	0.0013	0.0032			
SESPMNT	B168R8	400 S	ONSITE	AT	21-Jan-03	BETA	0.034	pCi/m3	0.0018	0.0059			
SESPMNT	B168R9	400 S	ONSITE	AT	04-Feb-03	BETA	0.00925	pCi/m3	0.0011	0.002			
SESPMNT	B168T0	400 S	ONSITE	AT	18-Feb-03	BETA	0.0234	pCi/m3	0.0016	0.0043			
SESPMNT	B168T1	400 S	ONSITE	AT	03-Mar-03	BETA	0.0188	pCi/m3	0.0015	0.0036			
SESPMNT	B168T2	400 S	ONSITE	AT	18-Mar-03	BETA	0.00569	pCi/m3	0.00085	0.0014			
SESPMNT	B168T3	400 S	ONSITE	AT	31-Mar-03	BETA	0.00979	pCi/m3	0.0011	0.0022			
SESPMNT	B16R40	400 S	ONSITE	AT	15-Apr-03	BETA	0.00614	pCi/m3	0.00088	0.0015			
SESPMNT	B16R41	400 S	ONSITE	AT	29-Apr-03	BETA	0.00759	pCi/m3	0.00098	0.0018			
SESPMNT	B16R42	400 S	ONSITE	AT	12-May-03	BETA	0.0103	pCi/m3	0.0012	0.0022			
SESPMNT	B16R43	400 S	ONSITE	AT	29-May-03	BETA	0.0106	pCi/m3	0.00098	0.0022			
SESPMNT	B16R44	400 S	ONSITE	AT	11-Jun-03	BETA	0.0144	pCi/m3	0.0013	0.0029			
SESPMNT	B16R45	400 S	ONSITE	AT	24-Jun-03	BETA	0.00918	pCi/m3	0.0011	0.002			
SESPMNT	B16R46	400 S	ONSITE	AT	08-Jul-03	BETA	0.0109	pCi/m3	0.0012	0.0023			
SESPMNT	B17618	400 S	ONSITE	AT	22-Jul-03	BETA	0.0124	pCi/m3	0.0012	0.0025			
SESPMNT	B17619	400 S	ONSITE	AT	04-Aug-03	BETA	0.0151	pCi/m3	0.0013	0.003			
SESPMNT	B17620	400 S	ONSITE	AT	18-Aug-03	BETA	0.0141	pCi/m3	0.0012	0.0028			
SESPMNT	B17621	400 S	ONSITE	AT	02-Sep-03	BETA	0.0192	pCi/m3	0.0012	0.0033			
SESPMNT	B17622	400 S	ONSITE	AT	15-Sep-03	BETA	0.0169	pCi/m3	0.0014	0.0033			
SESPMNT	B17623	400 S	ONSITE	AT	01-Oct-03	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B17PM7	400 S	ONSITE	AT	13-Oct-03	BETA						NO SAMPLE. PUMP RUNNING BUT NO FLOW, DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B17PM8	400 S	ONSITE	AT	28-Oct-03	BETA	0.0249	pCi/m3	0.0016	0.0045			
SESPMNT	B17PM9	400 S	ONSITE	AT	11-Nov-03	BETA	0.0367	pCi/m3	0.0018	0.0061			
SESPMNT	B17PN0	400 S	ONSITE	AT	24-Nov-03	BETA	0.0172	pCi/m3	0.0014	0.0034			
SESPMNT	B17PN1	400 S	ONSITE	AT	11-Dec-03	BETA	0.0111	pCi/m3	0.00099	0.0022			
SESPMNT	B17PN2	400 S	ONSITE	AT	22-Dec-03	BETA	0.0154	pCi/m3	0.0014	0.0032			
SESPMNT	B17PN3	400 S	ONSITE	AT	06-Jan-04	BETA	0.0173	pCi/m3	0.0013	0.0033			
SESPMNT	B168R2	400 W	ONSITE	AT	21-Jan-03	BETA	0.0339	pCi/m3	0.0018	0.0059			
SESPMNT	B168R3	400 W	ONSITE	AT	04-Feb-03	BETA	0.00855	pCi/m3	0.001	0.0019			
SESPMNT	B168R4	400 W	ONSITE	AT	18-Feb-03	BETA	0.0219	pCi/m3	0.0015	0.0041			
SESPMNT	B168R5	400 W	ONSITE	AT	03-Mar-03	BETA	0.0166	pCi/m3	0.0014	0.0033			
SESPMNT	B168R6	400 W	ONSITE	AT	18-Mar-03	BETA	0.00576	pCi/m3	0.00092	0.0015			
SESPMNT	B168R7	400 W	ONSITE	AT	31-Mar-03	BETA	0.00539	pCi/m3	0.00094	0.0015			
SESPMNT	B16R33	400 W	ONSITE	AT	15-Apr-03	BETA	0.00738	pCi/m3	0.00092	0.0017			
SESPMNT	B16R34	400 W	ONSITE	AT	29-Apr-03	BETA	0.00965	pCi/m3	0.0011	0.0021			
SESPMNT	B16R35	400 W	ONSITE	AT	12-May-03	BETA	0.0097	pCi/m3	0.0017	0.0026			
SESPMNT	B16R36	400 W	ONSITE	AT	29-May-03	BETA	0.00977	pCi/m3	0.001	0.002			
SESPMNT	B16R37	400 W	ONSITE	AT	11-Jun-03	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B16R38	400 W	ONSITE	AT	24-Jun-03	BETA	0.0096	pCi/m3	0.0011	0.0021			
SESPMNT	B16R39	400 W	ONSITE	AT	08-Jul-03	BETA	0.01	pCi/m3	0.0011	0.0022			
SESPMNT	B17612	400 W	ONSITE	AT	22-Jul-03	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B17613	400 W	ONSITE	AT	04-Aug-03	BETA	0.0139	pCi/m3	0.0013	0.0028			
SESPMNT	B17614	400 W	ONSITE	AT	18-Aug-03	BETA	0.0136	pCi/m3	0.0012	0.0027			
SESPMNT	B17615	400 W	ONSITE	AT	02-Sep-03	BETA	0.0183	pCi/m3	0.0013	0.0032			
SESPMNT	B17616	400 W	ONSITE	AT	15-Sep-03	BETA	0.0159	pCi/m3	0.0013	0.0031			
SESPMNT	B17617	400 W	ONSITE	AT	01-Oct-03	BETA	0.0137	pCi/m3	0.0012	0.0027			
SESPMNT	B17PM0	400 W	ONSITE	AT	13-Oct-03	BETA	0.0287	pCi/m3	0.0018	0.0052			
SESPMNT	B17PM1	400 W	ONSITE	AT	28-Oct-03	BETA	0.0265	pCi/m3	0.0016	0.0048			
SESPMNT	B17PM2	400 W	ONSITE	AT	11-Nov-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17PM3	400 W	ONSITE	AT	24-Nov-03	BETA	0.0181	pCi/m3	0.0014	0.0034		HUTCH BLOWN OVER.	
SESPMNT	B17PM4	400 W	ONSITE	AT	11-Dec-03	BETA	0.00933	pCi/m3	0.00099	0.002			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PM5	400 W	ONSITE	AT	22-Dec-03	BETA	0.0164	pCi/m3	0.0015	0.0033			
SESPMNT	B17PM6	400 W	ONSITE	AT	06-Jan-04	BETA						NO SAMPLE. UNABLE TO GET TO LOCATION DUE TO SNOW.	
SESPMNT	B168J7	ARMY LOOP CAMP	ONSITE	AT	14-Jan-03	BETA	0.0213	pCi/m3	0.0015	0.004			
SESPMNT	B168J8	ARMY LOOP CAMP	ONSITE	AT	28-Jan-03	BETA	0.00407	pCi/m3	0.0009	0.0013			
SESPMNT	B168J9	ARMY LOOP CAMP	ONSITE	AT	11-Feb-03	BETA	0.0155	pCi/m3	0.0012	0.0029			
SESPMNT	B168K0	ARMY LOOP CAMP	ONSITE	AT	25-Feb-03	BETA	0.017	pCi/m3	0.0014	0.0033			
SESPMNT	B168K1	ARMY LOOP CAMP	ONSITE	AT	10-Mar-03	BETA	0.0155	pCi/m3	0.0013	0.003			
SESPMNT	B168K2	ARMY LOOP CAMP	ONSITE	AT	26-Mar-03	BETA	0.00552	pCi/m3	0.00082	0.0014			
SESPMNT	B168K3	ARMY LOOP CAMP	ONSITE	AT	08-Apr-03	BETA	0.00522	pCi/m3	0.00087	0.0014			
SESPMNT	B16PW8	ARMY LOOP CAMP	ONSITE	AT	21-Apr-03	BETA	0.00966	pCi/m3	0.0012	0.0022			
SESPMNT	B16PW9	ARMY LOOP CAMP	ONSITE	AT	06-May-03	BETA	0.00921	pCi/m3	0.001	0.002			
SESPMNT	B16PX0	ARMY LOOP CAMP	ONSITE	AT	20-May-03	BETA	0.0109	pCi/m3	0.0011	0.0023			
SESPMNT	B16PX1	ARMY LOOP CAMP	ONSITE	AT	02-Jun-03	BETA	0.0117	pCi/m3	0.0012	0.0025			
SESPMNT	B16PX2	ARMY LOOP CAMP	ONSITE	AT	17-Jun-03	BETA	0.0139	pCi/m3	0.0011	0.0026			
SESPMNT	B16PX3	ARMY LOOP CAMP	ONSITE	AT	30-Jun-03	BETA	0.00969	pCi/m3	0.0011	0.0022			
SESPMNT	B175T7	ARMY LOOP CAMP	ONSITE	AT	15-Jul-03	BETA	0.00923	pCi/m3	0.001	0.002			
SESPMNT	B175T8	ARMY LOOP CAMP	ONSITE	AT	29-Jul-03	BETA	0.0126	pCi/m3	0.0012	0.0026			
SESPMNT	B175T9	ARMY LOOP CAMP	ONSITE	AT	12-Aug-03	BETA	0.0143	pCi/m3	0.0012	0.0028			
SESPMNT	B175V0	ARMY LOOP CAMP	ONSITE	AT	25-Aug-03	BETA	0.0179	pCi/m3	0.0013	0.0031			
SESPMNT	B175V1	ARMY LOOP CAMP	ONSITE	AT	10-Sep-03	BETA	0.0149	pCi/m3	0.0012	0.0028			
SESPMNT	B175V2	ARMY LOOP CAMP	ONSITE	AT	22-Sep-03	BETA	0.0104	pCi/m3	0.0013	0.0023			
SESPMNT	B175V3	ARMY LOOP CAMP	ONSITE	AT	07-Oct-03	BETA	0.0273	pCi/m3	0.0016	0.0048			
SESPMNT	B17PD5	ARMY LOOP CAMP	ONSITE	AT	21-Oct-03	BETA	0.00974	pCi/m3	0.0011	0.0021			
SESPMNT	B17PD6	ARMY LOOP CAMP	ONSITE	AT	05-Nov-03	BETA	0.0176	pCi/m3	0.0013	0.0033			
SESPMNT	B17PD7	ARMY LOOP CAMP	ONSITE	AT	18-Nov-03	BETA	0.0343	pCi/m3	0.0019	0.006			
SESPMNT	B17PD8	ARMY LOOP CAMP	ONSITE	AT	01-Dec-03	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B17PD9	ARMY LOOP CAMP	ONSITE	AT	17-Dec-03	BETA	0.0121	pCi/m3	0.001	0.0024			
SESPMNT	B17PF0	ARMY LOOP CAMP	ONSITE	AT	30-Dec-03	BETA	0.0171	pCi/m3	0.0014	0.0034			
SESPMNT	B168H9	B POND	ONSITE	AT	14-Jan-03	BETA	0.0256	pCi/m3	0.0016	0.0046			
SESPMNT	B168J0	B POND	ONSITE	AT	28-Jan-03	BETA	0.0204	pCi/m3	0.0014	0.0038			
SESPMNT	B168J1	B POND	ONSITE	AT	11-Feb-03	BETA	0.0167	pCi/m3	0.0013	0.0032			
SESPMNT	B168J2	B POND	ONSITE	AT	25-Feb-03	BETA	0.0181	pCi/m3	0.0014	0.0034			
SESPMNT	B168J3	B POND	ONSITE	AT	10-Mar-03	BETA	0.0153	pCi/m3	0.0014	0.0031			
SESPMNT	B168J4	B POND	ONSITE	AT	26-Mar-03	BETA	0.00571	pCi/m3	0.00083	0.0014			
SESPMNT	B168J5	B POND	ONSITE	AT	08-Apr-03	BETA	0.00573	pCi/m3	0.001	0.0016			
SESPMNT	B16PW1	B POND	ONSITE	AT	21-Apr-03	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B16PW2	B POND	ONSITE	AT	06-May-03	BETA	0.00944	pCi/m3	0.0011	0.002			
SESPMNT	B16PW3	B POND	ONSITE	AT	20-May-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16PW4	B POND	ONSITE	AT	02-Jun-03	BETA	0.0118	pCi/m3	0.0012	0.0025			
SESPMNT	B16PW5	B POND	ONSITE	AT	17-Jun-03	BETA	0.012	pCi/m3	0.0012	0.0024			
SESPMNT	B16PW6	B POND	ONSITE	AT	30-Jun-03	BETA	0.01	pCi/m3	0.0011	0.0022			
SESPMNT	B175R9	B POND	ONSITE	AT	15-Jul-03	BETA	0.00815	pCi/m3	0.00098	0.0018			
SESPMNT	B175T0	B POND	ONSITE	AT	29-Jul-03	BETA	0.0153	pCi/m3	0.0013	0.003			
SESPMNT	B175T1	B POND	ONSITE	AT	12-Aug-03	BETA	0.0158	pCi/m3	0.0013	0.0031			
SESPMNT	B175T2	B POND	ONSITE	AT	25-Aug-03	BETA	0.0173	pCi/m3	0.0013	0.003			
SESPMNT	B175T3	B POND	ONSITE	AT	10-Sep-03	BETA	0.0161	pCi/m3	0.0012	0.003			
SESPMNT	B175T4	B POND	ONSITE	AT	22-Sep-03	BETA	0.0104	pCi/m3	0.0012	0.0023			
SESPMNT	B175T5	B POND	ONSITE	AT	07-Oct-03	BETA	0.0278	pCi/m3	0.0016	0.0049			
SESPMNT	B17PC8	B POND	ONSITE	AT	21-Oct-03	BETA	0.00943	pCi/m3	0.001	0.002			
SESPMNT	B17PC9	B POND	ONSITE	AT	05-Nov-03	BETA						NO SAMPLE. BAD REGULATOR, UNKNOWN FLOW.	
SESPMNT	B17PD0	B POND	ONSITE	AT	18-Nov-03	BETA	0.0321	pCi/m3	0.0018	0.0057			
SESPMNT	B17PD1	B POND	ONSITE	AT	01-Dec-03	BETA	0.0124	pCi/m3	0.0012	0.0026			
SESPMNT	B17PD2	B POND	ONSITE	AT	17-Dec-03	BETA	0.0133	pCi/m3	0.0011	0.0026			
SESPMNT	B17PD3	B POND	ONSITE	AT	30-Dec-03	BETA	0.0184	pCi/m3	0.0015	0.0036			
SESPMNT	B16963	BASIN CITY SCHOOL	COMMUNITY	AT	15-Jan-03	BETA	0.0254	pCi/m3	0.0015	0.0046			
SESPMNT	B16964	BASIN CITY SCHOOL	COMMUNITY	AT	29-Jan-03	BETA	0.0179	pCi/m3	0.0014	0.0034			
SESPMNT	B16965	BASIN CITY SCHOOL	COMMUNITY	AT	12-Feb-03	BETA	0.0176	pCi/m3	0.0014	0.0033			
SESPMNT	B16966	BASIN CITY SCHOOL	COMMUNITY	AT	26-Feb-03	BETA	0.0228	pCi/m3	0.0014	0.0039			
SESPMNT	B16967	BASIN CITY SCHOOL	COMMUNITY	AT	12-Mar-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B16968	BASIN CITY SCHOOL	COMMUNITY	AT	26-Mar-03	BETA	0.00666	pCi/m3	0.00095	0.0016			
SESPMNT	B16969	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	BETA	0.00795	pCi/m3	0.001	0.0018			
SESPMNT	B16RJ5	BASIN CITY SCHOOL	COMMUNITY	AT	23-Apr-03	BETA	0.00991	pCi/m3	0.0011	0.0021			
SESPMNT	B16RJ6	BASIN CITY SCHOOL	COMMUNITY	AT	07-May-03	BETA	0.00902	pCi/m3	0.001	0.002			
SESPMNT	B16RJ7	BASIN CITY SCHOOL	COMMUNITY	AT	21-May-03	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B16RJ8	BASIN CITY SCHOOL	COMMUNITY	AT	04-Jun-03	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B16RJ9	BASIN CITY SCHOOL	COMMUNITY	AT	18-Jun-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B16RK0	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	BETA	0.00879	pCi/m3	0.0011	0.002			
SESPMNT	B176F3	BASIN CITY SCHOOL	COMMUNITY	AT	18-Jul-03	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B176F4	BASIN CITY SCHOOL	COMMUNITY	AT	30-Jul-03	BETA	0.0123	pCi/m3	0.0016	0.0029			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176F5	BASIN CITY SCHOOL	COMMUNITY	AT	13-Aug-03	BETA	0.0154	pCi/m3	0.0013	0.003			
SESPMNT	B176F6	BASIN CITY SCHOOL	COMMUNITY	AT	27-Aug-03	BETA	0.0148	pCi/m3	0.0012	0.0029			
SESPMNT	B176F7	BASIN CITY SCHOOL	COMMUNITY	AT	10-Sep-03	BETA	0.0184	pCi/m3	0.0014	0.0035			
SESPMNT	B176F8	BASIN CITY SCHOOL	COMMUNITY	AT	24-Sep-03	BETA	0.0111	pCi/m3	0.0012	0.0024			
SESPMNT	B176F9	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	BETA	0.0303	pCi/m3	0.0017	0.0053			
SESPMNT	B17R32	BASIN CITY SCHOOL	COMMUNITY	AT	22-Oct-03	BETA	0.0106	pCi/m3	0.0011	0.0022			
SESPMNT	B17R33	BASIN CITY SCHOOL	COMMUNITY	AT	05-Nov-03	BETA	0.0211	pCi/m3	0.0014	0.0039			
SESPMNT	B17R34	BASIN CITY SCHOOL	COMMUNITY	AT	19-Nov-03	BETA	0.037	pCi/m3	0.0019	0.0066			
SESPMNT	B17R35	BASIN CITY SCHOOL	COMMUNITY	AT	03-Dec-03	BETA	0.0163	pCi/m3	0.0015	0.0032			
SESPMNT	B17R36	BASIN CITY SCHOOL	COMMUNITY	AT	17-Dec-03	BETA	0.0166	pCi/m3	0.0012	0.003			
SESPMNT	B17R37	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	BETA	0.0209	pCi/m3	0.0014	0.0039			
SESPMNT	B16821	BATTELLE COMPLEX	PERIMETER	AT	22-Jan-03	BETA	0.0306	pCi/m3	0.0017	0.0054			
SESPMNT	B16822	BATTELLE COMPLEX	PERIMETER	AT	05-Feb-03	BETA	0.00894	pCi/m3	0.001	0.002			
SESPMNT	B16823	BATTELLE COMPLEX	PERIMETER	AT	19-Feb-03	BETA	0.0243	pCi/m3	0.0016	0.0044			
SESPMNT	B16824	BATTELLE COMPLEX	PERIMETER	AT	05-Mar-03	BETA	0.0174	pCi/m3	0.0013	0.0033			
SESPMNT	B16825	BATTELLE COMPLEX	PERIMETER	AT	20-Mar-03	BETA	0.00803	pCi/m3	0.00096	0.0018			
SESPMNT	B16826	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	BETA	0.00759	pCi/m3	0.0011	0.0019			
SESPMNT	B16PD5	BATTELLE COMPLEX	PERIMETER	AT	16-Apr-03	BETA	0.0074	pCi/m3	0.001	0.0018			
SESPMNT	B16PD6	BATTELLE COMPLEX	PERIMETER	AT	30-Apr-03	BETA	0.01	pCi/m3	0.0012	0.0022			
SESPMNT	B16PD7	BATTELLE COMPLEX	PERIMETER	AT	13-May-03	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B16PD8	BATTELLE COMPLEX	PERIMETER	AT	28-May-03	BETA	0.00898	pCi/m3	0.001	0.002			
SESPMNT	B16PD9	BATTELLE COMPLEX	PERIMETER	AT	12-Jun-03	BETA	0.0139	pCi/m3	0.0012	0.0027			
SESPMNT	B16PF0	BATTELLE COMPLEX	PERIMETER	AT	25-Jun-03	BETA	0.0119	pCi/m3	0.0011	0.0022			
SESPMNT	B16PF1	BATTELLE COMPLEX	PERIMETER	AT	10-Jul-03	BETA	0.0101	pCi/m3	0.0011	0.0021			
SESPMNT	B175B5	BATTELLE COMPLEX	PERIMETER	AT	23-Jul-03	BETA	0.0119	pCi/m3	0.0013	0.0025			
SESPMNT	B175B6	BATTELLE COMPLEX	PERIMETER	AT	08-Aug-03	BETA	0.0145	pCi/m3	0.0011	0.0028			
SESPMNT	B175B7	BATTELLE COMPLEX	PERIMETER	AT	20-Aug-03	BETA	0.013	pCi/m3	0.0013	0.0027			
SESPMNT	B175B8	BATTELLE COMPLEX	PERIMETER	AT	03-Sep-03	BETA	0.0147	pCi/m3	0.0012	0.0029			
SESPMNT	B175B9	BATTELLE COMPLEX	PERIMETER	AT	17-Sep-03	BETA	0.0141	pCi/m3	0.0012	0.0028			
SESPMNT	B175C0	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	BETA	0.0144	pCi/m3	0.0013	0.0029			
SESPMNT	B17NY8	BATTELLE COMPLEX	PERIMETER	AT	15-Oct-03	BETA	0.0263	pCi/m3	0.0015	0.0047			
SESPMNT	B17NY9	BATTELLE COMPLEX	PERIMETER	AT	29-Oct-03	BETA	0.0125	pCi/m3	0.0012	0.0026			
SESPMNT	B17P00	BATTELLE COMPLEX	PERIMETER	AT	12-Nov-03	BETA	0.0384	pCi/m3	0.0018	0.0064			
SESPMNT	B17P01	BATTELLE COMPLEX	PERIMETER	AT	25-Nov-03	BETA	0.0183	pCi/m3	0.0014	0.0035			
SESPMNT	B17P02	BATTELLE COMPLEX	PERIMETER	AT	12-Dec-03	BETA	0.0147	pCi/m3	0.0011	0.0028			
SESPMNT	B17P03	BATTELLE COMPLEX	PERIMETER	AT	23-Dec-03	BETA	0.0229	pCi/m3	0.0016	0.004			
SESPMNT	B17P04	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	BETA	0.0199	pCi/m3	0.0013	0.0036			
SESPMNT	B16828	BENTON CITY	COMMUNITY	AT	23-Jan-03	BETA	0.0291	pCi/m3	0.0017	0.0052			
SESPMNT	B16829	BENTON CITY	COMMUNITY	AT	06-Feb-03	BETA	0.00659	pCi/m3	0.00094	0.0016			
SESPMNT	B16830	BENTON CITY	COMMUNITY	AT	20-Feb-03	BETA	0.02	pCi/m3	0.0015	0.0038			
SESPMNT	B16831	BENTON CITY	COMMUNITY	AT	06-Mar-03	BETA	0.0141	pCi/m3	0.0013	0.0029			
SESPMNT	B16832	BENTON CITY	COMMUNITY	AT	21-Mar-03	BETA	0.00583	pCi/m3	0.00089	0.0015			
SESPMNT	B16833	BENTON CITY	COMMUNITY	AT	03-Apr-03	BETA	0.00894	pCi/m3	0.0012	0.0021			
SESPMNT	B16PF3	BENTON CITY	COMMUNITY	AT	18-Apr-03	BETA	0.00843	pCi/m3	0.001	0.0019			
SESPMNT	B16PF4	BENTON CITY	COMMUNITY	AT	01-May-03	BETA	0.00837	pCi/m3	0.0011	0.002			
SESPMNT	B16PF5	BENTON CITY	COMMUNITY	AT	16-May-03	BETA	0.0102	pCi/m3	0.001	0.0021			
SESPMNT	B16PF6	BENTON CITY	COMMUNITY	AT	30-May-03	BETA	0.0103	pCi/m3	0.0012	0.0022			
SESPMNT	B16PF7	BENTON CITY	COMMUNITY	AT	13-Jun-03	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B16PF8	BENTON CITY	COMMUNITY	AT	26-Jun-03	BETA	0.00197	pCi/m3	0.00085	0.001			
SESPMNT	B16PF9	BENTON CITY	COMMUNITY	AT	11-Jul-03	BETA	0.0102	pCi/m3	0.0011	0.0022			
SESPMNT	B175C2	BENTON CITY	COMMUNITY	AT	24-Jul-03	BETA	0.0117	pCi/m3	0.0013	0.0025			
SESPMNT	B175C3	BENTON CITY	COMMUNITY	AT	07-Aug-03	BETA	0.0145	pCi/m3	0.0013	0.0029			
SESPMNT	B175C4	BENTON CITY	COMMUNITY	AT	22-Aug-03	BETA	0.0159	pCi/m3	0.0011	0.0028			
SESPMNT	B175C5	BENTON CITY	COMMUNITY	AT	05-Sep-03	BETA						NO SAMPLE. MOTOR RUNNING, PUMP NOT, UNKNOWN END FLOW. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B175C6	BENTON CITY	COMMUNITY	AT	18-Sep-03	BETA	0.0107	pCi/m3	0.0011	0.0023			
SESPMNT	B175C7	BENTON CITY	COMMUNITY	AT	03-Oct-03	BETA	0.021	pCi/m3	0.0013	0.0036			
SESPMNT	B17P06	BENTON CITY	COMMUNITY	AT	17-Oct-03	BETA	0.0186	pCi/m3	0.0014	0.0035			
SESPMNT	B17P07	BENTON CITY	COMMUNITY	AT	30-Oct-03	BETA	0.0126	pCi/m3	0.0012	0.0026			
SESPMNT	B17P08	BENTON CITY	COMMUNITY	AT	14-Nov-03	BETA	0.0292	pCi/m3	0.0016	0.0051			
SESPMNT	B17P09	BENTON CITY	COMMUNITY	AT	26-Nov-03	BETA	0.0175	pCi/m3	0.0014	0.0034			
SESPMNT	B17P10	BENTON CITY	COMMUNITY	AT	16-Dec-03	BETA	0.0115	pCi/m3	0.00091	0.0022			
SESPMNT	B17P11	BENTON CITY	COMMUNITY	AT	29-Dec-03	BETA	0.0192	pCi/m3	0.0014	0.0036			
SESPMNT	B17P12	BENTON CITY	COMMUNITY	AT	09-Jan-04	BETA	0.032	pCi/m3	0.002	0.0059			
SESPMNT	B168Y2	BYERS LANDING	PERIMETER	AT	16-Jan-03	BETA	0.0288	pCi/m3	0.0018	0.0052			
SESPMNT	B168Y3	BYERS LANDING	PERIMETER	AT	30-Jan-03	BETA	0.0168	pCi/m3	0.0014	0.0032			
SESPMNT	B168Y4	BYERS LANDING	PERIMETER	AT	13-Feb-03	BETA	0.0175	pCi/m3	0.0014	0.0033			
SESPMNT	B168Y5	BYERS LANDING	PERIMETER	AT	28-Feb-03	BETA	0.0228	pCi/m3	0.0014	0.0039			
SESPMNT	B168Y6	BYERS LANDING	PERIMETER	AT	13-Mar-03	BETA	0.0112	pCi/m3	0.0012	0.0024			
SESPMNT	B168Y7	BYERS LANDING	PERIMETER	AT	28-Mar-03	BETA	0.0058	pCi/m3	0.0011	0.0016			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168Y8	BYERS LANDING	PERIMETER	AT	10-Apr-03	BETA	0.00659	pCi/m3	0.001	0.0017			
SESPMNT	B16R84	BYERS LANDING	PERIMETER	AT	25-Apr-03	BETA	0.0105	pCi/m3	0.001	0.0021			
SESPMNT	B16R85	BYERS LANDING	PERIMETER	AT	08-May-03	BETA	0.00802	pCi/m3	0.0011	0.0019			
SESPMNT	B16R86	BYERS LANDING	PERIMETER	AT	22-May-03	BETA	0.0097	pCi/m3	0.0012	0.0023			
SESPMNT	B16R87	BYERS LANDING	PERIMETER	AT	06-Jun-03	BETA	0.0135	pCi/m3	0.0012	0.0026			
SESPMNT	B16R88	BYERS LANDING	PERIMETER	AT	19-Jun-03	BETA	0.0141	pCi/m3	0.0014	0.0029			
SESPMNT	B16R89	BYERS LANDING	PERIMETER	AT	07-Jul-03	BETA	0.00975	pCi/m3	0.001	0.002			
SESPMNT	B17662	BYERS LANDING	PERIMETER	AT	18-Jul-03	BETA	0.011	pCi/m3	0.0013	0.0025			
SESPMNT	B17663	BYERS LANDING	PERIMETER	AT	31-Jul-03	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B17664	BYERS LANDING	PERIMETER	AT	15-Aug-03	BETA	0.0137	pCi/m3	0.0012	0.0027			
SESPMNT	B17665	BYERS LANDING	PERIMETER	AT	28-Aug-03	BETA	0.014	pCi/m3	0.0013	0.0029			
SESPMNT	B17666	BYERS LANDING	PERIMETER	AT	12-Sep-03	BETA	0.0153	pCi/m3	0.0012	0.003			
SESPMNT	B17667	BYERS LANDING	PERIMETER	AT	25-Sep-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17668	BYERS LANDING	PERIMETER	AT	10-Oct-03	BETA	0.0266	pCi/m3	0.0015	0.0048			
SESPMNT	B17PV1	BYERS LANDING	PERIMETER	AT	23-Oct-03	BETA	0.0111	pCi/m3	0.0012	0.0024			
SESPMNT	B17PV2	BYERS LANDING	PERIMETER	AT	07-Nov-03	BETA	0.0249	pCi/m3	0.0014	0.0044			
SESPMNT	B17PV3	BYERS LANDING	PERIMETER	AT	21-Nov-03	BETA	0.0249	pCi/m3	0.0015	0.0045			
SESPMNT	B17PV4	BYERS LANDING	PERIMETER	AT	05-Dec-03	BETA	0.0149	pCi/m3	0.0012	0.0029			
SESPMNT	B17PV5	BYERS LANDING	PERIMETER	AT	19-Dec-03	BETA	0.0159	pCi/m3	0.0012	0.0028			
SESPMNT	B17PV6	BYERS LANDING	PERIMETER	AT	05-Jan-04	BETA	0.0201	pCi/m3	0.0013	0.0037			
SESPMNT	B168X4	DOGWOOD MET TOWER	PERIMETER	AT	16-Jan-03	BETA	0.0214	pCi/m3	0.0016	0.004			
SESPMNT	B168X5	DOGWOOD MET TOWER	PERIMETER	AT	30-Jan-03	BETA	0.0138	pCi/m3	0.0013	0.0027			
SESPMNT	B168X6	DOGWOOD MET TOWER	PERIMETER	AT	13-Feb-03	BETA	0.015	pCi/m3	0.0014	0.003			
SESPMNT	B168X7	DOGWOOD MET TOWER	PERIMETER	AT	28-Feb-03	BETA	0.0208	pCi/m3	0.0013	0.0036			
SESPMNT	B168X8	DOGWOOD MET TOWER	PERIMETER	AT	13-Mar-03	BETA	0.0102	pCi/m3	0.0011	0.0022			
SESPMNT	B168X9	DOGWOOD MET TOWER	PERIMETER	AT	28-Mar-03	BETA	0.00669	pCi/m3	0.00091	0.0016			
SESPMNT	B168Y0	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	BETA	0.00634	pCi/m3	0.001	0.0017			
SESPMNT	B16R77	DOGWOOD MET TOWER	PERIMETER	AT	25-Apr-03	BETA	0.00991	pCi/m3	0.001	0.0021			
SESPMNT	B16R78	DOGWOOD MET TOWER	PERIMETER	AT	08-May-03	BETA	0.00882	pCi/m3	0.0011	0.002			
SESPMNT	B16R79	DOGWOOD MET TOWER	PERIMETER	AT	22-May-03	BETA	0.0104	pCi/m3	0.0013	0.0023			
SESPMNT	B16R80	DOGWOOD MET TOWER	PERIMETER	AT	06-Jun-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B16R81	DOGWOOD MET TOWER	PERIMETER	AT	19-Jun-03	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B16R82	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	BETA	0.00765	pCi/m3	0.00094	0.0017			
SESPMNT	B17654	DOGWOOD MET TOWER	PERIMETER	AT	18-Jul-03	BETA	0.0102	pCi/m3	0.0014	0.0024			
SESPMNT	B17655	DOGWOOD MET TOWER	PERIMETER	AT	31-Jul-03	BETA	0.0142	pCi/m3	0.0013	0.0028			
SESPMNT	B17656	DOGWOOD MET TOWER	PERIMETER	AT	15-Aug-03	BETA	0.0127	pCi/m3	0.0011	0.0025			
SESPMNT	B17657	DOGWOOD MET TOWER	PERIMETER	AT	28-Aug-03	BETA	0.0131	pCi/m3	0.0012	0.0027			
SESPMNT	B17658	DOGWOOD MET TOWER	PERIMETER	AT	12-Sep-03	BETA	0.0156	pCi/m3	0.0012	0.003			
SESPMNT	B17659	DOGWOOD MET TOWER	PERIMETER	AT	25-Sep-03	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B17660	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	BETA	0.0262	pCi/m3	0.0015	0.0047			
SESPMNT	B17PT4	DOGWOOD MET TOWER	PERIMETER	AT	23-Oct-03	BETA	0.00906	pCi/m3	0.0011	0.0021			
SESPMNT	B17PT5	DOGWOOD MET TOWER	PERIMETER	AT	07-Nov-03	BETA	0.0234	pCi/m3	0.0015	0.0043			
SESPMNT	B17PT6	DOGWOOD MET TOWER	PERIMETER	AT	21-Nov-03	BETA	0.0251	pCi/m3	0.0016	0.0046			
SESPMNT	B17PT7	DOGWOOD MET TOWER	PERIMETER	AT	05-Dec-03	BETA	0.0126	pCi/m3	0.0012	0.0026			
SESPMNT	B17PT8	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-03	BETA	0.0117	pCi/m3	0.001	0.0021		ICE ON FILTER.	
SESPMNT	B17PT9	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	BETA	0.0177	pCi/m3	0.0012	0.0032			
SESPMNT	B16979	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Jan-03	BETA	0.0275	pCi/m3	0.0016	0.0049			
SESPMNT	B16980	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Jan-03	BETA	0.0195	pCi/m3	0.0015	0.0036			
SESPMNT	B16981	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Feb-03	BETA	0.0176	pCi/m3	0.0014	0.0033			
SESPMNT	B16982	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Feb-03	BETA	0.0221	pCi/m3	0.0014	0.0038			
SESPMNT	B16983	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Mar-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B16984	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Mar-03	BETA	0.00958	pCi/m3	0.0011	0.0021			
SESPMNT	B16985	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	BETA	0.00693	pCi/m3	0.0009	0.0016			
SESPMNT	B16RK9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	23-Apr-03	BETA	0.0113	pCi/m3	0.0013	0.0024			
SESPMNT	B16RL0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-May-03	BETA	0.00864	pCi/m3	0.001	0.0019			
SESPMNT	B16RL1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-May-03	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B16RL2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	04-Jun-03	BETA	0.0124	pCi/m3	0.0012	0.0025			
SESPMNT	B16RL3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Jun-03	BETA	0.0127	pCi/m3	0.0013	0.0026			
SESPMNT	B16RL4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	BETA	0.00895	pCi/m3	0.0011	0.002			
SESPMNT	B176H9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Jul-03	BETA	0.0108	pCi/m3	0.0011	0.0023			
SESPMNT	B176J0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Jul-03	BETA	0.0136	pCi/m3	0.0012	0.0027			
SESPMNT	B176J1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Aug-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B176J2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Aug-03	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B176J3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Sep-03	BETA	0.0181	pCi/m3	0.0014	0.0035			
SESPMNT	B176J4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-Sep-03	BETA	0.0109	pCi/m3	0.0011	0.0023			
SESPMNT	B176J5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	BETA	0.0306	pCi/m3	0.0017	0.0055			
SESPMNT	B17R46	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	22-Oct-03	BETA	0.0116	pCi/m3	0.0012	0.0024			
SESPMNT	B17R47	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Nov-03	BETA	0.0209	pCi/m3	0.0014	0.0038			
SESPMNT	B17R48	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Nov-03	BETA	0.0328	pCi/m3	0.0018	0.0057			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17R49	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Dec-03	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B17R50	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	17-Dec-03	BETA	0.0152	pCi/m3	0.0012	0.0027			
SESPMNT	B17R51	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	BETA	0.0208	pCi/m3	0.0014	0.0038			
SESPMNT	B16993	HANFORD TOWNSITE	ONSITE	AT	21-Jan-03	BETA	0.0339	pCi/m3	0.0018	0.006			
SESPMNT	B16994	HANFORD TOWNSITE	ONSITE	AT	04-Feb-03	BETA	0.00997	pCi/m3	0.0011	0.0021			
SESPMNT	B16995	HANFORD TOWNSITE	ONSITE	AT	18-Feb-03	BETA	0.0238	pCi/m3	0.0015	0.0044			
SESPMNT	B16996	HANFORD TOWNSITE	ONSITE	AT	03-Mar-03	BETA	0.0183	pCi/m3	0.0014	0.0035			
SESPMNT	B16997	HANFORD TOWNSITE	ONSITE	AT	18-Mar-03	BETA	0.00567	pCi/m3	0.00087	0.0014			
SESPMNT	B16998	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	BETA	0.00613	pCi/m3	0.00097	0.0016			
SESPMNT	B16RM3	HANFORD TOWNSITE	ONSITE	AT	15-Apr-03	BETA	0.00756	pCi/m3	0.001	0.0018			
SESPMNT	B16RM4	HANFORD TOWNSITE	ONSITE	AT	29-Apr-03	BETA	0.0071	pCi/m3	0.0011	0.0018			
SESPMNT	B16RM5	HANFORD TOWNSITE	ONSITE	AT	12-May-03	BETA	0.01	pCi/m3	0.0011	0.0022			
SESPMNT	B16RM6	HANFORD TOWNSITE	ONSITE	AT	29-May-03	BETA	0.0107	pCi/m3	0.00099	0.0021			
SESPMNT	B16RM7	HANFORD TOWNSITE	ONSITE	AT	11-Jun-03	BETA	0.0154	pCi/m3	0.0014	0.003			
SESPMNT	B16RM8	HANFORD TOWNSITE	ONSITE	AT	24-Jun-03	BETA	0.0101	pCi/m3	0.0012	0.0022			
SESPMNT	B16RM9	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	BETA	0.0123	pCi/m3	0.0013	0.0025			
SESPMNT	B176K3	HANFORD TOWNSITE	ONSITE	AT	22-Jul-03	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B176K4	HANFORD TOWNSITE	ONSITE	AT	04-Aug-03	BETA	0.0143	pCi/m3	0.0013	0.0029			
SESPMNT	B176K5	HANFORD TOWNSITE	ONSITE	AT	18-Aug-03	BETA	0.0138	pCi/m3	0.0014	0.0028			
SESPMNT	B176K6	HANFORD TOWNSITE	ONSITE	AT	02-Sep-03	BETA	0.0178	pCi/m3	0.0013	0.0032			
SESPMNT	B176K7	HANFORD TOWNSITE	ONSITE	AT	15-Sep-03	BETA	0.0156	pCi/m3	0.0013	0.003			
SESPMNT	B176K8	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	BETA	0.0146	pCi/m3	0.0012	0.0028			
SESPMNT	B17R60	HANFORD TOWNSITE	ONSITE	AT	13-Oct-03	BETA	0.029	pCi/m3	0.0018	0.0053			
SESPMNT	B17R61	HANFORD TOWNSITE	ONSITE	AT	28-Oct-03	BETA	0.0295	pCi/m3	0.0016	0.0053			
SESPMNT	B17R62	HANFORD TOWNSITE	ONSITE	AT	11-Nov-03	BETA	0.0356	pCi/m3	0.0018	0.0059			
SESPMNT	B17R63	HANFORD TOWNSITE	ONSITE	AT	24-Nov-03	BETA	0.0194	pCi/m3	0.0015	0.0037			
SESPMNT	B17R64	HANFORD TOWNSITE	ONSITE	AT	11-Dec-03	BETA	0.0119	pCi/m3	0.001	0.0023			
SESPMNT	B17R65	HANFORD TOWNSITE	ONSITE	AT	22-Dec-03	BETA	0.0163	pCi/m3	0.0015	0.0032			
SESPMNT	B17R66	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	BETA	0.0176	pCi/m3	0.0013	0.0033			
SESPMNT	B16900	HORN RAPIDS SUBSTA	PERIMETER	AT	23-Jan-03	BETA	0.019	pCi/m3	0.0014	0.0035			
SESPMNT	B16901	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Feb-03	BETA	0.00442	pCi/m3	0.00084	0.0013			
SESPMNT	B16902	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Feb-03	BETA	0.0151	pCi/m3	0.0015	0.0031			
SESPMNT	B16903	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Mar-03	BETA	0.0163	pCi/m3	0.0014	0.0031			
SESPMNT	B16904	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Mar-03	BETA	0.0061	pCi/m3	0.00086	0.0015			
SESPMNT	B16905	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Apr-03	BETA	0.00686	pCi/m3	0.00093	0.0016			
SESPMNT	B16R91	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Apr-03	BETA	0.00726	pCi/m3	0.001	0.0017			
SESPMNT	B16R92	HORN RAPIDS SUBSTA	PERIMETER	AT	01-May-03	BETA	0.00833	pCi/m3	0.0011	0.002			
SESPMNT	B16R93	HORN RAPIDS SUBSTA	PERIMETER	AT	16-May-03	BETA	0.0106	pCi/m3	0.001	0.0022			
SESPMNT	B16R94	HORN RAPIDS SUBSTA	PERIMETER	AT	30-May-03	BETA	0.0101	pCi/m3	0.0011	0.0021			
SESPMNT	B16R95	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Jun-03	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B16R96	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Jun-03	BETA	0.00938	pCi/m3	0.0011	0.0021			
SESPMNT	B16R97	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Jul-03	BETA	0.00978	pCi/m3	0.001	0.0021			
SESPMNT	B17670	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Jul-03	BETA	0.0121	pCi/m3	0.0012	0.0025			
SESPMNT	B17671	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Aug-03	BETA	0.0152	pCi/m3	0.0013	0.003			
SESPMNT	B17672	HORN RAPIDS SUBSTA	PERIMETER	AT	22-Aug-03	BETA	0.0161	pCi/m3	0.0012	0.0028			
SESPMNT	B17673	HORN RAPIDS SUBSTA	PERIMETER	AT	05-Sep-03	BETA	0.0124	pCi/m3	0.002	0.0033			
SESPMNT	B17674	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Sep-03	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B17675	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Oct-03	BETA	0.0221	pCi/m3	0.0013	0.0038			
SESPMNT	B17PV8	HORN RAPIDS SUBSTA	PERIMETER	AT	17-Oct-03	BETA	0.0224	pCi/m3	0.0015	0.0042			
SESPMNT	B17PV9	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Oct-03	BETA	0.0128	pCi/m3	0.0012	0.0027			
SESPMNT	B17PW0	HORN RAPIDS SUBSTA	PERIMETER	AT	14-Nov-03	BETA	0.0315	pCi/m3	0.0017	0.0056			
SESPMNT	B17PW1	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Nov-03	BETA	0.0186	pCi/m3	0.0015	0.0036			
SESPMNT	B17PW2	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Dec-03	BETA	0.0111	pCi/m3	0.00088	0.0022			
SESPMNT	B17PW3	HORN RAPIDS SUBSTA	PERIMETER	AT	29-Dec-03	BETA	0.0199	pCi/m3	0.0015	0.0038			
SESPMNT	B17PW4	HORN RAPIDS SUBSTA	PERIMETER	AT	09-Jan-04	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16948	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Jan-03	BETA	0.0278	pCi/m3	0.0017	0.005			
SESPMNT	B16949	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jan-03	BETA	0.018	pCi/m3	0.0014	0.0034			
SESPMNT	B16950	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Feb-03	BETA	0.0143	pCi/m3	0.0012	0.0028			
SESPMNT	B16951	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Feb-03	BETA	0.0211	pCi/m3	0.0013	0.0037			
SESPMNT	B16952	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Mar-03	BETA	0.00819	pCi/m3	0.0011	0.0019			
SESPMNT	B16953	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Mar-03	BETA	0.00578	pCi/m3	0.00085	0.0014			
SESPMNT	B16954	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Apr-03	BETA	0.00778	pCi/m3	0.0012	0.0019			
SESPMNT	B16RH0	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Apr-03	BETA	0.00834	pCi/m3	0.001	0.0018			
SESPMNT	B16RH1	KENNEWICK-ELY STREET	COMMUNITY	AT	08-May-03	BETA	0.00818	pCi/m3	0.0011	0.0019			
SESPMNT	B16RH2	KENNEWICK-ELY STREET	COMMUNITY	AT	22-May-03	BETA	0.00949	pCi/m3	0.0013	0.0022			
SESPMNT	B16RH3	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Jun-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B16RH4	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jun-03	BETA	0.0132	pCi/m3	0.0013	0.0027			
SESPMNT	B16RH5	KENNEWICK-ELY STREET	COMMUNITY	AT	07-Jul-03	BETA	0.0092	pCi/m3	0.00094	0.0019			
SESPMNT	B176C8	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Jul-03	BETA	0.0135	pCi/m3	0.0014	0.0028			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176C9	KENNEWICK-ELY STREET	COMMUNITY	AT	31-Jul-03	BETA	0.0159 pCi/m3		0.0014	0.0032			
SESPMNT	B176D0	KENNEWICK-ELY STREET	COMMUNITY	AT	15-Aug-03	BETA	0.0143 pCi/m3		0.0013	0.0029			
SESPMNT	B176D1	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Aug-03	BETA	0.0136 pCi/m3		0.0013	0.0027			
SESPMNT	B176D2	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Sep-03	BETA	0.0165 pCi/m3		0.0012	0.0031			
SESPMNT	B176D3	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Sep-03	BETA	0.0132 pCi/m3		0.0012	0.0027			
SESPMNT	B176D4	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Oct-03	BETA	0.0282 pCi/m3		0.0016	0.005			
SESPMNT	B17R17	KENNEWICK-ELY STREET	COMMUNITY	AT	23-Oct-03	BETA	0.0126 pCi/m3		0.0012	0.0025			
SESPMNT	B17R18	KENNEWICK-ELY STREET	COMMUNITY	AT	07-Nov-03	BETA	0.0199 pCi/m3		0.0013	0.0036			
SESPMNT	B17R19	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Nov-03	BETA	0.0233 pCi/m3		0.0015	0.0042			
SESPMNT	B17R20	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Dec-03	BETA	0.013 pCi/m3		0.0012	0.0026			
SESPMNT	B17R21	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Dec-03	BETA	0.0166 pCi/m3		0.0012	0.003			
SESPMNT	B17R22	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jan-04	BETA	0.0203 pCi/m3		0.0013	0.0037			
SESPMNT	B16971	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Jan-03	BETA	0.0242 pCi/m3		0.0015	0.0044			
SESPMNT	B16972	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Jan-03	BETA	0.0192 pCi/m3		0.0014	0.0036			
SESPMNT	B16973	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Feb-03	BETA	0.0127 pCi/m3		0.0012	0.0026			
SESPMNT	B16974	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Feb-03	BETA	0.0192 pCi/m3		0.0013	0.0033			
SESPMNT	B16975	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Mar-03	BETA	0.0126 pCi/m3		0.0012	0.0025			
SESPMNT	B16976	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Mar-03	BETA	0.00614 pCi/m3		0.00099	0.0016			
SESPMNT	B16977	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	BETA	0.00693 pCi/m3		0.001	0.0017			
SESPMNT	B16RK2	LESLIE GROVES-RCHLND	COMMUNITY	AT	22-Apr-03	BETA	0.01 pCi/m3		0.0012	0.0022			
SESPMNT	B16RK3	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-May-03	BETA	0.00851 pCi/m3		0.0011	0.002			
SESPMNT	B16RK4	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-May-03	BETA	0.0102 pCi/m3		0.0011	0.0022			
SESPMNT	B16RK5	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Jun-03	BETA	0.0121 pCi/m3		0.0012	0.0025			
SESPMNT	B16RK6	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Jun-03	BETA	0.0133 pCi/m3		0.0012	0.0026			
SESPMNT	B16RK7	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	BETA	0.01 pCi/m3		0.0011	0.0021			
SESPMNT	B176H1	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Jul-03	BETA	0.0103 pCi/m3		0.0011	0.0022			
SESPMNT	B176H2	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jul-03	BETA	0.0131 pCi/m3		0.0013	0.0027			
SESPMNT	B176H3	LESLIE GROVES-RCHLND	COMMUNITY	AT	12-Aug-03	BETA	0.0138 pCi/m3		0.0013	0.0028			
SESPMNT	B176H4	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Aug-03	BETA	0.014 pCi/m3		0.0012	0.0028			
SESPMNT	B176H5	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Sep-03	BETA	0.0174 pCi/m3		0.0013	0.0033			
SESPMNT	B176H6	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-Sep-03	BETA	0.011 pCi/m3		0.0011	0.0023			
SESPMNT	B176H7	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	BETA	0.0347 pCi/m3		0.0018	0.0061			
SESPMNT	B17R39	LESLIE GROVES-RCHLND	COMMUNITY	AT	21-Oct-03	BETA	0.0121 pCi/m3		0.0012	0.0025			
SESPMNT	B17R40	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Nov-03	BETA	0.0147 pCi/m3		0.0012	0.0029		LAYER OF SOIL FALLING FROM AIR FILTER.	
SESPMNT	B17R41	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Nov-03	BETA	0.0344 pCi/m3		0.0018	0.0061			
SESPMNT	B17R42	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Dec-03	BETA	0.0132 pCi/m3		0.0012	0.0027			
SESPMNT	B17R43	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Dec-03	BETA	0.0137 pCi/m3		0.0012	0.0028			
SESPMNT	B17R44	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	BETA	0.0188 pCi/m3		0.0014	0.0035			
SESPMNT	B16835	MATTAWA	COMMUNITY	AT	15-Jan-03	BETA	0.0178 pCi/m3		0.0014	0.0034			
SESPMNT	B16836	MATTAWA	COMMUNITY	AT	29-Jan-03	BETA	0.00966 pCi/m3		0.0011	0.0021			
SESPMNT	B16837	MATTAWA	COMMUNITY	AT	12-Feb-03	BETA	0.0107 pCi/m3		0.0014	0.0025			
SESPMNT	B16838	MATTAWA	COMMUNITY	AT	26-Feb-03	BETA	0.0196 pCi/m3		0.0014	0.0034		BURNING DITCH BY AIR SAMPLER.	
SESPMNT	B16839	MATTAWA	COMMUNITY	AT	12-Mar-03	BETA	0.0112 pCi/m3		0.0011	0.0023			
SESPMNT	B16840	MATTAWA	COMMUNITY	AT	27-Mar-03	BETA	0.00479 pCi/m3		0.00088	0.0013			
SESPMNT	B16841	MATTAWA	COMMUNITY	AT	09-Apr-03	BETA	0.00514 pCi/m3		0.001	0.0015			
SESPMNT	B16PH1	MATTAWA	COMMUNITY	AT	23-Apr-03	BETA	0.00927 pCi/m3		0.0011	0.002			
SESPMNT	B16PH2	MATTAWA	COMMUNITY	AT	07-May-03	BETA	0.00714 pCi/m3		0.00092	0.0017			
SESPMNT	B16PH3	MATTAWA	COMMUNITY	AT	21-May-03	BETA	0.0104 pCi/m3		0.0012	0.0022		SUSPECT AIR CALIBRATOR ERROR ON 5/7/03, 1.5 CFM START FLOW MAY ACTUALLY BE 1.2 CFM.	
SESPMNT	B16PH4	MATTAWA	COMMUNITY	AT	05-Jun-03	BETA	0.0125 pCi/m3		0.0012	0.0025			
SESPMNT	B16PH5	MATTAWA	COMMUNITY	AT	18-Jun-03	BETA	0.0122 pCi/m3		0.0012	0.0026			
SESPMNT	B16PH6	MATTAWA	COMMUNITY	AT	01-Jul-03	BETA	0.00905 pCi/m3		0.0011	0.002			
SESPMNT	B175C9	MATTAWA	COMMUNITY	AT	17-Jul-03	BETA	0.00639 pCi/m3		0.0014	0.002			
SESPMNT	B175D0	MATTAWA	COMMUNITY	AT	30-Jul-03	BETA	0.0111 pCi/m3		0.0012	0.0024			
SESPMNT	B175D1	MATTAWA	COMMUNITY	AT	13-Aug-03	BETA	0.0135 pCi/m3		0.0012	0.0027			
SESPMNT	B175D2	MATTAWA	COMMUNITY	AT	27-Aug-03	BETA	0.0115 pCi/m3		0.0012	0.0024			
SESPMNT	B175D3	MATTAWA	COMMUNITY	AT	11-Sep-03	BETA	0.0132 pCi/m3		0.0011	0.0026			
SESPMNT	B175D4	MATTAWA	COMMUNITY	AT	24-Sep-03	BETA	0.00973 pCi/m3		0.0011	0.0022			
SESPMNT	B175D5	MATTAWA	COMMUNITY	AT	09-Oct-03	BETA	0.0245 pCi/m3		0.0015	0.0044			
SESPMNT	B17P14	MATTAWA	COMMUNITY	AT	22-Oct-03	BETA	0.0143 pCi/m3		0.0013	0.0028			
SESPMNT	B17P15	MATTAWA	COMMUNITY	AT	06-Nov-03	BETA	0.0167 pCi/m3		0.0013	0.0032			
SESPMNT	B17P16	MATTAWA	COMMUNITY	AT	19-Nov-03	BETA	0.0263 pCi/m3		0.0017	0.0049			
SESPMNT	B17P17	MATTAWA	COMMUNITY	AT	03-Dec-03	BETA	0.0108 pCi/m3		0.0011	0.0023			
SESPMNT	B17P18	MATTAWA	COMMUNITY	AT	18-Dec-03	BETA	0.0122 pCi/m3		0.0011	0.0025			
SESPMNT	B17P19	MATTAWA	COMMUNITY	AT	31-Dec-03	BETA	0.018 pCi/m3		0.0014	0.0034			
SESPMNT	B16813	N OF 200 E	ONSITE	AT	14-Jan-03	BETA	0.0184 pCi/m3		0.0014	0.0035			
SESPMNT	B16814	N OF 200 E	ONSITE	AT	28-Jan-03	BETA	0.0152 pCi/m3		0.0013	0.003			
SESPMNT	B16815	N OF 200 E	ONSITE	AT	11-Feb-03	BETA	0.0127 pCi/m3		0.0012	0.0026			
SESPMNT	B16816	N OF 200 E	ONSITE	AT	25-Feb-03	BETA						NO SAMPLE. NO AIR FLOW, DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B16817	N OF 200 E	ONSITE	AT	10-Mar-03	BETA	0.017 pCi/m3		0.0015	0.0033			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16818	N OF 200 E	ONSITE	AT	26-Mar-03	BETA	0.00591	pCi/m3	0.00083	0.0014			
SESPMNT	B16819	N OF 200 E	ONSITE	AT	08-Apr-03	BETA	0.00643	pCi/m3	0.00098	0.0016			
SESPMNT	B16PC8	N OF 200 E	ONSITE	AT	21-Apr-03	BETA	0.00977	pCi/m3	0.0012	0.0022			
SESPMNT	B16PC9	N OF 200 E	ONSITE	AT	06-May-03	BETA	0.00881	pCi/m3	0.00099	0.0019			
SESPMNT	B16PD0	N OF 200 E	ONSITE	AT	20-May-03	BETA	0.015	pCi/m3	0.0013	0.0029			
SESPMNT	B16PD1	N OF 200 E	ONSITE	AT	02-Jun-03	BETA	0.0132	pCi/m3	0.0013	0.0027			
SESPMNT	B16PD2	N OF 200 E	ONSITE	AT	17-Jun-03	BETA	0.0104	pCi/m3	0.001	0.0021			
SESPMNT	B16PD3	N OF 200 E	ONSITE	AT	30-Jun-03	BETA	0.0102	pCi/m3	0.0012	0.0023			
SESPMNT	B17597	N OF 200 E	ONSITE	AT	15-Jul-03	BETA	0.00826	pCi/m3	0.001	0.0019			
SESPMNT	B17598	N OF 200 E	ONSITE	AT	29-Jul-03	BETA	0.0141	pCi/m3	0.0012	0.0028			
SESPMNT	B17599	N OF 200 E	ONSITE	AT	12-Aug-03	BETA	0.015	pCi/m3	0.0013	0.0029			
SESPMNT	B175B0	N OF 200 E	ONSITE	AT	25-Aug-03	BETA	0.016	pCi/m3	0.0012	0.0028			
SESPMNT	B175B1	N OF 200 E	ONSITE	AT	10-Sep-03	BETA	0.016	pCi/m3	0.0012	0.003			
SESPMNT	B175B2	N OF 200 E	ONSITE	AT	22-Sep-03	BETA	0.0107	pCi/m3	0.0012	0.0023			
SESPMNT	B175B3	N OF 200 E	ONSITE	AT	07-Oct-03	BETA	0.026	pCi/m3	0.0015	0.0047			
SESPMNT	B17NY1	N OF 200 E	ONSITE	AT	21-Oct-03	BETA	0.0106	pCi/m3	0.0011	0.0023			
SESPMNT	B17NY2	N OF 200 E	ONSITE	AT	05-Nov-03	BETA	0.0171	pCi/m3	0.0013	0.0033			
SESPMNT	B17NY3	N OF 200 E	ONSITE	AT	18-Nov-03	BETA	0.0343	pCi/m3	0.0019	0.006			
SESPMNT	B17NY4	N OF 200 E	ONSITE	AT	01-Dec-03	BETA	0.0118	pCi/m3	0.0012	0.0025			
SESPMNT	B17NY5	N OF 200 E	ONSITE	AT	17-Dec-03	BETA	0.0127	pCi/m3	0.0011	0.0025			
SESPMNT	B17NY6	N OF 200 E	ONSITE	AT	30-Dec-03	BETA	0.0202	pCi/m3	0.0013	0.0037			
SESPMNT	B16843	OTHELLO	COMMUNITY	AT	15-Jan-03	BETA	0.0196	pCi/m3	0.0015	0.0037			
SESPMNT	B16844	OTHELLO	COMMUNITY	AT	29-Jan-03	BETA	0.0155	pCi/m3	0.0013	0.003			
SESPMNT	B16845	OTHELLO	COMMUNITY	AT	12-Feb-03	BETA	0.0136	pCi/m3	0.0013	0.0027			
SESPMNT	B16846	OTHELLO	COMMUNITY	AT	26-Feb-03	BETA	0.0214	pCi/m3	0.0014	0.0037			
SESPMNT	B16847	OTHELLO	COMMUNITY	AT	12-Mar-03	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B16848	OTHELLO	COMMUNITY	AT	27-Mar-03	BETA	0.00639	pCi/m3	0.0009	0.0015			
SESPMNT	B16849	OTHELLO	COMMUNITY	AT	09-Apr-03	BETA	0.00666	pCi/m3	0.001	0.0017			
SESPMNT	B16PH8	OTHELLO	COMMUNITY	AT	23-Apr-03	BETA	0.00971	pCi/m3	0.0011	0.0021			
SESPMNT	B16PH9	OTHELLO	COMMUNITY	AT	07-May-03	BETA	0.0088	pCi/m3	0.001	0.002			
SESPMNT	B16PJ0	OTHELLO	COMMUNITY	AT	21-May-03	BETA	0.01	pCi/m3	0.0011	0.0021			
SESPMNT	B16PJ1	OTHELLO	COMMUNITY	AT	05-Jun-03	BETA	0.0126	pCi/m3	0.0011	0.0025			
SESPMNT	B16PJ2	OTHELLO	COMMUNITY	AT	18-Jun-03	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16PJ3	OTHELLO	COMMUNITY	AT	01-Jul-03	BETA	0.0091	pCi/m3	0.0011	0.0021			
SESPMNT	B175D7	OTHELLO	COMMUNITY	AT	17-Jul-03	BETA	0.0091	pCi/m3	0.00096	0.0019			
SESPMNT	B175D8	OTHELLO	COMMUNITY	AT	30-Jul-03	BETA	0.0133	pCi/m3	0.0013	0.0027			
SESPMNT	B175D9	OTHELLO	COMMUNITY	AT	13-Aug-03	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B175F0	OTHELLO	COMMUNITY	AT	27-Aug-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B175F1	OTHELLO	COMMUNITY	AT	11-Sep-03	BETA	0.0171	pCi/m3	0.0013	0.0033			
SESPMNT	B175F2	OTHELLO	COMMUNITY	AT	24-Sep-03	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B175F3	OTHELLO	COMMUNITY	AT	09-Oct-03	BETA	0.0257	pCi/m3	0.0015	0.0046			
SESPMNT	B17P21	OTHELLO	COMMUNITY	AT	22-Oct-03	BETA	0.0223	pCi/m3	0.0016	0.0041			
SESPMNT	B17P22	OTHELLO	COMMUNITY	AT	06-Nov-03	BETA	0.0184	pCi/m3	0.0013	0.0035			
SESPMNT	B17P23	OTHELLO	COMMUNITY	AT	19-Nov-03	BETA	0.0307	pCi/m3	0.0018	0.0054			
SESPMNT	B17P24	OTHELLO	COMMUNITY	AT	03-Dec-03	BETA	0.0166	pCi/m3	0.0013	0.0032			
SESPMNT	B17P25	OTHELLO	COMMUNITY	AT	18-Dec-03	BETA	0.0118	pCi/m3	0.0011	0.0024			
SESPMNT	B17P26	OTHELLO	COMMUNITY	AT	31-Dec-03	BETA	0.0169	pCi/m3	0.0014	0.0033			
SESPMNT	B16941	PASCO	COMMUNITY	AT	16-Jan-03	BETA	0.0261	pCi/m3	0.0017	0.0048			
SESPMNT	B16942	PASCO	COMMUNITY	AT	30-Jan-03	BETA	0.0174	pCi/m3	0.0014	0.0033			
SESPMNT	B16943	PASCO	COMMUNITY	AT	13-Feb-03	BETA	0.0175	pCi/m3	0.0014	0.0033			
SESPMNT	B16944	PASCO	COMMUNITY	AT	28-Feb-03	BETA	0.023	pCi/m3	0.0014	0.0039			
SESPMNT	B16945	PASCO	COMMUNITY	AT	13-Mar-03	BETA	0.00786	pCi/m3	0.0011	0.0019			
SESPMNT	B16946	PASCO	COMMUNITY	AT	28-Mar-03	BETA	0.00563	pCi/m3	0.00087	0.0014			
SESPMNT	B16947	PASCO	COMMUNITY	AT	10-Apr-03	BETA	0.00711	pCi/m3	0.001	0.0017			
SESPMNT	B16RF4	PASCO	COMMUNITY	AT	25-Apr-03	BETA	0.0108	pCi/m3	0.0011	0.0022			
SESPMNT	B16RF5	PASCO	COMMUNITY	AT	08-May-03	BETA	0.00843	pCi/m3	0.0011	0.002			
SESPMNT	B16RF6	PASCO	COMMUNITY	AT	22-May-03	BETA	0.0126	pCi/m3	0.0019	0.0032			
SESPMNT	B16RF7	PASCO	COMMUNITY	AT	06-Jun-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B16RF8	PASCO	COMMUNITY	AT	19-Jun-03	BETA	0.0116	pCi/m3	0.0013	0.0025			
SESPMNT	B16RF9	PASCO	COMMUNITY	AT	07-Jul-03	BETA	0.00881	pCi/m3	0.00088	0.0018			
SESPMNT	B176C1	PASCO	COMMUNITY	AT	18-Jul-03	BETA	0.0126	pCi/m3	0.0014	0.0027			
SESPMNT	B176C2	PASCO	COMMUNITY	AT	31-Jul-03	BETA	0.0139	pCi/m3	0.0013	0.0028			
SESPMNT	B176C3	PASCO	COMMUNITY	AT	15-Aug-03	BETA	0.0137	pCi/m3	0.0012	0.0027			
SESPMNT	B176C4	PASCO	COMMUNITY	AT	28-Aug-03	BETA	0.0153	pCi/m3	0.0013	0.003			
SESPMNT	B176C5	PASCO	COMMUNITY	AT	12-Sep-03	BETA	0.016	pCi/m3	0.0012	0.003			
SESPMNT	B176C6	PASCO	COMMUNITY	AT	25-Sep-03	BETA	0.0134	pCi/m3	0.0012	0.0027			
SESPMNT	B176C7	PASCO	COMMUNITY	AT	10-Oct-03	BETA	0.0304	pCi/m3	0.0016	0.0053			
SESPMNT	B17R11	PASCO	COMMUNITY	AT	23-Oct-03	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B17R12	PASCO	COMMUNITY	AT	07-Nov-03	BETA	0.0163	pCi/m3	0.0012	0.0031			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17R13	PASCO	COMMUNITY	AT	21-Nov-03	BETA	0.027	pCi/m3	0.0016	0.0048			
SESPMNT	B17R14	PASCO	COMMUNITY	AT	05-Dec-03	BETA	0.0138	pCi/m3	0.0012	0.0028			
SESPMNT	B17R15	PASCO	COMMUNITY	AT	19-Dec-03	BETA	0.0153	pCi/m3	0.0012	0.0027			
SESPMNT	B17R16	PASCO	COMMUNITY	AT	05-Jan-04	BETA	0.0189	pCi/m3	0.0012	0.0035			
SESPMNT	B16906	PROSSER BARRICADE	PERIMETER	AT	23-Jan-03	BETA	0.0293	pCi/m3	0.0017	0.0052			
SESPMNT	B16907	PROSSER BARRICADE	PERIMETER	AT	06-Feb-03	BETA	0.0101	pCi/m3	0.0012	0.0022			
SESPMNT	B16908	PROSSER BARRICADE	PERIMETER	AT	20-Feb-03	BETA	0.0198	pCi/m3	0.0014	0.0037			
SESPMNT	B16909	PROSSER BARRICADE	PERIMETER	AT	06-Mar-03	BETA	0.0154	pCi/m3	0.0013	0.003			
SESPMNT	B16910	PROSSER BARRICADE	PERIMETER	AT	21-Mar-03	BETA	0.00457	pCi/m3	0.00081	0.0013			
SESPMNT	B16911	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	BETA	0.00726	pCi/m3	0.001	0.0017			
SESPMNT	B16R98	PROSSER BARRICADE	PERIMETER	AT	18-Apr-03	BETA	0.00763	pCi/m3	0.00097	0.0017			
SESPMNT	B16R99	PROSSER BARRICADE	PERIMETER	AT	01-May-03	BETA	0.00964	pCi/m3	0.0012	0.0022			
SESPMNT	B16RB0	PROSSER BARRICADE	PERIMETER	AT	16-May-03	BETA	0.0114	pCi/m3	0.0011	0.0024			
SESPMNT	B16RB1	PROSSER BARRICADE	PERIMETER	AT	30-May-03	BETA	0.00986	pCi/m3	0.0011	0.0021			
SESPMNT	B16RB2	PROSSER BARRICADE	PERIMETER	AT	13-Jun-03	BETA	0.0138	pCi/m3	0.0013	0.0028			
SESPMNT	B16RB3	PROSSER BARRICADE	PERIMETER	AT	26-Jun-03	BETA	0.009	pCi/m3	0.0011	0.002			
SESPMNT	B16RB4	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B17676	PROSSER BARRICADE	PERIMETER	AT	24-Jul-03	BETA	0.013	pCi/m3	0.0012	0.0027			
SESPMNT	B17677	PROSSER BARRICADE	PERIMETER	AT	07-Aug-03	BETA	0.00184	pCi/m3	0.00063	0.00084			
SESPMNT	B17678	PROSSER BARRICADE	PERIMETER	AT	22-Aug-03	BETA	0.031	pCi/m3	0.0016	0.0053			
SESPMNT	B17679	PROSSER BARRICADE	PERIMETER	AT	05-Sep-03	BETA	0.0175	pCi/m3	0.0013	0.0033			
SESPMNT	B17680	PROSSER BARRICADE	PERIMETER	AT	18-Sep-03	BETA	0.0115	pCi/m3	0.0012	0.0024			
SESPMNT	B17681	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	BETA	0.0207	pCi/m3	0.0013	0.0036			
SESPMNT	B17PW5	PROSSER BARRICADE	PERIMETER	AT	17-Oct-03	BETA	0.0229	pCi/m3	0.0015	0.0043			
SESPMNT	B17PW6	PROSSER BARRICADE	PERIMETER	AT	30-Oct-03	BETA	0.0132	pCi/m3	0.0012	0.0027			
SESPMNT	B17PW7	PROSSER BARRICADE	PERIMETER	AT	14-Nov-03	BETA	0.0336	pCi/m3	0.0017	0.0059			
SESPMNT	B17PW8	PROSSER BARRICADE	PERIMETER	AT	26-Nov-03	BETA	0.0152	pCi/m3	0.0015	0.0031			
SESPMNT	B17PW9	PROSSER BARRICADE	PERIMETER	AT	16-Dec-03	BETA	0.0138	pCi/m3	0.001	0.0026			
SESPMNT	B17PX0	PROSSER BARRICADE	PERIMETER	AT	29-Dec-03	BETA	0.0188	pCi/m3	0.0015	0.0036			
SESPMNT	B17PX1	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	BETA	0.0317	pCi/m3	0.002	0.0058			
SESPMNT	B16919	RATTLESNAKE SPRINGS	PERIMETER	AT	22-Jan-03	BETA	0.0344	pCi/m3	0.0018	0.006			
SESPMNT	B16920	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Feb-03	BETA	0.0084	pCi/m3	0.001	0.0019			
SESPMNT	B16921	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Feb-03	BETA	0.0228	pCi/m3	0.0015	0.0042			
SESPMNT	B16922	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Mar-03	BETA	0.0164	pCi/m3	0.0013	0.0031			
SESPMNT	B16923	RATTLESNAKE SPRINGS	PERIMETER	AT	20-Mar-03	BETA	0.00478	pCi/m3	0.00091	0.0014			
SESPMNT	B16924	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Apr-03	BETA	0.00596	pCi/m3	0.001	0.0016			
SESPMNT	B16RC3	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Apr-03	BETA	0.00718	pCi/m3	0.00098	0.0017			
SESPMNT	B16RC4	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Apr-03	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B16RC5	RATTLESNAKE SPRINGS	PERIMETER	AT	13-May-03	BETA	0.0119	pCi/m3	0.0012	0.0025			
SESPMNT	B16RC6	RATTLESNAKE SPRINGS	PERIMETER	AT	28-May-03	BETA	0.00817	pCi/m3	0.00097	0.0018			
SESPMNT	B16RC7	RATTLESNAKE SPRINGS	PERIMETER	AT	13-Jun-03	BETA	0.0129	pCi/m3	0.0011	0.0026			
SESPMNT	B16RC8	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jun-03	BETA	0.00715	pCi/m3	0.001	0.0018			
SESPMNT	B16RC9	RATTLESNAKE SPRINGS	PERIMETER	AT	11-Jul-03	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B17689	RATTLESNAKE SPRINGS	PERIMETER	AT	24-Jul-03	BETA	0.012	pCi/m3	0.0013	0.0026			
SESPMNT	B17690	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Aug-03	BETA	0.0149	pCi/m3	0.0013	0.0029			
SESPMNT	B17691	RATTLESNAKE SPRINGS	PERIMETER	AT	22-Aug-03	BETA	0.0184	pCi/m3	0.0015	0.0034			
SESPMNT	B17692	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Sep-03	BETA	0.0146	pCi/m3	0.0013	0.0029			
SESPMNT	B17693	RATTLESNAKE SPRINGS	PERIMETER	AT	18-Sep-03	BETA	0.0107	pCi/m3	0.0011	0.0023			
SESPMNT	B17694	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Oct-03	BETA	0.0192	pCi/m3	0.0012	0.0033			
SESPMNT	B17PY0	RATTLESNAKE SPRINGS	PERIMETER	AT	17-Oct-03	BETA	0.0201	pCi/m3	0.0014	0.0038			
SESPMNT	B17PY1	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Oct-03	BETA	0.0108	pCi/m3	0.0012	0.0023			
SESPMNT	B17PY2	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Nov-03	BETA	0.0306	pCi/m3	0.0016	0.0054			
SESPMNT	B17PY3	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Nov-03	BETA	0.0155	pCi/m3	0.0015	0.0032			
SESPMNT	B17PY4	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Dec-03	BETA	0.0128	pCi/m3	0.00092	0.0024			
SESPMNT	B17PY5	RATTLESNAKE SPRINGS	PERIMETER	AT	29-Dec-03	BETA	0.0169	pCi/m3	0.0014	0.0033			
SESPMNT	B17PY6	RATTLESNAKE SPRINGS	PERIMETER	AT	09-Jan-04	BETA	0.0291	pCi/m3	0.0019	0.0053			
SESPMNT	B168W6	RINGOLD MET TOWER	PERIMETER	AT	16-Jan-03	BETA	0.0355	pCi/m3	0.0019	0.0062			
SESPMNT	B168W7	RINGOLD MET TOWER	PERIMETER	AT	30-Jan-03	BETA	0.0193	pCi/m3	0.0014	0.0036			
SESPMNT	B168W8	RINGOLD MET TOWER	PERIMETER	AT	13-Feb-03	BETA	0.0184	pCi/m3	0.0013	0.0034			
SESPMNT	B168W9	RINGOLD MET TOWER	PERIMETER	AT	28-Feb-03	BETA	0.0238	pCi/m3	0.0014	0.004			
SESPMNT	B168X0	RINGOLD MET TOWER	PERIMETER	AT	13-Mar-03	BETA	0.00903	pCi/m3	0.0011	0.002			
SESPMNT	B168X1	RINGOLD MET TOWER	PERIMETER	AT	28-Mar-03	BETA	0.007	pCi/m3	0.00093	0.0016			
SESPMNT	B168X2	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	BETA	0.00829	pCi/m3	0.0011	0.002			
SESPMNT	B16R70	RINGOLD MET TOWER	PERIMETER	AT	25-Apr-03	BETA	0.00981	pCi/m3	0.001	0.0021			
SESPMNT	B16R71	RINGOLD MET TOWER	PERIMETER	AT	08-May-03	BETA	0.00798	pCi/m3	0.00099	0.0018			
SESPMNT	B16R72	RINGOLD MET TOWER	PERIMETER	AT	22-May-03	BETA	0.00899	pCi/m3	0.0012	0.0021			
SESPMNT	B16R73	RINGOLD MET TOWER	PERIMETER	AT	06-Jun-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B16R74	RINGOLD MET TOWER	PERIMETER	AT	19-Jun-03	BETA	0.0102	pCi/m3	0.0015	0.0025			
SESPMNT	B16R75	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	BETA	0.00845	pCi/m3	0.00087	0.0018			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17646	RINGOLD MET TOWER	PERIMETER	AT	18-Jul-03	BETA	0.0116 pCi/m3		0.0014	0.0026			
SESPMNT	B17647	RINGOLD MET TOWER	PERIMETER	AT	31-Jul-03	BETA	0.0138 pCi/m3		0.0013	0.0028			
SESPMNT	B17648	RINGOLD MET TOWER	PERIMETER	AT	15-Aug-03	BETA	0.0141 pCi/m3		0.0012	0.0027			
SESPMNT	B17649	RINGOLD MET TOWER	PERIMETER	AT	28-Aug-03	BETA	0.0158 pCi/m3		0.0013	0.0031			
SESPMNT	B17650	RINGOLD MET TOWER	PERIMETER	AT	12-Sep-03	BETA	0.0153 pCi/m3		0.0012	0.0029			
SESPMNT	B17651	RINGOLD MET TOWER	PERIMETER	AT	25-Sep-03	BETA	0.0116 pCi/m3		0.0012	0.0025			
SESPMNT	B17652	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	BETA	0.026 pCi/m3		0.0015	0.0046			
SESPMNT	B17PR7	RINGOLD MET TOWER	PERIMETER	AT	23-Oct-03	BETA	0.0114 pCi/m3		0.0012	0.0024			
SESPMNT	B17PR8	RINGOLD MET TOWER	PERIMETER	AT	07-Nov-03	BETA	0.0249 pCi/m3		0.0014	0.0045			
SESPMNT	B17PR9	RINGOLD MET TOWER	PERIMETER	AT	21-Nov-03	BETA	0.0249 pCi/m3		0.0015	0.0045			
SESPMNT	B17PT0	RINGOLD MET TOWER	PERIMETER	AT	05-Dec-03	BETA	0.0148 pCi/m3		0.0012	0.0029			
SESPMNT	B17PT1	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-03	BETA	0.0152 pCi/m3		0.0012	0.0027			
SESPMNT	B17PT2	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	BETA	0.0197 pCi/m3		0.0013	0.0036			
SESPMNT	B16933	S END VERNITA BRIDGE	PERIMETER	AT	15-Jan-03	BETA	0.0193 pCi/m3		0.0015	0.0036			
SESPMNT	B16934	S END VERNITA BRIDGE	PERIMETER	AT	29-Jan-03	BETA	0.0118 pCi/m3		0.0012	0.0024			
SESPMNT	B16935	S END VERNITA BRIDGE	PERIMETER	AT	12-Feb-03	BETA	0.0121 pCi/m3		0.0013	0.0026			
SESPMNT	B16936	S END VERNITA BRIDGE	PERIMETER	AT	26-Feb-03	BETA	0.0218 pCi/m3		0.0014	0.0037			
SESPMNT	B16937	S END VERNITA BRIDGE	PERIMETER	AT	12-Mar-03	BETA	0.0126 pCi/m3		0.0012	0.0025			
SESPMNT	B16938	S END VERNITA BRIDGE	PERIMETER	AT	27-Mar-03	BETA	0.00554 pCi/m3		0.00086	0.0014			
SESPMNT	B16939	S END VERNITA BRIDGE	PERIMETER	AT	09-Apr-03	BETA	0.00695 pCi/m3		0.001	0.0017			
SESPMNT	B16RD7	S END VERNITA BRIDGE	PERIMETER	AT	23-Apr-03	BETA	0.00976 pCi/m3		0.0012	0.0021			
SESPMNT	B16RD8	S END VERNITA BRIDGE	PERIMETER	AT	07-May-03	BETA	0.00782 pCi/m3		0.00095	0.0018			
SESPMNT	B16RD9	S END VERNITA BRIDGE	PERIMETER	AT	21-May-03	BETA	0.00965 pCi/m3		0.0012	0.0022		SUSPECT AIR CALIBRATOR ERROR ON 5/7/03, 1.5 CFM START FLOW MAY ACTUALLY BE 1.2 CFM.	
SESPMNT	B16RF0	S END VERNITA BRIDGE	PERIMETER	AT	05-Jun-03	BETA	0.0125 pCi/m3		0.0011	0.0025			
SESPMNT	B16RF1	S END VERNITA BRIDGE	PERIMETER	AT	18-Jun-03	BETA	0.0129 pCi/m3		0.0013	0.0027			
SESPMNT	B16RF2	S END VERNITA BRIDGE	PERIMETER	AT	01-Jul-03	BETA	0.00875 pCi/m3		0.0011	0.002			
SESPMNT	B176B3	S END VERNITA BRIDGE	PERIMETER	AT	17-Jul-03	BETA	0.00918 pCi/m3		0.00097	0.0019			
SESPMNT	B176B4	S END VERNITA BRIDGE	PERIMETER	AT	30-Jul-03	BETA	0.0135 pCi/m3		0.0013	0.0028			
SESPMNT	B176B5	S END VERNITA BRIDGE	PERIMETER	AT	13-Aug-03	BETA	0.0137 pCi/m3		0.0013	0.0028			
SESPMNT	B176B6	S END VERNITA BRIDGE	PERIMETER	AT	27-Aug-03	BETA	0.0134 pCi/m3		0.0012	0.0027			
SESPMNT	B176B7	S END VERNITA BRIDGE	PERIMETER	AT	11-Sep-03	BETA	0.0148 pCi/m3		0.0012	0.0029			
SESPMNT	B176B8	S END VERNITA BRIDGE	PERIMETER	AT	24-Sep-03	BETA	0.0101 pCi/m3		0.0011	0.0022			
SESPMNT	B176B9	S END VERNITA BRIDGE	PERIMETER	AT	09-Oct-03	BETA	0.0238 pCi/m3		0.0015	0.0044			
SESPMNT	B17R04	S END VERNITA BRIDGE	PERIMETER	AT	22-Oct-03	BETA	0.0161 pCi/m3		0.0013	0.0031			
SESPMNT	B17R05	S END VERNITA BRIDGE	PERIMETER	AT	06-Nov-03	BETA	0.0168 pCi/m3		0.0012	0.0032			
SESPMNT	B17R06	S END VERNITA BRIDGE	PERIMETER	AT	19-Nov-03	BETA	0.0271 pCi/m3		0.0017	0.0049			
SESPMNT	B17R07	S END VERNITA BRIDGE	PERIMETER	AT	03-Dec-03	BETA	0.0141 pCi/m3		0.0012	0.0028			
SESPMNT	B17R08	S END VERNITA BRIDGE	PERIMETER	AT	18-Dec-03	BETA	0.0121 pCi/m3		0.0011	0.0025			
SESPMNT	B17R09	S END VERNITA BRIDGE	PERIMETER	AT	31-Dec-03	BETA	0.0184 pCi/m3		0.0015	0.0036			
SESPMNT	B168H1	S OF 200 E	ONSITE	AT	14-Jan-03	BETA	0.029 pCi/m3		0.0017	0.0051			
SESPMNT	B168H2	S OF 200 E	ONSITE	AT	28-Jan-03	BETA	0.0246 pCi/m3		0.0016	0.0044			
SESPMNT	B168H3	S OF 200 E	ONSITE	AT	11-Feb-03	BETA	0.017 pCi/m3		0.0012	0.0032			
SESPMNT	B168H4	S OF 200 E	ONSITE	AT	25-Feb-03	BETA	0.0171 pCi/m3		0.0013	0.0033			
SESPMNT	B168H5	S OF 200 E	ONSITE	AT	10-Mar-03	BETA	0.0145 pCi/m3		0.0013	0.0029			
SESPMNT	B168H6	S OF 200 E	ONSITE	AT	26-Mar-03	BETA	0.00603 pCi/m3		0.00089	0.0015			
SESPMNT	B168H7	S OF 200 E	ONSITE	AT	08-Apr-03	BETA	0.006 pCi/m3		0.0011	0.0016			
SESPMNT	B16PV4	S OF 200 E	ONSITE	AT	21-Apr-03	BETA	0.00975 pCi/m3		0.0011	0.0022			
SESPMNT	B16PV5	S OF 200 E	ONSITE	AT	06-May-03	BETA	0.00922 pCi/m3		0.0011	0.002			
SESPMNT	B16PV6	S OF 200 E	ONSITE	AT	20-May-03	BETA	0.0111 pCi/m3		0.0011	0.0023			
SESPMNT	B16PV7	S OF 200 E	ONSITE	AT	02-Jun-03	BETA	0.0124 pCi/m3		0.0012	0.0026			
SESPMNT	B16PV8	S OF 200 E	ONSITE	AT	17-Jun-03	BETA	0.0117 pCi/m3		0.0011	0.0024			
SESPMNT	B16PV9	S OF 200 E	ONSITE	AT	30-Jun-03	BETA	0.0105 pCi/m3		0.0012	0.0023			
SESPMNT	B175R1	S OF 200 E	ONSITE	AT	15-Jul-03	BETA	0.00885 pCi/m3		0.001	0.0019			
SESPMNT	B175R2	S OF 200 E	ONSITE	AT	29-Jul-03	BETA	0.0132 pCi/m3		0.0012	0.0026			
SESPMNT	B175R3	S OF 200 E	ONSITE	AT	12-Aug-03	BETA	0.0153 pCi/m3		0.0013	0.003			
SESPMNT	B175R4	S OF 200 E	ONSITE	AT	25-Aug-03	BETA	0.018 pCi/m3		0.0013	0.0032			
SESPMNT	B175R5	S OF 200 E	ONSITE	AT	10-Sep-03	BETA	0.016 pCi/m3		0.0012	0.0031			
SESPMNT	B175R6	S OF 200 E	ONSITE	AT	22-Sep-03	BETA	0.0097 pCi/m3		0.0012	0.0023			
SESPMNT	B175R7	S OF 200 E	ONSITE	AT	07-Oct-03	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. FILTER APPEARED TO HAVE BEEN PECKED AWAY BY A BIRD.	
SESPMNT	B17PC1	S OF 200 E	ONSITE	AT	21-Oct-03	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. FILTER APPEARED TO HAVE BEEN PECKED AWAY BY A BIRD.	
SESPMNT	B17PC2	S OF 200 E	ONSITE	AT	05-Nov-03	BETA	0.0176 pCi/m3		0.0013	0.0033			
SESPMNT	B17PC3	S OF 200 E	ONSITE	AT	18-Nov-03	BETA	0.0345 pCi/m3		0.0019	0.0061			
SESPMNT	B17PC4	S OF 200 E	ONSITE	AT	01-Dec-03	BETA	0.011 pCi/m3		0.0011	0.0024			
SESPMNT	B17PC5	S OF 200 E	ONSITE	AT	17-Dec-03	BETA	0.0136 pCi/m3		0.0011	0.0027			
SESPMNT	B17PC6	S OF 200 E	ONSITE	AT	30-Dec-03	BETA	0.0176 pCi/m3		0.0014	0.0034			
SESPMNT	B168L1	SW OF B/C CRIBS	ONSITE	AT	14-Jan-03	BETA	0.0236 pCi/m3		0.0015	0.0043			
SESPMNT	B168L2	SW OF B/C CRIBS	ONSITE	AT	28-Jan-03	BETA	0.0186 pCi/m3		0.0014	0.0035			
SESPMNT	B168L3	SW OF B/C CRIBS	ONSITE	AT	11-Feb-03	BETA	0.0138 pCi/m3		0.0013	0.0027			
SESPMNT	B168L4	SW OF B/C CRIBS	ONSITE	AT	25-Feb-03	BETA	0.0158 pCi/m3		0.0013	0.0031			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168L5	SW OF B/C CRIBS	ONSITE	AT	10-Mar-03	BETA	0.0155 pCi/m3		0.0014	0.0031			
SESPMNT	B168L6	SW OF B/C CRIBS	ONSITE	AT	26-Mar-03	BETA	0.00675 pCi/m3		0.00092	0.0016			
SESPMNT	B168L7	SW OF B/C CRIBS	ONSITE	AT	08-Apr-03	BETA	0.0046 pCi/m3		0.00097	0.0014			
SESPMNT	B16PY0	SW OF B/C CRIBS	ONSITE	AT	21-Apr-03	BETA	0.00852 pCi/m3		0.0011	0.002			
SESPMNT	B16PY1	SW OF B/C CRIBS	ONSITE	AT	06-May-03	BETA	0.0104 pCi/m3		0.0011	0.0022			
SESPMNT	B16PY2	SW OF B/C CRIBS	ONSITE	AT	20-May-03	BETA	0.0106 pCi/m3		0.0011	0.0023			
SESPMNT	B16PY3	SW OF B/C CRIBS	ONSITE	AT	02-Jun-03	BETA	0.0134 pCi/m3		0.0013	0.0027			
SESPMNT	B16PY4	SW OF B/C CRIBS	ONSITE	AT	17-Jun-03	BETA	0.014 pCi/m3		0.0012	0.0027			
SESPMNT	B16PY5	SW OF B/C CRIBS	ONSITE	AT	30-Jun-03	BETA	0.0105 pCi/m3		0.0012	0.0023			
SESPMNT	B175W1	SW OF B/C CRIBS	ONSITE	AT	15-Jul-03	BETA	0.00773 pCi/m3		0.00098	0.0018			
SESPMNT	B175W2	SW OF B/C CRIBS	ONSITE	AT	29-Jul-03	BETA	0.014 pCi/m3		0.0012	0.0027			
SESPMNT	B175W3	SW OF B/C CRIBS	ONSITE	AT	12-Aug-03	BETA	0.0147 pCi/m3		0.0013	0.0029			
SESPMNT	B175W4	SW OF B/C CRIBS	ONSITE	AT	25-Aug-03	BETA	0.0185 pCi/m3		0.0013	0.0033			
SESPMNT	B175W5	SW OF B/C CRIBS	ONSITE	AT	10-Sep-03	BETA	0.0169 pCi/m3		0.0012	0.0032			
SESPMNT	B175W6	SW OF B/C CRIBS	ONSITE	AT	22-Sep-03	BETA	0.0111 pCi/m3		0.0013	0.0025			
SESPMNT	B175W7	SW OF B/C CRIBS	ONSITE	AT	07-Oct-03	BETA	0.0273 pCi/m3		0.0016	0.0048			
SESPMNT	B17PF7	SW OF B/C CRIBS	ONSITE	AT	21-Oct-03	BETA	0.00878 pCi/m3		0.001	0.0019			
SESPMNT	B17PF8	SW OF B/C CRIBS	ONSITE	AT	05-Nov-03	BETA	0.0164 pCi/m3		0.0012	0.0032			
SESPMNT	B17PF9	SW OF B/C CRIBS	ONSITE	AT	18-Nov-03	BETA	0.0345 pCi/m3		0.0019	0.0062			
SESPMNT	B17PH0	SW OF B/C CRIBS	ONSITE	AT	01-Dec-03	BETA	0.0102 pCi/m3		0.0011	0.0022			
SESPMNT	B17PH1	SW OF B/C CRIBS	ONSITE	AT	17-Dec-03	BETA	0.0129 pCi/m3		0.0011	0.0025			
SESPMNT	B17PH2	SW OF B/C CRIBS	ONSITE	AT	30-Dec-03	BETA	0.0173 pCi/m3		0.0014	0.0033			
SESPMNT	B16806	TOPPENISH	DISTANT	AT	22-Jan-03	BETA	0.0336 pCi/m3		0.0018	0.0058			
SESPMNT	B16807	TOPPENISH	DISTANT	AT	05-Feb-03	BETA	0.00817 pCi/m3		0.001	0.0018			
SESPMNT	B16808	TOPPENISH	DISTANT	AT	19-Feb-03	BETA	0.023 pCi/m3		0.0015	0.0042			
SESPMNT	B16809	TOPPENISH	DISTANT	AT	05-Mar-03	BETA	0.0164 pCi/m3		0.0014	0.0031			
SESPMNT	B16810	TOPPENISH	DISTANT	AT	19-Mar-03	BETA	0.00472 pCi/m3		0.00087	0.0013			
SESPMNT	B16811	TOPPENISH	DISTANT	AT	02-Apr-03	BETA	0.0068 pCi/m3		0.001	0.0017			
SESPMNT	B16PC0	TOPPENISH	DISTANT	AT	16-Apr-03	BETA	0.0057 pCi/m3		0.001	0.0015			
SESPMNT	B16PC1	TOPPENISH	DISTANT	AT	30-Apr-03	BETA	0.00802 pCi/m3		0.0011	0.0019			
SESPMNT	B16PC2	TOPPENISH	DISTANT	AT	14-May-03	BETA	0.0118 pCi/m3		0.0012	0.0024			
SESPMNT	B16PC3	TOPPENISH	DISTANT	AT	28-May-03	BETA	0.0073 pCi/m3		0.00098	0.0017			
SESPMNT	B16PC4	TOPPENISH	DISTANT	AT	11-Jun-03	BETA	0.013 pCi/m3		0.0012	0.0026			
SESPMNT	B16PC5	TOPPENISH	DISTANT	AT	26-Jun-03	BETA	0.00773 pCi/m3		0.001	0.0018			
SESPMNT	B16PC6	TOPPENISH	DISTANT	AT	09-Jul-03	BETA	0.00937 pCi/m3		0.0011	0.0021			
SESPMNT	B17590	TOPPENISH	DISTANT	AT	23-Jul-03	BETA	0.0107 pCi/m3		0.0012	0.0023			
SESPMNT	B17591	TOPPENISH	DISTANT	AT	06-Aug-03	BETA	0.0121 pCi/m3		0.0011	0.0024			
SESPMNT	B17592	TOPPENISH	DISTANT	AT	20-Aug-03	BETA	0.0149 pCi/m3		0.0012	0.0027			
SESPMNT	B17593	TOPPENISH	DISTANT	AT	03-Sep-03	BETA	0.0141 pCi/m3		0.0012	0.0028			
SESPMNT	B17594	TOPPENISH	DISTANT	AT	17-Sep-03	BETA	0.0106 pCi/m3		0.0011	0.0022			
SESPMNT	B17595	TOPPENISH	DISTANT	AT	01-Oct-03	BETA	0.0173 pCi/m3		0.0012	0.0031			
SESPMNT	B17NX3	TOPPENISH	DISTANT	AT	15-Oct-03	BETA	0.0226 pCi/m3		0.0014	0.0041			
SESPMNT	B17NX4	TOPPENISH	DISTANT	AT	29-Oct-03	BETA	0.0119 pCi/m3		0.0012	0.0025			
SESPMNT	B17NX5	TOPPENISH	DISTANT	AT	12-Nov-03	BETA	0.0291 pCi/m3		0.0016	0.0051			
SESPMNT	B17NX6	TOPPENISH	DISTANT	AT	26-Nov-03	BETA	0.0152 pCi/m3		0.0013	0.0031			
SESPMNT	B17NX7	TOPPENISH	DISTANT	AT	10-Dec-03	BETA	0.00579 pCi/m3		0.00089	0.0015			
SESPMNT	B17NX8	TOPPENISH	DISTANT	AT	23-Dec-03	BETA	0.0218 pCi/m3		0.0015	0.0041			
SESPMNT	B17NX9	TOPPENISH	DISTANT	AT	08-Jan-04	BETA	0.0237 pCi/m3		0.0014	0.0042			
SESPMNT	B168V8	W END OF FIR ROAD	PERIMETER	AT	16-Jan-03	BETA	0.0273 pCi/m3		0.0017	0.0049			
SESPMNT	B168V9	W END OF FIR ROAD	PERIMETER	AT	30-Jan-03	BETA	0.0161 pCi/m3		0.0013	0.0031			
SESPMNT	B168W0	W END OF FIR ROAD	PERIMETER	AT	13-Feb-03	BETA	0.0183 pCi/m3		0.0015	0.0035			
SESPMNT	B168W1	W END OF FIR ROAD	PERIMETER	AT	28-Feb-03	BETA	0.0206 pCi/m3		0.0013	0.0036			
SESPMNT	B168W2	W END OF FIR ROAD	PERIMETER	AT	13-Mar-03	BETA	0.00842 pCi/m3		0.0011	0.002			
SESPMNT	B168W3	W END OF FIR ROAD	PERIMETER	AT	28-Mar-03	BETA	0.00597 pCi/m3		0.0009	0.0015			
SESPMNT	B168W4	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	BETA	0.00767 pCi/m3		0.0011	0.0019			
SESPMNT	B16R63	W END OF FIR ROAD	PERIMETER	AT	25-Apr-03	BETA	0.00972 pCi/m3		0.0011	0.0021			
SESPMNT	B16R64	W END OF FIR ROAD	PERIMETER	AT	08-May-03	BETA	0.00802 pCi/m3		0.0011	0.0019			
SESPMNT	B16R65	W END OF FIR ROAD	PERIMETER	AT	22-May-03	BETA	0.00954 pCi/m3		0.0013	0.0022			
SESPMNT	B16R66	W END OF FIR ROAD	PERIMETER	AT	06-Jun-03	BETA	0.0138 pCi/m3		0.0012	0.0027			
SESPMNT	B16R67	W END OF FIR ROAD	PERIMETER	AT	19-Jun-03	BETA	0.00989 pCi/m3		0.0011	0.0022			
SESPMNT	B16R68	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	BETA	0.00807 pCi/m3		0.0009	0.0017			
SESPMNT	B17638	W END OF FIR ROAD	PERIMETER	AT	18-Jul-03	BETA	0.0113 pCi/m3		0.0013	0.0025			
SESPMNT	B17639	W END OF FIR ROAD	PERIMETER	AT	31-Jul-03	BETA	0.0129 pCi/m3		0.0012	0.0026			
SESPMNT	B17640	W END OF FIR ROAD	PERIMETER	AT	15-Aug-03	BETA	0.0136 pCi/m3		0.0012	0.0027			
SESPMNT	B17641	W END OF FIR ROAD	PERIMETER	AT	28-Aug-03	BETA	0.0152 pCi/m3		0.0014	0.0031			
SESPMNT	B17642	W END OF FIR ROAD	PERIMETER	AT	12-Sep-03	BETA	0.0162 pCi/m3		0.0012	0.0031			
SESPMNT	B17643	W END OF FIR ROAD	PERIMETER	AT	25-Sep-03	BETA	0.0124 pCi/m3		0.0012	0.0026			
SESPMNT	B17644	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	BETA	0.0282 pCi/m3		0.0015	0.005			
SESPMNT	B17PR0	W END OF FIR ROAD	PERIMETER	AT	23-Oct-03	BETA	0.00971 pCi/m3		0.0011	0.0022			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PR1	W END OF FIR ROAD	PERIMETER	AT	07-Nov-03	BETA	0.0192	pCi/m3	0.0015	0.0036			
SESPMNT	B17PR2	W END OF FIR ROAD	PERIMETER	AT	21-Nov-03	BETA	0.0268	pCi/m3	0.0016	0.0049			
SESPMNT	B17PR3	W END OF FIR ROAD	PERIMETER	AT	05-Dec-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B17PR4	W END OF FIR ROAD	PERIMETER	AT	19-Dec-03	BETA	0.0144	pCi/m3	0.0012	0.0026		ICE ON FILTER.	
SESPMNT	B17PR5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	BETA	0.0193	pCi/m3	0.0012	0.0035			
SESPMNT	B16926	WAHLUKE SLOPE	PERIMETER	AT	15-Jan-03	BETA	0.028	pCi/m3	0.0017	0.005			
SESPMNT	B16927	WAHLUKE SLOPE	PERIMETER	AT	29-Jan-03	BETA	0.0195	pCi/m3	0.0015	0.0036			
SESPMNT	B16928	WAHLUKE SLOPE	PERIMETER	AT	12-Feb-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B16929	WAHLUKE SLOPE	PERIMETER	AT	26-Feb-03	BETA	0.0199	pCi/m3	0.0013	0.0035			
SESPMNT	B16930	WAHLUKE SLOPE	PERIMETER	AT	12-Mar-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B16931	WAHLUKE SLOPE	PERIMETER	AT	27-Mar-03	BETA	0.00528	pCi/m3	0.00084	0.0014			
SESPMNT	B16932	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	BETA	0.00507	pCi/m3	0.00094	0.0015			
SESPMNT	B16RD1	WAHLUKE SLOPE	PERIMETER	AT	23-Apr-03	BETA	0.00645	pCi/m3	0.0011	0.0017			
SESPMNT	B16RD2	WAHLUKE SLOPE	PERIMETER	AT	07-May-03	BETA	0.0059	pCi/m3	0.00087	0.0015			
SESPMNT	B16RD3	WAHLUKE SLOPE	PERIMETER	AT	21-May-03	BETA	0.00781	pCi/m3	0.0011	0.0019		SUSPECT AIR CALIBRATOR ERROR ON 5/7/03, 1.5 CFM START FLOW MAY ACTUALLY BE 1.2 CFM.	
SESPMNT	B16RD4	WAHLUKE SLOPE	PERIMETER	AT	05-Jun-03	BETA	0.0129	pCi/m3	0.0011	0.0026			
SESPMNT	B16RD5	WAHLUKE SLOPE	PERIMETER	AT	18-Jun-03	BETA	0.00979	pCi/m3	0.0011	0.0021			
SESPMNT	B16RD6	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	BETA	0.009	pCi/m3	0.0012	0.0021			
SESPMNT	B17696	WAHLUKE SLOPE	PERIMETER	AT	17-Jul-03	BETA	0.00847	pCi/m3	0.00094	0.0018			
SESPMNT	B17697	WAHLUKE SLOPE	PERIMETER	AT	30-Jul-03	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B17698	WAHLUKE SLOPE	PERIMETER	AT	13-Aug-03	BETA	0.0142	pCi/m3	0.0012	0.0028			
SESPMNT	B17699	WAHLUKE SLOPE	PERIMETER	AT	27-Aug-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B176B0	WAHLUKE SLOPE	PERIMETER	AT	11-Sep-03	BETA	0.0147	pCi/m3	0.0012	0.0028			
SESPMNT	B176B1	WAHLUKE SLOPE	PERIMETER	AT	24-Sep-03	BETA	0.01	pCi/m3	0.0011	0.0022			
SESPMNT	B176B2	WAHLUKE SLOPE	PERIMETER	AT	09-Oct-03	BETA	0.0248	pCi/m3	0.0015	0.0045			
SESPMNT	B17PY8	WAHLUKE SLOPE	PERIMETER	AT	22-Oct-03	BETA	0.017	pCi/m3	0.0014	0.0033			
SESPMNT	B17PY9	WAHLUKE SLOPE	PERIMETER	AT	06-Nov-03	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B17R00	WAHLUKE SLOPE	PERIMETER	AT	19-Nov-03	BETA	0.0269	pCi/m3	0.0017	0.0048			
SESPMNT	B17R01	WAHLUKE SLOPE	PERIMETER	AT	03-Dec-03	BETA	0.0136	pCi/m3	0.0012	0.0028			
SESPMNT	B17R02	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-03	BETA	0.0121	pCi/m3	0.0011	0.0025			
SESPMNT	B17R03	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	BETA	0.0194	pCi/m3	0.0015	0.0037			
SESPMNT	B168V1	WYE BARRICADE	ONSITE	AT	21-Jan-03	BETA	0.0272	pCi/m3	0.0016	0.0049			
SESPMNT	B168V2	WYE BARRICADE	ONSITE	AT	04-Feb-03	BETA	0.00658	pCi/m3	0.00096	0.0016			
SESPMNT	B168V3	WYE BARRICADE	ONSITE	AT	18-Feb-03	BETA	0.0185	pCi/m3	0.0015	0.0035			
SESPMNT	B168V4	WYE BARRICADE	ONSITE	AT	03-Mar-03	BETA	0.0164	pCi/m3	0.0014	0.0032			
SESPMNT	B168V5	WYE BARRICADE	ONSITE	AT	18-Mar-03	BETA	0.0058	pCi/m3	0.00088	0.0015			
SESPMNT	B168V6	WYE BARRICADE	ONSITE	AT	31-Mar-03	BETA	0.00685	pCi/m3	0.001	0.0017			
SESPMNT	B16R55	WYE BARRICADE	ONSITE	AT	15-Apr-03	BETA	0.00902	pCi/m3	0.001	0.002			
SESPMNT	B16R56	WYE BARRICADE	ONSITE	AT	29-Apr-03	BETA	0.00901	pCi/m3	0.0011	0.002			
SESPMNT	B16R57	WYE BARRICADE	ONSITE	AT	12-May-03	BETA	0.0104	pCi/m3	0.0012	0.0023			
SESPMNT	B16R58	WYE BARRICADE	ONSITE	AT	29-May-03	BETA	0.00988	pCi/m3	0.00096	0.002			
SESPMNT	B16R59	WYE BARRICADE	ONSITE	AT	11-Jun-03	BETA	0.0145	pCi/m3	0.0013	0.0029			
SESPMNT	B16R60	WYE BARRICADE	ONSITE	AT	24-Jun-03	BETA	0.0112	pCi/m3	0.0012	0.0024			
SESPMNT	B16R61	WYE BARRICADE	ONSITE	AT	08-Jul-03	BETA	0.00997	pCi/m3	0.0011	0.0022			
SESPMNT	B17631	WYE BARRICADE	ONSITE	AT	22-Jul-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B17632	WYE BARRICADE	ONSITE	AT	04-Aug-03	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B17633	WYE BARRICADE	ONSITE	AT	18-Aug-03	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B17634	WYE BARRICADE	ONSITE	AT	02-Sep-03	BETA	0.017	pCi/m3	0.0011	0.0029			
SESPMNT	B17635	WYE BARRICADE	ONSITE	AT	15-Sep-03	BETA	0.0153	pCi/m3	0.0013	0.003			
SESPMNT	B17636	WYE BARRICADE	ONSITE	AT	01-Oct-03	BETA	0.0131	pCi/m3	0.0011	0.0026			
SESPMNT	B17PP2	WYE BARRICADE	ONSITE	AT	13-Oct-03	BETA	0.0233	pCi/m3	0.0016	0.0044			
SESPMNT	B17PP3	WYE BARRICADE	ONSITE	AT	28-Oct-03	BETA	0.0298	pCi/m3	0.0016	0.0052			
SESPMNT	B17PP4	WYE BARRICADE	ONSITE	AT	11-Nov-03	BETA	0.0366	pCi/m3	0.0017	0.0061			
SESPMNT	B17PP5	WYE BARRICADE	ONSITE	AT	24-Nov-03	BETA	0.0181	pCi/m3	0.0014	0.0035			
SESPMNT	B17PP6	WYE BARRICADE	ONSITE	AT	11-Dec-03	BETA	0.0125	pCi/m3	0.001	0.0024			
SESPMNT	B17PP7	WYE BARRICADE	ONSITE	AT	22-Dec-03	BETA	0.0186	pCi/m3	0.0015	0.0036			
SESPMNT	B17PP8	WYE BARRICADE	ONSITE	AT	06-Jan-04	BETA	0.0179	pCi/m3	0.0013	0.0034			
SESPMNT	B16956	YAKIMA	DISTANT	AT	23-Jan-03	BETA	0.000103	pCi/m3	0.00057	0.00066	U		
SESPMNT	B16957	YAKIMA	DISTANT	AT	06-Feb-03	BETA	0.00786	pCi/m3	0.001	0.0018			
SESPMNT	B16958	YAKIMA	DISTANT	AT	20-Feb-03	BETA	0.0182	pCi/m3	0.0014	0.0034			
SESPMNT	B16959	YAKIMA	DISTANT	AT	06-Mar-03	BETA	0.015	pCi/m3	0.0013	0.0029			
SESPMNT	B16960	YAKIMA	DISTANT	AT	21-Mar-03	BETA	0.00578	pCi/m3	0.00095	0.0015			
SESPMNT	B16961	YAKIMA	DISTANT	AT	03-Apr-03	BETA	0.00585	pCi/m3	0.001	0.0016			
SESPMNT	B16RH7	YAKIMA	DISTANT	AT	18-Apr-03	BETA	0.00761	pCi/m3	0.00097	0.0018			
SESPMNT	B16RH8	YAKIMA	DISTANT	AT	01-May-03	BETA	0.00745	pCi/m3	0.0011	0.0018			
SESPMNT	B16RH9	YAKIMA	DISTANT	AT	16-May-03	BETA	0.00975	pCi/m3	0.0011	0.0021			
SESPMNT	B16RJ0	YAKIMA	DISTANT	AT	30-May-03	BETA	0.00871	pCi/m3	0.0011	0.002			
SESPMNT	B16RJ1	YAKIMA	DISTANT	AT	13-Jun-03	BETA	0.0131	pCi/m3	0.0014	0.0028			
SESPMNT	B16RJ2	YAKIMA	DISTANT	AT	26-Jun-03	BETA	0.00761	pCi/m3	0.001	0.0018			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16RJ3	YAKIMA	DISTANT	AT	11-Jul-03	BETA	0.0113	pCi/m3	0.0011	0.0023			
SESPMNT	B176D6	YAKIMA	DISTANT	AT	24-Jul-03	BETA	0.011	pCi/m3	0.0012	0.0023			
SESPMNT	B176D7	YAKIMA	DISTANT	AT	07-Aug-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B176D8	YAKIMA	DISTANT	AT	22-Aug-03	BETA	0.0144	pCi/m3	0.0011	0.0025			
SESPMNT	B176D9	YAKIMA	DISTANT	AT	05-Sep-03	BETA	0.0141	pCi/m3	0.0012	0.0028			
SESPMNT	B176F0	YAKIMA	DISTANT	AT	18-Sep-03	BETA	0.00736	pCi/m3	0.001	0.0017			
SESPMNT	B176F1	YAKIMA	DISTANT	AT	03-Oct-03	BETA	0.0168	pCi/m3	0.0012	0.003			
SESPMNT	B17R24	YAKIMA	DISTANT	AT	17-Oct-03	BETA	0.0172	pCi/m3	0.0013	0.0033			
SESPMNT	B17R25	YAKIMA	DISTANT	AT	30-Oct-03	BETA	0.0116	pCi/m3	0.0012	0.0024			
SESPMNT	B17R26	YAKIMA	DISTANT	AT	14-Nov-03	BETA	0.0267	pCi/m3	0.0015	0.0047			
SESPMNT	B17R27	YAKIMA	DISTANT	AT	26-Nov-03	BETA	0.0138	pCi/m3	0.0013	0.0028			
SESPMNT	B17R28	YAKIMA	DISTANT	AT	16-Dec-03	BETA	0.012	pCi/m3	0.00095	0.0023			
SESPMNT	B17R29	YAKIMA	DISTANT	AT	29-Dec-03	BETA	0.0153	pCi/m3	0.0013	0.0031			
SESPMNT	B17R30	YAKIMA	DISTANT	AT	09-Jan-04	BETA	0.0251	pCi/m3	0.0018	0.0047			
SESPMNT	B16913	YAKIMA BARRICADE	PERIMETER	AT	22-Jan-03	BETA	0.0304	pCi/m3	0.0017	0.0054			
SESPMNT	B16914	YAKIMA BARRICADE	PERIMETER	AT	05-Feb-03	BETA	0.00716	pCi/m3	0.00097	0.0017			
SESPMNT	B16915	YAKIMA BARRICADE	PERIMETER	AT	19-Feb-03	BETA	0.021	pCi/m3	0.0014	0.0039			
SESPMNT	B16916	YAKIMA BARRICADE	PERIMETER	AT	05-Mar-03	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B16917	YAKIMA BARRICADE	PERIMETER	AT	20-Mar-03	BETA	0.00667	pCi/m3	0.00091	0.0016			
SESPMNT	B16918	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	BETA	0.00607	pCi/m3	0.00096	0.0016			
SESPMNT	B16RB6	YAKIMA BARRICADE	PERIMETER	AT	16-Apr-03	BETA	0.00634	pCi/m3	0.00094	0.0016			
SESPMNT	B16RB7	YAKIMA BARRICADE	PERIMETER	AT	30-Apr-03	BETA	0.00909	pCi/m3	0.0011	0.002			
SESPMNT	B16RB8	YAKIMA BARRICADE	PERIMETER	AT	13-May-03	BETA	0.0112	pCi/m3	0.0012	0.0024			
SESPMNT	B16RB9	YAKIMA BARRICADE	PERIMETER	AT	28-May-03	BETA	0.00941	pCi/m3	0.001	0.002			
SESPMNT	B16RC0	YAKIMA BARRICADE	PERIMETER	AT	13-Jun-03	BETA	0.0127	pCi/m3	0.0011	0.0025			
SESPMNT	B16RC1	YAKIMA BARRICADE	PERIMETER	AT	26-Jun-03	BETA	0.00721	pCi/m3	0.0011	0.0018			
SESPMNT	B16RC2	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	BETA	0.0102	pCi/m3	0.0011	0.0022			
SESPMNT	B17683	YAKIMA BARRICADE	PERIMETER	AT	24-Jul-03	BETA	0.0129	pCi/m3	0.0013	0.0026			
SESPMNT	B17684	YAKIMA BARRICADE	PERIMETER	AT	07-Aug-03	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B17685	YAKIMA BARRICADE	PERIMETER	AT	22-Aug-03	BETA	0.0161	pCi/m3	0.0012	0.0028			
SESPMNT	B17686	YAKIMA BARRICADE	PERIMETER	AT	05-Sep-03	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B17687	YAKIMA BARRICADE	PERIMETER	AT	18-Sep-03	BETA	0.00921	pCi/m3	0.0011	0.0021			
SESPMNT	B17688	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	BETA	0.0181	pCi/m3	0.0012	0.0031			
SESPMNT	B17PX3	YAKIMA BARRICADE	PERIMETER	AT	17-Oct-03	BETA	0.0182	pCi/m3	0.0014	0.0034			
SESPMNT	B17PX4	YAKIMA BARRICADE	PERIMETER	AT	30-Oct-03	BETA	0.0116	pCi/m3	0.0012	0.0025			
SESPMNT	B17PX5	YAKIMA BARRICADE	PERIMETER	AT	14-Nov-03	BETA	0.0305	pCi/m3	0.0016	0.0053			
SESPMNT	B17PX6	YAKIMA BARRICADE	PERIMETER	AT	26-Nov-03	BETA	0.0168	pCi/m3	0.0014	0.0033			
SESPMNT	B17PX7	YAKIMA BARRICADE	PERIMETER	AT	16-Dec-03	BETA	0.0126	pCi/m3	0.00095	0.0024			
SESPMNT	B17PX8	YAKIMA BARRICADE	PERIMETER	AT	29-Dec-03	BETA	0.0173	pCi/m3	0.0014	0.0033			
SESPMNT	B17PX9	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	BETA	0.0286	pCi/m3	0.0019	0.0052			
SESPMNT	B168D7	100 D AREA	ONSITE	AT	21-Jan-03	ALPHA	0.000847	pCi/m3	0.00043	0.00048			
SESPMNT	B168D8	100 D AREA	ONSITE	AT	04-Feb-03	ALPHA	0.00038	pCi/m3	0.00031	0.00033			
SESPMNT	B168D9	100 D AREA	ONSITE	AT	18-Feb-03	ALPHA	0.000623	pCi/m3	0.00038	0.00041			
SESPMNT	B168F0	100 D AREA	ONSITE	AT	03-Mar-03	ALPHA	0.000471	pCi/m3	0.00035	0.00038			
SESPMNT	B168F1	100 D AREA	ONSITE	AT	18-Mar-03	ALPHA	0.000239	pCi/m3	0.00025	0.00026	U		
SESPMNT	B168F2	100 D AREA	ONSITE	AT	31-Mar-03	ALPHA	0.000182	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16PT0	100 D AREA	ONSITE	AT	15-Apr-03	ALPHA	0.000994	pCi/m3	0.00038	0.00045			
SESPMNT	B16PT1	100 D AREA	ONSITE	AT	29-Apr-03	ALPHA	0.000243	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16PT2	100 D AREA	ONSITE	AT	12-May-03	ALPHA	0.00039	pCi/m3	0.00032	0.00034			
SESPMNT	B16PT3	100 D AREA	ONSITE	AT	29-May-03	ALPHA	0.000399	pCi/m3	0.00027	0.0003			
SESPMNT	B16PT4	100 D AREA	ONSITE	AT	11-Jun-03	ALPHA	0.000709	pCi/m3	0.00038	0.00043			
SESPMNT	B16PT5	100 D AREA	ONSITE	AT	24-Jun-03	ALPHA	0.00045	pCi/m3	0.00034	0.00036			
SESPMNT	B16PT6	100 D AREA	ONSITE	AT	08-Jul-03	ALPHA	0.000327	pCi/m3	0.00032	0.00033	U		
SESPMNT	B175N7	100 D AREA	ONSITE	AT	22-Jul-03	ALPHA	0.000474	pCi/m3	0.00033	0.00035			
SESPMNT	B175N8	100 D AREA	ONSITE	AT	04-Aug-03	ALPHA	0.000356	pCi/m3	0.00033	0.00035			
SESPMNT	B175N9	100 D AREA	ONSITE	AT	18-Aug-03	ALPHA	0.000816	pCi/m3	0.00042	0.00047			
SESPMNT	B175P0	100 D AREA	ONSITE	AT	02-Sep-03	ALPHA	0.0018	pCi/m3	0.00046	0.0006			
SESPMNT	B175P1	100 D AREA	ONSITE	AT	15-Sep-03	ALPHA	0.000724	pCi/m3	0.00038	0.00042			
SESPMNT	B175P2	100 D AREA	ONSITE	AT	01-Oct-03	ALPHA	0.000666	pCi/m3	0.00032	0.00036			
SESPMNT	B17P97	100 D AREA	ONSITE	AT	13-Oct-03	ALPHA	0.000852	pCi/m3	0.00044	0.00049			
SESPMNT	B17P98	100 D AREA	ONSITE	AT	28-Oct-03	ALPHA	0.00118	pCi/m3	0.00041	0.0005			
SESPMNT	B17P99	100 D AREA	ONSITE	AT	11-Nov-03	ALPHA	0.000739	pCi/m3	0.00039	0.00042			
SESPMNT	B17PB0	100 D AREA	ONSITE	AT	24-Nov-03	ALPHA	0.000648	pCi/m3	0.00037	0.00041			
SESPMNT	B17PB1	100 D AREA	ONSITE	AT	11-Dec-03	ALPHA	0.000301	pCi/m3	0.00025	0.00026			
SESPMNT	B17PB2	100 D AREA	ONSITE	AT	22-Dec-03	ALPHA	0.000319	pCi/m3	0.00036	0.00038	U		
SESPMNT	B17PB3	100 D AREA	ONSITE	AT	06-Jan-04	ALPHA	0.00065	pCi/m3	0.00036	0.00039			
SESPMNT	B16987	100 F MET TOWER	ONSITE	AT	21-Jan-03	ALPHA	0.00133	pCi/m3	0.00049	0.00059			
SESPMNT	B16988	100 F MET TOWER	ONSITE	AT	04-Feb-03	ALPHA	0.0000803	pCi/m3	0.00023	0.00024	U		
SESPMNT	B16989	100 F MET TOWER	ONSITE	AT	18-Feb-03	ALPHA	0.000603	pCi/m3	0.00039	0.00042			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16990	100 F MET TOWER	ONSITE	AT	03-Mar-03	ALPHA	0.000581	pCi/m3	0.00037	0.00041			
SESPMNT	B16991	100 F MET TOWER	ONSITE	AT	18-Mar-03	ALPHA	0.000416	pCi/m3	0.00029	0.00032			
SESPMNT	B16992	100 F MET TOWER	ONSITE	AT	31-Mar-03	ALPHA	0.0000858	pCi/m3	0.00026	0.00027	U		
SESPMNT	B16RL6	100 F MET TOWER	ONSITE	AT	15-Apr-03	ALPHA	0.000453	pCi/m3	0.00029	0.00031			
SESPMNT	B16RL7	100 F MET TOWER	ONSITE	AT	29-Apr-03	ALPHA	0.000211	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16RL8	100 F MET TOWER	ONSITE	AT	12-May-03	ALPHA	0.000398	pCi/m3	0.00032	0.00034			
SESPMNT	B16RL9	100 F MET TOWER	ONSITE	AT	29-May-03	ALPHA	0.000357	pCi/m3	0.00026	0.00028			
SESPMNT	B16RM0	100 F MET TOWER	ONSITE	AT	11-Jun-03	ALPHA	0.000795	pCi/m3	0.0004	0.00045			
SESPMNT	B16RM1	100 F MET TOWER	ONSITE	AT	24-Jun-03	ALPHA	0.000436	pCi/m3	0.00032	0.00034			
SESPMNT	B16RM2	100 F MET TOWER	ONSITE	AT	08-Jul-03	ALPHA	0.000118	pCi/m3	0.00027	0.00027	U		
SESPMNT	B176J7	100 F MET TOWER	ONSITE	AT	22-Jul-03	ALPHA	0.000603	pCi/m3	0.00034	0.00038			
SESPMNT	B176J8	100 F MET TOWER	ONSITE	AT	04-Aug-03	ALPHA	0.000482	pCi/m3	0.00036	0.00039			
SESPMNT	B176J9	100 F MET TOWER	ONSITE	AT	18-Aug-03	ALPHA	0.000227	pCi/m3	0.00032	0.00033	U		
SESPMNT	B176K0	100 F MET TOWER	ONSITE	AT	02-Sep-03	ALPHA	0.00228	pCi/m3	0.00052	0.00072			
SESPMNT	B176K1	100 F MET TOWER	ONSITE	AT	15-Sep-03	ALPHA	0.000859	pCi/m3	0.00043	0.00048			
SESPMNT	B176K2	100 F MET TOWER	ONSITE	AT	01-Oct-03	ALPHA	0.00054	pCi/m3	0.00031	0.00034			
SESPMNT	B17R53	100 F MET TOWER	ONSITE	AT	13-Oct-03	ALPHA	0.00145	pCi/m3	0.00053	0.00064			
SESPMNT	B17R54	100 F MET TOWER	ONSITE	AT	28-Oct-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17R55	100 F MET TOWER	ONSITE	AT	11-Nov-03	ALPHA	0.000626	pCi/m3	0.00034	0.00037			
SESPMNT	B17R56	100 F MET TOWER	ONSITE	AT	24-Nov-03	ALPHA	0.000678	pCi/m3	0.00041	0.00044			
SESPMNT	B17R57	100 F MET TOWER	ONSITE	AT	11-Dec-03	ALPHA	0.0000889	pCi/m3	0.0002	0.00021	U		
SESPMNT	B17R58	100 F MET TOWER	ONSITE	AT	22-Dec-03	ALPHA	0.000663	pCi/m3	0.00041	0.00045			
SESPMNT	B17R59	100 F MET TOWER	ONSITE	AT	06-Jan-04	ALPHA	0.000239	pCi/m3	0.00028	0.00029	U		
SESPMNT	B168C5	100 K AREA	ONSITE	AT	21-Jan-03	ALPHA	0.00114	pCi/m3	0.00048	0.00056			
SESPMNT	B168C6	100 K AREA	ONSITE	AT	04-Feb-03	ALPHA	0.000115	pCi/m3	0.00025	0.00026	U		
SESPMNT	B168C7	100 K AREA	ONSITE	AT	18-Feb-03	ALPHA	0.000457	pCi/m3	0.00036	0.00038			
SESPMNT	B168C8	100 K AREA	ONSITE	AT	03-Mar-03	ALPHA	0.0009	pCi/m3	0.00043	0.00048			
SESPMNT	B168C9	100 K AREA	ONSITE	AT	18-Mar-03	ALPHA	0.000211	pCi/m3	0.00025	0.00027	U		
SESPMNT	B168D0	100 K AREA	ONSITE	AT	31-Mar-03	ALPHA	0.00111	pCi/m3	0.00043	0.00051			
SESPMNT	B16PP6	100 K AREA	ONSITE	AT	15-Apr-03	ALPHA	0.000417	pCi/m3	0.00028	0.00031			
SESPMNT	B16PP7	100 K AREA	ONSITE	AT	29-Apr-03	ALPHA	0.000663	pCi/m3	0.00035	0.00039			
SESPMNT	B16PP8	100 K AREA	ONSITE	AT	12-May-03	ALPHA	0.000338	pCi/m3	0.00031	0.00033			
SESPMNT	B16PP9	100 K AREA	ONSITE	AT	29-May-03	ALPHA	0.00036	pCi/m3	0.00028	0.0003			
SESPMNT	B16PR0	100 K AREA	ONSITE	AT	11-Jun-03	ALPHA	0.00132	pCi/m3	0.00047	0.00057			
SESPMNT	B16PR1	100 K AREA	ONSITE	AT	24-Jun-03	ALPHA	0.000566	pCi/m3	0.00035	0.00038			
SESPMNT	B16PR2	100 K AREA	ONSITE	AT	08-Jul-03	ALPHA	0.000226	pCi/m3	0.00028	0.00029	U		
SESPMNT	B175M5	100 K AREA	ONSITE	AT	22-Jul-03	ALPHA	0.00068	pCi/m3	0.00037	0.00041			
SESPMNT	B175M6	100 K AREA	ONSITE	AT	04-Aug-03	ALPHA	0.000531	pCi/m3	0.00035	0.00038			
SESPMNT	B175M7	100 K AREA	ONSITE	AT	18-Aug-03	ALPHA	0.000441	pCi/m3	0.00031	0.00034			
SESPMNT	B175M8	100 K AREA	ONSITE	AT	02-Sep-03	ALPHA	0.00105	pCi/m3	0.00037	0.00044			
SESPMNT	B175M9	100 K AREA	ONSITE	AT	15-Sep-03	ALPHA	0.000663	pCi/m3	0.00039	0.00042			
SESPMNT	B175N0	100 K AREA	ONSITE	AT	01-Oct-03	ALPHA	0.000359	pCi/m3	0.00029	0.0003			
SESPMNT	B17P83	100 K AREA	ONSITE	AT	13-Oct-03	ALPHA	0.000831	pCi/m3	0.00045	0.0005			
SESPMNT	B17P84	100 K AREA	ONSITE	AT	28-Oct-03	ALPHA	0.0001	pCi/m3	0.00024	0.00025	U		
SESPMNT	B17P85	100 K AREA	ONSITE	AT	11-Nov-03	ALPHA	0.000849	pCi/m3	0.0004	0.00044			
SESPMNT	B17P86	100 K AREA	ONSITE	AT	24-Nov-03	ALPHA	0.000616	pCi/m3	0.00037	0.00041			
SESPMNT	B17P87	100 K AREA	ONSITE	AT	11-Dec-03	ALPHA	0.000271	pCi/m3	0.00024	0.00025			
SESPMNT	B17P88	100 K AREA	ONSITE	AT	22-Dec-03	ALPHA	0.000174	pCi/m3	0.00034	0.00034	U		
SESPMNT	B17P89	100 K AREA	ONSITE	AT	06-Jan-04	ALPHA	0.000586	pCi/m3	0.00034	0.00037			
SESPMNT	B168D1	100 N-1325 CRIB	ONSITE	AT	21-Jan-03	ALPHA	0.00167	pCi/m3	0.00052	0.00065			
SESPMNT	B168D2	100 N-1325 CRIB	ONSITE	AT	04-Feb-03	ALPHA	0.0000181	pCi/m3	0.00021	0.00022	U		
SESPMNT	B168D3	100 N-1325 CRIB	ONSITE	AT	18-Feb-03	ALPHA	0.000451	pCi/m3	0.00038	0.0004			
SESPMNT	B168D4	100 N-1325 CRIB	ONSITE	AT	03-Mar-03	ALPHA	0.000463	pCi/m3	0.00035	0.00037			
SESPMNT	B168D5	100 N-1325 CRIB	ONSITE	AT	18-Mar-03	ALPHA	0.000201	pCi/m3	0.00024	0.00025	U		
SESPMNT	B168D6	100 N-1325 CRIB	ONSITE	AT	31-Mar-03	ALPHA	0.000308	pCi/m3	0.00029	0.00031			
SESPMNT	B16PR3	100 N-1325 CRIB	ONSITE	AT	15-Apr-03	ALPHA	0.000777	pCi/m3	0.00035	0.0004			
SESPMNT	B16PR4	100 N-1325 CRIB	ONSITE	AT	29-Apr-03	ALPHA	0.000627	pCi/m3	0.00036	0.0004			
SESPMNT	B16PR5	100 N-1325 CRIB	ONSITE	AT	12-May-03	ALPHA	0.000622	pCi/m3	0.00036	0.0004			
SESPMNT	B16PR6	100 N-1325 CRIB	ONSITE	AT	29-May-03	ALPHA	0.000534	pCi/m3	0.00029	0.00033			
SESPMNT	B16PR7	100 N-1325 CRIB	ONSITE	AT	11-Jun-03	ALPHA	0.00103	pCi/m3	0.00043	0.0005			
SESPMNT	B16PR8	100 N-1325 CRIB	ONSITE	AT	24-Jun-03	ALPHA	0.000385	pCi/m3	0.00032	0.00034			
SESPMNT	B16PR9	100 N-1325 CRIB	ONSITE	AT	08-Jul-03	ALPHA	0.000473	pCi/m3	0.00036	0.00038			
SESPMNT	B175N1	100 N-1325 CRIB	ONSITE	AT	22-Jul-03	ALPHA	0.000649	pCi/m3	0.00036	0.0004			
SESPMNT	B175N2	100 N-1325 CRIB	ONSITE	AT	04-Aug-03	ALPHA	0.000657	pCi/m3	0.00039	0.00042			
SESPMNT	B175N3	100 N-1325 CRIB	ONSITE	AT	18-Aug-03	ALPHA	0.000647	pCi/m3	0.00043	0.00047			
SESPMNT	B175N4	100 N-1325 CRIB	ONSITE	AT	02-Sep-03	ALPHA	0.00126	pCi/m3	0.00042	0.0005			
SESPMNT	B175N5	100 N-1325 CRIB	ONSITE	AT	15-Sep-03	ALPHA	0.000693	pCi/m3	0.00037	0.00041			
SESPMNT	B175N6	100 N-1325 CRIB	ONSITE	AT	01-Oct-03	ALPHA	0.000539	pCi/m3	0.00031	0.00034			
SESPMNT	B17P90	100 N-1325 CRIB	ONSITE	AT	13-Oct-03	ALPHA	0.00106	pCi/m3	0.00048	0.00055			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17P91	100 N-1325 CRIB	ONSITE	AT	28-Oct-03	ALPHA	0.00104	pCi/m3	0.0004	0.00047			
SESPMNT	B17P92	100 N-1325 CRIB	ONSITE	AT	11-Nov-03	ALPHA	0.000514	pCi/m3	0.00035	0.00037			
SESPMNT	B17P93	100 N-1325 CRIB	ONSITE	AT	24-Nov-03	ALPHA	0.00105	pCi/m3	0.00046	0.00052			
SESPMNT	B17P94	100 N-1325 CRIB	ONSITE	AT	11-Dec-03	ALPHA	0.000425	pCi/m3	0.00027	0.00029			
SESPMNT	B17P95	100 N-1325 CRIB	ONSITE	AT	22-Dec-03	ALPHA	0.000269	pCi/m3	0.00034	0.00035	U		
SESPMNT	B17P96	100 N-1325 CRIB	ONSITE	AT	06-Jan-04	ALPHA	0.000328	pCi/m3	0.0003	0.00032			
SESPMNT	B168F4	200 ESE	ONSITE	AT	14-Jan-03	ALPHA	0.000312	pCi/m3	0.00032	0.00033	U		
SESPMNT	B168F5	200 ESE	ONSITE	AT	28-Jan-03	ALPHA	0.000676	pCi/m3	0.00037	0.00041			
SESPMNT	B168F6	200 ESE	ONSITE	AT	11-Feb-03	ALPHA	0.000178	pCi/m3	0.00029	0.0003	U		
SESPMNT	B168F7	200 ESE	ONSITE	AT	25-Feb-03	ALPHA	0.00113	pCi/m3	0.00043	0.00052			
SESPMNT	B168F8	200 ESE	ONSITE	AT	10-Mar-03	ALPHA	0.00151	pCi/m3	0.00045	0.00058			
SESPMNT	B168F9	200 ESE	ONSITE	AT	26-Mar-03	ALPHA	0.000379	pCi/m3	0.00028	0.0003			
SESPMNT	B168H0	200 ESE	ONSITE	AT	08-Apr-03	ALPHA	0.000557	pCi/m3	0.00034	0.00037			
SESPMNT	B16PT8	200 ESE	ONSITE	AT	21-Apr-03	ALPHA	0.000531	pCi/m3	0.00035	0.00038			
SESPMNT	B16PT9	200 ESE	ONSITE	AT	06-May-03	ALPHA	0.000556	pCi/m3	0.00032	0.00035			
SESPMNT	B16PV0	200 ESE	ONSITE	AT	20-May-03	ALPHA	0.00145	pCi/m3	0.00046	0.00058			
SESPMNT	B16PV1	200 ESE	ONSITE	AT	02-Jun-03	ALPHA	0.000786	pCi/m3	0.00039	0.00044			
SESPMNT	B16PV2	200 ESE	ONSITE	AT	17-Jun-03	ALPHA	0.00138	pCi/m3	0.00045	0.00056			
SESPMNT	B16PV3	200 ESE	ONSITE	AT	30-Jun-03	ALPHA	0.00024	pCi/m3	0.00039	0.0004	U		
SESPMNT	B175P4	200 ESE	ONSITE	AT	15-Jul-03	ALPHA	0.000577	pCi/m3	0.00034	0.00037			
SESPMNT	B175P5	200 ESE	ONSITE	AT	29-Jul-03	ALPHA	0.00209	pCi/m3	0.00054	0.00073			
SESPMNT	B175P6	200 ESE	ONSITE	AT	12-Aug-03	ALPHA	0.000376	pCi/m3	0.00032	0.00034			
SESPMNT	B175P7	200 ESE	ONSITE	AT	25-Aug-03	ALPHA	0.000831	pCi/m3	0.00037	0.00042			
SESPMNT	B175P8	200 ESE	ONSITE	AT	10-Sep-03	ALPHA	0.000623	pCi/m3	0.00032	0.00036			
SESPMNT	B175P9	200 ESE	ONSITE	AT	22-Sep-03	ALPHA	0.0006	pCi/m3	0.00037	0.0004			
SESPMNT	B175R0	200 ESE	ONSITE	AT	07-Oct-03	ALPHA	0.00133	pCi/m3	0.00046	0.00056			
SESPMNT	B17PB5	200 ESE	ONSITE	AT	21-Oct-03	ALPHA	0.000467	pCi/m3	0.00032	0.00034			
SESPMNT	B17PB6	200 ESE	ONSITE	AT	05-Nov-03	ALPHA						NO SAMPLE. BAD REGULATOR, UNKNOWN FLOW.	
SESPMNT	B17PB7	200 ESE	ONSITE	AT	18-Nov-03	ALPHA	0.0015	pCi/m3	0.00051	0.00062			
SESPMNT	B17PB8	200 ESE	ONSITE	AT	01-Dec-03	ALPHA	0.000914	pCi/m3	0.0004	0.00046			
SESPMNT	B17PB9	200 ESE	ONSITE	AT	17-Dec-03	ALPHA	0.000637	pCi/m3	0.00032	0.00036			
SESPMNT	B17PC0	200 ESE	ONSITE	AT	30-Dec-03	ALPHA	0.000228	pCi/m3	0.00032	0.00033	U		
SESPMNT	B168K4	200 TEL. EXCHANGE	ONSITE	AT	14-Jan-03	ALPHA	0.00066	pCi/m3	0.00038	0.00042			
SESPMNT	B168K5	200 TEL. EXCHANGE	ONSITE	AT	28-Jan-03	ALPHA	0.000464	pCi/m3	0.00034	0.00036			
SESPMNT	B168K6	200 TEL. EXCHANGE	ONSITE	AT	11-Feb-03	ALPHA	0.000164	pCi/m3	0.00028	0.00029	U		
SESPMNT	B168K7	200 TEL. EXCHANGE	ONSITE	AT	25-Feb-03	ALPHA	0.000921	pCi/m3	0.00041	0.00047			
SESPMNT	B168K8	200 TEL. EXCHANGE	ONSITE	AT	10-Mar-03	ALPHA	0.00136	pCi/m3	0.00046	0.00057			
SESPMNT	B168K9	200 TEL. EXCHANGE	ONSITE	AT	26-Mar-03	ALPHA	0.000478	pCi/m3	0.00028	0.00031			
SESPMNT	B168L0	200 TEL. EXCHANGE	ONSITE	AT	08-Apr-03	ALPHA	0.000379	pCi/m3	0.00032	0.00034	U		
SESPMNT	B16PX4	200 TEL. EXCHANGE	ONSITE	AT	21-Apr-03	ALPHA	0.0014	pCi/m3	0.00049	0.0006			
SESPMNT	B16PX5	200 TEL. EXCHANGE	ONSITE	AT	06-May-03	ALPHA	0.000765	pCi/m3	0.00036	0.00041			
SESPMNT	B16PX6	200 TEL. EXCHANGE	ONSITE	AT	20-May-03	ALPHA	0.000845	pCi/m3	0.00038	0.00044			
SESPMNT	B16PX7	200 TEL. EXCHANGE	ONSITE	AT	02-Jun-03	ALPHA	0.00099	pCi/m3	0.00042	0.00049			
SESPMNT	B16PX8	200 TEL. EXCHANGE	ONSITE	AT	17-Jun-03	ALPHA	0.000557	pCi/m3	0.00032	0.00036			
SESPMNT	B16PX9	200 TEL. EXCHANGE	ONSITE	AT	30-Jun-03	ALPHA	0.000665	pCi/m3	0.00038	0.00042			
SESPMNT	B175V4	200 TEL. EXCHANGE	ONSITE	AT	15-Jul-03	ALPHA	0.000321	pCi/m3	0.00028	0.0003			
SESPMNT	B175V5	200 TEL. EXCHANGE	ONSITE	AT	29-Jul-03	ALPHA	0.00255	pCi/m3	0.00058	0.00084			
SESPMNT	B175V6	200 TEL. EXCHANGE	ONSITE	AT	12-Aug-03	ALPHA	0.000428	pCi/m3	0.00031	0.00034			
SESPMNT	B175V7	200 TEL. EXCHANGE	ONSITE	AT	25-Aug-03	ALPHA	0.000826	pCi/m3	0.00037	0.00041			
SESPMNT	B175V8	200 TEL. EXCHANGE	ONSITE	AT	10-Sep-03	ALPHA	0.000729	pCi/m3	0.00034	0.00039			
SESPMNT	B175V9	200 TEL. EXCHANGE	ONSITE	AT	22-Sep-03	ALPHA	0.00112	pCi/m3	0.00045	0.00052			
SESPMNT	B175W0	200 TEL. EXCHANGE	ONSITE	AT	07-Oct-03	ALPHA	0.00101	pCi/m3	0.00041	0.00048			
SESPMNT	B17PF1	200 TEL. EXCHANGE	ONSITE	AT	21-Oct-03	ALPHA	0.000417	pCi/m3	0.00031	0.00033			
SESPMNT	B17PF2	200 TEL. EXCHANGE	ONSITE	AT	05-Nov-03	ALPHA	0.000768	pCi/m3	0.00035	0.0004			
SESPMNT	B17PF3	200 TEL. EXCHANGE	ONSITE	AT	18-Nov-03	ALPHA	0.00098	pCi/m3	0.00048	0.00054			
SESPMNT	B17PF4	200 TEL. EXCHANGE	ONSITE	AT	01-Dec-03	ALPHA	0.000641	pCi/m3	0.00037	0.0004			
SESPMNT	B17PF5	200 TEL. EXCHANGE	ONSITE	AT	17-Dec-03	ALPHA	0.000514	pCi/m3	0.0003	0.00033			
SESPMNT	B17PF6	200 TEL. EXCHANGE	ONSITE	AT	30-Dec-03	ALPHA	0.00051	pCi/m3	0.00037	0.0004			
SESPMNT	B168L9	200 W SE	ONSITE	AT	14-Jan-03	ALPHA	0.000397	pCi/m3	0.00032	0.00034			
SESPMNT	B168M0	200 W SE	ONSITE	AT	28-Jan-03	ALPHA	-0.0000314	pCi/m3	0.00019	0.00019	U		
SESPMNT	B168M1	200 W SE	ONSITE	AT	11-Feb-03	ALPHA	0.00102	pCi/m3	0.00048	0.00055			
SESPMNT	B168M2	200 W SE	ONSITE	AT	25-Feb-03	ALPHA	0.000186	pCi/m3	0.00029	0.00029	U		
SESPMNT	B168M3	200 W SE	ONSITE	AT	10-Mar-03	ALPHA	0.001	pCi/m3	0.00038	0.00046			
SESPMNT	B168M4	200 W SE	ONSITE	AT	26-Mar-03	ALPHA	0.00029	pCi/m3	0.00025	0.00027			
SESPMNT	B168M5	200 W SE	ONSITE	AT	08-Apr-03	ALPHA	0.000379	pCi/m3	0.00031	0.00033			
SESPMNT	B16PY7	200 W SE	ONSITE	AT	21-Apr-03	ALPHA	0.000531	pCi/m3	0.00035	0.00038			
SESPMNT	B16PY8	200 W SE	ONSITE	AT	06-May-03	ALPHA	0.000801	pCi/m3	0.00035	0.00041			
SESPMNT	B16PY9	200 W SE	ONSITE	AT	20-May-03	ALPHA	0.000347	pCi/m3	0.00029	0.00031			
SESPMNT	B16R00	200 W SE	ONSITE	AT	02-Jun-03	ALPHA	0.000576	pCi/m3	0.00036	0.0004			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16R01	200 W SE	ONSITE	AT	17-Jun-03	ALPHA	0.000269	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16R02	200 W SE	ONSITE	AT	30-Jun-03	ALPHA	0.000523	pCi/m3	0.00036	0.00039			
SESPMNT	B175W9	200 W SE	ONSITE	AT	15-Jul-03	ALPHA	0.000366	pCi/m3	0.00028	0.0003			
SESPMNT	B175X0	200 W SE	ONSITE	AT	29-Jul-03	ALPHA	0.000604	pCi/m3	0.00034	0.00038			
SESPMNT	B175X1	200 W SE	ONSITE	AT	12-Aug-03	ALPHA	0.000589	pCi/m3	0.00036	0.00039			
SESPMNT	B175X2	200 W SE	ONSITE	AT	25-Aug-03	ALPHA	0.000633	pCi/m3	0.00034	0.00037			
SESPMNT	B175X3	200 W SE	ONSITE	AT	10-Sep-03	ALPHA	0.00104	pCi/m3	0.00038	0.00046			
SESPMNT	B175X4	200 W SE	ONSITE	AT	22-Sep-03	ALPHA	0.000844	pCi/m3	0.00042	0.00047			
SESPMNT	B175X5	200 W SE	ONSITE	AT	07-Oct-03	ALPHA	0.000856	pCi/m3	0.0004	0.00046			
SESPMNT	B17PH4	200 W SE	ONSITE	AT	21-Oct-03	ALPHA	0.000365	pCi/m3	0.0003	0.00032			
SESPMNT	B17PH5	200 W SE	ONSITE	AT	05-Nov-03	ALPHA	0.000377	pCi/m3	0.00029	0.00031			
SESPMNT	B17PH6	200 W SE	ONSITE	AT	18-Nov-03	ALPHA	0.00136	pCi/m3	0.00052	0.00062			
SESPMNT	B17PH7	200 W SE	ONSITE	AT	01-Dec-03	ALPHA	0.000519	pCi/m3	0.00034	0.00037			
SESPMNT	B17PH8	200 W SE	ONSITE	AT	17-Dec-03	ALPHA	0.000193	pCi/m3	0.00026	0.00027	U		
SESPMNT	B17PH9	200 W SE	ONSITE	AT	30-Dec-03	ALPHA	0.000347	pCi/m3	0.00033	0.00035	U		
SESPMNT	B167W1	300 NE	ONSITE	AT	22-Jan-03	ALPHA	0.000828	pCi/m3	0.0004	0.00045			
SESPMNT	B167W2	300 NE	ONSITE	AT	05-Feb-03	ALPHA	0.0000592	pCi/m3	0.00021	0.00021	U		
SESPMNT	B167W3	300 NE	ONSITE	AT	19-Feb-03	ALPHA						NO SAMPLE. NO FLOW, DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B167W4	300 NE	ONSITE	AT	05-Mar-03	ALPHA	0.000283	pCi/m3	0.0003	0.00032	U		
SESPMNT	B167W5	300 NE	ONSITE	AT	20-Mar-03	ALPHA	0.00027	pCi/m3	0.00026	0.00027	U		
SESPMNT	B167W6	300 NE	ONSITE	AT	02-Apr-03	ALPHA	0.000438	pCi/m3	0.00032	0.00035			
SESPMNT	B16P74	300 NE	ONSITE	AT	15-Apr-03	ALPHA	0.000451	pCi/m3	0.00033	0.00036			
SESPMNT	B16P75	300 NE	ONSITE	AT	30-Apr-03	ALPHA	0.000721	pCi/m3	0.00035	0.0004			
SESPMNT	B16P76	300 NE	ONSITE	AT	13-May-03	ALPHA	0.000766	pCi/m3	0.00039	0.00044			
SESPMNT	B16P77	300 NE	ONSITE	AT	28-May-03	ALPHA	0.000272	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16P78	300 NE	ONSITE	AT	12-Jun-03	ALPHA						NO SAMPLE. HOSE DISCONNECTED. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B16P79	300 NE	ONSITE	AT	25-Jun-03	ALPHA	0.000727	pCi/m3	0.00035	0.00039			
SESPMNT	B16P80	300 NE	ONSITE	AT	10-Jul-03	ALPHA	0.000413	pCi/m3	0.00029	0.00032			
SESPMNT	B17555	300 NE	ONSITE	AT	23-Jul-03	ALPHA	0.000225	pCi/m3	0.0003	0.00031	U		
SESPMNT	B17556	300 NE	ONSITE	AT	08-Aug-03	ALPHA	0.00056	pCi/m3	0.00033	0.00036			
SESPMNT	B17557	300 NE	ONSITE	AT	20-Aug-03	ALPHA	0.00111	pCi/m3	0.00047	0.00054			
SESPMNT	B17558	300 NE	ONSITE	AT	03-Sep-03	ALPHA	0.000911	pCi/m3	0.0004	0.00046			
SESPMNT	B17559	300 NE	ONSITE	AT	17-Sep-03	ALPHA	0.000658	pCi/m3	0.00037	0.00041			
SESPMNT	B17560	300 NE	ONSITE	AT	30-Sep-03	ALPHA	0.000626	pCi/m3	0.00038	0.00041			
SESPMNT	B17NR5	300 NE	ONSITE	AT	15-Oct-03	ALPHA	0.00111	pCi/m3	0.00043	0.0005			
SESPMNT	B17NR6	300 NE	ONSITE	AT	29-Oct-03	ALPHA	0.000579	pCi/m3	0.00035	0.00038			
SESPMNT	B17NR7	300 NE	ONSITE	AT	12-Nov-03	ALPHA	0.0012	pCi/m3	0.00045	0.00053			
SESPMNT	B17NR8	300 NE	ONSITE	AT	25-Nov-03	ALPHA	0.00102	pCi/m3	0.00044	0.00051			
SESPMNT	B17NR9	300 NE	ONSITE	AT	12-Dec-03	ALPHA	0.00123	pCi/m3	0.00039	0.00049		CONSTRUCTION IN AREA.	
SESPMNT	B17NT0	300 NE	ONSITE	AT	23-Dec-03	ALPHA	0.00121	pCi/m3	0.00049	0.00056			
SESPMNT	B17NT1	300 NE	ONSITE	AT	08-Jan-04	ALPHA	0.000292	pCi/m3	0.00028	0.0003	U		
SESPMNT	B168N3	300 SOUTH GATE	ONSITE	AT	22-Jan-03	ALPHA	0.00128	pCi/m3	0.00049	0.00059			
SESPMNT	B168N4	300 SOUTH GATE	ONSITE	AT	05-Feb-03	ALPHA	0.000242	pCi/m3	0.00028	0.00029	U		
SESPMNT	B168N5	300 SOUTH GATE	ONSITE	AT	19-Feb-03	ALPHA	0.000633	pCi/m3	0.00038	0.00042			
SESPMNT	B168N6	300 SOUTH GATE	ONSITE	AT	05-Mar-03	ALPHA	0.00064	pCi/m3	0.00037	0.00041			
SESPMNT	B168N7	300 SOUTH GATE	ONSITE	AT	20-Mar-03	ALPHA	0.00039	pCi/m3	0.00028	0.0003			
SESPMNT	B168N8	300 SOUTH GATE	ONSITE	AT	02-Apr-03	ALPHA	0.000703	pCi/m3	0.00037	0.00041			
SESPMNT	B16R11	300 SOUTH GATE	ONSITE	AT	15-Apr-03	ALPHA	0.000281	pCi/m3	0.00029	0.0003	U		
SESPMNT	B16R12	300 SOUTH GATE	ONSITE	AT	30-Apr-03	ALPHA	0.000183	pCi/m3	0.00026	0.00027	U		
SESPMNT	B16R13	300 SOUTH GATE	ONSITE	AT	13-May-03	ALPHA	0.000818	pCi/m3	0.00041	0.00046			
SESPMNT	B16R14	300 SOUTH GATE	ONSITE	AT	28-May-03	ALPHA	0.000503	pCi/m3	0.00031	0.00034			
SESPMNT	B16R15	300 SOUTH GATE	ONSITE	AT	12-Jun-03	ALPHA	0.000447	pCi/m3	0.00031	0.00033			
SESPMNT	B16R16	300 SOUTH GATE	ONSITE	AT	25-Jun-03	ALPHA	0.000635	pCi/m3	0.00033	0.00036			
SESPMNT	B16R17	300 SOUTH GATE	ONSITE	AT	10-Jul-03	ALPHA	0.00039	pCi/m3	0.0003	0.00032			
SESPMNT	B175Y3	300 SOUTH GATE	ONSITE	AT	23-Jul-03	ALPHA	0.000578	pCi/m3	0.00036	0.00039			
SESPMNT	B175Y4	300 SOUTH GATE	ONSITE	AT	08-Aug-03	ALPHA	0.000552	pCi/m3	0.00032	0.00035			
SESPMNT	B175Y5	300 SOUTH GATE	ONSITE	AT	20-Aug-03	ALPHA	0.00177	pCi/m3	0.00052	0.00067			
SESPMNT	B175Y6	300 SOUTH GATE	ONSITE	AT	03-Sep-03	ALPHA	0.000592	pCi/m3	0.00034	0.00038			
SESPMNT	B175Y7	300 SOUTH GATE	ONSITE	AT	17-Sep-03	ALPHA	0.00051	pCi/m3	0.00033	0.00036			
SESPMNT	B175Y8	300 SOUTH GATE	ONSITE	AT	30-Sep-03	ALPHA	0.000939	pCi/m3	0.00042	0.00048			
SESPMNT	B17PJ8	300 SOUTH GATE	ONSITE	AT	15-Oct-03	ALPHA	0.00074	pCi/m3	0.00038	0.00042			
SESPMNT	B17PJ9	300 SOUTH GATE	ONSITE	AT	29-Oct-03	ALPHA	0.000213	pCi/m3	0.00028	0.00029	U		
SESPMNT	B17PK0	300 SOUTH GATE	ONSITE	AT	12-Nov-03	ALPHA	0.00152	pCi/m3	0.00048	0.00059			
SESPMNT	B17PK1	300 SOUTH GATE	ONSITE	AT	25-Nov-03	ALPHA	0.000644	pCi/m3	0.00038	0.00042			
SESPMNT	B17PK2	300 SOUTH GATE	ONSITE	AT	12-Dec-03	ALPHA	0.000581	pCi/m3	0.0003	0.00034			
SESPMNT	B17PK3	300 SOUTH GATE	ONSITE	AT	23-Dec-03	ALPHA	0.000559	pCi/m3	0.00037	0.00039			
SESPMNT	B17PK4	300 SOUTH GATE	ONSITE	AT	08-Jan-04	ALPHA	0.000574	pCi/m3	0.00033	0.00036			
SESPMNT	B168N9	300 SOUTH WEST	ONSITE	AT	22-Jan-03	ALPHA	0.00058	pCi/m3	0.00037	0.0004			
SESPMNT	B168P0	300 SOUTH WEST	ONSITE	AT	05-Feb-03	ALPHA	0.000191	pCi/m3	0.00024	0.00025	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168P1	300 SOUTH WEST	ONSITE	AT	19-Feb-03	ALPHA	0.000569	pCi/m3	0.0004	0.00043			
SESPMNT	B168P2	300 SOUTH WEST	ONSITE	AT	05-Mar-03	ALPHA	0.000702	pCi/m3	0.00038	0.00042			
SESPMNT	B168P3	300 SOUTH WEST	ONSITE	AT	20-Mar-03	ALPHA	0.000239	pCi/m3	0.00025	0.00026	U		
SESPMNT	B168P4	300 SOUTH WEST	ONSITE	AT	02-Apr-03	ALPHA	0.001	pCi/m3	0.00042	0.00049			
SESPMNT	B16R18	300 SOUTH WEST	ONSITE	AT	15-Apr-03	ALPHA	0.000611	pCi/m3	0.00035	0.00039			
SESPMNT	B16R19	300 SOUTH WEST	ONSITE	AT	30-Apr-03	ALPHA	0.000454	pCi/m3	0.00031	0.00034			
SESPMNT	B16R20	300 SOUTH WEST	ONSITE	AT	13-May-03	ALPHA	0.00262	pCi/m3	0.00062	0.00088			
SESPMNT	B16R21	300 SOUTH WEST	ONSITE	AT	28-May-03	ALPHA	0.000154	pCi/m3	0.00025	0.00026	U		
SESPMNT	B16R22	300 SOUTH WEST	ONSITE	AT	12-Jun-03	ALPHA	0.000753	pCi/m3	0.00036	0.00041			
SESPMNT	B16R23	300 SOUTH WEST	ONSITE	AT	25-Jun-03	ALPHA	0.000282	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16R24	300 SOUTH WEST	ONSITE	AT	10-Jul-03	ALPHA	0.000558	pCi/m3	0.00032	0.00036			
SESPMNT	B175Y9	300 SOUTH WEST	ONSITE	AT	23-Jul-03	ALPHA	0.000724	pCi/m3	0.00039	0.00043			
SESPMNT	B17600	300 SOUTH WEST	ONSITE	AT	08-Aug-03	ALPHA	0.000568	pCi/m3	0.00032	0.00035			
SESPMNT	B17601	300 SOUTH WEST	ONSITE	AT	20-Aug-03	ALPHA	0.00033	pCi/m3	0.00034	0.00036	U		
SESPMNT	B17602	300 SOUTH WEST	ONSITE	AT	03-Sep-03	ALPHA	0.000629	pCi/m3	0.00035	0.00039			
SESPMNT	B17603	300 SOUTH WEST	ONSITE	AT	17-Sep-03	ALPHA	0.000527	pCi/m3	0.00035	0.00037			
SESPMNT	B17604	300 SOUTH WEST	ONSITE	AT	30-Sep-03	ALPHA	0.000974	pCi/m3	0.00043	0.00049			
SESPMNT	B17PK5	300 SOUTH WEST	ONSITE	AT	15-Oct-03	ALPHA	0.000899	pCi/m3	0.00039	0.00045			
SESPMNT	B17PK6	300 SOUTH WEST	ONSITE	AT	29-Oct-03	ALPHA	0.000448	pCi/m3	0.00033	0.00036			
SESPMNT	B17PK7	300 SOUTH WEST	ONSITE	AT	12-Nov-03	ALPHA	0.00133	pCi/m3	0.00046	0.00055			
SESPMNT	B17PK8	300 SOUTH WEST	ONSITE	AT	25-Nov-03	ALPHA	0.000552	pCi/m3	0.00037	0.0004			
SESPMNT	B17PK9	300 SOUTH WEST	ONSITE	AT	12-Dec-03	ALPHA	0.000583	pCi/m3	0.0003	0.00034			
SESPMNT	B17PL0	300 SOUTH WEST	ONSITE	AT	23-Dec-03	ALPHA	0.000625	pCi/m3	0.0004	0.00042			
SESPMNT	B17PL1	300 SOUTH WEST	ONSITE	AT	08-Jan-04	ALPHA	0.00044	pCi/m3	0.0003	0.00033			
SESPMNT	B167V5	300 TRENCH	ONSITE	AT	22-Jan-03	ALPHA	0.000563	pCi/m3	0.00037	0.0004			
SESPMNT	B167V6	300 TRENCH	ONSITE	AT	05-Feb-03	ALPHA	0.000152	pCi/m3	0.00025	0.00025	U		
SESPMNT	B167V7	300 TRENCH	ONSITE	AT	19-Feb-03	ALPHA	0.0004	pCi/m3	0.00038	0.0004	U		
SESPMNT	B167V8	300 TRENCH	ONSITE	AT	05-Mar-03	ALPHA	0.000761	pCi/m3	0.00038	0.00043			
SESPMNT	B167V9	300 TRENCH	ONSITE	AT	20-Mar-03	ALPHA	0.000516	pCi/m3	0.00034	0.00037			
SESPMNT	B167W0	300 TRENCH	ONSITE	AT	02-Apr-03	ALPHA	0.000365	pCi/m3	0.0003	0.00032			
SESPMNT	B16P67	300 TRENCH	ONSITE	AT	15-Apr-03	ALPHA	0.000699	pCi/m3	0.00034	0.00039			
SESPMNT	B16P68	300 TRENCH	ONSITE	AT	30-Apr-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16P69	300 TRENCH	ONSITE	AT	13-May-03	ALPHA	0.000596	pCi/m3	0.00037	0.00041			
SESPMNT	B16P70	300 TRENCH	ONSITE	AT	28-May-03	ALPHA	0.000441	pCi/m3	0.00031	0.00034			
SESPMNT	B16P71	300 TRENCH	ONSITE	AT	12-Jun-03	ALPHA	0.000587	pCi/m3	0.00034	0.00037			
SESPMNT	B16P72	300 TRENCH	ONSITE	AT	25-Jun-03	ALPHA	0.000271	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16P73	300 TRENCH	ONSITE	AT	10-Jul-03	ALPHA	0.000243	pCi/m3	0.00027	0.00028	U		
SESPMNT	B17549	300 TRENCH	ONSITE	AT	23-Jul-03	ALPHA	0.000336	pCi/m3	0.00033	0.00035	U		
SESPMNT	B17550	300 TRENCH	ONSITE	AT	08-Aug-03	ALPHA	0.000365	pCi/m3	0.00029	0.00031			
SESPMNT	B17551	300 TRENCH	ONSITE	AT	20-Aug-03	ALPHA	0.000272	pCi/m3	0.00032	0.00033	U		
SESPMNT	B17552	300 TRENCH	ONSITE	AT	03-Sep-03	ALPHA	0.000579	pCi/m3	0.00034	0.00037			
SESPMNT	B17553	300 TRENCH	ONSITE	AT	17-Sep-03	ALPHA	0.000652	pCi/m3	0.00038	0.00041			
SESPMNT	B17554	300 TRENCH	ONSITE	AT	30-Sep-03	ALPHA	0.000261	pCi/m3	0.00032	0.00034	U		
SESPMNT	B17NP8	300 TRENCH	ONSITE	AT	15-Oct-03	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B17NP9	300 TRENCH	ONSITE	AT	29-Oct-03	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B17NR0	300 TRENCH	ONSITE	AT	12-Nov-03	ALPHA	0.00176	pCi/m3	0.00049	0.00062			
SESPMNT	B17NR1	300 TRENCH	ONSITE	AT	25-Nov-03	ALPHA	0.00065	pCi/m3	0.0004	0.00043			
SESPMNT	B17NR2	300 TRENCH	ONSITE	AT	12-Dec-03	ALPHA	0.00086	pCi/m3	0.00035	0.0004			
SESPMNT	B17NR3	300 TRENCH	ONSITE	AT	23-Dec-03	ALPHA	0.00046	pCi/m3	0.00037	0.00038			
SESPMNT	B17NR4	300 TRENCH	ONSITE	AT	08-Jan-04	ALPHA	0.000486	pCi/m3	0.00031	0.00033			
SESPMNT	B168M7	300 WATER INTAKE	ONSITE	AT	22-Jan-03	ALPHA	0.0012	pCi/m3	0.00048	0.00057			
SESPMNT	B168M8	300 WATER INTAKE	ONSITE	AT	05-Feb-03	ALPHA	0.000288	pCi/m3	0.00028	0.0003	U		
SESPMNT	B168M9	300 WATER INTAKE	ONSITE	AT	19-Feb-03	ALPHA	0.00064	pCi/m3	0.00038	0.00041			
SESPMNT	B168N0	300 WATER INTAKE	ONSITE	AT	05-Mar-03	ALPHA	0.000422	pCi/m3	0.00033	0.00035			
SESPMNT	B168N1	300 WATER INTAKE	ONSITE	AT	20-Mar-03	ALPHA	0.000645	pCi/m3	0.00033	0.00037			
SESPMNT	B168N2	300 WATER INTAKE	ONSITE	AT	02-Apr-03	ALPHA	0.000704	pCi/m3	0.00034	0.00039			
SESPMNT	B16R04	300 WATER INTAKE	ONSITE	AT	15-Apr-03	ALPHA	0.000738	pCi/m3	0.00035	0.0004			
SESPMNT	B16R05	300 WATER INTAKE	ONSITE	AT	30-Apr-03	ALPHA	0.000447	pCi/m3	0.00031	0.00033			
SESPMNT	B16R06	300 WATER INTAKE	ONSITE	AT	13-May-03	ALPHA	0.000717	pCi/m3	0.00038	0.00042			
SESPMNT	B16R07	300 WATER INTAKE	ONSITE	AT	28-May-03	ALPHA	0.000311	pCi/m3	0.00029	0.00031	U		
SESPMNT	B16R08	300 WATER INTAKE	ONSITE	AT	12-Jun-03	ALPHA	0.000217	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16R09	300 WATER INTAKE	ONSITE	AT	25-Jun-03	ALPHA	0.000558	pCi/m3	0.00032	0.00035			
SESPMNT	B16R10	300 WATER INTAKE	ONSITE	AT	10-Jul-03	ALPHA	0.000667	pCi/m3	0.00034	0.00038			
SESPMNT	B175X7	300 WATER INTAKE	ONSITE	AT	23-Jul-03	ALPHA	0.000317	pCi/m3	0.00032	0.00034	U		
SESPMNT	B175X8	300 WATER INTAKE	ONSITE	AT	08-Aug-03	ALPHA	0.000714	pCi/m3	0.00035	0.00039			
SESPMNT	B175X9	300 WATER INTAKE	ONSITE	AT	20-Aug-03	ALPHA	-0.00016	pCi/m3	0.00012	0.00012	U		
SESPMNT	B175Y0	300 WATER INTAKE	ONSITE	AT	03-Sep-03	ALPHA	0.000509	pCi/m3	0.00033	0.00036			
SESPMNT	B175Y1	300 WATER INTAKE	ONSITE	AT	17-Sep-03	ALPHA	0.00062	pCi/m3	0.00035	0.00038			
SESPMNT	B175Y2	300 WATER INTAKE	ONSITE	AT	30-Sep-03	ALPHA	0.00062	pCi/m3	0.00038	0.00041			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PJ1	300 WATER INTAKE	ONSITE	AT	15-Oct-03	ALPHA	0.000988	pCi/m3	0.00041	0.00047			
SESPMNT	B17PJ2	300 WATER INTAKE	ONSITE	AT	29-Oct-03	ALPHA	0.000348	pCi/m3	0.0003	0.00032			
SESPMNT	B17PJ3	300 WATER INTAKE	ONSITE	AT	12-Nov-03	ALPHA	0.00126	pCi/m3	0.00045	0.00053			
SESPMNT	B17PJ4	300 WATER INTAKE	ONSITE	AT	25-Nov-03	ALPHA	0.00055	pCi/m3	0.00039	0.00041			
SESPMNT	B17PJ5	300 WATER INTAKE	ONSITE	AT	12-Dec-03	ALPHA	0.000637	pCi/m3	0.00032	0.00036			
SESPMNT	B17PJ6	300 WATER INTAKE	ONSITE	AT	23-Dec-03	ALPHA	0.000511	pCi/m3	0.00035	0.00037			
SESPMNT	B17PJ7	300 WATER INTAKE	ONSITE	AT	08-Jan-04	ALPHA	0.000442	pCi/m3	0.00031	0.00033			
SESPMNT	B168P6	400 E	ONSITE	AT	21-Jan-03	ALPHA	0.000975	pCi/m3	0.00046	0.00052			
SESPMNT	B168P7	400 E	ONSITE	AT	04-Feb-03	ALPHA	0.000302	pCi/m3	0.00028	0.0003			
SESPMNT	B168P8	400 E	ONSITE	AT	18-Feb-03	ALPHA	0.000791	pCi/m3	0.0004	0.00045			
SESPMNT	B168P9	400 E	ONSITE	AT	03-Mar-03	ALPHA	0.000475	pCi/m3	0.00036	0.00039			
SESPMNT	B168R0	400 E	ONSITE	AT	18-Mar-03	ALPHA	0.000119	pCi/m3	0.00022	0.00022	U		
SESPMNT	B168R1	400 E	ONSITE	AT	31-Mar-03	ALPHA	0.000306	pCi/m3	0.00029	0.0003			
SESPMNT	B16R26	400 E	ONSITE	AT	15-Apr-03	ALPHA	0.000429	pCi/m3	0.0003	0.00032			
SESPMNT	B16R27	400 E	ONSITE	AT	29-Apr-03	ALPHA	0.000714	pCi/m3	0.00036	0.00041			
SESPMNT	B16R28	400 E	ONSITE	AT	12-May-03	ALPHA	0.000821	pCi/m3	0.0004	0.00045			
SESPMNT	B16R29	400 E	ONSITE	AT	29-May-03	ALPHA	0.00025	pCi/m3	0.00025	0.00026	U		
SESPMNT	B16R30	400 E	ONSITE	AT	11-Jun-03	ALPHA	0.00179	pCi/m3	0.00053	0.00069			
SESPMNT	B16R31	400 E	ONSITE	AT	24-Jun-03	ALPHA	0.00121	pCi/m3	0.00045	0.00054			
SESPMNT	B16R32	400 E	ONSITE	AT	08-Jul-03	ALPHA	0.000451	pCi/m3	0.00033	0.00035			
SESPMNT	B17606	400 E	ONSITE	AT	22-Jul-03	ALPHA	0.000852	pCi/m3	0.0004	0.00045			
SESPMNT	B17607	400 E	ONSITE	AT	04-Aug-03	ALPHA	0.000834	pCi/m3	0.00041	0.00046			
SESPMNT	B17608	400 E	ONSITE	AT	18-Aug-03	ALPHA	0.000391	pCi/m3	0.00032	0.00034			
SESPMNT	B17609	400 E	ONSITE	AT	02-Sep-03	ALPHA	0.00207	pCi/m3	0.0005	0.00068			
SESPMNT	B17610	400 E	ONSITE	AT	15-Sep-03	ALPHA	0.00073	pCi/m3	0.00039	0.00043			
SESPMNT	B17611	400 E	ONSITE	AT	01-Oct-03	ALPHA	0.000566	pCi/m3	0.00031	0.00034			
SESPMNT	B17PL3	400 E	ONSITE	AT	13-Oct-03	ALPHA	0.00109	pCi/m3	0.00049	0.00056			
SESPMNT	B17PL4	400 E	ONSITE	AT	28-Oct-03	ALPHA	0.000668	pCi/m3	0.00035	0.00039			
SESPMNT	B17PL5	400 E	ONSITE	AT	11-Nov-03	ALPHA	0.00102	pCi/m3	0.00045	0.00051			
SESPMNT	B17PL6	400 E	ONSITE	AT	24-Nov-03	ALPHA	0.000879	pCi/m3	0.00041	0.00047			
SESPMNT	B17PL7	400 E	ONSITE	AT	11-Dec-03	ALPHA	0.000427	pCi/m3	0.00028	0.0003			
SESPMNT	B17PL8	400 E	ONSITE	AT	22-Dec-03	ALPHA	0.000481	pCi/m3	0.0004	0.00042			
SESPMNT	B17PL9	400 E	ONSITE	AT	06-Jan-04	ALPHA	0.000659	pCi/m3	0.00034	0.00038			
SESPMNT	B168T4	400 N	ONSITE	AT	21-Jan-03	ALPHA	0.000996	pCi/m3	0.00045	0.00051			
SESPMNT	B168T5	400 N	ONSITE	AT	04-Feb-03	ALPHA	0.0000867	pCi/m3	0.00024	0.00024	U		
SESPMNT	B168T6	400 N	ONSITE	AT	18-Feb-03	ALPHA	0.00054	pCi/m3	0.00037	0.0004			
SESPMNT	B168T7	400 N	ONSITE	AT	03-Mar-03	ALPHA	0.000627	pCi/m3	0.00039	0.00042			
SESPMNT	B168T8	400 N	ONSITE	AT	18-Mar-03	ALPHA	0.000855	pCi/m3	0.00021	0.00021	U		
SESPMNT	B168T9	400 N	ONSITE	AT	31-Mar-03	ALPHA	0.0002	pCi/m3	0.00026	0.00027	U		
SESPMNT	B16R47	400 N	ONSITE	AT	15-Apr-03	ALPHA	0.000651	pCi/m3	0.00033	0.00037			
SESPMNT	B16R48	400 N	ONSITE	AT	29-Apr-03	ALPHA	0.000418	pCi/m3	0.00031	0.00033			
SESPMNT	B16R49	400 N	ONSITE	AT	12-May-03	ALPHA	0.000529	pCi/m3	0.00035	0.00038			
SESPMNT	B16R50	400 N	ONSITE	AT	29-May-03	ALPHA	0.000496	pCi/m3	0.00029	0.00032			
SESPMNT	B16R51	400 N	ONSITE	AT	11-Jun-03	ALPHA	0.000685	pCi/m3	0.00038	0.00042			
SESPMNT	B16R52	400 N	ONSITE	AT	24-Jun-03	ALPHA	0.000792	pCi/m3	0.00039	0.00044			
SESPMNT	B16R53	400 N	ONSITE	AT	08-Jul-03	ALPHA	0.000581	pCi/m3	0.00035	0.00038			
SESPMNT	B17624	400 N	ONSITE	AT	22-Jul-03	ALPHA	0.000838	pCi/m3	0.0004	0.00045			
SESPMNT	B17625	400 N	ONSITE	AT	04-Aug-03	ALPHA	0.000374	pCi/m3	0.00034	0.00036	U		
SESPMNT	B17626	400 N	ONSITE	AT	18-Aug-03	ALPHA	0.000287	pCi/m3	0.00029	0.0003	U		
SESPMNT	B17627	400 N	ONSITE	AT	02-Sep-03	ALPHA	0.00136	pCi/m3	0.00042	0.00052			
SESPMNT	B17628	400 N	ONSITE	AT	15-Sep-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17629	400 N	ONSITE	AT	01-Oct-03	ALPHA	0.000101	pCi/m3	0.00025	0.00025	U		
SESPMNT	B17PN4	400 N	ONSITE	AT	13-Oct-03	ALPHA	0.00092	pCi/m3	0.00047	0.00052			
SESPMNT	B17PN5	400 N	ONSITE	AT	28-Oct-03	ALPHA	0.00145	pCi/m3	0.00044	0.00056			
SESPMNT	B17PN6	400 N	ONSITE	AT	11-Nov-03	ALPHA	0.000818	pCi/m3	0.00037	0.00041			
SESPMNT	B17PN7	400 N	ONSITE	AT	24-Nov-03	ALPHA	0.000575	pCi/m3	0.00037	0.0004			
SESPMNT	B17PN8	400 N	ONSITE	AT	11-Dec-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17PN9	400 N	ONSITE	AT	22-Dec-03	ALPHA	0.000315	pCi/m3	0.00034	0.00036	U		
SESPMNT	B17PP0	400 N	ONSITE	AT	06-Jan-04	ALPHA	0.000321	pCi/m3	0.0003	0.00032			
SESPMNT	B168R8	400 S	ONSITE	AT	21-Jan-03	ALPHA	0.00144	pCi/m3	0.00051	0.00062			
SESPMNT	B168R9	400 S	ONSITE	AT	04-Feb-03	ALPHA	0.000294	pCi/m3	0.00028	0.0003	U		
SESPMNT	B168T0	400 S	ONSITE	AT	18-Feb-03	ALPHA	0.000204	pCi/m3	0.00031	0.00032	U		
SESPMNT	B168T1	400 S	ONSITE	AT	03-Mar-03	ALPHA	0.00116	pCi/m3	0.00046	0.00055			
SESPMNT	B168T2	400 S	ONSITE	AT	18-Mar-03	ALPHA	0.000526	pCi/m3	0.0003	0.00033			
SESPMNT	B168T3	400 S	ONSITE	AT	31-Mar-03	ALPHA	0.0018	pCi/m3	0.00052	0.00068			
SESPMNT	B16R40	400 S	ONSITE	AT	15-Apr-03	ALPHA	0.000604	pCi/m3	0.00031	0.00035			
SESPMNT	B16R41	400 S	ONSITE	AT	29-Apr-03	ALPHA	0.000374	pCi/m3	0.0003	0.00032			
SESPMNT	B16R42	400 S	ONSITE	AT	12-May-03	ALPHA	0.000239	pCi/m3	0.00029	0.0003	U		
SESPMNT	B16R43	400 S	ONSITE	AT	29-May-03	ALPHA	0.00045	pCi/m3	0.00028	0.0003			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16R44	400 S	ONSITE	AT	11-Jun-03	ALPHA	0.00102	pCi/m3	0.00043	0.0005			
SESPMNT	B16R45	400 S	ONSITE	AT	24-Jun-03	ALPHA	0.000663	pCi/m3	0.00036	0.0004			
SESPMNT	B16R46	400 S	ONSITE	AT	08-Jul-03	ALPHA	0.0000723	pCi/m3	0.00026	0.00026	U		
SESPMNT	B17618	400 S	ONSITE	AT	22-Jul-03	ALPHA	0.000493	pCi/m3	0.00033	0.00036			
SESPMNT	B17619	400 S	ONSITE	AT	04-Aug-03	ALPHA	0.000953	pCi/m3	0.00041	0.00048			
SESPMNT	B17620	400 S	ONSITE	AT	18-Aug-03	ALPHA	0.000692	pCi/m3	0.00036	0.0004			
SESPMNT	B17621	400 S	ONSITE	AT	02-Sep-03	ALPHA	0.00145	pCi/m3	0.00042	0.00053			
SESPMNT	B17622	400 S	ONSITE	AT	15-Sep-03	ALPHA	0.00166	pCi/m3	0.00051	0.00064			
SESPMNT	B17623	400 S	ONSITE	AT	01-Oct-03	ALPHA	0.000663	pCi/m3	0.00036	0.0004			
SESPMNT	B17PM7	400 S	ONSITE	AT	13-Oct-03	ALPHA						NO SAMPLE. PUMP RUNNING BUT NO FLOW, DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B17PM8	400 S	ONSITE	AT	28-Oct-03	ALPHA	0.000643	pCi/m3	0.00036	0.0004			
SESPMNT	B17PM9	400 S	ONSITE	AT	11-Nov-03	ALPHA	0.00123	pCi/m3	0.00046	0.00053			
SESPMNT	B17PN0	400 S	ONSITE	AT	24-Nov-03	ALPHA	0.000541	pCi/m3	0.00035	0.00038			
SESPMNT	B17PN1	400 S	ONSITE	AT	11-Dec-03	ALPHA	0.000434	pCi/m3	0.00028	0.0003			
SESPMNT	B17PN2	400 S	ONSITE	AT	22-Dec-03	ALPHA	0.000534	pCi/m3	0.00038	0.0004			
SESPMNT	B17PN3	400 S	ONSITE	AT	06-Jan-04	ALPHA	0.000401	pCi/m3	0.00032	0.00034			
SESPMNT	B168R2	400 W	ONSITE	AT	21-Jan-03	ALPHA	0.001	pCi/m3	0.00046	0.00052			
SESPMNT	B168R3	400 W	ONSITE	AT	04-Feb-03	ALPHA	0.000056	pCi/m3	0.00024	0.00024	U		
SESPMNT	B168R4	400 W	ONSITE	AT	18-Feb-03	ALPHA	0.000326	pCi/m3	0.00033	0.00034	U		
SESPMNT	B168R5	400 W	ONSITE	AT	03-Mar-03	ALPHA	0.00056	pCi/m3	0.00037	0.0004			
SESPMNT	B168R6	400 W	ONSITE	AT	18-Mar-03	ALPHA	-0.0000222	pCi/m3	0.0002	0.0002	U		
SESPMNT	B168R7	400 W	ONSITE	AT	31-Mar-03	ALPHA	0.000122	pCi/m3	0.00025	0.00026	U		
SESPMNT	B16R33	400 W	ONSITE	AT	15-Apr-03	ALPHA	0.000852	pCi/m3	0.00035	0.00041			
SESPMNT	B16R34	400 W	ONSITE	AT	29-Apr-03	ALPHA	0.000887	pCi/m3	0.00039	0.00045			
SESPMNT	B16R35	400 W	ONSITE	AT	12-May-03	ALPHA	0.000111	pCi/m3	0.00041	0.00042	U		
SESPMNT	B16R36	400 W	ONSITE	AT	29-May-03	ALPHA	0.000328	pCi/m3	0.00026	0.00028			
SESPMNT	B16R37	400 W	ONSITE	AT	11-Jun-03	ALPHA	0.000412	pCi/m3	0.00033	0.00035			
SESPMNT	B16R38	400 W	ONSITE	AT	24-Jun-03	ALPHA	0.000124	pCi/m3	0.00026	0.00027	U		
SESPMNT	B16R39	400 W	ONSITE	AT	08-Jul-03	ALPHA	0.000474	pCi/m3	0.00033	0.00036			
SESPMNT	B17612	400 W	ONSITE	AT	22-Jul-03	ALPHA	0.00126	pCi/m3	0.00044	0.00053			
SESPMNT	B17613	400 W	ONSITE	AT	04-Aug-03	ALPHA	0.000632	pCi/m3	0.00037	0.00041			
SESPMNT	B17614	400 W	ONSITE	AT	18-Aug-03	ALPHA	0.000537	pCi/m3	0.00033	0.00036			
SESPMNT	B17615	400 W	ONSITE	AT	02-Sep-03	ALPHA	0.00183	pCi/m3	0.00047	0.00062			
SESPMNT	B17616	400 W	ONSITE	AT	15-Sep-03	ALPHA	0.000593	pCi/m3	0.00038	0.00041			
SESPMNT	B17617	400 W	ONSITE	AT	01-Oct-03	ALPHA	0.000224	pCi/m3	0.00027	0.00028	U		
SESPMNT	B17PM0	400 W	ONSITE	AT	13-Oct-03	ALPHA	0.00122	pCi/m3	0.00049	0.00058			
SESPMNT	B17PM1	400 W	ONSITE	AT	28-Oct-03	ALPHA	0.000788	pCi/m3	0.00036	0.00041			
SESPMNT	B17PM2	400 W	ONSITE	AT	11-Nov-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE. HUTCH BLOWN OVER.	
SESPMNT	B17PM3	400 W	ONSITE	AT	24-Nov-03	ALPHA	0.000964	pCi/m3	0.00042	0.00048			
SESPMNT	B17PM4	400 W	ONSITE	AT	11-Dec-03	ALPHA	0.00037	pCi/m3	0.00028	0.0003			
SESPMNT	B17PM5	400 W	ONSITE	AT	22-Dec-03	ALPHA	0.0005	pCi/m3	0.00039	0.00041			
SESPMNT	B17PM6	400 W	ONSITE	AT	06-Jan-04	ALPHA						NO SAMPLE. UNABLE TO GET TO LOCATION DUE TO SNOW.	
SESPMNT	B168J7	ARMY LOOP CAMP	ONSITE	AT	14-Jan-03	ALPHA	0.000547	pCi/m3	0.00036	0.00039			
SESPMNT	B168J8	ARMY LOOP CAMP	ONSITE	AT	28-Jan-03	ALPHA	0.00022	pCi/m3	0.00026	0.00028	U		
SESPMNT	B168J9	ARMY LOOP CAMP	ONSITE	AT	11-Feb-03	ALPHA	0.000204	pCi/m3	0.00027	0.00028	U		
SESPMNT	B168K0	ARMY LOOP CAMP	ONSITE	AT	25-Feb-03	ALPHA	0.00158	pCi/m3	0.00049	0.00062			
SESPMNT	B168K1	ARMY LOOP CAMP	ONSITE	AT	10-Mar-03	ALPHA	0.00085	pCi/m3	0.00035	0.00042			
SESPMNT	B168K2	ARMY LOOP CAMP	ONSITE	AT	26-Mar-03	ALPHA	0.00026	pCi/m3	0.00024	0.00026	U		
SESPMNT	B168K3	ARMY LOOP CAMP	ONSITE	AT	08-Apr-03	ALPHA	0.000457	pCi/m3	0.0003	0.00033			
SESPMNT	B16PW8	ARMY LOOP CAMP	ONSITE	AT	21-Apr-03	ALPHA	0.00121	pCi/m3	0.00046	0.00055			
SESPMNT	B16PW9	ARMY LOOP CAMP	ONSITE	AT	06-May-03	ALPHA	0.000877	pCi/m3	0.00036	0.00043			
SESPMNT	B16PX0	ARMY LOOP CAMP	ONSITE	AT	20-May-03	ALPHA	0.00115	pCi/m3	0.00042	0.00051			
SESPMNT	B16PX1	ARMY LOOP CAMP	ONSITE	AT	02-Jun-03	ALPHA	0.000612	pCi/m3	0.00035	0.00039			
SESPMNT	B16PX2	ARMY LOOP CAMP	ONSITE	AT	17-Jun-03	ALPHA	0.000577	pCi/m3	0.0003	0.00034			
SESPMNT	B16PX3	ARMY LOOP CAMP	ONSITE	AT	30-Jun-03	ALPHA	0.000447	pCi/m3	0.00033	0.00035			
SESPMNT	B175T7	ARMY LOOP CAMP	ONSITE	AT	15-Jul-03	ALPHA	0.000497	pCi/m3	0.00031	0.00034			
SESPMNT	B175T8	ARMY LOOP CAMP	ONSITE	AT	29-Jul-03	ALPHA	0.00104	pCi/m3	0.00041	0.00049			
SESPMNT	B175T9	ARMY LOOP CAMP	ONSITE	AT	12-Aug-03	ALPHA	0.000382	pCi/m3	0.00032	0.00033			
SESPMNT	B175V0	ARMY LOOP CAMP	ONSITE	AT	25-Aug-03	ALPHA	0.00118	pCi/m3	0.00044	0.00051			
SESPMNT	B175V1	ARMY LOOP CAMP	ONSITE	AT	10-Sep-03	ALPHA	0.00094	pCi/m3	0.00037	0.00044			
SESPMNT	B175V2	ARMY LOOP CAMP	ONSITE	AT	22-Sep-03	ALPHA	0.00103	pCi/m3	0.00045	0.00052			
SESPMNT	B175V3	ARMY LOOP CAMP	ONSITE	AT	07-Oct-03	ALPHA	0.00137	pCi/m3	0.00046	0.00056			
SESPMNT	B17PD5	ARMY LOOP CAMP	ONSITE	AT	21-Oct-03	ALPHA	0.00087	pCi/m3	0.00037	0.00043			
SESPMNT	B17PD6	ARMY LOOP CAMP	ONSITE	AT	05-Nov-03	ALPHA	0.000735	pCi/m3	0.00036	0.0004			
SESPMNT	B17PD7	ARMY LOOP CAMP	ONSITE	AT	18-Nov-03	ALPHA	0.000672	pCi/m3	0.00044	0.00047			
SESPMNT	B17PD8	ARMY LOOP CAMP	ONSITE	AT	01-Dec-03	ALPHA	0.000534	pCi/m3	0.00035	0.00038			
SESPMNT	B17PD9	ARMY LOOP CAMP	ONSITE	AT	17-Dec-03	ALPHA	0.000132	pCi/m3	0.00023	0.00023	U		
SESPMNT	B17PF0	ARMY LOOP CAMP	ONSITE	AT	30-Dec-03	ALPHA	0.00017	pCi/m3	0.00029	0.0003	U		
SESPMNT	B168H9	B POND	ONSITE	AT	14-Jan-03	ALPHA	0.000929	pCi/m3	0.00043	0.00049			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168J0	B POND	ONSITE	AT	28-Jan-03	ALPHA	0.000653	pCi/m3	0.00038	0.00042			
SESPMNT	B168J1	B POND	ONSITE	AT	11-Feb-03	ALPHA	0.0000967	pCi/m3	0.00026	0.00027	U		
SESPMNT	B168J2	B POND	ONSITE	AT	25-Feb-03	ALPHA	0.000627	pCi/m3	0.00036	0.0004			
SESPMNT	B168J3	B POND	ONSITE	AT	10-Mar-03	ALPHA	0.001	pCi/m3	0.0004	0.00048			
SESPMNT	B168J4	B POND	ONSITE	AT	26-Mar-03	ALPHA	0.000697	pCi/m3	0.00032	0.00037			
SESPMNT	B168J5	B POND	ONSITE	AT	08-Apr-03	ALPHA	0.000381	pCi/m3	0.00032	0.00034	U		
SESPMNT	B16PW1	B POND	ONSITE	AT	21-Apr-03	ALPHA	0.00069	pCi/m3	0.00039	0.00043			
SESPMNT	B16PW2	B POND	ONSITE	AT	06-May-03	ALPHA	0.000824	pCi/m3	0.00037	0.00042			
SESPMNT	B16PW3	B POND	ONSITE	AT	20-May-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16PW4	B POND	ONSITE	AT	02-Jun-03	ALPHA	0.000544	pCi/m3	0.00035	0.00038			
SESPMNT	B16PW5	B POND	ONSITE	AT	17-Jun-03	ALPHA	0.000228	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16PW6	B POND	ONSITE	AT	30-Jun-03	ALPHA	0.000116	pCi/m3	0.00026	0.00027	U		
SESPMNT	B175R9	B POND	ONSITE	AT	15-Jul-03	ALPHA	0.00011	pCi/m3	0.00023	0.00023	U		
SESPMNT	B175T0	B POND	ONSITE	AT	29-Jul-03	ALPHA	0.0022	pCi/m3	0.00056	0.00077			
SESPMNT	B175T1	B POND	ONSITE	AT	12-Aug-03	ALPHA	0.000748	pCi/m3	0.00038	0.00042			
SESPMNT	B175T2	B POND	ONSITE	AT	25-Aug-03	ALPHA	0.00101	pCi/m3	0.00041	0.00047			
SESPMNT	B175T3	B POND	ONSITE	AT	10-Sep-03	ALPHA	0.000684	pCi/m3	0.00034	0.00038			
SESPMNT	B175T4	B POND	ONSITE	AT	22-Sep-03	ALPHA	0.000652	pCi/m3	0.00037	0.00041			
SESPMNT	B175T5	B POND	ONSITE	AT	07-Oct-03	ALPHA	0.00183	pCi/m3	0.00051	0.00067			
SESPMNT	B17PC8	B POND	ONSITE	AT	21-Oct-03	ALPHA	0.000868	pCi/m3	0.00037	0.00043			
SESPMNT	B17PC9	B POND	ONSITE	AT	05-Nov-03	ALPHA						NO SAMPLE. BAD REGULATOR, UNKNOWN FLOW.	
SESPMNT	B17PD0	B POND	ONSITE	AT	18-Nov-03	ALPHA	0.000832	pCi/m3	0.00046	0.00051			
SESPMNT	B17PD1	B POND	ONSITE	AT	01-Dec-03	ALPHA	0.000768	pCi/m3	0.00039	0.00044			
SESPMNT	B17PD2	B POND	ONSITE	AT	17-Dec-03	ALPHA	0.000635	pCi/m3	0.00033	0.00036			
SESPMNT	B17PD3	B POND	ONSITE	AT	30-Dec-03	ALPHA	0.000168	pCi/m3	0.0003	0.00031	U		
SESPMNT	B16963	BASIN CITY SCHOOL	COMMUNITY	AT	15-Jan-03	ALPHA	0.000931	pCi/m3	0.00041	0.00047			
SESPMNT	B16964	BASIN CITY SCHOOL	COMMUNITY	AT	29-Jan-03	ALPHA	0.000564	pCi/m3	0.00037	0.0004			
SESPMNT	B16965	BASIN CITY SCHOOL	COMMUNITY	AT	12-Feb-03	ALPHA	0.000478	pCi/m3	0.00034	0.00037			
SESPMNT	B16966	BASIN CITY SCHOOL	COMMUNITY	AT	26-Feb-03	ALPHA	0.000783	pCi/m3	0.00037	0.00041			
SESPMNT	B16967	BASIN CITY SCHOOL	COMMUNITY	AT	12-Mar-03	ALPHA	0.000547	pCi/m3	0.00034	0.00037			
SESPMNT	B16968	BASIN CITY SCHOOL	COMMUNITY	AT	26-Mar-03	ALPHA	0.000446	pCi/m3	0.00031	0.00033			
SESPMNT	B16969	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	ALPHA	0.000564	pCi/m3	0.00033	0.00036			
SESPMNT	B16RJ5	BASIN CITY SCHOOL	COMMUNITY	AT	23-Apr-03	ALPHA	0.0004	pCi/m3	0.00032	0.00034			
SESPMNT	B16RJ6	BASIN CITY SCHOOL	COMMUNITY	AT	07-May-03	ALPHA	0.00084	pCi/m3	0.00037	0.00043			
SESPMNT	B16RJ7	BASIN CITY SCHOOL	COMMUNITY	AT	21-May-03	ALPHA	0.00103	pCi/m3	0.00041	0.00048			
SESPMNT	B16RJ8	BASIN CITY SCHOOL	COMMUNITY	AT	04-Jun-03	ALPHA	0.000353	pCi/m3	0.0003	0.00032			
SESPMNT	B16RJ9	BASIN CITY SCHOOL	COMMUNITY	AT	18-Jun-03	ALPHA	0.000575	pCi/m3	0.00035	0.00039			
SESPMNT	B16RK0	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	ALPHA	0.00025	pCi/m3	0.00028	0.0003	U		
SESPMNT	B176F3	BASIN CITY SCHOOL	COMMUNITY	AT	16-Jul-03	ALPHA	0.00124	pCi/m3	0.00045	0.00055			
SESPMNT	B176F4	BASIN CITY SCHOOL	COMMUNITY	AT	30-Jul-03	ALPHA	0.00106	pCi/m3	0.00056	0.00062			
SESPMNT	B176F5	BASIN CITY SCHOOL	COMMUNITY	AT	13-Aug-03	ALPHA	0.000609	pCi/m3	0.00035	0.00039			
SESPMNT	B176F6	BASIN CITY SCHOOL	COMMUNITY	AT	27-Aug-03	ALPHA	0.000397	pCi/m3	0.00032	0.00034			
SESPMNT	B176F7	BASIN CITY SCHOOL	COMMUNITY	AT	10-Sep-03	ALPHA	0.000572	pCi/m3	0.00035	0.00038			
SESPMNT	B176F8	BASIN CITY SCHOOL	COMMUNITY	AT	24-Sep-03	ALPHA	0.000712	pCi/m3	0.00037	0.00041			
SESPMNT	B176F9	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	ALPHA	0.000948	pCi/m3	0.00042	0.00048			
SESPMNT	B17R32	BASIN CITY SCHOOL	COMMUNITY	AT	22-Oct-03	ALPHA	0.000257	pCi/m3	0.00028	0.00029	U		
SESPMNT	B17R33	BASIN CITY SCHOOL	COMMUNITY	AT	05-Nov-03	ALPHA	0.000487	pCi/m3	0.00035	0.00037			
SESPMNT	B17R34	BASIN CITY SCHOOL	COMMUNITY	AT	19-Nov-03	ALPHA	0.00098	pCi/m3	0.00046	0.00052			
SESPMNT	B17R35	BASIN CITY SCHOOL	COMMUNITY	AT	03-Dec-03	ALPHA	0.000731	pCi/m3	0.00042	0.00047			
SESPMNT	B17R36	BASIN CITY SCHOOL	COMMUNITY	AT	17-Dec-03	ALPHA	0.000483	pCi/m3	0.00029	0.00031			
SESPMNT	B17R37	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	ALPHA	0.000605	pCi/m3	0.00036	0.00039			
SESPMNT	B16821	BATTELLE COMPLEX	PERIMETER	AT	22-Jan-03	ALPHA	0.00114	pCi/m3	0.00047	0.00055			
SESPMNT	B16822	BATTELLE COMPLEX	PERIMETER	AT	05-Feb-03	ALPHA	0.000233	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16823	BATTELLE COMPLEX	PERIMETER	AT	19-Feb-03	ALPHA	0.000226	pCi/m3	0.00034	0.00034	U		
SESPMNT	B16824	BATTELLE COMPLEX	PERIMETER	AT	05-Mar-03	ALPHA	0.000528	pCi/m3	0.00034	0.00037			
SESPMNT	B16825	BATTELLE COMPLEX	PERIMETER	AT	20-Mar-03	ALPHA	0.000809	pCi/m3	0.00035	0.00041			
SESPMNT	B16826	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	ALPHA	0.000352	pCi/m3	0.00033	0.00035	U		
SESPMNT	B16PD5	BATTELLE COMPLEX	PERIMETER	AT	16-Apr-03	ALPHA	0.000458	pCi/m3	0.00031	0.00034			
SESPMNT	B16PD6	BATTELLE COMPLEX	PERIMETER	AT	30-Apr-03	ALPHA	0.000808	pCi/m3	0.00039	0.00044			
SESPMNT	B16PD7	BATTELLE COMPLEX	PERIMETER	AT	13-May-03	ALPHA	0.000589	pCi/m3	0.00035	0.00038			
SESPMNT	B16PD8	BATTELLE COMPLEX	PERIMETER	AT	28-May-03	ALPHA	0.000257	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16PD9	BATTELLE COMPLEX	PERIMETER	AT	12-Jun-03	ALPHA	0.000309	pCi/m3	0.00029	0.0003			
SESPMNT	B16PF0	BATTELLE COMPLEX	PERIMETER	AT	25-Jun-03	ALPHA	0.000689	pCi/m3	0.00035	0.00038			
SESPMNT	B16PF1	BATTELLE COMPLEX	PERIMETER	AT	10-Jul-03	ALPHA	0.000329	pCi/m3	0.00029	0.0003			
SESPMNT	B175B5	BATTELLE COMPLEX	PERIMETER	AT	23-Jul-03	ALPHA	0.000266	pCi/m3	0.00031	0.00032	U		
SESPMNT	B175B6	BATTELLE COMPLEX	PERIMETER	AT	08-Aug-03	ALPHA	0.000755	pCi/m3	0.00034	0.00039			
SESPMNT	B175B7	BATTELLE COMPLEX	PERIMETER	AT	20-Aug-03	ALPHA	0.000312	pCi/m3	0.00034	0.00035	U		
SESPMNT	B175B8	BATTELLE COMPLEX	PERIMETER	AT	03-Sep-03	ALPHA	0.000639	pCi/m3	0.00036	0.00039			
SESPMNT	B175B9	BATTELLE COMPLEX	PERIMETER	AT	17-Sep-03	ALPHA	0.00053	pCi/m3	0.00033	0.00036			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175C0	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	ALPHA	0.000639	pCi/m3	0.00038	0.00042			
SESPMNT	B17NY8	BATTELLE COMPLEX	PERIMETER	AT	15-Oct-03	ALPHA	0.000914	pCi/m3	0.0004	0.00046			
SESPMNT	B17NY9	BATTELLE COMPLEX	PERIMETER	AT	29-Oct-03	ALPHA	0.000306	pCi/m3	0.0003	0.00032	U		
SESPMNT	B17P00	BATTELLE COMPLEX	PERIMETER	AT	12-Nov-03	ALPHA	0.00183	pCi/m3	0.00052	0.00066			
SESPMNT	B17P01	BATTELLE COMPLEX	PERIMETER	AT	25-Nov-03	ALPHA	0.000625	pCi/m3	0.00039	0.00042			
SESPMNT	B17P02	BATTELLE COMPLEX	PERIMETER	AT	12-Dec-03	ALPHA	0.000649	pCi/m3	0.00031	0.00035			
SESPMNT	B17P03	BATTELLE COMPLEX	PERIMETER	AT	23-Dec-03	ALPHA	0.000402	pCi/m3	0.00034	0.00035			
SESPMNT	B17P04	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	ALPHA	0.000653	pCi/m3	0.00033	0.00037			
SESPMNT	B175C7	BENTON CITY	COMMUNITY	AT	03-Oct-03	ALPHA	0.000546	pCi/m3	0.00031	0.00034			
SESPMNT	B168Y2	BYERS LANDING	PERIMETER	AT	16-Jan-03	ALPHA	0.000974	pCi/m3	0.00046	0.00052			
SESPMNT	B168Y3	BYERS LANDING	PERIMETER	AT	30-Jan-03	ALPHA	0.000182	pCi/m3	0.0003	0.0003	U		
SESPMNT	B168Y4	BYERS LANDING	PERIMETER	AT	13-Feb-03	ALPHA	0.000676	pCi/m3	0.00038	0.00042			
SESPMNT	B168Y5	BYERS LANDING	PERIMETER	AT	28-Feb-03	ALPHA	0.000883	pCi/m3	0.00037	0.00042			
SESPMNT	B168Y6	BYERS LANDING	PERIMETER	AT	13-Mar-03	ALPHA	0.00128	pCi/m3	0.00047	0.00057			
SESPMNT	B168Y7	BYERS LANDING	PERIMETER	AT	28-Mar-03	ALPHA	0.000581	pCi/m3	0.00037	0.0004			
SESPMNT	B168Y8	BYERS LANDING	PERIMETER	AT	10-Apr-03	ALPHA	0.000419	pCi/m3	0.00033	0.00035			
SESPMNT	B16R84	BYERS LANDING	PERIMETER	AT	25-Apr-03	ALPHA	0.000646	pCi/m3	0.00033	0.00037			
SESPMNT	B16R85	BYERS LANDING	PERIMETER	AT	08-May-03	ALPHA	0.000269	pCi/m3	0.00029	0.00031	U		
SESPMNT	B16R86	BYERS LANDING	PERIMETER	AT	22-May-03	ALPHA	0.000608	pCi/m3	0.00039	0.00043			
SESPMNT	B16R87	BYERS LANDING	PERIMETER	AT	06-Jun-03	ALPHA	0.000607	pCi/m3	0.00034	0.00037			
SESPMNT	B16R88	BYERS LANDING	PERIMETER	AT	19-Jun-03	ALPHA	0.00038	pCi/m3	0.00036	0.00037	U		
SESPMNT	B16R89	BYERS LANDING	PERIMETER	AT	07-Jul-03	ALPHA	0.00043	pCi/m3	0.0003	0.00032			
SESPMNT	B17662	BYERS LANDING	PERIMETER	AT	18-Jul-03	ALPHA	0.000621	pCi/m3	0.00041	0.00044			
SESPMNT	B17663	BYERS LANDING	PERIMETER	AT	31-Jul-03	ALPHA	0.00098	pCi/m3	0.00042	0.00049			
SESPMNT	B17664	BYERS LANDING	PERIMETER	AT	15-Aug-03	ALPHA	0.000302	pCi/m3	0.00029	0.0003			
SESPMNT	B17665	BYERS LANDING	PERIMETER	AT	28-Aug-03	ALPHA	0.000414	pCi/m3	0.00034	0.00036			
SESPMNT	B17666	BYERS LANDING	PERIMETER	AT	12-Sep-03	ALPHA	0.000775	pCi/m3	0.00036	0.00041			
SESPMNT	B17667	BYERS LANDING	PERIMETER	AT	25-Sep-03	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B17668	BYERS LANDING	PERIMETER	AT	10-Oct-03	ALPHA	0.000652	pCi/m3	0.00036	0.0004			
SESPMNT	B17PV1	BYERS LANDING	PERIMETER	AT	23-Oct-03	ALPHA	0.000342	pCi/m3	0.00031	0.00032			
SESPMNT	B17PV2	BYERS LANDING	PERIMETER	AT	07-Nov-03	ALPHA	0.00143	pCi/m3	0.00045	0.00056			
SESPMNT	B17PV3	BYERS LANDING	PERIMETER	AT	21-Nov-03	ALPHA	0.000983	pCi/m3	0.0004	0.00047			
SESPMNT	B17PV4	BYERS LANDING	PERIMETER	AT	05-Dec-03	ALPHA	0.000808	pCi/m3	0.00038	0.00043			
SESPMNT	B17PV5	BYERS LANDING	PERIMETER	AT	19-Dec-03	ALPHA	0.000343	pCi/m3	0.00028	0.00029			
SESPMNT	B17PV6	BYERS LANDING	PERIMETER	AT	05-Jan-04	ALPHA	0.00122	pCi/m3	0.00039	0.00049			
SESPMNT	B168X4	DOGWOOD MET TOWER	PERIMETER	AT	16-Jan-03	ALPHA	0.000507	pCi/m3	0.00038	0.00041			
SESPMNT	B168X5	DOGWOOD MET TOWER	PERIMETER	AT	30-Jan-03	ALPHA	0.000163	pCi/m3	0.00028	0.00029	U		
SESPMNT	B168X6	DOGWOOD MET TOWER	PERIMETER	AT	13-Feb-03	ALPHA	0.000434	pCi/m3	0.00035	0.00037			
SESPMNT	B168X7	DOGWOOD MET TOWER	PERIMETER	AT	28-Feb-03	ALPHA	0.000533	pCi/m3	0.00031	0.00034			
SESPMNT	B168X8	DOGWOOD MET TOWER	PERIMETER	AT	13-Mar-03	ALPHA	0.000613	pCi/m3	0.00036	0.00039			
SESPMNT	B168X9	DOGWOOD MET TOWER	PERIMETER	AT	28-Mar-03	ALPHA	0.000807	pCi/m3	0.00035	0.0004			
SESPMNT	B168Y0	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	ALPHA	0.000892	pCi/m3	0.0004	0.00046			
SESPMNT	B16R77	DOGWOOD MET TOWER	PERIMETER	AT	25-Apr-03	ALPHA	0.00084	pCi/m3	0.00036	0.00042			
SESPMNT	B16R78	DOGWOOD MET TOWER	PERIMETER	AT	08-May-03	ALPHA	0.000914	pCi/m3	0.0004	0.00047			
SESPMNT	B16R79	DOGWOOD MET TOWER	PERIMETER	AT	22-May-03	ALPHA	0.000371	pCi/m3	0.00035	0.00037	U		
SESPMNT	B16R80	DOGWOOD MET TOWER	PERIMETER	AT	06-Jun-03	ALPHA	0.000893	pCi/m3	0.00038	0.00044			
SESPMNT	B16R81	DOGWOOD MET TOWER	PERIMETER	AT	19-Jun-03	ALPHA	0.000686	pCi/m3	0.00038	0.00042			
SESPMNT	B16R82	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	ALPHA	0.000686	pCi/m3	0.00033	0.00037			
SESPMNT	B17654	DOGWOOD MET TOWER	PERIMETER	AT	18-Jul-03	ALPHA	0.000667	pCi/m3	0.00042	0.00046			
SESPMNT	B17655	DOGWOOD MET TOWER	PERIMETER	AT	31-Jul-03	ALPHA	0.00102	pCi/m3	0.00044	0.0005			
SESPMNT	B17656	DOGWOOD MET TOWER	PERIMETER	AT	15-Aug-03	ALPHA	0.000756	pCi/m3	0.00036	0.00041			
SESPMNT	B17657	DOGWOOD MET TOWER	PERIMETER	AT	28-Aug-03	ALPHA	0.00117	pCi/m3	0.00044	0.00053			
SESPMNT	B17658	DOGWOOD MET TOWER	PERIMETER	AT	12-Sep-03	ALPHA	0.000947	pCi/m3	0.00038	0.00045			
SESPMNT	B17659	DOGWOOD MET TOWER	PERIMETER	AT	25-Sep-03	ALPHA	0.00065	pCi/m3	0.00037	0.00041			
SESPMNT	B17660	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	ALPHA	0.000682	pCi/m3	0.00036	0.0004			
SESPMNT	B17PT4	DOGWOOD MET TOWER	PERIMETER	AT	23-Oct-03	ALPHA	0.000272	pCi/m3	0.0003	0.00031	U		
SESPMNT	B17PT5	DOGWOOD MET TOWER	PERIMETER	AT	07-Nov-03	ALPHA	0.00118	pCi/m3	0.00042	0.00051			
SESPMNT	B17PT6	DOGWOOD MET TOWER	PERIMETER	AT	21-Nov-03	ALPHA	0.000443	pCi/m3	0.00034	0.00036			
SESPMNT	B17PT7	DOGWOOD MET TOWER	PERIMETER	AT	05-Dec-03	ALPHA	0.000515	pCi/m3	0.00034	0.00036			
SESPMNT	B17PT8	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-03	ALPHA	0.000451	pCi/m3	0.00028	0.0003		ICE ON FILTER.	
SESPMNT	B17PT9	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	ALPHA	0.000242	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16979	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Jan-03	ALPHA	0.000783	pCi/m3	0.0004	0.00045			
SESPMNT	B16980	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Jan-03	ALPHA	0.000374	pCi/m3	0.00034	0.00036			
SESPMNT	B16981	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Feb-03	ALPHA	0.000273	pCi/m3	0.0003	0.00032	U		
SESPMNT	B16982	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Feb-03	ALPHA	0.000899	pCi/m3	0.00038	0.00044			
SESPMNT	B16983	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Mar-03	ALPHA	0.00117	pCi/m3	0.00043	0.00052			
SESPMNT	B16984	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Mar-03	ALPHA	0.00193	pCi/m3	0.00052	0.0007			
SESPMNT	B16985	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	ALPHA	0.000891	pCi/m3	0.00036	0.00042			
SESPMNT	B16RK9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	23-Apr-03	ALPHA	0.00082	pCi/m3	0.00041	0.00046			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16RL0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-May-03	ALPHA	0.00073	pCi/m3	0.00036	0.0004			
SESPMNT	B16RL1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-May-03	ALPHA	0.000712	pCi/m3	0.00036	0.00041			
SESPMNT	B16RL2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	04-Jun-03	ALPHA	0.000477	pCi/m3	0.00034	0.00036			
SESPMNT	B16RL3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Jun-03	ALPHA	0.000299	pCi/m3	0.00031	0.00032	U		
SESPMNT	B16RL4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	ALPHA	0.000244	pCi/m3	0.00028	0.00029	U		
SESPMNT	B176H9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Jul-03	ALPHA	0.000515	pCi/m3	0.00033	0.00036			
SESPMNT	B176J0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Jul-03	ALPHA	0.000853	pCi/m3	0.00038	0.00043			
SESPMNT	B176J1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Aug-03	ALPHA	0.000435	pCi/m3	0.00032	0.00035			
SESPMNT	B176J2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Aug-03	ALPHA	0.000546	pCi/m3	0.00035	0.00038			
SESPMNT	B176J3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Sep-03	ALPHA	0.000393	pCi/m3	0.00032	0.00033			
SESPMNT	B176J4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-Sep-03	ALPHA	0.000473	pCi/m3	0.00032	0.00034			
SESPMNT	B176J5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	ALPHA	0.000648	pCi/m3	0.00038	0.00042			
SESPMNT	B17R46	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	22-Oct-03	ALPHA	0.00054	pCi/m3	0.00034	0.00037			
SESPMNT	B17R47	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Nov-03	ALPHA	0.00102	pCi/m3	0.00041	0.00048			
SESPMNT	B17R48	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Nov-03	ALPHA	0.000792	pCi/m3	0.00042	0.00046			
SESPMNT	B17R49	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Dec-03	ALPHA	0.00037	pCi/m3	0.00031	0.00032			
SESPMNT	B17R50	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	17-Dec-03	ALPHA	0.000524	pCi/m3	0.00031	0.00033			
SESPMNT	B17R51	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	ALPHA	0.00082	pCi/m3	0.0004	0.00045			
SESPMNT	B16993	HANFORD TOWNSITE	ONSITE	AT	21-Jan-03	ALPHA	0.00115	pCi/m3	0.00047	0.00055			
SESPMNT	B16994	HANFORD TOWNSITE	ONSITE	AT	04-Feb-03	ALPHA	0.000287	pCi/m3	0.00029	0.0003	U		
SESPMNT	B16995	HANFORD TOWNSITE	ONSITE	AT	18-Feb-03	ALPHA	0.000749	pCi/m3	0.0004	0.00044			
SESPMNT	B16996	HANFORD TOWNSITE	ONSITE	AT	03-Mar-03	ALPHA	0.000569	pCi/m3	0.00038	0.00041			
SESPMNT	B16997	HANFORD TOWNSITE	ONSITE	AT	18-Mar-03	ALPHA	0.000134	pCi/m3	0.00022	0.00023	U		
SESPMNT	B16998	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	ALPHA	0.000343	pCi/m3	0.00029	0.00031			
SESPMNT	B16RM3	HANFORD TOWNSITE	ONSITE	AT	15-Apr-03	ALPHA	0.000814	pCi/m3	0.00036	0.00041			
SESPMNT	B16RM4	HANFORD TOWNSITE	ONSITE	AT	29-Apr-03	ALPHA	-0.000162	pCi/m3	0.00019	0.00019	U		
SESPMNT	B16RM5	HANFORD TOWNSITE	ONSITE	AT	12-May-03	ALPHA	0.000304	pCi/m3	0.0003	0.00032	U		
SESPMNT	B16RM6	HANFORD TOWNSITE	ONSITE	AT	29-May-03	ALPHA	0.000398	pCi/m3	0.00027	0.0003			
SESPMNT	B16RM7	HANFORD TOWNSITE	ONSITE	AT	11-Jun-03	ALPHA	0.00174	pCi/m3	0.00052	0.00067			
SESPMNT	B16RM8	HANFORD TOWNSITE	ONSITE	AT	24-Jun-03	ALPHA	0.000798	pCi/m3	0.0004	0.00045			
SESPMNT	B16RM9	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	ALPHA	0.000155	pCi/m3	0.00029	0.0003	U		
SESPMNT	B176K3	HANFORD TOWNSITE	ONSITE	AT	22-Jul-03	ALPHA	0.00056	pCi/m3	0.00033	0.00037			
SESPMNT	B176K4	HANFORD TOWNSITE	ONSITE	AT	04-Aug-03	ALPHA	0.000686	pCi/m3	0.00038	0.00042			
SESPMNT	B176K5	HANFORD TOWNSITE	ONSITE	AT	18-Aug-03	ALPHA	0.000561	pCi/m3	0.00038	0.00041			
SESPMNT	B176K6	HANFORD TOWNSITE	ONSITE	AT	02-Sep-03	ALPHA	0.00154	pCi/m3	0.00045	0.00056			
SESPMNT	B176K7	HANFORD TOWNSITE	ONSITE	AT	15-Sep-03	ALPHA	0.000648	pCi/m3	0.00037	0.00041			
SESPMNT	B176K8	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	ALPHA	0.000683	pCi/m3	0.00033	0.00037			
SESPMNT	B17R60	HANFORD TOWNSITE	ONSITE	AT	13-Oct-03	ALPHA	0.00125	pCi/m3	0.00051	0.00059			
SESPMNT	B17R61	HANFORD TOWNSITE	ONSITE	AT	28-Oct-03	ALPHA	0.000901	pCi/m3	0.00038	0.00044			
SESPMNT	B17R62	HANFORD TOWNSITE	ONSITE	AT	11-Nov-03	ALPHA	0.00104	pCi/m3	0.00044	0.0005			
SESPMNT	B17R63	HANFORD TOWNSITE	ONSITE	AT	24-Nov-03	ALPHA	0.00097	pCi/m3	0.00043	0.0005			
SESPMNT	B17R64	HANFORD TOWNSITE	ONSITE	AT	11-Dec-03	ALPHA	0.000185	pCi/m3	0.00024	0.00024	U		
SESPMNT	B17R65	HANFORD TOWNSITE	ONSITE	AT	22-Dec-03	ALPHA	0.000495	pCi/m3	0.00038	0.0004			
SESPMNT	B17R66	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	ALPHA	0.000388	pCi/m3	0.00029	0.00031			
SESPMNT	B16900	HORN RAPIDS SUBSTA	PERIMETER	AT	23-Jan-03	ALPHA	0.000499	pCi/m3	0.00035	0.00037			
SESPMNT	B16901	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Feb-03	ALPHA	-0.0000494	pCi/m3	0.00019	0.00019	U		
SESPMNT	B16902	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Feb-03	ALPHA	0.000276	pCi/m3	0.00037	0.00038	U		
SESPMNT	B16903	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Mar-03	ALPHA	0.00016	pCi/m3	0.00029	0.0003	U		
SESPMNT	B16904	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Mar-03	ALPHA	0.000676	pCi/m3	0.00032	0.00036			
SESPMNT	B16905	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Apr-03	ALPHA	0.000673	pCi/m3	0.00034	0.00038			
SESPMNT	B16R91	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Apr-03	ALPHA	0.000789	pCi/m3	0.00038	0.00043			
SESPMNT	B16R92	HORN RAPIDS SUBSTA	PERIMETER	AT	01-May-03	ALPHA	0.000483	pCi/m3	0.00035	0.00037			
SESPMNT	B16R93	HORN RAPIDS SUBSTA	PERIMETER	AT	16-May-03	ALPHA	0.000493	pCi/m3	0.0003	0.00033			
SESPMNT	B16R94	HORN RAPIDS SUBSTA	PERIMETER	AT	30-May-03	ALPHA	0.000439	pCi/m3	0.00031	0.00033			
SESPMNT	B16R95	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Jun-03	ALPHA	0.000577	pCi/m3	0.00034	0.00038			
SESPMNT	B16R96	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Jun-03	ALPHA	0.000337	pCi/m3	0.00031	0.00033			
SESPMNT	B16R97	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Jul-03	ALPHA	0.000512	pCi/m3	0.00031	0.00034			
SESPMNT	B17670	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Jul-03	ALPHA	0.000408	pCi/m3	0.00033	0.00035			
SESPMNT	B17671	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Aug-03	ALPHA	0.000621	pCi/m3	0.00036	0.0004			
SESPMNT	B17672	HORN RAPIDS SUBSTA	PERIMETER	AT	22-Aug-03	ALPHA	0.00042	pCi/m3	0.00028	0.0003			
SESPMNT	B17673	HORN RAPIDS SUBSTA	PERIMETER	AT	05-Sep-03	ALPHA	0.00057	pCi/m3	0.00058	0.0006	U		
SESPMNT	B17674	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Sep-03	ALPHA	0.000144	pCi/m3	0.00026	0.00027	U		
SESPMNT	B17675	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Oct-03	ALPHA	0.000576	pCi/m3	0.00032	0.00034			
SESPMNT	B17PV8	HORN RAPIDS SUBSTA	PERIMETER	AT	17-Oct-03	ALPHA	0.000726	pCi/m3	0.00038	0.00042			
SESPMNT	B17PV9	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Oct-03	ALPHA	0.000465	pCi/m3	0.00034	0.00036			
SESPMNT	B17PW0	HORN RAPIDS SUBSTA	PERIMETER	AT	14-Nov-03	ALPHA	0.000891	pCi/m3	0.0004	0.00046			
SESPMNT	B17PW1	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Nov-03	ALPHA	0.00189	pCi/m3	0.00056	0.00071			
SESPMNT	B17PW2	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Dec-03	ALPHA	0.000219	pCi/m3	0.00021	0.00022			
SESPMNT	B17PW3	HORN RAPIDS SUBSTA	PERIMETER	AT	29-Dec-03	ALPHA	0.00111	pCi/m3	0.00045	0.00053			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PW4	HORN RAPIDS SUBSTA	PERIMETER	AT	09-Jan-04	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B16948	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Jan-03	ALPHA	0.000744	pCi/m3	0.00042	0.00047			
SESPMNT	B16949	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jan-03	ALPHA	0.000418	pCi/m3	0.00034	0.00036			
SESPMNT	B16950	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Feb-03	ALPHA	0.00045	pCi/m3	0.00031	0.00033			
SESPMNT	B16951	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Feb-03	ALPHA	0.000469	pCi/m3	0.0003	0.00032			
SESPMNT	B16952	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Mar-03	ALPHA	0.000649	pCi/m3	0.00036	0.0004			
SESPMNT	B16953	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Mar-03	ALPHA	0.000411	pCi/m3	0.00027	0.0003			
SESPMNT	B16954	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Apr-03	ALPHA	0.000796	pCi/m3	0.00041	0.00046			
SESPMNT	B16RH0	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Apr-03	ALPHA	0.00044	pCi/m3	0.0003	0.00032			
SESPMNT	B16RH1	KENNEWICK-ELY STREET	COMMUNITY	AT	08-May-03	ALPHA	0.000467	pCi/m3	0.00032	0.00035			
SESPMNT	B16RH2	KENNEWICK-ELY STREET	COMMUNITY	AT	22-May-03	ALPHA	0.00016	pCi/m3	0.00031	0.00032	U		
SESPMNT	B16RH3	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Jun-03	ALPHA	0.000538	pCi/m3	0.00034	0.00037			
SESPMNT	B16RH4	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jun-03	ALPHA	0.000719	pCi/m3	0.00039	0.00043			
SESPMNT	B16RH5	KENNEWICK-ELY STREET	COMMUNITY	AT	07-Jul-03	ALPHA	0.000444	pCi/m3	0.00027	0.00029			
SESPMNT	B176C8	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Jul-03	ALPHA	0.000756	pCi/m3	0.00044	0.00048			
SESPMNT	B176C9	KENNEWICK-ELY STREET	COMMUNITY	AT	31-Jul-03	ALPHA	0.000902	pCi/m3	0.00042	0.00048			
SESPMNT	B176D0	KENNEWICK-ELY STREET	COMMUNITY	AT	15-Aug-03	ALPHA	0.000435	pCi/m3	0.00033	0.00035			
SESPMNT	B176D1	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Aug-03	ALPHA	0.000693	pCi/m3	0.00038	0.00042			
SESPMNT	B176D2	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Sep-03	ALPHA	0.000541	pCi/m3	0.00032	0.00035			
SESPMNT	B176D3	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Sep-03	ALPHA	0.000714	pCi/m3	0.00037	0.00041			
SESPMNT	B176D4	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Oct-03	ALPHA	0.000706	pCi/m3	0.00038	0.00042			
SESPMNT	B17R17	KENNEWICK-ELY STREET	COMMUNITY	AT	23-Oct-03	ALPHA	0.000435	pCi/m3	0.00031	0.00034			
SESPMNT	B17R18	KENNEWICK-ELY STREET	COMMUNITY	AT	07-Nov-03	ALPHA	0.000965	pCi/m3	0.00038	0.00044			
SESPMNT	B17R19	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Nov-03	ALPHA	0.00112	pCi/m3	0.00044	0.00052			
SESPMNT	B17R20	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Dec-03	ALPHA	0.000392	pCi/m3	0.00031	0.00033			
SESPMNT	B17R21	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Dec-03	ALPHA	0.000768	pCi/m3	0.00034	0.00038			
SESPMNT	B17R22	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jan-04	ALPHA	0.000365	pCi/m3	0.00029	0.00031			
SESPMNT	B16971	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Jan-03	ALPHA	0.000571	pCi/m3	0.00037	0.00041			
SESPMNT	B16972	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Jan-03	ALPHA	0.000433	pCi/m3	0.00035	0.00037			
SESPMNT	B16973	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Feb-03	ALPHA	0.000333	pCi/m3	0.00031	0.00033	U		
SESPMNT	B16974	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Feb-03	ALPHA	0.00085	pCi/m3	0.00037	0.00041			
SESPMNT	B16975	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Mar-03	ALPHA	0.000563	pCi/m3	0.00034	0.00037			
SESPMNT	B16976	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Mar-03	ALPHA	-0.0000234	pCi/m3	0.00022	0.00023			
SESPMNT	B16977	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	ALPHA	0.0003	pCi/m3	0.00029	0.0003	U		
SESPMNT	B16RK2	LESLIE GROVES-RCHLND	COMMUNITY	AT	22-Apr-03	ALPHA	0.000857	pCi/m3	0.00039	0.00045			
SESPMNT	B16RK3	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-May-03	ALPHA	0.000686	pCi/m3	0.00036	0.0004			
SESPMNT	B16RK4	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-May-03	ALPHA	0.000577	pCi/m3	0.00034	0.00037			
SESPMNT	B16RK5	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Jun-03	ALPHA	0.000435	pCi/m3	0.00033	0.00035			
SESPMNT	B16RK6	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Jun-03	ALPHA	0.000349	pCi/m3	0.00031	0.00032			
SESPMNT	B16RK7	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	ALPHA	0.000431	pCi/m3	0.00032	0.00034			
SESPMNT	B176H1	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Jul-03	ALPHA	0.000377	pCi/m3	0.0003	0.00032			
SESPMNT	B176H2	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jul-03	ALPHA	0.00102	pCi/m3	0.00042	0.00049			
SESPMNT	B176H3	LESLIE GROVES-RCHLND	COMMUNITY	AT	12-Aug-03	ALPHA	0.000339	pCi/m3	0.00031	0.00033	U		
SESPMNT	B176H4	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Aug-03	ALPHA	0.000553	pCi/m3	0.00034	0.00037			
SESPMNT	B176H5	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Sep-03	ALPHA	0.000424	pCi/m3	0.00033	0.00035			
SESPMNT	B176H6	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-Sep-03	ALPHA	0.000472	pCi/m3	0.00032	0.00034			
SESPMNT	B176H7	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	ALPHA	0.000707	pCi/m3	0.0004	0.00044			
SESPMNT	B17R39	LESLIE GROVES-RCHLND	COMMUNITY	AT	21-Oct-03	ALPHA	0.000733	pCi/m3	0.00037	0.00041			
SESPMNT	B17R40	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Nov-03	ALPHA	0.000862	pCi/m3	0.00038	0.00044		LAYER OF SOIL FALLING FROM AIR FILTER.	
SESPMNT	B17R41	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Nov-03	ALPHA	0.00101	pCi/m3	0.00044	0.00051			
SESPMNT	B17R42	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Dec-03	ALPHA	0.00041	pCi/m3	0.00031	0.00033			
SESPMNT	B17R43	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Dec-03	ALPHA	0.000378	pCi/m3	0.00031	0.00033			
SESPMNT	B17R44	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	ALPHA	0.000489	pCi/m3	0.00034	0.00037			
SESPMNT	B16813	N OF 200 E	ONSITE	AT	14-Jan-03	ALPHA	0.000553	pCi/m3	0.00035	0.00038			
SESPMNT	B16814	N OF 200 E	ONSITE	AT	28-Jan-03	ALPHA	0.000308	pCi/m3	0.00032	0.00033	U		
SESPMNT	B16815	N OF 200 E	ONSITE	AT	11-Feb-03	ALPHA	0.000274	pCi/m3	0.0003	0.00032	U		
SESPMNT	B16816	N OF 200 E	ONSITE	AT	25-Feb-03	ALPHA						NO SAMPLE. NO AIR FLOW, DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B16817	N OF 200 E	ONSITE	AT	10-Mar-03	ALPHA	0.000879	pCi/m3	0.00037	0.00044			
SESPMNT	B16818	N OF 200 E	ONSITE	AT	26-Mar-03	ALPHA	0.000693	pCi/m3	0.00032	0.00037			
SESPMNT	B16819	N OF 200 E	ONSITE	AT	08-Apr-03	ALPHA	0.000343	pCi/m3	0.0003	0.00032			
SESPMNT	B16PC8	N OF 200 E	ONSITE	AT	21-Apr-03	ALPHA	0.00139	pCi/m3	0.00048	0.00059			
SESPMNT	B16PC9	N OF 200 E	ONSITE	AT	06-May-03	ALPHA	0.000437	pCi/m3	0.00029	0.00032			
SESPMNT	B16PD0	N OF 200 E	ONSITE	AT	20-May-03	ALPHA	0.00168	pCi/m3	0.0005	0.00064			
SESPMNT	B16PD1	N OF 200 E	ONSITE	AT	02-Jun-03	ALPHA	0.000651	pCi/m3	0.00037	0.00041			
SESPMNT	B16PD2	N OF 200 E	ONSITE	AT	17-Jun-03	ALPHA	0.000496	pCi/m3	0.00031	0.00034			
SESPMNT	B16PD3	N OF 200 E	ONSITE	AT	30-Jun-03	ALPHA	0.000544	pCi/m3	0.00037	0.0004			
SESPMNT	B17597	N OF 200 E	ONSITE	AT	15-Jul-03	ALPHA	0.000345	pCi/m3	0.00029	0.0003			
SESPMNT	B17598	N OF 200 E	ONSITE	AT	29-Jul-03	ALPHA	0.00116	pCi/m3	0.00043	0.00052			
SESPMNT	B17599	N OF 200 E	ONSITE	AT	12-Aug-03	ALPHA	0.000588	pCi/m3	0.00035	0.00038			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175B0	N OF 200 E	ONSITE	AT	25-Aug-03	ALPHA	0.00088	pCi/m3	0.00038	0.00043			
SESPMNT	B175B1	N OF 200 E	ONSITE	AT	10-Sep-03	ALPHA	0.00063	pCi/m3	0.00033	0.00037			
SESPMNT	B175B2	N OF 200 E	ONSITE	AT	22-Sep-03	ALPHA	0.000379	pCi/m3	0.00033	0.00035			
SESPMNT	B175B3	N OF 200 E	ONSITE	AT	07-Oct-03	ALPHA	0.00187	pCi/m3	0.0005	0.00067			
SESPMNT	B17NY1	N OF 200 E	ONSITE	AT	21-Oct-03	ALPHA	0.000441	pCi/m3	0.00031	0.00033			
SESPMNT	B17NY2	N OF 200 E	ONSITE	AT	05-Nov-03	ALPHA	0.000717	pCi/m3	0.00035	0.0004			
SESPMNT	B17NY3	N OF 200 E	ONSITE	AT	18-Nov-03	ALPHA	0.000866	pCi/m3	0.00045	0.0005			
SESPMNT	B17NY4	N OF 200 E	ONSITE	AT	01-Dec-03	ALPHA	0.000703	pCi/m3	0.00037	0.00042			
SESPMNT	B17NY5	N OF 200 E	ONSITE	AT	17-Dec-03	ALPHA	0.000475	pCi/m3	0.0003	0.00033			
SESPMNT	B17NY6	N OF 200 E	ONSITE	AT	30-Dec-03	ALPHA	0.000774	pCi/m3	0.00037	0.00041			
SESPMNT	B175F2	OTHELLO	COMMUNITY	AT	24-Sep-03	ALPHA	0.000756	pCi/m3	0.00037	0.00042			
SESPMNT	B17P22	OTHELLO	COMMUNITY	AT	06-Nov-03	ALPHA	0.00055	pCi/m3	0.00032	0.00035			
SESPMNT	B17P23	OTHELLO	COMMUNITY	AT	19-Nov-03	ALPHA	0.000929	pCi/m3	0.00046	0.00052			
SESPMNT	B17P24	OTHELLO	COMMUNITY	AT	03-Dec-03	ALPHA	0.00126	pCi/m3	0.00044	0.00054			
SESPMNT	B176C3	PASCO	COMMUNITY	AT	15-Aug-03	ALPHA	0.000334	pCi/m3	0.00029	0.00031	U		
SESPMNT	B176C5	PASCO	COMMUNITY	AT	12-Sep-03	ALPHA	0.000649	pCi/m3	0.00034	0.00038			
SESPMNT	B17R12	PASCO	COMMUNITY	AT	07-Nov-03	ALPHA	0.000784	pCi/m3	0.00036	0.00041			
SESPMNT	B17R15	PASCO	COMMUNITY	AT	19-Dec-03	ALPHA	0.000659	pCi/m3	0.00033	0.00036			
SESPMNT	B16906	PROSSER BARRICADE	PERIMETER	AT	23-Jan-03	ALPHA	0.000925	pCi/m3	0.00043	0.00049			
SESPMNT	B16907	PROSSER BARRICADE	PERIMETER	AT	06-Feb-03	ALPHA	0.00146	pCi/m3	0.00047	0.00059			
SESPMNT	B16908	PROSSER BARRICADE	PERIMETER	AT	20-Feb-03	ALPHA	0.000997	pCi/m3	0.00042	0.00049			
SESPMNT	B16909	PROSSER BARRICADE	PERIMETER	AT	06-Mar-03	ALPHA	0.00042	pCi/m3	0.00033	0.00036			
SESPMNT	B16910	PROSSER BARRICADE	PERIMETER	AT	21-Mar-03	ALPHA	0.000385	pCi/m3	0.00027	0.00029			
SESPMNT	B16911	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	ALPHA	0.00034	pCi/m3	0.0003	0.00032			
SESPMNT	B16R98	PROSSER BARRICADE	PERIMETER	AT	18-Apr-03	ALPHA	0.000445	pCi/m3	0.0003	0.00033			
SESPMNT	B16R99	PROSSER BARRICADE	PERIMETER	AT	01-May-03	ALPHA	0.000825	pCi/m3	0.0004	0.00046			
SESPMNT	B16RB0	PROSSER BARRICADE	PERIMETER	AT	16-May-03	ALPHA	0.000747	pCi/m3	0.00036	0.00041			
SESPMNT	B16RB1	PROSSER BARRICADE	PERIMETER	AT	30-May-03	ALPHA	0.00047	pCi/m3	0.00031	0.00034			
SESPMNT	B16RB2	PROSSER BARRICADE	PERIMETER	AT	13-Jun-03	ALPHA	0.000785	pCi/m3	0.00039	0.00044			
SESPMNT	B16RB3	PROSSER BARRICADE	PERIMETER	AT	26-Jun-03	ALPHA	0.000446	pCi/m3	0.00032	0.00035			
SESPMNT	B16RB4	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	ALPHA	0.000528	pCi/m3	0.00032	0.00035			
SESPMNT	B17676	PROSSER BARRICADE	PERIMETER	AT	24-Jul-03	ALPHA	0.000241	pCi/m3	0.0003	0.00031	U		
SESPMNT	B17677	PROSSER BARRICADE	PERIMETER	AT	07-Aug-03	ALPHA	0.000286	pCi/m3	0.00023	0.00025			
SESPMNT	B17678	PROSSER BARRICADE	PERIMETER	AT	22-Aug-03	ALPHA	0.000925	pCi/m3	0.00039	0.00044			
SESPMNT	B17679	PROSSER BARRICADE	PERIMETER	AT	05-Sep-03	ALPHA	0.00085	pCi/m3	0.00039	0.00044			
SESPMNT	B17680	PROSSER BARRICADE	PERIMETER	AT	18-Sep-03	ALPHA	0.00101	pCi/m3	0.00041	0.00048			
SESPMNT	B17681	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	ALPHA	0.000684	pCi/m3	0.00035	0.00038			
SESPMNT	B17PW5	PROSSER BARRICADE	PERIMETER	AT	17-Oct-03	ALPHA	0.000751	pCi/m3	0.0004	0.00044			
SESPMNT	B17PW6	PROSSER BARRICADE	PERIMETER	AT	30-Oct-03	ALPHA	0.000477	pCi/m3	0.00034	0.00037			
SESPMNT	B17PW7	PROSSER BARRICADE	PERIMETER	AT	14-Nov-03	ALPHA	0.000852	pCi/m3	0.00039	0.00045			
SESPMNT	B17PW8	PROSSER BARRICADE	PERIMETER	AT	26-Nov-03	ALPHA	0.00112	pCi/m3	0.00047	0.00055			
SESPMNT	B17PW9	PROSSER BARRICADE	PERIMETER	AT	16-Dec-03	ALPHA	0.000761	pCi/m3	0.0003	0.00035			
SESPMNT	B17PX0	PROSSER BARRICADE	PERIMETER	AT	29-Dec-03	ALPHA	0.000629	pCi/m3	0.0004	0.00043			
SESPMNT	B17PX1	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	ALPHA	0.000996	pCi/m3	0.0005	0.00056			
SESPMNT	B16919	RATTLESNAKE SPRINGS	PERIMETER	AT	22-Jan-03	ALPHA	0.000753	pCi/m3	0.00043	0.00047			
SESPMNT	B16920	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Feb-03	ALPHA	0.00023	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16921	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Feb-03	ALPHA	0.000873	pCi/m3	0.00041	0.00047			
SESPMNT	B16922	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Mar-03	ALPHA	0.000511	pCi/m3	0.00034	0.00037			
SESPMNT	B16923	RATTLESNAKE SPRINGS	PERIMETER	AT	20-Mar-03	ALPHA	0.000426	pCi/m3	0.00029	0.00032			
SESPMNT	B16924	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Apr-03	ALPHA	0.000598	pCi/m3	0.00036	0.00039			
SESPMNT	B16RC3	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Apr-03	ALPHA	0.00114	pCi/m3	0.00041	0.0005			
SESPMNT	B16RC4	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Apr-03	ALPHA	0.000914	pCi/m3	0.0004	0.00046			
SESPMNT	B16RC5	RATTLESNAKE SPRINGS	PERIMETER	AT	13-May-03	ALPHA	0.00159	pCi/m3	0.0005	0.00063			
SESPMNT	B16RC6	RATTLESNAKE SPRINGS	PERIMETER	AT	28-May-03	ALPHA	0.000477	pCi/m3	0.0003	0.00033			
SESPMNT	B16RC7	RATTLESNAKE SPRINGS	PERIMETER	AT	13-Jun-03	ALPHA	0.00107	pCi/m3	0.00039	0.00048			
SESPMNT	B16RC8	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jun-03	ALPHA	0.000226	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16RC9	RATTLESNAKE SPRINGS	PERIMETER	AT	11-Jul-03	ALPHA	0.00145	pCi/m3	0.00045	0.00057			
SESPMNT	B17689	RATTLESNAKE SPRINGS	PERIMETER	AT	24-Jul-03	ALPHA	0.00086	pCi/m3	0.00042	0.00048			
SESPMNT	B17690	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Aug-03	ALPHA	0.000563	pCi/m3	0.00035	0.00038			
SESPMNT	B17691	RATTLESNAKE SPRINGS	PERIMETER	AT	22-Aug-03	ALPHA	0.00107	pCi/m3	0.00048	0.00053			
SESPMNT	B17692	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Sep-03	ALPHA	0.00103	pCi/m3	0.00042	0.00049			
SESPMNT	B17693	RATTLESNAKE SPRINGS	PERIMETER	AT	18-Sep-03	ALPHA	0.000192	pCi/m3	0.00027	0.00028	U		
SESPMNT	B17694	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Oct-03	ALPHA	0.000589	pCi/m3	0.00031	0.00034			
SESPMNT	B17PY0	RATTLESNAKE SPRINGS	PERIMETER	AT	17-Oct-03	ALPHA	0.00138	pCi/m3	0.00046	0.00056			
SESPMNT	B17PY1	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Oct-03	ALPHA	0.000169	pCi/m3	0.00028	0.00029	U		
SESPMNT	B17PY2	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Nov-03	ALPHA	0.000669	pCi/m3	0.00039	0.00043			
SESPMNT	B17PY3	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Nov-03	ALPHA	0.000987	pCi/m3	0.00045	0.00052			
SESPMNT	B17PY4	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Dec-03	ALPHA	0.000293	pCi/m3	0.00022	0.00023			
SESPMNT	B17PY5	RATTLESNAKE SPRINGS	PERIMETER	AT	29-Dec-03	ALPHA	0.00083	pCi/m3	0.00041	0.00046			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PY6	RATTLESNAKE SPRINGS	PERIMETER	AT	09-Jan-04	ALPHA	0.000997	pCi/m3	0.0005	0.00056			
SESPMNT	B168W6	RINGOLD MET TOWER	PERIMETER	AT	16-Jan-03	ALPHA	0.000998	pCi/m3	0.00047	0.00054			
SESPMNT	B168W7	RINGOLD MET TOWER	PERIMETER	AT	30-Jan-03	ALPHA	0.00054	pCi/m3	0.00036	0.00039			
SESPMNT	B168W8	RINGOLD MET TOWER	PERIMETER	AT	13-Feb-03	ALPHA	0.000429	pCi/m3	0.00031	0.00034			
SESPMNT	B168W9	RINGOLD MET TOWER	PERIMETER	AT	28-Feb-03	ALPHA	0.000786	pCi/m3	0.00035	0.00039			
SESPMNT	B168X0	RINGOLD MET TOWER	PERIMETER	AT	13-Mar-03	ALPHA	0.000539	pCi/m3	0.00034	0.00037			
SESPMNT	B168X1	RINGOLD MET TOWER	PERIMETER	AT	28-Mar-03	ALPHA	0.000464	pCi/m3	0.00029	0.00032			
SESPMNT	B168X2	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	ALPHA	0.00061	pCi/m3	0.00037	0.0004			
SESPMNT	B16R70	RINGOLD MET TOWER	PERIMETER	AT	25-Apr-03	ALPHA	0.000788	pCi/m3	0.00035	0.0004			
SESPMNT	B16R71	RINGOLD MET TOWER	PERIMETER	AT	08-May-03	ALPHA	0.000446	pCi/m3	0.0003	0.00033			
SESPMNT	B16R72	RINGOLD MET TOWER	PERIMETER	AT	22-May-03	ALPHA	0.000391	pCi/m3	0.00035	0.00037			
SESPMNT	B16R73	RINGOLD MET TOWER	PERIMETER	AT	06-Jun-03	ALPHA	0.000704	pCi/m3	0.00035	0.0004			
SESPMNT	B16R74	RINGOLD MET TOWER	PERIMETER	AT	19-Jun-03	ALPHA	0.000592	pCi/m3	0.00047	0.0005			
SESPMNT	B16R75	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	ALPHA	0.000705	pCi/m3	0.0003	0.00035			
SESPMNT	B17646	RINGOLD MET TOWER	PERIMETER	AT	18-Jul-03	ALPHA	0.000793	pCi/m3	0.00045	0.00049			
SESPMNT	B17647	RINGOLD MET TOWER	PERIMETER	AT	31-Jul-03	ALPHA	0.000493	pCi/m3	0.00035	0.00038			
SESPMNT	B17648	RINGOLD MET TOWER	PERIMETER	AT	15-Aug-03	ALPHA	0.000288	pCi/m3	0.00029	0.0003	U		
SESPMNT	B17649	RINGOLD MET TOWER	PERIMETER	AT	28-Aug-03	ALPHA	0.00104	pCi/m3	0.00043	0.0005			
SESPMNT	B17650	RINGOLD MET TOWER	PERIMETER	AT	12-Sep-03	ALPHA	0.000754	pCi/m3	0.00036	0.0004			
SESPMNT	B17651	RINGOLD MET TOWER	PERIMETER	AT	25-Sep-03	ALPHA	0.000963	pCi/m3	0.0004	0.00047			
SESPMNT	B17652	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	ALPHA	0.000895	pCi/m3	0.00039	0.00045			
SESPMNT	B17PR7	RINGOLD MET TOWER	PERIMETER	AT	23-Oct-03	ALPHA	0.000522	pCi/m3	0.00034	0.00037			
SESPMNT	B17PR8	RINGOLD MET TOWER	PERIMETER	AT	07-Nov-03	ALPHA	0.000705	pCi/m3	0.00035	0.0004			
SESPMNT	B17PR9	RINGOLD MET TOWER	PERIMETER	AT	21-Nov-03	ALPHA	0.00046	pCi/m3	0.00035	0.00037			
SESPMNT	B17PT0	RINGOLD MET TOWER	PERIMETER	AT	05-Dec-03	ALPHA	0.000581	pCi/m3	0.00034	0.00037			
SESPMNT	B17PT1	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-03	ALPHA	0.00033	pCi/m3	0.00027	0.00028			
SESPMNT	B17PT2	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	ALPHA	0.00055	pCi/m3	0.00032	0.00035			
SESPMNT	B16933	S END VERNITA BRIDGE	PERIMETER	AT	15-Jan-03	ALPHA	0.000756	pCi/m3	0.00041	0.00045			
SESPMNT	B16934	S END VERNITA BRIDGE	PERIMETER	AT	29-Jan-03	ALPHA	0.0003	pCi/m3	0.0003	0.00031	U		
SESPMNT	B16935	S END VERNITA BRIDGE	PERIMETER	AT	12-Feb-03	ALPHA	0.000249	pCi/m3	0.00032	0.00033	U		
SESPMNT	B16936	S END VERNITA BRIDGE	PERIMETER	AT	26-Feb-03	ALPHA	0.000942	pCi/m3	0.00039	0.00044			
SESPMNT	B16937	S END VERNITA BRIDGE	PERIMETER	AT	12-Mar-03	ALPHA	0.00073	pCi/m3	0.00037	0.00041			
SESPMNT	B16938	S END VERNITA BRIDGE	PERIMETER	AT	27-Mar-03	ALPHA	0.000567	pCi/m3	0.00031	0.00035			
SESPMNT	B16939	S END VERNITA BRIDGE	PERIMETER	AT	09-Apr-03	ALPHA	0.000516	pCi/m3	0.00034	0.00037			
SESPMNT	B16RD7	S END VERNITA BRIDGE	PERIMETER	AT	23-Apr-03	ALPHA	0.000576	pCi/m3	0.00035	0.00039			
SESPMNT	B16RD8	S END VERNITA BRIDGE	PERIMETER	AT	07-May-03	ALPHA	0.00128	pCi/m3	0.00041	0.00052			
SESPMNT	B16RD9	S END VERNITA BRIDGE	PERIMETER	AT	21-May-03	ALPHA	0.00015	pCi/m3	0.00028	0.00029	U	SUSPECT AIR CALIBRATOR ERROR ON 5/7/03, 1.5 CFM START FLOW MAY ACTUALLY BE 1.2 CFM.	
SESPMNT	B16RF0	S END VERNITA BRIDGE	PERIMETER	AT	05-Jun-03	ALPHA	0.000531	pCi/m3	0.00032	0.00035			
SESPMNT	B16RF1	S END VERNITA BRIDGE	PERIMETER	AT	18-Jun-03	ALPHA	0.000893	pCi/m3	0.00042	0.00048			
SESPMNT	B16RF2	S END VERNITA BRIDGE	PERIMETER	AT	01-Jul-03	ALPHA	0.00061	pCi/m3	0.00035	0.00039			
SESPMNT	B176B3	S END VERNITA BRIDGE	PERIMETER	AT	17-Jul-03	ALPHA	0.000254	pCi/m3	0.00025	0.00027	U		
SESPMNT	B176B4	S END VERNITA BRIDGE	PERIMETER	AT	30-Jul-03	ALPHA	0.00148	pCi/m3	0.00048	0.00059			
SESPMNT	B176B5	S END VERNITA BRIDGE	PERIMETER	AT	13-Aug-03	ALPHA	0.000753	pCi/m3	0.00038	0.00042			
SESPMNT	B176B6	S END VERNITA BRIDGE	PERIMETER	AT	27-Aug-03	ALPHA	0.000798	pCi/m3	0.00038	0.00043			
SESPMNT	B176B7	S END VERNITA BRIDGE	PERIMETER	AT	11-Sep-03	ALPHA	0.000579	pCi/m3	0.00033	0.00036			
SESPMNT	B176B8	S END VERNITA BRIDGE	PERIMETER	AT	24-Sep-03	ALPHA	-0.0000289	pCi/m3	0.00022	0.00022	U		
SESPMNT	B176B9	S END VERNITA BRIDGE	PERIMETER	AT	09-Oct-03	ALPHA	0.00104	pCi/m3	0.00041	0.00048			
SESPMNT	B17R04	S END VERNITA BRIDGE	PERIMETER	AT	22-Oct-03	ALPHA	0.00292	pCi/m3	0.00063	0.00092			
SESPMNT	B17R05	S END VERNITA BRIDGE	PERIMETER	AT	06-Nov-03	ALPHA	0.000749	pCi/m3	0.00034	0.00039			
SESPMNT	B17R06	S END VERNITA BRIDGE	PERIMETER	AT	19-Nov-03	ALPHA	0.000921	pCi/m3	0.00047	0.00053			
SESPMNT	B17R07	S END VERNITA BRIDGE	PERIMETER	AT	03-Dec-03	ALPHA	0.000513	pCi/m3	0.00032	0.00035			
SESPMNT	B17R08	S END VERNITA BRIDGE	PERIMETER	AT	18-Dec-03	ALPHA	0.000807	pCi/m3	0.00035	0.0004			
SESPMNT	B17R09	S END VERNITA BRIDGE	PERIMETER	AT	31-Dec-03	ALPHA	0.000377	pCi/m3	0.00034	0.00036			
SESPMNT	B168H1	S OF 200 E	ONSITE	AT	14-Jan-03	ALPHA	0.000938	pCi/m3	0.00043	0.00049			
SESPMNT	B168H2	S OF 200 E	ONSITE	AT	28-Jan-03	ALPHA	0.000264	pCi/m3	0.00033	0.00034	U		
SESPMNT	B168H3	S OF 200 E	ONSITE	AT	11-Feb-03	ALPHA	0.00042	pCi/m3	0.0003	0.00032			
SESPMNT	B168H4	S OF 200 E	ONSITE	AT	25-Feb-03	ALPHA	0.000643	pCi/m3	0.00037	0.00041			
SESPMNT	B168H5	S OF 200 E	ONSITE	AT	10-Mar-03	ALPHA	0.000969	pCi/m3	0.00038	0.00046			
SESPMNT	B168H6	S OF 200 E	ONSITE	AT	26-Mar-03	ALPHA	0.00041	pCi/m3	0.00029	0.00031			
SESPMNT	B168H7	S OF 200 E	ONSITE	AT	08-Apr-03	ALPHA	0.000145	pCi/m3	0.00028	0.00028	U		
SESPMNT	B16PV4	S OF 200 E	ONSITE	AT	21-Apr-03	ALPHA	0.00119	pCi/m3	0.00045	0.00054			
SESPMNT	B16PV5	S OF 200 E	ONSITE	AT	06-May-03	ALPHA	0.000439	pCi/m3	0.0003	0.00033			
SESPMNT	B16PV6	S OF 200 E	ONSITE	AT	20-May-03	ALPHA	0.000767	pCi/m3	0.00037	0.00042			
SESPMNT	B16PV7	S OF 200 E	ONSITE	AT	02-Jun-03	ALPHA	0.000478	pCi/m3	0.00034	0.00037			
SESPMNT	B16PV8	S OF 200 E	ONSITE	AT	17-Jun-03	ALPHA	0.000639	pCi/m3	0.00034	0.00038			
SESPMNT	B16PV9	S OF 200 E	ONSITE	AT	30-Jun-03	ALPHA	0.000248	pCi/m3	0.00031	0.00032	U		
SESPMNT	B175R1	S OF 200 E	ONSITE	AT	15-Jul-03	ALPHA	0.000025	pCi/m3	0.00021	0.00022	U		
SESPMNT	B175R2	S OF 200 E	ONSITE	AT	29-Jul-03	ALPHA	0.00101	pCi/m3	0.00039	0.00047			
SESPMNT	B175R3	S OF 200 E	ONSITE	AT	12-Aug-03	ALPHA	0.000576	pCi/m3	0.00034	0.00037			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175R4	S OF 200 E	ONSITE	AT	25-Aug-03	ALPHA	0.00119	pCi/m3	0.00043	0.0005			
SESPMNT	B175R5	S OF 200 E	ONSITE	AT	10-Sep-03	ALPHA	0.000728	pCi/m3	0.00034	0.00039			
SESPMNT	B175R6	S OF 200 E	ONSITE	AT	22-Sep-03	ALPHA	0.00068	pCi/m3	0.00039	0.00043			
SESPMNT	B175R7	S OF 200 E	ONSITE	AT	07-Oct-03	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. FILTER APPEARED TO HAVE BEEN PECKED AWAY BY A BIRD.	
SESPMNT	B17PC1	S OF 200 E	ONSITE	AT	21-Oct-03	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. FILTER APPEARED TO HAVE BEEN PECKED AWAY BY A BIRD.	
SESPMNT	B17PC2	S OF 200 E	ONSITE	AT	05-Nov-03	ALPHA	0.00146	pCi/m3	0.00045	0.00057			
SESPMNT	B17PC3	S OF 200 E	ONSITE	AT	18-Nov-03	ALPHA	0.00149	pCi/m3	0.00052	0.00063			
SESPMNT	B17PC4	S OF 200 E	ONSITE	AT	01-Dec-03	ALPHA	0.000337	pCi/m3	0.0003	0.00032			
SESPMNT	B17PC5	S OF 200 E	ONSITE	AT	17-Dec-03	ALPHA	0.000645	pCi/m3	0.00032	0.00036			
SESPMNT	B17PC6	S OF 200 E	ONSITE	AT	30-Dec-03	ALPHA	0.000427	pCi/m3	0.00034	0.00036			
SESPMNT	B168L1	SW OF B/C CRIBS	ONSITE	AT	14-Jan-03	ALPHA	0.000762	pCi/m3	0.0004	0.00044			
SESPMNT	B168L2	SW OF B/C CRIBS	ONSITE	AT	28-Jan-03	ALPHA	0.000374	pCi/m3	0.00033	0.00035			
SESPMNT	B168L3	SW OF B/C CRIBS	ONSITE	AT	11-Feb-03	ALPHA	0.00026	pCi/m3	0.0003	0.00031	U		
SESPMNT	B168L4	SW OF B/C CRIBS	ONSITE	AT	25-Feb-03	ALPHA	0.000628	pCi/m3	0.00036	0.0004			
SESPMNT	B168L5	SW OF B/C CRIBS	ONSITE	AT	10-Mar-03	ALPHA	0.00106	pCi/m3	0.00039	0.00048			
SESPMNT	B168L6	SW OF B/C CRIBS	ONSITE	AT	26-Mar-03	ALPHA	0.00045	pCi/m3	0.00029	0.00032			
SESPMNT	B168L7	SW OF B/C CRIBS	ONSITE	AT	08-Apr-03	ALPHA	0.0000949	pCi/m3	0.00025	0.00026	U		
SESPMNT	B16PY0	SW OF B/C CRIBS	ONSITE	AT	21-Apr-03	ALPHA	0.000511	pCi/m3	0.00034	0.00037			
SESPMNT	B16PY1	SW OF B/C CRIBS	ONSITE	AT	06-May-03	ALPHA	0.000346	pCi/m3	0.00029	0.00031			
SESPMNT	B16PY2	SW OF B/C CRIBS	ONSITE	AT	20-May-03	ALPHA	0.000901	pCi/m3	0.00039	0.00045			
SESPMNT	B16PY3	SW OF B/C CRIBS	ONSITE	AT	02-Jun-03	ALPHA	0.000887	pCi/m3	0.00041	0.00047			
SESPMNT	B16PY4	SW OF B/C CRIBS	ONSITE	AT	17-Jun-03	ALPHA	0.000589	pCi/m3	0.00034	0.00037			
SESPMNT	B16PY5	SW OF B/C CRIBS	ONSITE	AT	30-Jun-03	ALPHA	0.000248	pCi/m3	0.00031	0.00032	U		
SESPMNT	B175W1	SW OF B/C CRIBS	ONSITE	AT	15-Jul-03	ALPHA	0.000201	pCi/m3	0.00025	0.00026	U		
SESPMNT	B175W2	SW OF B/C CRIBS	ONSITE	AT	29-Jul-03	ALPHA	0.00113	pCi/m3	0.00041	0.0005			
SESPMNT	B175W3	SW OF B/C CRIBS	ONSITE	AT	12-Aug-03	ALPHA	0.000194	pCi/m3	0.00029	0.0003	U		
SESPMNT	B175W4	SW OF B/C CRIBS	ONSITE	AT	25-Aug-03	ALPHA	0.000951	pCi/m3	0.0004	0.00045			
SESPMNT	B175W5	SW OF B/C CRIBS	ONSITE	AT	10-Sep-03	ALPHA	0.000388	pCi/m3	0.00029	0.00031			
SESPMNT	B175W6	SW OF B/C CRIBS	ONSITE	AT	22-Sep-03	ALPHA	0.000833	pCi/m3	0.00042	0.00047			
SESPMNT	B175W7	SW OF B/C CRIBS	ONSITE	AT	07-Oct-03	ALPHA	0.0016	pCi/m3	0.00049	0.00062			
SESPMNT	B17PF7	SW OF B/C CRIBS	ONSITE	AT	21-Oct-03	ALPHA	0.000374	pCi/m3	0.0003	0.00032			
SESPMNT	B17PF8	SW OF B/C CRIBS	ONSITE	AT	05-Nov-03	ALPHA	0.000398	pCi/m3	0.0003	0.00032			
SESPMNT	B17PF9	SW OF B/C CRIBS	ONSITE	AT	18-Nov-03	ALPHA	0.00132	pCi/m3	0.00051	0.0006			
SESPMNT	B17PH0	SW OF B/C CRIBS	ONSITE	AT	01-Dec-03	ALPHA	0.000478	pCi/m3	0.00033	0.00036			
SESPMNT	B17PH1	SW OF B/C CRIBS	ONSITE	AT	17-Dec-03	ALPHA	0.00033	pCi/m3	0.00028	0.00029			
SESPMNT	B17PH2	SW OF B/C CRIBS	ONSITE	AT	30-Dec-03	ALPHA	0.000751	pCi/m3	0.00039	0.00044			
SESPMNT	B16806	TOPPENISH	DISTANT	AT	22-Jan-03	ALPHA	0.000884	pCi/m3	0.00044	0.00049			
SESPMNT	B16807	TOPPENISH	DISTANT	AT	05-Feb-03	ALPHA	0.000698	pCi/m3	0.00035	0.0004			
SESPMNT	B16808	TOPPENISH	DISTANT	AT	19-Feb-03	ALPHA	0.000789	pCi/m3	0.0004	0.00045			
SESPMNT	B16809	TOPPENISH	DISTANT	AT	05-Mar-03	ALPHA	0.000517	pCi/m3	0.00035	0.00038			
SESPMNT	B16810	TOPPENISH	DISTANT	AT	19-Mar-03	ALPHA	0.000906	pCi/m3	0.00038	0.00044			
SESPMNT	B16811	TOPPENISH	DISTANT	AT	02-Apr-03	ALPHA	0.000913	pCi/m3	0.00039	0.00045			
SESPMNT	B16PC0	TOPPENISH	DISTANT	AT	16-Apr-03	ALPHA	0.000346	pCi/m3	0.0003	0.00032	U		
SESPMNT	B16PC1	TOPPENISH	DISTANT	AT	30-Apr-03	ALPHA	0.000847	pCi/m3	0.00039	0.00044			
SESPMNT	B16PC2	TOPPENISH	DISTANT	AT	14-May-03	ALPHA	0.000957	pCi/m3	0.0004	0.00047			
SESPMNT	B16PC3	TOPPENISH	DISTANT	AT	28-May-03	ALPHA	0.000435	pCi/m3	0.00031	0.00033			
SESPMNT	B16PC4	TOPPENISH	DISTANT	AT	11-Jun-03	ALPHA	0.000664	pCi/m3	0.00036	0.0004			
SESPMNT	B16PC5	TOPPENISH	DISTANT	AT	26-Jun-03	ALPHA	0.00044	pCi/m3	0.0003	0.00033			
SESPMNT	B16PC6	TOPPENISH	DISTANT	AT	09-Jul-03	ALPHA	0.000359	pCi/m3	0.00032	0.00033			
SESPMNT	B17590	TOPPENISH	DISTANT	AT	23-Jul-03	ALPHA	0.00046	pCi/m3	0.00034	0.00036			
SESPMNT	B17591	TOPPENISH	DISTANT	AT	06-Aug-03	ALPHA	0.000283	pCi/m3	0.00027	0.00029	U		
SESPMNT	B17592	TOPPENISH	DISTANT	AT	20-Aug-03	ALPHA	0.000461	pCi/m3	0.0003	0.00032			
SESPMNT	B17593	TOPPENISH	DISTANT	AT	03-Sep-03	ALPHA	0.000361	pCi/m3	0.00031	0.00033			
SESPMNT	B17594	TOPPENISH	DISTANT	AT	17-Sep-03	ALPHA	0.000367	pCi/m3	0.00028	0.0003			
SESPMNT	B17595	TOPPENISH	DISTANT	AT	01-Oct-03	ALPHA	0.000557	pCi/m3	0.00031	0.00034			
SESPMNT	B17NX3	TOPPENISH	DISTANT	AT	15-Oct-03	ALPHA	0.000655	pCi/m3	0.00035	0.00039			
SESPMNT	B17NX4	TOPPENISH	DISTANT	AT	29-Oct-03	ALPHA	0.00026	pCi/m3	0.0003	0.00031	U		
SESPMNT	B17NX5	TOPPENISH	DISTANT	AT	12-Nov-03	ALPHA	0.000416	pCi/m3	0.00034	0.00036			
SESPMNT	B17NX6	TOPPENISH	DISTANT	AT	26-Nov-03	ALPHA	0.000412	pCi/m3	0.00033	0.00035			
SESPMNT	B17NX7	TOPPENISH	DISTANT	AT	10-Dec-03	ALPHA	0.00073	pCi/m3	0.00035	0.00039			
SESPMNT	B17NX8	TOPPENISH	DISTANT	AT	23-Dec-03	ALPHA	0.000504	pCi/m3	0.00037	0.00039			
SESPMNT	B17NX9	TOPPENISH	DISTANT	AT	08-Jan-04	ALPHA	0.000991	pCi/m3	0.00039	0.00046			
SESPMNT	B168V8	W END OF FIR ROAD	PERIMETER	AT	16-Jan-03	ALPHA	0.000754	pCi/m3	0.00043	0.00047			
SESPMNT	B168V9	W END OF FIR ROAD	PERIMETER	AT	30-Jan-03	ALPHA	0.0000253	pCi/m3	0.00026	0.00027	U		
SESPMNT	B168W0	W END OF FIR ROAD	PERIMETER	AT	13-Feb-03	ALPHA	0.00052	pCi/m3	0.00037	0.0004			
SESPMNT	B168W1	W END OF FIR ROAD	PERIMETER	AT	28-Feb-03	ALPHA	0.000658	pCi/m3	0.00034	0.00037			
SESPMNT	B168W2	W END OF FIR ROAD	PERIMETER	AT	13-Mar-03	ALPHA	0.000497	pCi/m3	0.00033	0.00036			
SESPMNT	B168W3	W END OF FIR ROAD	PERIMETER	AT	28-Mar-03	ALPHA	0.000604	pCi/m3	0.00032	0.00036			
SESPMNT	B168W4	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	ALPHA	0.00074	pCi/m3	0.00038	0.00043			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16R63	W END OF FIR ROAD	PERIMETER	AT	25-Apr-03	ALPHA	0.000466	pCi/m3	0.00031	0.00034			
SESPMNT	B16R64	W END OF FIR ROAD	PERIMETER	AT	08-May-03	ALPHA	0.000499	pCi/m3	0.00033	0.00036			
SESPMNT	B16R65	W END OF FIR ROAD	PERIMETER	AT	22-May-03	ALPHA	0.000497	pCi/m3	0.00037	0.0004			
SESPMNT	B16R66	W END OF FIR ROAD	PERIMETER	AT	06-Jun-03	ALPHA	0.000572	pCi/m3	0.00034	0.00037			
SESPMNT	B16R67	W END OF FIR ROAD	PERIMETER	AT	19-Jun-03	ALPHA	0.000573	pCi/m3	0.00035	0.00039			
SESPMNT	B16R68	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	ALPHA	0.000177	pCi/m3	0.00022	0.00023	U		
SESPMNT	B17638	W END OF FIR ROAD	PERIMETER	AT	18-Jul-03	ALPHA	0.000505	pCi/m3	0.00039	0.00041			
SESPMNT	B17639	W END OF FIR ROAD	PERIMETER	AT	31-Jul-03	ALPHA	0.000788	pCi/m3	0.00039	0.00044			
SESPMNT	B17640	W END OF FIR ROAD	PERIMETER	AT	15-Aug-03	ALPHA	0.000652	pCi/m3	0.00034	0.00038			
SESPMNT	B17641	W END OF FIR ROAD	PERIMETER	AT	28-Aug-03	ALPHA	0.00134	pCi/m3	0.00048	0.00058			
SESPMNT	B17642	W END OF FIR ROAD	PERIMETER	AT	12-Sep-03	ALPHA	0.000505	pCi/m3	0.00032	0.00034			
SESPMNT	B17643	W END OF FIR ROAD	PERIMETER	AT	25-Sep-03	ALPHA	0.000698	pCi/m3	0.00038	0.00042			
SESPMNT	B17644	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	ALPHA	0.000884	pCi/m3	0.00038	0.00044			
SESPMNT	B17PR0	W END OF FIR ROAD	PERIMETER	AT	23-Oct-03	ALPHA	0.0000963	pCi/m3	0.00025	0.00026	U		
SESPMNT	B17PR1	W END OF FIR ROAD	PERIMETER	AT	07-Nov-03	ALPHA	0.000893	pCi/m3	0.00043	0.00048			
SESPMNT	B17PR2	W END OF FIR ROAD	PERIMETER	AT	21-Nov-03	ALPHA	0.00084	pCi/m3	0.00041	0.00046			
SESPMNT	B17PR3	W END OF FIR ROAD	PERIMETER	AT	05-Dec-03	ALPHA	0.000401	pCi/m3	0.00032	0.00034			
SESPMNT	B17PR4	W END OF FIR ROAD	PERIMETER	AT	19-Dec-03	ALPHA	0.000504	pCi/m3	0.0003	0.00032		ICE ON FILTER.	
SESPMNT	B17PR5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	ALPHA	0.000576	pCi/m3	0.00032	0.00035			
SESPMNT	B16926	WAHLUKE SLOPE	PERIMETER	AT	15-Jan-03	ALPHA	0.000582	pCi/m3	0.00041	0.00044			
SESPMNT	B16927	WAHLUKE SLOPE	PERIMETER	AT	29-Jan-03	ALPHA	0.00143	pCi/m3	0.00048	0.00059			
SESPMNT	B16928	WAHLUKE SLOPE	PERIMETER	AT	12-Feb-03	ALPHA	0.000191	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16929	WAHLUKE SLOPE	PERIMETER	AT	26-Feb-03	ALPHA	0.000561	pCi/m3	0.00032	0.00034			
SESPMNT	B16930	WAHLUKE SLOPE	PERIMETER	AT	12-Mar-03	ALPHA	0.00136	pCi/m3	0.00045	0.00056			
SESPMNT	B16931	WAHLUKE SLOPE	PERIMETER	AT	27-Mar-03	ALPHA	0.000434	pCi/m3	0.00029	0.00031			
SESPMNT	B16932	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	ALPHA	0.000249	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16RD1	WAHLUKE SLOPE	PERIMETER	AT	23-Apr-03	ALPHA	0.000759	pCi/m3	0.00038	0.00043			
SESPMNT	B16RD2	WAHLUKE SLOPE	PERIMETER	AT	07-May-03	ALPHA	0.000132	pCi/m3	0.00022	0.00023	U		
SESPMNT	B16RD3	WAHLUKE SLOPE	PERIMETER	AT	21-May-03	ALPHA	0.000217	pCi/m3	0.00029	0.0003	U	SUSPECT AIR CALIBRATOR ERROR ON 5/7/03. 1.5 CFM START FLOW MAY ACTUALLY BE 1.2 CFM.	
SESPMNT	B16RD4	WAHLUKE SLOPE	PERIMETER	AT	05-Jun-03	ALPHA	0.000593	pCi/m3	0.00033	0.00037			
SESPMNT	B16RD5	WAHLUKE SLOPE	PERIMETER	AT	18-Jun-03	ALPHA	0.000379	pCi/m3	0.00032	0.00034			
SESPMNT	B16RD6	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	ALPHA	0.000304	pCi/m3	0.00031	0.00033	U		
SESPMNT	B17696	WAHLUKE SLOPE	PERIMETER	AT	17-Jul-03	ALPHA	0.000341	pCi/m3	0.00027	0.00028			
SESPMNT	B17697	WAHLUKE SLOPE	PERIMETER	AT	30-Jul-03	ALPHA	0.000846	pCi/m3	0.00041	0.00046			
SESPMNT	B17698	WAHLUKE SLOPE	PERIMETER	AT	13-Aug-03	ALPHA	0.000533	pCi/m3	0.00033	0.00036			
SESPMNT	B17699	WAHLUKE SLOPE	PERIMETER	AT	27-Aug-03	ALPHA	0.000569	pCi/m3	0.00035	0.00038			
SESPMNT	B176B0	WAHLUKE SLOPE	PERIMETER	AT	11-Sep-03	ALPHA	0.00077	pCi/m3	0.00036	0.00041			
SESPMNT	B176B1	WAHLUKE SLOPE	PERIMETER	AT	24-Sep-03	ALPHA	0.000437	pCi/m3	0.00032	0.00034			
SESPMNT	B176B2	WAHLUKE SLOPE	PERIMETER	AT	09-Oct-03	ALPHA	0.000974	pCi/m3	0.0004	0.00046			
SESPMNT	B17PY8	WAHLUKE SLOPE	PERIMETER	AT	22-Oct-03	ALPHA	0.00285	pCi/m3	0.00063	0.00091			
SESPMNT	B17PY9	WAHLUKE SLOPE	PERIMETER	AT	06-Nov-03	ALPHA	0.000475	pCi/m3	0.00031	0.00034			
SESPMNT	B17R00	WAHLUKE SLOPE	PERIMETER	AT	19-Nov-03	ALPHA	0.000671	pCi/m3	0.0004	0.00044			
SESPMNT	B17R01	WAHLUKE SLOPE	PERIMETER	AT	03-Dec-03	ALPHA	0.00054	pCi/m3	0.00033	0.00036			
SESPMNT	B17R02	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-03	ALPHA	0.000431	pCi/m3	0.00031	0.00033			
SESPMNT	B17R03	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	ALPHA	0.000619	pCi/m3	0.00039	0.00042			
SESPMNT	B168V1	WYE BARRICADE	ONSITE	AT	21-Jan-03	ALPHA	0.00157	pCi/m3	0.0005	0.00063			
SESPMNT	B168V2	WYE BARRICADE	ONSITE	AT	04-Feb-03	ALPHA	0.000104	pCi/m3	0.00023	0.00024	U		
SESPMNT	B168V3	WYE BARRICADE	ONSITE	AT	18-Feb-03	ALPHA	0.000592	pCi/m3	0.00039	0.00042			
SESPMNT	B168V4	WYE BARRICADE	ONSITE	AT	03-Mar-03	ALPHA	0.000591	pCi/m3	0.00038	0.00041			
SESPMNT	B168V5	WYE BARRICADE	ONSITE	AT	18-Mar-03	ALPHA	0.000107	pCi/m3	0.00022	0.00022	U		
SESPMNT	B168V6	WYE BARRICADE	ONSITE	AT	31-Mar-03	ALPHA	0.000172	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16R55	WYE BARRICADE	ONSITE	AT	15-Apr-03	ALPHA	0.00159	pCi/m3	0.00045	0.00059			
SESPMNT	B16R56	WYE BARRICADE	ONSITE	AT	29-Apr-03	ALPHA	0.00018	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16R57	WYE BARRICADE	ONSITE	AT	12-May-03	ALPHA	0.000447	pCi/m3	0.00033	0.00036			
SESPMNT	B16R58	WYE BARRICADE	ONSITE	AT	29-May-03	ALPHA	0.000409	pCi/m3	0.00027	0.0003			
SESPMNT	B16R59	WYE BARRICADE	ONSITE	AT	11-Jun-03	ALPHA	0.000717	pCi/m3	0.00039	0.00044			
SESPMNT	B16R60	WYE BARRICADE	ONSITE	AT	24-Jun-03	ALPHA	0.00138	pCi/m3	0.00048	0.00059			
SESPMNT	B16R61	WYE BARRICADE	ONSITE	AT	08-Jul-03	ALPHA	0.000784	pCi/m3	0.00038	0.00043			
SESPMNT	B17631	WYE BARRICADE	ONSITE	AT	22-Jul-03	ALPHA	0.00107	pCi/m3	0.00043	0.0005			
SESPMNT	B17632	WYE BARRICADE	ONSITE	AT	04-Aug-03	ALPHA	0.000849	pCi/m3	0.0004	0.00045			
SESPMNT	B17633	WYE BARRICADE	ONSITE	AT	18-Aug-03	ALPHA	0.000582	pCi/m3	0.00034	0.00037			
SESPMNT	B17634	WYE BARRICADE	ONSITE	AT	02-Sep-03	ALPHA	0.0015	pCi/m3	0.00042	0.00054			
SESPMNT	B17635	WYE BARRICADE	ONSITE	AT	15-Sep-03	ALPHA	0.000764	pCi/m3	0.00038	0.00043			
SESPMNT	B17636	WYE BARRICADE	ONSITE	AT	01-Oct-03	ALPHA	0.000313	pCi/m3	0.00027	0.00029			
SESPMNT	B17PP2	WYE BARRICADE	ONSITE	AT	13-Oct-03	ALPHA	0.000782	pCi/m3	0.00044	0.00048			
SESPMNT	B17PP3	WYE BARRICADE	ONSITE	AT	28-Oct-03	ALPHA	0.00062	pCi/m3	0.00033	0.00037			
SESPMNT	B17PP4	WYE BARRICADE	ONSITE	AT	11-Nov-03	ALPHA	0.000872	pCi/m3	0.00042	0.00046			
SESPMNT	B17PP5	WYE BARRICADE	ONSITE	AT	24-Nov-03	ALPHA	0.000731	pCi/m3	0.0004	0.00044			
SESPMNT	B17PP6	WYE BARRICADE	ONSITE	AT	11-Dec-03	ALPHA	0.000418	pCi/m3	0.00028	0.0003			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PP7	WYE BARRICADE	ONSITE	AT	22-Dec-03	ALPHA	0.000444	pCi/m3	0.00037	0.00039			
SESPMNT	B17PP8	WYE BARRICADE	ONSITE	AT	06-Jan-04	ALPHA	0.000631	pCi/m3	0.00034	0.00038			
SESPMNT	B16956	YAKIMA	DISTANT	AT	23-Jan-03	ALPHA	-0.0000215	pCi/m3	0.00016	0.00017	U		
SESPMNT	B16957	YAKIMA	DISTANT	AT	06-Feb-03	ALPHA	0.000813	pCi/m3	0.00037	0.00042			
SESPMNT	B16958	YAKIMA	DISTANT	AT	20-Feb-03	ALPHA	0.000338	pCi/m3	0.00033	0.00035	U		
SESPMNT	B16959	YAKIMA	DISTANT	AT	06-Mar-03	ALPHA	0.000787	pCi/m3	0.00039	0.00044			
SESPMNT	B16960	YAKIMA	DISTANT	AT	21-Mar-03	ALPHA	0.000765	pCi/m3	0.00037	0.00042			
SESPMNT	B16961	YAKIMA	DISTANT	AT	03-Apr-03	ALPHA	0.000741	pCi/m3	0.00039	0.00043			
SESPMNT	B16RH7	YAKIMA	DISTANT	AT	18-Apr-03	ALPHA	0.00057	pCi/m3	0.00032	0.00036			
SESPMNT	B16RH8	YAKIMA	DISTANT	AT	01-May-03	ALPHA	0.000617	pCi/m3	0.00037	0.0004			
SESPMNT	B16RH9	YAKIMA	DISTANT	AT	16-May-03	ALPHA	0.000216	pCi/m3	0.00027	0.00028	U		
SESPMNT	B16RJ0	YAKIMA	DISTANT	AT	30-May-03	ALPHA	0.000408	pCi/m3	0.00032	0.00035			
SESPMNT	B16RJ1	YAKIMA	DISTANT	AT	13-Jun-03	ALPHA	0.000397	pCi/m3	0.00038	0.0004	U		
SESPMNT	B16RJ2	YAKIMA	DISTANT	AT	26-Jun-03	ALPHA	0.000273	pCi/m3	0.00029	0.00031	U		
SESPMNT	B16RJ3	YAKIMA	DISTANT	AT	11-Jul-03	ALPHA	0.00157	pCi/m3	0.00046	0.0006			
SESPMNT	B176D6	YAKIMA	DISTANT	AT	24-Jul-03	ALPHA	0.000222	pCi/m3	0.00029	0.0003	U		
SESPMNT	B176D7	YAKIMA	DISTANT	AT	07-Aug-03	ALPHA	0.000619	pCi/m3	0.00035	0.00039			
SESPMNT	B176D8	YAKIMA	DISTANT	AT	22-Aug-03	ALPHA	0.000594	pCi/m3	0.00031	0.00033			
SESPMNT	B176D9	YAKIMA	DISTANT	AT	05-Sep-03	ALPHA	0.000375	pCi/m3	0.00032	0.00033			
SESPMNT	B176F0	YAKIMA	DISTANT	AT	18-Sep-03	ALPHA	0.000128	pCi/m3	0.00025	0.00025	U		
SESPMNT	B176F1	YAKIMA	DISTANT	AT	03-Oct-03	ALPHA	0.000562	pCi/m3	0.0003	0.00033			
SESPMNT	B17R24	YAKIMA	DISTANT	AT	17-Oct-03	ALPHA	0.000704	pCi/m3	0.00036	0.00041			
SESPMNT	B17R25	YAKIMA	DISTANT	AT	30-Oct-03	ALPHA	0.000265	pCi/m3	0.0003	0.00031	U		
SESPMNT	B17R26	YAKIMA	DISTANT	AT	14-Nov-03	ALPHA	0.000843	pCi/m3	0.00037	0.00043			
SESPMNT	B17R27	YAKIMA	DISTANT	AT	26-Nov-03	ALPHA	0.000812	pCi/m3	0.00039	0.00044			
SESPMNT	B17R28	YAKIMA	DISTANT	AT	16-Dec-03	ALPHA	0.00035	pCi/m3	0.00024	0.00026			
SESPMNT	B17R29	YAKIMA	DISTANT	AT	29-Dec-03	ALPHA	0.000737	pCi/m3	0.00038	0.00043			
SESPMNT	B17R30	YAKIMA	DISTANT	AT	09-Jan-04	ALPHA	0.000965	pCi/m3	0.00048	0.00054			
SESPMNT	B16913	YAKIMA BARRICADE	PERIMETER	AT	22-Jan-03	ALPHA	0.000917	pCi/m3	0.00043	0.00049			
SESPMNT	B16914	YAKIMA BARRICADE	PERIMETER	AT	05-Feb-03	ALPHA	0.000275	pCi/m3	0.00028	0.00029	U		
SESPMNT	B16915	YAKIMA BARRICADE	PERIMETER	AT	19-Feb-03	ALPHA	0.000613	pCi/m3	0.00037	0.00041			
SESPMNT	B16916	YAKIMA BARRICADE	PERIMETER	AT	05-Mar-03	ALPHA	0.000632	pCi/m3	0.00037	0.0004			
SESPMNT	B16917	YAKIMA BARRICADE	PERIMETER	AT	20-Mar-03	ALPHA	0.000509	pCi/m3	0.0003	0.00033			
SESPMNT	B16918	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	ALPHA	0.000372	pCi/m3	0.0003	0.00032			
SESPMNT	B16RB6	YAKIMA BARRICADE	PERIMETER	AT	16-Apr-03	ALPHA	0.00064	pCi/m3	0.00035	0.00039			
SESPMNT	B16RB7	YAKIMA BARRICADE	PERIMETER	AT	30-Apr-03	ALPHA	0.000568	pCi/m3	0.00034	0.00038			
SESPMNT	B16RB8	YAKIMA BARRICADE	PERIMETER	AT	13-May-03	ALPHA	0.000763	pCi/m3	0.00039	0.00044			
SESPMNT	B16RB9	YAKIMA BARRICADE	PERIMETER	AT	28-May-03	ALPHA	0.00064	pCi/m3	0.00033	0.00037			
SESPMNT	B16RC0	YAKIMA BARRICADE	PERIMETER	AT	13-Jun-03	ALPHA	0.000539	pCi/m3	0.00031	0.00034			
SESPMNT	B16RC1	YAKIMA BARRICADE	PERIMETER	AT	26-Jun-03	ALPHA	0.00026	pCi/m3	0.0003	0.00032	U		
SESPMNT	B16RC2	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	ALPHA	0.000743	pCi/m3	0.00036	0.00041			
SESPMNT	B17683	YAKIMA BARRICADE	PERIMETER	AT	24-Jul-03	ALPHA	0.000431	pCi/m3	0.00034	0.00036			
SESPMNT	B17684	YAKIMA BARRICADE	PERIMETER	AT	07-Aug-03	ALPHA	0.0013	pCi/m3	0.00045	0.00055			
SESPMNT	B17685	YAKIMA BARRICADE	PERIMETER	AT	22-Aug-03	ALPHA	0.000688	pCi/m3	0.00033	0.00036			
SESPMNT	B17686	YAKIMA BARRICADE	PERIMETER	AT	05-Sep-03	ALPHA	0.000562	pCi/m3	0.00033	0.00036			
SESPMNT	B17687	YAKIMA BARRICADE	PERIMETER	AT	18-Sep-03	ALPHA	0.000236	pCi/m3	0.00027	0.00028	U		
SESPMNT	B17688	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	ALPHA	0.000429	pCi/m3	0.00029	0.0003			
SESPMNT	B17PX3	YAKIMA BARRICADE	PERIMETER	AT	17-Oct-03	ALPHA	0.00076	pCi/m3	0.00038	0.00043			
SESPMNT	B17PX4	YAKIMA BARRICADE	PERIMETER	AT	30-Oct-03	ALPHA	0.000506	pCi/m3	0.00034	0.00037			
SESPMNT	B17PX5	YAKIMA BARRICADE	PERIMETER	AT	14-Nov-03	ALPHA	0.000759	pCi/m3	0.0004	0.00045			
SESPMNT	B17PX6	YAKIMA BARRICADE	PERIMETER	AT	26-Nov-03	ALPHA	0.000522	pCi/m3	0.00038	0.00041			
SESPMNT	B17PX7	YAKIMA BARRICADE	PERIMETER	AT	16-Dec-03	ALPHA	0.000352	pCi/m3	0.00024	0.00026			
SESPMNT	B17PX8	YAKIMA BARRICADE	PERIMETER	AT	29-Dec-03	ALPHA	0.000658	pCi/m3	0.00038	0.00042			
SESPMNT	B17PX9	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	ALPHA	0.000867	pCi/m3	0.00048	0.00053			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Be-7	0.0825	pCi/m3	0.019	0.019			
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Be-7	0.114	pCi/m3	0.02	0.02			
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Be-7	0.163	pCi/m3	0.031	0.031			
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Be-7	0.0553	pCi/m3	0.013	0.013			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Be-7	0.0825	pCi/m3	0.02	0.02			
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Be-7	0.12	pCi/m3	0.023	0.023			
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Be-7	0.125	pCi/m3	0.027	0.027			
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Be-7	0.056	pCi/m3	0.017	0.017			
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Be-7	0.1	pCi/m3	0.025	0.025			
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Be-7	0.13	pCi/m3	0.031	0.031			
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Be-7	0.157	pCi/m3	0.037	0.037			
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Be-7	0.0647	pCi/m3	0.022	0.022			
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Be-7	0.071	pCi/m3	0.013	0.013			
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Be-7	0.115	pCi/m3	0.021	0.021			
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Be-7	0.147	pCi/m3	0.024	0.024			
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Be-7	0.0623	pCi/m3	0.017	0.017			
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Be-7	0.088	pCi/m3	0.018	0.018			
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Be-7	0.117	pCi/m3	0.02	0.02			
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Be-7	0.166	pCi/m3	0.029	0.029			
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Be-7	0.0706	pCi/m3	0.015	0.015			
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Be-7	0.0625	pCi/m3	0.024	0.024			
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Be-7	0.123	pCi/m3	0.036	0.036			
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Be-7	0.177	pCi/m3	0.049	0.049			
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Be-7	0.0649	pCi/m3	0.022	0.022			
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Be-7	0.0894	pCi/m3	0.029	0.029			
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Be-7	0.133	pCi/m3	0.031	0.031			
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Be-7	0.153	pCi/m3	0.045	0.045			
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Be-7	0.101	pCi/m3	0.035	0.035			
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Be-7	0.082	pCi/m3	0.017	0.017			
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Be-7	0.109	pCi/m3	0.018	0.018			
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Be-7	0.163	pCi/m3	0.029	0.029			
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Be-7	0.0676	pCi/m3	0.013	0.013			
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Be-7	0.0625	pCi/m3	0.02	0.02			
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Be-7	0.145	pCi/m3	0.034	0.034			
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Be-7	0.15	pCi/m3	0.037	0.037			
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Be-7	0.0572	pCi/m3	0.026	0.026	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Be-7	0.0748	pCi/m3	0.029	0.029			
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Be-7	0.137	pCi/m3	0.046	0.046			
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Be-7	0.188	pCi/m3	0.042	0.042			
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Be-7	0.0952	pCi/m3	0.03	0.03			
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Be-7	0.0733	pCi/m3	0.025	0.025			
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Be-7	0.106	pCi/m3	0.028	0.028			
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Be-7	0.175	pCi/m3	0.038	0.038			
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Be-7	0.071	pCi/m3	0.028	0.028			
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Be-7	0.0619	pCi/m3	0.025	0.025			
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Be-7	0.105	pCi/m3	0.023	0.023			
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Be-7	0.202	pCi/m3	0.046	0.046			
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Be-7	0.0769	pCi/m3	0.023	0.023			
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Be-7	0.0788	pCi/m3	0.024	0.024			
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Be-7	0.15	pCi/m3	0.03	0.03			
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Be-7	0.206	pCi/m3	0.043	0.043			
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Be-7	0.0653	pCi/m3	0.027	0.027			
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Be-7	0.0887	pCi/m3	0.022	0.022			
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Be-7	0.136	pCi/m3	0.034	0.034			
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Be-7	0.151	pCi/m3	0.033	0.033			
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Be-7	0.0571	pCi/m3	0.021	0.021			
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Be-7	0.112	pCi/m3	0.028	0.028			
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Be-7	0.128	pCi/m3	0.026	0.026			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Be-7	0.185	pCi/m3	0.039	0.039			
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Be-7	0.0675	pCi/m3	0.03	0.03			
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Be-7	0.0944	pCi/m3	0.02	0.02			
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Be-7	0.143	pCi/m3	0.026	0.026			
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Be-7	0.178	pCi/m3	0.034	0.034			
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Be-7	0.0761	pCi/m3	0.018	0.018			
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Be-7	0.0702	pCi/m3	0.029	0.029			
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Be-7	0.135	pCi/m3	0.034	0.034			
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Be-7	0.191	pCi/m3	0.042	0.042			
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Be-7	0.0728	pCi/m3	0.024	0.024			
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Be-7	0.0668	pCi/m3	0.031	0.031			
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Be-7	0.137	pCi/m3	0.043	0.043			
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Be-7	0.165	pCi/m3	0.038	0.038			
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Be-7	0.0709	pCi/m3	0.027	0.027			
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Be-7	0.0747	pCi/m3	0.022	0.022			
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Be-7	0.157	pCi/m3	0.04	0.04			
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Be-7	0.173	pCi/m3	0.043	0.043			
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Be-7	0.0631	pCi/m3	0.028	0.028			
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Be-7	0.0942	pCi/m3	0.025	0.025			
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Be-7	0.176	pCi/m3	0.037	0.037			
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Be-7	0.14	pCi/m3	0.038	0.038			
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Be-7	0.0832	pCi/m3	0.027	0.027			
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Be-7	0.0912	pCi/m3	0.024	0.024			
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Be-7	0.169	pCi/m3	0.028	0.028			
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Be-7	0.17	pCi/m3	0.038	0.038			
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Be-7	0.0512	pCi/m3	0.015	0.015			
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Be-7	0.0781	pCi/m3	0.02	0.02			
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Be-7	0.133	pCi/m3	0.047	0.047			
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Be-7	0.19	pCi/m3	0.039	0.039			
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Be-7	0.0599	pCi/m3	0.025	0.025			
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Be-7	0.0789	pCi/m3	0.025	0.025			
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Be-7	0.111	pCi/m3	0.031	0.031			
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Be-7	0.141	pCi/m3	0.037	0.037			
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Be-7	0.0388	pCi/m3	0.02	0.02			
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Be-7	0.0708	pCi/m3	0.018	0.018			
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Be-7	0.16	pCi/m3	0.028	0.028			
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Be-7	0.163	pCi/m3	0.034	0.034			
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Be-7	0.0767	pCi/m3	0.02	0.02			
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Be-7	0.0853	pCi/m3	0.022	0.022			
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Be-7	0.146	pCi/m3	0.043	0.043			
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Be-7	0.163	pCi/m3	0.048	0.048			
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Be-7	0.0489	pCi/m3	0.023	0.023			
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Be-7	0.0873	pCi/m3	0.016	0.016			
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Be-7	0.139	pCi/m3	0.027	0.027			
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Be-7	0.14	pCi/m3	0.031	0.031			
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Be-7	0.0455	pCi/m3	0.016	0.016			
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Be-7	0.0972	pCi/m3	0.029	0.029			
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Be-7	0.154	pCi/m3	0.032	0.032			
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Be-7	0.152	pCi/m3	0.043	0.043			
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Be-7	0.0542	pCi/m3	0.028	0.028			
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Be-7	0.0896	pCi/m3	0.028	0.028			
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Be-7	0.136	pCi/m3	0.03	0.03			
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Be-7	0.188	pCi/m3	0.044	0.044			
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Be-7	0.0486	pCi/m3	0.026	0.026			
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Be-7	0.088	pCi/m3	0.02	0.02			
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Be-7	0.153	pCi/m3	0.029	0.029			
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Be-7	0.165	pCi/m3	0.037	0.037			
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Be-7	0.0738	pCi/m3	0.015	0.015			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Co-60	0.0000797	pCi/m3	0.0003	0.0003	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Co-60	0.0000632	pCi/m3	0.00026	0.00026	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Co-60	0.000456	pCi/m3	0.00052	0.00052	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Co-60	0.00036	pCi/m3	0.00032	0.00032	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Co-60	-0.000228	pCi/m3	0.00035	0.00035	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Co-60	0.000475	pCi/m3	0.00049	0.00049	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Co-60	0.00000669	pCi/m3	0.00032	0.00032	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Co-60	-0.000232	pCi/m3	0.00063	0.00063	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Co-60	-0.000309	pCi/m3	0.00069	0.00069	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Co-60	-0.000255	pCi/m3	0.00055	0.00055	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Co-60	0.000135	pCi/m3	0.00064	0.00064	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Co-60	-0.000503	pCi/m3	0.00083	0.00083	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Co-60	0.000149	pCi/m3	0.00018	0.00018	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Co-60	0.0000754	pCi/m3	0.00022	0.00022	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Co-60	-0.0000421	pCi/m3	0.00021	0.00021	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Co-60	0.000116	pCi/m3	0.00038	0.00038	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Co-60	0.000143	pCi/m3	0.00021	0.00021	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Co-60	-0.000207	pCi/m3	0.00028	0.00028	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Co-60	0.000285	pCi/m3	0.00042	0.00042	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Co-60	-0.000227	pCi/m3	0.00028	0.00028	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Co-60	0.00015	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Co-60	0.000466	pCi/m3	0.00064	0.00064	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Co-60	0.000729	pCi/m3	0.00095	0.00095	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Co-60	0.0006	pCi/m3	0.00075	0.00075	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Co-60	-0.000116	pCi/m3	0.0007	0.0007	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Co-60	-0.000278	pCi/m3	0.00069	0.00069	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Co-60	0.000162	pCi/m3	0.00086	0.00086	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Co-60	-0.000579	pCi/m3	0.00084	0.00084	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Co-60	0.00000141	pCi/m3	0.0002	0.0002	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Co-60	0.0000677	pCi/m3	0.00017	0.00017	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Co-60	-0.0000545	pCi/m3	0.00025	0.00025	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Co-60	0.000112	pCi/m3	0.00018	0.00018	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Co-60	0.000325	pCi/m3	0.00056	0.00056	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Co-60	0.0006	pCi/m3	0.00088	0.00088	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Co-60	-0.00000475	pCi/m3	0.00058	0.00058	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Co-60	0.000132	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Co-60	0.00023	pCi/m3	0.00054	0.00054	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Co-60	-0.000536	pCi/m3	0.00063	0.00063	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Co-60	0.000272	pCi/m3	0.00096	0.00096	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Co-60	-0.000166	pCi/m3	0.00069	0.00069	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Co-60	-0.000413	pCi/m3	0.00061	0.00061	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Co-60	-0.0000719	pCi/m3	0.00047	0.00047	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Co-60	-0.000125	pCi/m3	0.00073	0.00073	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Co-60	-0.000269	pCi/m3	0.0007	0.0007	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Co-60	0.000531	pCi/m3	0.00074	0.00074	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Co-60	0.000264	pCi/m3	0.00038	0.00038	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Co-60	0.000176	pCi/m3	0.00088	0.00088	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Co-60	0.000461	pCi/m3	0.00078	0.00078	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Co-60	0.000717	pCi/m3	0.00057	0.00057	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Co-60	0.000362	pCi/m3	0.00061	0.00061	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Co-60	0.000424	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Co-60	-0.0000262	pCi/m3	0.00094	0.00094	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Co-60	-0.0000656	pCi/m3	0.00053	0.00053	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Co-60	0.000309	pCi/m3	0.00058	0.00058	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Co-60	0.000488	pCi/m3	0.0007	0.0007	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Co-60	-0.0000116	pCi/m3	0.00064	0.00064	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Co-60	-0.000224	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Co-60	-0.000222	pCi/m3	0.00065	0.00065	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Co-60	0.000206	pCi/m3	0.00061	0.00061	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Co-60	-0.000306	pCi/m3	0.00086	0.00086	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Co-60	0.000242	pCi/m3	0.00042	0.00042	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Co-60	-0.000088	pCi/m3	0.00033	0.00033	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Co-60	-0.0000868	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Co-60	0.0000597	pCi/m3	0.00033	0.00033	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Co-60	-0.000171	pCi/m3	0.00058	0.00058	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Co-60	0.000807	pCi/m3	0.00066	0.00066	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Co-60	0.000861	pCi/m3	0.00081	0.00081	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Co-60	0.000652	pCi/m3	0.00081	0.00081	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Co-60	0.0000445	pCi/m3	0.00061	0.00061	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Co-60	0.000113	pCi/m3	0.00055	0.00055	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Co-60	-0.000129	pCi/m3	0.00078	0.00078	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Co-60	0.000519	pCi/m3	0.00095	0.00095	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Co-60	0.000556	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Co-60	0.0000525	pCi/m3	0.00068	0.00068	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Co-60	-0.000112	pCi/m3	0.00072	0.00072	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Co-60	-0.000147	pCi/m3	0.00085	0.00085	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Co-60	-0.000503	pCi/m3	0.00053	0.00053	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Co-60	-0.000213	pCi/m3	0.00059	0.00059	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Co-60	-0.000656	pCi/m3	0.00069	0.00069	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Co-60	-0.0000127	pCi/m3	0.001	0.001	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Co-60	-0.000337	pCi/m3	0.00046	0.00046	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Co-60	-0.000205	pCi/m3	0.00037	0.00037	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Co-60	0.000155	pCi/m3	0.00053	0.00053	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Co-60	-0.0000825	pCi/m3	0.00044	0.00044	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Co-60	-0.0000172	pCi/m3	0.00042	0.00042	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Co-60	0.000101	pCi/m3	0.00065	0.00065	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Co-60	-0.000737	pCi/m3	0.00071	0.00071	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Co-60	0.000637	pCi/m3	0.00067	0.00067	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Co-60	0.00000543	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Co-60	-0.000103	pCi/m3	0.00059	0.00059	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Co-60	-0.000143	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Co-60	-0.0000422	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Co-60	0.0000668	pCi/m3	0.00032	0.00032	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Co-60	0.000198	pCi/m3	0.00038	0.00038	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Co-60	-0.000353	pCi/m3	0.00058	0.00058	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Co-60	-0.000341	pCi/m3	0.00053	0.00053	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Co-60	-0.000187	pCi/m3	0.00048	0.00048	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Co-60	0.000382	pCi/m3	0.00072	0.00072	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Co-60	-0.0000856	pCi/m3	0.00084	0.00084	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Co-60	0.000288	pCi/m3	0.00081	0.00081	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Co-60	0.000233	pCi/m3	0.00038	0.00038	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Co-60	-0.000168	pCi/m3	0.00043	0.00043	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Co-60	0.0000707	pCi/m3	0.00055	0.00055	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Co-60	0.000144	pCi/m3	0.0003	0.0003	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Co-60	0.00000675	pCi/m3	0.00071	0.00071	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Co-60	-0.00013	pCi/m3	0.00066	0.00066	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Co-60	0.0000885	pCi/m3	0.00096	0.00096	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Co-60	0.000237	pCi/m3	0.00069	0.00069	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Co-60	0.000225	pCi/m3	0.00064	0.00064	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Co-60	-0.00000138	pCi/m3	0.00053	0.00053	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Co-60	0.000728	pCi/m3	0.001	0.001	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Co-60	-0.000204	pCi/m3	0.00069	0.00069	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Co-60	0.000227	pCi/m3	0.00032	0.00032	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Co-60	0.000199	pCi/m3	0.0003	0.0003	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Co-60	0.0000782	pCi/m3	0.00033	0.00033	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Co-60	-0.0000393	pCi/m3	0.0004	0.0004	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Cs-134	0.0000572	pCi/m3	0.00028	0.00028	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Cs-134	0.0000992	pCi/m3	0.0002	0.0002	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Cs-134	-0.000173	pCi/m3	0.00036	0.00036	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Cs-134	0.0000738	pCi/m3	0.00028	0.00028	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Cs-134	-0.000318	pCi/m3	0.00029	0.00029	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Cs-134	0.000115	pCi/m3	0.00034	0.00034	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Cs-134	-0.0000594	pCi/m3	0.00045	0.00045	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Cs-134	0.000144	pCi/m3	0.00047	0.00047	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Cs-134	-0.000304	pCi/m3	0.00068	0.00068	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Cs-134	0.000249	pCi/m3	0.00038	0.00038	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Cs-134	0.0000225	pCi/m3	0.00067	0.00067	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Cs-134	0.0000382	pCi/m3	0.00077	0.00077	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Cs-134	-0.00000679	pCi/m3	0.00017	0.00017	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Cs-134	0.0000399	pCi/m3	0.00021	0.00021	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Cs-134	0.000071	pCi/m3	0.00029	0.00029	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Cs-134	0.00033	pCi/m3	0.00045	0.00045	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Cs-134	0.000212	pCi/m3	0.00022	0.00022	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Cs-134	0.0000362	pCi/m3	0.00022	0.00022	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Cs-134	0.000476	pCi/m3	0.0004	0.0004	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Cs-134	0.00015	pCi/m3	0.00017	0.00017	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Cs-134	-0.0000476	pCi/m3	0.00054	0.00054	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Cs-134	0.000145	pCi/m3	0.00057	0.00057	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Cs-134	0.000252	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Cs-134	0.000078	pCi/m3	0.00053	0.00053	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Cs-134	0.00083	pCi/m3	0.00075	0.00075	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Cs-134	-0.000192	pCi/m3	0.00065	0.00065	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Cs-134	-0.00045	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Cs-134	0.000534	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Cs-134	-0.000106	pCi/m3	0.00021	0.00021	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Cs-134	-0.0000331	pCi/m3	0.00016	0.00016	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Cs-134	-0.0000122	pCi/m3	0.00022	0.00022	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Cs-134	-0.000128	pCi/m3	0.00022	0.00022	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Cs-134	-0.000319	pCi/m3	0.00042	0.00042	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Cs-134	0.000785	pCi/m3	0.0007	0.0007	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Cs-134	0.0000762	pCi/m3	0.00079	0.00079	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Cs-134	-0.000109	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Cs-134	-0.000445	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Cs-134	0.000346	pCi/m3	0.00075	0.00075	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Cs-134	-0.000225	pCi/m3	0.00071	0.00071	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Cs-134	-0.0000981	pCi/m3	0.00086	0.00086	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Cs-134	-0.000416	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Cs-134	-0.000193	pCi/m3	0.00049	0.00049	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Cs-134	0.0000243	pCi/m3	0.0008	0.0008	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Cs-134	0.000598	pCi/m3	0.00059	0.00059	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Cs-134	-0.000366	pCi/m3	0.00074	0.00074	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Cs-134	0.000417	pCi/m3	0.00043	0.00043	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Cs-134	0.000764	pCi/m3	0.00093	0.00093	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Cs-134	0.0000645	pCi/m3	0.00066	0.00066	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Cs-134	0.000146	pCi/m3	0.00059	0.00059	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Cs-134	0.000537	pCi/m3	0.00059	0.00059	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Cs-134	0.00012	pCi/m3	0.00083	0.00083	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Cs-134	0.000748	pCi/m3	0.00075	0.00075	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Cs-134	-0.000123	pCi/m3	0.00039	0.00039	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Cs-134	0.000237	pCi/m3	0.00072	0.00072	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Cs-134	-0.000451	pCi/m3	0.00054	0.00054	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Cs-134	-0.000192	pCi/m3	0.00075	0.00075	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Cs-134	-0.000729	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Cs-134	-0.0000407	pCi/m3	0.00053	0.00053	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Cs-134	0.0000185	pCi/m3	0.00067	0.00067	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Cs-134	-0.000166	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Cs-134	0.000314	pCi/m3	0.00036	0.00036	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Cs-134	0.0000249	pCi/m3	0.00022	0.00022	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Cs-134	0.000363	pCi/m3	0.00049	0.00049	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Cs-134	0.0000486	pCi/m3	0.00037	0.00037	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Cs-134	0.0000483	pCi/m3	0.00053	0.00053	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Cs-134	-0.000385	pCi/m3	0.00068	0.00068	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Cs-134	-0.0000434	pCi/m3	0.00077	0.00077	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Cs-134	0.000489	pCi/m3	0.00094	0.00094	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Cs-134	0.00000338	pCi/m3	0.00059	0.00059	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Cs-134	-0.0000707	pCi/m3	0.00056	0.00056	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Cs-134	0.000303	pCi/m3	0.00089	0.00089	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Cs-134	-0.00104	pCi/m3	0.00095	0.00095	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Cs-134	0.00055	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Cs-134	-0.0000356	pCi/m3	0.00065	0.00065	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Cs-134	0.00000958	pCi/m3	0.00075	0.00075	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Cs-134	0.000474	pCi/m3	0.001	0.001	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Cs-134	0.000297	pCi/m3	0.00058	0.00058	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Cs-134	0.0000725	pCi/m3	0.00061	0.00061	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Cs-134	-0.000418	pCi/m3	0.00074	0.00074	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Cs-134	-0.0000286	pCi/m3	0.001	0.001	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Cs-134	0.0000588	pCi/m3	0.00039	0.00039	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Cs-134	0.000201	pCi/m3	0.00031	0.00031	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Cs-134	0.000455	pCi/m3	0.00053	0.00053	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Cs-134	0.000113	pCi/m3	0.00031	0.00031	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Cs-134	-0.0000138	pCi/m3	0.00037	0.00037	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Cs-134	0.00026	pCi/m3	0.00058	0.00058	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Cs-134	0.000101	pCi/m3	0.00079	0.00079	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Cs-134	0.000124	pCi/m3	0.0008	0.0008	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Cs-134	-0.000206	pCi/m3	0.00065	0.00065	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Cs-134	0.0000373	pCi/m3	0.00057	0.00057	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Cs-134	-0.000184	pCi/m3	0.00057	0.00057	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Cs-134	-0.000043	pCi/m3	0.00081	0.00081	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Cs-134	-0.0000682	pCi/m3	0.00028	0.00028	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Cs-134	0.0000359	pCi/m3	0.0004	0.0004	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Cs-134	0.0000585	pCi/m3	0.00037	0.00037	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Cs-134	0.000178	pCi/m3	0.00043	0.00043	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Cs-134	-0.000304	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Cs-134	0.0000443	pCi/m3	0.0008	0.0008	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Cs-134	0.000987	pCi/m3	0.00086	0.00086	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Cs-134	0.000935	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Cs-134	-0.0000803	pCi/m3	0.00033	0.00033	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Cs-134	0.0000946	pCi/m3	0.00033	0.00033	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Cs-134	-0.0000631	pCi/m3	0.00038	0.00038	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Cs-134	0.0000675	pCi/m3	0.00036	0.00036	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Cs-134	0.000338	pCi/m3	0.00068	0.00068	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Cs-134	0.0000485	pCi/m3	0.00064	0.00064	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Cs-134	-0.0000894	pCi/m3	0.0008	0.0008	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Cs-134	0.000387	pCi/m3	0.00071	0.00071	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Cs-134	-0.0000575	pCi/m3	0.00065	0.00065	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Cs-134	0.000173	pCi/m3	0.00064	0.00064	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Cs-134	0.000428	pCi/m3	0.00077	0.00077	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Cs-134	-0.000603	pCi/m3	0.00082	0.00082	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Cs-134	-0.000161	pCi/m3	0.00032	0.00032	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Cs-134	-0.0000953	pCi/m3	0.00031	0.00031	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Cs-134	-0.0000509	pCi/m3	0.00043	0.00043	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Cs-134	0.000161	pCi/m3	0.00029	0.00029	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Cs-137	-0.0000805	pCi/m3	0.00027	0.00027	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Cs-137	0.0000419	pCi/m3	0.00017	0.00017	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Cs-137	0.0000196	pCi/m3	0.00033	0.00033	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Cs-137	0.000117	pCi/m3	0.00033	0.00033	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Cs-137	0.000121	pCi/m3	0.00026	0.00026	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Cs-137	0.0000837	pCi/m3	0.0003	0.0003	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Cs-137	-0.0000936	pCi/m3	0.00037	0.00037	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Cs-137	0.000308	pCi/m3	0.00043	0.00043	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Cs-137	0.000216	pCi/m3	0.00047	0.00047	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Cs-137	0.000158	pCi/m3	0.00045	0.00045	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Cs-137	0.00000846	pCi/m3	0.00061	0.00061	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Cs-137	0.00000316	pCi/m3	0.00057	0.00057	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Cs-137	-0.000062	pCi/m3	0.00014	0.00014	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Cs-137	-0.000163	pCi/m3	0.00019	0.00019	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Cs-137	0.0000503	pCi/m3	0.00025	0.00025	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Cs-137	-0.000164	pCi/m3	0.0003	0.0003	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Cs-137	0.000015	pCi/m3	0.00019	0.00019	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Cs-137	0.00014	pCi/m3	0.00018	0.00018	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Cs-137	0.000116	pCi/m3	0.00028	0.00028	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Cs-137	-0.0000429	pCi/m3	0.00021	0.00021	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Cs-137	0.0000971	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Cs-137	0.000207	pCi/m3	0.00045	0.00045	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Cs-137	-0.000149	pCi/m3	0.00072	0.00072	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Cs-137	-0.000194	pCi/m3	0.00053	0.00053	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Cs-137	0.000228	pCi/m3	0.00056	0.00056	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Cs-137	-0.000159	pCi/m3	0.0005	0.0005	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Cs-137	-0.000244	pCi/m3	0.00059	0.00059	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Cs-137	0.000319	pCi/m3	0.00084	0.00084	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Cs-137	-0.0000932	pCi/m3	0.00017	0.00017	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Cs-137	-0.000016	pCi/m3	0.00013	0.00013	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Cs-137	-0.000154	pCi/m3	0.0002	0.0002	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Cs-137	-0.000191	pCi/m3	0.00023	0.00023	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Cs-137	-0.000508	pCi/m3	0.00043	0.00043	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Cs-137	0.000152	pCi/m3	0.00061	0.00061	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Cs-137	-0.000321	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Cs-137	0.000425	pCi/m3	0.001	0.001	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Cs-137	-0.000106	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Cs-137	-0.000452	pCi/m3	0.00059	0.00059	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Cs-137	0.000678	pCi/m3	0.0007	0.0007	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Cs-137	-0.000714	pCi/m3	0.00082	0.00082	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Cs-137	-0.00036	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Cs-137	-0.000179	pCi/m3	0.00042	0.00042	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Cs-137	0.00000808	pCi/m3	0.0005	0.0005	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Cs-137	-0.000264	pCi/m3	0.00046	0.00046	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Cs-137	0.000199	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Cs-137	-0.00018	pCi/m3	0.00031	0.00031	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Cs-137	0.000688	pCi/m3	0.0009	0.0009	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Cs-137	-0.000257	pCi/m3	0.0007	0.0007	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Cs-137	0.000219	pCi/m3	0.00054	0.00054	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Cs-137	0.000302	pCi/m3	0.00045	0.00045	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Cs-137	-0.000308	pCi/m3	0.00074	0.00074	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Cs-137	0.000313	pCi/m3	0.00063	0.00063	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Cs-137	0.000273	pCi/m3	0.00037	0.00037	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Cs-137	0.000127	pCi/m3	0.00058	0.00058	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Cs-137	-0.000409	pCi/m3	0.0005	0.0005	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Cs-137	-0.000424	pCi/m3	0.00068	0.00068	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Cs-137	-0.0000768	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Cs-137	0.000215	pCi/m3	0.00041	0.00041	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Cs-137	-0.000274	pCi/m3	0.00053	0.00053	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Cs-137	0.000436	pCi/m3	0.00076	0.00076	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Cs-137	0.000156	pCi/m3	0.00029	0.00029	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Cs-137	0.0000361	pCi/m3	0.00024	0.00024	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Cs-137	-0.0000693	pCi/m3	0.00048	0.00048	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Cs-137	-0.000144	pCi/m3	0.0003	0.0003	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Cs-137	-0.0000709	pCi/m3	0.00049	0.00049	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Cs-137	0.000534	pCi/m3	0.00057	0.00057	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Cs-137	-0.0000288	pCi/m3	0.00072	0.00072	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Cs-137	-0.000126	pCi/m3	0.00074	0.00074	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Cs-137	0.0000985	pCi/m3	0.00053	0.00053	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Cs-137	-0.0000437	pCi/m3	0.00053	0.00053	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Cs-137	-0.000138	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Cs-137	-0.000413	pCi/m3	0.00092	0.00092	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Cs-137	0.000356	pCi/m3	0.00045	0.00045	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Cs-137	0.000318	pCi/m3	0.00055	0.00055	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Cs-137	0.000271	pCi/m3	0.00078	0.00078	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Cs-137	0.000142	pCi/m3	0.00075	0.00075	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Cs-137	-0.000411	pCi/m3	0.00049	0.00049	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Cs-137	0.0000814	pCi/m3	0.0006	0.0006	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Cs-137	-0.00000388	pCi/m3	0.00049	0.00049	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Cs-137	-0.000164	pCi/m3	0.00084	0.00084	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Cs-137	0.000124	pCi/m3	0.00029	0.00029	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Cs-137	0.000151	pCi/m3	0.00026	0.00026	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Cs-137	0.000315	pCi/m3	0.00044	0.00044	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Cs-137	0.0000644	pCi/m3	0.00033	0.00033	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Cs-137	0.0000315	pCi/m3	0.00041	0.00041	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Cs-137	0.000272	pCi/m3	0.00051	0.00051	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Cs-137	0.000545	pCi/m3	0.00074	0.00074	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Cs-137	-0.000268	pCi/m3	0.0008	0.0008	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Cs-137	-0.0003	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Cs-137	0.0000985	pCi/m3	0.00048	0.00048	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Cs-137	-0.000151	pCi/m3	0.00067	0.00067	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Cs-137	-0.0000166	pCi/m3	0.00081	0.00081	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Cs-137	0.000329	pCi/m3	0.00025	0.00025	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Cs-137	-0.0000537	pCi/m3	0.0003	0.0003	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Cs-137	-0.0000921	pCi/m3	0.00039	0.00039	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Cs-137	0.0000188	pCi/m3	0.00049	0.00049	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Cs-137	-0.00015	pCi/m3	0.00039	0.00039	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Cs-137	0.0000536	pCi/m3	0.00054	0.00054	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Cs-137	-0.000421	pCi/m3	0.00071	0.00071	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Cs-137	0.000853	pCi/m3	0.00077	0.00077	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Cs-137	0.000214	pCi/m3	0.00024	0.00024	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Cs-137	-0.000163	pCi/m3	0.00023	0.00023	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Cs-137	-0.0000582	pCi/m3	0.00035	0.00035	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Cs-137	-0.000306	pCi/m3	0.00034	0.00034	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Cs-137	0.000122	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Cs-137	0.000119	pCi/m3	0.0005	0.0005	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Cs-137	0.00092	pCi/m3	0.00069	0.00069	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Cs-137	-0.000204	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Cs-137	-0.000161	pCi/m3	0.00057	0.00057	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Cs-137	-0.000304	pCi/m3	0.00051	0.00051	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Cs-137	-0.00032	pCi/m3	0.00074	0.00074	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Cs-137	0.0000822	pCi/m3	0.00046	0.00046	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Cs-137	0.000175	pCi/m3	0.00033	0.00033	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Cs-137	-0.000209	pCi/m3	0.00024	0.00024	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Cs-137	-0.000241	pCi/m3	0.00043	0.00043	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Cs-137	-0.000216	pCi/m3	0.00025	0.00025	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Eu-152	0.000292	pCi/m3	0.00084	0.00084	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Eu-152	0.000402	pCi/m3	0.00049	0.00049	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Eu-152	0.000151	pCi/m3	0.0008	0.0008	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Eu-152	-0.000472	pCi/m3	0.00066	0.00066	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Eu-152	0.0000826	pCi/m3	0.00068	0.00068	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Eu-152	-0.000317	pCi/m3	0.00092	0.00092	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Eu-152	-0.000255	pCi/m3	0.00079	0.00079	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Eu-152	-0.00154	pCi/m3	0.0013	0.0013	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Eu-152	-0.000421	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Eu-152	-0.000136	pCi/m3	0.0011	0.0011	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Eu-152	0.000492	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Eu-152	0.000553	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Eu-152	0.000128	pCi/m3	0.00037	0.00037	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Eu-152	0.000122	pCi/m3	0.00058	0.00058	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Eu-152	0.000137	pCi/m3	0.00057	0.00057	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Eu-152	0.000162	pCi/m3	0.00084	0.00084	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Eu-152	-0.000576	pCi/m3	0.00061	0.00061	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Eu-152	0.000174	pCi/m3	0.00048	0.00048	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Eu-152	-0.000106	pCi/m3	0.00079	0.00079	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Eu-152	0.00013	pCi/m3	0.00043	0.00043	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Eu-152	0.000096	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Eu-152	-0.000577	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Eu-152	0.000575	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Eu-152	-0.000325	pCi/m3	0.0014	0.0014	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Eu-152	-0.000392	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Eu-152	-0.000331	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Eu-152	0.00116	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Eu-152	0.00185	pCi/m3	0.0022	0.0022	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Eu-152	-0.000375	pCi/m3	0.00062	0.00062	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Eu-152	-0.000152	pCi/m3	0.00035	0.00035	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Eu-152	0.000592	pCi/m3	0.00069	0.00069	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Eu-152	0.000216	pCi/m3	0.00046	0.00046	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Eu-152	0.00012	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Eu-152	-0.000429	pCi/m3	0.0016	0.0016	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Eu-152	0.000814	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Eu-152	0.000127	pCi/m3	0.0024	0.0024	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Eu-152	-0.000331	pCi/m3	0.001	0.001	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-152	0.000805	pCi/m3	0.0016	0.0016	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-152	-0.000099	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-152	-0.000552	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Eu-152	-0.000652	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Eu-152	-0.000309	pCi/m3	0.001	0.001	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Eu-152	0.00042	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Eu-152	0.000355	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Eu-152	0.00148	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Eu-152	-0.000398	pCi/m3	0.001	0.001	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Eu-152	-0.0000746	pCi/m3	0.0022	0.0022	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Eu-152	0.000203	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Eu-152	0.0000862	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Eu-152	0.00000641	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Eu-152	0.000117	pCi/m3	0.0019	0.0019	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Eu-152	0.00098	pCi/m3	0.0018	0.0018	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-152	-0.000395	pCi/m3	0.001	0.001	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-152	-0.000427	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-152	-0.00142	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-152	-0.000137	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Eu-152	0.00128	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-152	-0.000533	pCi/m3	0.0011	0.0011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-152	0.000489	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-152	0.0000246	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Eu-152	-0.000156	pCi/m3	0.00085	0.00085	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Eu-152	0.000501	pCi/m3	0.00073	0.00073	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Eu-152	-0.000214	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Eu-152	-0.000884	pCi/m3	0.00089	0.00089	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Eu-152	0.0000519	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Eu-152	0.000436	pCi/m3	0.0014	0.0014	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Eu-152	-0.000105	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Eu-152	-0.0000909	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Eu-152	0.000718	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Eu-152	-0.0000281	pCi/m3	0.0013	0.0013	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Eu-152	-0.00066	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Eu-152	0.000348	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Eu-152	-0.000668	pCi/m3	0.001	0.001	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Eu-152	0.00161	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Eu-152	0.0000346	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Eu-152	0.000149	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Eu-152	0.000127	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Eu-152	-0.00135	pCi/m3	0.0015	0.0015	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Eu-152	0.00065	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Eu-152	-0.000789	pCi/m3	0.0018	0.0018	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Eu-152	-0.000748	pCi/m3	0.00078	0.00078	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Eu-152	0.000208	pCi/m3	0.00078	0.00078	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Eu-152	-0.000475	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Eu-152	0.000217	pCi/m3	0.00081	0.00081	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-152	0.000297	pCi/m3	0.00098	0.00098	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-152	0.00046	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-152	-0.00128	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-152	-0.000333	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Eu-152	0.000566	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Eu-152	-0.000573	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Eu-152	0.000909	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Eu-152	-0.000683	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Eu-152	0.00036	pCi/m3	0.00064	0.00064	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Eu-152	-0.0000954	pCi/m3	0.00087	0.00087	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Eu-152	-0.000312	pCi/m3	0.00096	0.00096	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Eu-152	-0.00102	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Eu-152	0.000155	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Eu-152	-0.000492	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Eu-152	-0.000155	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Eu-152	-0.00045	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Eu-152	0.000574	pCi/m3	0.00064	0.00064	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Eu-152	0.000691	pCi/m3	0.00085	0.00085	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Eu-152	0.000378	pCi/m3	0.00098	0.00098	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Eu-152	0.000395	pCi/m3	0.00082	0.00082	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Eu-152	0.000822	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Eu-152	0.00034	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Eu-152	-0.000435	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Eu-152	0.000587	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Eu-152	-0.000102	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Eu-152	0.000506	pCi/m3	0.0012	0.0012	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Eu-152	-0.00124	pCi/m3	0.0019	0.0019	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Eu-152	-0.00015	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Eu-152	0.000571	pCi/m3	0.00064	0.00064	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Eu-152	-0.00017	pCi/m3	0.00067	0.00067	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Eu-152	-0.00109	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Eu-152	-0.000196	pCi/m3	0.00069	0.00069	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Eu-154	-0.000561	pCi/m3	0.00074	0.00074	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Eu-154	0.000128	pCi/m3	0.00058	0.00058	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Eu-154	0.000564	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Eu-154	0.000554	pCi/m3	0.00059	0.00059	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Eu-154	-0.000672	pCi/m3	0.00088	0.00088	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Eu-154	-0.000126	pCi/m3	0.0012	0.0012	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Eu-154	0.000189	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Eu-154	-0.000147	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Eu-154	-0.000483	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Eu-154	-0.00106	pCi/m3	0.0015	0.0015	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Eu-154	0.00127	pCi/m3	0.0019	0.0019	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Eu-154	0.000704	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Eu-154	0.000212	pCi/m3	0.0005	0.0005	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Eu-154	0.000432	pCi/m3	0.00075	0.00075	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Eu-154	0.000214	pCi/m3	0.00052	0.00052	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Eu-154	-0.000468	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Eu-154	-0.000428	pCi/m3	0.00059	0.00059	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Eu-154	0.000212	pCi/m3	0.00059	0.00059	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Eu-154	-0.000142	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Eu-154	-0.000304	pCi/m3	0.00057	0.00057	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Eu-154	0.000873	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Eu-154	-0.00111	pCi/m3	0.0021	0.0021	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Eu-154	0.00114	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Eu-154	0.0000881	pCi/m3	0.0017	0.0017	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Eu-154	-0.00108	pCi/m3	0.002	0.002	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Eu-154	0.00136	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Eu-154	0.00162	pCi/m3	0.0029	0.0029	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Eu-154	-0.0018	pCi/m3	0.0031	0.0031	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Eu-154	0.0000954	pCi/m3	0.00054	0.00054	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Eu-154	0.00038	pCi/m3	0.00052	0.00052	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Eu-154	0.000244	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Eu-154	0.0000895	pCi/m3	0.00067	0.00067	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Eu-154	0.000371	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Eu-154	0.00121	pCi/m3	0.002	0.002	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Eu-154	-0.00000212	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Eu-154	0.000793	pCi/m3	0.0035	0.0035	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Eu-154	0.000514	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-154	0.000127	pCi/m3	0.0018	0.0018	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-154	0.0000202	pCi/m3	0.0023	0.0023	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-154	-0.000599	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Eu-154	0.000376	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Eu-154	0.000338	pCi/m3	0.0014	0.0014	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Eu-154	-0.000332	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Eu-154	-0.000341	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Eu-154	-0.000521	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Eu-154	-0.00035	pCi/m3	0.00091	0.00091	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Eu-154	0.00178	pCi/m3	0.0035	0.0035	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Eu-154	0.00176	pCi/m3	0.0023	0.0023	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Eu-154	0.00126	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Eu-154	0.00129	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Eu-154	-0.000795	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Eu-154	0.00166	pCi/m3	0.0018	0.0018	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-154	0.000165	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-154	-0.00101	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-154	-0.000964	pCi/m3	0.002	0.002	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-154	-0.00209	pCi/m3	0.0028	0.0028	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Eu-154	0.000238	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-154	0.000782	pCi/m3	0.0014	0.0014	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-154	0.000355	pCi/m3	0.002	0.002	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-154	-0.00127	pCi/m3	0.0026	0.0026	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Eu-154	0.000636	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Eu-154	0.000182	pCi/m3	0.00096	0.00096	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Eu-154	0.000249	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Eu-154	0.000809	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Eu-154	0.000906	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Eu-154	-0.000491	pCi/m3	0.002	0.002	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Eu-154	0.00028	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Eu-154	-0.00123	pCi/m3	0.0029	0.0029	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Eu-154	0.000381	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Eu-154	0.000487	pCi/m3	0.0021	0.0021	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Eu-154	-0.00367	pCi/m3	0.0033	0.0033	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Eu-154	0.000132	pCi/m3	0.0036	0.0036	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Eu-154	0.00168	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Eu-154	0.0012	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Eu-154	-0.000885	pCi/m3	0.0023	0.0023	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Eu-154	0.00226	pCi/m3	0.0024	0.0024	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Eu-154	0.000218	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Eu-154	-0.00134	pCi/m3	0.0017	0.0017	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Eu-154	-0.000357	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Eu-154	0.000387	pCi/m3	0.002	0.002	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Eu-154	-0.000342	pCi/m3	0.001	0.001	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Eu-154	0.00021	pCi/m3	0.00099	0.00099	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Eu-154	0.000257	pCi/m3	0.00088	0.00088	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Eu-154	0.000134	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-154	-0.0000352	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-154	0.0000128	pCi/m3	0.002	0.002	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-154	0.000722	pCi/m3	0.0023	0.0023	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-154	0.00198	pCi/m3	0.0025	0.0025	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Eu-154	-0.000322	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Eu-154	-0.00104	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Eu-154	-0.00000491	pCi/m3	0.0021	0.0021	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Eu-154	0.00114	pCi/m3	0.0022	0.0022	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Eu-154	0.0000997	pCi/m3	0.00088	0.00088	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Eu-154	0.000447	pCi/m3	0.0013	0.0013	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Eu-154	-0.000274	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Eu-154	0.000223	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Eu-154	0.000562	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Eu-154	-0.00103	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Eu-154	-0.000973	pCi/m3	0.002	0.002	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Eu-154	0.000788	pCi/m3	0.0026	0.0026	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Eu-154	0.0000807	pCi/m3	0.00087	0.00087	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Eu-154	0.000288	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Eu-154	-0.000531	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Eu-154	-0.00000553	pCi/m3	0.00056	0.00056	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Eu-154	-0.000381	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Eu-154	-0.000835	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Eu-154	-0.000764	pCi/m3	0.0019	0.0019	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Eu-154	-0.000765	pCi/m3	0.002	0.002	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Eu-154	0.00154	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Eu-154	-0.000496	pCi/m3	0.002	0.002	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Eu-154	0.000703	pCi/m3	0.0022	0.0022	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Eu-154	-0.000634	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Eu-154	0.0000505	pCi/m3	0.001	0.001	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Eu-154	0.000271	pCi/m3	0.00078	0.00078	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Eu-154	-0.00104	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Eu-154	0.00133	pCi/m3	0.001	0.001	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Eu-155	-0.000166	pCi/m3	0.00073	0.00073	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Eu-155	-0.00015	pCi/m3	0.00038	0.00038	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Eu-155	0.000655	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Eu-155	0.00018	pCi/m3	0.00044	0.00044	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Eu-155	0.0000293	pCi/m3	0.00045	0.00045	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Eu-155	0.000344	pCi/m3	0.00069	0.00069	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Eu-155	-0.000224	pCi/m3	0.00087	0.00087	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Eu-155	0.000373	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Eu-155	0.000374	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Eu-155	-0.0000364	pCi/m3	0.00069	0.00069	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Eu-155	0.000527	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Eu-155	-0.00000684	pCi/m3	0.00094	0.00094	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Eu-155	-0.000236	pCi/m3	0.00026	0.00026	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Eu-155	0.00027	pCi/m3	0.00042	0.00042	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Eu-155	-0.0000158	pCi/m3	0.00046	0.00046	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Eu-155	0.000417	pCi/m3	0.00059	0.00059	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Eu-155	-0.0000131	pCi/m3	0.00038	0.00038	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Eu-155	-0.0000339	pCi/m3	0.00037	0.00037	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Eu-155	-0.000355	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Eu-155	-0.000257	pCi/m3	0.00042	0.00042	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Eu-155	-0.000911	pCi/m3	0.00083	0.00083	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Eu-155	0.000902	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Eu-155	-0.000637	pCi/m3	0.00088	0.00088	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Eu-155	0.000893	pCi/m3	0.00098	0.00098	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Eu-155	0.000598	pCi/m3	0.001	0.001	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Eu-155	0.00028	pCi/m3	0.00087	0.00087	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Eu-155	-0.00035	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Eu-155	-0.000387	pCi/m3	0.0016	0.0016	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Eu-155	0.000445	pCi/m3	0.0006	0.0006	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Eu-155	0.000359	pCi/m3	0.0003	0.0003	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Eu-155	0.000102	pCi/m3	0.00047	0.00047	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Eu-155	-0.000433	pCi/m3	0.00034	0.00034	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Eu-155	0.000709	pCi/m3	0.00071	0.00071	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Eu-155	-0.0000293	pCi/m3	0.0014	0.0014	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Eu-155	-0.000326	pCi/m3	0.0009	0.0009	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Eu-155	-0.000932	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Eu-155	-0.000253	pCi/m3	0.00096	0.00096	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-155	0.000442	pCi/m3	0.001	0.001	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-155	-0.000679	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-155	0.00000442	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Eu-155	0.000124	pCi/m3	0.00081	0.00081	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Eu-155	-0.000205	pCi/m3	0.00079	0.00079	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Eu-155	0.000413	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Eu-155	-0.00173	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Eu-155	-0.000666	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Eu-155	-0.0000906	pCi/m3	0.00057	0.00057	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Eu-155	-0.000322	pCi/m3	0.0021	0.0021	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Eu-155	0.0000568	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Eu-155	-0.000669	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Eu-155	-0.000139	pCi/m3	0.00082	0.00082	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Eu-155	0.000698	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Eu-155	0.000144	pCi/m3	0.0012	0.0012	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-155	-0.000367	pCi/m3	0.00068	0.00068	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-155	0.000368	pCi/m3	0.00092	0.00092	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-155	0.0000344	pCi/m3	0.00098	0.00098	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-155	0.000277	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Eu-155	-0.000159	pCi/m3	0.00091	0.00091	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Eu-155	-0.0000339	pCi/m3	0.00079	0.00079	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Eu-155	-0.000676	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Eu-155	0.00116	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Eu-155	0.0000103	pCi/m3	0.00056	0.00056	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Eu-155	-0.000367	pCi/m3	0.00056	0.00056	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Eu-155	-0.0000238	pCi/m3	0.00097	0.00097	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Eu-155	-0.000199	pCi/m3	0.00063	0.00063	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Eu-155	0.000353	pCi/m3	0.00095	0.00095	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Eu-155	0.000192	pCi/m3	0.0013	0.0013	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Eu-155	0.000998	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Eu-155	-0.00022	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Eu-155	0.000892	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Eu-155	0.0000604	pCi/m3	0.00096	0.00096	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Eu-155	-0.000621	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Eu-155	-0.000953	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Eu-155	-0.000337	pCi/m3	0.00077	0.00077	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Eu-155	0.0000729	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Eu-155	0.00109	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Eu-155	0.000107	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Eu-155	-0.00123	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Eu-155	-0.000626	pCi/m3	0.0011	0.0011	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Eu-155	-0.000547	pCi/m3	0.00093	0.00093	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Eu-155	-0.000428	pCi/m3	0.0016	0.0016	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Eu-155	-0.000197	pCi/m3	0.00057	0.00057	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Eu-155	-0.0000728	pCi/m3	0.00055	0.00055	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Eu-155	-0.000751	pCi/m3	0.0009	0.0009	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Eu-155	-0.0000244	pCi/m3	0.00053	0.00053	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Eu-155	0.000292	pCi/m3	0.00071	0.00071	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Eu-155	0.0000358	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Eu-155	-0.000253	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Eu-155	0.00145	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Eu-155	0.000122	pCi/m3	0.00089	0.00089	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Eu-155	-0.000162	pCi/m3	0.001	0.001	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Eu-155	0.0012	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Eu-155	-0.000183	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Eu-155	0.000373	pCi/m3	0.00053	0.00053	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Eu-155	-0.0000468	pCi/m3	0.00063	0.00063	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Eu-155	0.000253	pCi/m3	0.00073	0.00073	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Eu-155	-0.000447	pCi/m3	0.00085	0.00085	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Eu-155	0.0000851	pCi/m3	0.00079	0.00079	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Eu-155	0.000274	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Eu-155	-0.000657	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Eu-155	0.000283	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Eu-155	0.00028	pCi/m3	0.00052	0.00052	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Eu-155	0.000464	pCi/m3	0.00057	0.00057	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Eu-155	0.000364	pCi/m3	0.00076	0.00076	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Eu-155	0.0000179	pCi/m3	0.00059	0.00059	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Eu-155	0.000134	pCi/m3	0.00091	0.00091	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Eu-155	-0.000165	pCi/m3	0.0008	0.0008	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Eu-155	0.000639	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Eu-155	-0.000119	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Eu-155	0.000184	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Eu-155	-0.000168	pCi/m3	0.0011	0.0011	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Eu-155	0.000803	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Eu-155	0.000955	pCi/m3	0.001	0.001	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Eu-155	-0.0000267	pCi/m3	0.0006	0.0006	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Eu-155	-0.000309	pCi/m3	0.00054	0.00054	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Eu-155	0.0000158	pCi/m3	0.00093	0.00093	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Eu-155	0.000211	pCi/m3	0.00059	0.00059	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03 K-40		0.00451	pCi/m3	0.0063	0.0063	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03 K-40		0.000755	pCi/m3	0.0052	0.0052	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03 K-40		0.00348	pCi/m3	0.0095	0.0095	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04 K-40		0.00384	pCi/m3	0.0063	0.0063	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03 K-40		0.00415	pCi/m3	0.0076	0.0076	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03 K-40		0.000075	pCi/m3	0.0099	0.0099	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03 K-40		0.000579	pCi/m3	0.011	0.011	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03 K-40		0.00254	pCi/m3	0.014	0.014	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03 K-40		0.00918	pCi/m3	0.012	0.012	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03 K-40		-0.00218	pCi/m3	0.0065	0.0065	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03 K-40		0.00648	pCi/m3	0.022	0.022	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03 K-40		-0.00883	pCi/m3	0.011	0.011	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03 K-40		0.0132	pCi/m3	0.0047	0.0047	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03 K-40		0.00549	pCi/m3	0.0049	0.0049	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03 K-40		0.00517	pCi/m3	0.007	0.007	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03 K-40		0.00432	pCi/m3	0.0087	0.0087	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03 K-40		0.00494	pCi/m3	0.0062	0.0062	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03 K-40		0.00243	pCi/m3	0.0055	0.0055	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03 K-40		0.00508	pCi/m3	0.0093	0.0093	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04 K-40		0.00257	pCi/m3	0.0039	0.0039	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03 K-40		0.00535	pCi/m3	0.0089	0.0089	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03 K-40		0.00094	pCi/m3	0.016	0.016	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03 K-40		0.00449	pCi/m3	0.012	0.012	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04 K-40		0.0161	pCi/m3	0.014	0.014	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03 K-40		-0.016	pCi/m3	0.015	0.015	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03 K-40		-0.00329	pCi/m3	0.014	0.014	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03 K-40		0.0106	pCi/m3	0.013	0.013	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04 K-40		-0.0106	pCi/m3	0.022	0.022	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03 K-40		0.00217	pCi/m3	0.0055	0.0055	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03 K-40		0.00309	pCi/m3	0.0045	0.0045	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03 K-40		0.00107	pCi/m3	0.0046	0.0046	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04 K-40		0.0019	pCi/m3	0.0032	0.0032	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03 K-40		0.00759	pCi/m3	0.0089	0.0089	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03 K-40		-0.00506	pCi/m3	0.018	0.018	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03 K-40		0.000407	pCi/m3	0.0081	0.0081	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03 K-40		0.0111	pCi/m3	0.022	0.022	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03 K-40		0.00508	pCi/m3	0.013	0.013	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03 K-40		0.0115	pCi/m3	0.017	0.017	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03 K-40		0.0126	pCi/m3	0.014	0.014	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03 K-40		0.0028	pCi/m3	0.016	0.016	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03 K-40		0.00329	pCi/m3	0.012	0.012	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03 K-40		0.00512	pCi/m3	0.0089	0.0089	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03 K-40		-0.00224	pCi/m3	0.011	0.011	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04 K-40		0.00803	pCi/m3	0.012	0.012	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03 K-40		0.00391	pCi/m3	0.017	0.017	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03 K-40		0.00363	pCi/m3	0.0067	0.0067	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03 K-40		0.0116	pCi/m3	0.028	0.028	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04 K-40		-0.000548	pCi/m3	0.017	0.017	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03 K-40		0.0116	pCi/m3	0.015	0.015	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03 K-40		-0.00363	pCi/m3	0.0063	0.0063	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03 K-40		0.0137	pCi/m3	0.022	0.022	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04 K-40		-0.0126	pCi/m3	0.019	0.019	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03 K-40		0.00378	pCi/m3	0.0065	0.0065	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03 K-40		0.00222	pCi/m3	0.015	0.015	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03 K-40		-0.000881	pCi/m3	0.0095	0.0095	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04 K-40		-0.00361	pCi/m3	0.019	0.019	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03 K-40		-0.000447	pCi/m3	0.014	0.014	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03 K-40		0.00827	pCi/m3	0.0078	0.0078	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	K-40	0.0204	pCi/m3	0.016	0.016	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	K-40	-0.0105	pCi/m3	0.019	0.019	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	K-40	0.0161	pCi/m3	0.011	0.011			
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	K-40	0.00785	pCi/m3	0.0067	0.0067			
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	K-40	0.0016	pCi/m3	0.014	0.014	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	K-40	-0.000994	pCi/m3	0.0046	0.0046	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	K-40	-0.00246	pCi/m3	0.013	0.013	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	K-40	0.00629	pCi/m3	0.018	0.018	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	K-40	0.00833	pCi/m3	0.019	0.019	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	K-40	-0.00208	pCi/m3	0.02	0.02	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	K-40	0.00572	pCi/m3	0.014	0.014	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	K-40	0.00334	pCi/m3	0.015	0.015	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	K-40	-0.00777	pCi/m3	0.018	0.018	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	K-40	0.0066	pCi/m3	0.016	0.016	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	K-40	0.00244	pCi/m3	0.0066	0.0066	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	K-40	0.0163	pCi/m3	0.017	0.017	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	K-40	0.0184	pCi/m3	0.025	0.025	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	K-40	0.00713	pCi/m3	0.024	0.024	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	K-40	-0.00352	pCi/m3	0.012	0.012	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	K-40	0.00159	pCi/m3	0.017	0.017	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	K-40	-0.00339	pCi/m3	0.011	0.011	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	K-40	0.0148	pCi/m3	0.022	0.022	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	K-40	0.00598	pCi/m3	0.0092	0.0092	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	K-40	-0.00357	pCi/m3	0.0077	0.0077	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	K-40	0.0135	pCi/m3	0.012	0.012	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	K-40	-0.0000454	pCi/m3	0.006	0.006	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	K-40	0.00586	pCi/m3	0.0067	0.0067	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	K-40	0.00531	pCi/m3	0.017	0.017	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	K-40	0.00146	pCi/m3	0.019	0.019	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	K-40	0.00194	pCi/m3	0.017	0.017	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	K-40	0.00286	pCi/m3	0.015	0.015	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	K-40	-0.00469	pCi/m3	0.014	0.014	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	K-40	0.0061	pCi/m3	0.012	0.012	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	K-40	0.00544	pCi/m3	0.014	0.014	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	K-40	0.0068	pCi/m3	0.0058	0.0058			
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	K-40	0.0009	pCi/m3	0.0091	0.0091	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	K-40	0.00271	pCi/m3	0.009	0.009	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	K-40	0.00697	pCi/m3	0.0093	0.0093	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	K-40	0.0019	pCi/m3	0.0088	0.0088	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	K-40	-0.00963	pCi/m3	0.015	0.015	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	K-40	0.00129	pCi/m3	0.02	0.02	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	K-40	0.0667	pCi/m3	0.025	0.025			
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	K-40	0.0147	pCi/m3	0.0084	0.0084			
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	K-40	0.00861	pCi/m3	0.0078	0.0078	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	K-40	-0.000771	pCi/m3	0.01	0.01	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	K-40	-0.00308	pCi/m3	0.007	0.007	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	K-40	-0.00865	pCi/m3	0.015	0.015	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	K-40	0.00335	pCi/m3	0.015	0.015	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	K-40	0.0134	pCi/m3	0.016	0.016	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	K-40	-0.0106	pCi/m3	0.017	0.017	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	K-40	-0.00838	pCi/m3	0.015	0.015	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	K-40	0.00984	pCi/m3	0.014	0.014	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	K-40	-0.0128	pCi/m3	0.021	0.021	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	K-40	-0.00539	pCi/m3	0.016	0.016	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	K-40	0.00336	pCi/m3	0.0067	0.0067	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	K-40	0.00328	pCi/m3	0.0072	0.0072	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	K-40	0.00976	pCi/m3	0.011	0.011	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	K-40	0.000635	pCi/m3	0.0088	0.0088	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Ru-106	-0.00193	pCi/m3	0.0024	0.0024	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Ru-106	-0.000706	pCi/m3	0.0016	0.0016	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Ru-106	0.00156	pCi/m3	0.0031	0.0031	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Ru-106	-0.0000362	pCi/m3	0.002	0.002	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Ru-106	-0.000619	pCi/m3	0.0027	0.0027	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Ru-106	0.00181	pCi/m3	0.0034	0.0034	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Ru-106	-0.00000725	pCi/m3	0.0037	0.0037	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Ru-106	-0.000937	pCi/m3	0.0048	0.0048	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Ru-106	-0.0018	pCi/m3	0.0054	0.0054	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Ru-106	-0.000785	pCi/m3	0.0039	0.0039	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Ru-106	0.00399	pCi/m3	0.0077	0.0077	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Ru-106	-0.00033	pCi/m3	0.0063	0.0063	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Ru-106	-0.000227	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Ru-106	0.000456	pCi/m3	0.0015	0.0015	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Ru-106	-0.000763	pCi/m3	0.002	0.002	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Ru-106	0.00243	pCi/m3	0.003	0.003	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Ru-106	-0.000517	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Ru-106	-0.00105	pCi/m3	0.0019	0.0019	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Ru-106	0.00125	pCi/m3	0.0026	0.0026	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Ru-106	-0.000818	pCi/m3	0.0018	0.0018	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Ru-106	0.000706	pCi/m3	0.0051	0.0051	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Ru-106	0.00395	pCi/m3	0.0058	0.0058	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Ru-106	-0.00128	pCi/m3	0.0066	0.0066	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Ru-106	-0.00255	pCi/m3	0.0064	0.0064	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Ru-106	-0.00328	pCi/m3	0.0051	0.0051	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Ru-106	-0.000874	pCi/m3	0.0051	0.0051	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Ru-106	0.000549	pCi/m3	0.0067	0.0067	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Ru-106	-0.00941	pCi/m3	0.0098	0.0098	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Ru-106	0.0000473	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Ru-106	0.000858	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Ru-106	-0.0011	pCi/m3	0.0022	0.0022	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Ru-106	0.000576	pCi/m3	0.0021	0.0021	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Ru-106	0.00568	pCi/m3	0.0045	0.0045	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Ru-106	-0.00113	pCi/m3	0.0068	0.0068	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Ru-106	-0.00112	pCi/m3	0.0043	0.0043	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Ru-106	-0.00148	pCi/m3	0.011	0.011	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Ru-106	-0.00347	pCi/m3	0.0048	0.0048	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Ru-106	-0.0000621	pCi/m3	0.0061	0.0061	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Ru-106	0.00173	pCi/m3	0.0062	0.0062	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Ru-106	0.00865	pCi/m3	0.0084	0.0084	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Ru-106	0.000527	pCi/m3	0.0049	0.0049	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Ru-106	-0.00357	pCi/m3	0.0043	0.0043	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Ru-106	0.00156	pCi/m3	0.006	0.006	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Ru-106	-0.00222	pCi/m3	0.0054	0.0054	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Ru-106	-0.00063	pCi/m3	0.0052	0.0052	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Ru-106	-0.00188	pCi/m3	0.003	0.003	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Ru-106	-0.00188	pCi/m3	0.011	0.011	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Ru-106	-0.000121	pCi/m3	0.0065	0.0065	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Ru-106	-0.00186	pCi/m3	0.0051	0.0051	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Ru-106	0.00282	pCi/m3	0.0042	0.0042	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Ru-106	0.00151	pCi/m3	0.0081	0.0081	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Ru-106	-0.000498	pCi/m3	0.0068	0.0068	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Ru-106	-0.00199	pCi/m3	0.0038	0.0038	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Ru-106	0.000757	pCi/m3	0.0058	0.0058	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Ru-106	-0.00624	pCi/m3	0.006	0.006	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Ru-106	-0.00116	pCi/m3	0.0086	0.0086	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Ru-106	0.00253	pCi/m3	0.0051	0.0051	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Ru-106	0.0000864	pCi/m3	0.004	0.004	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Ru-106	0.00385	pCi/m3	0.0066	0.0066	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Ru-106	0.00275	pCi/m3	0.0074	0.0074	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Ru-106	-0.000116	pCi/m3	0.0032	0.0032	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Ru-106	-0.00102	pCi/m3	0.0028	0.0028	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Ru-106	0.00116	pCi/m3	0.0045	0.0045	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Ru-106	0.000425	pCi/m3	0.0033	0.0033	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Ru-106	0.00154	pCi/m3	0.0048	0.0048	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Ru-106	0.00542	pCi/m3	0.0057	0.0057	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Ru-106	0.00608	pCi/m3	0.0068	0.0068	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Ru-106	0.00458	pCi/m3	0.0082	0.0082	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Ru-106	0.000108	pCi/m3	0.0048	0.0048	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Ru-106	-0.00117	pCi/m3	0.0054	0.0054	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Ru-106	0.00176	pCi/m3	0.0076	0.0076	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Ru-106	-0.00958	pCi/m3	0.007	0.007	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Ru-106	-0.00399	pCi/m3	0.0043	0.0043	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Ru-106	-0.00201	pCi/m3	0.0052	0.0052	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Ru-106	0.00209	pCi/m3	0.0065	0.0065	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Ru-106	-0.00515	pCi/m3	0.0072	0.0072	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Ru-106	0.00073	pCi/m3	0.0055	0.0055	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Ru-106	0.00193	pCi/m3	0.0059	0.0059	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Ru-106	-0.00403	pCi/m3	0.0047	0.0047	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Ru-106	-0.00314	pCi/m3	0.0071	0.0071	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Ru-106	-0.00215	pCi/m3	0.0027	0.0027	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Ru-106	-0.00127	pCi/m3	0.0027	0.0027	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Ru-106	0.000632	pCi/m3	0.0049	0.0049	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Ru-106	-0.000927	pCi/m3	0.0028	0.0028	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Ru-106	-0.000193	pCi/m3	0.0038	0.0038	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Ru-106	0.00452	pCi/m3	0.0057	0.0057	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Ru-106	0.000852	pCi/m3	0.005	0.005	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Ru-106	-0.00081	pCi/m3	0.0072	0.0072	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Ru-106	0.00107	pCi/m3	0.0046	0.0046	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Ru-106	0.00109	pCi/m3	0.005	0.005	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Ru-106	0.000251	pCi/m3	0.0065	0.0065	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Ru-106	0.0014	pCi/m3	0.0079	0.0079	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Ru-106	0.00043	pCi/m3	0.0024	0.0024	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Ru-106	-0.000347	pCi/m3	0.0028	0.0028	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Ru-106	0.00115	pCi/m3	0.0036	0.0036	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Ru-106	-0.00159	pCi/m3	0.0045	0.0045	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Ru-106	0.000952	pCi/m3	0.0044	0.0044	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Ru-106	0.00339	pCi/m3	0.0056	0.0056	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Ru-106	0.00118	pCi/m3	0.0066	0.0066	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Ru-106	-0.000295	pCi/m3	0.0086	0.0086	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Ru-106	0.000196	pCi/m3	0.0026	0.0026	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Ru-106	-0.00227	pCi/m3	0.0029	0.0029	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Ru-106	-0.00124	pCi/m3	0.0036	0.0036	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Ru-106	0.00049	pCi/m3	0.0036	0.0036	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Ru-106	-0.00264	pCi/m3	0.0055	0.0055	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Ru-106	0.00654	pCi/m3	0.0053	0.0053	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Ru-106	-0.00822	pCi/m3	0.0072	0.0072	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Ru-106	0.0049	pCi/m3	0.0056	0.0056	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Ru-106	0.000458	pCi/m3	0.0054	0.0054	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Ru-106	0.00148	pCi/m3	0.0056	0.0056	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Ru-106	-0.000618	pCi/m3	0.0079	0.0079	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Ru-106	0.000196	pCi/m3	0.006	0.006	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Ru-106	-0.000148	pCi/m3	0.0029	0.0029	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Ru-106	-0.00141	pCi/m3	0.0024	0.0024	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Ru-106	-0.00126	pCi/m3	0.0039	0.0039	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Ru-106	-0.00066	pCi/m3	0.003	0.003	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Sb-125	-0.00049	pCi/m3	0.00067	0.00067	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Sb-125	-0.000189	pCi/m3	0.00046	0.00046	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Sb-125	-0.0000542	pCi/m3	0.00077	0.00077	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Sb-125	0.000233	pCi/m3	0.00066	0.00066	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Sb-125	0.000393	pCi/m3	0.00066	0.00066	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Sb-125	-0.0000808	pCi/m3	0.00087	0.00087	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Sb-125	0.000322	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Sb-125	-0.0000674	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Sb-125	-0.000833	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Sb-125	0.000412	pCi/m3	0.0011	0.0011	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Sb-125	-0.000245	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Sb-125	-0.000544	pCi/m3	0.0015	0.0015	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Sb-125	-0.000129	pCi/m3	0.00037	0.00037	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Sb-125	0.000058	pCi/m3	0.00043	0.00043	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Sb-125	-0.000483	pCi/m3	0.00054	0.00054	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Sb-125	0.000226	pCi/m3	0.00072	0.00072	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Sb-125	-0.000141	pCi/m3	0.00051	0.00051	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Sb-125	-0.0000681	pCi/m3	0.0005	0.0005	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Sb-125	0.000168	pCi/m3	0.00074	0.00074	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Sb-125	-0.0000768	pCi/m3	0.00061	0.00061	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	Sb-125	0.00107	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	Sb-125	0.00177	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	Sb-125	-0.00138	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	Sb-125	-0.000547	pCi/m3	0.0012	0.0012	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	Sb-125	-0.00058	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	Sb-125	-0.000258	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	Sb-125	-0.00024	pCi/m3	0.0017	0.0017	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	Sb-125	0.000365	pCi/m3	0.002	0.002	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Sb-125	0.0000772	pCi/m3	0.00051	0.00051	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Sb-125	-0.0000324	pCi/m3	0.00036	0.00036	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Sb-125	0.000109	pCi/m3	0.00054	0.00054	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Sb-125	0.000111	pCi/m3	0.00056	0.00056	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Sb-125	0.00055	pCi/m3	0.00092	0.00092	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Sb-125	0.00103	pCi/m3	0.0015	0.0015	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Sb-125	-0.000802	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Sb-125	0.000806	pCi/m3	0.0022	0.0022	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Sb-125	-0.000232	pCi/m3	0.001	0.001	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Sb-125	0.0002	pCi/m3	0.0015	0.0015	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Sb-125	-0.00105	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Sb-125	0.00017	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16820	BATTELLE COMPLEX	PERIMETER	AT	02-Apr-03	Sb-125	0.000572	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PD4	BATTELLE COMPLEX	PERIMETER	AT	09-Jul-03	Sb-125	0.000974	pCi/m3	0.00095	0.00095	U		
SESPMNT	B175B4	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	Sb-125	-0.00145	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17NY7	BATTELLE COMPLEX	PERIMETER	AT	08-Jan-04	Sb-125	0.000776	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16827	BENTON CITY	COMMUNITY	AT	03-Apr-03	Sb-125	-0.000843	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PF2	BENTON CITY	COMMUNITY	AT	11-Jul-03	Sb-125	-0.000303	pCi/m3	0.0008	0.0008	U		
SESPMNT	B175C1	BENTON CITY	COMMUNITY	AT	03-Oct-03	Sb-125	-0.000793	pCi/m3	0.002	0.002	U		
SESPMNT	B17P05	BENTON CITY	COMMUNITY	AT	09-Jan-04	Sb-125	0.000715	pCi/m3	0.0017	0.0017	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Sb-125	0.000272	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Sb-125	0.000734	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Sb-125	-0.000297	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Sb-125	-0.000568	pCi/m3	0.0016	0.0016	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Sb-125	0.000188	pCi/m3	0.00084	0.00084	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Sb-125	-0.00125	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Sb-125	-0.000865	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Sb-125	-0.00195	pCi/m3	0.0023	0.0023	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Sb-125	0.000561	pCi/m3	0.0014	0.0014	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Sb-125	-0.00118	pCi/m3	0.0011	0.0011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Sb-125	0.000795	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Sb-125	0.000363	pCi/m3	0.0018	0.0018	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Sb-125	0.000197	pCi/m3	0.00082	0.00082	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Sb-125	0.000175	pCi/m3	0.00056	0.00056	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Sb-125	0.0000471	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Sb-125	0.000523	pCi/m3	0.00086	0.00086	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Sb-125	0.00102	pCi/m3	0.0012	0.0012	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Sb-125	0.000155	pCi/m3	0.0013	0.0013	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Sb-125	0.00107	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Sb-125	0.000109	pCi/m3	0.0021	0.0021	U		
SESPMNT	B16834	MATTAWA	COMMUNITY	AT	09-Apr-03	Sb-125	0.00103	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PH0	MATTAWA	COMMUNITY	AT	01-Jul-03	Sb-125	-0.000147	pCi/m3	0.0016	0.0016	U		
SESPMNT	B175C8	MATTAWA	COMMUNITY	AT	09-Oct-03	Sb-125	0.000866	pCi/m3	0.0018	0.0018	U		
SESPMNT	B17P13	MATTAWA	COMMUNITY	AT	31-Dec-03	Sb-125	-0.000497	pCi/m3	0.0019	0.0019	U		
SESPMNT	B16812	N OF 200 E	ONSITE	AT	08-Apr-03	Sb-125	0.000302	pCi/m3	0.0011	0.0011	U		
SESPMNT	B16PC7	N OF 200 E	ONSITE	AT	30-Jun-03	Sb-125	-0.000872	pCi/m3	0.0013	0.0013	U		
SESPMNT	B17596	N OF 200 E	ONSITE	AT	07-Oct-03	Sb-125	-0.000508	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17NY0	N OF 200 E	ONSITE	AT	30-Dec-03	Sb-125	-0.000783	pCi/m3	0.002	0.002	U		
SESPMNT	B16842	OTHELLO	COMMUNITY	AT	09-Apr-03	Sb-125	-0.00137	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16PH7	OTHELLO	COMMUNITY	AT	01-Jul-03	Sb-125	-0.000147	pCi/m3	0.0015	0.0015	U		
SESPMNT	B175D6	OTHELLO	COMMUNITY	AT	09-Oct-03	Sb-125	-0.00156	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17P20	OTHELLO	COMMUNITY	AT	31-Dec-03	Sb-125	-0.00116	pCi/m3	0.0021	0.0021	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Sb-125	-0.0000131	pCi/m3	0.00072	0.00072	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Sb-125	-0.000325	pCi/m3	0.00067	0.00067	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Sb-125	0.000992	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Sb-125	-0.000319	pCi/m3	0.00068	0.00068	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Sb-125	0.00109	pCi/m3	0.00093	0.00093	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Sb-125	0.0000565	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Sb-125	0.00125	pCi/m3	0.0019	0.0019	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Sb-125	0.000984	pCi/m3	0.002	0.002	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Sb-125	0.00105	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Sb-125	0.0000059	pCi/m3	0.0012	0.0012	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Sb-125	0.000117	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Sb-125	-0.000323	pCi/m3	0.0016	0.0016	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Sb-125	0.000187	pCi/m3	0.00066	0.00066	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Sb-125	-0.000135	pCi/m3	0.00083	0.00083	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Sb-125	-0.000000367	pCi/m3	0.001	0.001	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Sb-125	-0.000464	pCi/m3	0.0011	0.0011	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Sb-125	0.000303	pCi/m3	0.001	0.001	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Sb-125	-0.000232	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Sb-125	0.000148	pCi/m3	0.0016	0.0016	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Sb-125	0.00000602	pCi/m3	0.0021	0.0021	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Sb-125	0.000164	pCi/m3	0.00072	0.00072	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Sb-125	0.000279	pCi/m3	0.00076	0.00076	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Sb-125	-0.000787	pCi/m3	0.00099	0.00099	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Sb-125	0.000108	pCi/m3	0.0008	0.0008	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Sb-125	-0.000104	pCi/m3	0.0013	0.0013	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Sb-125	0.000476	pCi/m3	0.0014	0.0014	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Sb-125	-0.0012	pCi/m3	0.0015	0.0015	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Sb-125	-0.00159	pCi/m3	0.0017	0.0017	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Sb-125	0	pCi/m3	0	0	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Sb-125	-0.000122	pCi/m3	0.0012	0.0012	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Sb-125	0.000116	pCi/m3	0.0021	0.0021	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Sb-125	-0.00124	pCi/m3	0.0015	0.0015	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Sb-125	-1.34E-08	pCi/m3	0.00085	0.00085	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Sb-125	-0.00013	pCi/m3	0.00062	0.00062	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Sb-125	-0.000525	pCi/m3	0.0011	0.0011	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Sb-125	0.000196	pCi/m3	0.00079	0.00079	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16897	200 ESE	ONSITE	AT	26-Mar-03	I-129	0.000025888	pCi/m3		2.64058E-06			
SESPMNT	B16PM8	200 ESE	ONSITE	AT	30-Jun-03	I-129	0.000024022	pCi/m3		2.64242E-06			
SESPMNT	B175K8	200 ESE	ONSITE	AT	22-Sep-03	I-129	0.00001623	pCi/m3		1.39578E-06			
SESPMNT	B17P63	200 ESE	ONSITE	AT	12-Jan-04	I-129	0.000018923	pCi/m3		1.70307E-06			
SESPMNT	B168B5	BYERS LANDING	PERIMETER	AT	10-Apr-03	I-129	0.000000569	pCi/m3		4.552E-08			
SESPMNT	B16PN7	BYERS LANDING	PERIMETER	AT	07-Jul-03	I-129	0.000000662	pCi/m3		5.0312E-08			
SESPMNT	B175L6	BYERS LANDING	PERIMETER	AT	25-Sep-03	I-129	0.000000666	pCi/m3		7.992E-08			
SESPMNT	B17P73	BYERS LANDING	PERIMETER	AT	15-Jan-04	I-129	0.000000782	pCi/m3		6.256E-08			
SESPMNT	B168B1	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	I-129	0.000000309	pCi/m3		2.8428E-08			
SESPMNT	B16PN3	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	I-129	0.000000293	pCi/m3		2.4026E-08			
SESPMNT	B175L2	RINGOLD MET TOWER	PERIMETER	AT	25-Sep-03	I-129	0.000000358	pCi/m3		3.8664E-08			
SESPMNT	B17P68	RINGOLD MET TOWER	PERIMETER	AT	15-Jan-04	I-129	0.000000029	pCi/m3		2.494E-08			
SESPMNT	B168B9	YAKIMA	DISTANT	AT	18-Apr-03	I-129	0.000000024	pCi/m3		2.736E-09			
SESPMNT	B16PP1	YAKIMA	DISTANT	AT	11-Jul-03	I-129	0.000000022	pCi/m3		2.816E-09			
SESPMNT	B175M0	YAKIMA	DISTANT	AT	03-Oct-03	I-129	0.000000023	pCi/m3		3.22E-09			
SESPMNT	B17P78	YAKIMA	DISTANT	AT	29-Dec-03	I-129	0.000000029	pCi/m3		3.712E-09			
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Pu-238	0.000000576	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Pu-238	0.000000431	pCi/m3	0.00000053	0.00000055	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Pu-238	0.000000621	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Pu-238	0.00000249	pCi/m3	0.0000016	0.0000016			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Pu-238	-0.000000249	pCi/m3	0.00000085	0.00000085	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Pu-238	-0.000000305	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Pu-238	-2.12E-08	pCi/m3	0.0000005	0.0000006	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Pu-238	0.000000389	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Pu-238	-0.000000511	pCi/m3	0.0000015	0.0000015	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Pu-238	-0.000000592	pCi/m3	0.0000025	0.0000025	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Pu-238	0.000000501	pCi/m3	0.0000014	0.0000016	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Pu-238	0.000000901	pCi/m3	0.0000021	0.0000022	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Pu-238	-0.000000166	pCi/m3	0.00000056	0.00000056	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Pu-238	-0.000000669	pCi/m3	0.00000095	0.00000098	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Pu-238	0.00000104	pCi/m3	0.00000091	0.00000095			
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Pu-238	-0.000000195	pCi/m3	0.00000066	0.0000007	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Pu-238	-0.000000195	pCi/m3	0.00000065	0.00000069	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Pu-238	-0.000000164	pCi/m3	0.00000058	0.00000058	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Pu-238	-0.000000198	pCi/m3	0.00000093	0.00000097	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Pu-238	-0.000000037	pCi/m3	0.00000041	0.00000046	U		
SESPMNT	B167V2	300 NE	ONSITE	AT	02-Apr-03	Pu-238	-0.000000329	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B16P64	300 NE	ONSITE	AT	09-Jul-03	Pu-238	-0.000000804	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B17546	300 NE	ONSITE	AT	30-Sep-03	Pu-238	0.000000534	pCi/m3	0.00000097	0.000001	U		
SESPMNT	B17NP5	300 NE	ONSITE	AT	08-Jan-04	Pu-238	0.000000158	pCi/m3	0.00000088	0.00000095	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Pu-238	-0.000000199	pCi/m3	0.00000022	0.00000025	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Pu-238	-0.000000171	pCi/m3	0.00000019	0.00000022	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Pu-238	0.000000761	pCi/m3	0.00000069	0.00000071			
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Pu-238	0.000000359	pCi/m3	0.00000051	0.00000051	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Pu-238	-0.000000498	pCi/m3	0.0000014	0.0000015	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Pu-238	-0.000000654	pCi/m3	0.0000023	0.0000023	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Pu-238	-0.000000497	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Pu-238	0.00000136	pCi/m3	0.0000029	0.0000031	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Pu-238	0.000000181	pCi/m3	0.0000014	0.0000015	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Pu-238	-0.000000585	pCi/m3	0.0000026	0.0000027	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Pu-238	0.000000374	pCi/m3	0.0000035	0.0000036			
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Pu-238	0.00000019	pCi/m3	0.0000037	0.0000038	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Pu-238	-0.00000103	pCi/m3	0.0000017	0.0000019	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Pu-238	-0.00000145	pCi/m3	0.0000017	0.0000019	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Pu-238	0.00000115	pCi/m3	0.0000034	0.0000035	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Pu-238	-0.00000143	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Pu-238	-1.87E-08	pCi/m3	0.00000099	0.0000012	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Pu-238	0.000000358	pCi/m3	0.0000033	0.0000034	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Pu-238	-0.00000121	pCi/m3	0.0000024	0.0000025	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Pu-238	-0.000000565	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Pu-238	-0.000000487	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Pu-238	0.000000817	pCi/m3	0.000002	0.0000021	U		
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Pu-238	-0.000000497	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Pu-238	0.000000257	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Pu-238	-0.000000179	pCi/m3	0.00000055	0.0000006	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Pu-238	6.65E-08	pCi/m3	0.00000043	0.00000047	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Pu-238	-0.000000179	pCi/m3	0.00000065	0.00000068	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Pu-238	0.000000844	pCi/m3	0.00000097	0.00000098	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Pu-238	0.000000154	pCi/m3	0.0000023	0.0000023	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Pu-238	0.000000224	pCi/m3	0.0000016	0.0000018	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Pu-238	-2.79E-09	pCi/m3	0.00000099	0.0000012	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Pu-238	0.000000277	pCi/m3	0.0000017	0.0000019	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Pu-238	-0.000000615	pCi/m3	0.00000064	0.00000074	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Pu-238	-0.00000025	pCi/m3	0.00000076	0.00000076	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Pu-238	-0.000000302	pCi/m3	0.00000072	0.00000072	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Pu-238	0.000000672	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Pu-238	-0.000000297	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Pu-238	0.000000551	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Pu-238	-0.000000691	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Pu-238	-0.000000414	pCi/m3	0.00000083	0.00000083	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Pu-238	-0.00000196	pCi/m3	0.0000028	0.0000029	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Pu-238	-5.07E-08	pCi/m3	0.00000019	0.00000019	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Pu-238	6.29E-08	pCi/m3	0.0000013	0.0000015	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Pu-238	-0.000000491	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Pu-238	-0.00000015	pCi/m3	0.00000063	0.00000063	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Pu-238	0.000000145	pCi/m3	0.00000064	0.00000068	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Pu-238	0.00000141	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Pu-238	0	pCi/m3	0.00000056	0.00000056	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Pu-238	-0.00000156	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Pu-238	0.00000148	pCi/m3	0.0000029	0.000003	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Pu-238	0.000000158	pCi/m3	0.0000013	0.0000015	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Pu-238	0.000000259	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Pu-238	0.000000048	pCi/m3	0.0000004	0.00000044	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Pu-238	-0.000000581	pCi/m3	0.0000008	0.00000084	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Pu-238	-0.000000344	pCi/m3	0.00000068	0.00000071	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Pu-238	-4.4E-11	pCi/m3	0.00000083	0.00000083	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Pu-238	-6.42E-09	pCi/m3	0.0000012	0.0000014	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Pu-238	-0.000000493	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Pu-238	-0.000000572	pCi/m3	0.0000026	0.0000027	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Pu-238	-0.000000495	pCi/m3	0.000003	0.000003	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Pu-238	-0.00000134	pCi/m3	0.0000015	0.0000017	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Pu-238	-0.00000136	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Pu-238	-0.00000173	pCi/m3	0.0000028	0.0000029	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Pu-238	-0.00000049	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Pu-238	-0.000000431	pCi/m3	0.00000051	0.00000056	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Pu-238	0.000000232	pCi/m3	0.00000076	0.00000078	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Pu-238	2.49E-08	pCi/m3	0.00000041	0.00000047	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Pu-238	0	pCi/m3	0.00000063	0.00000063	U		
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Pu-239/240	0.00000025	pCi/m3	0.0000017	0.0000017			
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Pu-239/240	0.00000659	pCi/m3	0.0000019	0.0000021			
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Pu-239/240	0.00000379	pCi/m3	0.0000015	0.0000016			
SESPMNT	B17PB2	100 AREAS	ONSITE	AT	06-Jan-04	Pu-239/240	0.0000141	pCi/m3	0.0000037	0.0000043			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Pu-239/240	0.000000234	pCi/m3	0.00000065	0.00000067	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Pu-239/240	0.000000695	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Pu-239/240	0.000000152	pCi/m3	0.00000086	0.00000088	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Pu-239/240	0.00000135	pCi/m3	0.0000015	0.0000015	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Pu-239/240	0.000002	pCi/m3	0.0000022	0.0000022	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Pu-239/240	0.00000271	pCi/m3	0.0000034	0.0000034	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Pu-239/240	0.00000532	pCi/m3	0.0000033	0.0000034			
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Pu-239/240	0.00000201	pCi/m3	0.0000033	0.0000033	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Pu-239/240	-5.91E-08	pCi/m3	0.00000054	0.00000054	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Pu-239/240	0.000000877	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Pu-239/240	0.000000113	pCi/m3	0.00000034	0.00000037	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Pu-239/240	0.000000863	pCi/m3	0.00000093	0.00000095	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Pu-239/240	-0.000000298	pCi/m3	0.00000046	0.00000048	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Pu-239/240	0.000000383	pCi/m3	0.00000062	0.00000064	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Pu-239/240	-7.07E-08	pCi/m3	0.00000093	0.00000094	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Pu-239/240	-0.000000265	pCi/m3	0.00000092	0.00000093	U		
SESPMNT	B167V2	300 NE	ONSITE	AT	02-Apr-03	Pu-239/240	0.000000623	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B16P64	300 NE	ONSITE	AT	09-Jul-03	Pu-239/240	-0.000000621	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B17546	300 NE	ONSITE	AT	30-Sep-03	Pu-239/240	0.00000017	pCi/m3	0.00000056	0.0000006	U		
SESPMNT	B17NP5	300 NE	ONSITE	AT	08-Jan-04	Pu-239/240	0.00000165	pCi/m3	0.0000018	0.0000018	U		
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Pu-239/240	-3.16E-08	pCi/m3	0.00000031	0.00000032	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Pu-239/240	6.92E-08	pCi/m3	0.00000033	0.00000034	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Pu-239/240	0.00000011	pCi/m3	0.00000089	0.00000091	U		
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Pu-239/240	0.000000179	pCi/m3	0.00000062	0.00000062	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Pu-239/240	-0.000000177	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Pu-239/240	0.000000629	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Pu-239/240	0.000000275	pCi/m3	0.0000009	0.00000098	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Pu-239/240	-0.000000254	pCi/m3	0.0000029	0.000003	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Pu-239/240	0.000000498	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Pu-239/240	-0.000000208	pCi/m3	0.0000023	0.0000023	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Pu-239/240	0.00000194	pCi/m3	0.0000025	0.0000025	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Pu-239/240	0.000000617	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Pu-239/240	-0.000000187	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Pu-239/240	0.000000638	pCi/m3	0.000003	0.000003	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Pu-239/240	-0.000000204	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Pu-239/240	-0.00000283	pCi/m3	0.000003	0.0000031	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Pu-239/240	-0.000000183	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Pu-239/240	0.00000169	pCi/m3	0.0000027	0.0000027	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Pu-239/240	-0.000000184	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Pu-239/240	-0.000000796	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Pu-239/240	-0.000000173	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Pu-239/240	0.00000012	pCi/m3	0.0000034	0.0000035	U		
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Pu-239/240	0.000000269	pCi/m3	0.00000089	0.00000097	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Pu-239/240	-0.000000207	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Pu-239/240	0.000000131	pCi/m3	0.00000068	0.00000069	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Pu-239/240	0.000000162	pCi/m3	0.00000096	0.00000097	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Pu-239/240	-6.37E-08	pCi/m3	0.00000065	0.00000066	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Pu-239/240	0.000000281	pCi/m3	0.00000056	0.00000056	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Pu-239/240	-0.000000178	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Pu-239/240	0.00000141	pCi/m3	0.0000046	0.0000046	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Pu-239/240	0.000000316	pCi/m3	0.00000099	0.0000011	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Pu-239/240	0.000000651	pCi/m3	0.0000017	0.0000018	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Pu-239/240	0.000000535	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Pu-239/240	0.00000161	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Pu-239/240	0.000000636	pCi/m3	0.00000086	0.00000089	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Pu-239/240	0.000000837	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Pu-239/240	-0.000000106	pCi/m3	0.00000071	0.00000071	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Pu-239/240	0.000000325	pCi/m3	0.0000009	0.00000094	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Pu-239/240	0.00000142	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Pu-239/240	0.000000826	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Pu-239/240	-0.000000207	pCi/m3	0.0000039	0.0000039	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Pu-239/240	0.000000129	pCi/m3	0.00000029	0.0000003	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Pu-239/240	0.000000432	pCi/m3	0.0000022	0.0000023	U		
SESPMNT	B17N2	TOPPENISH	DISTANT	AT	08-Jan-04	Pu-239/240	-0.000000175	pCi/m3	0.0000023	0.0000023	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Pu-239/240	0.000000191	pCi/m3	0.00000085	0.00000086	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Pu-239/240	0.000000579	pCi/m3	0.00000091	0.00000092	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Pu-239/240	0.000000532	pCi/m3	0.00000068	0.00000069	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Pu-239/240	0.000000229	pCi/m3	0.00000079	0.00000079	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Pu-239/240	-0.000000183	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Pu-239/240	0.000000818	pCi/m3	0.000002	0.0000021	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Pu-239/240	-0.000000182	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Pu-239/240	0.000000633	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Pu-239/240	0.000000146	pCi/m3	0.00000069	0.0000007	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Pu-239/240	0.000000336	pCi/m3	0.0000008	0.00000081	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Pu-239/240	-5.23E-08	pCi/m3	0.00000056	0.00000057	U		
SESPMNT	B17P77	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Pu-239/240	0.000000878	pCi/m3	0.000001	0.000001	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Pu-239/240	-0.000000081	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Pu-239/240	-0.000000899	pCi/m3	0.0000025	0.0000025	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Pu-239/240	0.00000108	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Pu-239/240	-0.000000176	pCi/m3	0.0000029	0.0000029	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Pu-239/240	0.00000125	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Pu-239/240	0.0000015	pCi/m3	0.0000024	0.0000024	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Pu-239/240	0.000000366	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Pu-239/240	0.000000428	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Pu-239/240	0.000000699	pCi/m3	0.00000088	0.0000009	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Pu-239/240	0.000000515	pCi/m3	0.00000066	0.00000067	U		
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Pu-239/240	0.00000014	pCi/m3	0.00000041	0.00000043	U		
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Pu-239/240	0	pCi/m3	0.00000062	0.00000062	U		
SESPMNT	B168C4	100 AREAS	ONSITE	AT	31-Mar-03	Sr-90	0.0000323	pCi/m3	0.00002	0.000022			
SESPMNT	B16PP5	100 AREAS	ONSITE	AT	08-Jul-03	Sr-90	0.0000112	pCi/m3	0.000017	0.000025	U		
SESPMNT	B175M4	100 AREAS	ONSITE	AT	01-Oct-03	Sr-90	0.0000298	pCi/m3	0.000011	0.000013			
SESPMNT	B17P82	100 AREAS	ONSITE	AT	06-Jan-04	Sr-90	0.000102	pCi/m3	0.000014	0.000021			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	Sr-90	0.0000573	pCi/m3	0.000033	0.000037			
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	Sr-90	-0.00000479	pCi/m3	0.00005	0.000064	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	Sr-90	0.0000527	pCi/m3	0.000032	0.000034	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	Sr-90	0.0000582	pCi/m3	0.000029	0.000033			
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	Sr-90	0.000126	pCi/m3	0.000084	0.000092	U		
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	Sr-90	-0.000045	pCi/m3	0.00009	0.00011	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	Sr-90	0.0000214	pCi/m3	0.00004	0.000043	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	Sr-90	0.0000832	pCi/m3	0.000049	0.000055			
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	Sr-90	0.0000408	pCi/m3	0.000025	0.000028	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	Sr-90	0.00000417	pCi/m3	0.000032	0.000041	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	Sr-90	0.00000997	pCi/m3	0.000013	0.000014	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	Sr-90	0.0000284	pCi/m3	0.000015	0.000017			
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	Sr-90	0.0000528	pCi/m3	0.000025	0.000029			
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	Sr-90	0.000000623	pCi/m3	0.000025	0.000033	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	Sr-90	0.0000191	pCi/m3	0.000017	0.000018	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	Sr-90	0.0000343	pCi/m3	0.000014	0.000016			
SESPMNT	B167V2	300 NE	ONSITE	AT	02-Apr-03	Sr-90	0.0000252	pCi/m3	0.000052	0.000057	U		
SESPMNT	B16P64	300 NE	ONSITE	AT	09-Jul-03	Sr-90	-0.00000909	pCi/m3	0.000041	0.000052	U		
SESPMNT	B17546	300 NE	ONSITE	AT	30-Sep-03	Sr-90	0.0000262	pCi/m3	0.000027	0.000029	U		
SESPMNT	B17NP5	300 NE	ONSITE	AT	08-Jan-04	Sr-90	0.000059	pCi/m3	0.00003	0.000034			
SESPMNT	B168P5	400 AREA	ONSITE	AT	31-Mar-03	Sr-90	0.0000101	pCi/m3	0.000013	0.000014	U		
SESPMNT	B16R25	400 AREA	ONSITE	AT	08-Jul-03	Sr-90	-0.0000043	pCi/m3	0.000012	0.000017	U		
SESPMNT	B17605	400 AREA	ONSITE	AT	01-Oct-03	Sr-90	0.000021	pCi/m3	0.0000084	0.0000096			
SESPMNT	B17PL2	400 AREA	ONSITE	AT	05-Jan-04	Sr-90	0.0000169	pCi/m3	0.0000076	0.0000087			
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	Sr-90	0.000179	pCi/m3	0.000072	0.000086			
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	Sr-90	0.0000178	pCi/m3	0.000097	0.00013	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	Sr-90	0.0000293	pCi/m3	0.00005	0.000053	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	Sr-90	0.000162	pCi/m3	0.000063	0.000072			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	Sr-90	0.0000974	pCi/m3	0.000073	0.000079	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	Sr-90	0.0000312	pCi/m3	0.000093	0.00012	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	Sr-90	0.0000552	pCi/m3	0.000042	0.000047	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	Sr-90	0.000107	pCi/m3	0.00005	0.000058			
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	Sr-90	0.0000668	pCi/m3	0.000058	0.000064	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	Sr-90	-0.0000579	pCi/m3	0.000096	0.00012	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	Sr-90	0.0000445	pCi/m3	0.000051	0.000054	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	Sr-90	0.000108	pCi/m3	0.000056	0.000064			
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	Sr-90	0.0000803	pCi/m3	0.00006	0.000066	U		
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	Sr-90	-0.0000108	pCi/m3	0.000093	0.00012	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	Sr-90	0.0000534	pCi/m3	0.000045	0.000049	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	Sr-90	0.0000955	pCi/m3	0.000057	0.000062	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	Sr-90	0.0000696	pCi/m3	0.000071	0.000074	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	Sr-90	0.0000146	pCi/m3	0.0001	0.00013	U		
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	Sr-90	0.0000097	pCi/m3	0.000045	0.000052	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	Sr-90	0.000156	pCi/m3	0.000053	0.000062			
SESPMNT	B16986	HANFORD TOWNSITE	ONSITE	AT	31-Mar-03	Sr-90	0.0000154	pCi/m3	0.000023	0.000025	U		
SESPMNT	B16RL5	HANFORD TOWNSITE	ONSITE	AT	08-Jul-03	Sr-90	0.000000614	pCi/m3	0.000025	0.000035	U		
SESPMNT	B176J6	HANFORD TOWNSITE	ONSITE	AT	01-Oct-03	Sr-90	0.0000228	pCi/m3	0.000015	0.000016	U		
SESPMNT	B17R52	HANFORD TOWNSITE	ONSITE	AT	06-Jan-04	Sr-90	0.0000301	pCi/m3	0.000015	0.000017			
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	Sr-90	0.0000764	pCi/m3	0.000072	0.000076	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	Sr-90	0.0000327	pCi/m3	0.000097	0.00013	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	Sr-90	0.0000377	pCi/m3	0.000053	0.000055	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	Sr-90	0.000128	pCi/m3	0.000048	0.000056			
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	Sr-90	0.0000622	pCi/m3	0.000037	0.000042			
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	Sr-90	-0.000000644	pCi/m3	0.000043	0.000053	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	Sr-90	0.0000241	pCi/m3	0.000029	0.000031	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	Sr-90	0.0000536	pCi/m3	0.000022	0.000025			
SESPMNT	B168W5	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	Sr-90	0.0000285	pCi/m3	0.000047	0.000051	U		
SESPMNT	B16R69	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	Sr-90	-0.0000794	pCi/m3	0.000057	0.000075	U		
SESPMNT	B17645	RINGOLD MET TOWER	PERIMETER	AT	10-Oct-03	Sr-90	0.0000274	pCi/m3	0.000024	0.000026	U		
SESPMNT	B17PR6	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-04	Sr-90	0.0000663	pCi/m3	0.000029	0.000033			
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	Sr-90	0.000101	pCi/m3	0.000064	0.000074	U		
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	Sr-90	-0.000000387	pCi/m3	0.000078	0.00001	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	Sr-90	0.000021	pCi/m3	0.000042	0.000044	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	Sr-90	0.0000613	pCi/m3	0.000037	0.000044	U		
SESPMNT	B16940	TRI CITIES	COMMUNITY	AT	10-Apr-03	Sr-90	0.0000115	pCi/m3	0.000023	0.000024	U		
SESPMNT	B16RF3	TRI CITIES	COMMUNITY	AT	07-Jul-03	Sr-90	-0.0000394	pCi/m3	0.000029	0.000038	U		
SESPMNT	B176C0	TRI CITIES	COMMUNITY	AT	10-Oct-03	Sr-90	0.0000166	pCi/m3	0.000013	0.000014	U		
SESPMNT	B17R10	TRI CITIES	COMMUNITY	AT	05-Jan-04	Sr-90	0.0000292	pCi/m3	0.000014	0.000016			
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	Sr-90	0.0000861	pCi/m3	0.000073	0.000077	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	Sr-90	0.000082	pCi/m3	0.000096	0.00013	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	Sr-90	0.0000313	pCi/m3	0.00004	0.000043	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	Sr-90	0.0000969	pCi/m3	0.000057	0.000063	U		
SESPMNT	B16925	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	Sr-90	0.000013	pCi/m3	0.000021	0.000024	U		
SESPMNT	B16RD0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	Sr-90	-0.0000354	pCi/m3	0.000026	0.000037	U		
SESPMNT	B17695	WAHLUKE SLOPE	PERIMETER	AT	08-Oct-03	Sr-90	0.00000777	pCi/m3	0.000011	0.000012	U		
SESPMNT	B17PY7	WAHLUKE SLOPE	PERIMETER	AT	31-Dec-03	Sr-90	0.0000374	pCi/m3	0.000016	0.000019			
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	Sr-90	0.0000689	pCi/m3	0.000069	0.000077	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	Sr-90	0.000016	pCi/m3	0.000079	0.0001	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	Sr-90	0.0000697	pCi/m3	0.000047	0.000052	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	Sr-90	0.0000899	pCi/m3	0.000042	0.000048			
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	Sr-90	0.0000851	pCi/m3	0.000076	0.000082	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	Sr-90	-0.0000441	pCi/m3	0.000077	0.000099	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	Sr-90	-0.0000196	pCi/m3	0.000044	0.000049	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	Sr-90	0.0001	pCi/m3	0.00004	0.000047			
SESPMNT	B16912	YAKIMA BARRICADE	PERIMETER	AT	02-Apr-03	Sr-90	0.0000254	pCi/m3	0.000027	0.000029	U		
SESPMNT	B16RB5	YAKIMA BARRICADE	PERIMETER	AT	11-Jul-03	Sr-90	-0.0000141	pCi/m3	0.000025	0.000034	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17682	YAKIMA BARRICADE	PERIMETER	AT	03-Oct-03	Sr-90							LOST AT LAB.
SESPMNT	B17PX2	YAKIMA BARRICADE	PERIMETER	AT	09-Jan-04	Sr-90	0.0000356	pCi/m3	0.000013	0.000016			
SESPMNT	B16BV5	100 K AREA	ONSITE	AT	21-Jan-03	TRITIUM	4.29	pCi/m3	0.66	0.9			
SESPMNT	B16FP9	100 K AREA	ONSITE	AT	18-Feb-03	TRITIUM	1.09	pCi/m3	0.5	0.6			
SESPMNT	B16KK2	100 K AREA	ONSITE	AT	18-Mar-03	TRITIUM	8.17	pCi/m3	0.95	1.5			
SESPMNT	B16T63	100 K AREA	ONSITE	AT	15-Apr-03	TRITIUM	3.63	pCi/m3	0.74	0.93			
SESPMNT	B170N4	100 K AREA	ONSITE	AT	12-May-03	TRITIUM	3.29	pCi/m3	0.65	0.83			
SESPMNT	B171X1	100 K AREA	ONSITE	AT	11-Jun-03	TRITIUM	3.78	pCi/m3	0.71	0.93			
SESPMNT	B176R1	100 K AREA	ONSITE	AT	08-Jul-03	TRITIUM	2.31	pCi/m3	0.47	0.56			
SESPMNT	B179V2	100 K AREA	ONSITE	AT	04-Aug-03	TRITIUM	4.88	pCi/m3	0.8	1.1			
SESPMNT	B17DN5	100 K AREA	ONSITE	AT	02-Sep-03	TRITIUM	5.43	pCi/m3	0.89	1.2			
SESPMNT	B17LP5	100 K AREA	ONSITE	AT	01-Oct-03	TRITIUM	2.92	pCi/m3	0.52	0.6			
SESPMNT	B17TN3	100 K AREA	ONSITE	AT	28-Oct-03	TRITIUM	8.57	pCi/m3	0.98	1.6			
SESPMNT	B181K0	100 K AREA	ONSITE	AT	24-Nov-03	TRITIUM	3.73	pCi/m3	0.53	0.76			
SESPMNT	B186K7	100 K AREA	ONSITE	AT	22-Dec-03	TRITIUM	3.81	pCi/m3	0.62	0.86			
SESPMNT	B16BV6	100 N-1325 CRIB	ONSITE	AT	21-Jan-03	TRITIUM	5.32	pCi/m3	0.75	1.1			
SESPMNT	B16FR0	100 N-1325 CRIB	ONSITE	AT	18-Feb-03	TRITIUM	7.39	pCi/m3	0.93	1.4			
SESPMNT	B16KK3	100 N-1325 CRIB	ONSITE	AT	18-Mar-03	TRITIUM	7.63	pCi/m3	0.91	1.4			
SESPMNT	B16T64	100 N-1325 CRIB	ONSITE	AT	15-Apr-03	TRITIUM	8.94	pCi/m3	1	1.6			
SESPMNT	B170N5	100 N-1325 CRIB	ONSITE	AT	12-May-03	TRITIUM	4.18	pCi/m3	0.75	0.99			
SESPMNT	B171X2	100 N-1325 CRIB	ONSITE	AT	11-Jun-03	TRITIUM	4.42	pCi/m3	0.75	1			
SESPMNT	B176R2	100 N-1325 CRIB	ONSITE	AT	08-Jul-03	TRITIUM	5.61	pCi/m3	0.57	0.76			
SESPMNT	B179V3	100 N-1325 CRIB	ONSITE	AT	04-Aug-03	TRITIUM	3.52	pCi/m3	0.77	0.97			
SESPMNT	B17DN6	100 N-1325 CRIB	ONSITE	AT	02-Sep-03	TRITIUM	11.4	pCi/m3	1.2	2			
SESPMNT	B17LP6	100 N-1325 CRIB	ONSITE	AT	01-Oct-03	TRITIUM	3.46	pCi/m3	0.58	0.68			
SESPMNT	B17TN4	100 N-1325 CRIB	ONSITE	AT	28-Oct-03	TRITIUM	15.1	pCi/m3	1.3	2.5			
SESPMNT	B181K1	100 N-1325 CRIB	ONSITE	AT	24-Nov-03	TRITIUM	3.05	pCi/m3	0.46	0.65			
SESPMNT	B186K8	100 N-1325 CRIB	ONSITE	AT	22-Dec-03	TRITIUM	3.48	pCi/m3	0.57	0.79			
SESPMNT	B16BK3	200 ESE	ONSITE	AT	14-Jan-03	TRITIUM	2	pCi/m3	0.57	0.68			
SESPMNT	B16DJ3	200 ESE	ONSITE	AT	11-Feb-03	TRITIUM	4.95	pCi/m3	0.79	1.1			
SESPMNT	B16K67	200 ESE	ONSITE	AT	10-Mar-03	TRITIUM	4.71	pCi/m3	0.68	0.96			
SESPMNT	B16RR2	200 ESE	ONSITE	AT	08-Apr-03	TRITIUM	1.78	pCi/m3	0.5	0.59			
SESPMNT	B16WJ2	200 ESE	ONSITE	AT	06-May-03	TRITIUM	7.45	pCi/m3	0.88	1.4			
SESPMNT	B171J6	200 ESE	ONSITE	AT	02-Jun-03	TRITIUM	7.32	pCi/m3	0.59	0.8			
SESPMNT	B174J5	200 ESE	ONSITE	AT	30-Jun-03	TRITIUM	5.73	pCi/m3	0.91	1.3			
SESPMNT	B17962	200 ESE	ONSITE	AT	29-Jul-03	TRITIUM	4.58	pCi/m3	0.73	0.98			
SESPMNT	B17C79	200 ESE	ONSITE	AT	25-Aug-03	TRITIUM	3.13	pCi/m3	0.82	1			
SESPMNT	B17JR9	200 ESE	ONSITE	AT	22-Sep-03	TRITIUM	3.84	pCi/m3	0.8	1.1			
SESPMNT	B17T57	200 ESE	ONSITE	AT	21-Oct-03	TRITIUM	2.56	pCi/m3	0.68	0.9			
SESPMNT	B18116	200 ESE	ONSITE	AT	18-Nov-03	TRITIUM	15.7	pCi/m3	1.1	2.4			
SESPMNT	B184V3	200 ESE	ONSITE	AT	17-Dec-03	TRITIUM	4.32	pCi/m3	0.65	0.96			
SESPMNT	B18BK0	200 ESE	ONSITE	AT	12-Jan-04	TRITIUM	8.1	pCi/m3	0.76	1.4			
SESPMNT	B16BK4	200 TEL. EXCHANGE	ONSITE	AT	14-Jan-03	TRITIUM	2.98	pCi/m3	0.7	0.85			
SESPMNT	B16DJ4	200 TEL. EXCHANGE	ONSITE	AT	11-Feb-03	TRITIUM	1.4	pCi/m3	0.49	0.58			
SESPMNT	B16K68	200 TEL. EXCHANGE	ONSITE	AT	10-Mar-03	TRITIUM	4.26	pCi/m3	0.71	0.95			
SESPMNT	B16RR3	200 TEL. EXCHANGE	ONSITE	AT	08-Apr-03	TRITIUM	11.8	pCi/m3	1	1.9			
SESPMNT	B16WJ3	200 TEL. EXCHANGE	ONSITE	AT	06-May-03	TRITIUM	4.87	pCi/m3	0.8	1.1			
SESPMNT	B171J7	200 TEL. EXCHANGE	ONSITE	AT	02-Jun-03	TRITIUM	3.92	pCi/m3	0.6	0.71			
SESPMNT	B174J6	200 TEL. EXCHANGE	ONSITE	AT	30-Jun-03	TRITIUM	2.8	pCi/m3	0.64	0.85			
SESPMNT	B17963	200 TEL. EXCHANGE	ONSITE	AT	29-Jul-03	TRITIUM	7	pCi/m3	0.94	1.4			
SESPMNT	B17C80	200 TEL. EXCHANGE	ONSITE	AT	25-Aug-03	TRITIUM	4.28	pCi/m3	0.87	1.1			
SESPMNT	B17JT0	200 TEL. EXCHANGE	ONSITE	AT	22-Sep-03	TRITIUM	6.75	pCi/m3	0.9	1.4			
SESPMNT	B17T58	200 TEL. EXCHANGE	ONSITE	AT	21-Oct-03	TRITIUM	1.59	pCi/m3	0.6	0.81			
SESPMNT	B18117	200 TEL. EXCHANGE	ONSITE	AT	18-Nov-03	TRITIUM	13.7	pCi/m3	1.1	2.2			
SESPMNT	B184V4	200 TEL. EXCHANGE	ONSITE	AT	17-Dec-03	TRITIUM	5.05	pCi/m3	0.69	1			
SESPMNT	B18BK1	200 TEL. EXCHANGE	ONSITE	AT	12-Jan-04	TRITIUM	4.04	pCi/m3	0.53	0.83			
SESPMNT	B16BV9	300 NE	ONSITE	AT	22-Jan-03	TRITIUM	7.96	pCi/m3	0.91	1.4			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16FR3	300 NE	ONSITE	AT	19-Feb-03	TRITIUM						NO SAMPLE. LOW FLOW.	
SESPMNT	B16KK6	300 NE	ONSITE	AT	20-Mar-03	TRITIUM	7.33 pCi/m3		1.1	1.5			
SESPMNT	B16T67	300 NE	ONSITE	AT	15-Apr-03	TRITIUM	6 pCi/m3		0.8	1.2			
SESPMNT	B170N8	300 NE	ONSITE	AT	13-May-03	TRITIUM	6.95 pCi/m3		0.9	1.3			
SESPMNT	B171X5	300 NE	ONSITE	AT	12-Jun-03	TRITIUM	8.23 pCi/m3		1	1.6			
SESPMNT	B176R5	300 NE	ONSITE	AT	10-Jul-03	TRITIUM	12 pCi/m3		0.76	1.2			
SESPMNT	B179V6	300 NE	ONSITE	AT	08-Aug-03	TRITIUM	8.49 pCi/m3		1.1	1.7			
SESPMNT	B17DN9	300 NE	ONSITE	AT	03-Sep-03	TRITIUM	11.8 pCi/m3		1.3	2.1			
SESPMNT	B17LP9	300 NE	ONSITE	AT	30-Sep-03	TRITIUM	8.95 pCi/m3		0.82	1.1			
SESPMNT	B17TN7	300 NE	ONSITE	AT	29-Oct-03	TRITIUM	13.8 pCi/m3		1.3	2.3			
SESPMNT	B181K4	300 NE	ONSITE	AT	25-Nov-03	TRITIUM	3.75 pCi/m3		0.5	0.74			
SESPMNT	B186L1	300 NE	ONSITE	AT	23-Dec-03	TRITIUM	11.1 pCi/m3		0.99	1.8			
SESPMNT	B16BV3	300 SOUTH GATE	ONSITE	AT	22-Jan-03	TRITIUM	19.6 pCi/m3		1.9	3.3			
SESPMNT	B16BV7	300 SOUTH GATE	ONSITE	AT	22-Jan-03	TRITIUM	6.33 pCi/m3		0.78	1.2			
SESPMNT	B16FP7	300 SOUTH GATE	ONSITE	AT	19-Feb-03	TRITIUM	3.23 pCi/m3		0.72	0.9			
SESPMNT	B16FR1	300 SOUTH GATE	ONSITE	AT	19-Feb-03	TRITIUM	10.4 pCi/m3		1.1	1.8			
SESPMNT	B16KJ9	300 SOUTH GATE	ONSITE	AT	20-Mar-03	TRITIUM	7.51 pCi/m3		0.93	1.4			
SESPMNT	B16KK4	300 SOUTH GATE	ONSITE	AT	20-Mar-03	TRITIUM	4.04 pCi/m3		0.74	0.98			
SESPMNT	B16T61	300 SOUTH GATE	ONSITE	AT	15-Apr-03	TRITIUM	3.99 pCi/m3		0.79	1			
SESPMNT	B16T65	300 SOUTH GATE	ONSITE	AT	15-Apr-03	TRITIUM	5.3 pCi/m3		0.76	1.1			
SESPMNT	B170N1	300 SOUTH GATE	ONSITE	AT	13-May-03	TRITIUM	11.3 pCi/m3		1.1	1.9			
SESPMNT	B170N6	300 SOUTH GATE	ONSITE	AT	13-May-03	TRITIUM	6.74 pCi/m3		0.86	1.3			
SESPMNT	B171T9	300 SOUTH GATE	ONSITE	AT	12-Jun-03	TRITIUM	10 pCi/m3		1.1	1.8			
SESPMNT	B171X3	300 SOUTH GATE	ONSITE	AT	12-Jun-03	TRITIUM	5.47 pCi/m3		0.89	1.2			
SESPMNT	B176M9	300 SOUTH GATE	ONSITE	AT	10-Jul-03	TRITIUM	11.7 pCi/m3		0.76	1.2			
SESPMNT	B176R3	300 SOUTH GATE	ONSITE	AT	10-Jul-03	TRITIUM	11.7 pCi/m3		0.78	1.2			
SESPMNT	B179V0	300 SOUTH GATE	ONSITE	AT	08-Aug-03	TRITIUM	10.4 pCi/m3		1.2	2			
SESPMNT	B179V4	300 SOUTH GATE	ONSITE	AT	08-Aug-03	TRITIUM	14 pCi/m3		1.8	2.8			
SESPMNT	B17DL7	300 SOUTH GATE	ONSITE	AT	03-Sep-03	TRITIUM	10.1 pCi/m3		1.2	1.9			
SESPMNT	B17DN7	300 SOUTH GATE	ONSITE	AT	03-Sep-03	TRITIUM	8.8 pCi/m3		1.1	1.7			
SESPMNT	B17LP3	300 SOUTH GATE	ONSITE	AT	30-Sep-03	TRITIUM	5.31 pCi/m3		0.7	0.84			
SESPMNT	B17LP7	300 SOUTH GATE	ONSITE	AT	30-Sep-03	TRITIUM	5.25 pCi/m3		0.68	0.82			
SESPMNT	B17TN0	300 SOUTH GATE	ONSITE	AT	29-Oct-03	TRITIUM	4.89 pCi/m3		0.46	0.82			
SESPMNT	B17TN5	300 SOUTH GATE	ONSITE	AT	29-Oct-03	TRITIUM	15.6 pCi/m3		1.4	2.6			
SESPMNT	B181J8	300 SOUTH GATE	ONSITE	AT	25-Nov-03	TRITIUM	10.6 pCi/m3		0.84	1.7			
SESPMNT	B181K2	300 SOUTH GATE	ONSITE	AT	25-Nov-03	TRITIUM	3.26 pCi/m3		0.49	0.69			
SESPMNT	B186K5	300 SOUTH GATE	ONSITE	AT	23-Dec-03	TRITIUM	8.34 pCi/m3		0.85	1.4			
SESPMNT	B186K9	300 SOUTH GATE	ONSITE	AT	23-Dec-03	TRITIUM	5.67 pCi/m3		0.69	1.1			
SESPMNT	B16BW4	300 SOUTH WEST	ONSITE	AT	22-Jan-03	TRITIUM	11 pCi/m3		1.5	2.2			
SESPMNT	B16FT0	300 SOUTH WEST	ONSITE	AT	19-Feb-03	TRITIUM	2.79 pCi/m3		0.67	0.83			
SESPMNT	B16KN9	300 SOUTH WEST	ONSITE	AT	20-Mar-03	TRITIUM	4.49 pCi/m3		0.71	0.98			
SESPMNT	B16T72	300 SOUTH WEST	ONSITE	AT	15-Apr-03	TRITIUM	7.07 pCi/m3		0.9	1.3			
SESPMNT	B170P5	300 SOUTH WEST	ONSITE	AT	13-May-03	TRITIUM	9.66 pCi/m3		1	1.7			
SESPMNT	B171Y0	300 SOUTH WEST	ONSITE	AT	12-Jun-03	TRITIUM	5.58 pCi/m3		0.89	1.2			
SESPMNT	B176T0	300 SOUTH WEST	ONSITE	AT	10-Jul-03	TRITIUM	8.43 pCi/m3		0.69	0.97			
SESPMNT	B179W3	300 SOUTH WEST	ONSITE	AT	08-Aug-03	TRITIUM							LOST AT LAB.
SESPMNT	B17DP4	300 SOUTH WEST	ONSITE	AT	03-Sep-03	TRITIUM	11.9 pCi/m3		1.3	2.1			
SESPMNT	B17LR4	300 SOUTH WEST	ONSITE	AT	30-Sep-03	TRITIUM	10.6 pCi/m3		0.83	1.1			
SESPMNT	B17TP4	300 SOUTH WEST	ONSITE	AT	29-Oct-03	TRITIUM	22.7 pCi/m3		1.6	3.5			
SESPMNT	B181K9	300 SOUTH WEST	ONSITE	AT	25-Nov-03	TRITIUM	6 pCi/m3		0.68	1.1			
SESPMNT	B186P4	300 SOUTH WEST	ONSITE	AT	23-Dec-03	TRITIUM	5.07 pCi/m3		0.72	1			
SESPMNT	B16BV8	300 TRENCH	ONSITE	AT	22-Jan-03	TRITIUM	3.83 pCi/m3		0.71	0.91			
SESPMNT	B16FR2	300 TRENCH	ONSITE	AT	19-Feb-03	TRITIUM	9.72 pCi/m3		1.1	1.8			
SESPMNT	B16KK5	300 TRENCH	ONSITE	AT	20-Mar-03	TRITIUM	5.22 pCi/m3		0.77	1.1			
SESPMNT	B16T66	300 TRENCH	ONSITE	AT	15-Apr-03	TRITIUM	4.71 pCi/m3		0.78	1			
SESPMNT	B170N7	300 TRENCH	ONSITE	AT	13-May-03	TRITIUM	7.31 pCi/m3		0.94	1.4			
SESPMNT	B171X4	300 TRENCH	ONSITE	AT	12-Jun-03	TRITIUM	8.01 pCi/m3		1	1.5			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176R4	300 TRENCH	ONSITE	AT	10-Jul-03	TRITIUM	5.47	pCi/m3	0.6	0.78			
SESPMNT	B179V5	300 TRENCH	ONSITE	AT	08-Aug-03	TRITIUM	8.8	pCi/m3	1.1	1.7			
SESPMNT	B17DN8	300 TRENCH	ONSITE	AT	03-Sep-03	TRITIUM	10	pCi/m3	1.2	1.9			
SESPMNT	B17LP8	300 TRENCH	ONSITE	AT	30-Sep-03	TRITIUM	6.75	pCi/m3	0.74	0.92			
SESPMNT	B17TN6	300 TRENCH	ONSITE	AT	29-Oct-03	TRITIUM						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B181K3	300 TRENCH	ONSITE	AT	25-Nov-03	TRITIUM	2.54	pCi/m3	0.48	0.63			
SESPMNT	B186L0	300 TRENCH	ONSITE	AT	23-Dec-03	TRITIUM	3.77	pCi/m3	0.61	0.85			
SESPMNT	B16BW3	300 WATER INTAKE	ONSITE	AT	22-Jan-03	TRITIUM	12.2	pCi/m3	1.6	2.3			
SESPMNT	B16FR9	300 WATER INTAKE	ONSITE	AT	19-Feb-03	TRITIUM	6.91	pCi/m3	1	1.4			
SESPMNT	B16KN8	300 WATER INTAKE	ONSITE	AT	20-Mar-03	TRITIUM	2.82	pCi/m3	0.65	0.82			
SESPMNT	B16T71	300 WATER INTAKE	ONSITE	AT	15-Apr-03	TRITIUM	9.4	pCi/m3	0.94	1.6			
SESPMNT	B170P4	300 WATER INTAKE	ONSITE	AT	13-May-03	TRITIUM	10.8	pCi/m3	1.1	1.8			
SESPMNT	B171X9	300 WATER INTAKE	ONSITE	AT	12-Jun-03	TRITIUM	9.01	pCi/m3	1.1	1.7			
SESPMNT	B176R9	300 WATER INTAKE	ONSITE	AT	10-Jul-03	TRITIUM	8.36	pCi/m3	0.68	0.95			
SESPMNT	B179W2	300 WATER INTAKE	ONSITE	AT	08-Aug-03	TRITIUM							LOST AT LAB.
SESPMNT	B17DP3	300 WATER INTAKE	ONSITE	AT	03-Sep-03	TRITIUM	16.6	pCi/m3	2.1	3.2			
SESPMNT	B17LR3	300 WATER INTAKE	ONSITE	AT	30-Sep-03	TRITIUM	5.53	pCi/m3	0.7	0.85			
SESPMNT	B17TP3	300 WATER INTAKE	ONSITE	AT	29-Oct-03	TRITIUM	10.3	pCi/m3	1.2	1.9			
SESPMNT	B181K8	300 WATER INTAKE	ONSITE	AT	25-Nov-03	TRITIUM	5	pCi/m3	0.61	0.94			
SESPMNT	B186P3	300 WATER INTAKE	ONSITE	AT	23-Dec-03	TRITIUM	6.02	pCi/m3	0.74	1.1			
SESPMNT	B16BW0	400 E	ONSITE	AT	21-Jan-03	TRITIUM	9.35	pCi/m3	1	1.7			
SESPMNT	B16FR4	400 E	ONSITE	AT	18-Feb-03	TRITIUM	1.87	pCi/m3	0.58	0.71			
SESPMNT	B16KK7	400 E	ONSITE	AT	18-Mar-03	TRITIUM	4.49	pCi/m3	0.8	1.1			
SESPMNT	B16T68	400 E	ONSITE	AT	15-Apr-03	TRITIUM	6.38	pCi/m3	0.78	1.2			
SESPMNT	B170N9	400 E	ONSITE	AT	12-May-03	TRITIUM	2.95	pCi/m3	0.65	0.81			
SESPMNT	B171X6	400 E	ONSITE	AT	11-Jun-03	TRITIUM	8.27	pCi/m3	1	1.6			
SESPMNT	B176R6	400 E	ONSITE	AT	08-Jul-03	TRITIUM	3.72	pCi/m3	0.58	0.71			
SESPMNT	B179V7	400 E	ONSITE	AT	04-Aug-03	TRITIUM	7.94	pCi/m3	1	1.5			
SESPMNT	B17DP0	400 E	ONSITE	AT	02-Sep-03	TRITIUM	10.4	pCi/m3	1.2	1.9			
SESPMNT	B17LR0	400 E	ONSITE	AT	01-Oct-03	TRITIUM	8.66	pCi/m3	0.73	0.97			
SESPMNT	B17TN8	400 E	ONSITE	AT	28-Oct-03	TRITIUM	1.55	pCi/m3	0.2	0.31			
SESPMNT	B181K5	400 E	ONSITE	AT	24-Nov-03	TRITIUM	2.99	pCi/m3	0.47	0.66			
SESPMNT	B186L2	400 E	ONSITE	AT	22-Dec-03	TRITIUM	6.07	pCi/m3	0.71	1.1			
SESPMNT	B16BK9	BASIN CITY SCHOOL	COMMUNITY	AT	15-Jan-03	TRITIUM	1.68	pCi/m3	0.47	0.55			
SESPMNT	B16DJ9	BASIN CITY SCHOOL	COMMUNITY	AT	12-Feb-03	TRITIUM	3.29	pCi/m3	0.67	0.86			
SESPMNT	B16K73	BASIN CITY SCHOOL	COMMUNITY	AT	12-Mar-03	TRITIUM	1.55	pCi/m3	0.47	0.56			
SESPMNT	B16RR8	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	TRITIUM	24.7	pCi/m3	1.6	3.7			
SESPMNT	B16WJ8	BASIN CITY SCHOOL	COMMUNITY	AT	07-May-03	TRITIUM	1.91	pCi/m3	0.64	0.78			
SESPMNT	B171K2	BASIN CITY SCHOOL	COMMUNITY	AT	04-Jun-03	TRITIUM	1.36	pCi/m3	0.41	0.47			
SESPMNT	B174K1	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	TRITIUM	6.4	pCi/m3	0.61	0.82			
SESPMNT	B17968	BASIN CITY SCHOOL	COMMUNITY	AT	30-Jul-03	TRITIUM	1.84	pCi/m3	0.73	0.84			
SESPMNT	B17C85	BASIN CITY SCHOOL	COMMUNITY	AT	27-Aug-03	TRITIUM	6.88	pCi/m3	1.1	1.5			
SESPMNT	B17JT5	BASIN CITY SCHOOL	COMMUNITY	AT	24-Sep-03	TRITIUM	6.78	pCi/m3	1.1	1.5			
SESPMNT	B17T63	BASIN CITY SCHOOL	COMMUNITY	AT	22-Oct-03	TRITIUM	0.698	pCi/m3	0.24	0.32			
SESPMNT	B18122	BASIN CITY SCHOOL	COMMUNITY	AT	19-Nov-03	TRITIUM	5.04	pCi/m3	0.65	0.98			
SESPMNT	B184V9	BASIN CITY SCHOOL	COMMUNITY	AT	17-Dec-03	TRITIUM	3.96	pCi/m3	0.64	0.88			
SESPMNT	B18BK6	BASIN CITY SCHOOL	COMMUNITY	AT	14-Jan-04	TRITIUM	3.08	pCi/m3	0.49	0.72			
SESPMNT	B16BW5	BATTELLE COMPLEX	PERIMETER	AT	22-Jan-03	TRITIUM	29.3	pCi/m3	2.1	4.5			
SESPMNT	B16FT1	BATTELLE COMPLEX	PERIMETER	AT	19-Feb-03	TRITIUM	18.2	pCi/m3	1.4	2.9			
SESPMNT	B16KP0	BATTELLE COMPLEX	PERIMETER	AT	20-Mar-03	TRITIUM	7.56	pCi/m3	0.92	1.4			
SESPMNT	B16T73	BATTELLE COMPLEX	PERIMETER	AT	16-Apr-03	TRITIUM	19.6	pCi/m3	1.3	3			
SESPMNT	B170P6	BATTELLE COMPLEX	PERIMETER	AT	13-May-03	TRITIUM	17.2	pCi/m3	1.4	2.7			
SESPMNT	B17213	BATTELLE COMPLEX	PERIMETER	AT	12-Jun-03	TRITIUM	15.6	pCi/m3	1.4	2.6			
SESPMNT	B176T2	BATTELLE COMPLEX	PERIMETER	AT	10-Jul-03	TRITIUM	30.6	pCi/m3	1.1	2.3			
SESPMNT	B179W4	BATTELLE COMPLEX	PERIMETER	AT	08-Aug-03	TRITIUM	73.5	pCi/m3	3.3	10			
SESPMNT	B17DP5	BATTELLE COMPLEX	PERIMETER	AT	03-Sep-03	TRITIUM	22.5	pCi/m3	1.7	3.5			
SESPMNT	B17LR5	BATTELLE COMPLEX	PERIMETER	AT	30-Sep-03	TRITIUM	28	pCi/m3	1.1	2.1			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17TP5	BATTELLE COMPLEX	PERIMETER	AT	29-Oct-03	TRITIUM	12.3	pCi/m3	0.59	1.8			
SESPMNT	B181L0	BATTELLE COMPLEX	PERIMETER	AT	25-Nov-03	TRITIUM	9.57	pCi/m3	0.77	1.5			
SESPMNT	B186P5	BATTELLE COMPLEX	PERIMETER	AT	23-Dec-03	TRITIUM	18.9	pCi/m3	1.2	2.9			
SESPMNT	B16BK7	BYERS LANDING	PERIMETER	AT	16-Jan-03	TRITIUM	4.11	pCi/m3	0.73	0.95			
SESPMNT	B16DJ7	BYERS LANDING	PERIMETER	AT	13-Feb-03	TRITIUM	3.39	pCi/m3	0.67	0.86			
SESPMNT	B16K71	BYERS LANDING	PERIMETER	AT	13-Mar-03	TRITIUM	4.65	pCi/m3	0.66	0.94			
SESPMNT	B16RR6	BYERS LANDING	PERIMETER	AT	10-Apr-03	TRITIUM	13	pCi/m3	1.1	2.1			
SESPMNT	B16WJ6	BYERS LANDING	PERIMETER	AT	08-May-03	TRITIUM	9.26	pCi/m3	1	1.7			
SESPMNT	B171K0	BYERS LANDING	PERIMETER	AT	06-Jun-03	TRITIUM	4.47	pCi/m3	0.59	0.72			
SESPMNT	B174J9	BYERS LANDING	PERIMETER	AT	07-Jul-03	TRITIUM	7.56	pCi/m3	0.7	0.95			
SESPMNT	B17966	BYERS LANDING	PERIMETER	AT	31-Jul-03	TRITIUM	6.65	pCi/m3	1	1.4			
SESPMNT	B17C83	BYERS LANDING	PERIMETER	AT	28-Aug-03	TRITIUM	9.29	pCi/m3	1.3	1.9			
SESPMNT	B17JT3	BYERS LANDING	PERIMETER	AT	25-Sep-03	TRITIUM	7.35	pCi/m3	1.1	1.6			
SESPMNT	B17T61	BYERS LANDING	PERIMETER	AT	23-Oct-03	TRITIUM	13.4	pCi/m3	1.3	2.3			
SESPMNT	B18120	BYERS LANDING	PERIMETER	AT	21-Nov-03	TRITIUM	15.2	pCi/m3	1	2.3			
SESPMNT	B184V7	BYERS LANDING	PERIMETER	AT	19-Dec-03	TRITIUM	4.85	pCi/m3	0.66	0.97			
SESPMNT	B18BK4	BYERS LANDING	PERIMETER	AT	15-Jan-04	TRITIUM	4.78	pCi/m3	0.53	0.88			
SESPMNT	B16BK6	DOGWOOD MET TOWER	PERIMETER	AT	16-Jan-03	TRITIUM	5.33	pCi/m3	0.77	1.1			
SESPMNT	B16DJ6	DOGWOOD MET TOWER	PERIMETER	AT	13-Feb-03	TRITIUM	2.49	pCi/m3	0.68	0.83			
SESPMNT	B16K70	DOGWOOD MET TOWER	PERIMETER	AT	13-Mar-03	TRITIUM	9.99	pCi/m3	1.3	1.9			
SESPMNT	B16RR5	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	TRITIUM	5.65	pCi/m3	0.73	1.1			
SESPMNT	B16WJ5	DOGWOOD MET TOWER	PERIMETER	AT	08-May-03	TRITIUM	8.11	pCi/m3	0.93	1.5			
SESPMNT	B171J9	DOGWOOD MET TOWER	PERIMETER	AT	06-Jun-03	TRITIUM	3.86	pCi/m3	0.61	0.73			
SESPMNT	B174J8	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	TRITIUM	3.12	pCi/m3	0.84	0.98			
SESPMNT	B17965	DOGWOOD MET TOWER	PERIMETER	AT	31-Jul-03	TRITIUM	5.03	pCi/m3	0.98	1.2			
SESPMNT	B17C82	DOGWOOD MET TOWER	PERIMETER	AT	28-Aug-03	TRITIUM	6.61	pCi/m3	1.2	1.6			
SESPMNT	B17JT2	DOGWOOD MET TOWER	PERIMETER	AT	25-Sep-03	TRITIUM	3.36	pCi/m3	0.75	1			
SESPMNT	B17T60	DOGWOOD MET TOWER	PERIMETER	AT	23-Oct-03	TRITIUM	9.68	pCi/m3	1.2	1.9			
SESPMNT	B18119	DOGWOOD MET TOWER	PERIMETER	AT	21-Nov-03	TRITIUM	6.74	pCi/m3	0.7	1.2			
SESPMNT	B184V6	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-03	TRITIUM	3.89	pCi/m3	0.63	0.87			
SESPMNT	B18BK3	DOGWOOD MET TOWER	PERIMETER	AT	15-Jan-04	TRITIUM	5.6	pCi/m3	0.6	1			
SESPMNT	B16BL1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Jan-03	TRITIUM	3.07	pCi/m3	0.64	0.8			
SESPMNT	B16DK1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Feb-03	TRITIUM	2.63	pCi/m3	0.6	0.75			
SESPMNT	B16K75	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Mar-03	TRITIUM	1.16	pCi/m3	0.46	0.54			
SESPMNT	B16RT0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	TRITIUM	4.62	pCi/m3	0.72	0.98			
SESPMNT	B16WK0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-May-03	TRITIUM	6.53	pCi/m3	0.84	1.3			
SESPMNT	B171K4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	04-Jun-03	TRITIUM	5.33	pCi/m3	0.57	0.72			
SESPMNT	B174K3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	TRITIUM	9.51	pCi/m3	0.74	1.1			
SESPMNT	B17970	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Jul-03	TRITIUM	5.3	pCi/m3	0.85	1.1			
SESPMNT	B17C87	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Aug-03	TRITIUM	9.03	pCi/m3	1.2	1.7			
SESPMNT	B17JT7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-Sep-03	TRITIUM	5.63	pCi/m3	0.9	1.3			
SESPMNT	B17T65	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	22-Oct-03	TRITIUM	6.05	pCi/m3	0.93	1.3			
SESPMNT	B18124	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Nov-03	TRITIUM	10.5	pCi/m3	0.86	1.7			
SESPMNT	B184W1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	17-Dec-03	TRITIUM	7.85	pCi/m3	0.85	1.4			
SESPMNT	B18BK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Jan-04	TRITIUM	2.79	pCi/m3	0.44	0.66			
SESPMNT	B16BL0	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Jan-03	TRITIUM	47	pCi/m3	2.4	6.8			
SESPMNT	B16DK0	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Feb-03	TRITIUM	31.5	pCi/m3	2	4.7			
SESPMNT	B16K74	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Mar-03	TRITIUM	12.8	pCi/m3	1.2	2.1			
SESPMNT	B16RR9	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	TRITIUM	6.11	pCi/m3	0.8	1.2			
SESPMNT	B16WJ9	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-May-03	TRITIUM	8.86	pCi/m3	1	1.6			
SESPMNT	B171K3	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Jun-03	TRITIUM	10.5	pCi/m3	0.8	1.1			
SESPMNT	B174K2	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	TRITIUM	9.53	pCi/m3	1.2	1.8			
SESPMNT	B17969	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Jul-03	TRITIUM	16.7	pCi/m3	1.6	2.8			
SESPMNT	B17C86	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Aug-03	TRITIUM	10.6	pCi/m3	1.4	2			
SESPMNT	B17JT6	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-Sep-03	TRITIUM	19.1	pCi/m3	1.7	3.2			
SESPMNT	B17T64	LESLIE GROVES-RCHLND	COMMUNITY	AT	21-Oct-03	TRITIUM	15.7	pCi/m3	1.4	2.6			
SESPMNT	B18123	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Nov-03	TRITIUM	7.95	pCi/m3	0.79	1.4			
SESPMNT	B184W0	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-Dec-03	TRITIUM	13.5	pCi/m3	1.1	2.2			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B18BK7	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Jan-04	TRITIUM	22.8 pCi/m3		1.2	3.3			
SESPMNT	B16BW1	PROSSER BARRICADE	PERIMETER	AT	23-Jan-03	TRITIUM	3.84 pCi/m3		1.3	1.5			
SESPMNT	B16FR5	PROSSER BARRICADE	PERIMETER	AT	20-Feb-03	TRITIUM	6.75 pCi/m3		0.96	1.4			
SESPMNT	B16KK8	PROSSER BARRICADE	PERIMETER	AT	21-Mar-03	TRITIUM	4.56 pCi/m3		0.73	1			
SESPMNT	B16T69	PROSSER BARRICADE	PERIMETER	AT	18-Apr-03	TRITIUM	3.36 pCi/m3		0.66	0.85			
SESPMNT	B170P0	PROSSER BARRICADE	PERIMETER	AT	16-May-03	TRITIUM	2.56 pCi/m3		0.58	0.72			
SESPMNT	B171X7	PROSSER BARRICADE	PERIMETER	AT	13-Jun-03	TRITIUM	4.28 pCi/m3		0.74	0.99			
SESPMNT	B176R7	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	TRITIUM	6.91 pCi/m3		0.59	0.82			
SESPMNT	B179V8	PROSSER BARRICADE	PERIMETER	AT	07-Aug-03	TRITIUM	5.6 pCi/m3		0.87	1.2			
SESPMNT	B17DP1	PROSSER BARRICADE	PERIMETER	AT	05-Sep-03	TRITIUM	4.72 pCi/m3		1.1	1.6			
SESPMNT	B17LR1	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	TRITIUM	8.91 pCi/m3		1	1.7			
SESPMNT	B17TN9	PROSSER BARRICADE	PERIMETER	AT	30-Oct-03	TRITIUM	6.03 pCi/m3		0.62	0.81			
SESPMNT	B181K6	PROSSER BARRICADE	PERIMETER	AT	26-Nov-03	TRITIUM	5 pCi/m3		0.55	0.89			
SESPMNT	B186L3	PROSSER BARRICADE	PERIMETER	AT	29-Dec-03	TRITIUM	3.18 pCi/m3		0.57	0.86			
SESPMNT	B16BK5	RINGOLD MET TOWER	PERIMETER	AT	16-Jan-03	TRITIUM	4.89 pCi/m3		0.76	1			
SESPMNT	B16DJ5	RINGOLD MET TOWER	PERIMETER	AT	13-Feb-03	TRITIUM	1.23 pCi/m3		0.52	0.61			
SESPMNT	B16K69	RINGOLD MET TOWER	PERIMETER	AT	13-Mar-03	TRITIUM	6.01 pCi/m3		0.8	1.2			
SESPMNT	B16RR4	RINGOLD MET TOWER	PERIMETER	AT	10-Apr-03	TRITIUM	6.82 pCi/m3		0.9	1.3			
SESPMNT	B16WJ4	RINGOLD MET TOWER	PERIMETER	AT	08-May-03	TRITIUM	9.47 pCi/m3		1.1	1.7			
SESPMNT	B171J8	RINGOLD MET TOWER	PERIMETER	AT	06-Jun-03	TRITIUM	2.28 pCi/m3		0.54	0.62			
SESPMNT	B174J7	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-03	TRITIUM	2.84 pCi/m3		0.63	0.75			
SESPMNT	B17964	RINGOLD MET TOWER	PERIMETER	AT	31-Jul-03	TRITIUM	5.64 pCi/m3		1	1.3			
SESPMNT	B17C81	RINGOLD MET TOWER	PERIMETER	AT	28-Aug-03	TRITIUM	7.16 pCi/m3		1.2	1.6			
SESPMNT	B17JT1	RINGOLD MET TOWER	PERIMETER	AT	25-Sep-03	TRITIUM	3.45 pCi/m3		0.85	1.1			
SESPMNT	B17T59	RINGOLD MET TOWER	PERIMETER	AT	23-Oct-03	TRITIUM	11.8 pCi/m3		1.2	2.1			
SESPMNT	B18118	RINGOLD MET TOWER	PERIMETER	AT	21-Nov-03	TRITIUM	4.34 pCi/m3		0.6	0.88			
SESPMNT	B184V5	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-03	TRITIUM	1.77 pCi/m3		0.43	0.56			
SESPMNT	B18BK2	RINGOLD MET TOWER	PERIMETER	AT	15-Jan-04	TRITIUM	8.26 pCi/m3		0.73	1.4			
SESPMNT	B16BV4	TOPPENISH	DISTANT	AT	22-Jan-03	TRITIUM	2.26 pCi/m3		0.86	0.98			
SESPMNT	B16FP8	TOPPENISH	DISTANT	AT	19-Feb-03	TRITIUM	0.523 pCi/m3		0.93	1.1	U		
SESPMNT	B16KK0	TOPPENISH	DISTANT	AT	19-Mar-03	TRITIUM	6.8 pCi/m3		1.3	1.7			
SESPMNT	B16T62	TOPPENISH	DISTANT	AT	16-Apr-03	TRITIUM	2.95 pCi/m3		0.96	1.2			
SESPMNT	B170N2	TOPPENISH	DISTANT	AT	14-May-03	TRITIUM	3.35 pCi/m3		1.1	1.3			
SESPMNT	B171W0	TOPPENISH	DISTANT	AT	11-Jun-03	TRITIUM	0.922 pCi/m3		0.63	0.75	U		
SESPMNT	B176N0	TOPPENISH	DISTANT	AT	09-Jul-03	TRITIUM	2.3 pCi/m3		0.73	0.85			
SESPMNT	B179V1	TOPPENISH	DISTANT	AT	06-Aug-03	TRITIUM	5.9 pCi/m3		1.2	1.5			
SESPMNT	B17DL8	TOPPENISH	DISTANT	AT	03-Sep-03	TRITIUM	-2.12 pCi/m3		1.2	2	U		
SESPMNT	B17LP4	TOPPENISH	DISTANT	AT	01-Oct-03	TRITIUM	9.05 pCi/m3		1.4	2			
SESPMNT	B17TN1	TOPPENISH	DISTANT	AT	29-Oct-03	TRITIUM	1.23 pCi/m3		0.16	0.2			
SESPMNT	B181J9	TOPPENISH	DISTANT	AT	26-Nov-03	TRITIUM	5 pCi/m3		0.77	1.1			
SESPMNT	B186J2	TOPPENISH	DISTANT	AT	23-Dec-03	TRITIUM	11 pCi/m3		1.4	2.2			
SESPMNT	B16BK8	WAHLUKE SLOPE	PERIMETER	AT	15-Jan-03	TRITIUM	6.93 pCi/m3		0.93	1.4			
SESPMNT	B16DJ8	WAHLUKE SLOPE	PERIMETER	AT	12-Feb-03	TRITIUM	4.5 pCi/m3		0.69	0.95			
SESPMNT	B16K72	WAHLUKE SLOPE	PERIMETER	AT	12-Mar-03	TRITIUM	8.51 pCi/m3		0.93	1.5			
SESPMNT	B16RR7	WAHLUKE SLOPE	PERIMETER	AT	09-Apr-03	TRITIUM	5.74 pCi/m3		0.76	1.1			
SESPMNT	B16WJ7	WAHLUKE SLOPE	PERIMETER	AT	07-May-03	TRITIUM	3.28 pCi/m3		0.73	0.93			
SESPMNT	B171K1	WAHLUKE SLOPE	PERIMETER	AT	05-Jun-03	TRITIUM	2.59 pCi/m3		0.49	0.57			
SESPMNT	B174K0	WAHLUKE SLOPE	PERIMETER	AT	01-Jul-03	TRITIUM	9.59 pCi/m3		1.1	1.8			
SESPMNT	B17967	WAHLUKE SLOPE	PERIMETER	AT	30-Jul-03	TRITIUM	4.57 pCi/m3		0.86	1.1			
SESPMNT	B17C84	WAHLUKE SLOPE	PERIMETER	AT	27-Aug-03	TRITIUM	3.36 pCi/m3		0.77	0.98			
SESPMNT	B17JT4	WAHLUKE SLOPE	PERIMETER	AT	24-Sep-03	TRITIUM	6.08 pCi/m3		1	1.4			
SESPMNT	B17T62	WAHLUKE SLOPE	PERIMETER	AT	22-Oct-03	TRITIUM	3.7 pCi/m3		0.83	1.1			
SESPMNT	B18121	WAHLUKE SLOPE	PERIMETER	AT	21-Nov-03	TRITIUM	3.73 pCi/m3		0.55	0.78			
SESPMNT	B184V8	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-03	TRITIUM	2.06 pCi/m3		0.5	0.67			
SESPMNT	B18BK5	WAHLUKE SLOPE	PERIMETER	AT	14-Jan-04	TRITIUM	7.45 pCi/m3		0.8	1.4			
SESPMNT	B16BW2	YAKIMA	DISTANT	AT	23-Jan-03	TRITIUM	0.737 pCi/m3		0.19	0.22			
SESPMNT	B16FR6	YAKIMA	DISTANT	AT	20-Feb-03	TRITIUM	1 pCi/m3		0.57	0.68			
SESPMNT	B16KK9	YAKIMA	DISTANT	AT	21-Mar-03	TRITIUM	3.06 pCi/m3		0.62	0.79			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16T70	YAKIMA	DISTANT	AT	18-Apr-03	TRITIUM						NO SAMPLE. KINK IN HOSE.	
SESPMNT	B170P1	YAKIMA	DISTANT	AT	16-May-03	TRITIUM	6.42	pCi/m3	0.76	1.2			
SESPMNT	B171X8	YAKIMA	DISTANT	AT	13-Jun-03	TRITIUM	4.56	pCi/m3	0.8	1.1			
SESPMNT	B176R8	YAKIMA	DISTANT	AT	11-Jul-03	TRITIUM	5	pCi/m3	0.61	0.78			
SESPMNT	B179V9	YAKIMA	DISTANT	AT	07-Aug-03	TRITIUM	4.26	pCi/m3	0.88	1.1			
SESPMNT	B17DP2	YAKIMA	DISTANT	AT	05-Sep-03	TRITIUM	-0.328	pCi/m3	0.81	1.3	U		
SESPMNT	B17LR2	YAKIMA	DISTANT	AT	03-Oct-03	TRITIUM	9.41	pCi/m3	1.1	1.7			
SESPMNT	B17TP0	YAKIMA	DISTANT	AT	30-Oct-03	TRITIUM	6.6	pCi/m3	0.58	0.79			
SESPMNT	B181K7	YAKIMA	DISTANT	AT	26-Nov-03	TRITIUM	5.64	pCi/m3	0.56	0.96			
SESPMNT	B186L4	YAKIMA	DISTANT	AT	29-Dec-03	TRITIUM	5.07	pCi/m3	0.68	1.1			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	U-234	0.0000165	pCi/m3	0.000008	0.0000085			
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	U-234	0.0000166	pCi/m3	0.0000059	0.0000066			
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	U-234	0.0000189	pCi/m3	0.0000058	0.0000066			
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	U-234	0.0000101	pCi/m3	0.0000049	0.0000052			
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	U-234							LOST AT LAB.
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	U-234	0.000015	pCi/m3	0.0000077	0.0000083			
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	U-234	0.000022	pCi/m3	0.0000084	0.0000093			
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	U-234	0.0000448	pCi/m3	0.000014	0.000016			
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	U-234	0.0000149	pCi/m3	0.0000047	0.0000053			
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	U-234	0.0000192	pCi/m3	0.000005	0.000006			
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	U-234	0.0000193	pCi/m3	0.0000045	0.0000055			
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	U-234	0.0000217	pCi/m3	0.0000054	0.0000064			
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	U-234	0.0000504	pCi/m3	0.0000091	0.000012			
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	U-234	0.0000275	pCi/m3	0.0000079	0.0000092			
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	U-234	0.0000421	pCi/m3	0.0000076	0.00001			
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	U-234	0.0000451	pCi/m3	0.0000084	0.000011			
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	U-234	0.0000411	pCi/m3	0.000015	0.000017			
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	U-234	0.0000205	pCi/m3	0.000014	0.000015			
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	U-234	0.0000595	pCi/m3	0.000015	0.000018			
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	U-234	0.000116	pCi/m3	0.000025	0.000031			
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	U-234	0.0000147	pCi/m3	0.000013	0.000013	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	U-234	0.0000214	pCi/m3	0.000011	0.000012			
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	U-234	0.0000624	pCi/m3	0.000018	0.00002			
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	U-234	0.0001	pCi/m3	0.000025	0.00003			
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	U-234	0.0000225	pCi/m3	0.0000093	0.00001			
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	U-234	0.0000227	pCi/m3	0.000016	0.000016			
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	U-234	0.0000245	pCi/m3	0.000014	0.000014			
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	U-234	0.0000257	pCi/m3	0.000011	0.000012			
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	U-234	0.0000148	pCi/m3	0.000011	0.000012			
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	U-234	0.0000321	pCi/m3	0.000017	0.000018			
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	U-234	0.0000491	pCi/m3	0.000014	0.000016			
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	U-234	0.0000317	pCi/m3	0.000012	0.000013			
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	U-234	0.0000264	pCi/m3	0.000014	0.000015			
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	U-234	0.000042	pCi/m3	0.000014	0.000015			
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	U-234	0.0000694	pCi/m3	0.000016	0.000019			
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	U-234	0.0000441	pCi/m3	0.000016	0.000018			
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	U-234	0.0000265	pCi/m3	0.000014	0.000015			
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	U-234	0.0000343	pCi/m3	0.000013	0.000014			
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	U-234	0.0000755	pCi/m3	0.000016	0.00002			
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	U-234	0.0000275	pCi/m3	0.000014	0.000014			
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	U-234	0.0000317	pCi/m3	0.000012	0.000013			
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	U-234	0.000036	pCi/m3	0.000011	0.000013			
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	U-234	0.0000502	pCi/m3	0.000015	0.000017			
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	U-234	0.0000273	pCi/m3	0.000011	0.000012			
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	U-234	0.0000218	pCi/m3	0.0000081	0.000009			
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	U-234	0.0000253	pCi/m3	0.000011	0.000012			
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	U-234	0.0000528	pCi/m3	0.000013	0.000015			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	U-234	0.0000415	pCi/m3	0.000014	0.000016			
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	U-234	0.0000185	pCi/m3	0.0000066	0.0000073			
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	U-234	0.0000209	pCi/m3	0.0000061	0.000007			
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	U-234	0.0000284	pCi/m3	0.000011	0.000012			
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	U-234	0.0000218	pCi/m3	0.0000084	0.0000092			
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	U-234	0.0000189	pCi/m3	0.0000097	0.00001			
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	U-234	0.00000805	pCi/m3	0.0000094	0.0000096	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	U-234	0.000034	pCi/m3	0.000013	0.000014			
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	U-234	0.0000262	pCi/m3	0.0000094	0.00001			
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	U-234	0.0000185	pCi/m3	0.000011	0.000012			
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	U-234	0.0000174	pCi/m3	0.0000089	0.0000095			
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	U-234	0.0000348	pCi/m3	0.000013	0.000014			
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	U-234	0.000024	pCi/m3	0.000012	0.000013			
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	U-234	0.0000104	pCi/m3	0.0000084	0.0000087			
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	U-234	0.0000178	pCi/m3	0.000012	0.000013			
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	U-234	0.0000141	pCi/m3	0.0000088	0.0000093			
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	U-234	0.0000213	pCi/m3	0.0000088	0.0000095			
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	U-234	0.0000128	pCi/m3	0.0000083	0.0000087			
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	U-234	0.0000228	pCi/m3	0.000015	0.000015			
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	U-234	0.000024	pCi/m3	0.00001	0.000011			
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	U-234	0.0000161	pCi/m3	0.0000078	0.0000082			
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	U-235	-0.000000967	pCi/m3	0.0000025	0.0000025	U		
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	U-235	0.000000314	pCi/m3	0.0000014	0.0000015	U		
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	U-235	-0.000000172	pCi/m3	0.0000019	0.000002	U		
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	U-235	-0.000000239	pCi/m3	0.00000048	0.00000048	U		
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	U-235							LOST AT LAB.
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	U-235	-0.000000446	pCi/m3	0.0000017	0.0000021	U		
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	U-235	-0.000000441	pCi/m3	0.0000023	0.0000025	U		
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	U-235	-0.000000206	pCi/m3	0.0000043	0.0000043	U		
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	U-235	0.00000016	pCi/m3	0.000002	0.000002	U		
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	U-235	0.000000201	pCi/m3	0.0000009	0.00000097	U		
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	U-235	0.000000133	pCi/m3	0.00000071	0.00000077	U		
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	U-235	0.000000868	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	U-235	0.000000446	pCi/m3	0.0000015	0.0000015	U		
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	U-235	0.00000131	pCi/m3	0.0000022	0.0000022	U		
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	U-235	0.000000226	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	U-235	0.00000015	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	U-235	0.0000011	pCi/m3	0.0000053	0.0000055	U		
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	U-235	0.00000398	pCi/m3	0.0000078	0.000008	U		
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	U-235	0.00000131	pCi/m3	0.0000031	0.0000033	U		
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	U-235	0.00000037	pCi/m3	0.0000069	0.000007	U		
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	U-235	0.00000468	pCi/m3	0.0000049	0.0000051	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	U-235	-0.000000432	pCi/m3	0.0000047	0.0000048	U		
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	U-235	0.000000771	pCi/m3	0.0000003	0.0000032	U		
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	U-235	0.00000645	pCi/m3	0.0000084	0.0000085	U		
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	U-235	0.00000126	pCi/m3	0.0000035	0.0000037	U		
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	U-235	-0.00000265	pCi/m3	0.0000064	0.0000065	U		
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	U-235	-0.00000011	pCi/m3	0.0000029	0.000003	U		
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	U-235	-0.000000214	pCi/m3	0.0000026	0.0000026	U		
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	U-235	-0.00000483	pCi/m3	0.0000053	0.0000054	U		
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	U-235	-0.00000462	pCi/m3	0.0000074	0.0000075	U		
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	U-235	0.00000151	pCi/m3	0.0000004	0.0000042	U		
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	U-235	2.83E-10	pCi/m3	0.0000032	0.0000032	U		
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	U-235	-0.00000116	pCi/m3	0.0000047	0.0000048	U		
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	U-235	0.000000702	pCi/m3	0.0000029	0.0000031	U		
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	U-235	-0.000000424	pCi/m3	0.0000017	0.000002	U		
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	U-235	0.00000389	pCi/m3	0.0000058	0.0000058	U		
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	U-235	0.000000448	pCi/m3	0.0000032	0.0000033	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	U-235	-0.000000298	pCi/m3	0.000002	0.0000023	U		
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	U-235	0.00000302	pCi/m3	0.0000037	0.0000039	U		
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	U-235	0.00000131	pCi/m3	0.0000058	0.0000059	U		
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	U-235	-0.00000108	pCi/m3	0.0000028	0.0000028	U		
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	U-235	0.00000113	pCi/m3	0.0000028	0.000003	U		
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	U-235	0.000000236	pCi/m3	0.0000046	0.0000047	U		
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	U-235	0.00000021	pCi/m3	0.000003	0.000003	U		
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	U-235	-0.0000011	pCi/m3	0.000002	0.0000022	U		
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	U-235	-0.000000277	pCi/m3	0.000002	0.0000023	U		
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	U-235	-0.0000011	pCi/m3	0.0000034	0.0000035	U		
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	U-235	0.00000115	pCi/m3	0.000004	0.000004	U		
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	U-235	0.00000067	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	U-235	0.000000257	pCi/m3	0.0000025	0.0000026	U		
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	U-235	0.000000985	pCi/m3	0.0000034	0.0000035	U		
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	U-235	0.00000101	pCi/m3	0.0000028	0.0000028	U		
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	U-235	-0.00000129	pCi/m3	0.0000034	0.0000036	U		
SESPMNT	B16P89	TOPPENISH	DISTANT	AT	09-Jul-03	U-235	-0.00000342	pCi/m3	0.0000034	0.0000036	U		
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	U-235	0.00000173	pCi/m3	0.0000045	0.0000047	U		
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	U-235	0.000000845	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	U-235	0.00000133	pCi/m3	0.0000037	0.0000038	U		
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	U-235	0.00000129	pCi/m3	0.000003	0.0000032	U		
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	U-235	-0.000000365	pCi/m3	0.0000041	0.0000042	U		
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	U-235	0.00000089	pCi/m3	0.0000053	0.0000053	U		
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	U-235	-0.00000249	pCi/m3	0.000004	0.0000042	U		
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	U-235	-0.00000274	pCi/m3	0.0000047	0.0000048	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	U-235	-0.00000127	pCi/m3	0.0000026	0.0000026	U		
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	U-235	0.00000255	pCi/m3	0.0000045	0.0000045	U		
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	U-235	-0.000000498	pCi/m3	0.0000033	0.0000035	U		
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	U-235	0.00000267	pCi/m3	0.0000076	0.0000077	U		
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	U-235	0.00000269	pCi/m3	0.0000042	0.0000044	U		
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	U-235	0.000000946	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B168F3	200 E AREA	ONSITE	AT	08-Apr-03	U-238	0.0000179	pCi/m3	0.0000073	0.0000079			
SESPMNT	B16PT7	200 E AREA	ONSITE	AT	30-Jun-03	U-238	0.0000141	pCi/m3	0.0000056	0.0000062			
SESPMNT	B175P3	200 E AREA	ONSITE	AT	07-Oct-03	U-238	0.0000178	pCi/m3	0.0000059	0.0000067			
SESPMNT	B17PB4	200 E AREA	ONSITE	AT	30-Dec-03	U-238	0.0000242	pCi/m3	0.0000077	0.0000086			
SESPMNT	B168L8	200 W AREA	ONSITE	AT	08-Apr-03	U-238							LOST AT LAB.
SESPMNT	B16PY6	200 W AREA	ONSITE	AT	30-Jun-03	U-238	0.0000273	pCi/m3	0.00001	0.000011			
SESPMNT	B175W8	200 W AREA	ONSITE	AT	07-Oct-03	U-238	0.0000268	pCi/m3	0.000009	0.00001			
SESPMNT	B17PH3	200 W AREA	ONSITE	AT	30-Dec-03	U-238	0.000164	pCi/m3	0.000026	0.000037			
SESPMNT	B168J6	200 W SOUTH EAST	ONSITE	AT	08-Apr-03	U-238	0.0000163	pCi/m3	0.0000045	0.0000053			
SESPMNT	B16PW7	200 W SOUTH EAST	ONSITE	AT	30-Jun-03	U-238	0.0000152	pCi/m3	0.0000045	0.0000052			
SESPMNT	B175T6	200 W SOUTH EAST	ONSITE	AT	07-Oct-03	U-238	0.0000219	pCi/m3	0.0000049	0.0000061			
SESPMNT	B17PD4	200 W SOUTH EAST	ONSITE	AT	30-Dec-03	U-238	0.0000217	pCi/m3	0.0000053	0.0000063			
SESPMNT	B168M6	300 AREA	ONSITE	AT	02-Apr-03	U-238	0.0000226	pCi/m3	0.0000062	0.0000073			
SESPMNT	B16R03	300 AREA	ONSITE	AT	10-Jul-03	U-238	0.0000174	pCi/m3	0.0000063	0.000007			
SESPMNT	B175X6	300 AREA	ONSITE	AT	30-Sep-03	U-238	0.0000399	pCi/m3	0.0000074	0.0000099			
SESPMNT	B17PJ0	300 AREA	ONSITE	AT	08-Jan-04	U-238	0.0000361	pCi/m3	0.0000075	0.0000096			
SESPMNT	B167V4	300 NE	ONSITE	AT	02-Apr-03	U-238	0.0000151	pCi/m3	0.000011	0.000012			
SESPMNT	B16P66	300 NE	ONSITE	AT	10-Jul-03	U-238	0.0000269	pCi/m3	0.000018	0.000018			
SESPMNT	B17548	300 NE	ONSITE	AT	30-Sep-03	U-238	0.0000385	pCi/m3	0.000012	0.000014			
SESPMNT	B17NP7	300 NE	ONSITE	AT	08-Jan-04	U-238	0.000103	pCi/m3	0.000023	0.000028			
SESPMNT	B167V3	300 TRENCH	ONSITE	AT	02-Apr-03	U-238	0.0000191	pCi/m3	0.000014	0.000015	U		
SESPMNT	B16P65	300 TRENCH	ONSITE	AT	10-Jul-03	U-238	0.0000428	pCi/m3	0.000013	0.000015			
SESPMNT	B17547	300 TRENCH	ONSITE	AT	30-Sep-03	U-238	0.0000415	pCi/m3	0.000014	0.000016			
SESPMNT	B17NP6	300 TRENCH	ONSITE	AT	08-Jan-04	U-238	0.0000891	pCi/m3	0.000023	0.000028			
SESPMNT	B168H8	B POND	ONSITE	AT	08-Apr-03	U-238	0.0000196	pCi/m3	0.00001	0.000011			
SESPMNT	B16PW0	B POND	ONSITE	AT	30-Jun-03	U-238	0.0000268	pCi/m3	0.000014	0.000015			
SESPMNT	B175R8	B POND	ONSITE	AT	07-Oct-03	U-238	0.0000209	pCi/m3	0.000013	0.000013			

ENVIRONMENTAL SURVEILLANCE DATA CY03

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17PC7	B POND	ONSITE	AT	30-Dec-03	U-238	0.0000195	pCi/m3	0.0000094	0.0000099			
SESPMNT	B16962	BASIN CITY SCHOOL	COMMUNITY	AT	09-Apr-03	U-238	0.0000162	pCi/m3	0.000012	0.000012			
SESPMNT	B16RJ4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Jul-03	U-238	0.0000359	pCi/m3	0.000017	0.000018			
SESPMNT	B176F2	BASIN CITY SCHOOL	COMMUNITY	AT	08-Oct-03	U-238	0.0000395	pCi/m3	0.000012	0.000014			
SESPMNT	B17R31	BASIN CITY SCHOOL	COMMUNITY	AT	31-Dec-03	U-238	0.0000317	pCi/m3	0.000012	0.000013			
SESPMNT	B168Y1	BYERS LANDING	PERIMETER	AT	10-Apr-03	U-238	0.0000258	pCi/m3	0.000016	0.000017			
SESPMNT	B16R83	BYERS LANDING	PERIMETER	AT	07-Jul-03	U-238	0.0000443	pCi/m3	0.000014	0.000016			
SESPMNT	B17661	BYERS LANDING	PERIMETER	AT	10-Oct-03	U-238	0.0000612	pCi/m3	0.000015	0.000018			
SESPMNT	B17PV0	BYERS LANDING	PERIMETER	AT	05-Jan-04	U-238	0.0000428	pCi/m3	0.000015	0.000016			
SESPMNT	B168X3	DOGWOOD MET TOWER	PERIMETER	AT	10-Apr-03	U-238	0.0000133	pCi/m3	0.00001	0.00001			
SESPMNT	B16R76	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-03	U-238	0.0000438	pCi/m3	0.000014	0.000016			
SESPMNT	B17653	DOGWOOD MET TOWER	PERIMETER	AT	10-Oct-03	U-238	0.0000599	pCi/m3	0.000015	0.000018			
SESPMNT	B17PT3	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-04	U-238	0.0000288	pCi/m3	0.000013	0.000014			
SESPMNT	B16978	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Apr-03	U-238	0.000016	pCi/m3	0.0000089	0.0000095			
SESPMNT	B16RK8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Jul-03	U-238	0.0000345	pCi/m3	0.000011	0.000013			
SESPMNT	B176H8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Oct-03	U-238	0.0000383	pCi/m3	0.000012	0.000013			
SESPMNT	B17R45	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	31-Dec-03	U-238	0.0000294	pCi/m3	0.000011	0.000012			
SESPMNT	B16970	LESLIE GROVES-RCHLND	COMMUNITY	AT	08-Apr-03	U-238	0.0000184	pCi/m3	0.0000081	0.0000089			
SESPMNT	B16RK1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Jul-03	U-238	0.0000175	pCi/m3	0.0000092	0.0000098			
SESPMNT	B176H0	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Oct-03	U-238	0.0000187	pCi/m3	0.0000092	0.0000099			
SESPMNT	B17R38	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-Dec-03	U-238	0.0000381	pCi/m3	0.000013	0.000015			
SESPMNT	B168Y9	PROSSER BARRICADE	PERIMETER	AT	03-Apr-03	U-238	0.0000205	pCi/m3	0.0000068	0.0000077			
SESPMNT	B16R90	PROSSER BARRICADE	PERIMETER	AT	11-Jul-03	U-238	0.0000195	pCi/m3	0.000006	0.0000069			
SESPMNT	B17669	PROSSER BARRICADE	PERIMETER	AT	03-Oct-03	U-238	0.000024	pCi/m3	0.00001	0.000011			
SESPMNT	B17PV7	PROSSER BARRICADE	PERIMETER	AT	09-Jan-04	U-238	0.0000228	pCi/m3	0.0000082	0.000009			
SESPMNT	B16805	TOPPENISH	DISTANT	AT	02-Apr-03	U-238	0.0000266	pCi/m3	0.000011	0.000012			
SESPMNT	B16PB9	TOPPENISH	DISTANT	AT	09-Jul-03	U-238	0.0000167	pCi/m3	0.0000088	0.0000095			
SESPMNT	B17589	TOPPENISH	DISTANT	AT	01-Oct-03	U-238	0.0000151	pCi/m3	0.0000099	0.00001			
SESPMNT	B17NX2	TOPPENISH	DISTANT	AT	08-Jan-04	U-238	0.0000279	pCi/m3	0.00001	0.000011			
SESPMNT	B168V7	W END OF FIR ROAD	PERIMETER	AT	10-Apr-03	U-238	0.000018	pCi/m3	0.0000097	0.00001			
SESPMNT	B16R62	W END OF FIR ROAD	PERIMETER	AT	07-Jul-03	U-238	0.0000313	pCi/m3	0.000011	0.000012			
SESPMNT	B17637	W END OF FIR ROAD	PERIMETER	AT	10-Oct-03	U-238	0.0000465	pCi/m3	0.000013	0.000015			
SESPMNT	B17PP9	W END OF FIR ROAD	PERIMETER	AT	05-Jan-04	U-238	0.0000151	pCi/m3	0.0000096	0.0000099			
SESPMNT	B168V0	WYE BARRICADE	ONSITE	AT	31-Mar-03	U-238	0.0000155	pCi/m3	0.0000093	0.0000099			
SESPMNT	B16R54	WYE BARRICADE	ONSITE	AT	08-Jul-03	U-238	0.0000132	pCi/m3	0.000011	0.000011	U		
SESPMNT	B17630	WYE BARRICADE	ONSITE	AT	01-Oct-03	U-238	0.0000154	pCi/m3	0.0000084	0.000009			
SESPMNT	B17PP1	WYE BARRICADE	ONSITE	AT	06-Jan-04	U-238	0.0000179	pCi/m3	0.0000085	0.000009			
SESPMNT	B16955	YAKIMA	DISTANT	AT	03-Apr-03	U-238	0.0000219	pCi/m3	0.00001	0.000011			
SESPMNT	B16RH6	YAKIMA	DISTANT	AT	11-Jul-03	U-238	0.0000146	pCi/m3	0.000013	0.000013			
SESPMNT	B176D5	YAKIMA	DISTANT	AT	03-Oct-03	U-238	0.0000117	pCi/m3	0.0000076	0.0000081			
SESPMNT	B17R23	YAKIMA	DISTANT	AT	09-Jan-04	U-238	0.000018	pCi/m3	0.0000083	0.0000088			

Water

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	ALPHA	0.67	pCi/L	0.62	0.64	U		
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	ALPHA	0.935	pCi/L	0.82	0.85	U		
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	ALPHA	0.66	pCi/L	0.74	0.75	U		
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	ALPHA	0.487	pCi/L	0.73	0.75	U		
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	ALPHA	0.597	pCi/L	0.77	0.79	U		
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	ALPHA	0.439	pCi/L	0.7	0.71	U		
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	ALPHA	-0.0574	pCi/L	0.4	0.41	U		
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	ALPHA	0.443	pCi/L	0.44	0.45	U		
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	ALPHA	0.792	pCi/L	0.82	0.86	U		
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	ALPHA	0.279	pCi/L	0.6	0.61	U		
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	ALPHA	0.0972	pCi/L	0.58	0.58	U		
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	ALPHA	0.364	pCi/L	0.66	0.68	U		
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	ALPHA	0.159	pCi/L	0.38	0.38	U		
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	ALPHA	1.2	pCi/L	0.85	0.89			
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	ALPHA	0.858	pCi/L	0.88	0.9	U		
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	ALPHA	0.669	pCi/L	0.77	0.79	U		
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	ALPHA	-0.129	pCi/L	0.39	0.4	U		
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	ALPHA	0.161	pCi/L	0.56	0.57	U		
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	ALPHA	1.55	pCi/L	1	1.1			
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	ALPHA	0.777	pCi/L	0.55	0.58	U		
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	ALPHA	0.861	pCi/L	0.87	0.9	U		
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	ALPHA	0.359	pCi/L	0.67	0.68	U		
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	ALPHA	0.697	pCi/L	0.81	0.84	U		
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	ALPHA	0.533	pCi/L	0.71	0.73	U		
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	BETA	0.491	pCi/L	1.3	1.3	U		
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	BETA	0.068	pCi/L	1.3	1.4	U		
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	BETA	0.665	pCi/L	1.2	1.3	U		
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	BETA	1.3	pCi/L	1.4	1.5	U		
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	BETA	0.1	pCi/L	1.2	1.3	U		
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	BETA	0.53	pCi/L	1.3	1.4	U		
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	BETA	-0.565	pCi/L	1.3	1.4	U		
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	BETA	1.96	pCi/L	1.3	1.3	U		
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	BETA	0.525	pCi/L	1.3	1.4	U		
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	BETA	-0.351	pCi/L	1.2	1.3	U		
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	BETA	2.46	pCi/L	2	2.1	U		
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	BETA	0.711	pCi/L	1.3	1.4	U		
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	BETA	1.2	pCi/L	1.3	1.3	U		
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	BETA	0.541	pCi/L	1.3	1.4	U		
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	BETA	2.5	pCi/L	1.5	1.6	U		
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	BETA	0.313	pCi/L	1.3	1.4	U		
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	BETA	0.876	pCi/L	1.3	1.4	U		
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	BETA	1.27	pCi/L	1.4	1.5	U		
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	BETA	0.143	pCi/L	1.3	1.4	U		
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	BETA	1.31	pCi/L	1.3	1.3	U		
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	BETA	-0.224	pCi/L	1.3	1.4	U		
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	BETA	0.515	pCi/L	1.3	1.4	U		
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	BETA	2.77	pCi/L	2	2.1	U		
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	BETA	0.356	pCi/L	1.3	1.4	U		
SESPSPEC	B16WL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	C-14	-0.895	pCi/L	3.2	3.5	U		
SESPSPEC	B16WL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-May-03	C-14	3.34	pCi/L	3.3	3.7	U		
SESPSPEC	B170P7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	13-May-03	C-14	3.45	pCi/L	3.3	3.7	U		
SESPSPEC	B170X7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	21-May-03	C-14	8.02	pCi/L	6.8	7.5	U		
SESPSPEC	B17140	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	C-14	8.77	pCi/L	3.6	3.9			
SESPSPEC	B171K6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Jun-03	C-14	1.52	pCi/L	6.8	7.5	U		
SESPSPEC	B17214	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	12-Jun-03	C-14	2.7	pCi/L	6.6	7.2	U		
SESPSPEC	B172F1	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	18-Jun-03	C-14	-0.506	pCi/L	3.2	3.5	U		
SESPSPEC	B172K0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Jun-03	C-14	-2.75	pCi/L	3.2	3.5	U		
SESPSPEC	B16WL2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	C-14	-0.308	pCi/L	3.2	3.5	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WL4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-May-03	C-14	1.4	pCi/L	3.3	3.6	U		
SESPSPEC	B170P8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	13-May-03	C-14	3.41	pCi/L	3.3	3.7	U		
SESPSPEC	B170X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	21-May-03	C-14	10	pCi/L	3.6	4			
SESPSPEC	B17141	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	C-14	9.22	pCi/L	3.6	4			
SESPSPEC	B171K7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Jun-03	C-14	-1.93	pCi/L	3.3	3.6	U		
SESPSPEC	B17215	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	12-Jun-03	C-14	-1.75	pCi/L	3.2	3.5	U		
SESPSPEC	B172F2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	18-Jun-03	C-14	1.16	pCi/L	3.3	3.6	U		
SESPSPEC	B172K1	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Jun-03	C-14	-2.57	pCi/L	3.2	3.6	U		
SESPMNT	B167W7	PRIEST RAPIDS-RIVER	OFFSITE	SW		RIVER	UNFILTERED	09-Apr-03	I-129	0.0000037	pCi/L		0.00000407			
SESPMNT	B16P81	PRIEST RAPIDS-RIVER	OFFSITE	SW		RIVER	UNFILTERED	10-Jul-03	I-129	0.0000048	pCi/L		0.00000768			
SESPMNT	B17561	PRIEST RAPIDS-RIVER	OFFSITE	SW		RIVER	UNFILTERED	30-Sep-03	I-129	0.0000059	pCi/L		1.6048E-06			
SESPMNT	B17NT2	PRIEST RAPIDS-RIVER	OFFSITE	SW		RIVER	UNFILTERED	08-Jan-04	I-129	0.0000039	pCi/L		7.098E-07			
SESPMNT	B167Y1	RICH.PMPHS HRM 46.4	OFFSITE	SW		RIVER	UNFILTERED	09-Apr-03	I-129	0.0000912	pCi/L		7.6608E-06			
SESPMNT	B16P95	RICH.PMPHS HRM 46.4	OFFSITE	SW		RIVER	UNFILTERED	10-Jul-03	I-129	0.0000386	pCi/L		3.1652E-06			
SESPMNT	B17575	RICH.PMPHS HRM 46.4	OFFSITE	SW		RIVER	UNFILTERED	30-Sep-03	I-129	0.0001171	pCi/L		9.6022E-06			
SESPMNT	B17NV7	RICH.PMPHS HRM 46.4	OFFSITE	SW		RIVER	UNFILTERED	08-Jan-04	I-129	0.0000787	pCi/L		0.000007083			
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	SR-90	0.0998	pCi/L	0.047	0.053			
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	SR-90	0.0667	pCi/L	0.023	0.029			
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	SR-90	0.0733	pCi/L	0.032	0.037			
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	SR-90	0.0878	pCi/L	0.039	0.044			
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	SR-90	0.0919	pCi/L	0.029	0.036			
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	SR-90	0.0909	pCi/L	0.028	0.036			
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	SR-90	0.147	pCi/L	0.034	0.047			
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	SR-90	0.0625	pCi/L	0.024	0.028			
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	SR-90	0.0601	pCi/L	0.021	0.024			
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	SR-90	0.0862	pCi/L	0.018	0.022			
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	SR-90	0.0692	pCi/L	0.02	0.024			
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	SR-90	0.125	pCi/L	0.025	0.032			
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	SR-90	0.098	pCi/L	0.034	0.041			
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	SR-90	0.0983	pCi/L	0.029	0.037			
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	SR-90	0.106	pCi/L	0.029	0.038			
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	SR-90	0.107	pCi/L	0.039	0.046			
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	SR-90	0.0878	pCi/L	0.029	0.036			
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	SR-90	0.0903	pCi/L	0.033	0.04			
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	SR-90	0.122	pCi/L	0.032	0.042			
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	SR-90	0.0472	pCi/L	0.025	0.028			
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	SR-90	0.0778	pCi/L	0.023	0.027			
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	SR-90	0.121	pCi/L	0.021	0.027			
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	SR-90	0.0792	pCi/L	0.021	0.025			
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	SR-90	0.141	pCi/L	0.027	0.035			
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	TC-99	-0.312	pCi/L	0.25	0.56	U		
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	TC-99	0.199	pCi/L	0.26	0.56	U		
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	TC-99	0.455	pCi/L	0.25	0.53	U		
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	TC-99	0.171	pCi/L	0.24	0.52	U		
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	TC-99	0.156	pCi/L	0.24	0.5	U		
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	TC-99	0.523	pCi/L	0.25	0.53	U		
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	TC-99	-0.0622	pCi/L	0.24	0.52	U		
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	TC-99	-0.0269	pCi/L	0.25	0.53	U		
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	TC-99	-0.054	pCi/L	0.19	0.32	U		
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	TC-99	0.00191	pCi/L	0.2	0.35	U		
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	TC-99	0.113	pCi/L	0.21	0.36	U		
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	TC-99	-0.0321	pCi/L	0.2	0.35	U		
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	TC-99	-0.412	pCi/L	0.25	0.56	U		
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	TC-99	0.125	pCi/L	0.26	0.56	U		
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	TC-99	0.493	pCi/L	0.25	0.53	U		
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	TC-99	1.15	pCi/L	0.26	0.57			
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	TC-99	0.141	pCi/L	0.23	0.5	U		
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	TC-99	0.737	pCi/L	0.25	0.54			
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	TC-99	0.295	pCi/L	0.25	0.53	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	TC-99	0.396	pCi/L	0.25	0.55	U		
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	TC-99	-0.00333	pCi/L	0.19	0.33	U		
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	TC-99	0.0731	pCi/L	0.21	0.35	U		
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	TC-99	0.0867	pCi/L	0.21	0.36	U		
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	TC-99	0.225	pCi/L	0.21	0.36	U		
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	LO TRITIUM	46.9	pCi/L	3.8	9			
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	LO TRITIUM	30.7	pCi/L	3	6.2			
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	LO TRITIUM	26.9	pCi/L	2.8	4.5			
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	LO TRITIUM	24.4	pCi/L	2.7	4.3			
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	LO TRITIUM	27.8	pCi/L	2.9	4.4			
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	LO TRITIUM	34.7	pCi/L	2.9	5.3			
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	LO TRITIUM	27.6	pCi/L	2.8	4.8			
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	LO TRITIUM	27.3	pCi/L	4.1	6.5			
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	LO TRITIUM	80.2	pCi/L	3.8	9			
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	LO TRITIUM	56.2	pCi/L	3.2	6.8			
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	LO TRITIUM	27.2	pCi/L	2.8	4.3			
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	LO TRITIUM	16.7	pCi/L	4.3	5.7			
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	LO TRITIUM	94.6	pCi/L	5.2	17			
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	LO TRITIUM	60.1	pCi/L	4.6	11			
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	LO TRITIUM	56.3	pCi/L	3.2	6.7			
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	LO TRITIUM	39.3	pCi/L	3	5.4			
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	LO TRITIUM	36.1	pCi/L	3.1	5			
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	LO TRITIUM	50.3	pCi/L	3.1	6.4			
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	LO TRITIUM	73.3	pCi/L	3.5	8.2			
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	LO TRITIUM	62.4	pCi/L	5.6	12			
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	LO TRITIUM	139	pCi/L	4.3	14			
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	LO TRITIUM	118	pCi/L	4.3	12			
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	LO TRITIUM	41.5	pCi/L	3.1	5.3			
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	LO TRITIUM	77.5	pCi/L	10	17			
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-234	0.18	pCi/L	0.032	0.044			
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-234	0.229	pCi/L	0.035	0.051			
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-234	0.257	pCi/L	0.04	0.058			
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-234	0.23	pCi/L	0.036	0.051			
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-234	0.247	pCi/L	0.041	0.057			
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-234	0.213	pCi/L	0.037	0.05			
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-234	0.245	pCi/L	0.042	0.057			
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-234	0.205	pCi/L	0.041	0.052			
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-234	0.168	pCi/L	0.034	0.043			
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-234	0.208	pCi/L	0.041	0.053			
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-234	0.214	pCi/L	0.037	0.05			
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-234	0.224	pCi/L	0.038	0.052			
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-234	0.278	pCi/L	0.038	0.059			
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-234	0.312	pCi/L	0.041	0.065			
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-234	0.296	pCi/L	0.043	0.065			
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-234	0.304	pCi/L	0.042	0.064			
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-234	0.248	pCi/L	0.046	0.061			
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-234	0.227	pCi/L	0.036	0.051			
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-234	0.287	pCi/L	0.046	0.066			
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-234	0.319	pCi/L	0.054	0.073			
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-234	0.271	pCi/L	0.042	0.06			
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-234	0.311	pCi/L	0.055	0.075			
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-234	0.229	pCi/L	0.038	0.053			
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-234	0.287	pCi/L	0.052	0.07			
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-235	0.00489	pCi/L	0.0066	0.0069	U		
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-235	0.00429	pCi/L	0.0061	0.0064	U		
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-235	0.0145	pCi/L	0.014	0.014	U		
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-235	-0.0039	pCi/L	0.0094	0.0094	U		
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-235	0.00311	pCi/L	0.0065	0.0068	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-235	0.000725	pCi/L	0.0055	0.0058	U		
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-235	0.00297	pCi/L	0.0071	0.0074	U		
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-235	0.00798	pCi/L	0.008	0.0081	U		
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-235	-0.00191	pCi/L	0.0076	0.0078	U		
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-235	0.00222	pCi/L	0.0064	0.0067	U		
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-235	0.0056	pCi/L	0.0073	0.0076	U		
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-235	0.00249	pCi/L	0.0064	0.0067	U		
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-235	0.00576	pCi/L	0.0067	0.0071	U		
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-235	0.00208	pCi/L	0.0053	0.0056	U		
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-235	0.0149	pCi/L	0.011	0.012			
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-235	0.00844	pCi/L	0.0097	0.0098	U		
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-235	0.000688	pCi/L	0.008	0.0083	U		
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-235	0.00319	pCi/L	0.0064	0.0067	U		
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-235	0.0101	pCi/L	0.01	0.01	U		
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-235	0.00905	pCi/L	0.0091	0.0092	U		
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-235	0.0105	pCi/L	0.012	0.012	U		
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-235	0.00628	pCi/L	0.0096	0.0098	U		
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-235	0.00125	pCi/L	0.0053	0.0056	U		
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-235	0.00594	pCi/L	0.0092	0.0094	U		
SESPMNT	B16858	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-238	0.163	pCi/L	0.03	0.04			
SESPMNT	B16BY2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-238	0.173	pCi/L	0.03	0.041			
SESPMNT	B16JL8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-238	0.232	pCi/L	0.037	0.053			
SESPMNT	B16PJ4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-238	0.201	pCi/L	0.033	0.046			
SESPMNT	B16WD8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-238	0.161	pCi/L	0.033	0.042			
SESPMNT	B171D2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-238	0.176	pCi/L	0.034	0.044			
SESPMNT	B175F4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-238	0.171	pCi/L	0.035	0.044			
SESPMNT	B179R2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-238	0.177	pCi/L	0.038	0.047			
SESPMNT	B17DJ7	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-238	0.137	pCi/L	0.031	0.038			
SESPMNT	B17P27	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-238	0.159	pCi/L	0.035	0.043			
SESPMNT	B17VB4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-238	0.148	pCi/L	0.031	0.039			
SESPMNT	B183H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-238	0.177	pCi/L	0.034	0.044			
SESPMNT	B16868	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Feb-03	U-238	0.199	pCi/L	0.032	0.046			
SESPMNT	B16BY7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Mar-03	U-238	0.255	pCi/L	0.037	0.055			
SESPMNT	B16JM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Apr-03	U-238	0.301	pCi/L	0.044	0.066			
SESPMNT	B16PJ9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Apr-03	U-238	0.238	pCi/L	0.037	0.053			
SESPMNT	B16WF4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	28-May-03	U-238	0.18	pCi/L	0.04	0.05			
SESPMNT	B171F6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	10-Jul-03	U-238	0.192	pCi/L	0.033	0.045			
SESPMNT	B175F9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Aug-03	U-238	0.214	pCi/L	0.039	0.053			
SESPMNT	B179R7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Sep-03	U-238	0.232	pCi/L	0.046	0.059			
SESPMNT	B17DK3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	30-Sep-03	U-238	0.203	pCi/L	0.037	0.049			
SESPMNT	B17P33	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Oct-03	U-238	0.217	pCi/L	0.046	0.058			
SESPMNT	B17VC0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	25-Nov-03	U-238	0.19	pCi/L	0.035	0.046			
SESPMNT	B183J3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	08-Jan-04	U-238	0.227	pCi/L	0.046	0.059			

ENVIRONMENTAL SURVEILLANCE DATA CY03
RIVERFLOW(a)

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	01-Jan-03	73353.28	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jan-03	71934.22	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jan-03	71576.77	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jan-03	72485.31	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jan-03	72039.83	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jan-03	78740.55	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jan-03	92216.45	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jan-03	95480.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jan-03	89806.41	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jan-03	83033.07	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jan-03	72516.23	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jan-03	71321.52	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jan-03	71499.05	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jan-03	72496.95	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jan-03	96029.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jan-03	106524.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jan-03	99279.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jan-03	90427.29	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jan-03	71408.23	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jan-03	82672.52	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jan-03	108365.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jan-03	101386	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jan-03	81094.09	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jan-03	76360.71	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jan-03	71249.94	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jan-03	71450.27	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jan-03	71587.15	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jan-03	73710.56	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jan-03	72594.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jan-03	71219.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jan-03	71563.51	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Feb-03	71353.36	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Feb-03	70981.31	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Feb-03	71043.41	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Feb-03	70650.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Feb-03	70788.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Feb-03	82103.34	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Feb-03	100193.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Feb-03	72728.48	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Feb-03	71072.07	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Feb-03	71597.39	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Feb-03	77422.36	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Feb-03	71974.05	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Feb-03	71867.27	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Feb-03	70841.92	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Feb-03	70972.27	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Feb-03	70870.19	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Feb-03	71557.29	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Feb-03	71292.95	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Feb-03	71524.36	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Feb-03	72744	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Feb-03	71878.44	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Feb-03	71216.67	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Feb-03	72686.31	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Feb-03	71541.42	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Feb-03	73251.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Feb-03	74262.92	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Feb-03	83513.34	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Feb-03	76012.22	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Mar-03	77765.38	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Mar-03	72957.81	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Mar-03	107418.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Mar-03	99400.07	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Mar-03	91030.88	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Mar-03	91161.02	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Mar-03	91891.72	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Mar-03	83207.73	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	09-Mar-03	71059.94	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Mar-03	70671.59	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Mar-03	70461.27	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Mar-03	71496.09	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Mar-03	71221.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Mar-03	70751.51	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Mar-03	70723.19	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Mar-03	71910.92	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Mar-03	82643.01	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Mar-03	78861.19	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Mar-03	79976.93	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Mar-03	70987.52	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Mar-03	72407.89	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Mar-03	74086.73	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Mar-03	71750.32	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Mar-03	71244.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Mar-03	87249.27	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Mar-03	126979.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Mar-03	131893.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Mar-03	125533.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Mar-03	129396.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Mar-03	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Mar-03	109786.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Apr-03	98740.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Apr-03	95921.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Apr-03	98109.68	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Apr-03	104993.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Apr-03	74164.22	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Apr-03	73194.38	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Apr-03	98100.03	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Apr-03	117543.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Apr-03	91351.89	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Apr-03	103351.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Apr-03	112281.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Apr-03	90865.88	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Apr-03	84074.41	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Apr-03	96341.69	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Apr-03	104695.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Apr-03	129522.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Apr-03	145978	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Apr-03	113238.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Apr-03	114419.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Apr-03	98380.52	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Apr-03	110239.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Apr-03	156934.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Apr-03	143773	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Apr-03	135803	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Apr-03	155486.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Apr-03	125346.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Apr-03	108619.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Apr-03	123176.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Apr-03	144933.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Apr-03	144638.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-May-03	126607.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-May-03	119281.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-May-03	126610.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-May-03	134014.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-May-03	145150	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-May-03	155526.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-May-03	141517.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-May-03	157368	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-May-03	134834.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-May-03	113301.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-May-03	100844.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-May-03	124254.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-May-03	179528.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-May-03	143214.6	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	15-May-03	155887.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-May-03	152668	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-May-03	129739.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-May-03	127362.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-May-03	120235.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-May-03	143635.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-May-03	149367.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-May-03	181159.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-May-03	174530.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-May-03	121514.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-May-03	88175.07	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-May-03	116375.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-May-03	128643.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-May-03	135573.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-May-03	171260.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-May-03	158931.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-May-03	123887.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Jun-03	105791.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jun-03	121280.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jun-03	145028.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jun-03	133379.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jun-03	144718.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jun-03	162368.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jun-03	170886.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jun-03	151286.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jun-03	148671.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jun-03	175980.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jun-03	171807.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jun-03	171425.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jun-03	182390.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jun-03	156412.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jun-03	137168.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jun-03	180941.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jun-03	176120.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jun-03	171331.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jun-03	116784.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jun-03	121367.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jun-03	115878	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jun-03	87807.58	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jun-03	124024.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jun-03	142804.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jun-03	167180.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jun-03	178024.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jun-03	154148.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jun-03	149207.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jun-03	121773.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jun-03	120707.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Jul-03	139750	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jul-03	105876.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jul-03	92782.41	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jul-03	104601	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jul-03	65417.82	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jul-03	81014.02	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jul-03	111772.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jul-03	120445.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jul-03	125938	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jul-03	125443	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jul-03	134595.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jul-03	120323.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jul-03	99655.81	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jul-03	119562	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jul-03	123443.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jul-03	124762.1	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jul-03	109148.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jul-03	110112	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jul-03	104092.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jul-03	85834.52	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY03
RIVERFLOW(a)

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	21-Jul-03	101812.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jul-03	136737.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jul-03	126071.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jul-03	123594.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jul-03	108235.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jul-03	103435.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jul-03	66625.86	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jul-03	103102.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jul-03	109937.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jul-03	118528.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jul-03	122418.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Aug-03	110065.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Aug-03	97808.92	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Aug-03	60717.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Aug-03	70753.42	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Aug-03	101457.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Aug-03	95343.12	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Aug-03	93686.67	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Aug-03	92114.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Aug-03	102848.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Aug-03	75625.67	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Aug-03	99153.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Aug-03	103184.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Aug-03	89885.29	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Aug-03	103598.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Aug-03	117424.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Aug-03	93813.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Aug-03	74937.05	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Aug-03	86954.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Aug-03	108424	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Aug-03	108170	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Aug-03	127802.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Aug-03	137822.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Aug-03	100525.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Aug-03	85075.54	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Aug-03	119252.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Aug-03	127166.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Aug-03	92898	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Aug-03	85687.77	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Aug-03	99359.22	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Aug-03	101245.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Aug-03	70428.15	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Sep-03	59306.64	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Sep-03	64740.09	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Sep-03	81775.79	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Sep-03	93184.09	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Sep-03	85311.58	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Sep-03	53710.44	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Sep-03	49367.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Sep-03	53468.68	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Sep-03	63118.51	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Sep-03	50102.91	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Sep-03	59464.43	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Sep-03	63693.68	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Sep-03	60499.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Sep-03	42621.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Sep-03	57685.14	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Sep-03	77155.96	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Sep-03	69865.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Sep-03	59374.54	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Sep-03	57300	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Sep-03	63551.53	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Sep-03	54232.23	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Sep-03	80986.2	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	23-Sep-03	67923.56	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Sep-03	75246.94	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Sep-03	82806.17	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Sep-03	93517.41	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Sep-03	75493.45	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Sep-03	59166.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Sep-03	85379.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Sep-03	84477.73	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Oct-03	88680.77	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Oct-03	78645.28	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Oct-03	68382.86	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Oct-03	58193.16	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Oct-03	52384.47	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Oct-03	76311.34	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Oct-03	74907.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Oct-03	81587.92	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Oct-03	84234.84	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Oct-03	82159.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Oct-03	71612.34	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Oct-03	59419.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Oct-03	82443.39	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Oct-03	73710.61	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Oct-03	93020.59	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Oct-03	84489.98	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Oct-03	80872.04	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Oct-03	64136.19	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Oct-03	64419.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Oct-03	63135.77	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Oct-03	66036.24	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Oct-03	86409.23	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Oct-03	111230.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Oct-03	108700.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Oct-03	111630.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Oct-03	85266.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Oct-03	90841.91	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Oct-03	110978.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Oct-03	106580.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Oct-03	95145.38	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Oct-03	98037.91	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Nov-03	111588.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Nov-03	113445.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Nov-03	93377.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Nov-03	92532.12	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Nov-03	110898.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Nov-03	121671.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Nov-03	114678.9	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Nov-03	110652.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Nov-03	74111.73	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Nov-03	91114.34	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Nov-03	90392.05	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Nov-03	104685.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Nov-03	106500.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Nov-03	97800.69	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Nov-03	90494.68	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Nov-03	82979.91	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Nov-03	95351.59	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Nov-03	91774.26	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Nov-03	97466.24	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Nov-03	114265.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Nov-03	123875.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Nov-03	121728.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Nov-03	82686.42	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Nov-03	90635.48	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Nov-03	102130.3	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	26-Nov-03	103283.8	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Nov-03	84189.62	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Nov-03	72093.38	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Nov-03	69606.14	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Nov-03	71250.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Dec-03	84145.94	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Dec-03	90012.98	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Dec-03	122497.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Dec-03	120621.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Dec-03	113638.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Dec-03	97665.87	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Dec-03	94763.26	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Dec-03	87862.85	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Dec-03	113868.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Dec-03	129361	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Dec-03	129105.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Dec-03	112166.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Dec-03	108373.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Dec-03	119708.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Dec-03	133130.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Dec-03	126917.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Dec-03	127424.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Dec-03	120614.5	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Dec-03	116760.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Dec-03	114585	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Dec-03	85072.95	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Dec-03	112804.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Dec-03	130371.6	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Dec-03	111034.4	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Dec-03	86685.15	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Dec-03	81576.66	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Dec-03	108730.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Dec-03	110384.2	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Dec-03	126300.7	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Dec-03	131730.3	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Dec-03	122992	CFS

(a) Preliminary daily average river flow data are provided by USGS.

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16L97	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Sr-90	0.0869	pCi/L	0.038	0.044			
SESPMNT	B16L98	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Sr-90	0.0819	pCi/L	0.036	0.041			
SESPMNT	B16L99	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Sr-90	0.0893	pCi/L	0.038	0.043			
SESPMNT	B16LB0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Sr-90	0.0619	pCi/L	0.035	0.038			
SESPMNT	B16LD0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0604	pCi/L	0.029	0.033			
SESPMNT	B16LC9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0508	pCi/L	0.03	0.032			
SESPMNT	B16LC8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0708	pCi/L	0.026	0.031			
SESPMNT	B16LC7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0638	pCi/L	0.028	0.033			
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0815	pCi/L	0.032	0.037			
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0857	pCi/L	0.029	0.035			
SESPMNT	B16LB6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0792	pCi/L	0.03	0.035			
SESPMNT	B16LB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0806	pCi/L	0.03	0.036			
SESPMNT	B16LB3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0793	pCi/L	0.031	0.037			
SESPMNT	B16LB4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0502	pCi/L	0.024	0.029			
SESPMNT	B16LB5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Sr-90	0.0741	pCi/L	0.028	0.033			
SESPMNT	B171W1	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Sr-90	0.0933	pCi/L	0.038	0.045			
SESPMNT	B171W3	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Sr-90	0.0817	pCi/L	0.031	0.037			
SESPMNT	B171W4	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Sr-90	0.0729	pCi/L	0.033	0.037			
SESPMNT	B171W2	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Sr-90	0.0741	pCi/L	0.041	0.046			
SESPMNT	B17204	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0692	pCi/L	0.032	0.036			
SESPMNT	B17203	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0701	pCi/L	0.035	0.039			
SESPMNT	B17202	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0837	pCi/L	0.034	0.039			
SESPMNT	B17201	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0727	pCi/L	0.037	0.04			
SESPMNT	B171W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0955	pCi/L	0.036	0.043			
SESPMNT	B171X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.089	pCi/L	0.04	0.045			
SESPMNT	B171W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0778	pCi/L	0.034	0.039			
SESPMNT	B171W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0783	pCi/L	0.049	0.054	U		
SESPMNT	B171W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0589	pCi/L	0.048	0.051	U		
SESPMNT	B171W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Sr-90	0.0716	pCi/L	0.042	0.047	U		
SESPMNT	B17CF2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90							Failed Sample
SESPSPEC	B17CD7	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90							Failed Sample
SESPMNT	B17CK8	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0713	pCi/L	0.026	0.031			
SESPMNT	B17CF4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0863	pCi/L	0.029	0.035			
SESPMNT	B17CL0	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0704	pCi/L	0.026	0.031			
SESPMNT	B17CF6	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0587	pCi/L	0.027	0.031			
SESPMNT	B17CL2	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0576	pCi/L	0.025	0.029			
SESPMNT	B17CT9	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0911	pCi/L	0.026	0.03			
SESPMNT	B17CV3	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0935	pCi/L	0.024	0.029			
SESPMNT	B17CV7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.429	pCi/L	0.04	0.075			
SESPMNT	B17CW1	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0717	pCi/L	0.023	0.026			
SESPMNT	B17CD8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0811	pCi/L	0.03	0.036			
SESPMNT	B17CD9	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0843	pCi/L	0.027	0.034			
SESPMNT	B17CF0	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0644	pCi/L	0.031	0.036			
SESPMNT	B17CF1	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Sr-90	0.0625	pCi/L	0.03	0.034			
SESPMNT	B17CF8	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0838	pCi/L	0.021	0.026			
SESPMNT	B17CH4	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0753	pCi/L	0.021	0.025			
SESPMNT	B17CH1	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0787	pCi/L	0.021	0.025			
SESPMNT	B17CF9	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0835	pCi/L	0.022	0.027			
SESPMNT	B17CH2	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0947	pCi/L	0.024	0.029			
SESPMNT	B17CH3	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0763	pCi/L	0.022	0.025			
SESPMNT	B17CY4	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0646	pCi/L	0.021	0.024			
SESPMNT	B17CY7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0622	pCi/L	0.021	0.024			
SESPMNT	B17D00	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0945	pCi/L	0.023	0.028			
SESPMNT	B17CH5	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0556	pCi/L	0.018	0.02			
SESPMNT	B17CH8	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0904	pCi/L	0.023	0.028			
SESPMNT	B17CH6	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0678	pCi/L	0.018	0.022			
SESPMNT	B17CH9	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0713	pCi/L	0.022	0.025			
SESPMNT	B17CH0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0825	pCi/L	0.023	0.027			
SESPMNT	B17CH7	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0889	pCi/L	0.023	0.027			
SESPMNT	B17CL4	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0726	pCi/L	0.019	0.023			
SESPMNT	B17CL5	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0601	pCi/L	0.018	0.022			
SESPMNT	B17CY1	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Sr-90	0.0515	pCi/L	0.017	0.019			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CL6	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sr-90		0.073 pCi/L		0.018	0.022			
SESPMNT	B17CJ0	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0497 pCi/L		0.018	0.02			
SESPMNT	B17CJ2	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0622 pCi/L		0.021	0.023			
SESPMNT	B17CJ4	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0778 pCi/L		0.022	0.026			
SESPMNT	B17CJ6	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0768 pCi/L		0.03	0.033			
SESPMNT	B17CJ8	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0663 pCi/L		0.024	0.026			
SESPMNT	B17CW5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.061 pCi/L		0.019	0.022			
SESPMNT	B17CX7	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.072 pCi/L		0.02	0.023			
SESPMNT	B17CK0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0645 pCi/L		0.021	0.024			
SESPMNT	B17CT0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0838 pCi/L		0.025	0.029			
SESPMNT	B17CR8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0855 pCi/L		0.02	0.025			
SESPMNT	B17CR7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.081 pCi/L		0.021	0.025			
SESPMNT	B17CK2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0707 pCi/L		0.018	0.021			
SESPMNT	B17CK7	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0521 pCi/L		0.019	0.021			
SESPMNT	B17CK3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0565 pCi/L		0.03	0.031			
SESPMNT	B17CK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0709 pCi/L		0.019	0.022			
SESPMNT	B17CK5	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0859 pCi/L		0.019	0.024			
SESPMNT	B17CK6	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.0678 pCi/L		0.019	0.022			
SESPMNT	B17CR9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90							NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CW9	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.077 pCi/L		0.02	0.024		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B17CX3	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sr-90		0.089 pCi/L		0.022	0.027		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B183W0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0843 pCi/L		0.018	0.022			
SESPMNT	B183V9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0975 pCi/L		0.02	0.025			
SESPMNT	B183V8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0863 pCi/L		0.019	0.023			
SESPMNT	B183V7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0918 pCi/L		0.021	0.026			
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0869 pCi/L		0.022	0.026			
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0997 pCi/L		0.023	0.027			
SESPMNT	B183T6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0919 pCi/L		0.025	0.028			
SESPMNT	B183T2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0815 pCi/L		0.023	0.026			
SESPMNT	B183T3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0825 pCi/L		0.022	0.025			
SESPMNT	B183T4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0791 pCi/L		0.019	0.023			
SESPMNT	B183T5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sr-90		0.0894 pCi/L		0.02	0.024			
SESPMNT	B183R7	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sr-90		0.119 pCi/L		0.022	0.028			
SESPMNT	B183R8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sr-90		0.0915 pCi/L		0.021	0.025			
SESPMNT	B183R9	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sr-90		0.086 pCi/L		0.023	0.025			
SESPMNT	B183T0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sr-90		0.0827 pCi/L		0.019	0.023			
SESPMNT	B17CH6	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TRITIUM		74.3 pCi/L		61	73	U		
SESPMNT	B17CY1	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TRITIUM		19300 pCi/L		490	1400			
SESPMNT	B17CL6	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TRITIUM		1880 pCi/L		160	220			
SESPMNT	B17CX3	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TRITIUM		1780 pCi/L		160	210		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B16L97	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 LO TRITIUM		26.5 pCi/L		2.8	5.5			
SESPMNT	B16L98	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 LO TRITIUM		27.5 pCi/L		3	5.8			
SESPMNT	B16L99	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 LO TRITIUM		21.1 pCi/L		2.6	4.7			
SESPMNT	B16LB0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 LO TRITIUM		130 pCi/L		12	25			
SESPMNT	B16LD0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		77.6 pCi/L		4.2	13			
SESPMNT	B16LC9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		77.7 pCi/L		4.2	13			
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		64.3 pCi/L		4	11			
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		75.6 pCi/L		4.4	13			
SESPMNT	B16LB6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		43 pCi/L		3.4	8			
SESPMNT	B16LB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		72.3 pCi/L		4.1	12			
SESPMNT	B16LB3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		51.7 pCi/L		3.9	9.5			
SESPMNT	B16LB4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		38.9 pCi/L		3.2	7.3			
SESPMNT	B16LB5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		33.4 pCi/L		3	6.5			
SESPMNT	B16LC8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		68.5 pCi/L		3.8	7.5			
SESPMNT	B16LC7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 LO TRITIUM		66.8 pCi/L		3.8	7.4			
SESPMNT	B171W1	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 LO TRITIUM		22.2 pCi/L		2.6	4.2			
SESPMNT	B171W2	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 LO TRITIUM		18.7 pCi/L		2.6	3.9			
SESPMNT	B171W3	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 LO TRITIUM		22.6 pCi/L		2.7	4.3			
SESPMNT	B171W4	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 LO TRITIUM		30 pCi/L		3	4.9			
SESPMNT	B17204	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 LO TRITIUM		24.6 pCi/L		2.8	4.2			
SESPMNT	B17203	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 LO TRITIUM		26.3 pCi/L		2.9	4.3			
SESPMNT	B17202	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 LO TRITIUM		26.8 pCi/L		2.9	4.4			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17201	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	27.8 pCi/L		2.9	4.4			
SESPMNT	B171W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	19.6 pCi/L		2.7	3.9			
SESPMNT	B171X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	18.2 pCi/L		2.7	3.8			
SESPMNT	B171W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	21.4 pCi/L		2.8	4			
SESPMNT	B171W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	18.9 pCi/L		2.7	3.9			
SESPMNT	B171W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	23.1 pCi/L		2.8	4.1			
SESPMNT	B171W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	LO TRITIUM	21.7 pCi/L		2.9	4.2			
SESPMNT	B17CF2	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	138 pCi/L		5.5	24			
SESPSPEC	B17CD7	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	149 pCi/L		5.7	26			
SESPMNT	B17CK8	100 N -10 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	26 pCi/L		2.9	5.8			
SESPMNT	B17CF4	100 N -2 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	27 pCi/L		3.1	6.2			
SESPMNT	B17CL0	100 N -3 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	27.6 pCi/L		2.9	6			
SESPMNT	B17CF6	100 N -5 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	24.6 pCi/L		2.9	5.6			
SESPMNT	B17CL2	100 N -7 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	24.3 pCi/L		2.8	5.5			
SESPMNT	B17CT9	100 N SHORE HRM 8.4	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	37.7 pCi/L		3.4	7.7			
SESPMNT	B17CV3	100 N SHORE HRM 8.9	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	43.9 pCi/L		3.4	8.5			
SESPMNT	B17CV7	100 N SHORE HRM 9.2	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	29.3 pCi/L		2.9	6.2			
SESPMNT	B17CW1	100 N SHORE HRM 9.8	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	32.2 pCi/L		3	6.7			
SESPMNT	B17CD8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	26.3 pCi/L		2.9	5.8			
SESPMNT	B17CD9	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	24.4 pCi/L		2.8	5.5			
SESPMNT	B17CF0	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	28.3 pCi/L		2.9	6.1			
SESPMNT	B17CF1	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	LO TRITIUM	24.5 pCi/L		2.8	5.5			
SESPMNT	B17CF8	100 F -1 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	32.8 pCi/L		5.2	8.1			
SESPMNT	B17CH4	100 F -10 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	24.1 pCi/L		4.8	6.8			
SESPMNT	B17CH1	100 F -2 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	32.8 pCi/L		5.2	8			
SESPMNT	B17CF9	100 F -3 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	27.6 pCi/L		4.7	7.1			
SESPMNT	B17CH2	100 F -5 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	30.5 pCi/L		5.1	7.7			
SESPMNT	B17CH3	100 F -7 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	34.9 pCi/L		6.2	9.2			
SESPMNT	B17CY4	100 F SHORE HRM 18	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	33.2 pCi/L		5.3	8.2			
SESPMNT	B17CY7	100 F SHORE HRM 22	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	31.3 pCi/L		5.2	7.9			
SESPMNT	B17D00	100 F SHORE HRM 23	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	25.4 pCi/L		4.9	7			
SESPMNT	B17CH5	HANFRD TS-1 HRM 28.7	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	3390 pCi/L		42	560			
SESPMNT	B17CH8	HANFRD TS-10 HRM 28.7	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	29.4 pCi/L		4.9	7.4			
SESPMNT	B17CH9	HANFRD TS-3 HRM 28.7	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	25.5 pCi/L		5	7.1			
SESPMNT	B17CH0	HANFRD TS-5 HRM 28.7	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	34 pCi/L		5.6	8.5			
SESPMNT	B17CH7	HANFRD TS-7 HRM 28.7	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	26.8 pCi/L		5	7.2			
SESPMNT	B17CL4	HANFRD TWNSITE HRM26	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	27.3 pCi/L		5	7.3			
SESPMNT	B17CL5	HANFRD TWNSITE HRM27	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	LO TRITIUM	28.1 pCi/L		5	7.4			
SESPMNT	B17CJ0	300 AREA -1 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	119 pCi/L		4	12			
SESPMNT	B17CJ2	300 AREA -2 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	124 pCi/L		7.4	22			
SESPMNT	B17CJ4	300 AREA -3 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	49 pCi/L		4.9	9.9			
SESPMNT	B17CJ6	300 AREA -5 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	41.2 pCi/L		4.6	8.6			
SESPMNT	B17CJ8	300 AREA -7 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	35.7 pCi/L		4.4	7.8			
SESPMNT	B17CW5	300 AREA SHR HRM41.5	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	268 pCi/L		5.6	25			
SESPMNT	B17CX7	300 AREA SHR HRM42.9	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	183 pCi/L		4.7	17			
SESPMNT	B17CK0	300 AREA-10 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	32.9 pCi/L		4.3	7.4			
SESPMNT	B17CT0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	135 pCi/L		7.6	24			
SESPMNT	B17CR8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	139 pCi/L		7.9	25			
SESPMNT	B17CR7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	139 pCi/L		7.7	25			
SESPMNT	B17CK2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	136 pCi/L		7.9	24			
SESPMNT	B17CK7	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	34.3 pCi/L		4.3	7.5			
SESPMNT	B17CK3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	119 pCi/L		7.8	22			
SESPMNT	B17CK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	45.1 pCi/L		4.8	9.3			
SESPMNT	B17CK5	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	41.7 pCi/L		4.6	8.7			
SESPMNT	B17CK6	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	33 pCi/L		4.3	7.4			
SESPMNT	B17CR9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CW9	300 AREA SHR HRM42.1	ON SITE	SW	N	RIVER	TRANSECT	09-Sep-03	LO TRITIUM	947 pCi/L		9.8	83		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B183W0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	58.5 pCi/L		3.7	11			
SESPMNT	B183V9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	63.3 pCi/L		4.6	12			
SESPMNT	B183V8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	59.9 pCi/L		3.8	11			
SESPMNT	B183V7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	47.5 pCi/L		3.5	8.9			
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	60.9 pCi/L		3.8	11			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	51.8 pCi/L		3.7	9.6			
SESPMNT	B183T6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	33.6 pCi/L		3	6.7			
SESPMNT	B183T2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	42.6 pCi/L		3.4	8.1			
SESPMNT	B183T3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	34.6 pCi/L		3.1	6.8			
SESPMNT	B183T4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	33.9 pCi/L		3.1	6.7			
SESPMNT	B183T5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	LO TRITIUM	34.9 pCi/L		3.5	7.2			
SESPMNT	B183R7	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	LO TRITIUM	33.3 pCi/L		3.1	6.7			
SESPMNT	B183R8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	LO TRITIUM	27.6 pCi/L		2.9	5.7			
SESPMNT	B183R9	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	LO TRITIUM	31.2 pCi/L		2.9	6.3			
SESPMNT	B183T0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	LO TRITIUM	34.4 pCi/L		3.4	7.1			
SESPMNT	B16L97	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	U-234	0.269 pCi/L		0.037	0.057			
SESPMNT	B16L98	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	U-234	0.301 pCi/L		0.042	0.064			
SESPMNT	B16L99	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	U-234	0.251 pCi/L		0.038	0.056			
SESPMNT	B16LB0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	U-234	0.263 pCi/L		0.064	0.078			
SESPMNT	B16LD0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.274 pCi/L		0.045	0.064			
SESPMNT	B16LC9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.264 pCi/L		0.038	0.058			
SESPMNT	B16LC8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.271 pCi/L		0.039	0.059			
SESPMNT	B16LC7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.275 pCi/L		0.039	0.059			
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.278 pCi/L		0.039	0.06			
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.292 pCi/L		0.04	0.062			
SESPMNT	B16LB6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.622 pCi/L		0.059	0.12			
SESPMNT	B16LB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.256 pCi/L		0.039	0.057			
SESPMNT	B16LB3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.274 pCi/L		0.039	0.059			
SESPMNT	B16LB4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.293 pCi/L		0.04	0.062			
SESPMNT	B16LB5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	U-234	0.365 pCi/L		0.049	0.077			
SESPMNT	B171W1	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	U-234	0.205 pCi/L		0.049	0.059			
SESPMNT	B171W2	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	U-234	0.226 pCi/L		0.04	0.053			
SESPMNT	B171W3	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	U-234	0.217 pCi/L		0.046	0.058			
SESPMNT	B171W4	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	U-234	0.248 pCi/L		0.049	0.063			
SESPMNT	B17204	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.21 pCi/L		0.038	0.051			
SESPMNT	B17203	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.2 pCi/L		0.06	0.069			
SESPMNT	B17202	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.212 pCi/L		0.035	0.049			
SESPMNT	B17201	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.223 pCi/L		0.04	0.054			
SESPMNT	B171W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.208 pCi/L		0.047	0.058			
SESPMNT	B171X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.285 pCi/L		0.043	0.062			
SESPMNT	B171W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.212 pCi/L		0.037	0.05			
SESPMNT	B171W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.202 pCi/L		0.042	0.053			
SESPMNT	B171W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.192 pCi/L		0.036	0.047			
SESPMNT	B171W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	U-234	0.219 pCi/L		0.043	0.055			
SESPMNT	B17CF2	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.234 pCi/L		0.044	0.057			
SESPSPEC	B17CD7	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.266 pCi/L		0.044	0.061			
SESPMNT	B17CK8	100 N -10 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.288 pCi/L		0.046	0.065			
SESPMNT	B17CF4	100 N -2 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.19 pCi/L		0.035	0.046			
SESPMNT	B17CL0	100 N -3 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.196 pCi/L		0.035	0.047			
SESPMNT	B17CF6	100 N -5 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.213 pCi/L		0.04	0.053			
SESPMNT	B17CL2	100 N -7 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.225 pCi/L		0.038	0.052			
SESPMNT	B17CT9	100 N SHORE HRM 8.4	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.196 pCi/L		0.041	0.052			
SESPMNT	B17CV3	100 N SHORE HRM 8.9	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.245 pCi/L		0.045	0.06			
SESPMNT	B17CV7	100 N SHORE HRM 9.2	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.265 pCi/L		0.054	0.069			
SESPMNT	B17CW1	100 N SHORE HRM 9.8	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.182 pCi/L		0.047	0.056			
SESPMNT	B17CD8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.218 pCi/L		0.039	0.052			
SESPMNT	B17CD9	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.203 pCi/L		0.036	0.049			
SESPMNT	B17CF0	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.185 pCi/L		0.042	0.052			
SESPMNT	B17CF1	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	U-234	0.205 pCi/L		0.042	0.054			
SESPMNT	B17CF8	100 F -1 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.239 pCi/L		0.038	0.054			
SESPMNT	B17CH4	100 F -10 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.301 pCi/L		0.042	0.063			
SESPMNT	B17CH1	100 F -2 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.224 pCi/L		0.039	0.053			
SESPMNT	B17CF9	100 F -3 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.231 pCi/L		0.037	0.052			
SESPMNT	B17CH2	100 F -5 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.238 pCi/L		0.037	0.053			
SESPMNT	B17CH3	100 F -7 HRM 19.0	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.209 pCi/L		0.034	0.047			
SESPMNT	B17CY4	100 F SHORE HRM 18	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.231 pCi/L		0.036	0.051			
SESPMNT	B17CY7	100 F SHORE HRM 22	ON SITE	SW	N	RIVER	TRANSECT	08-Sep-03	U-234	0.21 pCi/L		0.035	0.049			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17D00	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.212 pCi/L		0.035	0.049			
SESPMNT	B17CH5	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.302 pCi/L		0.042	0.063			
SESPMNT	B17CH8	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.236 pCi/L		0.036	0.052			
SESPMNT	B17CH6	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.175 pCi/L		0.034	0.044			
SESPMNT	B17CH9	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.223 pCi/L		0.039	0.052			
SESPMNT	B17CH0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.228 pCi/L		0.04	0.054			
SESPMNT	B17CH7	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.22 pCi/L		0.034	0.049			
SESPMNT	B17CL4	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.201 pCi/L		0.04	0.051			
SESPMNT	B17CL5	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.184 pCi/L		0.037	0.047			
SESPMNT	B17CY1	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.702 pCi/L		0.064	0.13			
SESPMNT	B17CL6	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-234		0.231 pCi/L		0.037	0.052			
SESPMNT	B17CJ0	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.487 pCi/L		0.055	0.094			
SESPMNT	B17CJ2	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.264 pCi/L		0.042	0.06			
SESPMNT	B17CJ4	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.254 pCi/L		0.041	0.057			
SESPMNT	B17CJ6	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.228 pCi/L		0.04	0.054			
SESPMNT	B17CJ8	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.252 pCi/L		0.038	0.055			
SESPMNT	B17CW5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.27 pCi/L		0.039	0.057			
SESPMNT	B17CX7	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.601 pCi/L		0.056	0.11			
SESPMNT	B17CK0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.467 pCi/L		0.059	0.094			
SESPMNT	B17CT0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.452 pCi/L		0.08	0.11			
SESPMNT	B17CR8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.274 pCi/L		0.041	0.06			
SESPMNT	B17CR7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.295 pCi/L		0.04	0.061			
SESPMNT	B17CK2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.289 pCi/L		0.042	0.062			
SESPMNT	B17CK7	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.529 pCi/L		0.057	0.1			
SESPMNT	B17CK3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.28 pCi/L		0.043	0.062			
SESPMNT	B17CK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.222 pCi/L		0.038	0.052			
SESPMNT	B17CK5	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.249 pCi/L		0.038	0.054			
SESPMNT	B17CK6	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.269 pCi/L		0.04	0.059			
SESPMNT	B17CR9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234							NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CW9	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		0.373 pCi/L		0.045	0.074		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B17CX3	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-234		6.72 pCi/L		0.18	1.1		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B183W0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.259 pCi/L		0.047	0.063			
SESPMNT	B183V9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.318 pCi/L		0.055	0.075			
SESPMNT	B183V8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.236 pCi/L		0.045	0.059			
SESPMNT	B183V7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.202 pCi/L		0.04	0.052			
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.221 pCi/L		0.045	0.058			
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.246 pCi/L		0.054	0.067			
SESPMNT	B183T6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.5 pCi/L		0.065	0.1			
SESPMNT	B183T2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.248 pCi/L		0.047	0.061			
SESPMNT	B183T3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.19 pCi/L		0.046	0.056			
SESPMNT	B183T4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.22 pCi/L		0.062	0.072			
SESPMNT	B183T5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-234		0.257 pCi/L		0.047	0.063			
SESPMNT	B183R7	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-234		0.187 pCi/L		0.039	0.049			
SESPMNT	B183R8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-234		0.192 pCi/L		0.041	0.051			
SESPMNT	B183R9	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-234		0.276 pCi/L		0.05	0.067			
SESPMNT	B183T0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-234		0.196 pCi/L		0.047	0.057			
SESPMNT	B16L97	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-235		0.00289 pCi/L		0.0055	0.0058	U		
SESPMNT	B16L98	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-235		0.00219 pCi/L		0.0055	0.0058	U		
SESPMNT	B16L99	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-235		0.000884 pCi/L		0.0061	0.0064	U		
SESPMNT	B16LB0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-235		0.0108 pCi/L		0.02	0.02	U		
SESPMNT	B16LD0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.0135 pCi/L		0.012	0.013	U		
SESPMNT	B16LC9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00231 pCi/L		0.0062	0.0065	U		
SESPMNT	B16LC8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		-0.00114 pCi/L		0.004	0.0044	U		
SESPMNT	B16LC7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00848 pCi/L		0.0079	0.0083			
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.0058 pCi/L		0.0068	0.0072	U		
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00452 pCi/L		0.0064	0.0067	U		
SESPMNT	B16LB6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.0129 pCi/L		0.0097	0.01			
SESPMNT	B16LB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.0037 pCi/L		0.0074	0.0077	U		
SESPMNT	B16LB3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00407 pCi/L		0.0078	0.0081	U		
SESPMNT	B16LB4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00756 pCi/L		0.0077	0.008	U		
SESPMNT	B16LB5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-235		0.00611 pCi/L		0.0077	0.008	U		
SESPMNT	B171W1	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-235		0.0186 pCi/L		0.015	0.015			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171W2	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-235		0.00954	pCi/L	0.01	0.01	U		
SESPMNT	B171W3	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-235		0.00291	pCi/L	0.014	0.014	U		
SESPMNT	B171W4	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-235		0.00524	pCi/L	0.012	0.012	U		
SESPMNT	B17204	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00672	pCi/L	0.0082	0.0085	U		
SESPMNT	B17203	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.0125	pCi/L	0.017	0.017	U		
SESPMNT	B17202	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00223	pCi/L	0.0078	0.0081	U		
SESPMNT	B17201	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.0138	pCi/L	0.011	0.011			
SESPMNT	B171W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00554	pCi/L	0.011	0.011	U		
SESPMNT	B171X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00899	pCi/L	0.0087	0.0091	U		
SESPMNT	B171W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00276	pCi/L	0.0086	0.0088	U		
SESPMNT	B171W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.0147	pCi/L	0.015	0.015	U		
SESPMNT	B171W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00391	pCi/L	0.01	0.011	U		
SESPMNT	B171W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-235		0.00266	pCi/L	0.0089	0.0092	U		
SESPMNT	B17CF2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00266	pCi/L	0.0078	0.008	U		
SESPSPEC	B17CD7	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00471	pCi/L	0.0079	0.0081	U		
SESPMNT	B17CK8	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00554	pCi/L	0.0079	0.0082	U		
SESPMNT	B17CF4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00716	pCi/L	0.0079	0.0082	U		
SESPMNT	B17CL0	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.000715	pCi/L	0.0089	0.0091	U		
SESPMNT	B17CF6	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		-0.0015	pCi/L	0.0036	0.004	U		
SESPMNT	B17CL2	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00263	pCi/L	0.0059	0.0063	U		
SESPMNT	B17CT9	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.0111	pCi/L	0.011	0.011	U		
SESPMNT	B17CV3	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.0086	pCi/L	0.0097	0.01	U		
SESPMNT	B17CV7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		-0.00026	pCi/L	0.0078	0.008	U		
SESPMNT	B17CW1	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.0223	pCi/L	0.019	0.019			
SESPMNT	B17CD8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00371	pCi/L	0.013	0.013	U		
SESPMNT	B17CD9	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.000802	pCi/L	0.0091	0.0093	U		
SESPMNT	B17CF0	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.00813	pCi/L	0.01	0.011	U		
SESPMNT	B17CF1	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-235		0.0111	pCi/L	0.011	0.011	U		
SESPMNT	B17CF8	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00946	pCi/L	0.0094	0.0098	U		
SESPMNT	B17CH4	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0079	pCi/L	0.0079	0.0083	U		
SESPMNT	B17CH1	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		-0.00466	pCi/L	0.0079	0.0081	U		
SESPMNT	B17CF9	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00738	pCi/L	0.01	0.01	U		
SESPMNT	B17CH2	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00474	pCi/L	0.0066	0.0069	U		
SESPMNT	B17CH3	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00945	pCi/L	0.0081	0.0085			
SESPMNT	B17CY4	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		-0.00082	pCi/L	0.008	0.0082	U		
SESPMNT	B17CY7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00374	pCi/L	0.0063	0.0066	U		
SESPMNT	B17D00	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.000666	pCi/L	0.0046	0.005	U		
SESPMNT	B17CH5	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		-0.00194	pCi/L	0.0028	0.0033	U		
SESPMNT	B17CH8	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00457	pCi/L	0.0069	0.0072	U		
SESPMNT	B17CH6	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00753	pCi/L	0.01	0.01	U		
SESPMNT	B17CH9	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0014	pCi/L	0.0055	0.0058	U		
SESPMNT	B17CH0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.00393	pCi/L	0.0085	0.0088	U		
SESPMNT	B17CH7	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0042	pCi/L	0.0062	0.0065	U		
SESPMNT	B17CL4	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0134	pCi/L	0.012	0.012			
SESPMNT	B17CL5	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0103	pCi/L	0.011	0.011	U		
SESPMNT	B17CY1	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0109	pCi/L	0.0099	0.01			
SESPMNT	B17CL6	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-235		0.0102	pCi/L	0.011	0.012	U		
SESPMNT	B17CJ0	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00244	pCi/L	0.01	0.01	U		
SESPMNT	B17CJ2	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00785	pCi/L	0.0085	0.0088	U		
SESPMNT	B17CJ4	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00294	pCi/L	0.0063	0.0066	U		
SESPMNT	B17CJ6	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		-0.00172	pCi/L	0.0063	0.0066	U		
SESPMNT	B17CJ8	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.000897	pCi/L	0.0049	0.0052	U		
SESPMNT	B17CW5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00331	pCi/L	0.0059	0.0063	U		
SESPMNT	B17CX7	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.0161	pCi/L	0.01	0.011			
SESPMNT	B17CK0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.0112	pCi/L	0.011	0.011	U		
SESPMNT	B17CT0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.017	pCi/L	0.017	0.017			
SESPMNT	B17CR8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00496	pCi/L	0.01	0.011	U		
SESPMNT	B17CR7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00711	pCi/L	0.0074	0.0077	U		
SESPMNT	B17CK2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00623	pCi/L	0.0099	0.01	U		
SESPMNT	B17CK7	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00567	pCi/L	0.0074	0.0077	U		
SESPMNT	B17CK3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		-0.00014	pCi/L	0.0064	0.0067	U		
SESPMNT	B17CK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00447	pCi/L	0.01	0.011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CK5	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00172 pCi/L		0.0072	0.0074	U		
SESPMNT	B17CK6	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00844 pCi/L		0.0083	0.0087	U		
SESPMNT	B17CR9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235							NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CW9	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.00339 pCi/L		0.006	0.0063	U	DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B17CX3	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-235		0.169 pCi/L		0.029	0.039		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B183W0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.000313 pCi/L		0.012	0.012	U		
SESPMNT	B183V9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.00123 pCi/L		0.0092	0.0094	U		
SESPMNT	B183V8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.00687 pCi/L		0.011	0.011	U		
SESPMNT	B183V7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.00426 pCi/L		0.0076	0.0079	U		
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.0153 pCi/L		0.015	0.015	U		
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		-0.00059 pCi/L		0.015	0.015	U		
SESPMNT	B183T6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.00913 pCi/L		0.01	0.01	U		
SESPMNT	B183T2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.0106 pCi/L		0.014	0.014	U		
SESPMNT	B183T3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		-0.0102 pCi/L		0.014	0.014	U		
SESPMNT	B183T4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		0.000755 pCi/L		0.0082	0.0084	U		
SESPMNT	B183T5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-235		-0.00334 pCi/L		0.0054	0.0054	U		
SESPMNT	B183R7	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-235		0.00422 pCi/L		0.0076	0.0078	U		
SESPMNT	B183R8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-235		-0.00253 pCi/L		0.0066	0.0068	U		
SESPMNT	B183R9	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-235		-0.00377 pCi/L		0.0052	0.0055	U		
SESPMNT	B183T0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-235		-0.00126 pCi/L		0.0082	0.0084	U		
SESPMNT	B16L97	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-238		0.217 pCi/L		0.033	0.048			
SESPMNT	B16L98	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-238		0.219 pCi/L		0.035	0.05			
SESPMNT	B16L99	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-238		0.231 pCi/L		0.036	0.052			
SESPMNT	B16LB0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 U-238		0.245 pCi/L		0.064	0.076			
SESPMNT	B16LD0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.215 pCi/L		0.04	0.053			
SESPMNT	B16LC9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.23 pCi/L		0.036	0.052			
SESPMNT	B16LC8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.198 pCi/L		0.033	0.046			
SESPMNT	B16LC7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.241 pCi/L		0.036	0.053			
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.212 pCi/L		0.034	0.048			
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.215 pCi/L		0.034	0.049			
SESPMNT	B16LB6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.54 pCi/L		0.055	0.1			
SESPMNT	B16LB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.208 pCi/L		0.035	0.048			
SESPMNT	B16LB3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.226 pCi/L		0.035	0.05			
SESPMNT	B16LB4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.251 pCi/L		0.037	0.055			
SESPMNT	B16LB5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 U-238		0.278 pCi/L		0.042	0.062			
SESPMNT	B171W1	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-238		0.153 pCi/L		0.042	0.049			
SESPMNT	B171W2	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-238		0.188 pCi/L		0.037	0.047			
SESPMNT	B171W3	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-238		0.148 pCi/L		0.039	0.046			
SESPMNT	B171W4	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 U-238		0.183 pCi/L		0.042	0.051			
SESPMNT	B17204	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.186 pCi/L		0.036	0.047			
SESPMNT	B17203	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.188 pCi/L		0.055	0.063			
SESPMNT	B17202	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.147 pCi/L		0.029	0.037			
SESPMNT	B17201	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.154 pCi/L		0.033	0.041			
SESPMNT	B171W5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.143 pCi/L		0.041	0.047			
SESPMNT	B171X0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.25 pCi/L		0.04	0.056			
SESPMNT	B171W6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.156 pCi/L		0.033	0.041			
SESPMNT	B171W7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.207 pCi/L		0.04	0.052			
SESPMNT	B171W8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.198 pCi/L		0.035	0.047			
SESPMNT	B171W9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 U-238		0.143 pCi/L		0.034	0.041			
SESPMNT	B17CF2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.184 pCi/L		0.038	0.048			
SESPSPEC	B17CD7	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.153 pCi/L		0.034	0.042			
SESPMNT	B17CK8	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.228 pCi/L		0.041	0.055			
SESPMNT	B17CF4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.165 pCi/L		0.032	0.041			
SESPMNT	B17CL0	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.16 pCi/L		0.031	0.04			
SESPMNT	B17CF6	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.167 pCi/L		0.035	0.044			
SESPMNT	B17CL2	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.136 pCi/L		0.029	0.036			
SESPMNT	B17CT9	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.177 pCi/L		0.039	0.048			
SESPMNT	B17CV3	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.165 pCi/L		0.037	0.045			
SESPMNT	B17CV7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.209 pCi/L		0.047	0.058			
SESPMNT	B17CW1	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.18 pCi/L		0.047	0.055			
SESPMNT	B17CD8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.182 pCi/L		0.036	0.046			
SESPMNT	B17CD9	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.173 pCi/L		0.032	0.042			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CF0	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.169 pCi/L		0.04	0.048			
SESPMNT	B17CF1	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 U-238		0.182 pCi/L		0.039	0.049			
SESPMNT	B17CF8	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.182 pCi/L		0.033	0.044			
SESPMNT	B17CH4	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.226 pCi/L		0.036	0.051			
SESPMNT	B17CH1	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.206 pCi/L		0.036	0.048			
SESPMNT	B17CF9	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.195 pCi/L		0.034	0.045			
SESPMNT	B17CH2	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.167 pCi/L		0.03	0.04			
SESPMNT	B17CH3	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.191 pCi/L		0.032	0.044			
SESPMNT	B17CY4	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.139 pCi/L		0.029	0.036			
SESPMNT	B17CY7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.146 pCi/L		0.03	0.038			
SESPMNT	B17D00	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.15 pCi/L		0.029	0.037			
SESPMNT	B17CH5	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.259 pCi/L		0.038	0.056			
SESPMNT	B17CH8	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.18 pCi/L		0.031	0.042			
SESPMNT	B17CH6	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.168 pCi/L		0.032	0.041			
SESPMNT	B17CH9	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.157 pCi/L		0.032	0.041			
SESPMNT	B17CH0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.169 pCi/L		0.034	0.044			
SESPMNT	B17CH7	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.163 pCi/L		0.029	0.039			
SESPMNT	B17CL4	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.166 pCi/L		0.036	0.044			
SESPMNT	B17CL5	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.148 pCi/L		0.033	0.04			
SESPMNT	B17CY1	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.452 pCi/L		0.052	0.087			
SESPMNT	B17CL6	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 U-238		0.19 pCi/L		0.033	0.045			
SESPMNT	B17CJ0	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.403 pCi/L		0.049	0.08			
SESPMNT	B17CJ2	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.206 pCi/L		0.037	0.049			
SESPMNT	B17CJ4	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.22 pCi/L		0.038	0.051			
SESPMNT	B17CJ6	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.189 pCi/L		0.036	0.047			
SESPMNT	B17CJ8	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.204 pCi/L		0.034	0.047			
SESPMNT	B17CW5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.21 pCi/L		0.034	0.047			
SESPMNT	B17CX7	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.508 pCi/L		0.052	0.094			
SESPMNT	B17CK0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.355 pCi/L		0.051	0.075			
SESPMNT	B17CT0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.334 pCi/L		0.068	0.087			
SESPMNT	B17CR8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.231 pCi/L		0.037	0.052			
SESPMNT	B17CR7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.24 pCi/L		0.036	0.052			
SESPMNT	B17CK2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.252 pCi/L		0.038	0.055			
SESPMNT	B17CK7	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.46 pCi/L		0.053	0.089			
SESPMNT	B17CK3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.26 pCi/L		0.042	0.059			
SESPMNT	B17CK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.233 pCi/L		0.037	0.052			
SESPMNT	B17CK5	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.192 pCi/L		0.032	0.044			
SESPMNT	B17CK6	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.165 pCi/L		0.032	0.041			
SESPMNT	B17CR9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238							NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CW9	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		0.354 pCi/L		0.044	0.071		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B17CX3	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03 U-238		6.19 pCi/L		0.17	0.97		DIRECTLY DOWNRIVER FROM 300 AREA SPRING 42-2.	
SESPMNT	B183W0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.241 pCi/L		0.045	0.059			
SESPMNT	B183V9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.196 pCi/L		0.043	0.054			
SESPMNT	B183V8	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.187 pCi/L		0.04	0.05			
SESPMNT	B183V7	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.183 pCi/L		0.038	0.048			
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.202 pCi/L		0.043	0.054			
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.231 pCi/L		0.052	0.064			
SESPMNT	B183T6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.394 pCi/L		0.058	0.085			
SESPMNT	B183T2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.192 pCi/L		0.042	0.052			
SESPMNT	B183T3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.162 pCi/L		0.043	0.05			
SESPMNT	B183T4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.208 pCi/L		0.062	0.071			
SESPMNT	B183T5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 U-238		0.216 pCi/L		0.043	0.055			
SESPMNT	B183R7	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-238		0.172 pCi/L		0.037	0.046			
SESPMNT	B183R8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-238		0.152 pCi/L		0.037	0.044			
SESPMNT	B183R9	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-238		0.189 pCi/L		0.041	0.051			
SESPMNT	B183T0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 U-238		0.164 pCi/L		0.042	0.05			
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Hg		0.000423 ug/L						
SESPMNT	B16L86	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Hg		0.000489 ug/L						
SESPMNT	B16L87	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Hg		0.0007 ug/L						
SESPMNT	B16L88	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Hg		0.000932 ug/L						
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Hg		0.000619 ug/L						
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Hg		0.000598 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000627	ug/L					
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000625	ug/L					
SESPMNT	B16L89	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000527	ug/L					
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000731	ug/L					
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000668	ug/L					
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000556	ug/L					
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000555	ug/L					
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Hg	0.000916	ug/L					
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000615	ug/L					
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000597	ug/L					
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.0007	ug/L					
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000578	ug/L					
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000709	ug/L					
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.00087	ug/L					
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000536	ug/L					
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000651	ug/L					
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000735	ug/L					
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000481	ug/L			B		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000679	ug/L					
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.00054	ug/L					
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000527	ug/L					
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Hg	0.000566	ug/L					
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000529	ug/L					
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000622	ug/L					
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000612	ug/L					
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000544	ug/L					
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000865	ug/L					
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000456	ug/L			B		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000438	ug/L			B		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000588	ug/L					
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000479	ug/L			B		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000529	ug/L					
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000434	ug/L			B		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000431	ug/L			B		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000615	ug/L					
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000583	ug/L					
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.00052	ug/L					
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg	0.000534	ug/L					
SESPMNT	B17CC3	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CC5	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CC6	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.000585	ug/L					
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.000652	ug/L					
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.0004	ug/L			B		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.000502	ug/L					
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.000548	ug/L					
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg	0.000499	ug/L			B		
SESPMNT	B17C93	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17C94	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17C95	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CB3	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CB4	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CB5	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CT5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CT6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CT8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CW7	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CX1	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CX5	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CX9	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE.	
SESPMNT	B17CT7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Hg						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000446	ug/L			B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000625 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000406 ug/L				B		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000642 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000371 ug/L				B		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.00117 ug/L						
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000347 ug/L				B		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000439 ug/L				B		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000627 ug/L						
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Hg	0.000397 ug/L				B		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Hg	0.000497 ug/L				B		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Hg	0.000541 ug/L						
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Hg	0.000527 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Hg	0.000581 ug/L						
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ag	0.0126 ug/L				BC		
SESPMNT	B16L87	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ag	0.00486 ug/L				BC		
SESPMNT	B16L86	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ag	0.00945 ug/L				BC		
SESPMNT	B16L88	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L87	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ag	0.00641 ug/L				BC		
SESPMNT	B16L89	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L88	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ag	0.00793 ug/L				BC		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00411 ug/L				BC		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00528 ug/L				BC		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00418 ug/L				BC		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L89	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00633 ug/L				BC		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00479 ug/L				BC		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00548 ug/L				BC		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00509 ug/L				BC		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ag	0.00572 ug/L				BC		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ag	0.004 ug/L				U		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ag	0.004 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ag		0.004 ug/L				U		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.009 ug/L				U		
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ag		0.0085 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 As		0.551 ug/L				C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 As		0.608 ug/L				C		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 As		0.584 ug/L				C		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 As		0.589 ug/L				C		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 As		0.598 ug/L				C		
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 As		0.606 ug/L				C		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 As		0.6 ug/L				C		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 As		0.61 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.583 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.58 ug/L				C		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.585 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.599 ug/L				C		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.563 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.587 ug/L				C		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.597 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.614 ug/L				C		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.615 ug/L				C		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.592 ug/L				C		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		1.04 ug/L				C		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		1.07 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.583 ug/L				C		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.602 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.599 ug/L				C		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.583 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.563 ug/L				C		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.593 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 As		0.605 ug/L				C		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 As		0.587 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 As		0.769 ug/L				C		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 As		0.644 ug/L				C		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 As		0.755 ug/L				C		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 As		0.598 ug/L				C		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 As		0.82 ug/L				C		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 As		0.664 ug/L				C		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 As		0.866 ug/L				C		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 As		0.646 ug/L				C		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.623 ug/L				C		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.842 ug/L				C		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.636 ug/L				C		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.846 ug/L				C		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.662 ug/L				C		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.812 ug/L				C		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.59 ug/L				C		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.845 ug/L				C		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.847 ug/L				C		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.666 ug/L				C		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.91 ug/L				C		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.697 ug/L				C		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.87 ug/L				C		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.596 ug/L				C		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.863 ug/L				C		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.613 ug/L				C		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.797 ug/L				C		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.652 ug/L				C		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 As		0.835 ug/L				C		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 As		0.649 ug/L				C		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.63 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.577 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.582 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.571 ug/L						
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.528 ug/L						
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.559 ug/L						
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.562 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.564 ug/L						
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.538 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.498 ug/L						
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.574 ug/L						
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.536 ug/L						
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.575 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.569 ug/L						
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.583 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.56 ug/L						
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.554 ug/L						
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.546 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.566 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.552 ug/L						
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.564 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.572 ug/L						
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.571 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.572 ug/L						
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.592 ug/L						
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.532 ug/L						
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 As		0.587 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 As		0.543 ug/L						
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.542 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.525 ug/L						
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.629 ug/L						
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.542 ug/L						
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.496 ug/L						
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.572 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.58 ug/L						
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.625 ug/L						
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.567 ug/L						
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.625 ug/L						
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.565 ug/L						
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.573 ug/L						
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.589 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.586 ug/L						
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.55 ug/L						
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.797 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.646 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.625 ug/L						
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.598 ug/L						
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.538 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.609 ug/L						
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.556 ug/L						
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.585 ug/L						
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.559 ug/L						
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.569 ug/L						
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.598 ug/L						
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.522 ug/L						
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.559 ug/L						
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.505 ug/L						
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.63 ug/L						
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.514 ug/L						
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		1.44 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		1.38 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 As		0.637 ug/L						
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 As		0.625 ug/L						
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.704 ug/L						
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.55 ug/L						
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.57 ug/L						
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.552 ug/L						
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.657 ug/L						
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.564 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.852 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.734 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.619 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.936 ug/L						
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.649 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.673 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.732 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		0.715 ug/L						
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.678 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		1.09 ug/L						
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.962 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		0.624 ug/L						
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.649 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		0.632 ug/L						
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.547 ug/L						
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		0.59 ug/L						
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.589 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 As		0.57 ug/L						
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 As		0.538 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.83 ug/L				C		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.474 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.737 ug/L				C		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.596 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.372 ug/L				C		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.572 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.617 ug/L				C		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.599 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.323 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.541 ug/L				C		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.894 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.62 ug/L				C		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.485 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.395 ug/L				C		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.645 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.367 ug/L				C		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.612 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.584 ug/L				C		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 As		0.661 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 As		0.539 ug/L				C		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 As		0.576 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 As		0.654 ug/L				C		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 As		0.501 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 As		0.547 ug/L				C		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 As		0.362 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 As		0.512 ug/L				C		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 As		0.482 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 As		0.671 ug/L				C		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Be		0.028 ug/L				U		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Be		0.0098 ug/L				U		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Be		0.066 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Be		0.066 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cd		0.0213 ug/L				B		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cd		0.0307 ug/L				BC		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cd		0.026 ug/L				B		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cd		0.0231 ug/L				BC		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cd		0.0276 ug/L				B		
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cd		0.0227 ug/L				BC		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cd		0.0295 ug/L				B		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cd		0.0197 ug/L				BC		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0191 ug/L				BC		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.025 ug/L				B		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0187 ug/L				BC		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.027 ug/L				B		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0248 ug/L				BC		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0231 ug/L				B		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0183 ug/L				BC		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0269 ug/L				B		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.026 ug/L				B		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0189 ug/L				BC		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0252 ug/L				B		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0155 ug/L				BC		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0225 ug/L				B		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0206 ug/L				BC		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0236 ug/L				B		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0219 ug/L				BC		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0237 ug/L				B		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.021 ug/L				BC		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cd		0.0264 ug/L				B		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cd		0.0217 ug/L				BC		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cd		0.0223 ug/L				BC		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cd		0.0154 ug/L				B		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cd		0.0288 ug/L				BC		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cd		0.0154 ug/L				B		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cd		0.023 ug/L				BC		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cd		0.0194 ug/L				B		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cd		0.0296 ug/L				BC		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cd		0.0137 ug/L				B		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.015 ug/L				B		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0258 ug/L				BC		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0143 ug/L				B		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0261 ug/L				BC		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0162 ug/L				B		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.03 ug/L				BC		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0144 ug/L				B		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0292 ug/L				BC		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0276 ug/L				BC		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0173 ug/L				B		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0248 ug/L				BC		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.012 ug/L				B		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0333 ug/L				BC		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0171 ug/L				B		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0248 ug/L				BC		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0174 ug/L				B		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.0233 ug/L				BC		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0151 ug/L				B		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cd		0.028 ug/L				BC		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cd		0.0149 ug/L				B		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.0308 ug/L				B		
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.0275 ug/L				B		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.027 ug/L				B		
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0278 ug/L				B		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0247 ug/L				B		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.0259 ug/L				B		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0295 ug/L				B		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0234 ug/L				B		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0234 ug/L				B		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cd		0.0446 ug/L				B		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Cd		0.0253 ug/L				B		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Cd		0.023 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Cd		0.023 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cd	0.023 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Cr	0.0663 ug/L				B		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Cr	0.271 ug/L				C		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Cr	0.13 ug/L						
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Cr	0.195 ug/L				C		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Cr	0.154 ug/L						
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Cr	0.209 ug/L				C		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Cr	0.121 ug/L						
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Cr	0.198 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.186 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.16 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.253 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.0854 ug/L				B		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.177 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.137 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.142 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.0992 ug/L				B		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.0884 ug/L				B		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.0584 ug/L				BC		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.176 ug/L						
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.405 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.15 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.206 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.125 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.203 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.126 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.185 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Cr	0.11 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Cr	0.185 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Cr	0.153 ug/L				C		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Cr	0.141 ug/L						
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Cr	0.158 ug/L				C		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Cr	0.11 ug/L						
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Cr	0.171 ug/L				C		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Cr	0.178 ug/L						
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Cr	0.168 ug/L				C		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Cr	0.137 ug/L						
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Cr	0.0722 ug/L				B		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Cr	0.118 ug/L				C		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Cr	0.0757 ug/L				B		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Cr	0.125 ug/L				C		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Cr	0.0619 ug/L				B		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Cr	0.136 ug/L				C		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Cr	0.02 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.187 ug/L				C		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.222 ug/L				C		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.161 ug/L						
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.161 ug/L				C		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.0756 ug/L				B		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.181 ug/L				C		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.148 ug/L						
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.214 ug/L				C		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.091 ug/L				B		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.158 ug/L				C		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.103 ug/L						
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cr		0.149 ug/L				C		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cr		0.0639 ug/L				B		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.0746 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.273 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.0567 ug/L				B		
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.118 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Cr		0.047 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.671 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.775 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.0812 ug/L				B		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.247 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cr	0.047 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.111 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0982 ug/L				B		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0684 ug/L				B		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0472 ug/L				B		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.0819 ug/L				B		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.233 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0541 ug/L				B		
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0609 ug/L				B		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.126 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cr	0.0517 ug/L				B		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cr	0.0497 ug/L				B		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cr	0.047 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cr	0.171 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Cr		0.047 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Cr		0.047 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Cr		0.047 ug/L				U		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Cr		0.047 ug/L				U		
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Cr		0.047 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cu		0.468 ug/L						
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cu		0.643 ug/L				C		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cu		0.527 ug/L						
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cu		0.457 ug/L				C		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cu		0.53 ug/L						
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cu		0.446 ug/L				C		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Cu		0.542 ug/L						
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Cu		0.455 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.448 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.539 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		1.74 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.52 ug/L						
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.537 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.517 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.444 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.544 ug/L						
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.527 ug/L						
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.457 ug/L				C		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.677 ug/L						
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.452 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.521 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.487 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.52 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.462 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.527 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		1.06 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Cu		0.522 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Cu		0.45 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cu		0.799 ug/L						
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cu		0.68 ug/L				C		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cu		0.846 ug/L						
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cu		0.633 ug/L				C		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cu		0.787 ug/L						
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cu		0.673 ug/L				C		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Cu		0.857 ug/L						
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Cu		0.657 ug/L				C		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.635 ug/L				C		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.893 ug/L						
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.675 ug/L				C		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.876 ug/L						
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.658 ug/L				C		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.879 ug/L						
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.627 ug/L				C		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.912 ug/L						
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.872 ug/L						
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.652 ug/L				C		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		1.29 ug/L						
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.891 ug/L				C		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.88 ug/L						
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.66 ug/L				C		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.911 ug/L						
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.667 ug/L				C		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.885 ug/L						
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.637 ug/L				C		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Cu		0.891 ug/L						
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Cu		0.623 ug/L				C		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Cu		0.683 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.732 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.609 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.523 ug/L						
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.62 ug/L						
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.524 ug/L						
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.61 ug/L						
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.522 ug/L						
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.61 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.515 ug/L						
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.616 ug/L						
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.508 ug/L						
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.607 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.554 ug/L						
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.594 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.484 ug/L						
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.645 ug/L						
SESPMNT	B17CWO	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.53 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.602 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.555 ug/L						
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.638 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.523 ug/L						
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.612 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.512 ug/L						
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.606 ug/L						
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.565 ug/L						
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Cu	0.564 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Cu	0.562 ug/L						
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.615 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.488 ug/L						
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.536 ug/L				C		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.525 ug/L						
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.506 ug/L						
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.622 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.556 ug/L						
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.534 ug/L						
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.491 ug/L						
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.549 ug/L				C		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.48 ug/L						
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.682 ug/L				C		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.526 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.556 ug/L				C		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.45 ug/L						
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.565 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.499 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.668 ug/L				C		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.628 ug/L						
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.606 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.501 ug/L						
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.577 ug/L				C		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.541 ug/L						
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.588 ug/L				C		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.517 ug/L						
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.577 ug/L				C		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.466 ug/L						
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.597 ug/L				C		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.446 ug/L						
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.576 ug/L				C		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.478 ug/L						
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.456 ug/L				C		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.386 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	Cu	0.579 ug/L				C		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03	Cu	0.475 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.471 ug/L						
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.494 ug/L						
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.515 ug/L						
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.497 ug/L						
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.499 ug/L						
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.527 ug/L						
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.509 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.484 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.506 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.592 ug/L						
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.512 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.479 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.508 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.688 ug/L				C		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.518 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.751 ug/L				C		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.661 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.629 ug/L				C		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.491 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.572 ug/L				C		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.518 ug/L						
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.563 ug/L				C		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.509 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	Cu	0.563 ug/L				C		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	Cu	0.739 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.519 ug/L						
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.583 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.387 ug/L						
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.515 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.381 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.438 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.392 ug/L						
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.451 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.433 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.507 ug/L						
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.806 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.414 ug/L						
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.431 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.393 ug/L						
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.453 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.384 ug/L						
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.532 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.395 ug/L						
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	Cu	0.453 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03	Cu	0.388 ug/L						
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cu	0.449 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cu	0.338 ug/L						
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cu	0.45 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cu	0.354 ug/L						
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cu	0.443 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cu	0.389 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	Cu	0.487 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	Cu	0.366 ug/L						
SESPMNT	B17CC3	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CC5	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CC6	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17C93	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17C94	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17C95	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CB3	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CB4	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CB5	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CT5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CT6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CT8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CW7	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CX1	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CX5	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CX9	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE.	
SESPMNT	B17CT3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17CT7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METALS ICPMS						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ni	0.602 ug/L						
SESPMNT	B16L87	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ni	0.651 ug/L				C		
SESPMNT	B16L86	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ni	0.699 ug/L						
SESPMNT	B16L88	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ni	0.597 ug/L				C		
SESPMNT	B16L87	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ni	0.666 ug/L						
SESPMNT	B16L89	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ni	0.596 ug/L				C		
SESPMNT	B16L88	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Ni	0.676 ug/L						
SESPMNT	B16LCO	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Ni	0.612 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.577 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.65 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.624 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.638 ug/L						
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.6 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.662 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.573 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.658 ug/L						
SESPMNT	B16L89	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.671 ug/L						
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.573 ug/L				C		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.69 ug/L						
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.629 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.657 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.594 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.655 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.589 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.66 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.603 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Ni	0.637 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Ni	0.599 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ni	0.73 ug/L				C		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ni	0.644 ug/L						
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ni	0.742 ug/L				C		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ni	0.609 ug/L						
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ni	0.755 ug/L				C		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ni	0.681 ug/L						
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Ni	0.788 ug/L				C		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Ni	0.628 ug/L						
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.655 ug/L						
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.766 ug/L				C		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.649 ug/L						
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.776 ug/L				C		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.661 ug/L						
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.823 ug/L				C		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.644 ug/L						
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.817 ug/L				C		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.833 ug/L				C		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.675 ug/L						
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.869 ug/L				C		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.641 ug/L						
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.813 ug/L				C		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.676 ug/L						
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.834 ug/L				C		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Ni	0.666 ug/L						
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Ni	0.814 ug/L				C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ni		0.661 ug/L						
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ni		0.824 ug/L				C		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ni		0.656 ug/L						
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.551 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.56 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.534 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.47 ug/L						
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.523 ug/L						
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.613 ug/L						
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.506 ug/L						
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.484 ug/L						
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.552 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.51 ug/L						
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.568 ug/L						
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.552 ug/L						
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.511 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.519 ug/L						
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.556 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.605 ug/L						
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.54 ug/L						
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.528 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.532 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.544 ug/L						
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.631 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.639 ug/L						
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.522 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.608 ug/L						
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.53 ug/L						
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.628 ug/L						
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Ni		0.531 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Ni		0.49 ug/L						
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.54 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.437 ug/L						
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.627 ug/L						
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.489 ug/L						
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.453 ug/L						
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.574 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.474 ug/L						
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.462 ug/L						
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.486 ug/L						
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.585 ug/L						
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.615 ug/L						
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.771 ug/L						
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.643 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.678 ug/L						
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.565 ug/L						
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.575 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.57 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.692 ug/L						
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.655 ug/L						
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.585 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.502 ug/L						
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.601 ug/L						
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.634 ug/L						
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.641 ug/L						
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.598 ug/L						
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.612 ug/L						
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.602 ug/L						
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.563 ug/L						
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.557 ug/L						
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.589 ug/L						
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.531 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.799 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.765 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Ni		0.654 ug/L						
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Ni		0.591 ug/L						
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.724 ug/L						
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.627 ug/L						
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.599 ug/L						
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.65 ug/L						
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.666 ug/L						
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.66 ug/L						
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.647 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.84 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.698 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.775 ug/L						
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.679 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.616 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.61 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.68 ug/L						
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.603 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.729 ug/L						
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.675 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.692 ug/L						
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.681 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.605 ug/L						
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.685 ug/L						
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.648 ug/L						
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.607 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Ni		0.626 ug/L						
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Ni		0.641 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.549 ug/L						
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.685 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.573 ug/L						
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.682 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.561 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.611 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.493 ug/L						
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.594 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.639 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.536 ug/L						
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.885 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.603 ug/L						
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.635 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.554 ug/L						
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.618 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.526 ug/L						
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.762 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.518 ug/L						
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Ni		0.619 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Ni		0.523 ug/L						
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ni		0.63 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ni		0.402 ug/L						
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ni		1.01 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ni		0.52 ug/L						
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ni		0.63 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ni		0.55 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Ni		0.68 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Ni		0.558 ug/L						
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Pb		0.00835 ug/L				B		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Pb		0.0658 ug/L				C		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Pb		0.0669 ug/L						
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Pb		0.00996 ug/L				BC		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Pb		0.067 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Pb		0.00913 ug/L				BC		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Pb		0.0737 ug/L						
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Pb		0.00904 ug/L				BC		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.00781 ug/L				BC		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0686 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.0156 ug/L				BC		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0598 ug/L						
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.0116 ug/L				BC		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0586 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.00621 ug/L				BC		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.073 ug/L						
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0732 ug/L						
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.00966 ug/L				BC		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0685 ug/L						
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.00662 ug/L				BC		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0529 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.0105 ug/L				BC		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0565 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.0126 ug/L				BC		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0725 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.0127 ug/L				BC		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Pb		0.0584 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Pb		0.00717 ug/L				BC		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Pb		0.112 ug/L				C		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Pb		0.0115 ug/L				B		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Pb		0.107 ug/L				C		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Pb		0.0129 ug/L				B		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Pb		0.117 ug/L				C		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Pb		0.011 ug/L				B		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Pb		0.137 ug/L				C		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Pb		0.0113 ug/L				B		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0116 ug/L				B		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.15 ug/L				C		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0147 ug/L				B		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.144 ug/L				C		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0114 ug/L				B		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.171 ug/L				C		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0113 ug/L				B		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.198 ug/L				C		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.267 ug/L				C		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0134 ug/L				B		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.181 ug/L				C		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0102 ug/L				B		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.208 ug/L				C		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0113 ug/L				B		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.169 ug/L				C		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0113 ug/L				B		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.161 ug/L				C		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0134 ug/L				B		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Pb		0.166 ug/L				C		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Pb		0.0107 ug/L				B		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0336 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.0134 ug/L				B		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0638 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0715 ug/L						
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.0125 ug/L				B		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0711 ug/L						
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0543 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.069 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0591 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0265 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.104 ug/L						
SESPMNT	B17CV0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0521 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0533 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.061 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.0629 ug/L						
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Pb		0.05 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0515 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0347 ug/L						
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0541 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.121 ug/L						
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.129 ug/L						
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.0125 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0401 ug/L						
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0386 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.096 ug/L						
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0448 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0402 ug/L						
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0378 ug/L						
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0302 ug/L						
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0498 ug/L						
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0361 ug/L						
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0262 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Pb		0.0633 ug/L						
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0902 ug/L						
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0748 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0759 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0507 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.011 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0657 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0469 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0288 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.105 ug/L						
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0424 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.125 ug/L						
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0602 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.0816 ug/L						
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0459 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.116 ug/L						
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0188 ug/L				B		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.0933 ug/L						
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.0544 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Pb		0.107 ug/L						
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Pb		0.04 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0308 ug/L						
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.255 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0184 ug/L				B		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.161 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0251 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.0382 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0458 ug/L						
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.0571 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.0278 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.425 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0167 ug/L				B		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.0413 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.082 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.153 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.0153 ug/L				B		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Pb		0.0641 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Pb		0.0642 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Pb		0.0186 ug/L				B		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Pb		0.0551 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Pb		0.0782 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Pb		0.014 ug/L				B		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Pb		0.067 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Pb		0.011 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Sb		0.165 ug/L						
SESPMNT	B16L87	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Sb		0.166 ug/L				C		
SESPMNT	B16L86	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Sb		0.169 ug/L						
SESPMNT	B16L88	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Sb		0.169 ug/L				C		
SESPMNT	B16L87	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Sb		0.164 ug/L						
SESPMNT	B16L89	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Sb		0.169 ug/L				C		
SESPMNT	B16L88	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Sb		0.165 ug/L						
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Sb		0.164 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.171 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.158 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.163 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.169 ug/L						
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.166 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.161 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.163 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.151 ug/L						
SESPMNT	B16L89	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.159 ug/L						
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.16 ug/L				C		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.159 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.162 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.157 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.163 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.158 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.16 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.155 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.167 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Sb		0.159 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Sb		0.174 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Sb		0.179 ug/L				C		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Sb		0.212 ug/L				C		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Sb		0.182 ug/L				C		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Sb		0.165 ug/L				C		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Sb		0.171 ug/L				C		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Sb		0.174 ug/L				C		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Sb		0.178 ug/L				C		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Sb		0.169 ug/L				C		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.187 ug/L				C		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.184 ug/L				C		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.181 ug/L				C		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.18 ug/L				C		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.177 ug/L				C		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.18 ug/L				C		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.17 ug/L				C		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.178 ug/L				C		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.186 ug/L				C		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.176 ug/L				C		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.181 ug/L				C		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.171 ug/L				C		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.188 ug/L				C		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.181 ug/L				C		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.179 ug/L				C		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.174 ug/L				C		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.18 ug/L				C		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.179 ug/L				C		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Sb		0.18 ug/L				C		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Sb		0.168 ug/L				C		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.194 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.191 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.204 ug/L						
SESPMNT	B17CB7	100 N -2 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.183 ug/L						
SESPMNT	B17CM8	100 N -2 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.228 ug/L						
SESPMNT	B17CB8	100 N -3 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.198 ug/L						
SESPMNT	B17CM9	100 N -3 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.213 ug/L						
SESPMNT	B17CB9	100 N -5 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.17 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.203 ug/L						
SESPMNT	B17CC0	100 N -7 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.187 ug/L						
SESPMNT	B17CN1	100 N -7 HRM 9.5	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.197 ug/L						
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.167 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.185 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.175 ug/L						
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.192 ug/L						
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ON SITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.175 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ON SITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.186 ug/L						
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.187 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.208 ug/L						
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.176 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.254 ug/L						
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.176 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.208 ug/L						
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Sb		0.179 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Sb		0.208 ug/L						
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.199 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.161 ug/L						
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.195 ug/L						
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.19 ug/L						
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.191 ug/L						
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.197 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.203 ug/L						
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.188 ug/L						
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.188 ug/L						
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.183 ug/L						
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.191 ug/L						
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.176 ug/L						
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.179 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.204 ug/L						
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.186 ug/L						
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.192 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.18 ug/L						
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.202 ug/L						
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.175 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.198 ug/L						
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.183 ug/L						
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.209 ug/L						
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.187 ug/L						
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.193 ug/L						
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.188 ug/L						
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.187 ug/L						
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.182 ug/L						
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.16 ug/L						
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.171 ug/L						
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.179 ug/L						
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.155 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.16 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Sb		0.159 ug/L						
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.173 ug/L						
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.198 ug/L						
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.194 ug/L						
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.171 ug/L						
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.188 ug/L						
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.167 ug/L						
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.175 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.191 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.196 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.191 ug/L						
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.176 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.242 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.2 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.195 ug/L						
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.194 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.189 ug/L						
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.199 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.184 ug/L						
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.19 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.18 ug/L						
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.19 ug/L						
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.188 ug/L						
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.194 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Sb		0.178 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Sb		0.197 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.164 ug/L						
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.142 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.159 ug/L						
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.149 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.164 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.135 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.195 ug/L						
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.155 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.133 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.206 ug/L						
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.142 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.152 ug/L						
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.139 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.156 ug/L						
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.169 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.154 ug/L						
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.141 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.197 ug/L						
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Sb		0.14 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Sb		0.18 ug/L						
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sb		0.144 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Sb		0.199 ug/L						
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sb		0.153 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Sb		0.205 ug/L						
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sb		0.153 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Sb		0.18 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Sb		0.141 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Sb		0.195 ug/L						
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.068 ug/L				U		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.102 ug/L				B		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.0953 ug/L				B		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.161 ug/L				B		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.181 ug/L				B		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Se		0.08 ug/L				U		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Se		0.177 ug/L				B		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Se		0.124 ug/L				B		
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Se		0.253 ug/L				B		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Se		0.151 ug/L				B		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Se		0.08 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Se		0.181 ug/L				B		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Se		0.137 ug/L				B		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Se		0.0952 ug/L				B		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.121 ug/L				B		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.118 ug/L				B		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.232 ug/L				B		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.111 ug/L				B		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.08 ug/L				U		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.264 ug/L				B		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.131 ug/L				B		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.237 ug/L				B		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.112 ug/L				B		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.112 ug/L				B		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.239 ug/L				B		
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.282 ug/L				B		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.173 ug/L				B		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.119 ug/L				B		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.176 ug/L				B		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.149 ug/L				B		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.169 ug/L				B		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.1 ug/L				B		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Se		0.237 ug/L				B		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Se		0.08 ug/L				U		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.561 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.525 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.501 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Se		0.5 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Se		0.565 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Se		0.496 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Ti		0.0219 ug/L				C		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Ti		0.0201 ug/L				C		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Ti		0.0193 ug/L				BC		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03 Ti		0.0141 ug/L				BC		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0174 ug/L				BC		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0177 ug/L				BC		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0166 ug/L				BC		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0123 ug/L				BC		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0191 ug/L				BC		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0125 ug/L				BC		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0164 ug/L				BC		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0185 ug/L				BC		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.0179 ug/L				BC		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 Ti		0.003 ug/L				U		
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03 Ti		0.011 ug/L				BC		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Ti		0.00977 ug/L				B		
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Ti		0.0128 ug/L						
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Ti		0.0113 ug/L				B		
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Ti		0.0124 ug/L				B		
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Ti		0.00885 ug/L				B		
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Ti		0.012 ug/L				B		
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 Ti		0.0104 ug/L				B		
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03 Ti		0.0126 ug/L				B		
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ti		0.0125 ug/L				B		
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0111 ug/L				B		
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ti		0.012 ug/L				B		
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0137 ug/L				B		
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ti		0.0102 ug/L				B		
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0132 ug/L				B		
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ti		0.011 ug/L				B		
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0107 ug/L				B		
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0118 ug/L				B		
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 Ti		0.014 ug/L				B		
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 Ti		0.0125 ug/L				B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 TI		0.01 ug/L				B		
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 TI		0.0131 ug/L				B		
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 TI		0.0125 ug/L				B		
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 TI		0.0113 ug/L				B		
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 TI		0.0131 ug/L				B		
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 TI		0.0114 ug/L				B		
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 TI		0.013 ug/L				B		
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 TI		0.00984 ug/L				B		
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03 TI		0.0113 ug/L				B		
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0209 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0149 ug/L				B		
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0195 ug/L				B		
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0099 ug/L				B		
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.016 ug/L				B		
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0105 ug/L				B		
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0122 ug/L				B		
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0167 ug/L				B		
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.017 ug/L				B		
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0132 ug/L				B		
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0174 ug/L				B		
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0157 ug/L				B		
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0106 ug/L				B		
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0191 ug/L				B		
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0161 ug/L				B		
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0142 ug/L				B		
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0206 ug/L						
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.02 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0142 ug/L				B		
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0137 ug/L				B		
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.017 ug/L				B		
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0136 ug/L				B		
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0156 ug/L				B		
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0116 ug/L				B		
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0154 ug/L				B		
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 TI		0.0151 ug/L				B		
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 TI		0.0136 ug/L				B		
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0188 ug/L				B		
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.0102 ug/L				B		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0104 ug/L				B		
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.017 ug/L				B		
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.0145 ug/L				B		
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0159 ug/L				B		
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.0119 ug/L				B		
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.0105 ug/L				B		
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.015 ug/L				B		
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0178 ug/L				B		
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.0188 ug/L				B		
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0188 ug/L				B		
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.011 ug/L				B		
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0123 ug/L				B		
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.0165 ug/L				B		
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.0153 ug/L				B		
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.0112 ug/L				B		
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.0109 ug/L				B		
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.0107 ug/L				B		
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.0133 ug/L				B		
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.0168 ug/L				B		
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 TI		0.009 ug/L				U		
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.0102 ug/L				B		
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.0114 ug/L				B		
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.0102 ug/L				B		
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 TI		0.00974 ug/L				B		
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 TI		0.009 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03	TI	0.009 ug/L				U		
SESPMNT	B16L95	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Zn	1.48 ug/L						
SESPMNT	B16LB7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Zn	2.2 ug/L				C		
SESPMNT	B16LB6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Zn	2.19 ug/L						
SESPMNT	B16LB8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Zn	1.87 ug/L				C		
SESPMNT	B16LB7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Zn	2.14 ug/L						
SESPMNT	B16LB9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Zn	1.39 ug/L				C		
SESPMNT	B16LB8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	Zn	2.41 ug/L						
SESPMNT	B16LC0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	24-Mar-03	Zn	1.37 ug/L				C		
SESPMNT	B16LD4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.13 ug/L				C		
SESPMNT	B16LD8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	1.91 ug/L						
SESPMNT	B16LD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.65 ug/L				C		
SESPMNT	B16LD7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	1.9 ug/L						
SESPMNT	B16LD2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.22 ug/L				C		
SESPMNT	B16LD6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	1.87 ug/L						
SESPMNT	B16LD1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.01 ug/L				C		
SESPMNT	B16LD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	1.92 ug/L						
SESPMNT	B16LB9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	2.07 ug/L						
SESPMNT	B16LC1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.3 ug/L				C		
SESPMNT	B16L94	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	2.5 ug/L						
SESPMNT	B16LC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.64 ug/L				C		
SESPMNT	B16L90	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	1.96 ug/L						
SESPMNT	B16LC2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.27 ug/L				C		
SESPMNT	B16L91	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	2.03 ug/L						
SESPMNT	B16LC3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.37 ug/L				C		
SESPMNT	B16L92	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	2.3 ug/L						
SESPMNT	B16LC4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.36 ug/L				C		
SESPMNT	B16L93	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	Zn	2.04 ug/L						
SESPMNT	B16LC5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	25-Mar-03	Zn	1.31 ug/L				C		
SESPMNT	B171V9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Zn	2.73 ug/L						
SESPMNT	B171Y1	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Zn	1.61 ug/L						
SESPMNT	B171V0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Zn	2.97 ug/L						
SESPMNT	B171Y2	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Zn	1.58 ug/L						
SESPMNT	B171V1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Zn	2.95 ug/L						
SESPMNT	B171Y3	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Zn	1.69 ug/L						
SESPMNT	B171V2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	Zn	3.14 ug/L						
SESPMNT	B171Y4	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Jun-03	Zn	1.44 ug/L						
SESPMNT	B17208	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.7 ug/L						
SESPMNT	B17212	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.7 ug/L						
SESPMNT	B17207	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.75 ug/L						
SESPMNT	B17211	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.73 ug/L						
SESPMNT	B17206	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.73 ug/L						
SESPMNT	B17210	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.79 ug/L						
SESPMNT	B17205	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.65 ug/L						
SESPMNT	B17209	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.79 ug/L						
SESPMNT	B171V3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	4.08 ug/L						
SESPMNT	B171Y5	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.98 ug/L						
SESPMNT	B171V8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.35 ug/L						
SESPMNT	B17200	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.48 ug/L						
SESPMNT	B171V4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.75 ug/L						
SESPMNT	B171Y6	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.8 ug/L						
SESPMNT	B171V5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	4.25 ug/L						
SESPMNT	B171Y7	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.86 ug/L						
SESPMNT	B171V6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.42 ug/L						
SESPMNT	B171Y8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.66 ug/L						
SESPMNT	B171V7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	Zn	3.7 ug/L						
SESPMNT	B171Y9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	10-Jun-03	Zn	1.75 ug/L						
SESPMNT	B17CB6	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Zn	1.15 ug/L						
SESPMNT	B17CM7	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Zn	0.993 ug/L						
SESPMNT	B17CC1	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Zn	1.06 ug/L						
SESPMNT	B17CN2	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03	Zn	0.696 ug/L						
SESPMNT	B17CB7	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	Zn	1.13 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CM8	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.627 ug/L						
SESPMNT	B17CB8	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.5 ug/L						
SESPMNT	B17CM9	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.748 ug/L						
SESPMNT	B17CB9	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.14 ug/L						
SESPMNT	B17CN0	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.807 ug/L						
SESPMNT	B17CC0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.3 ug/L						
SESPMNT	B17CN1	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.754 ug/L						
SESPMNT	B17CV1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.01 ug/L						
SESPMNT	B17CV2	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.673 ug/L						
SESPMNT	B17CV5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.04 ug/L						
SESPMNT	B17CV6	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.634 ug/L						
SESPMNT	B17CV9	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.31 ug/L						
SESPMNT	B17CW0	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.661 ug/L						
SESPMNT	B17CW3	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.08 ug/L						
SESPMNT	B17CW4	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.638 ug/L						
SESPMNT	B17CD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.22 ug/L						
SESPMNT	B17CM3	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.731 ug/L						
SESPMNT	B17CC7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.29 ug/L						
SESPMNT	B17CM4	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.95 ug/L						
SESPMNT	B17CC8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.25 ug/L						
SESPMNT	B17CM5	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.875 ug/L						
SESPMNT	B17CC9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 Zn		1.64 ug/L						
SESPMNT	B17CM6	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	04-Sep-03 Zn		0.995 ug/L						
SESPMNT	B17CC2	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.56 ug/L						
SESPMNT	B17CR1	100 F -1 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.17 ug/L						
SESPMNT	B17C96	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.54 ug/L						
SESPMNT	B17CR6	100 F -10 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.639 ug/L						
SESPMNT	B17CR2	100 F -2 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.752 ug/L						
SESPMNT	B17CC4	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.25 ug/L						
SESPMNT	B17CR3	100 F -3 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.833 ug/L						
SESPMNT	B17CR4	100 F -5 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.756 ug/L						
SESPMNT	B17CR5	100 F -7 HRM 19.0	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.681 ug/L						
SESPMNT	B17CY5	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.64 ug/L						
SESPMNT	B17CY6	100 F SHORE HRM 18	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.24 ug/L						
SESPMNT	B17CY8	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.48 ug/L						
SESPMNT	B17CY9	100 F SHORE HRM 22	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.56 ug/L						
SESPMNT	B17D01	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.43 ug/L						
SESPMNT	B17D02	100 F SHORE HRM 23	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.72 ug/L						
SESPMNT	B17C97	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.23 ug/L						
SESPMNT	B17CP5	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.885 ug/L						
SESPMNT	B17CB2	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.77 ug/L						
SESPMNT	B17CR0	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.6 ug/L						
SESPMNT	B17C98	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.32 ug/L						
SESPMNT	B17CP6	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		0.796 ug/L						
SESPMNT	B17C99	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.54 ug/L						
SESPMNT	B17CP7	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.5 ug/L						
SESPMNT	B17CB0	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.72 ug/L						
SESPMNT	B17CP8	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.33 ug/L						
SESPMNT	B17CB1	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		1.6 ug/L						
SESPMNT	B17CP9	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.18 ug/L						
SESPMNT	B17CL7	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.16 ug/L						
SESPMNT	B17CM0	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.22 ug/L						
SESPMNT	B17CL8	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.47 ug/L						
SESPMNT	B17CM1	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.64 ug/L						
SESPMNT	B17CY2	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.26 ug/L						
SESPMNT	B17CY3	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		2.24 ug/L						
SESPMNT	B17CL9	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 Zn		2.24 ug/L						
SESPMNT	B17CM2	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	08-Sep-03 Zn		1.62 ug/L						
SESPMNT	B17CN9	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.58 ug/L						
SESPMNT	B17CP0	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.18 ug/L						
SESPMNT	B17CP1	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.23 ug/L						
SESPMNT	B17CP2	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.4 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17CP3	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.14 ug/L						
SESPMNT	B17CW8	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.59 ug/L						
SESPMNT	B17CX2	300 AREA SHR HRM42.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.7 ug/L						
SESPMNT	B17CX6	300 AREA SHR HRM42.5	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.97 ug/L						
SESPMNT	B17CY0	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.55 ug/L						
SESPMNT	B17CP4	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.56 ug/L						
SESPMNT	B17CT4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.68 ug/L						
SESPMNT	B17CT2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.3 ug/L						
SESPMNT	B17CT1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.37 ug/L						
SESPMNT	B17CD0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		1.63 ug/L						
SESPMNT	B17CN3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.03 ug/L						
SESPMNT	B17CD5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		2.22 ug/L						
SESPMNT	B17CN8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.83 ug/L						
SESPMNT	B17CD1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		1.68 ug/L						
SESPMNT	B17CN4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.24 ug/L						
SESPMNT	B17CD2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		1.79 ug/L						
SESPMNT	B17CN5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.56 ug/L						
SESPMNT	B17CD3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		2.32 ug/L						
SESPMNT	B17CN6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.34 ug/L						
SESPMNT	B17CD4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 Zn		1.64 ug/L						
SESPMNT	B17CN7	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	09-Sep-03 Zn		1.29 ug/L						
SESPMNT	B183W4	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.941 ug/L						
SESPMNT	B183W8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		1.47 ug/L						
SESPMNT	B183W3	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.619 ug/L						
SESPMNT	B183W7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		1.33 ug/L						
SESPMNT	B183W2	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.584 ug/L						
SESPMNT	B183W6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.805 ug/L						
SESPMNT	B183W1	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.59 ug/L						
SESPMNT	B183W5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.816 ug/L						
SESPMNT	B183P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.601 ug/L						
SESPMNT	B183V1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.484 ug/L						
SESPMNT	B183R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		2.81 ug/L						
SESPMNT	B183V6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.546 ug/L						
SESPMNT	B183R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.824 ug/L						
SESPMNT	B183V2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.707 ug/L						
SESPMNT	B183R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.97 ug/L						
SESPMNT	B183V3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.562 ug/L						
SESPMNT	B183R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		1.5 ug/L						
SESPMNT	B183V4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.613 ug/L						
SESPMNT	B183R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 Zn		0.956 ug/L						
SESPMNT	B183V5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	08-Dec-03 Zn		0.55 ug/L						
SESPMNT	B183R5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Zn		0.971 ug/L						
SESPMNT	B183T7	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Zn		0.536 ug/L						
SESPMNT	B183P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Zn		2.32 ug/L						
SESPMNT	B183T8	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Zn		0.617 ug/L						
SESPMNT	B183P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Zn		1.04 ug/L						
SESPMNT	B183T9	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Zn		0.835 ug/L						
SESPMNT	B183P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 Zn		1.72 ug/L						
SESPMNT	B183V0	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	09-Dec-03 Zn		1.31 ug/L						
SESPMNT	B16KC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		3 mg/L				C		
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.4 mg/L				C		
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 CHLORIDE		1.2 mg/L				C		
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 CHLORIDE		1.3 mg/L				C		
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 CHLORIDE		1.3 mg/L				C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	CHLORIDE	1.4 mg/L				C		
SESPMNT	B17276	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	1.3 mg/L						
SESPMNT	B17277	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.97 mg/L						
SESPMNT	B17278	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.97 mg/L						
SESPMNT	B17279	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.96 mg/L						
SESPMNT	B17280	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	1 mg/L						
SESPMNT	B17281	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.99 mg/L						
SESPMNT	B17282	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.96 mg/L						
SESPMNT	B17283	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.97 mg/L						
SESPMNT	B17284	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	0.99 mg/L						
SESPMNT	B17285	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	CHLORIDE	1 mg/L						
SESPMNT	B17286	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	CHLORIDE	0.93 mg/L						
SESPMNT	B17287	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	CHLORIDE	0.93 mg/L						
SESPMNT	B17288	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	CHLORIDE	0.99 mg/L						
SESPMNT	B17289	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF0	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1.3 mg/L						
SESPMNT	B17HF1	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF2	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF3	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF4	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF5	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF6	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1.1 mg/L						
SESPMNT	B17HF8	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HF9	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.99 mg/L				C		
SESPMNT	B17HH0	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	1 mg/L						
SESPMNT	B17HH1	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.91 mg/L				C		
SESPMNT	B17HH2	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.89 mg/L				C		
SESPMNT	B17HH3	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.92 mg/L						
SESPMNT	B17HH4	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.9 mg/L						
SESPMNT	B17HH5	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.86 mg/L				C		
SESPMNT	B17HH6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.92 mg/L				C		
SESPMNT	B17HH7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.93 mg/L				C		
SESPMNT	B17HH8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.94 mg/L				C		
SESPMNT	B17HH9	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.9 mg/L				C		
SESPMNT	B17HJ0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.9 mg/L				C		
SESPMNT	B17HJ1	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HJ2	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HJ3	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1 mg/L				C		
SESPMNT	B17HJ4	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.2 mg/L				C		
SESPMNT	B17HJ5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HJ6	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	2.3 mg/L				C		
SESPMNT	B17HJ7	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	2.7 mg/L				C		
SESPMNT	B17HJ8	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.5 mg/L				C		
SESPMNT	B17HJ9	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1.6 mg/L						
SESPMNT	B17HK0	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	0.98 mg/L				C		
SESPMNT	B17HK1	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	0.97 mg/L				C		
SESPMNT	B17HK2	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	0.97 mg/L				C		
SESPMNT	B17HK3	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	0.92 mg/L				C		
SESPMNT	B17HK4	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L				C		
SESPMNT	B17HK5	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	0.96 mg/L				C		
SESPMNT	B17HK6	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1 mg/L				C		
SESPMNT	B17HK7	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	4.1 mg/L				C		
SESPMNT	B17HK8	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	CHLORIDE	1.3 mg/L				C		
SESPMNT	B17HL6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ANIONS						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.2 mg/L				C		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	2.5 mg/L				C		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.8 mg/L				C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.2 mg/L				C		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLORIDE	1.2 mg/L				C		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.91 mg/L				C		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.87 mg/L				C		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.89 mg/L				C		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLORIDE	0.97 mg/L				C		
SESPMNT	B184P5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	CHLORIDE	0.85 mg/L				C		
SESPMNT	B184P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	CHLORIDE	0.87 mg/L				C		
SESPMNT	B184P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	CHLORIDE	0.9 mg/L				C		
SESPMNT	B184P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	CHLORIDE	0.94 mg/L				C		
SESPMNT	B184P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	1.1 mg/L				C		
SESPMNT	B184R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	0.93 mg/L				C		
SESPMNT	B184R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	0.96 mg/L				C		
SESPMNT	B184R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	0.98 mg/L				C		
SESPMNT	B184R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	0.96 mg/L				C		
SESPMNT	B184R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	2 mg/L				C		
SESPMNT	B184R5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	1.3 mg/L				C		
SESPMNT	B184R6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	1.2 mg/L				C		
SESPMNT	B184R7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	1 mg/L				C		
SESPMNT	B184R8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	CHLORIDE	1 mg/L				C		
SESPMNT	B16KC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.11 mg/L				C		
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.074 mg/L				BC		
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.072 mg/L				BC		
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.079 mg/L				BC		
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.072 mg/L				BC		
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.072 mg/L				BC		
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.072 mg/L				BC		
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.086 mg/L				BC		
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.07 mg/L				BC		
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	FLUORIDE	0.085 mg/L				BC		
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	FLUORIDE	0.09 mg/L				BC		
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	FLUORIDE	0.062 mg/L				BC		
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	FLUORIDE	0.094 mg/L				BC		
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	FLUORIDE	0.081 mg/L				BC		
SESPMNT	B17276	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.09 mg/L				BC		
SESPMNT	B17277	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.092 mg/L				BC		
SESPMNT	B17278	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.089 mg/L				BC		
SESPMNT	B17279	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.093 mg/L				BC		
SESPMNT	B17280	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.086 mg/L				BC		
SESPMNT	B17281	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.13 mg/L				C		
SESPMNT	B17282	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.087 mg/L				BC		
SESPMNT	B17283	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.089 mg/L				BC		
SESPMNT	B17284	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.089 mg/L				BC		
SESPMNT	B17285	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	FLUORIDE	0.094 mg/L				BC		
SESPMNT	B17286	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	FLUORIDE	0.09 mg/L				BC		
SESPMNT	B17287	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	FLUORIDE	0.1 mg/L				C		
SESPMNT	B17288	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	FLUORIDE	0.092 mg/L				BC		
SESPMNT	B17289	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	FLUORIDE	0.089 mg/L				BC		
SESPMNT	B17HF0	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.085 mg/L				B		
SESPMNT	B17HF1	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HF2	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.077 mg/L				B		
SESPMNT	B17HF3	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HF4	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.081 mg/L				B		
SESPMNT	B17HF5	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.084 mg/L				B		
SESPMNT	B17HF6	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.079 mg/L				B		
SESPMNT	B17HF7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.079 mg/L				B		
SESPMNT	B17HF8	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.078 mg/L				B		
SESPMNT	B17HF9	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.11 mg/L						
SESPMNT	B17HH0	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.11 mg/L						
SESPMNT	B17HH1	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH2	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH3	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.11 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HH4	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH5	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.097 mg/L				B		
SESPMNT	B17HH7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HH9	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.089 mg/L				B		
SESPMNT	B17HJ0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HJ1	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.081 mg/L				B		
SESPMNT	B17HJ2	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.084 mg/L				B		
SESPMNT	B17HJ3	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.082 mg/L				B		
SESPMNT	B17HJ4	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HJ5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HJ6	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.097 mg/L				B		
SESPMNT	B17HJ7	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.096 mg/L				B		
SESPMNT	B17HJ8	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.087 mg/L				B		
SESPMNT	B17HJ9	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.092 mg/L				B		
SESPMNT	B17HK0	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.082 mg/L				B		
SESPMNT	B17HK1	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.082 mg/L				B		
SESPMNT	B17HK2	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.079 mg/L				B		
SESPMNT	B17HK3	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.078 mg/L				B		
SESPMNT	B17HK4	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.086 mg/L				B		
SESPMNT	B17HK5	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.081 mg/L				B		
SESPMNT	B17HK6	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HK7	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.13 mg/L						
SESPMNT	B17HK8	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	FLUORIDE	0.086 mg/L				B		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.092 mg/L				B		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.086 mg/L				B		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.083 mg/L				B		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.084 mg/L				B		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.084 mg/L				B		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.12 mg/L						
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.086 mg/L				B		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.085 mg/L				B		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	FLUORIDE	0.085 mg/L				B		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.1 mg/L						
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	FLUORIDE	0.11 mg/L						
SESPMNT	B184P5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	FLUORIDE	0.098 mg/L				BC		
SESPMNT	B184P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	FLUORIDE	0.097 mg/L				BC		
SESPMNT	B184P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	FLUORIDE	0.096 mg/L				BC		
SESPMNT	B184P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	FLUORIDE	0.093 mg/L				BC		
SESPMNT	B184P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.098 mg/L				BC		
SESPMNT	B184R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.097 mg/L				BC		
SESPMNT	B184R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.098 mg/L				BC		
SESPMNT	B184R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.099 mg/L				BC		
SESPMNT	B184R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.097 mg/L				BC		
SESPMNT	B184R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.11 mg/L				C		
SESPMNT	B184R5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.1 mg/L				C		
SESPMNT	B184R6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.11 mg/L				C		
SESPMNT	B184R7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.097 mg/L				BC		
SESPMNT	B184R8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	FLUORIDE	0.099 mg/L				BC		
SESPMNT	B16KC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	NO2-N	0.011 mg/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	NO2-N	0.011 mg/L				U		
SESPMNT	B17276	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17277	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17278	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17279	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17280	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17281	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17282	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17283	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17284	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17285	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17286	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17287	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17288	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17289	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF0	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF1	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF2	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF3	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF4	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF5	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF6	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF8	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HF9	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH0	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH1	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH2	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH3	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH4	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH5	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HH9	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ1	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ2	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ3	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ4	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ6	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ7	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ8	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HJ9	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK0	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK1	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK2	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK3	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK4	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK5	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK6	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK7	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK8	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO2-N	0.0074 mg/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184P5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B184R8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03 NO2-N		0.0074 mg/L				U		
SESPMNT	B16KC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.75 mg/L						
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.19 mg/L						
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.18 mg/L						
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.18 mg/L						
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.2 mg/L						
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.2 mg/L						
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.2 mg/L						
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.21 mg/L						
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.19 mg/L						
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03 NO3-N		0.18 mg/L						
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 NO3-N		0.19 mg/L						
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 NO3-N		0.18 mg/L						
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 NO3-N		0.2 mg/L						
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03 NO3-N		0.22 mg/L						
SESPMNT	B17276	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.16 mg/L						
SESPMNT	B17277	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.069 mg/L						
SESPMNT	B17278	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.074 mg/L						
SESPMNT	B17279	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.074 mg/L						
SESPMNT	B17280	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.074 mg/L						
SESPMNT	B17281	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.079 mg/L						
SESPMNT	B17282	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.072 mg/L						
SESPMNT	B17283	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.069 mg/L						
SESPMNT	B17284	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.068 mg/L						
SESPMNT	B17285	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03 NO3-N		0.065 mg/L						
SESPMNT	B17286	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 NO3-N		0.069 mg/L						
SESPMNT	B17287	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 NO3-N		0.075 mg/L						
SESPMNT	B17288	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 NO3-N		0.073 mg/L						
SESPMNT	B17289	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03 NO3-N		0.086 mg/L						
SESPMNT	B17HF0	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.084 mg/L						
SESPMNT	B17HF1	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.11 mg/L						
SESPMNT	B17HF2	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.1 mg/L						
SESPMNT	B17HF3	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.1 mg/L						
SESPMNT	B17HF4	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.1 mg/L						
SESPMNT	B17HF5	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.096 mg/L						
SESPMNT	B17HF6	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.11 mg/L						
SESPMNT	B17HF7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.075 mg/L						
SESPMNT	B17HF8	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03 NO3-N		0.078 mg/L						
SESPMNT	B17HF9	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO3-N		0.099 mg/L						
SESPMNT	B17HH0	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO3-N		0.055 mg/L						
SESPMNT	B17HH1	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03 NO3-N		0.055 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HH2	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.061 mg/L						
SESPMNT	B17HH3	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.064 mg/L						
SESPMNT	B17HH4	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.061 mg/L						
SESPMNT	B17HH5	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.05 mg/L						
SESPMNT	B17HH6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.054 mg/L						
SESPMNT	B17HH7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.049 mg/L						
SESPMNT	B17HH8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.054 mg/L						
SESPMNT	B17HH9	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.71 mg/L						
SESPMNT	B17HJ0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.21 mg/L						
SESPMNT	B17HJ1	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.12 mg/L						
SESPMNT	B17HJ2	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.091 mg/L						
SESPMNT	B17HJ3	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.093 mg/L						
SESPMNT	B17HJ4	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.11 mg/L						
SESPMNT	B17HJ5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.15 mg/L						
SESPMNT	B17HJ6	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.59 mg/L						
SESPMNT	B17HJ7	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.66 mg/L						
SESPMNT	B17HJ8	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.29 mg/L						
SESPMNT	B17HJ9	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.4 mg/L						
SESPMNT	B17HK0	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.075 mg/L						
SESPMNT	B17HK1	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.085 mg/L						
SESPMNT	B17HK2	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.081 mg/L						
SESPMNT	B17HK3	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.066 mg/L						
SESPMNT	B17HK4	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.066 mg/L						
SESPMNT	B17HK5	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.06 mg/L						
SESPMNT	B17HK6	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.076 mg/L						
SESPMNT	B17HK7	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	1.5 mg/L				D		
SESPMNT	B17HK8	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	NO3-N	0.2 mg/L						
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.14 mg/L						
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.12 mg/L						
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.093 mg/L						
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.093 mg/L						
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.1 mg/L						
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.55 mg/L						
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.59 mg/L						
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.17 mg/L						
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	NO3-N	0.16 mg/L						
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.052 mg/L						
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.054 mg/L						
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.055 mg/L						
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	NO3-N	0.075 mg/L						
SESPMNT	B184P5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	NO3-N	0.094 mg/L						
SESPMNT	B184P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	NO3-N	0.099 mg/L						
SESPMNT	B184P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	NO3-N	0.1 mg/L						
SESPMNT	B184P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	NO3-N	0.11 mg/L						
SESPMNT	B184P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.14 mg/L						
SESPMNT	B184R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.11 mg/L						
SESPMNT	B184R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.12 mg/L						
SESPMNT	B184R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.11 mg/L						
SESPMNT	B184R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.12 mg/L						
SESPMNT	B184R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.49 mg/L						
SESPMNT	B184R5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.4 mg/L						
SESPMNT	B184R6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.26 mg/L						
SESPMNT	B184R7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.14 mg/L						
SESPMNT	B184R8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	NO3-N	0.14 mg/L						
SESPMNT	B16KC6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	15.6 mg/L						
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10 mg/L						
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	9.9 mg/L						
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	9.9 mg/L						
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10.1 mg/L						
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10.1 mg/L						
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10.2 mg/L						
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10.2 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	10.1 mg/L						
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	SULFATE	9.9 mg/L						
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	SULFATE	9.8 mg/L				C		
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	SULFATE	9.8 mg/L				C		
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	SULFATE	10 mg/L				C		
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	SULFATE	10.3 mg/L				C		
SESPMNT	B17276	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	8.2 mg/L						
SESPMNT	B17277	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17278	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17279	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17280	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17281	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17282	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7 mg/L						
SESPMNT	B17283	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17284	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17285	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	10-Jun-03	SULFATE	7.1 mg/L						
SESPMNT	B17286	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	SULFATE	7 mg/L						
SESPMNT	B17287	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	SULFATE	7 mg/L						
SESPMNT	B17288	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	SULFATE	7 mg/L						
SESPMNT	B17289	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Jun-03	SULFATE	7.4 mg/L						
SESPMNT	B17HF0	100 F -10 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.8 mg/L						
SESPMNT	B17HF1	100 F -1 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HF2	100 F -2 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HF3	100 F -3 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.1 mg/L						
SESPMNT	B17HF4	100 F -5 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HF5	100 F -7 HRM 19.0	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.1 mg/L						
SESPMNT	B17HF6	100 F SHORE HRM 18	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.2 mg/L						
SESPMNT	B17HF7	100 F SHORE HRM 22	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.3 mg/L						
SESPMNT	B17HF8	100 F SHORE HRM 23	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.9 mg/L						
SESPMNT	B17HF9	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HH0	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HH1	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HH2	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HH3	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HH4	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.8 mg/L						
SESPMNT	B17HH5	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.7 mg/L						
SESPMNT	B17HH6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HH7	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.7 mg/L						
SESPMNT	B17HH8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HH9	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	11.2 mg/L						
SESPMNT	B17HJ0	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	12.3 mg/L						
SESPMNT	B17HJ1	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.3 mg/L						
SESPMNT	B17HJ2	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.2 mg/L						
SESPMNT	B17HJ3	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.2 mg/L						
SESPMNT	B17HJ4	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.7 mg/L						
SESPMNT	B17HJ5	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.5 mg/L						
SESPMNT	B17HJ6	300 AREA SHR HRM42.1	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	13 mg/L						
SESPMNT	B17HJ7	300 AREA SHR HRM42.5	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	13.8 mg/L						
SESPMNT	B17HJ8	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	10.1 mg/L						
SESPMNT	B17HJ9	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	10.9 mg/L						
SESPMNT	B17HK0	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.8 mg/L						
SESPMNT	B17HK1	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.9 mg/L						
SESPMNT	B17HK2	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.9 mg/L						
SESPMNT	B17HK3	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.8 mg/L						
SESPMNT	B17HK4	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.1 mg/L						
SESPMNT	B17HK5	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	8.8 mg/L						
SESPMNT	B17HK6	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9 mg/L						
SESPMNT	B17HK7	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	19 mg/L						
SESPMNT	B17HK8	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	08-Sep-03	SULFATE	9.8 mg/L						
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.5 mg/L						
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.4 mg/L						
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.3 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.3 mg/L						
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.4 mg/L						
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	13.9 mg/L						
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	10.9 mg/L						
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.6 mg/L						
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	SULFATE	9.6 mg/L						
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.6 mg/L						
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	SULFATE	8.9 mg/L						
SESPMNT	B184P5	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	SULFATE	8.9 mg/L						
SESPMNT	B184P6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	SULFATE	8.9 mg/L						
SESPMNT	B184P7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	SULFATE	9 mg/L						
SESPMNT	B184P8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	09-Dec-03	SULFATE	9.1 mg/L						
SESPMNT	B184P9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.3 mg/L						
SESPMNT	B184R0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.1 mg/L						
SESPMNT	B184R1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.3 mg/L						
SESPMNT	B184R2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.2 mg/L						
SESPMNT	B184R3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.3 mg/L						
SESPMNT	B184R4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	12.7 mg/L						
SESPMNT	B184R5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	10.1 mg/L						
SESPMNT	B184R6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.6 mg/L						
SESPMNT	B184R7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.3 mg/L						
SESPMNT	B184R8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	08-Dec-03	SULFATE	9.3 mg/L						
SESPMNT	B17HL6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	V0A						NO SAMPLE. THICK MILFOIL.	
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1,1-DCL (1,1-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.12 ug/L				J		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	1.2 ug/L				J		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	0.87 ug/L				J		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	0.94 ug/L				J		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	0.99 ug/L				J		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	1.1 ug/L				J		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	1 ug/L				J		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ACETONE	1.2 ug/L				J		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CARB TET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	ETHCYANIDE (Ethyl cyanide)	1.3 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	HEXONE (4-Methyl-2-Pentanone)	0.35 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHONE (2-Butanone)	0.29 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	1 ug/L				B		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.92 ug/L				JB		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	METHYCH (Methylenechloride)	0.3 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHYCH (Methylenechloride)	0.37 ug/L				JB		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHYCH (Methylenechloride)	0.38 ug/L				JB		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHYCH (Methylenechloride)	0.37 ug/L				JB		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	METHYCH (Methylenechloride)	0.41 ug/L				JB		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.26 ug/L				J		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17HK9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL4	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL5	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	09-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HL9	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HM0	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HM1	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17HM2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	04-Sep-03	XYLENES	0.28 ug/L				U		
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	144 uS/cm						
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	144 uS/cm						
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	143 uS/cm						
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	145 uS/cm						
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	144 uS/cm						
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	143 uS/cm						
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	142 uS/cm						
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	141 uS/cm						
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	CONDUCT	142 uS/cm						
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	CONDUCT	139 uS/cm						
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	CONDUCT	139 uS/cm						
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	CONDUCT	142 uS/cm						
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	CONDUCT	144 uS/cm						
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.9 pH						
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.8 pH						
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.8 pH						
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.8 pH						
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.7 pH						
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	8 pH						
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	7.9 pH						
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	8 pH						
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	PH	8 pH						
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	PH	7.8 pH						
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	PH	7.8 pH						
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	PH	7.7 pH						
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	PH	7.6 pH						
SESPMNT	B16KC7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.9 Deg C						
SESPMNT	B16KC8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.8 Deg C						
SESPMNT	B16KC9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.2 Deg C						
SESPMNT	B16KD0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.6 Deg C						
SESPMNT	B16KD1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.1 Deg C						
SESPMNT	B16KD2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.7 Deg C						
SESPMNT	B16KD3	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	7.9 Deg C						
SESPMNT	B16KD4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	8.5 Deg C						
SESPMNT	B16KD5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	25-Mar-03	TEMPERATUR	8.1 Deg C						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16KD6	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	TEMPERATUR	7.3	Deg C					
SESPMNT	B16KD7	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	TEMPERATUR	7.2	Deg C					
SESPMNT	B16KD8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	TEMPERATUR	7.3	Deg C					
SESPMNT	B16KD9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	24-Mar-03	TEMPERATUR	7.3	Deg C					

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Be-7	0.0198	pCi/L	0.0094	0.0094			
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Be-7	0.056	pCi/L	0.019	0.019	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Be-7	0.0215	pCi/L	0.0083	0.0083	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Be-7	0.0526	pCi/L	0.018	0.018	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Be-7	0.0367	pCi/L	0.011	0.011			
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Be-7	0.0224	pCi/L	0.021	0.021	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Be-7	0.0339	pCi/L	0.016	0.016	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Be-7	0.0491	pCi/L	0.024	0.024			
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Be-7	0.0597	pCi/L	0.018	0.018			
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Be-7	0.0425	pCi/L	0.024	0.024			
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Be-7	0.00722	pCi/L	0.0082	0.0082	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Be-7	0.0482	pCi/L	0.027	0.027	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Be-7	0.000846	pCi/L	0.012	0.012	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Be-7	0.0685	pCi/L	0.031	0.031			
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Be-7	0.0142	pCi/L	0.013	0.013	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Be-7	0.0229	pCi/L	0.028	0.028	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Be-7	0.00907	pCi/L	0.0098	0.0098	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Be-7	0.0205	pCi/L	0.021	0.021	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Be-7	0.00596	pCi/L	0.0095	0.0095	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Be-7	-0.00502	pCi/L	0.016	0.016	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Be-7	0.00752	pCi/L	0.011	0.011	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Be-7	0.0117	pCi/L	0.023	0.023	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Be-7	0.0339	pCi/L	0.013	0.013			
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Be-7	0.0358	pCi/L	0.021	0.021	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Be-7	0.0277	pCi/L	0.013	0.013			
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Be-7	0.0484	pCi/L	0.023	0.023			
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Be-7	0.0219	pCi/L	0.01	0.01	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Be-7	0.0733	pCi/L	0.028	0.028			
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Be-7	0.0374	pCi/L	0.012	0.012			
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Be-7	0.0627	pCi/L	0.027	0.027			
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Be-7	0.0801	pCi/L	0.023	0.023			
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Be-7	0.0482	pCi/L	0.03	0.03			
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Be-7	0.0366	pCi/L	0.018	0.018			
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Be-7	0.0347	pCi/L	0.021	0.021	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Be-7	0.0162	pCi/L	0.0076	0.0076	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Be-7	0.0831	pCi/L	0.057	0.057			
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Be-7	0.0176	pCi/L	0.012	0.012	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Be-7	0.0408	pCi/L	0.023	0.023	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Be-7	0.0138	pCi/L	0.021	0.021	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Be-7	0.0385	pCi/L	0.024	0.024	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Be-7	0.0104	pCi/L	0.016	0.016	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Be-7	-0.0164	pCi/L	0.038	0.038	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Be-7	0.0116	pCi/L	0.0093	0.0093	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Be-7	0.00362	pCi/L	0.017	0.017	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Be-7	-0.00359	pCi/L	0.012	0.012	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Be-7	0.0153	pCi/L	0.023	0.023	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Be-7	0.0242	pCi/L	0.009	0.009			
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Be-7	0.0488	pCi/L	0.032	0.032			
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Co-60	0.001	pCi/L	0.00071	0.00071	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Co-60	0.00256	pCi/L	0.0018	0.0018	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Co-60	0.000729	pCi/L	0.00076	0.00076	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Co-60	0.000316	pCi/L	0.0014	0.0014	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Co-60	-0.000721	pCi/L	0.00074	0.00074	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Co-60	-0.00171	pCi/L	0.0022	0.0022	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Co-60	-0.000354	pCi/L	0.0012	0.0012	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Co-60	0.00124	pCi/L	0.0017	0.0017	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Co-60	0.00177	pCi/L	0.0012	0.0012	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Co-60	0.000141	pCi/L	0.0014	0.0014	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Co-60	0.00037	pCi/L	0.00079	0.00079	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Co-60	0.00262	pCi/L	0.0019	0.0019	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Co-60	0.000146	pCi/L	0.0011	0.0011	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Co-60	0.00251	pCi/L	0.0018	0.0018	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Co-60	0.000249	pCi/L	0.0011	0.0011	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Co-60	0.000898	pCi/L	0.0026	0.0026	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Co-60	-0.0000412	pCi/L	0.001	0.001	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Co-60	0.00181	pCi/L	0.0021	0.0021	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Co-60	0.000887	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Co-60	0.000972	pCi/L	0.0016	0.0016	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Co-60	0.000319	pCi/L	0.001	0.001	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Co-60	-0.000456	pCi/L	0.002	0.002	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Co-60	0.000447	pCi/L	0.00066	0.00066	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Co-60	0.000199	pCi/L	0.0016	0.0016	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Co-60	0.0000791	pCi/L	0.00081	0.00081	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Co-60	0.000437	pCi/L	0.0015	0.0015	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Co-60	0.000167	pCi/L	0.00097	0.00097	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Co-60	-0.0011	pCi/L	0.0021	0.0021	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Co-60	-0.00055	pCi/L	0.00076	0.00076	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Co-60	0.000993	pCi/L	0.002	0.002	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Co-60	0.000465	pCi/L	0.00096	0.00096	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Co-60	0.000844	pCi/L	0.0016	0.0016	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Co-60	0.000238	pCi/L	0.001	0.001	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Co-60	0.000855	pCi/L	0.0019	0.0019	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Co-60	0.0000581	pCi/L	0.00067	0.00067	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Co-60	0.00162	pCi/L	0.0028	0.0028	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Co-60	0.00124	pCi/L	0.001	0.001	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Co-60	-0.000818	pCi/L	0.0021	0.0021	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Co-60	0.00114	pCi/L	0.0018	0.0018	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Co-60	0.00202	pCi/L	0.0023	0.0023	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Co-60	0.000582	pCi/L	0.0019	0.0019	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Co-60	0.00267	pCi/L	0.0038	0.0038	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Co-60	-0.000129	pCi/L	0.001	0.001	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Co-60	0.0022	pCi/L	0.0017	0.0017	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Co-60	0.000368	pCi/L	0.0012	0.0012	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Co-60	-0.000501	pCi/L	0.0019	0.0019	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Co-60	-0.000195	pCi/L	0.00045	0.00045	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Co-60	0.00164	pCi/L	0.0016	0.0016	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Cs-134	0.000678	pCi/L	0.0007	0.0007	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Cs-134	0.000766	pCi/L	0.002	0.002	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Cs-134	-0.0000114	pCi/L	0.00077	0.00077	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Cs-134	0.00136	pCi/L	0.0017	0.0017	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Cs-134	0.000499	pCi/L	0.00076	0.00076	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Cs-134	0.0018	pCi/L	0.0022	0.0022	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Cs-134	0.000219	pCi/L	0.0013	0.0013	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Cs-134	0.0015	pCi/L	0.0019	0.0019	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Cs-134	0.000211	pCi/L	0.0012	0.0012	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Cs-134	0.00142	pCi/L	0.0016	0.0016	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Cs-134	0.000194	pCi/L	0.00087	0.00087	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Cs-134	0.00156	pCi/L	0.0021	0.0021	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Cs-134	0.000998	pCi/L	0.0011	0.0011	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Cs-134	0.00269	pCi/L	0.002	0.002	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Cs-134	0.000033	pCi/L	0.0012	0.0012	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Cs-134	-0.00101	pCi/L	0.0028	0.0028	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Cs-134	-0.00018	pCi/L	0.0011	0.0011	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Cs-134	0.000718	pCi/L	0.0022	0.0022	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Cs-134	-0.0000491	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Cs-134	0.000455	pCi/L	0.0018	0.0018	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Cs-134	0.000941	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Cs-134	0.00153	pCi/L	0.002	0.002	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Cs-134	0.000501	pCi/L	0.00072	0.00072	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Cs-134	0.00167	pCi/L	0.0017	0.0017	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Cs-134	0.000433	pCi/L	0.00082	0.00082	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Cs-134	0.000343	pCi/L	0.0016	0.0016	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Cs-134	0.00163	pCi/L	0.001	0.001	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Cs-134	-0.00221	pCi/L	0.0023	0.0023	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Cs-134	0.000518	pCi/L	0.00078	0.00078	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Cs-134	0.00244	pCi/L	0.002	0.002	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Cs-134	0.000396	pCi/L	0.0011	0.0011	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Cs-134	0.00186	pCi/L	0.0018	0.0018	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Cs-134	0.000458	pCi/L	0.0011	0.0011	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Cs-134	0.00154	pCi/L	0.0019	0.0019	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Cs-134	0.00108	pCi/L	0.0008	0.0008	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Cs-134	0.00283	pCi/L	0.0022	0.0022	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Cs-134	0.0000918	pCi/L	0.001	0.001	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Cs-134	0.00189	pCi/L	0.0022	0.0022	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Cs-134	0.000299	pCi/L	0.0018	0.0018	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Cs-134	0.00311	pCi/L	0.0025	0.0025	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Cs-134	0.000166	pCi/L	0.002	0.002	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Cs-134	0.00347	pCi/L	0.0039	0.0039	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Cs-134	0.000967	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Cs-134	0.00151	pCi/L	0.0018	0.0018	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Cs-134	0.000763	pCi/L	0.0012	0.0012	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Cs-134	0.00122	pCi/L	0.0021	0.0021	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Cs-134	0.000209	pCi/L	0.00051	0.00051	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Cs-134	0.00161	pCi/L	0.0018	0.0018	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Cs-137	0.000393	pCi/L	0.00068	0.00068	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Cs-137	-0.0000413	pCi/L	0.0016	0.0016	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Cs-137	0.0000884	pCi/L	0.00071	0.00071	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Cs-137	0.00105	pCi/L	0.0015	0.0015	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Cs-137	0.000381	pCi/L	0.00069	0.00069	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Cs-137	0.00259	pCi/L	0.002	0.002	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Cs-137	-0.000316	pCi/L	0.0012	0.0012	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Cs-137	0.00105	pCi/L	0.0017	0.0017	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Cs-137	0.000763	pCi/L	0.0011	0.0011	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Cs-137	0.00215	pCi/L	0.0014	0.0014	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Cs-137	0.000414	pCi/L	0.00082	0.00082	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Cs-137	0.00044	pCi/L	0.0019	0.0019	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Cs-137	0.000654	pCi/L	0.001	0.001	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Cs-137	0.00147	pCi/L	0.0017	0.0017	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Cs-137	0.000319	pCi/L	0.0011	0.0011	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Cs-137	-0.00166	pCi/L	0.0025	0.0025	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Cs-137	-0.000458	pCi/L	0.001	0.001	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Cs-137	0.00267	pCi/L	0.0022	0.0022	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Cs-137	0.000699	pCi/L	0.001	0.001	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Cs-137	0.000809	pCi/L	0.0017	0.0017	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Cs-137	0.00142	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Cs-137	-0.000224	pCi/L	0.0019	0.0019	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Cs-137	-0.000348	pCi/L	0.00063	0.00063	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Cs-137	-0.000158	pCi/L	0.0015	0.0015	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Cs-137	0.000835	pCi/L	0.00074	0.00074	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Cs-137	0.000368	pCi/L	0.0014	0.0014	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Cs-137	0.000969	pCi/L	0.00083	0.00083	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Cs-137	0.000982	pCi/L	0.002	0.002	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Cs-137	0.000366	pCi/L	0.0007	0.0007	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Cs-137	0.000362	pCi/L	0.0018	0.0018	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Cs-137	0.000686	pCi/L	0.00098	0.00098	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Cs-137	-0.000479	pCi/L	0.0016	0.0016	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Cs-137	0.000559	pCi/L	0.001	0.001	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Cs-137	0.00119	pCi/L	0.0018	0.0018	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Cs-137	0.000526	pCi/L	0.00075	0.00075	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Cs-137	0.0018	pCi/L	0.0021	0.0021	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Cs-137	-0.000297	pCi/L	0.00098	0.00098	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Cs-137	0.000662	pCi/L	0.0019	0.0019	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Cs-137	0.00123	pCi/L	0.0017	0.0017	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Cs-137	0.00233	pCi/L	0.0023	0.0023	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Cs-137	0.000393	pCi/L	0.0018	0.0018	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Cs-137	0.000565	pCi/L	0.0036	0.0036	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Cs-137	0.000516	pCi/L	0.00098	0.00098	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Cs-137	0.0023	pCi/L	0.0017	0.0017	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Cs-137	0.00139	pCi/L	0.0012	0.0012	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Cs-137	0.000479	pCi/L	0.0018	0.0018	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Cs-137	0.0000944	pCi/L	0.00048	0.00048	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Cs-137	-0.000496	pCi/L	0.0015	0.0015	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-152	-0.0000702	pCi/L	0.0017	0.0017	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-152	-0.00237	pCi/L	0.0041	0.0041	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-152	-0.0000343	pCi/L	0.0018	0.0018	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-152	0.00272	pCi/L	0.0039	0.0039	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-152	0.000141	pCi/L	0.0016	0.0016	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-152	-0.00581	pCi/L	0.0053	0.0053	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-152	0.000221	pCi/L	0.0033	0.0033	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-152	-0.00347	pCi/L	0.0047	0.0047	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-152	-0.000052	pCi/L	0.0026	0.0026	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-152	0.000435	pCi/L	0.0035	0.0035	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-152	-0.0013	pCi/L	0.002	0.002	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-152	-0.00308	pCi/L	0.0047	0.0047	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-152	0.000849	pCi/L	0.0025	0.0025	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-152	0.00109	pCi/L	0.0042	0.0042	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-152	-0.00216	pCi/L	0.0025	0.0025	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-152	0.000755	pCi/L	0.0059	0.0059	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-152	0.00167	pCi/L	0.0026	0.0026	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-152	-0.000411	pCi/L	0.0052	0.0052	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-152	0.00206	pCi/L	0.0024	0.0024	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-152	0.000385	pCi/L	0.0042	0.0042	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-152	-0.000669	pCi/L	0.0027	0.0027	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-152	-0.00179	pCi/L	0.0045	0.0045	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-152	-0.00114	pCi/L	0.0015	0.0015	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-152	-0.00136	pCi/L	0.0039	0.0039	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-152	-0.000152	pCi/L	0.0018	0.0018	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-152	-0.00223	pCi/L	0.0035	0.0035	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-152	-0.00201	pCi/L	0.0021	0.0021	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-152	0.000153	pCi/L	0.0051	0.0051	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-152	0.000607	pCi/L	0.0018	0.0018	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-152	-0.00247	pCi/L	0.0045	0.0045	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-152	-0.000167	pCi/L	0.0025	0.0025	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-152	0.00191	pCi/L	0.0041	0.0041	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-152	0.00138	pCi/L	0.0026	0.0026	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-152	-0.00151	pCi/L	0.0042	0.0042	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-152	0.0017	pCi/L	0.0019	0.0019	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-152	0.00428	pCi/L	0.0047	0.0047	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-152	0.00155	pCi/L	0.0024	0.0024	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-152	0.000216	pCi/L	0.0048	0.0048	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-152	0.00417	pCi/L	0.0043	0.0043	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-152	-0.000743	pCi/L	0.0051	0.0051	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-152	-0.00325	pCi/L	0.0043	0.0043	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-152	-0.00212	pCi/L	0.0095	0.0095	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-152	-0.00106	pCi/L	0.0023	0.0023	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-152	-0.00177	pCi/L	0.0041	0.0041	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-152	0.000288	pCi/L	0.0027	0.0027	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-152	-0.00297	pCi/L	0.0047	0.0047	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-152	0.00034	pCi/L	0.0013	0.0013	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-152	-0.00231	pCi/L	0.004	0.004	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-154	0.00185	pCi/L	0.0018	0.0018	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-154	-0.00102	pCi/L	0.0053	0.0053	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-154	0.000218	pCi/L	0.0021	0.0021	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-154	-0.000182	pCi/L	0.0044	0.0044	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-154	-0.000589	pCi/L	0.0022	0.0022	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-154	0.000597	pCi/L	0.006	0.006	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-154	-0.00112	pCi/L	0.0033	0.0033	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-154	0.00211	pCi/L	0.005	0.005	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-154	0.00511	pCi/L	0.0031	0.0031	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-154	0.00449	pCi/L	0.0041	0.0041	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-154	-0.0022	pCi/L	0.0023	0.0023	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-154	0.00291	pCi/L	0.0056	0.0056	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-154	0.00106	pCi/L	0.003	0.003	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-154	0.000998	pCi/L	0.005	0.005	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-154	0.00279	pCi/L	0.0033	0.0033	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-154	-0.00242	pCi/L	0.0079	0.0079	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-154	0.00175	pCi/L	0.0029	0.0029	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-154	0.00474	pCi/L	0.0061	0.0061	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-154	-0.0000289	pCi/L	0.0029	0.0029	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-154	0.00384	pCi/L	0.0049	0.0049	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-154	0.00184	pCi/L	0.0029	0.0029	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-154	0.00544	pCi/L	0.0061	0.0061	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-154	0.00166	pCi/L	0.0018	0.0018	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-154	-0.00183	pCi/L	0.0046	0.0046	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-154	-0.000783	pCi/L	0.0021	0.0021	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-154	-0.000632	pCi/L	0.0045	0.0045	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-154	-0.000811	pCi/L	0.0027	0.0027	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-154	0.00763	pCi/L	0.0061	0.0061	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-154	-0.000374	pCi/L	0.002	0.002	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-154	-0.00000789	pCi/L	0.0055	0.0055	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-154	-0.000404	pCi/L	0.0028	0.0028	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-154	-0.00183	pCi/L	0.0047	0.0047	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-154	0.0000965	pCi/L	0.0028	0.0028	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-154	0.00204	pCi/L	0.0055	0.0055	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-154	-0.000474	pCi/L	0.002	0.002	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-154	0.000161	pCi/L	0.0058	0.0058	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-154	-0.000695	pCi/L	0.0028	0.0028	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-154	0.00514	pCi/L	0.0064	0.0064	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-154	0.00165	pCi/L	0.0049	0.0049	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-154	-0.00196	pCi/L	0.0065	0.0065	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-154	-0.00597	pCi/L	0.0055	0.0055	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-154	0.0104	pCi/L	0.011	0.011	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-154	-0.00144	pCi/L	0.0028	0.0028	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-154	0.000552	pCi/L	0.0048	0.0048	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-154	0.0021	pCi/L	0.0031	0.0031	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-154	0.00238	pCi/L	0.0059	0.0059	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-154	0.00108	pCi/L	0.0013	0.0013	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-154	0.000846	pCi/L	0.0048	0.0048	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-155	-0.000247	pCi/L	0.0017	0.0017	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-155	0.00223	pCi/L	0.004	0.004	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-155	0.00207	pCi/L	0.0018	0.0018	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-155	0.00127	pCi/L	0.0033	0.0033	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-155	0.00125	pCi/L	0.0015	0.0015	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-155	0.00501	pCi/L	0.0051	0.0051	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-155	-0.00184	pCi/L	0.0041	0.0041	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-155	-0.000809	pCi/L	0.0039	0.0039	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-155	0.00299	pCi/L	0.0026	0.0026	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-155	-0.000322	pCi/L	0.0032	0.0032	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-155	-0.000232	pCi/L	0.002	0.002	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-155	0.001	pCi/L	0.0044	0.0044	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-155	0.000393	pCi/L	0.0023	0.0023	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-155	0.00543	pCi/L	0.0045	0.0045	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-155	-0.00129	pCi/L	0.0023	0.0023	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-155	0.00356	pCi/L	0.0054	0.0054	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-155	0.00147	pCi/L	0.0022	0.0022	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-155	0.00427	pCi/L	0.0048	0.0048	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-155	0.000863	pCi/L	0.0025	0.0025	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-155	0.00397	pCi/L	0.0039	0.0039	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-155	0.00074	pCi/L	0.0022	0.0022	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-155	0.00138	pCi/L	0.0046	0.0046	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-155	-0.000955	pCi/L	0.0015	0.0015	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-155	0.000187	pCi/L	0.0042	0.0042	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Eu-155	-0.000945	pCi/L	0.0016	0.0016	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Eu-155	0.00127	pCi/L	0.0033	0.0033	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Eu-155	-0.00101	pCi/L	0.0019	0.0019	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Eu-155	0.00409	pCi/L	0.0048	0.0048	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Eu-155	-0.000329	pCi/L	0.0018	0.0018	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Eu-155	0.00282	pCi/L	0.0041	0.0041	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Eu-155	-0.000109	pCi/L	0.0022	0.0022	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Eu-155	0.00114	pCi/L	0.0037	0.0037	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Eu-155	0.000178	pCi/L	0.0022	0.0022	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Eu-155	0.00423	pCi/L	0.0042	0.0042	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Eu-155	0.000804	pCi/L	0.0017	0.0017	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Eu-155	-0.00173	pCi/L	0.0053	0.0053	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Eu-155	-0.00114	pCi/L	0.0025	0.0025	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Eu-155	0.00479	pCi/L	0.0048	0.0048	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Eu-155	-0.000124	pCi/L	0.0038	0.0038	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Eu-155	0.00701	pCi/L	0.0049	0.0049	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Eu-155	0.00134	pCi/L	0.0038	0.0038	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Eu-155	-0.00388	pCi/L	0.0083	0.0083	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Eu-155	-0.0000133	pCi/L	0.0021	0.0021	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Eu-155	0.00083	pCi/L	0.0039	0.0039	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Eu-155	0.00226	pCi/L	0.0028	0.0028	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Eu-155	0.00489	pCi/L	0.0043	0.0043	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Eu-155	0.000806	pCi/L	0.0011	0.0011	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Eu-155	0.000175	pCi/L	0.0041	0.0041	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	K-40	0.0633	pCi/L	0.022	0.022			
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	K-40	0.407	pCi/L	0.083	0.083			
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	K-40	0.05	pCi/L	0.023	0.023			
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	K-40	0.651	pCi/L	0.093	0.093			
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	K-40	0.0444	pCi/L	0.026	0.026			
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	K-40	0.561	pCi/L	0.094	0.094			
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	K-40	-0.0474	pCi/L	0.036	0.036	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	K-40	0.361	pCi/L	0.088	0.088			
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	K-40	0.0727	pCi/L	0.04	0.04			
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	K-40	0.458	pCi/L	0.077	0.077			
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	K-40	-0.0275	pCi/L	0.026	0.026	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	K-40	0.45	pCi/L	0.094	0.094			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	K-40	0.0656	pCi/L	0.04	0.04			
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	K-40	0.69	pCi/L	0.11	0.11			
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	K-40	-0.0817	pCi/L	0.041	0.041	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	K-40	0.239	pCi/L	0.11	0.11			
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	K-40	0.0331	pCi/L	0.037	0.037	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	K-40	0.526	pCi/L	0.11	0.11			
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	K-40	0.0488	pCi/L	0.039	0.039			
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	K-40	0.437	pCi/L	0.086	0.086			
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	K-40	0.039	pCi/L	0.039	0.039			
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	K-40	0.488	pCi/L	0.1	0.1			
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	K-40	0.00773	pCi/L	0.022	0.022	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	K-40	0.227	pCi/L	0.069	0.069			
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	K-40	0.032	pCi/L	0.028	0.028			
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	K-40	0.534	pCi/L	0.083	0.083			
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	K-40	0.0167	pCi/L	0.031	0.031	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	K-40	0.64	pCi/L	0.11	0.11			
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	K-40	0.0759	pCi/L	0.025	0.025			
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	K-40	0.237	pCi/L	0.072	0.072			
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	K-40	0.0568	pCi/L	0.038	0.038			
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	K-40	0.478	pCi/L	0.091	0.091			
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	K-40	-0.0453	pCi/L	0.034	0.034	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	K-40	0.526	pCi/L	0.096	0.096			
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	K-40	0.000272	pCi/L	0.026	0.026			
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	K-40	0.522	pCi/L	0.11	0.11			
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	K-40	0.0781	pCi/L	0.04	0.04			
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	K-40	0.58	pCi/L	0.11	0.11			
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	K-40	0.0949	pCi/L	0.054	0.054			
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	K-40	0.659	pCi/L	0.13	0.13			
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	K-40	0.0274	pCi/L	0.061	0.061	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	K-40	0.627	pCi/L	0.16	0.16			
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	K-40	0.0694	pCi/L	0.037	0.037			
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	K-40	0.5	pCi/L	0.091	0.091			
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	K-40	0.0549	pCi/L	0.046	0.046			
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	K-40	0.475	pCi/L	0.097	0.097			
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	K-40	0.0438	pCi/L	0.016	0.016			
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	K-40	0.0485	pCi/L	0.06	0.06	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Ru-106	0.00137	pCi/L	0.0058	0.0058	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Ru-106	0.00152	pCi/L	0.014	0.014	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Ru-106	-0.00442	pCi/L	0.0061	0.0061	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Ru-106	0.00147	pCi/L	0.013	0.013	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Ru-106	0.0019	pCi/L	0.006	0.006	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Ru-106	-0.00104	pCi/L	0.017	0.017	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Ru-106	-0.00443	pCi/L	0.011	0.011	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Ru-106	-0.0169	pCi/L	0.016	0.016	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Ru-106	-0.000767	pCi/L	0.0093	0.0093	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Ru-106	-0.00446	pCi/L	0.013	0.013	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Ru-106	-0.000264	pCi/L	0.0068	0.0068	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Ru-106	0.00449	pCi/L	0.017	0.017	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Ru-106	-0.00716	pCi/L	0.0092	0.0092	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Ru-106	0.0142	pCi/L	0.015	0.015	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Ru-106	0.00326	pCi/L	0.0094	0.0094	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Ru-106	0.00357	pCi/L	0.02	0.02	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Ru-106	-0.00441	pCi/L	0.0087	0.0087	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Ru-106	-0.00148	pCi/L	0.018	0.018	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Ru-106	-0.00293	pCi/L	0.0086	0.0086	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Ru-106	0.00953	pCi/L	0.014	0.014	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Ru-106	-0.00289	pCi/L	0.009	0.009	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Ru-106	0.00325	pCi/L	0.017	0.017	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Ru-106	0.00155	pCi/L	0.0054	0.0054	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Ru-106	-0.00538	pCi/L	0.013	0.013	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Ru-106	0.00535	pCi/L	0.0061	0.0061	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Ru-106	-0.00731	pCi/L	0.013	0.013	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Ru-106	0.00126	pCi/L	0.0077	0.0077	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Ru-106	0.0102	pCi/L	0.017	0.017	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Ru-106	0.0032	pCi/L	0.0063	0.0063	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Ru-106	-0.00602	pCi/L	0.015	0.015	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Ru-106	-0.00443	pCi/L	0.0086	0.0086	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Ru-106	-0.0033	pCi/L	0.014	0.014	U		
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Ru-106	0.00183	pCi/L	0.0088	0.0088	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Ru-106	0.00537	pCi/L	0.015	0.015	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Ru-106	-0.00528	pCi/L	0.0061	0.0061	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Ru-106	0.0151	pCi/L	0.018	0.018	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Ru-106	0.00497	pCi/L	0.0084	0.0084	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Ru-106	0.012	pCi/L	0.018	0.018	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Ru-106	-0.000616	pCi/L	0.015	0.015	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Ru-106	-0.00679	pCi/L	0.019	0.019	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Ru-106	0.0143	pCi/L	0.016	0.016	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Ru-106	-0.0136	pCi/L	0.032	0.032	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Ru-106	-0.0123	pCi/L	0.0082	0.0082	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Ru-106	0.00298	pCi/L	0.014	0.014	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Ru-106	0.00249	pCi/L	0.0098	0.0098	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Ru-106	-0.00191	pCi/L	0.016	0.016	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Ru-106	0.00203	pCi/L	0.0043	0.0043	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Ru-106	-0.00549	pCi/L	0.014	0.014	U		
SESPMNT	B16874	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Sb-125	0.000522	pCi/L	0.0017	0.0017	U		
SESPMNT	B16880	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Sb-125	-0.00326	pCi/L	0.0042	0.0042	U		
SESPMNT	B16875	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Sb-125	0.00145	pCi/L	0.0017	0.0017	U		
SESPMNT	B16881	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Sb-125	-0.0000698	pCi/L	0.0036	0.0036	U		
SESPMNT	B16876	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Sb-125	-0.0000208	pCi/L	0.0016	0.0016	U		
SESPMNT	B16882	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Sb-125	0.00127	pCi/L	0.0047	0.0047	U		
SESPMNT	B16PK5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Sb-125	-0.000193	pCi/L	0.0031	0.0031	U		
SESPMNT	B16PL1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Sb-125	-0.00345	pCi/L	0.0042	0.0042	U		
SESPMNT	B16PK6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Sb-125	0.00000978	pCi/L	0.0025	0.0025	U		
SESPMNT	B16PL2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Sb-125	0.000303	pCi/L	0.0034	0.0034	U		
SESPMNT	B16PK7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Sb-125	-0.000903	pCi/L	0.0019	0.0019	U		
SESPMNT	B16PL3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Sb-125	-0.000396	pCi/L	0.0044	0.0044	U		
SESPMNT	B175H5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Sb-125	-0.00144	pCi/L	0.0025	0.0025	U		
SESPMNT	B175J1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Sb-125	-0.000892	pCi/L	0.0041	0.0041	U		
SESPMNT	B175H6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Sb-125	0.000946	pCi/L	0.0026	0.0026	U		
SESPMNT	B175J2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Sb-125	-0.00263	pCi/L	0.0059	0.0059	U		
SESPMNT	B175H7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Sb-125	0.000313	pCi/L	0.0025	0.0025	U		
SESPMNT	B175J3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Sb-125	0.00374	pCi/L	0.005	0.005	U		
SESPMNT	B17P40	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Sb-125	-0.00199	pCi/L	0.0024	0.0024	U		
SESPMNT	B17P46	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Sb-125	0.000324	pCi/L	0.0039	0.0039	U		
SESPMNT	B17P41	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Sb-125	-0.00166	pCi/L	0.0025	0.0025	U		
SESPMNT	B17P47	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Sb-125	0.00221	pCi/L	0.0047	0.0047	U		
SESPMNT	B17P42	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Sb-125	0.000641	pCi/L	0.0015	0.0015	U		
SESPMNT	B17P48	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Sb-125	-0.00149	pCi/L	0.0038	0.0038	U		
SESPMNT	B16892	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Feb-03	Sb-125	0.000479	pCi/L	0.0017	0.0017	U		
SESPMNT	B16886	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Feb-03	Sb-125	-0.0009	pCi/L	0.0035	0.0035	U		
SESPMNT	B16893	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	05-Mar-03	Sb-125	-0.000319	pCi/L	0.0021	0.0021	U		
SESPMNT	B16887	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	05-Mar-03	Sb-125	0.00263	pCi/L	0.0048	0.0048	U		
SESPMNT	B16894	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Sb-125	0.000659	pCi/L	0.0017	0.0017	U		
SESPMNT	B16888	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Sb-125	-0.00265	pCi/L	0.0043	0.0043	U		
SESPMNT	B16PM3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Apr-03	Sb-125	0.00127	pCi/L	0.0024	0.0024	U		
SESPMNT	B16PL7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Apr-03	Sb-125	-0.00141	pCi/L	0.0038	0.0038	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16PM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	28-May-03	Sb-125	-0.00234	pCi/L	0.0025	0.0025	U		
SESPMNT	B16PL8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	28-May-03	Sb-125	-0.000254	pCi/L	0.0041	0.0041	U		
SESPMNT	B16PM5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Sb-125	-0.00175	pCi/L	0.0018	0.0018	U		
SESPMNT	B16PL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Sb-125	0.00248	pCi/L	0.0046	0.0046	U		
SESPMNT	B175K3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Aug-03	Sb-125	-0.000551	pCi/L	0.0023	0.0023	U		
SESPMNT	B175J7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Aug-03	Sb-125	0.00135	pCi/L	0.0047	0.0047	U		
SESPMNT	B175K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Sep-03	Sb-125	-0.000355	pCi/L	0.004	0.004	U		
SESPMNT	B175J8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Sep-03	Sb-125	-0.000997	pCi/L	0.0052	0.0052	U		
SESPMNT	B175K5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Sb-125	-0.000169	pCi/L	0.0043	0.0043	U		
SESPMNT	B175J9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Sb-125	-0.00697	pCi/L	0.0087	0.0087	U		
SESPMNT	B17P58	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Oct-03	Sb-125	-0.0000143	pCi/L	0.0023	0.0023	U		
SESPMNT	B17P52	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Oct-03	Sb-125	0.00126	pCi/L	0.0041	0.0041	U		
SESPMNT	B17P59	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	25-Nov-03	Sb-125	-0.000583	pCi/L	0.0027	0.0027	U		
SESPMNT	B17P53	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	25-Nov-03	Sb-125	-0.00365	pCi/L	0.0044	0.0044	U		
SESPMNT	B17P60	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Sb-125	-0.000127	pCi/L	0.0012	0.0012	U		
SESPMNT	B17P54	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Sb-125	-0.000401	pCi/L	0.0038	0.0038	U		
SESPMNT	B16873	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Pu-238							Sample Lost in Lab
SESPMNT	B16879	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Pu-238	-0.00000212	pCi/L	0.000029	0.000029	U		
SESPMNT	B16PK4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Pu-238	-4.66E-08	pCi/L	0.000017	0.000017	U		
SESPMNT	B16PL0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Pu-238	0.000023	pCi/L	0.000035	0.000036	U		
SESPMNT	B175H4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Pu-238	0.00000316	pCi/L	0.0000066	0.0000068	U		
SESPMNT	B175J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Pu-238	-0.00000212	pCi/L	0.000061	0.000061	U		
SESPMNT	B17P39	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Pu-238	-0.000000105	pCi/L	0.0000092	0.0000093	U		
SESPMNT	B17P45	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Pu-238	-0.0000117	pCi/L	0.000023	0.000023	U		
SESPMNT	B16891	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Pu-238							Sample Lost in Lab
SESPMNT	B16885	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Pu-238	-0.0000155	pCi/L	0.000026	0.000026	U		
SESPMNT	B16PM2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Pu-238	0.0000105	pCi/L	0.000015	0.000015	U		
SESPMNT	B16PL6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Pu-238	-0.00000173	pCi/L	0.000006	0.000006	U		
SESPMNT	B175K2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Pu-238	-0.00000752	pCi/L	0.000015	0.000015	U		
SESPMNT	B175J6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Pu-238	0.0000408	pCi/L	0.000087	0.000087	U		
SESPMNT	B17P57	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Pu-238	-0.00000302	pCi/L	0.0000058	0.000006	U		
SESPMNT	B17P51	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Pu-238	0	pCi/L	0.000026	0.000026	U		
SESPMNT	B16873	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Pu-239/240							Sample Lost in Lab
SESPMNT	B16879	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Pu-239/240	0.0000119	pCi/L	0.000041	0.000041	U		
SESPMNT	B16PK4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Pu-239/240	0.0000534	pCi/L	0.000036	0.000037			
SESPMNT	B16PL0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Pu-239/240	0.0000025	pCi/L	0.000035	0.000036	U		
SESPMNT	B175H4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Pu-239/240	0.0000139	pCi/L	0.000015	0.000015	U		
SESPMNT	B175J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Pu-239/240	0.0000025	pCi/L	0.000005	0.000005	U		
SESPMNT	B17P39	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Pu-239/240	0.0000176	pCi/L	0.000016	0.000016			
SESPMNT	B17P45	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Pu-239/240	0.0000233	pCi/L	0.000033	0.000033	U		
SESPMNT	B16891	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Apr-03	Pu-239/240							Sample Lost in Lab
SESPMNT	B16885	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Apr-03	Pu-239/240	0.0000131	pCi/L	0.000026	0.000026	U		
SESPMNT	B16PM2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	10-Jul-03	Pu-239/240	0.0000887	pCi/L	0.000043	0.000046			
SESPMNT	B16PL6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	10-Jul-03	Pu-239/240	0	pCi/L	0.000006	0.000006	U		
SESPMNT	B175K2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-03	Pu-239/240	0.0000406	pCi/L	0.000036	0.000037			
SESPMNT	B175J6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Sep-03	Pu-239/240	0.0000432	pCi/L	0.000061	0.000062	U		
SESPMNT	B17P57	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	08-Jan-04	Pu-239/240	0.0000126	pCi/L	0.000013	0.000013	U		
SESPMNT	B17P51	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	08-Jan-04	Pu-239/240	0.0000021	pCi/L	0.000003	0.000003	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	ALPHA						NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	ALPHA	135 pCi/L		16	36			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	ALPHA	120 pCi/L		12	30			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	ALPHA						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	ALPHA	4.93 pCi/L		2.5	2.7			
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	ALPHA	1.38 pCi/L		1.4	1.4	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	ALPHA	1.59 pCi/L		1.2	1.3	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	ALPHA	1.46 pCi/L		1.2	1.2	U		
PNLGW	B17JR2	100-K SPRING 63-1	ONSITE	SW	N	SEEP		20-Oct-03	ALPHA	1.14 pCi/L		0.88	0.92	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	ALPHA	0.4 pCi/L		0.72	0.73	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	ALPHA	3.81 pCi/L		2	2.2			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	ALPHA	3.94 pCi/L		1.9	2.2			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	ALPHA	3.01 pCi/L		1.3	1.5			
PNLGW	B17JP4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	ALPHA	0.334 pCi/L		0.79	0.8	U		
PNLGW	B17JP1	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	ALPHA	0.0287 pCi/L		0.42	0.42	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	ALPHA	4.71 pCi/L		2.4	2.7			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	ALPHA	0.69 pCi/L		1.4	1.4	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	ALPHA	1.26 pCi/L		1.1	1.2	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	ALPHA	0.0065 pCi/L		0.46	0.47	U		
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03	ALPHA	10.2 pCi/L		3.3	4.2			
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	ALPHA	0.109 pCi/L		0.53	0.53	U		
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	ALPHA	0.822 pCi/L		0.74	0.77	U		
PNLGW	B17VJ8	SD-110-2		SW	N	SEEP		10-Nov-03	ALPHA	0.476 pCi/L		0.81	0.81	U		
PNLGW	B17VK1	SD-098-1		SW	N	SEEP		10-Nov-03	ALPHA	0.937 pCi/L		1	1	U		
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	ALPHA	1.04 pCi/L		1.1	1.1	U		
PNLGW	B17VK4	SH-144-1		SW	N	SEEP		20-Nov-03	ALPHA	0.712 pCi/L		0.84	0.86	U		
PNLGW	B17VK7	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	ALPHA	20.2 pCi/L		5.3	7.2			
PNLGW	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03	ALPHA	0.696 pCi/L		0.56	0.59	U		
PNLGW	B17LB4	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	ALPHA	4.21 pCi/L		2	2.2			
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	ALPHA	-0.248 pCi/L		0.45	0.45	U		
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	BETA						NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	BETA	54.9 pCi/L		6.4	10			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	BETA	41.7 pCi/L		3.4	6.3			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	BETA						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	BETA	9.28 pCi/L		2	2.4			
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	BETA	4.09 pCi/L		1.6	1.7			
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	BETA	13.1 pCi/L		2.1	2.8			
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	BETA	4.35 pCi/L		1.5	1.7			
PNLGW	B17JR2	100-K SPRING 63-1	ONSITE	SW	N	SEEP		20-Oct-03	BETA	7.68 pCi/L		1.8	2.1			
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	BETA	1.67 pCi/L		1.3	1.5	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	BETA	3.82 pCi/L		1.7	1.8			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	BETA	7.69 pCi/L		1.9	2.2			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	BETA	25.1 pCi/L		2.7	4.2			
PNLGW	B17JP4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	BETA	2.04 pCi/L		1.5	1.5	U		
PNLGW	B17JP1	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	BETA	2.04 pCi/L		1.3	1.3	U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	BETA	0.632 pCi/L		1.2	1.2	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	BETA	6.31 pCi/L		1.8	2.2			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	BETA	8.32 pCi/L		1.9	2.2			
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	BETA	9.37 pCi/L		1.9	2.3			
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	BETA	4.88 pCi/L		1.6	1.8			
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03	BETA	23.3 pCi/L		3.2	4.8			
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	BETA	10.2 pCi/L		1.9	2.3			
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	BETA	8.48 pCi/L		1.8	2.1			
PNLGW	B17VJ8	SD-110-2		SW	N	SEEP		10-Nov-03	BETA	1.95 pCi/L		1.3	1.3	U		
PNLGW	B17VK1	SD-098-1		SW	N	SEEP		10-Nov-03	BETA	1.21 pCi/L		1.3	1.3	U		
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	BETA	3.8 pCi/L		1.5	1.6			
PNLGW	B17VK4	SH-144-1		SW	N	SEEP		20-Nov-03	BETA	2.26 pCi/L		1.3	1.4	U		
PNLGW	B17VK7	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	BETA	27.8 pCi/L		3.5	5.1			
PNLGW	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03	BETA	12 pCi/L		2	2.6			
PNLGW	B17LB4	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	BETA	24.8 pCi/L		3.1	4.4			
PNLGW	B17JR2	100-K SPRING 63-1	ONSITE	SW	N	SEEP		20-Oct-03	TRITIUM	1150 pCi/L		160	170			
PNLGW	B17JP4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	TRITIUM	-23.3 pCi/L		100	110	U		
PNLGW	B17JP1	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	TRITIUM	204 pCi/L		110	120	U		
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03	TRITIUM	3190 pCi/L		250	280			
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	TRITIUM	1640 pCi/L		190	210			
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	TRITIUM	94.2 pCi/L		110	120	U		
PNLGW	B17VJ8	SD-110-2		SW	N	SEEP		10-Nov-03	TRITIUM	672 pCi/L		150	160			
PNLGW	B17VK1	SD-098-1		SW	N	SEEP		10-Nov-03	TRITIUM	2610 pCi/L		230	260			
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	TRITIUM	1460 pCi/L		190	200			
PNLGW	B17VK4	SH-144-1		SW	N	SEEP		20-Nov-03	TRITIUM	276 pCi/L		120	120			
PNLGW	B17VK7	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	TRITIUM	138 pCi/L		110	110	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLWG	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03	TRITIUM	182 pCi/L		110	120	U		
PNLWG	B17LB4	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	TRITIUM	800 pCi/L		140	150			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	GAMMA SCAN						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Be-7	-6.78 pCi/L		20	20	U		
PNLWG	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Be-7	-20.5 pCi/L		39	39	U		
PNLWG	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Be-7	-16.2 pCi/L		27	27	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Be-7	-9.91 pCi/L		22	22	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Be-7	4.24 pCi/L		23	23	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Be-7	12.2 pCi/L		23	23	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Be-7	-8.23 pCi/L		20	20	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Be-7	-5.33 pCi/L		20	20	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Be-7	-7.96 pCi/L		20	20	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Be-7	-10 pCi/L		22	22	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Be-7	4.95 pCi/L		20	20	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Be-7	-1.53 pCi/L		19	19	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Be-7	-13.2 pCi/L		18	18	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Be-7	5.47 pCi/L		15	15	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Be-7	18.9 pCi/L		24	24	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Be-7	3.57 pCi/L		16	16	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Co-60	-0.788 pCi/L		2.6	2.6	U		
PNLWG	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Co-60	-1.09 pCi/L		2.8	2.8	U		
PNLWG	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Co-60	0.265 pCi/L		2.6	2.6	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Co-60	-0.64 pCi/L		2.5	2.5	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Co-60	0.622 pCi/L		2.4	2.4	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Co-60	0.616 pCi/L		2.3	2.3	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Co-60	0.276 pCi/L		2.3	2.3	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Co-60	0.992 pCi/L		2.7	2.7	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Co-60	0.78 pCi/L		2.4	2.4	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Co-60	1.15 pCi/L		2.6	2.6	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Co-60	0.967 pCi/L		2.3	2.3	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Co-60	1.04 pCi/L		2.5	2.5	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Co-60	-1.5 pCi/L		1.7	1.7	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Co-60	0.969 pCi/L		1.7	1.7	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Co-60	-1.72 pCi/L		3.2	3.2	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Co-60	-0.591 pCi/L		2.1	2.1	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Cs-134	-0.321 pCi/L		2.5	2.5	U		
PNLWG	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Cs-134	-1.44 pCi/L		3.4	3.4	U		
PNLWG	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Cs-134	3.25 pCi/L		2.7	2.7	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-134	-0.215 pCi/L		2.7	2.7	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-134	0.667 pCi/L		2.7	2.7	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-134	-0.79 pCi/L		2.6	2.6	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-134	-0.519 pCi/L		2.5	2.5	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-134	2.98 pCi/L		2.8	2.8	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-134	-1.01 pCi/L		2.7	2.7	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-134	-0.36 pCi/L		2.5	2.5	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-134	2.03 pCi/L		2.7	2.7	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-134	0.901 pCi/L		2.1	2.1	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-134	-0.547 pCi/L		1.9	1.9	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-134	-1.08 pCi/L		1.9	1.9	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cs-134	-1.28 pCi/L		2.2	2.2	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cs-134	0.374 pCi/L		1.8	1.8	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Cs-137	0.404 pCi/L		2.6	2.6	U		
PNLWG	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Cs-137	1.83 pCi/L		2.2	2.2	U		
PNLWG	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Cs-137	0.747 pCi/L		2.6	2.6	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-137	0.0784 pCi/L		2.5	2.5	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-137	-0.53 pCi/L		2.4	2.4	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cs-137	1.39 pCi/L		2.6	2.6	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-137	0.151 pCi/L		2.6	2.6	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-137	-0.339 pCi/L		2.8	2.8	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-137	-0.82 pCi/L		2.4	2.4	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cs-137	-0.191 pCi/L		2.1	2.1	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-137	1.38 pCi/L		2.1	2.1	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-137	-0.776 pCi/L		2.3	2.3	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-137	2.22 pCi/L		2.2	2.2	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cs-137	0.839 pCi/L		1.9	1.9	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cs-137	-0.353 pCi/L		2.4	2.4	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cs-137	-0.688 pCi/L		1.8	1.8	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Eu-152	1.1 pCi/L		5.2	5.2	U		
PNLWG	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Eu-152	0.827 pCi/L		5.6	5.6	U		
PNLWG	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Eu-152	-0.379 pCi/L		5.7	5.7	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-152	-0.179 pCi/L		6	6	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-152	1.08 pCi/L		6.3	6.3	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-152	-1.63 pCi/L		6.1	6.1	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-152	-1.21 pCi/L		6.3	6.3	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-152	4.25 pCi/L		6.7	6.7	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-152	-0.27 pCi/L		5.4	5.4	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-152	1.33 pCi/L		5.2	5.2	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-152	2.62 pCi/L		4.6	4.6	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-152	-0.746 pCi/L		5.9	5.9	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-152	-1.39 pCi/L		4.9	4.9	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-152	0.126 pCi/L		4.9	4.9	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-152	-2.82 pCi/L		5.7	5.7	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-152	1.01 pCi/L		4.6	4.6	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Eu-154	-1.11 pCi/L		8.5	8.5	U		
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Eu-154	-2.25 pCi/L		7.4	7.4	U		
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Eu-154	-2.31 pCi/L		7.2	7.2	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-154	1.69 pCi/L		5.3	5.3	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-154	-5.54 pCi/L		6.9	6.9	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-154	-2.96 pCi/L		6.1	6.1	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-154	1.25 pCi/L		6.7	6.7	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-154	-1.14 pCi/L		6.9	6.9	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-154	-4.42 pCi/L		6.3	6.3	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-154	-3.77 pCi/L		7.1	7.1	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-154	3.92 pCi/L		7.2	7.2	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-154	-2.08 pCi/L		5.9	5.9	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-154	1.74 pCi/L		5.8	5.8	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-154	-1.35 pCi/L		4.6	4.6	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-154	6.93 pCi/L		8.1	8.1	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-154	-0.849 pCi/L		6.1	6.1	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Eu-155	-1 pCi/L		4.4	4.4	U		
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Eu-155	-1.05 pCi/L		5.9	5.9	U		
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Eu-155	1.4 pCi/L		5.5	5.5	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-155	4.97 pCi/L		5.3	5.3	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-155	2.25 pCi/L		5	5	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Eu-155	2.25 pCi/L		4.9	4.9	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-155	0.937 pCi/L		4.6	4.6	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-155	0.47 pCi/L		5.7	5.7	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-155	-1.84 pCi/L		4.1	4.1	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Eu-155	-0.508 pCi/L		3.9	3.9	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-155	-0.00428 pCi/L		4.4	4.4	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-155	1.57 pCi/L		4.5	4.5	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-155	0.792 pCi/L		3.5	3.5	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Eu-155	0.000214 pCi/L		3.4	3.4	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-155	-0.604 pCi/L		4.5	4.5	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Eu-155	1.56 pCi/L		3.6	3.6	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	K-40	-20.4 pCi/L		58	58	U		
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	K-40	-95 pCi/L		61	61	U		
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	K-40	-15 pCi/L		63	63	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	K-40	-52.4 pCi/L		55	55	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	K-40	-8.44 pCi/L		54	54	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	K-40	7.83 pCi/L		60	60	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	K-40	-19.6 pCi/L		52	52	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	K-40	-73.9 pCi/L		63	63	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	K-40	-49.4 pCi/L		57	57	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	K-40	-15.3 pCi/L		36	36	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	K-40	-52.6 pCi/L		54	54	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	K-40	-25.4 pCi/L		54	54	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	K-40	-31.1 pCi/L		38	38	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	K-40	-17 pCi/L		27	27	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	K-40	-12.7 pCi/L		54	54	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	K-40	90.6 pCi/L		41	41			
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Ru-106	12 pCi/L		21	21	U		
PNLGW	B17JR0	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Ru-106	1.54 pCi/L		27	27	U		
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03	Ru-106	-1.7 pCi/L		22	22	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ru-106	3.18 pCi/L		21	21	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ru-106	-1.76 pCi/L		21	21	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ru-106	11.3 pCi/L		19	19	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ru-106	25 pCi/L		23	23	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ru-106	6.95 pCi/L		25	25	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ru-106	14.2 pCi/L		21	21	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ru-106	-13.7 pCi/L		19	19	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Ru-106	1.19 pCi/L		20	20	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ru-106		-1.8 pCi/L		20	20	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ru-106		-3.36 pCi/L		18	18	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ru-106		-1.5 pCi/L		17	17	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Ru-106		-16.1 pCi/L		21	21	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Ru-106		-1.69 pCi/L		17	17	U		
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Sb-125		2.72 pCi/L		5.4	5.4	U		
PNLGW	B17JRO	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Sb-125		-0.037 pCi/L		5.8	5.8	U		
PNLGW	B17W23	SK-057-3		SW	N	SEEP		10-Nov-03 Sb-125		3.19 pCi/L		6.1	6.1	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb-125		-2.15 pCi/L		5.8	5.8	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb-125		-0.698 pCi/L		5.5	5.5	U		
SESPMNT	B17RJ6	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb-125		-1.8 pCi/L		6.3	6.3	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb-125		-0.0853 pCi/L		6	6	U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb-125		-1.83 pCi/L		6.2	6.2	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb-125		0.464 pCi/L		5.4	5.4	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb-125		3.72 pCi/L		4.9	4.9	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb-125		4.01 pCi/L		5.5	5.5	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb-125		3.13 pCi/L		6.1	6.1	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb-125		3.14 pCi/L		4.8	4.8	U		
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb-125		-3.26 pCi/L		5.2	5.2	U		
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sb-125		2.41 pCi/L		6.1	6.1	U		
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sb-125		0.827 pCi/L		4.8	4.8	U		
SESPMNT	B17RH9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 I-129							NO SAMPLE.	
SESPMNT	B17RL7	300 AREA SPR DR 42-2	ONSITE	SW		SEEP	UNFILTERED	13-Oct-03 I-129		0.0068 pCi/L			0.00084318			
SESPMNT	B17RJ0	300 AREA SPRING 42-2	ONSITE	SW		SEEP	UNFILTERED	13-Oct-03 I-129		0.004713 pCi/L			0.00049953			
SESPMNT	B17RK4	HANFORD SPR DR 28-2	ONSITE	SW		SEEP	UNFILTERED	03-Nov-03 I-129		0.057993 pCi/L			0.0056833			
SESPMNT	B17RK3	HANFORD SPR UR 28-2	ONSITE	SW		SEEP	UNFILTERED	03-Nov-03 I-129		0.143954 pCi/L			0.01238005			
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sr-90		0.325 pCi/L	0.033		0.058			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sr-90		0.242 pCi/L	0.026		0.043			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sr-90							NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sr-90		0.0406 pCi/L	0.059		0.063	U		
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sr-90		0.0247 pCi/L	0.04		0.041	U		
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sr-90		0.0821 pCi/L	0.057		0.059	U		
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sr-90		4.04 pCi/L	0.11		0.59			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sr-90		pCi/L				U		
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sr-90		0.335 pCi/L	0.036		0.061			
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sr-90		0.0776 pCi/L	0.028		0.031			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sr-90		13.6 pCi/L	0.18		2			
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sr-90		0.0583 pCi/L	0.02		0.023			
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Sr-90		2.77 pCi/L	0.086		0.41			
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03 Sr-90		0.248 pCi/L	0.22		0.22	U		
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03 Sr-90		0.3 pCi/L	0.2		0.2	U		
PNLGW	B17LB4	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03 Sr-90		0.0758 pCi/L	0.21		0.26	U		
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03 Tc-99		0.655 pCi/L	3.9		5.2	U		
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Tc-99							NO SAMPLE.	
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Tc-99		3.83 pCi/L		0.27	0.54			
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Tc-99		10.8 pCi/L		0.37	0.89			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Tc-99		0.24 pCi/L	0.21		0.36	U		
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Tc-99		0.296 pCi/L	0.21		0.36	U		
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Tc-99		8.86 pCi/L	0.34		0.8			
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Tc-99		13.9 pCi/L	0.4		1.1			
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03 TEMPERATUR		15.6 Deg C						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 TEMPERATUR		10.5 Deg C						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 TEMPERATUR		12.3 Deg C						
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 TEMPERATUR		13.2 Deg C						
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 TEMPERATUR		12.1 Deg C						
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03 TEMPERATUR		11.5 Deg C						
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03 TEMPERATUR		11.5 Deg C						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 TEMPERATUR		11.8 Deg C						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 TEMPERATUR		11.6 Deg C						
PNLGW	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03 TEMPERATUR		11.1 Deg C						
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03 TEMPERATUR		12 Deg C						
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 TRITIUM							NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 TRITIUM		9760 pCi/L		360	770			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 TRITIUM		10500 pCi/L		370	820			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TRITIUM							NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J22	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TRITIUM		10200 pCi/L		360	800			
SESPMNT	B17J68	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TRITIUM		5850 pCi/L		280	500			
SESPMNT	B17J70	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TRITIUM		5040 pCi/L		260	440			
SESPMNT	B17J72	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TRITIUM		1340 pCi/L		140	180			
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 TRITIUM		266 pCi/L		77	89			
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 TRITIUM		93.5 pCi/L		62	74	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	TRITIUM	2930 pCi/L		200	290			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	TRITIUM	708 pCi/L		110	130			
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	TRITIUM	88.9 pCi/L		120	120	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	TRITIUM	246 pCi/L		79	91			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	TRITIUM	14000 pCi/L		430	1100			
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	TRITIUM	13700 pCi/L		420	1000			
SESPMNT	B17J74	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	TRITIUM	-22.1 pCi/L		56	69	U		
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	U-238						NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-238	65.9 pCi/L		0.76	10			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-238	52.3 pCi/L		0.62	8.2			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	U-238						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-238	0.123 pCi/L		0.031	0.037			
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-238	0.532 pCi/L		0.097	0.13			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-238	1.23 pCi/L		0.092	0.21			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-238	0.344 pCi/L		0.048	0.072			
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-238	0.616 pCi/L		0.066	0.12			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-238	0.298 pCi/L		0.044	0.064			
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-238	0.398 pCi/L		0.047	0.078			
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	U-235						NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-235	2.8 pCi/L		0.16	0.47			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-235	2.16 pCi/L		0.13	0.36			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	U-235						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-235	0.00569 pCi/L		0.0081	0.0084	U		
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-235	0.00958 pCi/L		0.019	0.019	U		
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-235	0.0339 pCi/L		0.017	0.018			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-235	-0.00334 pCi/L		0.0096	0.0097	U		
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-235	0.0366 pCi/L		0.019	0.02			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-235	0.00878 pCi/L		0.011	0.012	U		
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-235	0.0118 pCi/L		0.011	0.011	U		
SESPMNT	B17RJ1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	U-234						NO SAMPLE.	
SESPMNT	B17RJ2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-234	69.8 pCi/L		0.78	11			
SESPMNT	B17RK1	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	U-234	57.2 pCi/L		0.65	8.9			
SESPMNT	B17J77	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	U-234						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J79	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-234	0.131 pCi/L		0.033	0.039			
SESPMNT	B17J80	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-234	0.649 pCi/L		0.11	0.15			
SESPMNT	B17RJ4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-234	1.42 pCi/L		0.098	0.24			
SESPMNT	B17RL8	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	U-234	0.417 pCi/L		0.052	0.084			
SESPMNT	B17RJ6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-234	0.805 pCi/L		0.075	0.15			
SESPMNT	B17RJ8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-234	0.507 pCi/L		0.056	0.098			
SESPMNT	B17RJ9	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	U-234	0.533 pCi/L		0.055	0.1			
SESPMNT	B17RH7	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Hg						NO SAMPLE.	
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Hg	0.0407 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Hg	0.00212 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Hg	0.00103 ug/L						
SESPMNT	B17J89	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Hg						NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Hg	0.000775 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Hg	0.000445 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Hg	0.000417 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Hg	0.000747 ug/L						
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Hg	0.000767 ug/L						
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Hg	0.00462 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Hg	0.000777 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Hg	0.00762 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Hg	0.000957 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Hg	0.000813 ug/L						
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Hg	0.000875 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03	Hg	0.000488 ug/L						
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03	Hg	0.000389 ug/L						
SESPSPEC	B180H9	100 B/C AREA OUTFL1	ONSITE	SW	Y	SEEP		17-Nov-03	Hg						NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B180J1	100 B/C AREA OUTFL3	ONSITE	SW	Y	SEEP		17-Nov-03	Hg						NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03	Hg	0.000473 ug/L						
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03	Hg	0.000725 ug/L						
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Zn	282 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Zn	18.5 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Zn	0.931 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Zn	3.66 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Zn	1.08 ug/L						
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03	Zn	0.684 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Zn	4.44 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Zn	1.44 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Zn		0.14 ug/L				U		
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Zn		0.711 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Zn		2.71 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Zn		0.434 ug/L						
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Zn		1.16 ug/L						
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Zn		1.61 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Zn		1.22 ug/L						
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Zn		7.98 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Zn		2.71 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Zn		1.85 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Zn		1.86 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Zn		1.82 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Zn		50 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Zn		0.655 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Zn		1.25 ug/L						
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Zn		0.535 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Zn		1.49 ug/L						
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Zn		1.07 ug/L						
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Zn		2.1 ug/L						
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Zn		0.903 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Zn		0.515 ug/L						
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Zn		0.664 ug/L						
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Zn		0.48 ug/L						
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Zn		0.85 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 U		2.35 ug/L						
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 U		1.72 ug/L						
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 U		0.776 ug/L						
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 U		0.121 ug/L						
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 TI		0.179 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 TI		0.0302 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 TI		0.0157 ug/L				B		
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 TI		0.0133 ug/L				B		
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 TI		0.0144 ug/L				B		
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 TI		0.009 ug/L				U	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TI		0.0103 ug/L				B		
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 TI		0.0205 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 TI		0.016 ug/L				B		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 TI		0.0158 ug/L				B		
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 TI		0.0107 ug/L				B		
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 TI		0.009 ug/L				U		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 TI		0.0861 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 TI		0.0106 ug/L				B		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 TI		0.0114 ug/L				B		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 TI		0.0114 ug/L				B		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 TI		0.01 ug/L				B		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 TI		0.01 ug/L				B		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 TI		0.00986 ug/L				B		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 TI		0.00789 ug/L				B		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 TI		0.00981 ug/L				B		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 TI		0.007 ug/L				U		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 TI		0.007 ug/L				U		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 TI		0.007 ug/L				U		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Th		0.111 ug/L				U		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Th		0.111 ug/L				U		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Th		0.111 ug/L				U		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Th		0.111 ug/L				U		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Se		2.72 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Se		3.05 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Se		3.47 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Se		3.07 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 Se		0.496 ug/L				U	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Se		0.822 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Se		0.821 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Se		1.12 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Se		0.496 ug/L				U		
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Se		0.511 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Se		0.677 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Se		0.573 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Se		0.753 ug/L						
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Se		0.781 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Se		0.45 ug/L				B		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Se		0.466 ug/L				B		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Se		0.148 ug/L				B		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Se		0.118 ug/L				B		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Se		0.982 ug/L						
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Se		1.11 ug/L						
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Se		0.537 ug/L						
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Se		0.23 ug/L				B		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Sb		0.375 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sb		0.191 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Sb		0.183 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Sb		0.181 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Sb		0.216 ug/L						
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 Sb		0.311 ug/L				C	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb		0.16 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb		0.091 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Sb		0.107 ug/L				C		
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb		0.131 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Sb		0.185 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Sb		0.16 ug/L				C		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Sb		0.164 ug/L				C		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb		0.172 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		0.175 ug/L				C		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb		0.156 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		0.17 ug/L				C		
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		0.191 ug/L				C		
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Sb		0.186 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		0.177 ug/L				C		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb		0.183 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Sb		0.168 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb		0.134 ug/L						
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Sb		0.15 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Sb		0.147 ug/L						
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Sb		0.157 ug/L						
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Sb		0.112 ug/L						
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Sb		0.129 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Sb		0.111 ug/L						
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Sb		0.157 ug/L						
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Sb		0.136 ug/L						
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Sb		0.148 ug/L						
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Pb		66 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Pb		2.43 ug/L				C		
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Pb		0.011 ug/L				U		
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Pb		0.337 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Pb		0.011 ug/L				U		
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 Pb		0.218 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Pb		0.273 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Pb		0.887 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Pb		0.011 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Pb		0.441 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Pb		0.241 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Pb		0.011 ug/L				U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Pb		0.011 ug/L				U		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Pb		0.423 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Pb		0.0157 ug/L				B		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Pb		1.16 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Pb		0.033 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Pb		0.0278 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Pb		0.374 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Pb		0.011 ug/L				U		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Pb		7.95 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Pb		0.00815 ug/L				B		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Pb		0.193 ug/L						
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Pb		0.004 ug/L				U		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Pb		0.471 ug/L						
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Pb		0.00903 ug/L				B		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Pb		0.174 ug/L						
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Pb		0.004 ug/L				U		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Pb		0.004 ug/L				U		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Pb		0.0121 ug/L				B		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Pb		0.004 ug/L				U		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Pb		0.0154 ug/L				B		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Ni		10.9 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Ni		2.63 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Ni		0.902 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Ni		1.5 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Ni		0.971 ug/L						
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 Ni		0.787 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ni		1.12 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ni		0.934 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Ni		0.821 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ni		0.781 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Ni		0.97 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Ni		0.857 ug/L						
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Ni		0.849 ug/L						
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Ni		0.784 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		1.88 ug/L						
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Ni		3.54 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		3.03 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		1.02 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Ni		0.864 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		0.761 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Ni		5.45 ug/L				C		
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Ni		1.08 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Ni		0.99 ug/L				C		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Ni		0.882 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Ni		0.983 ug/L				C		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Ni		0.718 ug/L						
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Ni		0.885 ug/L				C		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ni		0.598 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Ni		1.6 ug/L				C		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Ni		1.54 ug/L				C		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Ni		1.28 ug/L				C		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Ni		0.955 ug/L				C		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Mn		0.0758 ug/L				C		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Mn		0.185 ug/L				C		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Mn		0.114 ug/L				C		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Mn		0.037 ug/L				C		
SESPMNT	B17RH7	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 METALS ICPMS							NO SAMPLE.	
SESPMNT	B17RK9	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		10-Oct-03 METALS ICPMS							NO SAMPLE.	
SESPMNT	B17J89	100-N SPRING 199N-46	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 METALS ICPMS							NO SAMPLE. NO SEEP OBSERVED.	
SESPMNT	B17J90	100-N SPRING 199N-46	ONSITE	SW	Y	SEEP		20-Oct-03 METALS ICPMS							NO SAMPLE. NO SEEP OBSERVED.	
SESPSPEC	B180H9	100 B/C AREA OUTFL1	ONSITE	SW	Y	SEEP		17-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B180J1	100 B/C AREA OUTFL3	ONSITE	SW	Y	SEEP		17-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Cu		26.6 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Cu		2.2 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Cu		0.343 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Cu		0.882 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Cu		0.321 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03	Cu	0.437 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cu	0.731 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cu	0.465 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03	Cu	0.295 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cu	0.356 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cu	0.729 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03	Cu	0.421 ug/L						
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03	Cu	0.427 ug/L						
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cu	0.723 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cu	0.49 ug/L						
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cu	1.84 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cu	0.818 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cu	0.482 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cu	0.573 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cu	0.523 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cu	5.45 ug/L				C		
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03	Cu	1.08 ug/L				C		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cu	0.99 ug/L				C		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Cu	0.882 ug/L				C		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cu	0.983 ug/L				C		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Cu	0.718 ug/L				C		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Cu	0.54 ug/L				C		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03	Cu	0.374 ug/L				C		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03	Cu	0.51 ug/L				C		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03	Cu	0.422 ug/L				C		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03	Cu	0.342 ug/L				C		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03	Cu	0.516 ug/L				C		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Cr	63.3 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cr	6.52 ug/L				C		
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Cr	4.2 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cr	4.3 ug/L				C		
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Cr	4.96 ug/L						
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03	Cr	16.9 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cr	9.35 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cr	8.71 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03	Cr	7.4 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cr	17.1 ug/L						
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cr	41.3 ug/L						
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03	Cr	41.6 ug/L						
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03	Cr	9.02 ug/L						
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cr	10.7 ug/L						
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cr	11.6 ug/L						
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cr	52.4 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cr	56.7 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cr	33.3 ug/L						
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Cr	10 ug/L						
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03	Cr	9.38 ug/L						
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cr	10.5 ug/L				C		
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03	Cr	3.3 ug/L						
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cr	0.896 ug/L				C		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Cr	0.659 ug/L						
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Cr	0.876 ug/L				C		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Cr	0.548 ug/L						
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Cr	1.21 ug/L				C		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03	Cr	0.966 ug/L						
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03	Cr	5.09 ug/L				C		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03	Cr	6.66 ug/L				C		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03	Cr	12 ug/L				C		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03	Cr	1.85 ug/L				C		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Cd	0.689 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cd	0.0819 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Cd	0.0236 ug/L				B		
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Cd	0.0668 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Cd	0.0277 ug/L				B		
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03	Cd	0.023 ug/L				U	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cd	0.0455 ug/L				B		
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Cd	0.0262 ug/L				B		
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03	Cd	0.024 ug/L				B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Cd		0.023 ug/L				U		
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Cd		0.0346 ug/L				B		
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Cd		0.023 ug/L				U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Cd		0.029 ug/L				B		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Cd		0.0342 ug/L				B		
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		0.0309 ug/L				B		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Cd		0.0862 ug/L						
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		0.0615 ug/L						
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		0.0405 ug/L				B		
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Cd		0.0365 ug/L				B		
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		0.0277 ug/L				B		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Cd		0.348 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Cd		0.0175 ug/L				B		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Cd		0.029 ug/L				B		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Cd		0.0157 ug/L				B		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Cd		0.0197 ug/L				B		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Cd		0.0155 ug/L				B		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Cd		0.027 ug/L				B		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cd		0.0125 ug/L				B		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Cd		0.0189 ug/L				B		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Cd		0.0206 ug/L				B		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Cd		0.00958 ug/L				B		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Cd		0.0157 ug/L				B		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 Be		0.201 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Be		0.0679 ug/L				B		
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 Be		0.00987 ug/L				B		
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 Be		0.0098 ug/L				U	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Be		0.0125 ug/L				B		
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03 Be		0.0166 ug/L				B		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.0118 ug/L				B		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03 Be		0.0108 ug/L				B		
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.0098 ug/L				U		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Be		0.0945 ug/L						
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03 Be		0.0098 ug/L				U		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Be		0.0102 ug/L						
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Be		0.0098 ug/L				U		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03 Be		0.0098 ug/L				U		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03 Be		0.0098 ug/L				U		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03 Be		0.0127 ug/L						
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Be		0.0098 ug/L				U		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Be		0.0098 ug/L				U		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Be		0.0098 ug/L				U		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Be		0.0098 ug/L				U		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Be		0.0098 ug/L				U		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03 Ba		46.5 ug/L				C		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03 Ba		44.4 ug/L				C		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03 Ba		30 ug/L				C		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03 Ba		21.2 ug/L				C		
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03 As		8.51 ug/L						
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 As		1.89 ug/L						
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 As		1.61 ug/L						
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03 As		1.42 ug/L						
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03 As		1.32 ug/L						
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03 As		0.713 ug/L					BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 As		2.42 ug/L						
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 As		0.994 ug/L						
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03 As		1.06 ug/L						
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03 As		0.717 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	As	1.4	ug/L					
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03	As	1.45	ug/L					
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03	As	2.33	ug/L					
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	As	0.622	ug/L					
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03	As	0.598	ug/L					
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	As	1.03	ug/L					
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	As	0.892	ug/L					
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03	As	2.86	ug/L					
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	As	0.595	ug/L					
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03	As	0.698	ug/L					
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	As	3.07	ug/L					
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03	As	1.48	ug/L					
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	As	2.58	ug/L					
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	As	2.47	ug/L					
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	As	3.9	ug/L					
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	As	3.71	ug/L					
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	As	0.397	ug/L					
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03	As	0.348	ug/L					
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03	As	1.06	ug/L					
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03	As	1.61	ug/L					
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03	As	0.64	ug/L					
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03	As	0.319	ug/L					
SESPMNT	B17RK5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Oct-03	Ag	0.076	ug/L					
SESPMNT	B17RH8	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Ag	0.009	ug/L			U		
SESPMNT	B17RL4	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17RL5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	13-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17RL6	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		13-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J83	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		20-Oct-03	Ag	0.00974	ug/L			B	BOTTLE LEAKED WAS REBOTTLED AND SENT TO LAB FOR ANALYSES.	
SESPMNT	B17J17	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Ag	0.0726	ug/L					
SESPMNT	B17J76	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Ag	0.01	ug/L			U		
SESPMNT	B17J81	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		20-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J82	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J84	100-K SPRING 63-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J85	100-K SPRING 63-2	ONSITE	SW	Y	SEEP		20-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J88	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		20-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J91	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ag	0.01	ug/L			U		
SESPMNT	B17J92	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		27-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J93	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17J94	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17RK6	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		27-Oct-03	Ag	0.0102	ug/L			B		
SESPMNT	B17RL9	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	27-Oct-03	Ag	0.00885	ug/L			B		
SESPMNT	B17RM0	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		27-Oct-03	Ag	0.0085	ug/L			U		
SESPMNT	B17RK7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ag	0.038	ug/L			B		
SESPMNT	B17RK8	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		03-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17RL0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17RL1	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17RL2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	03-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17RL3	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		03-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17J86	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	10-Nov-03	Ag	0.00453	ug/L			B		
SESPMNT	B17J87	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03	Ag	0.004	ug/L			U		
SESPSPEC	B180H6	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		13-Nov-03	Ag	0.004	ug/L			U		
SESPSPEC	B180H7	100-B SPRING 38-3	ONSITE	SW	Y	SEEP		13-Nov-03	Ag	0.004	ug/L			U		
SESPSPEC	B180H8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		17-Nov-03	Ag	0.004	ug/L			U		
SESPSPEC	B180J0	100 B/C AREA OUTFL2	ONSITE	SW	Y	SEEP		17-Nov-03	Ag	0.004	ug/L			U		
SESPMNT	B17JN2	100-N SPRING 199N-46	ONSITE	SW	N	SEEP		15-Sep-03								
SESPMNT	B17RR9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP		10-Oct-03							NO SAMPLE. NO SEEP OBSERVED.	
SESPSPEC	B18133	100 B/C AREA OUTFL1	ONSITE	SW	N	SEEP		17-Nov-03							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B18135	100 B/C AREA OUTFL3	ONSITE	SW	N	SEEP		17-Nov-03							NO SAMPLE. NOT AVAILABLE.	
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	SULFATE	53.2	mg/L			D		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	SULFATE	47.9	mg/L			D		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	SULFATE	37.5	mg/L			CD		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	SULFATE	25	mg/L			CD		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	SULFATE	21.4	mg/L			CD		
SESPMNT	B17JN3	100-N SPRING 8-13	ONSITE	SW	N	SEEP		20-Oct-03	SULFATE	48.6	mg/L			CD		
SESPMNT	B17JN4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	SULFATE	51.5	mg/L			CD		
SESPMNT	B17JN5	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	SULFATE	12.8	mg/L			C		
SESPMNT	B17RR3	100-H SPRING 145-1	ONSITE	SW	N	SEEP		27-Oct-03	SULFATE	44.1	mg/L			CD		
SESPMNT	B17RR4	100-H SPRING 153-1	ONSITE	SW	N	SEEP		27-Oct-03	SULFATE	22.4	mg/L			CD		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	SULFATE	12.1	mg/L			D		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	SULFATE	21.5	mg/L			D		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17RR7	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	SULFATE	14.1 mg/L						
SESPMNT	B17RR8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	SULFATE	17.6 mg/L						
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	SULFATE	9.4 mg/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	SULFATE	17.2 mg/L						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	SULFATE	20.7 mg/L				D		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	SULFATE	15.8 mg/L						
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	SULFATE	14.8 mg/L						
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	SULFATE	29.7 mg/L				D		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	SULFATE	24.2 mg/L				D		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	SULFATE	9.7 mg/L						
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	SULFATE	17 mg/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	SULFATE	17.3 mg/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	SULFATE	13.6 mg/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03	SULFATE	12 mg/L						
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	SULFATE	37.4 mg/L				D		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	PHOSPHATE	0.25 mg/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	NO3-N	5.5 mg/L				D		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	NO3-N	4.8 mg/L				D		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	NO3-N	2.4 mg/L				D		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	NO3-N	1.1 mg/L				D		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	NO3-N	2.8 mg/L				D		
SESPMNT	B17JN3	100-N SPRING 8-13	ONSITE	SW	N	SEEP		20-Oct-03	NO3-N	4 mg/L				D		
SESPMNT	B17JN4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	NO3-N	2.6 mg/L				CD		
SESPMNT	B17JN5	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	NO3-N	0.41 mg/L				C		
SESPMNT	B17RR3	100-H SPRING 145-1	ONSITE	SW	N	SEEP		27-Oct-03	NO3-N	5 mg/L				CD		
SESPMNT	B17RR4	100-H SPRING 153-1	ONSITE	SW	N	SEEP		27-Oct-03	NO3-N	1.7 mg/L				CD		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	NO3-N	2.6 mg/L				D		
SESPMNT	B17RR7	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	NO3-N	1.1 mg/L				D		
SESPMNT	B17RR8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	NO3-N	1.1 mg/L				D		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	NO3-N	0.028 mg/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	NO3-N	1.2 mg/L				D		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	NO3-N	1.1 mg/L				D		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	NO3-N	0.79 mg/L						
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	NO3-N	1.3 mg/L				D		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	NO3-N	1.4 mg/L				D		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	NO3-N	0.59 mg/L						
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	NO3-N	0.1 mg/L						
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	NO3-N	0.63 mg/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	NO3-N	0.92 mg/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	NO3-N	0.66 mg/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03	NO3-N	0.38 mg/L						
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	NO3-N	5.8 mg/L				D		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JN3	100-N SPRING 8-13	ONSITE	SW	N	SEEP		20-Oct-03	NO2-N	0.013 mg/L				B		
SESPMNT	B17JN4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JN5	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR3	100-H SPRING 145-1	ONSITE	SW	N	SEEP		27-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR4	100-H SPRING 153-1	ONSITE	SW	N	SEEP		27-Oct-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR7	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17RR8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	NO2-N	0.0074 mg/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	NO2-N	0.0074 mg/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	NO2-N	0.0074 mg/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	NO2-N	0.0074 mg/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	NO2-N	0.0074 mg/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	NO2-N	0.0074 mg/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	NITRATE	0.25 mg/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	NITRATE	1.71 mg/L						
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	FLUORIDE	0.35 mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	FLUORIDE	0.26 mg/L						
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	FLUORIDE	0.22 mg/L				C		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	FLUORIDE	0.14 mg/L				C		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	FLUORIDE	0.46 mg/L				C		
SESPMNT	B17JN3	100-N SPRING 8-13	ONSITE	SW	N	SEEP		20-Oct-03	FLUORIDE	0.17 mg/L				C		
SESPMNT	B17JN4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	FLUORIDE	0.13 mg/L				C		
SESPMNT	B17JN5	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	FLUORIDE	0.092 mg/L				BC		
SESPMNT	B17RR3	100-H SPRING 145-1	ONSITE	SW	N	SEEP		27-Oct-03	FLUORIDE	0.25 mg/L				C		
SESPMNT	B17RR4	100-H SPRING 153-1	ONSITE	SW	N	SEEP		27-Oct-03	FLUORIDE	0.13 mg/L				C		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	FLUORIDE	0.25 mg/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	FLUORIDE	0.15 mg/L						
SESPMNT	B17RR7	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	FLUORIDE	0.24 mg/L						
SESPMNT	B17RR8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	FLUORIDE	0.24 mg/L						
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	FLUORIDE	0.097 mg/L				B		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	FLUORIDE	0.17 mg/L						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	FLUORIDE	0.09 mg/L				B		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	FLUORIDE	0.21 mg/L						
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	FLUORIDE	0.091 mg/L				B		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	FLUORIDE	0.17 mg/L						
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	FLUORIDE	0.15 mg/L						
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	FLUORIDE	0.089 mg/L				B		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	FLUORIDE	0.11 mg/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	FLUORIDE	0.13 mg/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	FLUORIDE	0.12 mg/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03	FLUORIDE	0.1 mg/L						
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	FLUORIDE	0.24 mg/L						
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CHLORIDE	18.3 mg/L				D		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CHLORIDE	15 mg/L				D		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	CHLORIDE	9.9 mg/L				CD		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	CHLORIDE	4.5 mg/L				C		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	CHLORIDE	7.7 mg/L				CD		
SESPMNT	B17JN3	100-N SPRING 8-13	ONSITE	SW	N	SEEP		20-Oct-03	CHLORIDE	9.9 mg/L				CD		
SESPMNT	B17JN4	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	CHLORIDE	5.8 mg/L				CD		
SESPMNT	B17JN5	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	CHLORIDE	1.6 mg/L				C		
SESPMNT	B17RR3	100-H SPRING 145-1	ONSITE	SW	N	SEEP		27-Oct-03	CHLORIDE	15.6 mg/L				CD		
SESPMNT	B17RR4	100-H SPRING 153-1	ONSITE	SW	N	SEEP		27-Oct-03	CHLORIDE	8.1 mg/L				CD		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	CHLORIDE	1.5 mg/L						
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	CHLORIDE	3.6 mg/L						
SESPMNT	B17RR7	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	CHLORIDE	2.3 mg/L						
SESPMNT	B17RR8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP		03-Nov-03	CHLORIDE	3.5 mg/L						
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CHLORIDE	0.88 mg/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	CHLORIDE	2.5 mg/L				N		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	CHLORIDE	4.5 mg/L				N		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	CHLORIDE	2 mg/L				N		
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	CHLORIDE	2 mg/L						
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	CHLORIDE	6.4 mg/L				D		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	CHLORIDE	4.4 mg/L						
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	CHLORIDE	1.1 mg/L						
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	CHLORIDE	2.5 mg/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	CHLORIDE	2.5 mg/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	CHLORIDE	2.7 mg/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03	CHLORIDE	2.2 mg/L						
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CHLORIDE	8.8 mg/L				D		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	BROMIDE	0.25 mg/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03	Zn	29.5 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	Zn	6 ug/L				B		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Zn	3.5 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03	Zn	9.9 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Zn	9.3 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03	Zn	3.6 ug/L				B		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03	Zn	3.5 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	Zn	5.4 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03	Zn	9 ug/L				B		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	Zn	11.3 ug/L				B		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03	Zn	2.7 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	Zn	2.7 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03	Zn	2.7 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	Zn	4.1 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03	Zn	2.7 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03	Zn	5 ug/L				B		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	Zn	15.5 ug/L				B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Zn		3.2 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Zn		58.2 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Zn		2.7 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Zn		3.2 ug/L				B		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Zn		2.7 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Zn		11.5 ug/L				B		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 V		4.6 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 V		5.2 ug/L				B		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 V		4.8 ug/L				B		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 V		0.9 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 V		0.97 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 V		4.6 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 V		4.6 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 V		9.2 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 V		9.7 ug/L				B		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 V		5 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 V		5 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 V		9.7 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 V		10.8 ug/L				B		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 V		5 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 V		5 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 V		6.7 ug/L				B		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 V		5 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 V		5 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 V		6 ug/L				B		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 V		5 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 V		5 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 V		5 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 V		8.1 ug/L				B		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Sr		153 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Sr		208 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sr		205 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sr		107 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Sr		108 ug/L						
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sr		111 ug/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Sr		96.4 ug/L						
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Sr		92.5 ug/L						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Sr		123 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Sr		120 ug/L						
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Sr		105 ug/L						
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Sr		111 ug/L						
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Sr		86.6 ug/L						
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Sr		85.1 ug/L						
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Sr		134 ug/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Sr		113 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Sr		112 ug/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Sr		119 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Sr		104 ug/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Sr		102 ug/L						
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Sr		102 ug/L						
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Sr		248 ug/L						
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Sb		95.4 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Sb		28.5 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Sb		28.5 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		28.5 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Sb		2.9 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		2.9 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Sb		28.5 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Sb		28.5 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Sb		39 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Sb		39 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Ni		12.9 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ni		12.9 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		12.9 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Ni		2 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		2 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ni		12.9 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ni		12.9 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Ni		14 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Na		5710 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Na		4390 ug/L				B		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Na		4340 ug/L				B		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Na		2250 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Na		2520 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Na		2420 ug/L				B		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Na		2490 ug/L				B		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Na		5320 ug/L						
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Na		4950 ug/L				B		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Na		2840 ug/L				B		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Na		2690 ug/L				B		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Na		5360 ug/L						
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Na		5670 ug/L						
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Na		2150 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Na		2130 ug/L				B		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Na		3570 ug/L				B		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Na		4320 ug/L				B		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Na		4310 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Na		4020 ug/L				B		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Na		3640 ug/L				B		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Na		2460 ug/L				B		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Na		2450 ug/L				B		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Na		11900 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Mn		0.81 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Mn		12.4 ug/L				B		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mn		0.81 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Mn		0.61 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mn		0.3 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Mn		1 ug/L				B		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mn		0.81 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Mn		5.8 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Mn		1.9 ug/L				B		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Mn		15.7 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Mn		1.5 ug/L				B		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Mn		6.5 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Mn		1.2 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Mn		9.2 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Mn		1.4 ug/L				B		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Mn		1.2 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Mn		25.6 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Mn		1.3 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Mn		74.5 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Mn		1.2 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Mn		2.9 ug/L				B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Mn		1.2 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Mn		23.6 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Mg		6960 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Mg		8670 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mg		8550 ug/L						
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Mg		3990 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mg		4450 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Mg		4640 ug/L				B		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Mg		4700 ug/L				B		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Mg		5880 ug/L						
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Mg		5580 ug/L						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Mg		5620 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Mg		5520 ug/L						
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Mg		4880 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Mg		5180 ug/L						
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Mg		4110 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Mg		4040 ug/L				B		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Mg		5610 ug/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Mg		5210 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Mg		5140 ug/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Mg		5550 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Mg		4800 ug/L				B		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Mg		4400 ug/L				B		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Mg		4350 ug/L				B		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Mg		9430 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 K		2180 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 K		2180 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 K		2180 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 K		750 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 K		838 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 K		2180 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 K		2180 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 K		3000 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 K		11800 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Fe		49.4 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Fe		292 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Fe		49.4 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Fe		45.8 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Fe		19.8 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Fe		49.4 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Fe		49.4 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Fe		80.2 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Fe		239 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Fe		79.2 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Fe		123 ug/L						
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Fe		397 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Fe		2240 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Fe		54.5 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Fe		98.2 ug/L				B		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Cu		3.2 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cu		3.2 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cu		3.2 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Cu		1.8 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cu		1.8 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cu		3.2 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cu		4 ug/L				B		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Cu		4.3 ug/L				B		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Cu		2.9 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Cr		41.1 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cr		59.2 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cr		61 ug/L						
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Cr		10 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cr		11.3 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cr		13.7 ug/L						
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cr		13.4 ug/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Cr		21.1 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Cr		14.7 ug/L						
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Cr		7.5 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Cr		8.4 ug/L				B		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Cr		5.8 ug/L				B		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Cr		7 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Cr		4.4 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Cr		7 ug/L				B		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Co		4.5 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Co		4.5 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Co		4.5 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Co		1.2 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Co		1.2 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Co		4.5 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Co		4.5 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Co		4.8 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Cd		2.5 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cd		2.5 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		2.5 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Cd		0.4 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		0.4 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Cd		2.5 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Cd		2.5 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Cd		3.3 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Ca		36900 ug/L						
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ca		40900 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ca		40600 ug/L						
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Ca		17200 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ca		19500 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ca		20200 ug/L						
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ca		20600 ug/L						
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Ca		22700 ug/L						
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Ca		21800 ug/L						
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Ca		24900 ug/L						
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Ca		24600 ug/L						
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Ca		19600 ug/L						
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Ca		20600 ug/L						
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Ca		17000 ug/L						
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ca		16600 ug/L						
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ca		28200 ug/L						
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Ca		23200 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Ca		22900 ug/L						
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Ca		23200 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Ca		21200 ug/L						
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Ca		21400 ug/L						
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Ca		21300 ug/L						
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Ca		43600 ug/L						
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Be		0.33 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Be		0.33 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.33 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Be		0.4 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.4 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Be		0.33 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Be		0.33 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Be		0.47 ug/L				B		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Be		1 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Be		0.4 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Ba		32.4 ug/L				B		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ba		54 ug/L				B		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ba		49.8 ug/L				B		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Ba		26.5 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ba		29.7 ug/L						
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ba		28.3 ug/L				B		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ba		29.1 ug/L				B		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Ba		26.9 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Ba		24.8 ug/L				B		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Ba		32.5 ug/L				B		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Ba		26.5 ug/L				B		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Ba		22.7 ug/L				B		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Ba		23.7 ug/L				B		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Ba		20.4 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ba		18.8 ug/L				B		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ba		34.8 ug/L				B		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Ba		26.7 ug/L				B		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Ba		23 ug/L				B		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Ba		52.9 ug/L				B		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Ba		27.5 ug/L				B		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Ba		21.2 ug/L				B		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Ba		20.4 ug/L				B		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Ba		49.1 ug/L				B		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 AI		95.8 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 AI		315 ug/L						
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 AI		95.8 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 AI		29.2 ug/L						
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 AI		17.3 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 AI		95.8 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 AI		95.8 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 AI		38.7 ug/L				B		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 AI		171 ug/L				B		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 AI		60.8 ug/L				B		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 AI		348 ug/L						
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 AI		2120 ug/L						
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 AI		34.2 ug/L				U		
PNLGW	B17JR1	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		20-Oct-03 Ag		3.7 ug/L				U		
PNLGW	B17JP2	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ag		3.7 ug/L				U		
PNLGW	B17JP3	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ag		3.7 ug/L				U		
PNLGW	B17JN7	100-D SPRING 110-1	ONSITE	SW	N	SEEP		27-Oct-03 Ag		0.8 ug/L				U		
PNLGW	B17JN8	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ag		0.8 ug/L				U		
PNLGW	B17JN9	100-D SPRING 102-1	ONSITE	SW	N	SEEP		27-Oct-03 Ag		3.7 ug/L				U		
PNLGW	B17JP0	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		27-Oct-03 Ag		3.7 ug/L				U		
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17W22	SK-057-3		SW	Y	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VJ7	SD-110-2		SW	Y	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK0	SD-098-1		SW	Y	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17JP9	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17LC4	100-K SPRING 68-1	ONSITE	SW	Y	SEEP		10-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK3	SH-144-1		SW	Y	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK6	100-H SPRING 150-1	ONSITE	SW	Y	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK8	SH-153-1		SW	N	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17VK9	SH-153-1		SW	Y	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
PNLGW	B17LB2	100-F SPRING	ONSITE	SW	Y	SEEP		20-Nov-03 Ag		3.1 ug/L				U		
SESPSPEC	B18133	100 B/C AREA OUTFL1	ONSITE	SW	N	SEEP		17-Nov-03							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B18135	100 B/C AREA OUTFL3	ONSITE	SW	N	SEEP		17-Nov-03							NO SAMPLE. NOT AVAILABLE.	
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03 1,1,1-T (1,1,1-Trichloroethane)		0.17 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03 1,1,1-T (1,1,1-Trichloroethane)		0.17 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03 1,1,1-T (1,1,1-Trichloroethane)		0.17 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03 1,1,1-T (1,1,1-Trichloroethane)		0.17 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1,1-T (1,1,1-Trichloroethane)	0.17 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.28 ug/L				J		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.13 ug/L				J		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				UN		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				UN		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				UN		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				UN		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1,2-T (1,1,2-Trichloroethane)	0.05 ug/L				UN		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,1-DCL (1,1-Dichloroethane)	0.2 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.23 ug/L				J		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.13 ug/L				J		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1,2-DCL (1,2-Dichloroethane)	0.08 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	14DICLBENZ (1,4-Dichlorobenzene)	0.19 ug/L				J		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1BUTANOL	4.6 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	1BUTANOL	4.6 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	ACETONE	2.3 ug/L				JB		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	ACETONE	1.3 ug/L				J		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	ACETONE	0.66 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	ACETONE	0.66 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	ACETONE	1.1 ug/L				J		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	ACETONE	0.66 ug/L				UN		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	ACETONE	0.69 ug/L				JBN		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	ACETONE	6.2 ug/L				JBN		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ACETONE	0.66 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ACETONE	0.66 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	BENZENE	0.07 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	BENZENE	0.07 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	BENZENE	0.07 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	BENZENE	0.07 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	BENZENE	0.07 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	BENZENE	0.07 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CARBIDE (Carbon disulfide)	0.43 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CARBET (Carbon tetrachloride)	0.15 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CHLOROFORM	0.92 ug/L				J		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	CHLOROFORM	0.07 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	CHLOROFORM	0.23 ug/L				J		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	CHLOROFORM	0.19 ug/L				J		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	CHLOROFORM	0.49 ug/L				J		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	CHLOROFORM	0.33 ug/L				J		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	CHLOROFORM	0.46 ug/L				J		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	CHLOROFORM	0.21 ug/L				J		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CHLOROFORM	0.07 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CHLOROFORM	0.07 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CISDCE (cis-1,2-Dichloroethylene)	0.3 ug/L				J		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	CISDCE (cis-1,2-Dichloroethylene)	0.06 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	DIOXANE	11 ug/L				U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	ETHBENZENE (Ethylbenzene)	0.14 ug/L				U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ETHBENZENE (Ethylbenzene)		0.14 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	ETHCYANIDE (Ethyl cyanide)		1.3 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	HEXONE (4-Methyl-2-Pentanone)		0.35 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	METHONE (2-Butanone)		0.29 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	METHONE (2-Butanone)		0.29 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	METHYCH (Methylenechloride)		0.3 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			UN		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	PERCENE (Tetrachloroethene)		0.17 ug/L			U		
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	TETHYDF (Tetrahydrofuran)		1.7 ug/L			U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	TETHYDF (Tetrahydrofuran)		1.7 ug/L			U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	TETHYDF (Tetrahydrofuran)		1.7 ug/L			U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	TETHYDF (Tetrahydrofuran)		1.7 ug/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TETHYDF (Tetrahydrofuran)	1.7 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	TOLUENE	0.12 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	TOLUENE	0.12 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	TOLUENE	0.12 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	TOLUENE	0.12 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	TOLUENE	0.49 ug/L				J		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TOLUENE	0.12 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TOLUENE	0.12 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	TRICELN (Trichloroethene)	0.35 ug/L				J		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	TRICELN (Trichloroethene)	0.31 ug/L				J		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	TRICELN (Trichloroethene)	0.5 ug/L				J		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	TRICELN (Trichloroethene)	0.61 ug/L				J		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	TRICELN (Trichloroethene)	2.2 ug/L						
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TRICELN (Trichloroethene)	2.2 ug/L						
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	TRICELN (Trichloroethene)	0.16 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	VINYIDE (Vinyl chloride)	0.25 ug/L				U		
PNL GW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	XYLENES	0.28 ug/L				U		
SESPSPEC	B18134	100 B/C AREA OUTFL2	ONSITE	SW	N	SEEP		17-Nov-03	XYLENES	0.28 ug/L				U		
SESPSPEC	B18138	100-B SPRING 39-2	ONSITE	SW	N	SEEP		17-Nov-03	XYLENES	0.28 ug/L				U		
SESPSPEC	B18136	100-B SPRING 37-1	ONSITE	SW	N	SEEP		13-Nov-03	XYLENES	0.28 ug/L				U		
SESPSPEC	B18137	100-B SPRING 38-3	ONSITE	SW	N	SEEP		13-Nov-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17JN1	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17RR2	100-F SPRING 207-1	ONSITE	SW	N	SEEP		03-Nov-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17JM8	100-B SPRING 37-1	ONSITE	SW	N	SEEP		20-Oct-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17JM9	100-B SPRING 39-2	ONSITE	SW	N	SEEP		20-Oct-03	XYLENES	0.66 ug/L				J		
SESPMNT	B17JN0	100-K SPRING 63-2	ONSITE	SW	N	SEEP		20-Oct-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17RR5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP		13-Oct-03	XYLENES	0.28 ug/L				U		
SESPMNT	B17RR6	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP		13-Oct-03	XYLENES	0.28 ug/L				U		
PNL GW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03	pH	6.2 pH						
PNL GW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	pH	7.3 pH						
PNL GW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	pH	7.2 pH						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	pH	7.5	pH					
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	pH	6.9	pH					
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	pH	7.6	pH					
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	pH	7.6	pH					
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	pH	6.3	pH					
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	pH	7.1	pH					
PNLGW	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03	pH	7.1	pH					
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	pH	7	pH					
PNLGW	B17L25	SEEP 037-1		SW	N	SEEP		10-Nov-03	CONDUCT	315	uS/cm					
PNLGW	B17W21	SK-057-3		SW	N	SEEP		10-Nov-03	CONDUCT	182	uS/cm					
PNLGW	B17VJ6	SD-110-2		SW	N	SEEP		10-Nov-03	CONDUCT	177	uS/cm					
PNLGW	B17VJ9	SD-098-1		SW	N	SEEP		10-Nov-03	CONDUCT	165	uS/cm					
PNLGW	B17JP8	100-K SPRING 77-1	ONSITE	SW	N	SEEP		10-Nov-03	CONDUCT	124	uS/cm					
PNLGW	B17LB5	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	CONDUCT	206	uS/cm					
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	CONDUCT	206	uS/cm					
PNLGW	B17VK2	SH-144-1		SW	N	SEEP		20-Nov-03	CONDUCT	169	uS/cm					
PNLGW	B17VK5	100-H SPRING 150-1	ONSITE	SW	N	SEEP		20-Nov-03	CONDUCT	162	uS/cm					
PNLGW	B17VL0	SH-153-1		SW	N	SEEP		20-Nov-03	CONDUCT	149	uS/cm					
PNLGW	B17LB1	100-F SPRING	ONSITE	SW	N	SEEP		20-Nov-03	CONDUCT	355	uS/cm					
PNLGW	B17JR2	100-K SPRING 63-1	ONSITE	SW	N	SEEP		20-Oct-03	C-14	608	pCi/L	13	26			
PNLGW	B17LF3	100-K SPRING 68-1	ONSITE	SW	N	SEEP		10-Nov-03	C-14	97	pCi/L	5.8	7.2			
PNLGW	B17LB2	SEEP 037-1		SW	N	SEEP		10-Nov-03	CR+6	0.0015	mg/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	ALPHA	0.606 pCi/L		0.71	0.73	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	ALPHA	0.746 pCi/L		0.82	0.84	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	ALPHA	0.38 pCi/L		0.53	0.54	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	ALPHA	1.33 pCi/L		0.94	0.98			
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	ALPHA	0.296 pCi/L		0.64	0.65	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	ALPHA	0.495 pCi/L		0.67	0.68	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	BETA	0.646 pCi/L		1.3	1.4	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	BETA	1.15 pCi/L		1.4	1.5	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	BETA	2.14 pCi/L		1.4	1.4	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	BETA	2.22 pCi/L		1.4	1.4	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	BETA	1.54 pCi/L		1.3	1.5	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	BETA	2.34 pCi/L		1.4	1.6	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Be-7	-9.18 pCi/L		21	21	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Be-7	14.3 pCi/L		21	21	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Be-7	-3.11 pCi/L		21	21	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Be-7	-14.6 pCi/L		20	20	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Be-7	5.79 pCi/L		21	21	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Be-7	-7.17 pCi/L		24	24	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	CO-60	0.623 pCi/L		2.4	2.4	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	CO-60	1.02 pCi/L		2.2	2.2	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	CO-60	-0.0732 pCi/L		2.8	2.8	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	CO-60	1.69 pCi/L		2.1	2.1	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	CO-60	1.65 pCi/L		2.6	2.6	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	CO-60	0.109 pCi/L		2.3	2.3	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Cs-134	0.881 pCi/L		3.1	3.1	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Cs-134	0.667 pCi/L		2.6	2.6	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Cs-134	1.32 pCi/L		2.3	2.3	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Cs-134	0.188 pCi/L		2.8	2.8	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Cs-134	1.75 pCi/L		2.2	2.2	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Cs-134	2.68 pCi/L		3	3	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Cs-137	1.73 pCi/L		2.5	2.5	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Cs-137	0.195 pCi/L		2.5	2.5	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Cs-137	-1.47 pCi/L		2.2	2.2	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Cs-137	-0.12 pCi/L		2.5	2.5	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Cs-137	0.689 pCi/L		2.3	2.3	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Cs-137	-1.01 pCi/L		2.6	2.6	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Eu-152	3.93 pCi/L		5.9	5.9	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Eu-152	-3 pCi/L		5.9	5.9	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-152	-2.53 pCi/L		4.5	4.5	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-152	1.48 pCi/L		6.3	6.3	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-152	0.514 pCi/L		5.4	5.4	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-152	0.356 pCi/L		6.3	6.3	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Eu-154	-1.33 pCi/L		7.1	7.1	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Eu-154	4.37 pCi/L		7.3	7.3	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-154	-0.541 pCi/L		6.8	6.8	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-154	-4.1 pCi/L		6.6	6.6	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-154	-4.24 pCi/L		7.5	7.5	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-154	-3.02 pCi/L		7.4	7.4	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Eu-155	-3.73 pCi/L		5.4	5.4	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Eu-155	-0.621 pCi/L		5.1	5.1	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-155	-3.35 pCi/L		3.8	3.8	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Eu-155	6.95 pCi/L		4.5	4.5	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-155	1.64 pCi/L		4.2	4.2	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Eu-155	0.28 pCi/L		4.7	4.7	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	K-40	-50.3 pCi/L		60	60	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	K-40	5.06 pCi/L		60	60	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	K-40	-55.9 pCi/L		49	49	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	K-40	7.53 pCi/L		58	58	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	K-40	-22.6	pCi/L	56	56	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	K-40	-55.9	pCi/L	58	58	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Ru-106	0.55	pCi/L	23	23	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Ru-106	10.7	pCi/L	23	23	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Ru-106	-9.82	pCi/L	18	18	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Ru-106	-4.9	pCi/L	22	22	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Ru-106	1.78	pCi/L	20	20	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Ru-106	22.4	pCi/L	21	21	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	SB-125	-4.07	pCi/L	6	6	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	SB-125	-3.22	pCi/L	5.5	5.5	U		
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	SB-125	0.923	pCi/L	5	5	U		
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	SB-125	-2.88	pCi/L	5.8	5.8	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	SB-125	0.629	pCi/L	4.9	4.9	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	SB-125	4.32	pCi/L	5.5	5.5	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	Sr-90	0.0882	pCi/L	0.036	0.042			
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	Sr-90	0.0828	pCi/L	0.033	0.038			
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Sr-90	0.0929	pCi/L	0.028	0.035			
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	Sr-90	0.0906	pCi/L	0.028	0.034			
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Sr-90	0.101	pCi/L	0.027	0.036			
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	Sr-90	0.0853	pCi/L	0.029	0.035			
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	LO TRITIUM	29.1	pCi/L	3	6			
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	LO TRITIUM	27.1	pCi/L	3	5.7			
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	LO TRITIUM	57.5	pCi/L	3.4	6.6			
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	LO TRITIUM	22.3	pCi/L	2.8	4.1			
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	LO TRITIUM	136	pCi/L	4.3	13			
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	LO TRITIUM	35.8	pCi/L	2.9	5.4			
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	U-234	0.239	pCi/L	0.035	0.052			
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	U-234	0.288	pCi/L	0.039	0.06			
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-234	0.286	pCi/L	0.04	0.059			
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-234	0.299	pCi/L	0.04	0.061			
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-234	0.28	pCi/L	0.039	0.059			
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-234	0.258	pCi/L	0.038	0.056			
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	U-235	0.00503	pCi/L	0.005	0.0051	U		
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	U-235	0.0105	pCi/L	0.0074	0.0076			
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-235	0.0176	pCi/L	0.01	0.011			
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-235	0.00774	pCi/L	0.0097	0.0097	U		
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-235	0.00484	pCi/L	0.0071	0.0074	U		
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-235	0.00809	pCi/L	0.008	0.0084	U		
SESPMNT	B16WK5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	05-May-03	U-238	0.176	pCi/L	0.03	0.041			
SESPMNT	B16WJ0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-May-03	U-238	0.223	pCi/L	0.034	0.049			
SESPMNT	B171K5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-238	0.211	pCi/L	0.035	0.048			
SESPMNT	B171J5	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	03-Jun-03	U-238	0.235	pCi/L	0.035	0.05			
SESPMNT	B176T1	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-238	0.243	pCi/L	0.036	0.053			
SESPMNT	B176R0	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	09-Jul-03	U-238	0.196	pCi/L	0.033	0.045			
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	-6.74	pCi/L	22	22	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	2.73	pCi/L	21	21	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	10.2	pCi/L	19	19	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	-13.6	pCi/L	31	31	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	2.13	pCi/L	22	22	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	13.6	pCi/L	18	18	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	-5.79	pCi/L	21	21	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	-2.45	pCi/L	23	23	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be-7	-13.9	pCi/L	23	23	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	2.19	pCi/L	3	3	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	3.15	pCi/L	2.8	2.8	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	0.829	pCi/L	2.5	2.5	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	1.46	pCi/L	3.3	3.3	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	-0.527	pCi/L	2.8	2.8	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	0.521 pCi/L		1.6	1.6	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	1.12 pCi/L		2.1	2.1	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	0.123 pCi/L		2.9	2.9	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CO-60	1.4 pCi/L		2.4	2.4	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	0.668 pCi/L		2.8	2.8	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	1.37 pCi/L		2.3	2.3	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	1.17 pCi/L		2.3	2.3	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	0.378 pCi/L		3.6	3.6	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	-0.636 pCi/L		2.7	2.7	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	0.863 pCi/L		1.7	1.7	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	-3.37 pCi/L		2.4	2.4	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	-0.76 pCi/L		2.8	2.8	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-134	0.276 pCi/L		2.5	2.5	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	-2.66 pCi/L		2.8	2.8	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	-2.44 pCi/L		2.3	2.3	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	1.09 pCi/L		2.3	2.3	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	0.886 pCi/L		2.4	2.4	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	1.27 pCi/L		2.6	2.6	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	0.738 pCi/L		1.7	1.7	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	-0.217 pCi/L		2.9	2.9	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	-0.0373 pCi/L		2.7	2.7	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cs-137	0.673 pCi/L		2.5	2.5	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	-1.9 pCi/L		5.9	5.9	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	-1.35 pCi/L		6.3	6.3	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	0.241 pCi/L		5	5	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	1.54 pCi/L		8.5	8.5	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	-2.29 pCi/L		5.8	5.8	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	1.85 pCi/L		4.4	4.4	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	4.78 pCi/L		6.2	6.2	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	-4.83 pCi/L		5.9	5.9	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-152	4.61 pCi/L		5.9	5.9	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-5.04 pCi/L		7.9	7.9	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-4.67 pCi/L		6.3	6.3	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-0.585 pCi/L		6.7	6.7	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-1.31 pCi/L		9	9	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-1.32 pCi/L		8.7	8.7	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	1.45 pCi/L		5.2	5.2	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	0.765 pCi/L		7.4	7.4	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-1.1 pCi/L		6.5	6.5	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-154	-1.53 pCi/L		5.3	5.3	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	-1.48 pCi/L		5.7	5.7	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	0.347 pCi/L		4.5	4.5	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	2.54 pCi/L		4.2	4.2	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	-4.72 pCi/L		6.2	6.2	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	6.49 pCi/L		5.1	5.1	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	-0.993 pCi/L		3.4	3.4	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	3.61 pCi/L		4.2	4.2	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	-1.6 pCi/L		5.2	5.2	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Eu-155	-1.94 pCi/L		4.6	4.6	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-49 pCi/L		61	61	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	15.6 pCi/L		58	58	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-73.6 pCi/L		53	53	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-60.8 pCi/L		73	73	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-82.9 pCi/L		58	58	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-6.74 pCi/L		29	29	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	9.63 pCi/L		59	59	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-48.3 pCi/L		65	65	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	K-40	-49.5 pCi/L		47	47	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	-2.22	pCi/L	21	21	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	-19.3	pCi/L	21	21	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	2.86	pCi/L	18	18	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	14.6	pCi/L	26	26	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	-7.31	pCi/L	19	19	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	1.71	pCi/L	14	14	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	14.3	pCi/L	22	22	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	11	pCi/L	22	22	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ru-106	14.6	pCi/L	21	21	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	1.34	pCi/L	5.4	5.4	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	1.96	pCi/L	5.5	5.5	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	1.46	pCi/L	4.7	4.7	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	-4.14	pCi/L	8.3	8.3	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	2.1	pCi/L	5.1	5.1	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	-1.03	pCi/L	4.1	4.1	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	-3.77	pCi/L	5.5	5.5	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	-1.04	pCi/L	5.8	5.8	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SB-125	-1.7	pCi/L	5.2	5.2	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0714	pCi/L	0.024	0.029			
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0738	pCi/L	0.022	0.028			
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0563	pCi/L	0.023	0.027			
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0736	pCi/L	0.026	0.031			
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0757	pCi/L	0.023	0.029			
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0793	pCi/L	0.023	0.03			
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0624	pCi/L	0.031	0.034			
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0709	pCi/L	0.033	0.037			
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sr-90	0.0626	pCi/L	0.025	0.029			
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.228	pCi/L	0.24	0.5	U		
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.366	pCi/L	0.25	0.51	U		
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.449	pCi/L	0.25	0.52	U		
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.349	pCi/L	0.25	0.51	U		
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.287	pCi/L	0.25	0.51	U		
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.0262	pCi/L	0.24	0.5	U		
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.155	pCi/L	0.25	0.5	U		
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.265	pCi/L	0.25	0.5	U		
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Tc-99	0.572	pCi/L	0.25	0.52	U		
SESPSPEC	B16WN0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	28.1	pCi/L	2.7	4.6			
SESPSPEC	B16WN1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	98.2	pCi/L	3.8	10			
SESPSPEC	B16WN2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	30.1	pCi/L	2.8	4.7			
SESPSPEC	B16WN3	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	31.1	pCi/L	2.8	4.8			
SESPSPEC	B16WN4	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	29.1	pCi/L	2.8	4.7			
SESPSPEC	B16WN5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	29.1	pCi/L	2.7	4.6			
SESPSPEC	B16WM7	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	29.6	pCi/L	2.7	4.7			
SESPSPEC	B16WM8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	27.3	pCi/L	2.8	4.6			
SESPSPEC	B16WM9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	LO TRITIUM	26.2	pCi/L	2.7	4.5			
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	8	mg/L			C		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	7	mg/L			C		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	8	mg/L			C		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	11	mg/L			C		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	10	mg/L			C		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	10	mg/L			C		
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	12	mg/L			C		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	14	mg/L			C		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	TSS (Total suspended solids)	12	mg/L			C		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000641	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000643	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000828	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000831	ug/L					

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000893	ug/L					
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000922	ug/L					
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000485	ug/L			B		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000449	ug/L			B		
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000454	ug/L			B		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000897	ug/L					
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000712	ug/L					
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.00091	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000637	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000712	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Hg	0.000784	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.000768	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.00109	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Hg	0.00117	ug/L					
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ag	0.0085	ug/L			U		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.54	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.35	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.66	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.38	ug/L					
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.44	ug/L					
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.47	ug/L					
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	3.08	ug/L					
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	2.97	ug/L					
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	3.27	ug/L					
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	3.08	ug/L					
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	3.04	ug/L					
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	3.09	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.67	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.98	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	As	4.9	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.84	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.82	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	As	4.71	ug/L					
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.00679	ug/L			B		
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Be	0.0782	ug/L			B		
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Be	0.066	ug/L			U		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cd	0.023	ug/L			U		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	1.86	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	1.69	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	2.08	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.729	ug/L			C		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.673	ug/L			C		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.771	ug/L			C		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	0.913	ug/L					
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	0.735	ug/L					
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	1.61	ug/L					
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.533	ug/L			C		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.61	ug/L			C		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.512	ug/L			C		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	1.99	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	2.29	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cr	2.82	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.475	ug/L			C		
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.455	ug/L			C		
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cr	0.528	ug/L			C		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	4.83	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	4.99	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	4.7	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	6.96	ug/L					
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	6.6	ug/L					
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	6.96	ug/L					
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	3.47	ug/L					
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	3.38	ug/L					
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	3.42	ug/L					
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	4.75	ug/L					
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	4.83	ug/L					
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	4.86	ug/L					

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	2.2	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	2.31	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Cu	2.2	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	2.68	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	2.75	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Cu	2.76	ug/L					
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.556	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.592	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.544	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.73	ug/L					
SESPSPEC	B16WV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.622	ug/L					
SESPSPEC	B16WV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.679	ug/L					
SESPSPEC	B16WV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.37	ug/L					
SESPSPEC	B16WV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.453	ug/L					
SESPSPEC	B16WV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.422	ug/L					
SESPSPEC	B16WV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.58	ug/L					
SESPSPEC	B16WV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.534	ug/L					
SESPSPEC	B16WV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.558	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.744	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.79	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ni	0.769	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.72	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.707	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ni	0.819	ug/L					
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0247	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.02	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0138	ug/L			B		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.201	ug/L					
SESPSPEC	B16WV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.185	ug/L					
SESPSPEC	B16WV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.19	ug/L					
SESPSPEC	B16WV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0153	ug/L			B		
SESPSPEC	B16WV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0117	ug/L			B		
SESPSPEC	B16WV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0112	ug/L			B		
SESPSPEC	B16WV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.177	ug/L					
SESPSPEC	B16WV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.177	ug/L					
SESPSPEC	B16WV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.164	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0133	ug/L			B		
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.0137	ug/L			B		
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Pb	0.011	ug/L			U		
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.0835	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.0837	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Pb	0.0872	ug/L					
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.21	ug/L					
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.188	ug/L					
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.239	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.171	ug/L					
SESPSPEC	B16WV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.188	ug/L					
SESPSPEC	B16WV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.2	ug/L					
SESPSPEC	B16WV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.163	ug/L					
SESPSPEC	B16WV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.209	ug/L					
SESPSPEC	B16WV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.193	ug/L					
SESPSPEC	B16WV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.165	ug/L					
SESPSPEC	B16WV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.159	ug/L					
SESPSPEC	B16WV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.165	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.148	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.162	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Sb	0.171	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.151	ug/L					

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.147 ug/L						
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Sb	0.15 ug/L						
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.282 ug/L				B		
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.435 ug/L				B		
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.381 ug/L				B		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.453 ug/L				B		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.393 ug/L				B		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.289 ug/L				B		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.198 ug/L				B		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.454 ug/L				B		
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	0.166 ug/L				B		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.334 ug/L				B		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.309 ug/L				B		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	0.155 ug/L				B		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	1.98 ug/L						
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	1.6 ug/L						
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Se	1.87 ug/L						
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	1.4 ug/L						
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	1.75 ug/L						
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Se	1.58 ug/L						
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Ti	0.009 ug/L				U		
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	5.77 ug/L						
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	5.93 ug/L						
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	5.75 ug/L						
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	5.88 ug/L						
SESPSPEC	B16VV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	5.83 ug/L						
SESPSPEC	B16VV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	6.07 ug/L						
SESPSPEC	B16VV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	3.06 ug/L						
SESPSPEC	B16VV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	3 ug/L						
SESPSPEC	B16VV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	2.98 ug/L						
SESPSPEC	B16VV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	3.12 ug/L						
SESPSPEC	B16VV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	3.08 ug/L						
SESPSPEC	B16VV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	3.11 ug/L						
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	8.31 ug/L						
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	8.64 ug/L						
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	U	8.56 ug/L						
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	8.67 ug/L						
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	8.62 ug/L						
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	U	8.47 ug/L						
SESPSPEC	B16WT6	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	3.03 ug/L						
SESPSPEC	B16WT7	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	3.28 ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WT8	ESQUATZEL CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	2.94	ug/L					
SESPSPEC	B16WT9	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.4	ug/L					
SESPSPEC	B16WV0	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.5	ug/L					
SESPSPEC	B16WV1	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.75	ug/L					
SESPSPEC	B16WV2	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	3.14	ug/L					
SESPSPEC	B16WV3	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	3.59	ug/L					
SESPSPEC	B16WV4	POTHOLES CANAL	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	3.07	ug/L					
SESPSPEC	B16WV5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.03	ug/L					
SESPSPEC	B16WV6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.36	ug/L					
SESPSPEC	B16WV7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	4.38	ug/L					
SESPSPEC	B16WT0	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	2.02	ug/L					
SESPSPEC	B16WT1	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	2.18	ug/L					
SESPSPEC	B16WT2	RINGOLD WASTEWAY	OFFSITE	SW	Y	IRRIGATION		14-May-03	Zn	2.5	ug/L					
SESPSPEC	B16WT3	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	2.72	ug/L					
SESPSPEC	B16WT4	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	3.23	ug/L					
SESPSPEC	B16WT5	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	Zn	2.86	ug/L					
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	17.9	mg/L			CD		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	16.5	mg/L			CD		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	16.3	mg/L			CD		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	7.2	mg/L			CD		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	7.1	mg/L			CD		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	7.1	mg/L			CD		
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	10.9	mg/L			CD		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	10.8	mg/L			CD		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	CHLORIDE	10.9	mg/L			CD		
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.38	mg/L			C		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.38	mg/L			C		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.38	mg/L			C		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.25	mg/L			C		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.25	mg/L			C		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.25	mg/L			C		
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.35	mg/L			C		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.37	mg/L			C		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	FLUORIDE	0.34	mg/L			C		
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.011	mg/L			U		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.011	mg/L			U		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.011	mg/L			U		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.012	mg/L			B		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.015	mg/L			B		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.013	mg/L			B		
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.013	mg/L			B		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.013	mg/L			B		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO2-N	0.013	mg/L			B		
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.6	mg/L			D		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.4	mg/L			D		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.4	mg/L			D		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	1.1	mg/L			D		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	1	mg/L			D		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	1	mg/L			D		
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.8	mg/L			D		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.7	mg/L			D		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	NO3-N	2.7	mg/L			D		
SESPSPEC	B170R8	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	61.9	mg/L			D		
SESPSPEC	B170R9	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	57.1	mg/L			D		
SESPSPEC	B170T0	RINGOLD WASTEWAY	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	57.1	mg/L			D		
SESPSPEC	B170R5	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	25.7	mg/L			D		
SESPSPEC	B170R6	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	26.1	mg/L			D		
SESPSPEC	B170R7	POTHOLES CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	25.4	mg/L			D		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B170R2	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	34.8	mg/L			D		
SESPSPEC	B170R3	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	34.2	mg/L			D		
SESPSPEC	B170R4	ESQUATZEL CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-May-03	SULFATE	34.7	mg/L			D		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	ALPHA	-0.309 pCi/L		0.7	0.7	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	ALPHA	208 pCi/L		28	52		POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	ALPHA	12.2 pCi/L		3.6	4.4		POND INLET	
SESPSPEC	B17142	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	19-May-03	ALPHA	0.421 pCi/L		0.96	0.97	U		
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	ALPHA	2.07 pCi/L		1.3	1.4			
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	ALPHA	-0.078 pCi/L		1.5	1.5	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	BETA	15 pCi/L		2.5	3.4		COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	BETA	273 pCi/L		18	42		POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	BETA	30.3 pCi/L		3.7	5.8		POND INLET	
SESPSPEC	B17142	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	19-May-03	BETA	14.4 pCi/L		2.2	3.1			
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	BETA	13.7 pCi/L		2.2	3.1			
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	BETA	17.5 pCi/L		3	3.8			
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Be-7	-7.61 pCi/L		20	20	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Be-7	0.463 pCi/L		24	24	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Be-7	1.88 pCi/L		23	23	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Be-7	-4.1 pCi/L		16	16	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Be-7	12.5 pCi/L		26	26	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Co-60	4.24 pCi/L		2.9	2.9	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Co-60	1.16 pCi/L		3.1	3.1	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Co-60	-0.068 pCi/L		2.9	2.9	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Co-60	-0.959 pCi/L		2.1	2.1	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Co-60	2.88 pCi/L		2.7	2.7	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Cs-134	-1.93 pCi/L		2.7	2.7	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Cs-134	0.53 pCi/L		2.9	2.9	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Cs-134	-2.63 pCi/L		2.7	2.7	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Cs-134	1.56 pCi/L		2.2	2.2	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Cs-134	0.58 pCi/L		2.3	2.3	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Cs-137	0.356 pCi/L		2.7	2.7	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Cs-137	0.938 pCi/L		2.6	2.6	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Cs-137	-0.964 pCi/L		2.6	2.6	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Cs-137	0.354 pCi/L		1.7	1.7	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Cs-137	0.56 pCi/L		2.7	2.7	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Eu-152	-5.82 pCi/L		6.4	6.4	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-152	-0.349 pCi/L		5.9	5.9	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-152	-3.68 pCi/L		6.3	6.3	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Eu-152	-0.339 pCi/L		3.5	3.5	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Eu-152	3.04 pCi/L		6.7	6.7	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Eu-154	7.29 pCi/L		8.1	8.1	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-154	-3.2 pCi/L		6.5	6.5	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-154	-3.6 pCi/L		6.9	6.9	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Eu-154	5.69 pCi/L		6.3	6.3	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Eu-154	-2.37 pCi/L		8.1	8.1	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Eu-155	-1.4 pCi/L		5.2	5.2	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-155	-1.93 pCi/L		5.6	5.6	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Eu-155	3.88 pCi/L		4.7	4.7	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Eu-155	0.787 pCi/L		3.3	3.3	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Eu-155	-0.312 pCi/L		5	5	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	K-40	-11.1 pCi/L		43	43	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	K-40	53.5 pCi/L		67	67	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	K-40	-42.2 pCi/L		55	55	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	K-40	-15.8 pCi/L		25	25	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	K-40	-26.2 pCi/L		55	55	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Ru-106	-3.09 pCi/L		24	24	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Ru-106	1.64 pCi/L		19	19	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Ru-106	-0.177 pCi/L		23	23	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Ru-106	-9.45 pCi/L		15	15	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Ru-106	-4.97 pCi/L		23	23	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	Sb-125	0.343 pCi/L		5.8	5.8	U	COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Sb-125	-1.35 pCi/L		5.8	5.8	U	POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	Sb-125	-0.321 pCi/L		5.9	5.9	U	POND INLET	
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	Sb-125	-0.37 pCi/L		4.3	4.3	U		
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	Sb-125	-0.677 pCi/L		6.5	6.5	U		
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	TRITIUM	3250 pCi/L		220	320		COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16DJ1	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	LO TRITIUM						COLLECTED AT E. WATERHOLE.	Insufficient sample for reanalysis.
SESPMNT	B16DJ2	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	11-Feb-03	LO TRITIUM	2830 pCi/L		24	470		COLLECTED FROM CONCRETE DISTRIBUTION BOX AT POND.	
SESPMNT	B16RR0	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	TRITIUM	213 pCi/L		77	87			
SESPMNT	B16RR1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	TRITIUM	3070 pCi/L		230	320		POND INLET	
SESPSPEC	B16RT1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Apr-03	TRITIUM	3230 pCi/L		230	330		POND INLET	
SESPMNT	B176P8	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	09-Jul-03	TRITIUM	12.7 pCi/L		65	78	U		
SESPMNT	B176P9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	10-Jul-03	TRITIUM	2920 pCi/L		200	290			
SESPMNT	B17R87	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	TRITIUM	164 pCi/L		68	80			
SESPMNT	B17R88	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	07-Oct-03	TRITIUM	2540 pCi/L		190	260			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be-7		-3.76	pCi/L	24	24	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be-7		-15.5	pCi/L	24	24	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be-7		2.44	pCi/L	20	20	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Be-7		-5.7	pCi/L	24	24	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be-7		8.53	pCi/L	24	24	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Be-7		23.3	pCi/L	29	29	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be-7		16.2	pCi/L	23	23	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be-7		-5.4	pCi/L	27	27	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be-7		11	pCi/L	23	23	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be-7		-2.16	pCi/L	22	22	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be-7		0.695	pCi/L	24	24	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be-7		0.422	pCi/L	23	23	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Be-7		-0.959	pCi/L	23	23	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Co-60		0.846	pCi/L	2.7	2.7	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Co-60		0.922	pCi/L	2.7	2.7	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Co-60		-0.87	pCi/L	2	2	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Co-60		0.935	pCi/L	2.8	2.8	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Co-60		-1.1	pCi/L	3	3	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Co-60		0.769	pCi/L	2.4	2.4	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Co-60		-0.73	pCi/L	2.8	2.8	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Co-60		-0.822	pCi/L	3	3	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Co-60		1.49	pCi/L	2.4	2.4	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Co-60		-0.91	pCi/L	2.3	2.3	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Co-60		2.04	pCi/L	2.5	2.5	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Co-60		-0.676	pCi/L	2.1	2.1	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Co-60		4.42	pCi/L	3.1	3.1	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-134		0.979	pCi/L	2.3	2.3	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-134		0.0251	pCi/L	2.9	2.9	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-134		-0.559	pCi/L	2.7	2.7	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		-0.497	pCi/L	2.6	2.6	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		2.52	pCi/L	2.8	2.8	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		-0.461	pCi/L	2.6	2.6	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		2.34	pCi/L	2.7	2.7	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		1.99	pCi/L	2.8	2.8	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		1.35	pCi/L	2.4	2.4	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		-0.176	pCi/L	2.4	2.4	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		1.8	pCi/L	2.8	2.8	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-134		0.456	pCi/L	2.9	2.9	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Cs-134		0.699	pCi/L	3.3	3.3	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-137		0.745	pCi/L	2.1	2.1	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-137		-0.225	pCi/L	2.6	2.6	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cs-137		-0.647	pCi/L	2.5	2.5	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		1.78	pCi/L	2.7	2.7	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		0.375	pCi/L	2.7	2.7	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		0.188	pCi/L	2.4	2.4	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		1.83	pCi/L	2.5	2.5	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		-0.655	pCi/L	2.5	2.5	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		0.363	pCi/L	2.6	2.6	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		-0.00534	pCi/L	2.3	2.3	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		0.945	pCi/L	2.4	2.4	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cs-137		0.158	pCi/L	2.7	2.7	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Cs-137		-3.15	pCi/L	2.6	2.6	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-152		3.05	pCi/L	5.8	5.8	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-152		0.0793	pCi/L	5.4	5.4	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-152		1.92	pCi/L	5.3	5.3	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		-0.772	pCi/L	5.8	5.8	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		-0.411	pCi/L	5.2	5.2	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		0.275	pCi/L	6.8	6.8	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		1.32	pCi/L	5.9	5.9	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		1.33	pCi/L	7.4	7.4	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		0.483	pCi/L	6.9	6.9	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		-2.35	pCi/L	4.5	4.5	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		1.13	pCi/L	5.2	5.2	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-152		-2.7	pCi/L	5.5	5.5	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Eu-152		-4.22	pCi/L	6.8	6.8	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-154		0.635	pCi/L	5.5	5.5	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-154		0.524	pCi/L	6.8	6.8	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-154		-1.52	pCi/L	7.7	7.7	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-1.75	pCi/L	5.7	5.7	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		0.648	pCi/L	8.2	8.2	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-5.51	pCi/L	8	8	U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-1.95	pCi/L	7	7	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		5.6	pCi/L	7.4	7.4	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		7.62	pCi/L	7.2	7.2	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-4.57	pCi/L	6.4	6.4	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-2.37	pCi/L	7.7	7.7	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-154		-1.02	pCi/L	7.3	7.3	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Eu-154		-1.08	pCi/L	7.9	7.9	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-155		-2.22	pCi/L	5.5	5.5	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-155		3.92	pCi/L	5.4	5.4	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Eu-155		2.91	pCi/L	4.4	4.4	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		4.36	pCi/L	4.9	4.9	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		2.26	pCi/L	4.9	4.9	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		-0.522	pCi/L	8.3	8.3	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		-6.81	pCi/L	5.2	5.2	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		-1.51	pCi/L	7.9	7.9	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		5.28	pCi/L	7.5	7.5	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		1.22	pCi/L	4.4	4.4	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		2.02	pCi/L	5.3	5.3	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Eu-155		1.4	pCi/L	4.3	4.3	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Eu-155		-1.13	pCi/L	5.7	5.7	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 K-40		6.5	pCi/L	63	63	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 K-40		-81.4	pCi/L	60	60	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 K-40		-26.7	pCi/L	52	52	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 K-40		6.5	pCi/L	63	63	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 K-40		22.4	pCi/L	64	64	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 K-40		-68.2	pCi/L	45	45	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 K-40		-41.6	pCi/L	64	64	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 K-40		22.9	pCi/L	55	55	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 K-40		-20.5	pCi/L	52	52	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 K-40		-64	pCi/L	50	50	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 K-40		-23.6	pCi/L	65	65	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 K-40		-19.1	pCi/L	55	55	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 K-40		-41.5	pCi/L	66	66	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ru-106		-2.66	pCi/L	21	21	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ru-106		-2.33	pCi/L	23	23	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ru-106		4.58	pCi/L	18	18	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		-10.6	pCi/L	18	18	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		-0.824	pCi/L	21	21	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		8.78	pCi/L	25	25	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		-11.4	pCi/L	24	24	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		1.28	pCi/L	22	22	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		-1.57	pCi/L	23	23	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		0.539	pCi/L	19	19	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		6.69	pCi/L	23	23	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ru-106		-0.33	pCi/L	22	22	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Ru-106		4.27	pCi/L	21	21	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb-125		1.73	pCi/L	5.9	5.9	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb-125		4.98	pCi/L	6.3	6.3	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb-125		-1.91	pCi/L	6	6	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		1.4	pCi/L	5.9	5.9	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		-0.337	pCi/L	6.1	6.1	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		-1.69	pCi/L	6.6	6.6	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		4.88	pCi/L	5.9	5.9	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		-0.487	pCi/L	6.9	6.9	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		-0.935	pCi/L	6.3	6.3	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		2.84	pCi/L	4.6	4.6	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		3.2	pCi/L	5.4	5.4	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb-125		-1.74	pCi/L	5.8	5.8	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Sb-125		0.131	pCi/L	6.1	6.1	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Pu-238		-0.0000285	pCi/L	0.0033	0.0033	U			
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Pu-239/240		0.00177	pCi/L	0.0033	0.0033	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sr-90		0.0619	pCi/L	0.029	0.033				
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sr-90		0.0733	pCi/L	0.028	0.033				
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sr-90		0.0654	pCi/L	0.026	0.031				
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0688	pCi/L	0.035	0.038				
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0545	pCi/L	0.025	0.029				
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0586	pCi/L	0.028	0.031				
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0837	pCi/L	0.032	0.038				
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0941	pCi/L	0.034	0.039				
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.11	pCi/L	0.032	0.04				
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0458	pCi/L	0.037	0.038	U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0607	pCi/L	0.029	0.032				
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sr-90		0.0651	pCi/L	0.034	0.037				
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Sr-90		0.115	pCi/L	0.022	0.029				
SESPSPEC	B17BH8	MCNARY-OREGON SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Sr-90		0.152	pCi/L	0.022	0.032				
SESPSPEC	B17BJ0	MCNARY-WASH. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 Sr-90		0.123	pCi/L	0.023	0.03				
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Tc-99		-0.0168	pCi/L	0.24	0.49	U			
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Tc-99		0.231	pCi/L	0.25	0.51	U			
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Tc-99		0.18	pCi/L	0.25	0.5	U			
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.43	pCi/L	0.25	0.52	U			
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.00389	pCi/L	0.25	0.5	U			
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.4	pCi/L	0.25	0.52	U			
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.271	pCi/L	0.25	0.51	U			
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.207	pCi/L	0.25	0.51	U			
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.241	pCi/L	0.25	0.51	U			
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.211	pCi/L	0.25	0.51	U			
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.179	pCi/L	0.25	0.51	U			
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Tc-99		0.436	pCi/L	0.25	0.52	U			
SESPSPEC	B16WL8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 LO TRITIUM		13.4	pCi/L	2.5	3.7				
SESPSPEC	B16WL9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 LO TRITIUM		13.7	pCi/L	2.5	3.7				
SESPSPEC	B16WM0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 LO TRITIUM		14.1	pCi/L	2.5	3.7				
SESPSPEC	B16WM6	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		28.1	pCi/L	3.1	4.7				
SESPSPEC	B16WM5	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		29.4	pCi/L	3.1	4.7				
SESPSPEC	B16WM4	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		29.1	pCi/L	3.1	4.7				
SESPSPEC	B16WL6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		35.2	pCi/L	3.8	5.7				
SESPSPEC	B16WL5	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		34.4	pCi/L	3.3	5.1				
SESPSPEC	B16WL7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		31.9	pCi/L	3.3	5				
SESPSPEC	B16WM1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		21.2	pCi/L	2.9	4.2				
SESPSPEC	B16WM2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		29.4	pCi/L	3.1	4.7				
SESPSPEC	B16WM3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 LO TRITIUM		19.4	pCi/L	2.9	4.1				
SESPSPEC	B16KJ0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	07-Mar-03 U-234		0.544	pCi/L	0.055	0.1		BELOW BENTON CITY		
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 U-234		0.253	pCi/L	0.038	0.055				
SESPSPEC	B16KJ0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	07-Mar-03 U-235		0.0189	pCi/L	0.011	0.012		BELOW BENTON CITY		
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 U-235		0.00349	pCi/L	0.0061	0.0064	U			
SESPSPEC	B16KJ0	YAKIMA RIVER	OFFSITE	SW	N	RIVER	07-Mar-03 U-238		0.411	pCi/L	0.048	0.082		BELOW BENTON CITY		
SESPSPEC	B17BH9	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03 U-238		0.188	pCi/L	0.033	0.044				
SESPSPEC	B17OT7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 TSS (Total suspended solids)		7	mg/L			C			
SESPSPEC	B17OT8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 TSS (Total suspended solids)		9	mg/L			C			
SESPSPEC	B17OT9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 TSS (Total suspended solids)		6	mg/L			C			
SESPSPEC	B17OR0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		4	mg/L						
SESPSPEC	B17OR1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		6	mg/L						
SESPSPEC	B17OP9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		5	mg/L						
SESPSPEC	B17OT4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		21	mg/L						
SESPSPEC	B17OT5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		22	mg/L						
SESPSPEC	B17OT6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		22	mg/L						
SESPSPEC	B17OT1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		5	mg/L						
SESPSPEC	B17OT2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		6	mg/L						
SESPSPEC	B17OT3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 TSS (Total suspended solids)		5	mg/L						
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Hg		0.000828	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Hg		0.000848	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Hg		0.000808	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Hg		0.0015	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Hg		0.00124	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Hg		0.00149	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.00107	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00182	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.00105	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00181	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.00101	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00164	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.0017	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00123	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.000583	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00111	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.000795	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00102	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.000847	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.000759	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Hg		0.00093	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00152	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.0015	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Hg		0.00147	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000485	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.00036	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000352	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000313	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000408	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000373	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000338	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000324	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000444	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000291	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000331	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000355	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000321	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Hg	0.000502	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000328	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000509	ug/L						
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000494	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000475	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.00043	ug/L						
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000354	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03	Hg	0.000399	ug/L						
SESPSPEC	B186R0	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg	0.00107	ug/L						01-D
SESPSPEC	B186R1	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg	0.00192	ug/L						04-D
SESPSPEC	B186R2	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg	0.00253	ug/L						05-D
SESPSPEC	B186R3	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg	0.00465	ug/L						06-D
SESPSPEC	B186R4	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg						NO SAMPLE.		07-D
SESPSPEC	B186R5	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	Hg						NO SAMPLE.		11-D
SESPSPEC	B180K6	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03	METALS ICPMS						NO SAMPLE.		07-D
SESPSPEC	B180K7	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03	METALS ICPMS						NO SAMPLE.		11-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	Ag	0.0085	ug/L			U			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Ag	0.004	ug/L			U			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Ag	0.004	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Ag		0.004	ug/L			U			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Ag		0.004	ug/L			U			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Ag		0.004	ug/L			U			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ag		0.0085	ug/L			U			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ag		0.0085	ug/L			U			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ag		0.0085	ug/L			U			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ag		0.0085	ug/L			U			06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 As		1.49	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 As		1.43	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 As		1.5	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 As		1.53	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 As		1.69	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 As		1.59	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 As		1.12	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 As		1.14	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 As		1.1	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 As		1.14	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 As		1.09	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 As		1.18	ug/L						
SESPSPEC	B16WN6	M McNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 As		0.841	ug/L						
SESPSPEC	B16WP1	M McNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 As		0.883	ug/L						
SESPSPEC	B16WN8	M McNARY-OR SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 As		0.888	ug/L						
SESPSPEC	B16WN9	M McNARY-OR SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 As		0.995	ug/L						
SESPSPEC	B16WN7	M McNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 As		0.8	ug/L						
SESPSPEC	B16WP0	M McNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 As		0.843	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 As		0.572	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 As		0.508	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 As		0.511	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 As		0.567	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 As		0.62	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 As		0.705	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.423	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.486	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.469	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.515	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.573	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.547	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.537	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.515	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.52	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.558	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.521	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.526	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.522	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 As		0.575	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.515	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.519	ug/L						
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.52	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.497	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.515	ug/L						
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.515	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 As		0.543	ug/L						
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		25.6	ug/L			C			
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		116	ug/L			C			
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		47.6	ug/L			C			
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		137	ug/L			C			
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		114	ug/L			C			
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		15.9	ug/L			C			
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		11.1	ug/L			C			
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		6.22	ug/L			C			
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		10.7	ug/L			C			
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		7.22	ug/L			C			
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		2.46	ug/L			C			
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		8.28	ug/L			C			
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		8.36	ug/L			C			
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 B		2.92	ug/L			C			
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		175	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		148	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		76.7	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		188	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		150	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		129	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		49.8	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		38.7	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		48.7	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		41.4	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		40.6	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		39.3	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		95.7	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ba		92.2	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		17.4	ug/L			C			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		20.7	ug/L			C			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		21	ug/L			C			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.5	ug/L			C			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		24.7	ug/L			C	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		24	ug/L			C			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.9	ug/L			C			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.3	ug/L			C			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		24.4	ug/L			C	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.7	ug/L			C			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.4	ug/L			C			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.3	ug/L			C			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.2	ug/L			C			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ba		23.8	ug/L			C			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.7	ug/L			C			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.7	ug/L			C			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.6	ug/L			C			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.7	ug/L			C			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.4	ug/L			C			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.7	ug/L			C			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Ba		23.8	ug/L			C			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ba		18.1	ug/L			C			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ba		52.7	ug/L			C			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ba		49.6	ug/L			C			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ba		27.6	ug/L			C			06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Be		0.066	ug/L			U			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0109	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0106	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.00983	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0125	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Be		0.0098	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0119	ug/L						
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03	Be	0.0098	ug/L			U			
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.0366	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.0246	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.031	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.02	ug/L			U			
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.0326	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Bi	0.0808	ug/L						
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	55000	ug/L			C			
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	58400	ug/L			C			
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	34100	ug/L			C			
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	58400	ug/L			C			
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	58600	ug/L			C			
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	56100	ug/L			C			
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	28700	ug/L			C			
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	20800	ug/L			C			
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	20000	ug/L			C			
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	19500	ug/L			C			
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	18300	ug/L			C			
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	19800	ug/L			C			
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	23300	ug/L			C			
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Ca	19000	ug/L			C			
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.221	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0484	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.194	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0481	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.344	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0462	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0748	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.049	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.216	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0767	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.127	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.024	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.0929	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03	Cd	0.2	ug/L						
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WN6	M McNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP1	M McNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.0332	ug/L			B			
SESPSPEC	B16WN8	M McNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WN9	M McNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.0259	ug/L			B			
SESPSPEC	B16WN7	M McNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP0	M McNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	Cd	0.0287	ug/L			B			
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03	Cd	0.023	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16WR1	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cd		0.023	ug/L			U			
SESPSPEC	B16WR2	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cd		0.023	ug/L			U			
SESPSPEC	B16WR3	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cd		0.023	ug/L			U			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0177	ug/L			B			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0141	ug/L			B			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0169	ug/L			B			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0147	ug/L			B			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0163	ug/L			B	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0112	ug/L			B			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0151	ug/L			B			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0145	ug/L			B			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0148	ug/L			B	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.013	ug/L			B			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0158	ug/L			B			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0163	ug/L			B			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.014	ug/L			B			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cd		0.0197	ug/L			B			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.0114	ug/L			B			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.00992	ug/L			B			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.0135	ug/L			B			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.00877	ug/L			B			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.0115	ug/L			B			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.0117	ug/L			B			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Cd		0.0103	ug/L			B			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cd		0.023	ug/L			U			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cd		0.023	ug/L			U			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cd		0.023	ug/L			U			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cd		0.023	ug/L			U			06-D
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		4.84	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		4.63	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		1.77	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		7.38	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		4.53	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		0.276	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		2.12	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		2.64	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		3.02	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		2.03	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		2.14	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		1.74	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		4.96	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Cr		7.43	ug/L						
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cr		0.413	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cr		1.05	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cr		0.876	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cr		0.611	ug/L			C			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cr		0.604	ug/L			C			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cr		0.602	ug/L			C			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.338	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.572	ug/L			C			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.444	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.562	ug/L			C			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.113	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.505	ug/L			C			
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.646	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.37	ug/L			C			
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.397	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.429	ug/L			C			
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.117	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.316	ug/L			C			
SESPSPEC	B16WP8	WALLA WALLA RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.047	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.0882	ug/L			B			
SESPSPEC	B16WR0	WALLA WALLA RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cr		0.213	ug/L			C			
SESPSPEC	B16WR1	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.681	ug/L			C			
SESPSPEC	B16WR2	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.75	ug/L			C			
SESPSPEC	B16WR3	WALLA WALLA RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cr		0.727	ug/L			C			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.234	ug/L			C			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.23	ug/L			C			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.227	ug/L			C			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.183	ug/L			C			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.427	ug/L			C	DUP IS SAMPLE #B180J4		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.395	ug/L			C			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.349	ug/L			C			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.24	ug/L			C			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.444	ug/L			C	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		1.23	ug/L			C			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.384	ug/L			C			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.379	ug/L			C			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.315	ug/L			C			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cr		0.545	ug/L			C			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.185	ug/L			C			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.203	ug/L			C			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.196	ug/L			C			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.201	ug/L			C			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.191	ug/L			C			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.171	ug/L			C			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Cr		0.213	ug/L			C			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cr		1.65	ug/L						01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cr		9.38	ug/L						04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cr		25	ug/L						05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Cr		21.4	ug/L						06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cu		1.15	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cu		1.06	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Cu		1.12	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cu		1.52	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cu		1.52	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Cu		1.57	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.505	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.755	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.521	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.748	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.501	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.784	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.622	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.798	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.63	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.827	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.626	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Cu		0.741	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.704	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.703	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Cu		0.702	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cu		1.43	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cu		1.42	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Cu		1.46	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.611	ug/L			C			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.576	ug/L			C			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.593	ug/L			C			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.629	ug/L			C			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.734	ug/L			C	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.675	ug/L			C			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.634	ug/L			C			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.631	ug/L			C			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.711	ug/L			C	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.622	ug/L			C			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.635	ug/L			C			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.636	ug/L			C			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		0.636	ug/L			C			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Cu		1.12	ug/L			C			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.601	ug/L			C			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.613	ug/L			C			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		1.25	ug/L			C			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.63	ug/L			C			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.543	ug/L			C			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.554	ug/L			C			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Cu		0.612	ug/L			C			
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.82	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.91	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.38	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		5.68	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.34	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		1.92	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.15	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.4	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.15	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.46	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.31	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		2.33	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		3.11	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Li		4.69	ug/L						
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		12100	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		13500	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		8790	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		14500	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		13700	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		11800	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		7010	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		5140	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		5000	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		4760	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		5070	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		4770	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		5820	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Mg		5710	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.641	ug/L			C			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.817	ug/L			C			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.791	ug/L			C			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.964	ug/L			C			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.56	ug/L			C	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.64	ug/L			C			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.6	ug/L			C			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.15	ug/L			C			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.51	ug/L			C	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.848	ug/L			C			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.973	ug/L			C			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.886	ug/L			C			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		0.954	ug/L			C			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Mn		1.25	ug/L			C			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.892	ug/L			C			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.874	ug/L			C			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.997	ug/L			C			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.967	ug/L			C			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.856	ug/L			C			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.916	ug/L			C			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Mn		0.896	ug/L			C			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Mn		1.46	ug/L			C			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Mn		0.249	ug/L			C			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Mn		2.13	ug/L			C			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Mn		2.94	ug/L			C			06-D
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		20300	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		25400	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		15300	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		27900	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		24900	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		20500	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		15600	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		7610	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		6090	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		11000	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		3030	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		11000	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		10500	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Na		4590	ug/L						
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.71	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		0.649	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.08	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		3.62	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		2.48	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.32	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		0.341	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.55	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.64	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.76	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		2.21	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		1.31	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		4.66	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Ni		7.12	ug/L						
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ni		0.571	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ni		0.607	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ni		0.523	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ni		0.763	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ni		0.696	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ni		0.721	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.801	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.0703	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.0303	ug/L			B			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.0838	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.0317	ug/L			B			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.102	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.297	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.348	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.268	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.291	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.357	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.305	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.159	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ni		0.181	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ni		1.78	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.439	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.431	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ni		0.486	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		0.949	ug/L			C			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.01	ug/L			C			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.08	ug/L			C			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.14	ug/L			C			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.15	ug/L			C	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.16	ug/L			C			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.11	ug/L			C			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.13	ug/L			C			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.13	ug/L			C	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.12	ug/L			C			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.2	ug/L			C			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.12	ug/L			C			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.08	ug/L			C			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ni		1.24	ug/L			C			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.09	ug/L			C			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.08	ug/L			C			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.45	ug/L			C			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.12	ug/L			C			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.08	ug/L			C			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.04	ug/L			C			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Ni		1.11	ug/L			C			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ni		0.908	ug/L						01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ni		1.33	ug/L						04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ni		1.44	ug/L						05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Ni		1.65	ug/L						06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Pb		0.0155	ug/L			B			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Pb		0.0223	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Pb		0.0212	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Pb		0.12	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Pb		0.109	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Pb		0.108	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.0126	ug/L			B			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.126	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.0171	ug/L			B			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.115	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.0196	ug/L			B			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.121	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.0111	ug/L			B			
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.124	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.0159	ug/L			B			
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.158	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.019	ug/L			B			
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.118	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.011	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.011	ug/L			U			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Pb		0.011	ug/L			U			
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.273	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.297	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Pb		0.327	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0407	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0289	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0262	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0302	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0747	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0269	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0294	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0339	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0308	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0279	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0577	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0369	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.025	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Pb		0.0342	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0333	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0191	ug/L			B			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.027	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0249	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0186	ug/L			B			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0263	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Pb		0.0218	ug/L						
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Pb		0.0251	ug/L						01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Pb		0.004	ug/L			U			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Pb		0.0107	ug/L			B			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Pb		0.0147	ug/L			B			06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Sb		0.0644	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Sb		0.0551	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Sb		0.0758	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb		0.0536	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb		0.0584	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Sb		0.0568	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.168	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.102	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.138	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.0911	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.153	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.113	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.213	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.184	ug/L						
SESPSPEC	B16WN8	MCNARY-OR SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.192	ug/L						
SESPSPEC	B16WN9	MCNARY-OR SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.166	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.178	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.177	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.0397	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.0373	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Sb		0.0442	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.0348	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.0358	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Sb		0.0289	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.188	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.182	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.182	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.177	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.18	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.184	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.188	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.231	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.176	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.196	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.194	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.182	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.192	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Sb		0.176	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.175	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.177	ug/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.183	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.177	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.186	ug/L						
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.178	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Sb		0.184	ug/L						
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		3.43	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		4.14	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		1.04	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		4.09	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		4.27	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		2.44	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		1.45	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.63	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.514	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.508	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.397	ug/L			B			
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.477	ug/L			B			
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.816	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Se		0.43	ug/L			B			
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Se		0.243	ug/L			B			
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Se		0.265	ug/L			B			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Se		0.243	ug/L			B			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.152	ug/L			B			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.24	ug/L			B			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Se		0.0801	ug/L			B			
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Se		0.11	ug/L			B			
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.466	ug/L			B			
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Se		0.238	ug/L			B			
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.397	ug/L			B			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Se		0.132	ug/L			B			
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Se		0.08	ug/L			U			
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Se		0.237	ug/L			B			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.27	ug/L			B			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.259	ug/L			B			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.233	ug/L			B			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.218	ug/L			B			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.321	ug/L			B	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.294	ug/L			B			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.301	ug/L			B			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.269	ug/L			B			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.255	ug/L			B	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.175	ug/L			B			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.184	ug/L			B			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.215	ug/L			B			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.272	ug/L			B			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Se		0.248	ug/L			B			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.229	ug/L			B			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.216	ug/L			B			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.234	ug/L			B			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.168	ug/L			B			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.216	ug/L			B			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.225	ug/L			B			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Se		0.2	ug/L			B			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Se		0.315	ug/L			C			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Se		1.63	ug/L			C			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Se		1.56	ug/L			C			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Se		1.89	ug/L			C			06-D
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.104	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.35	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.152	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.1	ug/L			U			
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.126	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.405	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 Th		0.326	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Th		0.111	ug/L			U			
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Th		0.111	ug/L			U			01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Th		0.111	ug/L			U			04-D
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Th		0.111	ug/L			U			05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 Th		0.111	ug/L			U			06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.0122	ug/L			B			
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.0136	ug/L			B			
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.0126	ug/L			B			
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.0151	ug/L			B			
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.0122	ug/L			B			
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.0117	ug/L			B			
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.009	ug/L			U			
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Ti		0.00948	ug/L			B			
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0147	ug/L			B			
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0175	ug/L			B			
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0171	ug/L			B			
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0183	ug/L			B			
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0173	ug/L			B	DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0157	ug/L			B			
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0175	ug/L			B			
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0183	ug/L			B			
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0179	ug/L			B	DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0175	ug/L			B			
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Ti		0.0184	ug/L			B			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 TI		0.0178	ug/L			B			
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 TI		0.0184	ug/L			B			
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 TI		0.0178	ug/L			B			
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0163	ug/L			B			
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0192	ug/L			B			
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0179	ug/L			B			
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0172	ug/L			B			
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0173	ug/L			B			
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0177	ug/L			B			
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 TI		0.0182	ug/L			B			
SESPSPEC	B16KT8	300 SPR 7 -1 (2.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		229	ug/L						
SESPSPEC	B16KT9	300 SPR 7 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		135	ug/L						
SESPSPEC	B16KT7	300 SPR 7 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		179	ug/L						
SESPSPEC	B16KV0	300 SPR 7 -1 (6 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		125	ug/L						
SESPSPEC	B16KV2	300 SPR 7 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		175	ug/L						
SESPSPEC	B16KV1	300 SPR 7 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		209	ug/L						
SESPSPEC	B16KV4	300 SPR 9 -1 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		120	ug/L						
SESPSPEC	B16KV5	300 SPR 9 -1 (4 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		58.1	ug/L						
SESPSPEC	B16KV3	300 SPR 9 -1 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		41.4	ug/L						
SESPSPEC	B16KV7	300 SPR 9 -2 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		66.9	ug/L						
SESPSPEC	B16KV6	300 SPR 9 -2 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		13	ug/L						
SESPSPEC	B16KV8	300 SPR 9 -2 (4.5FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		60.8	ug/L						
SESPSPEC	B16KW0	300 SPR 9 -3 (2 FT)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		81.4	ug/L						
SESPSPEC	B16KV9	300 SPR 9 -3 (4 IN)	ONSITE	SW	N	DRIVE POINT	24-Feb-03 U		36.6	ug/L						
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 U		1.55	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 U		1.45	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 U		1.5	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 U		1.54	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 U		1.56	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 U		1.59	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 U		0.713	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 U		0.76	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 U		0.709	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 U		0.766	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 U		0.716	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 U		0.772	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 U		0.715	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 U		0.734	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 U		0.724	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 U		0.73	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 U		0.714	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 U		0.691	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 U		0.371	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 U		0.372	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 U		0.385	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 U		0.429	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 U		0.435	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 U		0.435	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.387	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.45	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.462	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.5	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.554	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.532	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.529	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.498	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.537	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.526	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.5	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.504	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.493	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 U		0.509	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.483	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.506	ug/L						
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.505	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.502	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.506	ug/L						
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.502	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 U		0.509	ug/L						
SESPSPEC	B180K2	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 U		0.128	ug/L						01-D
SESPSPEC	B180K3	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 U		1.67	ug/L						04-D

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B180K4	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 U		1.04	ug/L						05-D
SESPSPEC	B180K5	Refer to WELL NAME column		GW	Y	AQUIFER TUBE	10-Dec-03 U		0.769	ug/L						06-D
SESPSPEC	B16WP2	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Zn		1.6	ug/L						
SESPSPEC	B16WP3	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Zn		1.35	ug/L						
SESPSPEC	B16WP4	YAKIMA RIVER	OFFSITE	SW	Y	RIVER	14-May-03 Zn		1.22	ug/L						
SESPSPEC	B16WP5	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Zn		2.12	ug/L						
SESPSPEC	B16WP6	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Zn		2.01	ug/L						
SESPSPEC	B16WP7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 Zn		1.7	ug/L						
SESPSPEC	B16WR5	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Zn		0.829	ug/L						
SESPSPEC	B16WR8	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 Zn		1.53	ug/L						
SESPSPEC	B16WR4	HOOD PARK-MID-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Zn		0.726	ug/L						
SESPSPEC	B16WR9	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Zn		1.26	ug/L						
SESPSPEC	B16WR6	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	Y	RIVER	15-May-03 Zn		0.611	ug/L						
SESPSPEC	B16WR7	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 Zn		1.25	ug/L						
SESPSPEC	B16WN6	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Zn		2.11	ug/L						
SESPSPEC	B16WP1	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Zn		3.44	ug/L						
SESPSPEC	B16WN8	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Zn		1.93	ug/L						
SESPSPEC	B16WN9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Zn		4.02	ug/L						
SESPSPEC	B16WN7	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	Y	RIVER	15-May-03 Zn		2.46	ug/L						
SESPSPEC	B16WP0	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 Zn		3.63	ug/L						
SESPSPEC	B16WP8	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Zn		1.45	ug/L						
SESPSPEC	B16WP9	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Zn		1.77	ug/L						
SESPSPEC	B16WR0	WALLA WALLA-RIVER	OFFSITE	SW	Y	RIVER	15-May-03 Zn		1.45	ug/L						
SESPSPEC	B16WR1	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Zn		3.17	ug/L						
SESPSPEC	B16WR2	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Zn		3.22	ug/L						
SESPSPEC	B16WR3	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 Zn		3.41	ug/L						
SESPSPEC	B180C6	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.867	ug/L						
SESPSPEC	B180C7	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.702	ug/L						
SESPSPEC	B180C8	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.677	ug/L						
SESPSPEC	B180C9	100 B/C AREA UR	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.636	ug/L						
SESPSPEC	B180D0	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		1.03	ug/L				DUP IS SAMPLE #B180J4		
SESPSPEC	B180D1	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.797	ug/L						
SESPSPEC	B180D2	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.713	ug/L						
SESPSPEC	B180D3	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.682	ug/L						
SESPSPEC	B180J4	100-B SPRING 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.981	ug/L				DUP SAMPLE FOR B180D0		
SESPSPEC	B180D4	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.585	ug/L						
SESPSPEC	B180D5	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.629	ug/L						
SESPSPEC	B180D6	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.509	ug/L						
SESPSPEC	B180D7	100-B SPRING 39-2	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.579	ug/L						
SESPSPEC	B180F9	100-B SPRING DR 38-3	ONSITE	SW	Y	RIVER	13-Nov-03 Zn		0.773	ug/L						
SESPSPEC	B180F1	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.666	ug/L						
SESPSPEC	B180F2	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.624	ug/L						
SESPSPEC	B180F3	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.705	ug/L						
SESPSPEC	B180F4	100 B/C AREA DR	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.626	ug/L						
SESPSPEC	B180D8	100 B/C AREA OUTFL1	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.508	ug/L						
SESPSPEC	B180D9	100 B/C AREA OUTFL2	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.533	ug/L						
SESPSPEC	B180F0	100 B/C AREA OUTFL3	ONSITE	SW	Y	RIVER	17-Nov-03 Zn		0.551	ug/L						
SESPSPEC	B18143	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03 ANION							NO SAMPLE.		07-D
SESPSPEC	B18143	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03 ANION							NO SAMPLE.		07-D
SESPSPEC	B170T7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 CHLORIDE		5.8	mg/L			CD			
SESPSPEC	B170T8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 CHLORIDE		5.7	mg/L			CD			
SESPSPEC	B170T9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03 CHLORIDE		5.6	mg/L			CD			
SESPSPEC	B170R0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		2.2	mg/L						
SESPSPEC	B170R1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		2.2	mg/L						
SESPSPEC	B170P9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		2	mg/L						
SESPSPEC	B170T4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.2	mg/L						
SESPSPEC	B170T5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.2	mg/L						
SESPSPEC	B170T6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.2	mg/L						
SESPSPEC	B170T1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.3	mg/L						
SESPSPEC	B170T2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.3	mg/L						
SESPSPEC	B170T3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03 CHLORIDE		3.4	mg/L						
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		1	mg/L						
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		1.1	mg/L						
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.99	mg/L						
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.93	mg/L						
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.87	mg/L						
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		1.1	mg/L						
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.94	mg/L						
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.88	mg/L						
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.86	mg/L						
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03 CHLORIDE		0.86	mg/L						

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLORIDE	0.83	mg/L						
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLORIDE	0.84	mg/L						
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLORIDE	0.86	mg/L						
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLORIDE	0.85	mg/L						
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.84	mg/L						
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.89	mg/L						
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.87	mg/L						
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.87	mg/L						
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.87	mg/L						
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.86	mg/L						
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	CHLORIDE	0.84	mg/L						
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLORIDE	2.3	mg/L						01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLORIDE	10.1	mg/L			D			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLORIDE	7.2	mg/L			D			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLORIDE	6.8	mg/L			D			06-D
SESPSPEC	B170T7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	FLUORIDE	0.19	mg/L			C			
SESPSPEC	B170T8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	FLUORIDE	0.18	mg/L			C			
SESPSPEC	B170T9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	FLUORIDE	0.18	mg/L			C			
SESPSPEC	B170R0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.11	mg/L						
SESPSPEC	B170R1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.11	mg/L						
SESPSPEC	B170P9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.11	mg/L						
SESPSPEC	B170T4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.14	mg/L						
SESPSPEC	B170T5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.13	mg/L						
SESPSPEC	B170T6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.15	mg/L						
SESPSPEC	B170T1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.2	mg/L						
SESPSPEC	B170T2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.2	mg/L						
SESPSPEC	B170T3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	FLUORIDE	0.21	mg/L						
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.094	mg/L			B			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.093	mg/L			B			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.095	mg/L			B			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.09	mg/L			B			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.089	mg/L			B			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.098	mg/L			B			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.093	mg/L			B			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.091	mg/L			B			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.093	mg/L			B			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.092	mg/L			B			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.094	mg/L			B			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.091	mg/L			B			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.092	mg/L			B			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	FLUORIDE	0.094	mg/L			B			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.09	mg/L			B			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.088	mg/L			B			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.091	mg/L			B			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.09	mg/L			B			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.088	mg/L			B			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.088	mg/L			B			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	FLUORIDE	0.089	mg/L			B			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	FLUORIDE	0.15	mg/L						01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	FLUORIDE	0.23	mg/L						04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	FLUORIDE	0.18	mg/L						05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	FLUORIDE	0.1	mg/L						06-D
SESPSPEC	B170T7	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T8	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T9	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170R0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170R1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170P9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B170T3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	NO2-N	0.011	mg/L			U			
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0081	mg/L			B			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	NO2-N	0.0074	mg/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO2-N	0.0074	mg/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO2-N	0.0074	mg/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO2-N	0.0074	mg/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO2-N	0.0074	mg/L			U			06-D
SESPSPEC	B17077	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO3-N	0.6	mg/L						
SESPSPEC	B17078	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO3-N	0.6	mg/L						
SESPSPEC	B17079	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	NO3-N	0.6	mg/L						
SESPSPEC	B170R0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.15	mg/L						
SESPSPEC	B170R1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.15	mg/L						
SESPSPEC	B170P9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.15	mg/L						
SESPSPEC	B170T4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.23	mg/L						
SESPSPEC	B170T5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.23	mg/L						
SESPSPEC	B170T6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.23	mg/L						
SESPSPEC	B170T1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.17	mg/L						
SESPSPEC	B170T2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.18	mg/L						
SESPSPEC	B170T3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	NO3-N	0.18	mg/L						
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.084	mg/L						
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.092	mg/L						
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.085	mg/L						
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.079	mg/L						
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.075	mg/L						
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.11	mg/L						
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.11	mg/L						
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.085	mg/L						
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.086	mg/L						
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.08	mg/L						
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.085	mg/L						
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.093	mg/L						
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.11	mg/L						
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	NO3-N	0.1	mg/L						
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.083	mg/L						
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.086	mg/L						
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.083	mg/L						
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.082	mg/L						
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.085	mg/L						
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.082	mg/L						
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	NO3-N	0.081	mg/L						
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO3-N	0.74	mg/L						01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO3-N	2.7	mg/L			D			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO3-N	2.5	mg/L			D			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	NO3-N	3.2	mg/L			D			06-D
SESPSPEC	B17077	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	SULFATE	13.4	mg/L						
SESPSPEC	B17078	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	SULFATE	13.6	mg/L						
SESPSPEC	B17079	YAKIMA RIVER	OFFSITE	SW	N	RIVER	14-May-03	SULFATE	13.5	mg/L						
SESPSPEC	B170R0	MCNARY MID-RIVER NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	9.2	mg/L						
SESPSPEC	B170R1	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	9.1	mg/L						
SESPSPEC	B170P9	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	9.1	mg/L						
SESPSPEC	B170T4	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	4.6	mg/L						
SESPSPEC	B170T5	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	4.6	mg/L						
SESPSPEC	B170T6	WALLA WALLA-RIVER	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	4.6	mg/L						
SESPSPEC	B170T1	HOOD PARK-FRANKLIN CO. SHORE	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	7.9	mg/L						
SESPSPEC	B170T2	HOOD PARK-MID-RIVER	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	7.9	mg/L						
SESPSPEC	B170T3	HOOD PARK-WALLA WALLA SHORE	OFFSITE	SW	N	RIVER	15-May-03	SULFATE	8	mg/L						
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.8	mg/L						
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	10.1	mg/L						
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.7	mg/L						
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.5	mg/L						

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.9	mg/L						
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.7	mg/L						
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.2	mg/L						
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	SULFATE	9.3	mg/L						
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	SULFATE	14	mg/L						01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	SULFATE	37.4	mg/L			D			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	SULFATE	37.1	mg/L			D			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	SULFATE	39.3	mg/L			D			06-D
SESPSPEC	B18144	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VOA						NO SAMPLE.		11-D
SESPSPEC	B18144	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VOA						NO SAMPLE.		11-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,1-T (1,1,1-Trichloroethane)	0.17	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L						01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,2-T (1,1,2-Trichloroethane)	0.2	ug/L			J			04-D

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1,2-T (1,1,2-Trichloroethane)	0.05	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,1-DCL (1,1-Dichloroethane)	0.2	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,2-DCL (1,2-Dichloroethane)	0.18	ug/L			J			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1,2-DCL (1,2-Dichloroethane)	0.08	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	14DICLBENZ (1,4-Dichlorobenzene)	0.11	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	1BUTANOL	4.6	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1BUTANOL	4.6	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1BUTANOL	4.6	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1BUTANOL	4.6	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	1BUTANOL	4.6	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.96	ug/L			J			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	1.7	ug/L			J			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	1	ug/L			J			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ACETONE	1.1	ug/L			J			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	1.1	ug/L			J			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	1.3	ug/L			JB			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	1.8	ug/L			JB			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	ACETONE	0.66	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ACETONE	0.66	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ACETONE	0.66	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ACETONE	0.66	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ACETONE	0.87	ug/L			J			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.14	ug/L			J			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	BENZENE	0.07	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	BENZENE	0.07	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	BENZENE	0.07	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	BENZENE	0.07	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	BENZENE	0.07	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARBIDE (Carbon disulfide)	0.43	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CARB Tet (Carbon tetrachloride)	0.15	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	CHLOROFORM	0.07	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLOROFORM	0.07	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLOROFORM	0.81	ug/L			J			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLOROFORM	1	ug/L						05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CHLOROFORM	0.2	ug/L			J			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	CISDCE (cis-1,2-Dichloroethylene)	0.06	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	ETHCYANIDE (Ethyl cyanide)	1.3	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	HEXONE (4-Methyl-2-Pentanone)	0.35	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	METHONE (2-Butanone)	0.29	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHONE (2-Butanone)	0.29	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHONE (2-Butanone)	0.29	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHONE (2-Butanone)	0.29	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHONE (2-Butanone)	0.29	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	METHYCH (Methylenechloride)	0.3	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHYCH (Methylenechloride)	0.3	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHYCH (Methylenechloride)	0.3	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHYCH (Methylenechloride)	0.3	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	METHYCH (Methylenechloride)	0.3	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	PERCENE (Tetrachloroethene)	0.17	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TETHYDF (Tetrahydrofuran)	1.7	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.2	ug/L			J			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.17	ug/L			J			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.28	ug/L			J			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.34	ug/L			J			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.52	ug/L			J			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.15	ug/L			J			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.14	ug/L			J			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.13	ug/L			J			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	TOLUENE	0.12	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TOLUENE	0.12	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TOLUENE	0.12	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TOLUENE	0.12	ug/L			U			05-D

WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TOLUENE	0.12	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRANDCE (trans-1,2-Dichloroethylene)	0.17	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTFL1	ONSITE	SW	N	SURFACE	17-Nov-03	TRICELN (Trichloroethene)	0.16	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRICELN (Trichloroethene)	0.16	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRICELN (Trichloroethene)	0.59	ug/L			J			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRICELN (Trichloroethene)	1.6	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	TRICELN (Trichloroethene)		ug/L			J			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTFL3	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTFL2	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			

ENVIRONMENTAL SURVEILLANCE DATA CY03
WATER - ASSORTED NON-ROUTINE SAMPLING EVENTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT	WELL NAME
SESPSPEC	B18149	100 B/C AREA OUTF11	ONSITE	SW	N	SURFACE	17-Nov-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	VINYIDE (Vinyl chloride)	0.25	ug/L			U			06-D
SESPSPEC	B18156	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18160	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18157	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18158	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18159	100-B SPRING 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.52	ug/L			J			
SESPSPEC	B18166	100-B SPRING DR 38-3	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18162	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18163	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18164	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18165	100-B SPRING 39-2	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18152	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18153	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18154	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18155	100 B/C AREA UR	ONSITE	SW	N	SURFACE	13-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18145	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18146	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18147	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18148	100 B/C AREA DR	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18151	100 B/C AREA OUTF13	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18150	100 B/C AREA OUTF12	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18149	100 B/C AREA OUTF11	ONSITE	SW	N	SURFACE	17-Nov-03	XYLENES	0.28	ug/L			U			
SESPSPEC	B18139	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	XYLENES	0.28	ug/L			U			01-D
SESPSPEC	B18140	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	XYLENES	0.28	ug/L			U			04-D
SESPSPEC	B18141	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	XYLENES	0.28	ug/L			U			05-D
SESPSPEC	B18142	Refer to WELL NAME column		GW	N	AQUIFER TUBE	10-Dec-03	XYLENES	0.28	ug/L			U			06-D
SESPSPEC	B17BT3	MCNARY-2/3 OR. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03	TOC (Total organic carbon)						NO SAMPLE.		
SESPSPEC	B17BT2	MCNARY-OREGON SHORE	OFFSITE	SW	N	RIVER	08-Aug-03	TOC (Total organic carbon)						NO SAMPLE.		
SESPSPEC	B17BT4	MCNARY-WASH. SHORE	OFFSITE	SW	N	RIVER	08-Aug-03	TOC (Total organic carbon)						NO SAMPLE.		

Table W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington

SAMPLE DATE	DISCHARGE CFS	DRAINAGE AREA (SQ. MI)	TURBIDITY (NTU)	BAROMETRIC PRESSURE (MM OF Hg)	OXYGEN, DISSOLVED (MG/L)	pH WATER WHOLE FIELD (STANDARD UNITS)	pH WATER WHOLE LAB (STANDARD UNITS)	SPECIFIC CONDUCTANCE LAB (μS/cm) 25 °C	SPECIFIC CONDUCTANCE (μS/cm) 25 °C	TEMPERATURE AIR (°C)
17-Apr-03	144000	96000	4	756	12.6	8	8.1	141	139	15.2
25-Sep-03	72900	96000	1.7	753	12.7	8	7.9	131	134	--
SAMPLE DATE	TEMPERATURE WATER (°C)	CALCIUM DISSOLVED (MG/L AS Ca)	MAGNESIUM, DISSOLVED (MG/L AS Mg)	ACID NEUTRALIZING CAPACITY (MG/L AS CaCO ₃)	ALKALINITY DISSOLVED FIELD (MG/L AS CaCO ₃)	BICARBONATE DISSOLVED FIELD (MG/L AS HCO ₃)	CARBONATE DISSOLVED FIELD (MG/L AS CO ₃)	CHLORIDE, DISSOLVED (MG/L AS CL)	FLUORIDE DISSOLVED (MG/L AS F)	SULFATE DISSOLVED (MG/L AS SO ₄)
17-Apr-03	7.8	18.6	4.78	60	59	71	0	1.12	<0.17	9.3
25-Sep-03	18.8	18.1	4.51	57	54	65	0	1.02	<0.2	8.8
SAMPLE DATE	SOLIDS, RESIDUE AT 180 °C DISSOLVED (MG/L)	RESIDUE TOTAL AT 105 °C SUSPENDED (MG/L)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)	NITROGEN, AMMONIA DISSOLVED (MG/L AS N)	NITROGEN, NO ₂ +NO ₃ DISSOLVED (MG/L AS N)	NITROGEN, NITRITE DISSOLVED (MG/L AS N)	ORTHOPHOSPHATE DISSOLVED (MG/L AS P)	PHOSPHORUS TOTAL (MG/L AS P)	CARBON, ORGANIC DISSOLVED (MG/L AS C)	CHROMIUM, DISSOLVED (UG/L AS Cr)
17-Apr-03	83	<10	0.14	<0.04	0.13	<0.008	<0.02	0.03 ^(a)	1.2	<0.8
25-Sep-03	86	<10	0.11	<0.04	0.06	<0.008	<0.02	<0.04	1.4	<0.8
SAMPLE DATE	IRON DISSOLVED (UG/L AS FE)	SEDIMENT SUSPENDED (MG/L)	NUMBER OF SAMPLING POINTS (COUNT)	HARDNESS, TOTAL (MG/L AS CaCO ₃)						
17-Apr-03	<10	3	5	66						
25-Sep-03	<8	1	5	64						

(a) Estimated value.

Table W-2. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pumphouse

SAMPLE DATE	DRAINAGE AREA (SQ. MI)	TURBIDITY (NTU)	BAROMETRIC PRESSURE (MM OF Hg)	OXYGEN, DISSOLVED (MG/L)	pH WATER WHOLE FIELD (STANDARD UNITS)	pH WATER WHOLE LAB (STANDARD UNITS)	SPECIFIC CONDUCTANCE LAB (µS/cm) 25 °C	SPECIFIC CONDUCTANCE (µS/cm) 25 °C	TEMPERATURE AIR (°C)	TEMPERATURE WATER (°C)	CALCIUM DISSOLVED (MG/L AS Ca)
18-Apr-03	96900	2.9	763	12.4	8.2	8	142	141	15.1	7.9	18.4
26-Sep-03	96900	3.1	755	11.7	7.9	8	134	138	28.3	18.7	17.4
SAMPLE DATE	MAGNESIUM, DISSOLVED (MG/L AS Mg)	ACID NEUTRALIZING CAPACITY (MG/L AS CaCO ₃)	ALKALINITY DISSOLVED FIELD (MG/L AS CaCO ₃)	BICARBONATE DISSOLVED FIELD (MG/L AS HCO ₃)	CARBONATE DISSOLVED FIELD (MG/L AS CO ₃)	CHLORIDE, DISSOLVED (MG/L AS CL)	FLUORIDE DISSOLVED (MG/L AS F)	SULFATE DISSOLVED (MG/L AS SO ₄)	SOLIDS, RESIDUE AT 180 °C DISSOLVED (MG/L)	RESIDUE TOTAL AT 105 °C SUSPENDED (MG/L)	NITROGEN, AMMONIA + ORGANIC TOTAL (MG/L AS N)
18-Apr-03	4.74	61	60	73	0	1.19	0.06	9.4	81	<10	0.14
26-Sep-03	4.5	58	55	68	0	1.16	<0.2	9.2	86	<10	0.11
SAMPLE DATE	NITROGEN, AMMONIA DISSOLVED (MG/L AS N)	NITROGEN, NO ₂ +NO ₃ DISSOLVED (MG/L AS N)	NITROGEN, NITRITE DISSOLVED (MG/L AS N)	ORTHOPHOSPHATE DISSOLVED (MG/L AS P)	PHOSPHORUS TOTAL (MG/L AS P)	CARBON, ORGANIC DISSOLVED (MG/L AS C)	CHROMIUM, DISSOLVED (UG/L AS Cr)	IRON DISSOLVED (UG/L AS FE)	SEDIMENT SUSPENDED (MG/L)	NUMBER OF SAMPLING POINTS (COUNT)	HARDNESS, TOTAL (MG/L AS CaCO ₃)
18-Apr-03	<0.04	0.11	<0.008	<0.02	0.03 ^(a)	1.3	<0.8	<10	2	5	66
26-Sep-03	<0.04	0.08	<0.008	<0.02	<0.04	1.5	<0.8	5 ^(a)	2	5	62

(a) Estimated value.

Drinking Water

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B15LH3	100 K AREA	ONSITE	SW	DRINKING	18-Feb-03	ALPHA	0.387	pCi/L	0.69	0.7	U		
SESPMNT	B15LH4	100 K AREA	ONSITE	SW	DRINKING	07-Apr-03	ALPHA	0.286	pCi/L	0.37	0.38	U		
SESPMNT	B15LH5	100 K AREA	ONSITE	SW	DRINKING	08-Jul-03	ALPHA	0.536	pCi/L	0.65	0.66	U		
SESPMNT	B15LH6	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	ALPHA	0.328	pCi/L	0.71	0.72	U		
SESPMNT	B15LF2	100 N AREA	ONSITE	SW	DRINKING	18-Feb-03	ALPHA	0.083	pCi/L	0.47	0.47	U		
SESPMNT	B15LF3	100 N AREA	ONSITE	SW	DRINKING	07-Apr-03	ALPHA	0.654	pCi/L	0.49	0.51	U		
SESPMNT	B15LF4	100 N AREA	ONSITE	SW	DRINKING	08-Jul-03	ALPHA	0.113	pCi/L	0.41	0.41	U		
SESPMNT	B15LF5	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	ALPHA	0.751	pCi/L	0.95	0.97	U		
SESPMNT	B15LJ4	200 W AREA	ONSITE	SW	DRINKING	18-Feb-03	ALPHA	1.28	pCi/L	0.96	1			
SESPMNT	B15LJ5	200 W AREA	ONSITE	SW	DRINKING	07-Apr-03	ALPHA	0.0297	pCi/L	0.23	0.23	U		
SESPMNT	B15LJ6	200 W AREA	ONSITE	SW	DRINKING	08-Jul-03	ALPHA	0.0556	pCi/L	0.5	0.5	U		
SESPMNT	B15LJ7	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	ALPHA	-0.00579	pCi/L	0.59	0.6	U		
SESPMNT	B15LK5	400 AREA	ONSITE	SW	DRINKING	18-Feb-03	ALPHA	1.62	pCi/L	1.4	1.4	U		
SESPMNT	B15LK6	400 AREA	ONSITE	SW	DRINKING	07-Apr-03	ALPHA	0.543	pCi/L	0.85	0.86	U		
SESPMNT	B15LK7	400 AREA	ONSITE	SW	DRINKING	08-Jul-03	ALPHA	-0.104	pCi/L	0.63	0.63	U		
SESPMNT	B15LK8	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	ALPHA	-0.432	pCi/L	0.94	0.95	U		
SESPMNT	B169B4	100 K AREA	ONSITE	SW	DRINKING	03-Mar-03	BETA	1.43	pCi/L	1.4	1.5	U		
SESPMNT	B16RN5	100 K AREA	ONSITE	SW	DRINKING	03-Jun-03	BETA	1.82	pCi/L	1.4	1.4	U		
SESPMNT	B176L4	100 K AREA	ONSITE	SW	DRINKING	02-Sep-03	BETA	2.24	pCi/L	1.4	1.4	U		
SESPMNT	B17R72	100 K AREA	ONSITE	SW	DRINKING	01-Dec-03	BETA	0.149	pCi/L	1.6	1.7	U		
SESPMNT	B16999	100 N AREA	ONSITE	SW	DRINKING	03-Mar-03	BETA	2.58	pCi/L	1.5	1.6	U		
SESPMNT	B16RN0	100 N AREA	ONSITE	SW	DRINKING	03-Jun-03	BETA	1.25	pCi/L	1.3	1.3	U		
SESPMNT	B176K9	100 N AREA	ONSITE	SW	DRINKING	02-Sep-03	BETA	1.09	pCi/L	1.4	1.4	U		
SESPMNT	B17R67	100 N AREA	ONSITE	SW	DRINKING	01-Dec-03	BETA	-0.158	pCi/L	1.7	1.8	U		
SESPMNT	B169B9	200 W AREA	ONSITE	SW	DRINKING	03-Mar-03	BETA	2.86	pCi/L	1.5	1.7			
SESPMNT	B16RP0	200 W AREA	ONSITE	SW	DRINKING	03-Jun-03	BETA	1.82	pCi/L	1.3	1.3	U		
SESPMNT	B176L9	200 W AREA	ONSITE	SW	DRINKING	02-Sep-03	BETA	0.911	pCi/L	1.3	1.3	U		
SESPMNT	B17R77	200 W AREA	ONSITE	SW	DRINKING	01-Dec-03	BETA	-0.632	pCi/L	1.6	1.7	U		
SESPMNT	B169C4	400 AREA	ONSITE	SW	DRINKING	03-Mar-03	BETA	6.75	pCi/L	1.8	2.1			
SESPMNT	B16RP5	400 AREA	ONSITE	SW	DRINKING	03-Jun-03	BETA	6.57	pCi/L	1.7	1.9			
SESPMNT	B176M4	400 AREA	ONSITE	SW	DRINKING	02-Sep-03	BETA	7.39	pCi/L	1.8	2.1			
SESPMNT	B17R82	400 AREA	ONSITE	SW	DRINKING	01-Dec-03	BETA	7.3	pCi/L	2.6	2.8			
SESPMNT	B15LH3	100 K AREA	ONSITE	SW	DRINKING	18-Feb-03	I-131	0.0453	pCi/L	0.41	0.41	U		
SESPMNT	B15LH4	100 K AREA	ONSITE	SW	DRINKING	07-Apr-03	I-131	0.0817	pCi/L	0.31	0.31	U		
SESPMNT	B15LH5	100 K AREA	ONSITE	SW	DRINKING	08-Jul-03	I-131	-0.256	pCi/L	0.37	0.37	U		
SESPMNT	B15LH6	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	I-131	0.327	pCi/L	0.38	0.38	U		
SESPMNT	B15LF2	100 N AREA	ONSITE	SW	DRINKING	18-Feb-03	I-131	0.215	pCi/L	0.38	0.38	U		
SESPMNT	B15LF3	100 N AREA	ONSITE	SW	DRINKING	07-Apr-03	I-131	-0.146	pCi/L	0.42	0.42	U		
SESPMNT	B15LF4	100 N AREA	ONSITE	SW	DRINKING	08-Jul-03	I-131	0.0189	pCi/L	0.31	0.31	U		
SESPMNT	B15LF5	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	I-131	-0.0655	pCi/L	0.37	0.37	U		
SESPMNT	B15LJ4	200 W AREA	ONSITE	SW	DRINKING	18-Feb-03	I-131	0.0416	pCi/L	0.4	0.4	U		
SESPMNT	B15LJ5	200 W AREA	ONSITE	SW	DRINKING	07-Apr-03	I-131	0.427	pCi/L	0.49	0.49	U		
SESPMNT	B15LJ6	200 W AREA	ONSITE	SW	DRINKING	08-Jul-03	I-131	0.0749	pCi/L	0.33	0.33	U		
SESPMNT	B15LJ7	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	I-131	-0.088	pCi/L	0.42	0.42	U		
SESPMNT	B15LK5	400 AREA	ONSITE	SW	DRINKING	18-Feb-03	I-131	-0.027	pCi/L	0.44	0.44	U		
SESPMNT	B15LK6	400 AREA	ONSITE	SW	DRINKING	07-Apr-03	I-131	0.0658	pCi/L	0.37	0.37	U		
SESPMNT	B15LK7	400 AREA	ONSITE	SW	DRINKING	08-Jul-03	I-131	0.104	pCi/L	0.4	0.4	U		
SESPMNT	B15LK8	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	I-131	-0.104	pCi/L	0.43	0.43	U		
SESPMNT	B15LH3	100 K AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-226	0.0332	pCi/L	0.012	0.014			
SESPMNT	B15LH4	100 K AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-226	0.0549	pCi/L	0.012	0.016			
SESPMNT	B15LH5	100 K AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-226	0.0416	pCi/L	0.014	0.016			
SESPMNT	B15LH6	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-226	0.0221	pCi/L	0.012	0.013			
SESPMNT	B15LF2	100 N AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-226	0.0291	pCi/L	0.014	0.015			
SESPMNT	B15LF3	100 N AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-226	0.0307	pCi/L	0.015	0.016			
SESPMNT	B15LF4	100 N AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-226	0.0578	pCi/L	0.016	0.02			
SESPMNT	B15LF5	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-226	0.0469	pCi/L	0.013	0.016			
SESPMNT	B15LJ4	200 W AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-226	0.043	pCi/L	0.012	0.014			
SESPMNT	B15LJ5	200 W AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-226	0.0557	pCi/L	0.015	0.019			

ENVIRONMENTAL SURVEILLANCE DATA CY03

WATER - DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B15LJ6	200 W AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-226	0.0843	pCi/L	0.02	0.026			
SESPMNT	B15LJ7	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-226	0.0622	pCi/L	0.014	0.019			
SESPMNT	B15LK5	400 AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-226	0.0215	pCi/L	0.0074	0.0085			
SESPMNT	B15LK6	400 AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-226	0.0319	pCi/L	0.015	0.017			
SESPMNT	B15LK7	400 AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-226	0.0956	pCi/L	0.019	0.026			
SESPMNT	B15LK8	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-226	0.0251	pCi/L	0.014	0.014			
SESPMNT	B15LH3	100 K AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-228	0.337	pCi/L	0.22	0.23	U		
SESPMNT	B15LH4	100 K AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-228	0.311	pCi/L	0.2	0.21	U		
SESPMNT	B15LH5	100 K AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-228	0.315	pCi/L	0.31	0.32	U		
SESPMNT	B15LH6	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-228	1.04	pCi/L	0.36	0.41			
SESPMNT	B15LF2	100 N AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-228	0.358	pCi/L	0.2	0.21			
SESPMNT	B15LF3	100 N AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-228	0.5	pCi/L	0.21	0.23			
SESPMNT	B15LF4	100 N AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-228	0.00591	pCi/L	0.3	0.3	U		
SESPMNT	B15LF5	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-228	0.562	pCi/L	0.34	0.35	U		
SESPMNT	B15LJ4	200 W AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-228	0.122	pCi/L	0.28	0.28	U		
SESPMNT	B15LJ5	200 W AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-228	0.788	pCi/L	0.25	0.3			
SESPMNT	B15LJ6	200 W AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-228	0.0313	pCi/L	0.33	0.33	U		
SESPMNT	B15LJ7	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-228	0.547	pCi/L	0.33	0.35	U		
SESPMNT	B15LK5	400 AREA	ONSITE	SW	DRINKING	18-Feb-03	Ra-228	0.26	pCi/L	0.26	0.27	U		
SESPMNT	B15LK6	400 AREA	ONSITE	SW	DRINKING	07-Apr-03	Ra-228	0.332	pCi/L	0.2	0.21	U		
SESPMNT	B15LK7	400 AREA	ONSITE	SW	DRINKING	08-Jul-03	Ra-228	0.266	pCi/L	0.43	0.43	U		
SESPMNT	B15LK8	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	Ra-228	0.54	pCi/L	0.3	0.32	U		
SESPMNT	B15LH1	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	Sr-90	0.0736	pCi/L	0.023	0.026			
SESPMNT	B15LF0	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	Sr-90	0.0981	pCi/L	0.022	0.026			
SESPMNT	B15LJ2	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	Sr-90	0.0908	pCi/L	0.033	0.036			
SESPMNT	B15LK3	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	Sr-90	-0.0014	pCi/L	0.036	0.036	U		
SESPMNT	B15LH1	100 K AREA	ONSITE	SW	DRINKING	07-Oct-03	TRITIUM	-0.943	pCi/L	68	84	U		
SESPMNT	B15LF0	100 N AREA	ONSITE	SW	DRINKING	07-Oct-03	TRITIUM	148	pCi/L	79	94			
SESPMNT	B15LJ2	200 W AREA	ONSITE	SW	DRINKING	07-Oct-03	TRITIUM	164	pCi/L	88	100			
SESPMNT	B15LK5	400 AREA	ONSITE	SW	DRINKING	18-Feb-03	TRITIUM	3190	pCi/L	230	330			
SESPMNT	B15LK6	400 AREA	ONSITE	SW	DRINKING	07-Apr-03	TRITIUM	3250	pCi/L	240	340			
SESPMNT	B15LK7	400 AREA	ONSITE	SW	DRINKING	08-Jul-03	TRITIUM	3520	pCi/L	220	330			
SESPMNT	B15LK8	400 AREA	ONSITE	SW	DRINKING	07-Oct-03	TRITIUM	3440	pCi/L	210	330			
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	TRITIUM	15.7	pCi/L	54	61	U		
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	C-14	-3.5	pCi/L	3.1	3.6	U		
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	I-129	0.0222	pCi/L	0.092	0.092	U		
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	Tc-99	0.478	pCi/L	0.25	0.55	U		
SESPSPEC	B16KH6	BENTON CITY COMP	COMMUNITY	SW	DRINKING	07-Mar-03	U-234	7.8	pCi/L	0.19	1.3			
SESPSPEC	B16KH6	BENTON CITY COMP	COMMUNITY	SW	DRINKING	07-Mar-03	U-235	0.182	pCi/L	0.03	0.042			
SESPSPEC	B16KH6	BENTON CITY COMP	COMMUNITY	SW	DRINKING	07-Mar-03	U-238	5.07	pCi/L	0.15	0.82			
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	U-238	-0.00283	pCi/L	0.01	0.011	U		
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	U-235	-0.00465	pCi/L	0.0026	0.0032	U		
SESPSPEC	B17997	LIGO	ONSITE	SW	DRINKING	24-Jul-03	U-234	-0.0094	pCi/L	0.013	0.013	U		

Biota

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Be-7		2.37	pCi/g	0.37	0.37		WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Be-7		1.49	pCi/g	0.29	0.29			
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Be-7		1.75	pCi/g	0.34	0.34		CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Be-7		1.48	pCi/g	0.29	0.29			
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Co-60		0.00348	pCi/g	0.015	0.015	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Co-60		-0.00828	pCi/g	0.012	0.012	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Co-60		0.00182	pCi/g	0.019	0.019	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Co-60		0.0122	pCi/g	0.015	0.015	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Cs-134		-0.0017	pCi/g	0.013	0.013	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Cs-134		0.00685	pCi/g	0.012	0.012	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Cs-134		0.00704	pCi/g	0.019	0.019	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Cs-134		0.0104	pCi/g	0.014	0.014	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Cs-137		0.00312	pCi/g	0.011	0.011	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Cs-137		0.00152	pCi/g	0.01	0.01	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Cs-137		0.00657	pCi/g	0.016	0.016	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Cs-137		0.0067	pCi/g	0.012	0.012	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Eu-152		0.00796	pCi/g	0.025	0.025	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Eu-152		-0.019	pCi/g	0.025	0.025	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Eu-152		-0.0282	pCi/g	0.039	0.039	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Eu-152		-0.0144	pCi/g	0.027	0.027	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Eu-154		-0.031	pCi/g	0.052	0.052	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Eu-154		-0.0153	pCi/g	0.041	0.041	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Eu-154		-0.0114	pCi/g	0.067	0.067	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Eu-154		0.00652	pCi/g	0.05	0.05	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Eu-155		-0.0153	pCi/g	0.025	0.025	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Eu-155		-0.00156	pCi/g	0.02	0.02	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Eu-155		0.0419	pCi/g	0.047	0.047	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Eu-155		0.0197	pCi/g	0.023	0.023	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 K-40		34.6	pCi/g	4.2	4.2		WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 K-40		15.2	pCi/g	2.1	2.1			
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 K-40		29.3	pCi/g	4	4		CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 K-40		27.9	pCi/g	3.7	3.7			
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Ru-106		-0.0359	pCi/g	0.095	0.095	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Ru-106		-0.0623	pCi/g	0.082	0.082	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Ru-106		-0.0957	pCi/g	0.14	0.14	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Ru-106		-0.0408	pCi/g	0.1	0.1	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Sb-125		-0.00436	pCi/g	0.026	0.026	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Sb-125		-0.0132	pCi/g	0.023	0.023	U		
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Sb-125		-0.0103	pCi/g	0.038	0.038	U	CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Sb-125		0.0243	pCi/g	0.028	0.028	U		
SESPMNT	B16W76	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	22-Apr-03 Sr-90		0.037	pCi/g	0.039	0.039	U	WET CUT FROM FIELD.	
SESPMNT	B16W67	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	09-May-03 Sr-90		0.0978	pCi/g	0.018	0.027			
SESPMNT	B16W65	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	25-Apr-03 Sr-90		0.0362	pCi/g	0.017	0.019		CUT FROM OUTER EDGE OF CIRCLE, WET.	
SESPMNT	B16W72	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	01-May-03 Sr-90		0.064	pCi/g	0.024	0.027			
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03 Be-7		-0.0034	pCi/g	0.047	0.047	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03 Be-7		0.0295	pCi/g	0.047	0.047	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03 Be-7		-0.0116	pCi/g	0.038	0.038	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03 Be-7		-0.0224	pCi/g	0.054	0.054	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03 Co-60		-0.00254	pCi/g	0.0053	0.0053	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03 Co-60		0.00231	pCi/g	0.0058	0.0058	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03 Co-60		0.00118	pCi/g	0.0042	0.0042	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03 Co-60		0.00783	pCi/g	0.0066	0.0066	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03 Cs-134		0.00655	pCi/g	0.0056	0.0056	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03 Cs-134		-0.00141	pCi/g	0.006	0.006	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03 Cs-134		0.000891	pCi/g	0.0051	0.0051	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03 Cs-134		0.00775	pCi/g	0.0061	0.0061	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03 Cs-137		-0.000702	pCi/g	0.0054	0.0054	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Cs-137	0.0051	pCi/g	0.0055	0.0055	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Cs-137	0.00399	pCi/g	0.0043	0.0043	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Cs-137	0.00301	pCi/g	0.0062	0.0062	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Eu-152	0.000981	pCi/g	0.014	0.014	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Eu-152	-0.00262	pCi/g	0.013	0.013	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Eu-152	0.00471	pCi/g	0.01	0.01	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Eu-152	0.000641	pCi/g	0.014	0.014	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Eu-154	-0.00174	pCi/g	0.015	0.015	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Eu-154	-0.00387	pCi/g	0.016	0.016	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Eu-154	0.00353	pCi/g	0.014	0.014	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Eu-154	-0.0125	pCi/g	0.018	0.018	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Eu-155	-0.005	pCi/g	0.011	0.011	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Eu-155	0.00658	pCi/g	0.013	0.013	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Eu-155	0.00692	pCi/g	0.0099	0.0099	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Eu-155	-0.003	pCi/g	0.015	0.015	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	K-40	0.945	pCi/g	0.21	0.21			
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	K-40	1.05	pCi/g	0.24	0.24			
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	K-40	1.12	pCi/g	0.21	0.21			
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	K-40	0.682	pCi/g	0.23	0.23			
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Ru-106	-0.00568	pCi/g	0.047	0.047	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Ru-106	0.0278	pCi/g	0.048	0.048	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Ru-106	-0.0306	pCi/g	0.039	0.039	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Ru-106	0.0426	pCi/g	0.051	0.051	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Sb-125	-0.00638	pCi/g	0.013	0.013	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Sb-125	-0.00415	pCi/g	0.013	0.013	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Sb-125	-0.00796	pCi/g	0.011	0.011	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Sb-125	-0.0077	pCi/g	0.014	0.014	U		
SESPMNT	B17DN2	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	11-Sep-03	Sr-90	0.000369	pCi/g	0.0014	0.0016	U		
SESPMNT	B17DM7	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	19-Sep-03	Sr-90	-0.00118	pCi/g	0.0016	0.0016	U		
SESPMNT	B17DL9	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	12-Sep-03	Sr-90	-0.000812	pCi/g	0.0012	0.0016	U		
SESPMNT	B17DM4	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	18-Sep-03	Sr-90	0.000427	pCi/g	0.0016	0.0016	U		
SESPMNT	B16T48	RIVERVIEW AREA	COMMUNITY	BI	ASPARAGUS	SHOOT	03-Apr-03	GAMMA SCAN						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Be-7	-0.00632	pCi/g	0.037	0.037	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Be-7	0.0269	pCi/g	0.024	0.024	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Co-60	0.00306	pCi/g	0.0053	0.0053	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Co-60	0.00335	pCi/g	0.0039	0.0039	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Cs-134	0.00156	pCi/g	0.0052	0.0052	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Cs-134	0.00347	pCi/g	0.0039	0.0039	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Cs-137	0.00377	pCi/g	0.0049	0.0049	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Cs-137	-0.00109	pCi/g	0.003	0.003	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Eu-152	-0.00706	pCi/g	0.012	0.012	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Eu-152	0.00704	pCi/g	0.0079	0.0079	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Eu-154	0.00395	pCi/g	0.016	0.016	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Eu-154	-0.00503	pCi/g	0.012	0.012	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Eu-155	-0.005	pCi/g	0.013	0.013	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Eu-155	0.00234	pCi/g	0.0081	0.0081	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	K-40	2.36	pCi/g	0.33	0.33			
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	K-40	2.89	pCi/g	0.38	0.38			
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Ru-106	-0.00803	pCi/g	0.039	0.039	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Ru-106	-0.00541	pCi/g	0.029	0.029	U		
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Sb-125	0.00614	pCi/g	0.011	0.011	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Sb-125	-0.00324	pCi/g	0.0073	0.0073	U		
SESPMNT	B16T48	RIVERVIEW AREA	COMMUNITY	BI	ASPARAGUS	SHOOT	03-Apr-03	Sr-90						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	Sr-90	0.00193	pCi/g	0.0053	0.0053	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	Sr-90	-0.00249	pCi/g	0.034	0.075	U		
SESPMNT	B16T48	RIVERVIEW AREA	COMMUNITY	BI	ASPARAGUS	SHOOT	03-Apr-03	U-234						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	U-234	-0.0107	pCi/g	0.0068	0.0094	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	U-234	0.000254	pCi/g	0.0069	0.007	U		
SESPMNT	B16T48	RIVERVIEW AREA	COMMUNITY	BI	ASPARAGUS	SHOOT	03-Apr-03	U-235						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	U-235	-0.004	pCi/g	0.0057	0.0074	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	U-235	-0.000142	pCi/g	0.0035	0.0036	U		
SESPMNT	B16T48	RIVERVIEW AREA	COMMUNITY	BI	ASPARAGUS	SHOOT	03-Apr-03	U-238						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16T50	SAGEMOOR AREA	PERIMETER	BI	ASPARAGUS	SHOOT	10-Apr-03	U-238	0.00253	pCi/g	0.008	0.0091	U		
SESPMNT	B16T52	SUNNYSIDE AREA	DISTANT	BI	ASPARAGUS	SHOOT	18-Apr-03	U-238	-0.00818	pCi/g	0.0059	0.0061	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Be-7	-0.00222	pCi/g	0.068	0.068	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Be-7	0.0164	pCi/g	0.066	0.066	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Co-60	0.00968	pCi/g	0.0052	0.0052	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Co-60	0.0026	pCi/g	0.0052	0.0052	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Cs-134	0.00239	pCi/g	0.0054	0.0054	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Cs-134	-0.00335	pCi/g	0.0049	0.0049	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Cs-137	-0.00165	pCi/g	0.0044	0.0044	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Cs-137	0.00832	pCi/g	0.0053	0.0053	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Eu-152	-0.00404	pCi/g	0.011	0.011	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Eu-152	-0.00817	pCi/g	0.011	0.011	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Eu-154	-0.0024	pCi/g	0.012	0.012	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Eu-154	-0.000611	pCi/g	0.016	0.016	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Eu-155	0.00885	pCi/g	0.013	0.013	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Eu-155	-0.00239	pCi/g	0.01	0.01	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	K-40	0.091	pCi/g	0.14	0.14	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	K-40	0.803	pCi/g	0.19	0.19	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Pu-238	-0.000714	pCi/g	0.0068	0.0068	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Pu-238	0.00134	pCi/g	0.0042	0.0043	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Pu-239/240	-0.00955	pCi/g	0.0083	0.0088	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Pu-239/240	-0.00247	pCi/g	0.0058	0.0058	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Ru-106	0.00355	pCi/g	0.043	0.043	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Ru-106	-0.0397	pCi/g	0.043	0.043	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Sb-125	0.00448	pCi/g	0.011	0.011	U	HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Sb-125	-0.00429	pCi/g	0.01	0.01	U		
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	Sr-90	0.0712	pCi/g	0.034	0.037		HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	Sr-90	0.0734	pCi/g	0.032	0.035			
SESPMNT	B186H8	EAST WAHLUKE AREA	COMMUNITY	BI	BEES	HONEY	19-Dec-03	U	0.00356	pCi/g	0.00041	0.00041		HIVES BETWEEN PASCO AND BASIN CITY.	
SESPMNT	B186H6	YAKIMA VALLEY	DISTANT	BI	BEES	HONEY	16-Dec-03	U	0	pCi/g	0	0	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Be-7	28.5	pCi/L	31	31	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Be-7	9.91	pCi/L	21	21	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Be-7	-9.44	pCi/L	30	30	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Be-7	10.5	pCi/L	22	22	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Be-7	2.63	pCi/L	26	26	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Be-7	3.84	pCi/L	29	29	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Be-7	18.1	pCi/L	27	27	U		
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Be-7	22.5	pCi/L	24	24	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Be-7	-10.8	pCi/L	26	26	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Be-7	-15	pCi/L	28	28	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Be-7	-12.3	pCi/L	32	32	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Be-7	-21.5	pCi/L	26	26	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Be-7	0.918	pCi/L	21	21	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Be-7	14.8	pCi/L	26	26	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Be-7	-7.8	pCi/L	32	32	U		
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Be-7	-10.9	pCi/L	26	26	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Co-60	1.27	pCi/L	3.9	3.9	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Co-60	4.58	pCi/L	3.3	3.3	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Co-60	5.49	pCi/L	3.5	3.5	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Co-60	2.91	pCi/L	3.1	3.1	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Co-60	0.551	pCi/L	3.4	3.4	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Co-60	1.46	pCi/L	3.5	3.5	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Co-60	2.62	pCi/L	3	3	U		
SESPMNT	B17766	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Co-60	1.79	pCi/L	3.7	3.7	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Co-60	-1.9	pCi/L	3.5	3.5	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Co-60	0.888	pCi/L	3.5	3.5	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Co-60	-3.26	pCi/L	3.9	3.9	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Co-60	2.74	pCi/L	3.3	3.3	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Co-60	0.173	pCi/L	3	3	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Co-60	-1.08	pCi/L	3.3	3.3	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Co-60	-3.17	pCi/L	3.8	3.8	U		
SESPMNT	B17768	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Co-60	-1.19	pCi/L	3.5	3.5	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Cs-134	1.5	pCi/L	3.5	3.5	U		
SESPSPEC	B17756	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-134	0.145	pCi/L	3	3	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Cs-134	-0.765	pCi/L	3.5	3.5	U		
SESPSPEC	B17755	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-134	-2.69	pCi/L	3.1	3.1	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Cs-134	-0.0928	pCi/L	3.7	3.7	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Cs-134	-0.954	pCi/L	3.4	3.4	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Cs-134	-0.952	pCi/L	3.1	3.1	U		
SESPMNT	B17766	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-134	2.22	pCi/L	3.7	3.7	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Cs-134	4.68	pCi/L	3.8	3.8	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Cs-134	1.67	pCi/L	3.5	3.5	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Cs-134	0.364	pCi/L	3.9	3.9	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Cs-134	1.63	pCi/L	3.7	3.7	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Cs-134	-0.122	pCi/L	2.9	2.9	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Cs-134	0.882	pCi/L	3.7	3.7	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Cs-134	0.0806	pCi/L	3.7	3.7	U		
SESPMNT	B17768	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Cs-134	1.21	pCi/L	3.4	3.4	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Cs-137	-0.239	pCi/L	3.2	3.2	U		
SESPSPEC	B17756	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-137	-4.92	pCi/L	2.8	2.8	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Cs-137	0.775	pCi/L	3.1	3.1	U		
SESPSPEC	B17755	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-137	-2.38	pCi/L	2.7	2.7	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Cs-137	0.855	pCi/L	3.2	3.2	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Cs-137	-0.828	pCi/L	3.4	3.4	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Cs-137	0.146	pCi/L	2.7	2.7	U		
SESPMNT	B17766	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Cs-137	-2.84	pCi/L	3.2	3.2	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Cs-137	0.103	pCi/L	3.1	3.1	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Cs-137	3.04	pCi/L	3.6	3.6	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Cs-137	3.84	pCi/L	3.4	3.4	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Cs-137	-0.408	pCi/L	3.1	3.1	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Cs-137	-0.267	pCi/L	2.6	2.6	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Cs-137	0.0543	pCi/L	3.2	3.2	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Cs-137	-0.685	pCi/L	3.4	3.4	U		
SESPMNT	B17768	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Cs-137	-1.07	pCi/L	3.2	3.2	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Eu-152	-4.06	pCi/L	8.5	8.5	U		
SESPSPEC	B17756	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-152	2.45	pCi/L	6.9	6.9	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Eu-152	-3.04	pCi/L	7.9	7.9	U		
SESPSPEC	B17755	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-152	1.52	pCi/L	6.9	6.9	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Eu-152	-10	pCi/L	7.5	7.5	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Eu-152	6.39	pCi/L	8.4	8.4	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Eu-152	7.83	pCi/L	7.3	7.3	U		
SESPMNT	B17766	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-152	-2.27	pCi/L	8.1	8.1	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Eu-152	2.61	pCi/L	8	8	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Eu-152	-3.67	pCi/L	8.1	8.1	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Eu-152	2.2	pCi/L	8.3	8.3	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Eu-152	6.01	pCi/L	8.4	8.4	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Eu-152	5.6	pCi/L	6.7	6.7	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Eu-152	-5.54	pCi/L	8.5	8.5	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Eu-152	-0.968	pCi/L	8.1	8.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Eu-152	-2.46	pCi/L	8.1	8.1	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Eu-154	-7.41	pCi/L	10	10	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-154	4.76	pCi/L	9.6	9.6	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Eu-154	2.5	pCi/L	9.9	9.9	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-154	3.39	pCi/L	8.9	8.9	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Eu-154	-2.56	pCi/L	11	11	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Eu-154	1.98	pCi/L	9.8	9.8	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Eu-154	-3.45	pCi/L	9.2	9.2	U		
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-154	-7.04	pCi/L	11	11	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Eu-154	4.09	pCi/L	11	11	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Eu-154	-4.07	pCi/L	10	10	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Eu-154	-2.97	pCi/L	11	11	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Eu-154	-1.23	pCi/L	9.5	9.5	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Eu-154	7.83	pCi/L	8.7	8.7	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Eu-154	5.02	pCi/L	10	10	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Eu-154	-1.05	pCi/L	12	12	U		
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Eu-154	-0.0934	pCi/L	10	10	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Eu-155	1.09	pCi/L	8.3	8.3	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-155	0.545	pCi/L	6.6	6.6	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Eu-155	5.93	pCi/L	7.4	7.4	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-155	2.01	pCi/L	5.9	5.9	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Eu-155	7.18	pCi/L	8	8	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Eu-155	-2.9	pCi/L	7.6	7.6	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Eu-155	-3.8	pCi/L	6.8	6.8	U		
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Eu-155	-0.742	pCi/L	7.4	7.4	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Eu-155	-8.97	pCi/L	7.9	7.9	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Eu-155	0.295	pCi/L	7.4	7.4	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Eu-155	-4.25	pCi/L	8.1	8.1	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Eu-155	0.56	pCi/L	7.4	7.4	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Eu-155	3.68	pCi/L	6.2	6.2	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Eu-155	0.0589	pCi/L	7.7	7.7	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Eu-155	-0.254	pCi/L	7.7	7.7	U		
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Eu-155	0.568	pCi/L	7.3	7.3	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	K-40	1180	pCi/L	210	210			
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	K-40	1390	pCi/L	210	210			
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	K-40	1190	pCi/L	200	200			
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	K-40	1310	pCi/L	200	200			
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	K-40	1310	pCi/L	200	200			
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	K-40	1340	pCi/L	220	220			
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	K-40	1410	pCi/L	210	210			
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	K-40	1310	pCi/L	220	220			
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	K-40	1100	pCi/L	190	190			
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	K-40	1190	pCi/L	200	200			
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	K-40	1280	pCi/L	220	220			
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	K-40	1110	pCi/L	200	200			
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	K-40	1340	pCi/L	200	200			
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	K-40	1280	pCi/L	220	220			
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	K-40	1170	pCi/L	200	200			
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	K-40	1290	pCi/L	210	210			
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Ru-106	-15.9	pCi/L	30	30	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Ru-106	13.9	pCi/L	25	25	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Ru-106	-9.14	pCi/L	28	28	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Ru-106	-14.4	pCi/L	23	23	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Ru-106	12.2	pCi/L	28	28	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Ru-106	12.9	pCi/L	28	28	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Ru-106	20.8	pCi/L	26	26	U		
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Ru-106	-15.1	pCi/L	28	28	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Ru-106	5.14	pCi/L	29	29	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Ru-106	28.8	pCi/L	28	28	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Ru-106	8.77	pCi/L	30	30	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Ru-106	-10.2	pCi/L	26	26	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Ru-106	-19.4	pCi/L	24	24	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Ru-106	-11.5	pCi/L	28	28	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Ru-106	-9.84	pCi/L	30	30	U		
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Ru-106	-5.49	pCi/L	28	28	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Sb-125	-6.84	pCi/L	8.1	8.1	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Sb-125	1.7	pCi/L	6.5	6.5	U		
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Sb-125	6.31	pCi/L	7.6	7.6	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Sb-125	5.34	pCi/L	6.9	6.9	U		
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Sb-125	-2.29	pCi/L	7.7	7.7	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Sb-125	-1.47	pCi/L	7.6	7.6	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Sb-125	-0.147	pCi/L	6.6	6.6	U		
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Sb-125	9.93	pCi/L	8	8	U		
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Sb-125	-1.09	pCi/L	7.4	7.4	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Sb-125	0.604	pCi/L	8.1	8.1	U		
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Sb-125	-0.984	pCi/L	8.2	8.2	U		
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Sb-125	5.39	pCi/L	7.6	7.6	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Sb-125	-1.05	pCi/L	6.6	6.6	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Sb-125	-1.11	pCi/L	7.8	7.8	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Sb-125	5.36	pCi/L	8	8	U		
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Sb-125	-4.71	pCi/L	7.5	7.5	U		
SESPSPEC	B16WH9	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	09-May-03	Sr-90	0.532	pCi/L	0.41	0.46	U		
SESPSPEC	B17T56	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	23-Oct-03	Sr-90	0.335	pCi/L	0.19	0.22			
SESPSPEC	B16WH8	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	09-May-03	Sr-90	0.359	pCi/L	0.37	0.42	U		
SESPSPEC	B17T55	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	23-Oct-03	Sr-90	0.979	pCi/L	0.3	0.36			
SESPMNT	B16DK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Feb-03	Sr-90	0.368	pCi/L	0.29	0.33	U		
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	Sr-90	0.446	pCi/L	0.51	0.53	U		
SESPMNT	B17971	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	31-Jul-03	Sr-90	1.75	pCi/L	0.37	0.55			
SESPMNT	B17T66	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	Sr-90	0.587	pCi/L	0.22	0.26			
SESPMNT	B16FR7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	20-Feb-03	Sr-90	0.347	pCi/L	0.46	0.5	U		
SESPMNT	B170P2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	Sr-90	0.822	pCi/L	0.47	0.53			
SESPMNT	B179W0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	07-Aug-03	Sr-90	2.09	pCi/L	0.39	0.61			
SESPMNT	B17TP1	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	Sr-90	0.305	pCi/L	0.24	0.27	U		
SESPMNT	B16DK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	12-Feb-03	Sr-90	0.309	pCi/L	0.26	0.31	U		
SESPMNT	B16WK3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	Sr-90	0.692	pCi/L	0.42	0.49	U		
SESPMNT	B17972	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	30-Jul-03	Sr-90	1.16	pCi/L	0.34	0.45			
SESPMNT	B17T68	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	Sr-90	0.345	pCi/L	0.24	0.27	U		
SESPMNT	B16WK2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	09-May-03	I-129	0.0004227	pCi/L		7.27044E-05			
SESPMNT	B16WK4	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	07-May-03	I-129	0.0004478	pCi/L		6.80656E-05			
SESPMNT	B170N3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	16-May-03	I-129	0.0001447	pCi/L		1.91004E-05			
SESPMNT	B17T67	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	23-Oct-03	I-129	0.0003843	pCi/L		0.000053802			
SESPMNT	B17T69	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	22-Oct-03	I-129	0.0005602	pCi/L		6.83444E-05			
SESPMNT	B17TN2	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	30-Oct-03	I-129	0.0002444	pCi/L		3.27496E-05			
SESPMNT	B16TB6	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	21-Apr-03	GAMMA SCAN						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16TB3	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	21-Apr-03	GAMMA SCAN						NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Be-7	0.272	pCi/g	0.075	0.075		SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Co-60	0.00387	pCi/g	0.0067	0.0067	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Cs-134	-0.00128	pCi/g	0.0063	0.0063	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Cs-137	0.00249	pCi/g	0.0055	0.0055	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Eu-152	-0.0024	pCi/g	0.013	0.013	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Eu-154	-0.0112	pCi/g	0.021	0.021	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Eu-155	-0.00931	pCi/g	0.015	0.015	U	SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	K-40	9.89	pCi/g	1.2	1.2		SPINACH	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03	Ru-106	0.0142	pCi/g	0.047	0.047	U	SPINACH	

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03 Sb-125		0.00207	pCi/g	0.013	0.013	U	SPINACH	
SESPMNT	B16TB6	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	21-Apr-03 Sr-90							NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16TB3	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	21-Apr-03 Sr-90							NO SAMPLE. UNABLE TO LOCATE.	
SESPMNT	B16TC0	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	18-Apr-03 Sr-90		0.0378	pCi/g	0.06	0.068	U	SPINACH	
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Be-7		0.0119	pCi/g	0.037	0.037	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Be-7		0.00459	pCi/g	0.038	0.038	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Be-7		-0.0099	pCi/g	0.04	0.04	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Be-7		-0.011	pCi/g	0.037	0.037	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Co-60		0.000136	pCi/g	0.0048	0.0048	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Co-60		0.00184	pCi/g	0.0045	0.0045	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Co-60		0.000937	pCi/g	0.0045	0.0045	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Co-60		0.00274	pCi/g	0.0048	0.0048	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Cs-134		0.00232	pCi/g	0.0046	0.0046	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Cs-134		0.00145	pCi/g	0.0048	0.0048	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Cs-134		0.00088	pCi/g	0.0043	0.0043	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Cs-134		0.000254	pCi/g	0.0046	0.0046	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Cs-137		0.00314	pCi/g	0.0044	0.0044	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Cs-137		-0.00119	pCi/g	0.0044	0.0044	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Cs-137		0.00144	pCi/g	0.0044	0.0044	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Cs-137		0.00182	pCi/g	0.0041	0.0041	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Eu-152		-0.00384	pCi/g	0.01	0.01	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Eu-152		-0.00172	pCi/g	0.01	0.01	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Eu-152		0.00128	pCi/g	0.01	0.01	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Eu-152		-0.0035	pCi/g	0.0096	0.0096	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Eu-154		-0.0165	pCi/g	0.016	0.016	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Eu-154		-0.00257	pCi/g	0.016	0.016	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Eu-154		0.00223	pCi/g	0.015	0.015	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Eu-154		-0.000983	pCi/g	0.015	0.015	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Eu-155		0.000175	pCi/g	0.0095	0.0095	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Eu-155		0.00247	pCi/g	0.0098	0.0098	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Eu-155		-0.00548	pCi/g	0.0088	0.0088	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Eu-155		-0.00599	pCi/g	0.009	0.009	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 K-40		4.06	pCi/g	0.57	0.57			
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 K-40		4.56	pCi/g	0.63	0.63			
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 K-40		4.43	pCi/g	0.61	0.61			
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 K-40		4.46	pCi/g	0.62	0.62			
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Ru-106		-0.0019	pCi/g	0.036	0.036	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Ru-106		0.000357	pCi/g	0.038	0.038	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Ru-106		-0.00822	pCi/g	0.039	0.039	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Ru-106		0.0097	pCi/g	0.036	0.036	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Sb-125		0.00569	pCi/g	0.01	0.01	U		
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Sb-125		0.00819	pCi/g	0.0097	0.0097	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Sb-125		0.00915	pCi/g	0.01	0.01	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Sb-125		-0.00595	pCi/g	0.0094	0.0094	U		
SESPMNT	B176P4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	11-Sep-03 Sr-90		0.0109	pCi/g	0.0029	0.0034			
SESPMNT	B176N3	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	17-Jul-03 Sr-90		0.0135	pCi/g	0.034	0.034	U		
SESPMNT	B176N5	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	17-Jul-03 Sr-90		0.00262	pCi/g	0.0043	0.0047	U		
SESPMNT	B176P0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	07-Aug-03 Sr-90		0.00943	pCi/g	0.0045	0.0051			
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Be-7		-0.00859	pCi/g	0.023	0.023	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Be-7		-0.029	pCi/g	0.036	0.036	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Co-60		0.00176	pCi/g	0.003	0.003	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Co-60		0.0037	pCi/g	0.0039	0.0039	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Cs-134		0.00218	pCi/g	0.003	0.003	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Cs-134		0.00114	pCi/g	0.0041	0.0041	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Cs-137		-0.00256	pCi/g	0.0028	0.0028	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Cs-137		0.00252	pCi/g	0.0037	0.0037	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Eu-152		-0.00483	pCi/g	0.007	0.007	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Eu-152		-0.000413	pCi/g	0.0085	0.0085	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Eu-154		0.00575	pCi/g	0.0087	0.0087	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Eu-154		-0.000778	pCi/g	0.012	0.012	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Eu-155		0.00158	pCi/g	0.0063	0.0063	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Eu-155		-0.0123	pCi/g	0.0097	0.0097	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 K-40		1.85	pCi/g	0.27	0.27			
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 K-40		1.97	pCi/g	0.31	0.31			
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Ru-106		-0.00165	pCi/g	0.023	0.023	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Ru-106		0.0191	pCi/g	0.034	0.034	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Sb-125		-0.00205	pCi/g	0.0068	0.0068	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Sb-125		0.0014	pCi/g	0.0087	0.0087	U		
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 Sr-90		-0.00139	pCi/g	0.001	0.0016	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 Sr-90		0.00616	pCi/g	0.0031	0.0036			
SESPMNT	B176N1	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	20-Sep-03 TRITIUM		-0.104	pCi/g	0.19	0.2	U		
SESPMNT	B176P6	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	31-Jul-03 TRITIUM		0.00651	pCi/g	0.02	0.027	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Be-7		12.2	pCi/L	31	31	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Be-7		5.78	pCi/L	29	29	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Be-7		-32.6	pCi/L	23	23	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Be-7		8.89	pCi/L	28	28	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Be-7		-3.27	pCi/L	26	26	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Be-7		-10.5	pCi/L	26	26	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Be-7		0.693	pCi/L	20	20	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Be-7		7.68	pCi/L	22	22	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Co-60		2.9	pCi/L	4.1	4.1	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Co-60		3.42	pCi/L	3.4	3.4	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Co-60		-0.683	pCi/L	2.9	2.9	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Co-60		2.27	pCi/L	3.5	3.5	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Co-60		2.8	pCi/L	3.8	3.8	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Co-60		0.0812	pCi/L	3.2	3.2	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Co-60		-1.22	pCi/L	2.8	2.8	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Co-60		-0.0127	pCi/L	2.6	2.6	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Cs-134		1.03	pCi/L	3.9	3.9	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Cs-134		1.05	pCi/L	3.6	3.6	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Cs-134		3.18	pCi/L	2.9	2.9	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Cs-134		-2.38	pCi/L	3.3	3.3	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Cs-134		0.0628	pCi/L	3.3	3.3	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Cs-134		1.51	pCi/L	3.5	3.5	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Cs-134		3.06	pCi/L	2.9	2.9	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Cs-134		-1.23	pCi/L	2.7	2.7	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Cs-137		-0.88	pCi/L	3.4	3.4	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Cs-137		-0.574	pCi/L	3.3	3.3	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Cs-137		0.567	pCi/L	2.4	2.4	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Cs-137		-0.974	pCi/L	3.1	3.1	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Cs-137		0.865	pCi/L	3.2	3.2	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Cs-137		-1.81	pCi/L	3.1	3.1	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Cs-137		1.18	pCi/L	2.6	2.6	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Cs-137		-0.904	pCi/L	2.5	2.5	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-152		-2.11	pCi/L	8.2	8.2	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-152		-2.69	pCi/L	8.3	8.3	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-152		-3.7	pCi/L	6.4	6.4	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-152		-2.54	pCi/L	7.9	7.9	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-152		-0.783	pCi/L	7.9	7.9	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-152		3.44	pCi/L	8.1	8.1	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-152		-0.00928	pCi/L	6.9	6.9	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-152		-1.8	pCi/L	6.7	6.7	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-154		12.3	pCi/L	11	11	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-154		-0.807	pCi/L	10	10	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

FOODSTUFFS
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-154		0.748	pCi/L	7.7	7.7	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-154		-11.3	pCi/L	9.1	9.1	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-154		3.44	pCi/L	9.7	9.7	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-154		0.557	pCi/L	9	9	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-154		-2.41	pCi/L	8.3	8.3	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-154		-0.222	pCi/L	7	7	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-155		4.69	pCi/L	8.3	8.3	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Eu-155		-7.08	pCi/L	7.7	7.7	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-155		2.63	pCi/L	6.3	6.3	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Eu-155		5.63	pCi/L	7.4	7.4	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-155		7.77	pCi/L	8.4	8.4	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Eu-155		5.01	pCi/L	7.5	7.5	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-155		4.53	pCi/L	6.6	6.6	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Eu-155		-3.01	pCi/L	5.9	5.9	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 K-40		1480	pCi/L	250	250			
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 K-40		1420	pCi/L	230	230			
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 K-40		382	pCi/L	100	100			
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 K-40		55.7	pCi/L	94	94	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 K-40		502	pCi/L	150	150			
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 K-40		638	pCi/L	150	150			
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 K-40		418	pCi/L	110	110			
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 K-40		463	pCi/L	90	90			
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Ru-106		-3.03	pCi/L	28	28	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Ru-106		-18.8	pCi/L	28	28	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Ru-106		18.1	pCi/L	21	21	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Ru-106		-19.4	pCi/L	27	27	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Ru-106		6.55	pCi/L	28	28	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Ru-106		-10.8	pCi/L	28	28	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Ru-106		0.371	pCi/L	22	22	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Ru-106		-8.57	pCi/L	22	22	U		
SESPMNT	B18110	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Sb-125		3.03	pCi/L	8.2	8.2	U		
SESPMNT	B18111	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	05-Dec-03 Sb-125		1.58	pCi/L	8	8	U		
SESPMNT	B18113	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Sb-125		0.783	pCi/L	6	6	U		
SESPMNT	B18114	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	05-Dec-03 Sb-125		-2.12	pCi/L	7.7	7.7	U		
SESPMNT	B18104	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Sb-125		10.3	pCi/L	8	8	U		
SESPMNT	B18105	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	16-Dec-03 Sb-125		1.2	pCi/L	8	8	U		
SESPMNT	B18107	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Sb-125		0.941	pCi/L	6.6	6.6	U		
SESPMNT	B18108	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	16-Dec-03 Sb-125		0.463	pCi/L	6.1	6.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Be-7		0.0238 pCi/g		0.11	0.11	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Co-60		0.0068 pCi/g		0.013	0.013	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-134		0.0107 pCi/g		0.013	0.013	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-137		0.00668 pCi/g		0.012	0.012	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-152		0.0113 pCi/g		0.029	0.029	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-154		0.00957 pCi/g		0.035	0.035	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-155		-0.0186 pCi/g		0.029	0.029	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 K-40		2.4 pCi/g		0.58	0.58			
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Ru-106		0.0919 pCi/g		0.1	0.1	U		
SESPMNT	B17742	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	MUSCLE	05-Aug-03 Sb-125		0.01 pCi/g		0.029	0.029	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE1	CANADA GOOSE	BONES	05-Aug-03 Sr-90		0.11 pCi/g		0.029	0.034			
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Be-7		0.0233 pCi/g		0.083	0.083	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Co-60		0.000856 pCi/g		0.0081	0.0081	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-134		-0.00445 pCi/g		0.0089	0.0089	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-137		0.00263 pCi/g		0.0082	0.0082	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-152		-0.0074 pCi/g		0.021	0.021	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-154		0.0169 pCi/g		0.023	0.023	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-155		-0.0143 pCi/g		0.016	0.016	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 K-40		3.04 pCi/g		0.45	0.45			
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Ru-106		0.0556 pCi/g		0.074	0.074	U		
SESPMNT	B17743	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	MUSCLE	05-Aug-03 Sb-125		0.00451 pCi/g		0.02	0.02	U		
SESPMNT	B17749	100 AREAS	ONSITE	BI	2003CANADA GOOSE2	CANADA GOOSE	BONES	05-Aug-03 Sr-90		0.0941 pCi/g		0.027	0.035			
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Be-7		-0.0219 pCi/g		0.06	0.06	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Co-60		0.000541 pCi/g		0.0076	0.0076	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-134		0.00319 pCi/g		0.0074	0.0074	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-137		0.00232 pCi/g		0.0077	0.0077	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-152		-0.000878 pCi/g		0.016	0.016	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-154		-0.000657 pCi/g		0.024	0.024	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-155		-0.000537 pCi/g		0.016	0.016	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 K-40		2.83 pCi/g		0.48	0.48			
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Ru-106		0.00179 pCi/g		0.065	0.065	U		
SESPMNT	B17744	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	MUSCLE	29-Sep-03 Sb-125		-0.00669 pCi/g		0.016	0.016	U		
SESPMNT	B17750	100 AREAS	ONSITE	BI	2003CANADA GOOSE3	CANADA GOOSE	BONES	29-Sep-03 Sr-90		0.0241 pCi/g		0.014	0.017	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Be-7		0.037 pCi/g		0.06	0.06	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Co-60		0.00199 pCi/g		0.0062	0.0062	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-134		0.00252 pCi/g		0.007	0.007	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-137		0.0648 pCi/g		0.02	0.02			
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-152		-0.0195 pCi/g		0.016	0.016	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-154		-0.00624 pCi/g		0.024	0.024	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-155		0.00765 pCi/g		0.013	0.013	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 K-40		2.58 pCi/g		0.43	0.43			
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Ru-106		0.0186 pCi/g		0.054	0.054	U		
SESPMNT	B17745	100 AREAS	ONSITE	BI	2003CANADA GOOSE4	CANADA GOOSE	MUSCLE	29-Sep-03 Sb-125		-0.00595 pCi/g		0.017	0.017	U		
SESPMNT	B17751	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	BONES	29-Sep-03 Sr-90		0.218 pCi/g		0.027	0.044			
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Be-7		0.0122 pCi/g		0.052	0.052	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Co-60		-0.00197 pCi/g		0.006	0.006	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Cs-134		0.00178 pCi/g		0.0064	0.0064	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Cs-137		-0.0000318 pCi/g		0.0064	0.0064	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-152		-0.00324 pCi/g		0.016	0.016	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-154		-0.00274 pCi/g		0.02	0.02	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-155		-0.00102 pCi/g		0.014	0.014	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 K-40		2.69 pCi/g		0.45	0.45			
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Ru-106		-0.0296 pCi/g		0.056	0.056	U		
SESPMNT	B17746	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	MUSCLE	02-Oct-03 Sb-125		-0.00261 pCi/g		0.015	0.015	U		
SESPMNT	B17752	100 AREAS	ONSITE	BI	2003CANADA GOOSE5	CANADA GOOSE	BONES	02-Oct-03 Sr-90		0.0404 pCi/g		0.017	0.02			
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Be-7		0.0148 pCi/g		0.1	0.1	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Co-60		0.00647 pCi/g		0.012	0.012	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-134		-0.00433 pCi/g		0.011	0.011	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Cs-137		0.00403 pCi/g		0.011	0.011	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-152		0.00645 pCi/g		0.027	0.027	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-154		-0.00301 pCi/g		0.032	0.032	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Eu-155		0.00492 pCi/g		0.021	0.021	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 K-40		3.57 pCi/g		0.57	0.57			
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Ru-106		-0.0465 pCi/g		0.092	0.092	U		
SESPMNT	B17754	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	MUSCLE	05-Aug-03 Sb-125		0.00342 pCi/g		0.026	0.026	U		
SESPMNT	B17759	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE7	CANADA GOOSE	BONES	05-Aug-03 Sr-90		0.1 pCi/g		0.028	0.037			
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Be-7		0.00844 pCi/g		0.13	0.13	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Co-60		0.0226 pCi/g		0.014	0.014	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Cs-134		0.0192 pCi/g		0.014	0.014	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Cs-137		0.00253 pCi/g		0.013	0.013	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-152		0.0137 pCi/g		0.032	0.032	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-154		0.00888 pCi/g		0.039	0.039	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-155		-0.00238 pCi/g		0.029	0.029	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 K-40		3.15 pCi/g		0.67	0.67			
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Ru-106		0.0371 pCi/g		0.11	0.11	U		
SESPMNT	B17755	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	MUSCLE	06-Aug-03 Sb-125		-0.0121 pCi/g		0.032	0.032	U		
SESPMNT	B17760	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE8	CANADA GOOSE	BONES	06-Aug-03 Sr-90		0.094 pCi/g		0.029	0.037			
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Be-7		0.0375 pCi/g		0.087	0.087	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Co-60		0.00172 pCi/g		0.011	0.011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Cs-134		0.00342 pCi/g		0.01	0.01	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Cs-137		-0.00128 pCi/g		0.0093	0.0093	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-152		0.00189 pCi/g		0.023	0.023	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-154		-0.0117 pCi/g		0.032	0.032	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Eu-155		0.0036 pCi/g		0.018	0.018	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 K-40		3.03 pCi/g		0.55	0.55			
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Ru-106		0.00975 pCi/g		0.087	0.087	U		
SESPMNT	B17756	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	MUSCLE	06-Aug-03 Sb-125		0.000391 pCi/g		0.023	0.023	U		
SESPMNT	B17761	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE9	CANADA GOOSE	BONES	06-Aug-03 Sr-90		0.149 pCi/g		0.032	0.047			
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Be-7		-0.0292 pCi/g		0.09	0.09	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Co-60		-0.000328 pCi/g		0.0082	0.0072	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Cs-134		0.00349 pCi/g		0.0097	0.0097	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Cs-137		0.00404 pCi/g		0.0084	0.0084	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Eu-152		0.00599 pCi/g		0.02	0.02	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Eu-154		-0.019 pCi/g		0.027	0.027	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Eu-155		0.00602 pCi/g		0.019	0.019	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 K-40		2.6 pCi/g		0.48	0.48		PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Ru-106		-0.0333 pCi/g		0.072	0.072	U	PRIEST RAPIDS POOL	
SESPMNT	B17764	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	MUSCLE	21-Aug-03 Sb-125		-0.00203 pCi/g		0.019	0.019	U	PRIEST RAPIDS POOL	
SESPMNT	B17769	BACKGROUND		BI	2003CANADA GOOSE12	CANADA GOOSE	BONES	21-Aug-03 Sr-90		0.136 pCi/g		0.026	0.034		PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Be-7		0.00979 pCi/g		0.047	0.047	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Co-60		-0.00199 pCi/g		0.006	0.006	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Cs-134		0.0000166 pCi/g		0.0061	0.0061	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Cs-137		-0.00149 pCi/g		0.0059	0.0059	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Eu-152		0.00966 pCi/g		0.014	0.014	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Eu-154		0.0322 pCi/g		0.019	0.019	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Eu-155		0.00437 pCi/g		0.01	0.01	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 K-40		2.83 pCi/g		0.45	0.45		PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Ru-106		-0.000386 pCi/g		0.045	0.045	U	PRIEST RAPIDS POOL	
SESPMNT	B17765	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	MUSCLE	23-Sep-03 Sb-125		-0.0167 pCi/g		0.014	0.014	U	PRIEST RAPIDS POOL	
SESPMNT	B17770	BACKGROUND		BI	2003CANADA GOOSE13	CANADA GOOSE	BONES	23-Sep-03 Sr-90		0.115 pCi/g		0.028	0.035		PRIEST RAPIDS POOL	
SESPMNT	B17766	BACKGROUND		BI	2003CANADA GOOSE14	CANADA GOOSE	MUSCLE	25-Jul-03 GAMMA SCAN							NOT COLLECTED.	
SESPMNT	B17786	BACKGROUND		BI	2003CANADA GOOSE14	CANADA GOOSE	LIVER	25-Jul-03 Hg							NOT COLLECTED.	
SESPMNT	B17771	BACKGROUND		BI	2003CANADA GOOSE14	CANADA GOOSE	BONES	25-Jul-03 Sr-90							NOT COLLECTED.	
SESPMNT	B17786	BACKGROUND		BI	2003CANADA GOOSE14	CANADA GOOSE	LIVER	25-Jul-03 U							NOT COLLECTED.	
SESPMNT	B17787	BACKGROUND		BI	2003CANADA GOOSE15	CANADA GOOSE	LIVER	25-Jul-03 Hg							NOT COLLECTED.	
SESPMNT	B17772	BACKGROUND		BI	2003CANADA GOOSE15	CANADA GOOSE	BONES	25-Jul-03 Sr-90							NOT COLLECTED.	
SESPMNT	B17787	BACKGROUND		BI	2003CANADA GOOSE15	CANADA GOOSE	LIVER	25-Jul-03 U							NOT COLLECTED.	
SESPMNT	B17788	BACKGROUND		BI	2003CANADA GOOSE16	CANADA GOOSE	LIVER	25-Jul-03 Hg							NOT COLLECTED.	
SESPMNT	B17773	BACKGROUND		BI	2003CANADA GOOSE16	CANADA GOOSE	BONES	25-Jul-03 Sr-90							NOT COLLECTED.	
SESPMNT	B17788	BACKGROUND		BI	2003CANADA GOOSE16	CANADA GOOSE	LIVER	25-Jul-03 U							NOT COLLECTED.	
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Be-7		0.018 pCi/g		0.065	0.065	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Co-60		0.0053 pCi/g		0.0076	0.0076	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-134		0.0047 pCi/g		0.0077	0.0077	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Cs-137		-0.00115 pCi/g		0.0069	0.0069	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-152		0.00157 pCi/g		0.017	0.017	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-154		0.0141 pCi/g		0.026	0.026	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Eu-155		0.00227 pCi/g		0.016	0.016	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 K-40		2.31 pCi/g		0.44	0.44			
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Ru-106		-0.00923 pCi/g		0.061	0.061	U		
SESPMNT	B17757	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	MUSCLE	29-Sep-03 Sb-125		0.0123 pCi/g		0.017	0.017	U		
SESPMNT	B17762	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE10	CANADA GOOSE	BONES	29-Sep-03 Sr-90		0.0298 pCi/g		0.019	0.021	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Be-7		0.0592 pCi/g		0.047	0.047	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Co-60		0.00148 pCi/g		0.0054	0.0054	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Cs-134		0.00554 pCi/g		0.0061	0.0061	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Cs-137		-0.00299 pCi/g		0.0055	0.0055	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-152		-0.00715 pCi/g		0.013	0.013	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-154		-0.0045 pCi/g		0.017	0.017	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Eu-155		-0.000101 pCi/g		0.01	0.01	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 K-40		2.7 pCi/g		0.43	0.43			
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Ru-106		-0.0166 pCi/g		0.048	0.048	U		
SESPMNT	B17758	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	MUSCLE	02-Oct-03 Sb-125		0.00345 pCi/g		0.013	0.013	U		
SESPMNT	B17763	HANFORD TOWNSITE	ONSITE	BI	2003CANADA GOOSE11	CANADA GOOSE	BONES	02-Oct-03 Sr-90		0.104 pCi/g		0.021	0.028			
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Be-7		-0.0465 pCi/g		0.17	0.17	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Co-60		-0.0111 pCi/g		0.02	0.02	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Cs-134		0.0131 pCi/g		0.02	0.02	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Cs-137		0.0112 pCi/g		0.017	0.017	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-152		-0.00065 pCi/g		0.043	0.043	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-154		0.00796 pCi/g		0.062	0.062	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-155		0.0307 pCi/g		0.031	0.031	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 K-40		2.52 pCi/g		0.88	0.88			
SESPMNT	B16N62	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	06-May-03 Pu-238		-0.0000192 pCi/g		0.00035	0.0004	U		
SESPMNT	B16N62	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	06-May-03 Pu-239/240		-0.0000475 pCi/g		0.00036	0.0004	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Ru-106		0.138 pCi/g		0.15	0.15	U		
SESPMNT	B16N58	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	06-May-03 Sb-125		0.00227 pCi/g		0.042	0.042	U		
SESPMNT	B16N60	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT1	COTTONTAIL RABBIT	BONES	06-May-03 Sr-90		0.398 pCi/g		0.047	0.096			
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Be-7		-0.0889 pCi/g		0.15	0.15	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Co-60		-0.00307 pCi/g		0.02	0.02	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Cs-134		-0.00425 pCi/g		0.016	0.016	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Cs-137		-0.00286 pCi/g		0.015	0.015	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-152		0.00117 pCi/g		0.039	0.039	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-154		-0.0313 pCi/g		0.055	0.055	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Eu-155		-0.00961 pCi/g		0.029	0.029	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 K-40		3.53 pCi/g		0.87	0.87			
SESPMNT	B16N63	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	LIVER	06-May-03 Pu-238		-0.0000191 pCi/g		0.00023	0.0002	U		
SESPMNT	B16N63	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	LIVER	06-May-03 Pu-239/240		-0.0000472 pCi/g		0.00025	0.0003	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Ru-106		-0.14 pCi/g		0.14	0.14	U		
SESPMNT	B16N59	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	06-May-03 Sb-125		-0.022 pCi/g		0.038	0.038	U		
SESPMNT	B16N67	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT2	COTTONTAIL RABBIT	BONES	06-May-03 Sr-90		0.9 pCi/g		0.086	0.21			
SESPMNT	B16N68	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT3	COTTONTAIL RABBIT	LIVER	31-Mar-03 ICPMS							NOT COLLECTED.	
SESPMNT	B16N64	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT3	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16N68	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT3	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16N68	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT3	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B16N69	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT4	COTTONTAIL RABBIT	LIVER	31-Mar-03 ICPMS							NOT COLLECTED.	
SESPMNT	B16N65	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT4	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16N69	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT4	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16N69	200 E AREA	ONSITE	BI	2003COTTONTAIL RABBIT4	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Be-7		0.063 pCi/g		0.22	0.22	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Co-60		-0.00602 pCi/g		0.023	0.023	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Cs-134		0.00735 pCi/g		0.018	0.018	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Cs-137		0.00884 pCi/g		0.016	0.016	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-152		-0.0211 pCi/g		0.041	0.041	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-154		0.0203 pCi/g		0.049	0.049	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-155		-0.00651 pCi/g		0.04	0.04	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 K-40		3.86 pCi/g		0.84	0.84			
SESPMNT	B16N74	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	LIVER	17-Jun-03 Pu-238		-0.000159 pCi/g		0.00027	0.0003	U		
SESPMNT	B16N74	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	LIVER	17-Jun-03 Pu-239/240		-0.000328 pCi/g		0.00039	0.0004	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Ru-106		-0.0239 pCi/g		0.16	0.16	U		
SESPMNT	B16N70	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Sb-125		0.013 pCi/g		0.042	0.042	U		
SESPMNT	B16N78	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT5	COTTONTAIL RABBIT	BONES	17-Jun-03 Sr-90		0.331 pCi/g		0.052	0.088			
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Be-7		-0.0531 pCi/g		0.17	0.17	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Co-60		-0.00318 pCi/g		0.015	0.015	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Cs-134		0.00316 pCi/g		0.015	0.015	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Cs-137		0.00277 pCi/g		0.012	0.012	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-152		-0.0207 pCi/g		0.032	0.032	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-154		0.00299 pCi/g		0.038	0.038	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Eu-155		0.0037 pCi/g		0.026	0.026	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 K-40		4.06 pCi/g		0.68	0.68			
SESPMNT	B16N75	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	LIVER	17-Jun-03 Pu-238		-0.0000241 pCi/g		0.00044	0.0004	U		
SESPMNT	B16N75	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	LIVER	17-Jun-03 Pu-239/240		0.000472 pCi/g		0.00061	0.0006	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Ru-106		-0.0345 pCi/g		0.11	0.11	U		
SESPMNT	B16N71	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	17-Jun-03 Sb-125		-0.00713 pCi/g		0.032	0.032	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	BONES	29-Jul-03 Sr-90		0.457 pCi/g		0.052	0.11			
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Be-7		0.0288 pCi/g		0.11	0.11	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Co-60		0.00693 pCi/g		0.011	0.011	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-134		-0.00977 pCi/g		0.011	0.011	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-137		0.000754 pCi/g		0.011	0.011	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-152		0.00332 pCi/g		0.025	0.025	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-154		0.00488 pCi/g		0.032	0.032	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-155		0.00948 pCi/g		0.018	0.018	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 K-40		2.47 pCi/g		0.5	0.5			
SESPMNT	B16N76	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	LIVER	29-Jul-03 Pu-238		0.000317 pCi/g		0.00048	0.0005	U		
SESPMNT	B16N76	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	LIVER	29-Jul-03 Pu-239/240		-0.000221 pCi/g		0.00034	0.0004	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Ru-106		-0.105 pCi/g		0.093	0.093	U		
SESPMNT	B16N72	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Sb-125		-0.0167 pCi/g		0.025	0.025	U		
SESPMNT	B16N80	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT7	COTTONTAIL RABBIT	BONES	29-Jul-03 Sr-90		0.608 pCi/g		0.046	0.1			
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Be-7		-0.0111 pCi/g		0.11	0.11	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Co-60		0.0124 pCi/g		0.013	0.013	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-134		0.00301 pCi/g		0.013	0.013	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-137		0.00207 pCi/g		0.011	0.011	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-152		0.0323 pCi/g		0.027	0.027	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-154		-0.000492 pCi/g		0.036	0.036	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-155		-0.0135 pCi/g		0.024	0.024	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 K-40		2.9 pCi/g		0.59	0.59			
SESPMNT	B16N77	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	LIVER	29-Jul-03 Pu-238		-0.000309 pCi/g		0.00041	0.0004	U		
SESPMNT	B16N77	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	LIVER	29-Jul-03 Pu-239/240		0.000376 pCi/g		0.00076	0.0008	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Ru-106		0.032 pCi/g		0.1	0.1	U		
SESPMNT	B16N73	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Sb-125		0.00475 pCi/g		0.026	0.026	U		
SESPMNT	B16N81	200 W AREA	ONSITE	BI	2003COTTONTAIL RABBIT8	COTTONTAIL RABBIT	BONES	29-Jul-03 Sr-90		0.334 pCi/g		0.037	0.062			
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Be-7		-0.0944 pCi/g		0.15	0.15	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Co-60		0.00361 pCi/g		0.014	0.014	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-134		-0.00118 pCi/g		0.016	0.016	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Cs-137		0.0945 pCi/g		0.031	0.031			
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-152		0.02 pCi/g		0.033	0.033	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-154		0.0121 pCi/g		0.046	0.046	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Eu-155		0.00172 pCi/g		0.027	0.027	U		
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 K-40		2.71 pCi/g		0.67	0.67			
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Ru-106		0.154 pCi/g		0.12	0.12	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16N82	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	29-Jul-03 Sb-125		-0.0185 pCi/g		0.035	0.035	U		
SESPMNT	B16N87	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT9	COTTONTAIL RABBIT	BONES	29-Jul-03 Sr-90		0.651 pCi/g		0.059	0.11			
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Be-7		0.011 pCi/g		0.11	0.11	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Co-60		0.0127 pCi/g		0.012	0.012	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-134		0.0131 pCi/g		0.013	0.013	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-137		0.00803 pCi/g		0.012	0.012	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-152		0.0104 pCi/g		0.029	0.029	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-154		-0.00249 pCi/g		0.036	0.036	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-155		-0.00927 pCi/g		0.029	0.029	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 K-40		2.81 pCi/g		0.6	0.6			
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Ru-106		0.0284 pCi/g		0.11	0.11	U		
SESPMNT	B16N83	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Sb-125		0.0278 pCi/g		0.029	0.029	U		
SESPMNT	B16N88	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT10	COTTONTAIL RABBIT	BONES	07-Oct-03 Sr-90		1.86 pCi/g		0.065	0.28			
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Be-7		0.00336 pCi/g		0.11	0.11	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Co-60		-0.00483 pCi/g		0.013	0.013	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-134		0.0149 pCi/g		0.013	0.013	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-137		0.091 pCi/g		0.022	0.022			
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-152		-0.00552 pCi/g		0.028	0.028	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-154		0.00748 pCi/g		0.037	0.037	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-155		-0.00248 pCi/g		0.02	0.02	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 K-40		3.38 pCi/g		0.63	0.63			
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Ru-106		0.0226 pCi/g		0.11	0.11	U		
SESPMNT	B16N84	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Sb-125		0.0075 pCi/g		0.029	0.029	U		
SESPMNT	B16N89	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT11	COTTONTAIL RABBIT	BONES	07-Oct-03 Sr-90		5.89 pCi/g		0.11	0.85			
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Be-7		0.0435 pCi/g		0.12	0.12	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Co-60		0.00911 pCi/g		0.012	0.012	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-134		-0.00401 pCi/g		0.014	0.014	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Cs-137		0.0486 pCi/g		0.022	0.022			
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-152		0.0269 pCi/g		0.031	0.031	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-154		0.0091 pCi/g		0.039	0.039	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Eu-155		0.0207 pCi/g		0.025	0.025	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 K-40		3.57 pCi/g		0.65	0.65			
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Ru-106		-0.139 pCi/g		0.11	0.11	U		
SESPMNT	B16N85	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	07-Oct-03 Sb-125		-0.004 pCi/g		0.03	0.03	U		
SESPMNT	B16N90	100 N AREA	ONSITE	BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	BONES	07-Oct-03 Sr-90		3.49 pCi/g		0.086	0.51			
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Be-7		0.109 pCi/g		0.16	0.16	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Co-60		-0.00661 pCi/g		0.015	0.015	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Cs-134		0.0139 pCi/g		0.015	0.015	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Cs-137		-0.00221 pCi/g		0.015	0.015	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Eu-152		0.0157 pCi/g		0.036	0.036	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Eu-154		-0.0107 pCi/g		0.043	0.043	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Eu-155		0.0202 pCi/g		0.027	0.027	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 K-40		3.1 pCi/g		0.67	0.67		NEAR MABTON	
SESPMNT	B16N93	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	LIVER	11-Dec-03 Pu-238		-0.0000137 pCi/g		0.00031	0.0003	U	NEAR MABTON	
SESPMNT	B16N93	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	LIVER	11-Dec-03 Pu-239/240		-0.0000338 pCi/g		0.00032	0.0003	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Ru-106		0.056 pCi/g		0.13	0.13	U	NEAR MABTON	
SESPMNT	B16N92	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	11-Dec-03 Sb-125		-0.0147 pCi/g		0.034	0.034	U	NEAR MABTON	
SESPMNT	B16N97	BACKGROUND		BI	2003COTTONTAIL RABBIT14	COTTONTAIL RABBIT	BONES	11-Dec-03 Sr-90							NEAR MABTON	No Strontium recovered.
SESPMNT	B16NC5	BACKGROUND		BI	2003COTTONTAIL RABBIT15	COTTONTAIL RABBIT	LIVER	31-Mar-03 IC/PMS							NOT COLLECTED.	
SESPMNT	B16ND0	BACKGROUND		BI	2003COTTONTAIL RABBIT15	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16N98	BACKGROUND		BI	2003COTTONTAIL RABBIT15	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16NC5	BACKGROUND		BI	2003COTTONTAIL RABBIT15	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B16NC6	BACKGROUND		BI	2003COTTONTAIL RABBIT16	COTTONTAIL RABBIT	LIVER	31-Mar-03 IC/PMS							NOT COLLECTED.	
SESPMNT	B16ND1	BACKGROUND		BI	2003COTTONTAIL RABBIT16	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16N99	BACKGROUND		BI	2003COTTONTAIL RABBIT16	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16NC6	BACKGROUND		BI	2003COTTONTAIL RABBIT16	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B16NC7	BACKGROUND		BI	2003COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	31-Mar-03 IC/PMS							NOT COLLECTED.	
SESPMNT	B16ND2	BACKGROUND		BI	2003COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16N80	BACKGROUND		BI	2003COTTONTAIL RABBIT17	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16NC7	BACKGROUND		BI	2003COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B16NC8	BACKGROUND		BI	2003COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	31-Mar-03 IC/PMS							NOT COLLECTED.	
SESPMNT	B16ND3	BACKGROUND		BI	2003COTTONTAIL RABBIT18	COTTONTAIL RABBIT	LIVER	31-Mar-03 Pu-238, Pu-239/240							NOT COLLECTED.	
SESPMNT	B16NB1	BACKGROUND		BI	2003COTTONTAIL RABBIT18	COTTONTAIL RABBIT	BONES	31-Mar-03 Sr-90							NOT COLLECTED.	
SESPMNT	B16NC8	BACKGROUND		BI	2003COTTONTAIL RABBIT18	COTTONTAIL RABBIT	LIVER	31-Mar-03 U							NOT COLLECTED.	
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Be-7		0.0697 pCi/g		0.18	0.18	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Co-60		-0.000531 pCi/g		0.016	0.016	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Cs-134		-0.0151 pCi/g		0.018	0.018	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Cs-137		-0.00224 pCi/g		0.016	0.016	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Eu-152		0.000313 pCi/g		0.042	0.042	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Eu-154		0.0113 pCi/g		0.047	0.047	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Eu-155		0.0182 pCi/g		0.051	0.051	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 K-40		3.96 pCi/g		0.77	0.77			
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Ru-106		0.0536 pCi/g		0.15	0.15	U		
SESPMNT	B169D1	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	MUSCLE	13-Jan-03 Sb-125		0.0144 pCi/g		0.042	0.042	U		
SESPMNT	B169D7	100-N - 100-D	ONSITE	BI	2003WHITEFISH1	WHITEFISH	CARCASS	13-Jan-03 Sr-90		0.0161 pCi/g		0.02	0.023	U		
SESPMNT	B169D2	100-N - 100-D	ONSITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03 Be-7		0.0836 pCi/g		0.15	0.15	U		
SESPMNT	B169D2	100-N - 100-D	ONSITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03 Co-60		0.0207 pCi/g		0.016	0.015	U		
SESPMNT	B169D2	100-N - 100-D	ONSITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03 Cs-134		0.0098 pCi/g		0.015	0.015	U		
SESPMNT	B169D2	100-N - 100-D	ONSITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03 Cs-137		0.00606 pCi/g		0.014	0.014	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	Eu-152	0.00457 pCi/g		0.033	0.033	U		
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	Eu-154	-0.00696 pCi/g		0.044	0.044	U		
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	Eu-155	0.00338 pCi/g		0.031	0.031	U		
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	K-40	3.17 pCi/g		0.67	0.67			
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	Ru-106	-0.0089 pCi/g		0.12	0.12	U		
SESPMNT	B169D2	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	MUSCLE	13-Jan-03	Sb-125	-0.0116 pCi/g		0.034	0.034	U		
SESPMNT	B169D8	100-N - 100-D	ON SITE	BI	2003WHITEFISH2	WHITEFISH	CARCASS	13-Jan-03	Sr-90	0.0179 pCi/g		0.024	0.026	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Be-7	0.0348 pCi/g		0.12	0.12	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Co-60	0.00835 pCi/g		0.012	0.012	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Cs-134	0.00707 pCi/g		0.012	0.012	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Cs-137	0.00522 pCi/g		0.011	0.011	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Eu-152	-0.00891 pCi/g		0.027	0.027	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Eu-154	0.00638 pCi/g		0.032	0.032	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Eu-155	-0.0183 pCi/g		0.025	0.025	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	K-40	3.89 pCi/g		0.64	0.64			
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Ru-106	0.0293 pCi/g		0.097	0.097	U		
SESPMNT	B169D3	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	MUSCLE	13-Jan-03	Sb-125	0.00925 pCi/g		0.026	0.026	U		
SESPMNT	B169D9	100-N - 100-D	ON SITE	BI	2003WHITEFISH3	WHITEFISH	CARCASS	13-Jan-03	Sr-90	0.00851 pCi/g		0.021	0.022	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Be-7	-0.0686 pCi/g		0.2	0.2	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Co-60	0.0117 pCi/g		0.017	0.017	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Cs-134	0.000865 pCi/g		0.02	0.02	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Cs-137	0.00618 pCi/g		0.018	0.018	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Eu-152	-0.0405 pCi/g		0.049	0.049	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Eu-154	0.0225 pCi/g		0.053	0.053	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Eu-155	0.036 pCi/g		0.057	0.057	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	K-40	4.89 pCi/g		0.89	0.89			
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Ru-106	0.0351 pCi/g		0.17	0.17	U		
SESPMNT	B169D4	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	MUSCLE	13-Jan-03	Sb-125	-0.026 pCi/g		0.045	0.045	U		
SESPMNT	B169F0	100-N - 100-D	ON SITE	BI	2003WHITEFISH4	WHITEFISH	CARCASS	13-Jan-03	Sr-90	0.00801 pCi/g		0.021	0.022	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Be-7	-0.078 pCi/g		0.13	0.13	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Co-60	0.0143 pCi/g		0.013	0.013	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Cs-134	0.00166 pCi/g		0.013	0.013	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Cs-137	0.000682 pCi/g		0.012	0.012	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Eu-152	-0.00168 pCi/g		0.029	0.029	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Eu-154	-0.0151 pCi/g		0.036	0.036	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Eu-155	-0.0199 pCi/g		0.026	0.026	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	K-40	2.86 pCi/g		0.59	0.59			
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Ru-106	-0.0183 pCi/g		0.099	0.099	U		
SESPMNT	B169D5	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	MUSCLE	13-Jan-03	Sb-125	-0.0102 pCi/g		0.029	0.029	U		
SESPMNT	B169F1	100-N - 100-D	ON SITE	BI	2003WHITEFISH5	WHITEFISH	CARCASS	13-Jan-03	Sr-90	0.0262 pCi/g		0.025	0.027	U		
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Be-7	0.00419 pCi/g		0.12	0.12	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Co-60	0.000369 pCi/g		0.012	0.012	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Cs-134	-0.00356 pCi/g		0.013	0.013	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Cs-137	-0.00187 pCi/g		0.012	0.012	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Eu-152	-0.0199 pCi/g		0.032	0.032	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Eu-154	0.0202 pCi/g		0.036	0.036	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Eu-155	0.00267 pCi/g		0.037	0.037	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	K-40	2.91 pCi/g		0.57	0.57		BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Ru-106	0.00364 pCi/g		0.11	0.11	U	BELOW WANAPUM DAM	
SESPMNT	B169F3	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	MUSCLE	27-Jan-03	Sb-125	-0.0139 pCi/g		0.03	0.03	U	BELOW WANAPUM DAM	
SESPMNT	B169F9	BACKGROUND		BI	2003WHITEFISH7	WHITEFISH	CARCASS	27-Jan-03	Sr-90	0.00726 pCi/g		0.02	0.022	U	BELOW WANAPUM DAM	
SESPMNT	B169J1	BACKGROUND		BI	2003WHITEFISH8	WHITEFISH	LIVER	10-Jan-03	Hg						NOT COLLECTED.	
SESPMNT	B169J1	BACKGROUND		BI	2003WHITEFISH8	WHITEFISH	LIVER	10-Jan-03	ICPMS						NOT COLLECTED.	
SESPMNT	B169H0	BACKGROUND		BI	2003WHITEFISH8	WHITEFISH	CARCASS	10-Jan-03	Sr-90						NOT COLLECTED.	
SESPMNT	B169J1	BACKGROUND		BI	2003WHITEFISH8	WHITEFISH	LIVER	10-Jan-03	U						NOT COLLECTED.	
SESPMNT	B169J2	BACKGROUND		BI	2003WHITEFISH9	WHITEFISH	LIVER	10-Jan-03	Hg						NOT COLLECTED.	
SESPMNT	B169J2	BACKGROUND		BI	2003WHITEFISH9	WHITEFISH	LIVER	10-Jan-03	ICPMS						NOT COLLECTED.	
SESPMNT	B169H1	BACKGROUND		BI	2003WHITEFISH9	WHITEFISH	CARCASS	10-Jan-03	Sr-90						NOT COLLECTED.	
SESPMNT	B169J2	BACKGROUND		BI	2003WHITEFISH9	WHITEFISH	LIVER	10-Jan-03	U						NOT COLLECTED.	
SESPMNT	B169J3	BACKGROUND		BI	2003WHITEFISH10	WHITEFISH	LIVER	10-Jan-03	Hg						NOT COLLECTED.	
SESPMNT	B169J3	BACKGROUND		BI	2003WHITEFISH10	WHITEFISH	LIVER	10-Jan-03	ICPMS						NOT COLLECTED.	
SESPMNT	B169H2	BACKGROUND		BI	2003WHITEFISH10	WHITEFISH	CARCASS	10-Jan-03	Sr-90						NOT COLLECTED.	
SESPMNT	B169J3	BACKGROUND		BI	2003WHITEFISH10	WHITEFISH	LIVER	10-Jan-03	U						NOT COLLECTED.	
SESPMNT	B169J4	BACKGROUND		BI	2003WHITEFISH11	WHITEFISH	LIVER	10-Jan-03	Hg						NOT COLLECTED.	
SESPMNT	B169J4	BACKGROUND		BI	2003WHITEFISH11	WHITEFISH	LIVER	10-Jan-03	ICPMS						NOT COLLECTED.	
SESPMNT	B169H3	BACKGROUND		BI	2003WHITEFISH11	WHITEFISH	CARCASS	10-Jan-03	Sr-90						NOT COLLECTED.	
SESPMNT	B169J4	BACKGROUND		BI	2003WHITEFISH11	WHITEFISH	LIVER	10-Jan-03	U						NOT COLLECTED.	
SESPSPEC	B166J5	100 B/C AREA UR	ON SITE	BI	2003CLAMS26	CLAMS	SOFT TISSUE	24-Sep-03	Hg						NOT COLLECTED.	
SESPSPEC	B166J5	100 B/C AREA UR	ON SITE	BI	2003CLAMS26	CLAMS	SOFT TISSUE	24-Sep-03	ICPMS						NOT COLLECTED.	
SESPSPEC	B166J5	100 B/C AREA UR	ON SITE	BI	2003CLAMS26	CLAMS	SOFT TISSUE	24-Sep-03	U						NOT COLLECTED.	
SESPSPEC	B16T04	300 AREA SPRING 42-2	ON SITE	BI	2003CORBICULA1	CORBICULA	SHELLS	24-Feb-03	Tc-99	0.473 pCi/g		0.19	0.4			
SESPSPEC	B16T07	300 AREA SPRING 42-2	ON SITE	BI	2003CORBICULA4	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T08	300 AREA SPRING 42-2	ON SITE	BI	2003CORBICULA5	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T09	300 AREA SPRING 42-2	ON SITE	BI	2003CORBICULA6	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T10	300 AREA SPRING 42-2	ON SITE	BI	2003CORBICULA7	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T12	300 AREA SPR DR 42-2	ON SITE	BI	2003CORBICULA8	CORBICULA	SHELLS	24-Feb-03	Tc-99	0.315 pCi/g		0.19	0.39	U		
SESPSPEC	B16T22	300 AREA SPR DR 42-2	ON SITE	BI	2003CORBICULA18	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T23	300 AREA SPR DR 42-2	ON SITE	BI	2003CORBICULA19	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	
SESPSPEC	B16T24	300 AREA SPR DR 42-2	ON SITE	BI	2003CORBICULA20	CORBICULA	SOFT TISSUE	24-Feb-03	U						NO SAMPLE.	

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16T26	300 SPR 11	ON SITE	BI	2003CORBICULA21	CORBICULA	SHELLS	24-Feb-03 Tc-99		0.37	pCi/g	0.19	0.39	U		
SESPSPEC	B16T34	300 SPR 11	ON SITE	BI	2003CORBICULA29	CORBICULA	SOFT TISSUE	24-Feb-03 U							NO SAMPLE.	
SESPSPEC	B16T35	300 SPR 11	ON SITE	BI	2003CORBICULA30	CORBICULA	SOFT TISSUE	24-Feb-03 U							NO SAMPLE.	
SESPSPEC	B16T37	300 SPR 14	ON SITE	BI	2003CORBICULA31	CORBICULA	SHELLS	24-Feb-03 Tc-99		0.287	pCi/g	0.19	0.39	U		
SESPSPEC	B16T44	300 SPR 14	ON SITE	BI	2003CORBICULA38	CORBICULA	SOFT TISSUE	24-Feb-03 U							NO SAMPLE.	
SESPSPEC	B16T45	300 SPR 14	ON SITE	BI	2003CORBICULA39	CORBICULA	SOFT TISSUE	24-Feb-03 U							NO SAMPLE.	
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Be-7		-0.237	pCi/g	0.29	0.29	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Co-60		-0.026	pCi/g	0.029	0.029	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Cs-134		0.0139	pCi/g	0.029	0.029	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Cs-137		0.00531	pCi/g	0.028	0.028	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Eu-152		-0.00298	pCi/g	0.069	0.069	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Eu-154		-0.0348	pCi/g	0.082	0.082	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Eu-155		0.028	pCi/g	0.046	0.046	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 K-40		1.57	pCi/g	0.89	0.89	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Ru-106		-0.0129	pCi/g	0.24	0.24	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Sb-125		-0.0411	pCi/g	0.067	0.067	U		
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Sr-90		0.107	pCi/g	0.021	0.027			
SESPSPEC	B17JF6	VERNITA	OFFSITE	BI	2003CRAYFISH1	CRAYFISH	CARCASS	03-Sep-03 Tc-99		0.112	pCi/g	0.064	0.11	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Be-7		0.0812	pCi/g	0.4	0.4	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Co-60		-0.00761	pCi/g	0.042	0.042	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Cs-134		0.00995	pCi/g	0.041	0.041	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Cs-137		0.00347	pCi/g	0.036	0.036	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Eu-152		-0.0191	pCi/g	0.087	0.087	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Eu-154		-0.0797	pCi/g	0.12	0.12	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Eu-155		0.0349	pCi/g	0.071	0.071	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 K-40		0.867	pCi/g	1.5	1.5	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Ru-106		0.286	pCi/g	0.33	0.33	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Sb-125		-0.0286	pCi/g	0.086	0.086	U		
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Sr-90		0.13	pCi/g	0.023	0.031			
SESPSPEC	B17JF7	VERNITA	OFFSITE	BI	2003CRAYFISH2	CRAYFISH	CARCASS	03-Sep-03 Tc-99		0.121	pCi/g	0.062	0.1	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Be-7		-0.284	pCi/g	0.49	0.49	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Co-60		0.0722	pCi/g	0.05	0.05	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Cs-134		0.0279	pCi/g	0.046	0.046	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Cs-137		-0.000921	pCi/g	0.042	0.042	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Eu-152		-0.0228	pCi/g	0.096	0.096	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Eu-154		-0.0971	pCi/g	0.13	0.13	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Eu-155		0.0939	pCi/g	0.085	0.085	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 K-40		-0.633	pCi/g	1.6	1.6	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Ru-106		-0.0449	pCi/g	0.39	0.39	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Sb-125		-0.0578	pCi/g	0.099	0.099	U		
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Sr-90		0.092	pCi/g	0.024	0.029			
SESPSPEC	B17JF8	VERNITA	OFFSITE	BI	2003CRAYFISH3	CRAYFISH	CARCASS	03-Sep-03 Tc-99		0.116	pCi/g	0.065	0.11	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Be-7		0.008	pCi/g	0.63	0.63	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Co-60		0.0855	pCi/g	0.063	0.063	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Cs-134		0.00309	pCi/g	0.058	0.058	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Cs-137		0.0439	pCi/g	0.054	0.054	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Eu-152		0.0764	pCi/g	0.13	0.13	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Eu-154		0.115	pCi/g	0.16	0.16	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Eu-155		0.061	pCi/g	0.1	0.1	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 K-40		0.476	pCi/g	2.3	2.3	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Ru-106		-0.0458	pCi/g	0.48	0.48	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Sb-125		0.0469	pCi/g	0.12	0.12	U		
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Sr-90		0.111	pCi/g	0.024	0.031			
SESPSPEC	B17JF9	VERNITA	OFFSITE	BI	2003CRAYFISH4	CRAYFISH	CARCASS	03-Sep-03 Tc-99		0.0695	pCi/g	0.064	0.11	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Be-7		0.233	pCi/g	0.44	0.44	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Co-60		0.0308	pCi/g	0.04	0.04	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Cs-134		0.0153	pCi/g	0.036	0.036	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Cs-137		-0.0171	pCi/g	0.035	0.035	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Eu-152		-0.0933	pCi/g	0.087	0.087	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Eu-154		0.00781	pCi/g	0.11	0.11	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Eu-155		0.0642	pCi/g	0.058	0.058	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 K-40		1.42	pCi/g	0.99	0.99			
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Ru-106		-0.0165	pCi/g	0.32	0.32	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Sb-125		0.0642	pCi/g	0.085	0.085	U		
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Sr-90		0.112	pCi/g	0.022	0.029			
SESPSPEC	B17JH0	VERNITA	OFFSITE	BI	2003CRAYFISH5	CRAYFISH	CARCASS	03-Sep-03 Tc-99		0.114	pCi/g	0.065	0.11	U		
SESPSPEC	B17NC9	100-B SPRING 38-3	ON SITE	BI	2003CRAYFISH28	CRAYFISH	HEPATOPANCREAS	24-Sep-03 Hg							NO SAMPLE.	
SESPSPEC	B17NC9	100-B SPRING 38-3	ON SITE	BI	2003CRAYFISH28	CRAYFISH	HEPATOPANCREAS	24-Sep-03 IC PMS							NO SAMPLE.	
SESPSPEC	B17NC9	100-B SPRING 38-3	ON SITE	BI	2003CRAYFISH28	CRAYFISH	HEPATOPANCREAS	24-Sep-03 U							NO SAMPLE.	
SESPSPEC	B17H89	100-B SPRING 38-3	ON SITE	BI	2003DEER MOUSE52	DEER MOUSE	BRAIN	26-Aug-03 Aroclor-1254							NO SAMPLE.	
SESPSPEC	B17H89	100-B SPRING 38-3	ON SITE	BI	2003DEER MOUSE52	DEER MOUSE	BRAIN	26-Aug-03 Aroclor-1260							NO SAMPLE.	
SESPSPEC	B17H78	100-B SPRING 38-3	ON SITE	BI	2003DEER MOUSE52	DEER MOUSE	LIVER	26-Aug-03 Hg							NO SAMPLE.	
SESPSPEC	B17H78	100-B SPRING 38-3	ON SITE	BI	2003DEER MOUSE52	DEER MOUSE	LIVER	26-Aug-03 IC PMS							NO SAMPLE.	
SESPSPEC	B17H78	100-B SPRING 38-3	ON SITE	BI	2003DEER MOUSE52	DEER MOUSE	LIVER	26-Aug-03 U							NO SAMPLE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04 Be-7		-0.0294	pCi/g	0.069	0.069	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Co-60	-0.000882	pCi/g	0.0077	0.0077	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Cs-134	0.000849	pCi/g	0.008	0.008	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Cs-137	0.00212	pCi/g	0.0069	0.0069	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Eu-152	0.0148	pCi/g	0.015	0.015	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Eu-154	-0.027	pCi/g	0.024	0.024	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Eu-155	-0.0177	pCi/g	0.017	0.017	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	K-40	2.62	pCi/g	0.46	0.46		APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Ru-106	-0.00637	pCi/g	0.06	0.06	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C91	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	MUSCLE	09-Jan-04	Sb-125	-0.0102	pCi/g	0.016	0.016	U	APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B18C92	STATE HIGHWAY 24	OFFSITE	BI	2004ELK1	ELK	BONES	09-Jan-04	Sr-90	0.229	pCi/g	0.03	0.046		APPROXIMATELY 1/2 MILE WEST ON HIGHWAY 24 FROM YAKIMA BARRICADE.	
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Be-7	-0.229	pCi/g	0.22	0.22	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Co-60	-0.0128	pCi/g	0.025	0.025	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Cs-134	0.0137	pCi/g	0.022	0.022	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Cs-137	0.00891	pCi/g	0.02	0.02	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Eu-152	-0.0146	pCi/g	0.049	0.049	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Eu-154	-0.00164	pCi/g	0.072	0.072	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Eu-155	0.0181	pCi/g	0.035	0.035	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	K-40	2.54	pCi/g	0.98	0.98			
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Ru-106	-0.136	pCi/g	0.17	0.17	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Sb-125	-0.0293	pCi/g	0.048	0.048	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Sr-90	0.0132	pCi/g	0.016	0.016	U		
SESPSPEC	B17JF1	VERNITA	OFFSITE	BI	2003SCULPIN1	SCULPIN	CARCASS	03-Sep-03	Tc-99	0.0949	pCi/g	0.065	0.11	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Be-7	0.0851	pCi/g	0.24	0.24	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Co-60	0.00214	pCi/g	0.022	0.022	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Cs-134	-0.000499	pCi/g	0.021	0.021	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Cs-137	-0.00944	pCi/g	0.019	0.019	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Eu-152	0.00277	pCi/g	0.047	0.047	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Eu-154	-0.0636	pCi/g	0.072	0.072	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Eu-155	-0.0139	pCi/g	0.033	0.033	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	K-40	2.71	pCi/g	0.96	0.96			
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Ru-106	0.0785	pCi/g	0.18	0.18	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Sb-125	-0.00671	pCi/g	0.047	0.047	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Sr-90	0.000761	pCi/g	0.018	0.02	U		
SESPSPEC	B17JF2	VERNITA	OFFSITE	BI	2003SCULPIN2	SCULPIN	CARCASS	03-Sep-03	Tc-99	0.0539	pCi/g	0.059	0.097	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Be-7	0.0771	pCi/g	0.23	0.23	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Co-60	0.00243	pCi/g	0.021	0.021	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Cs-134	-0.00303	pCi/g	0.02	0.02	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Cs-137	-0.00218	pCi/g	0.019	0.019	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Eu-152	0.00333	pCi/g	0.049	0.049	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Eu-154	0.00296	pCi/g	0.066	0.066	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Eu-155	0.006	pCi/g	0.034	0.034	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	K-40	2.67	pCi/g	0.83	0.83			
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Ru-106	0.0818	pCi/g	0.17	0.17	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Sb-125	0.00893	pCi/g	0.046	0.046	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Sr-90	0.0152	pCi/g	0.023	0.023	U		
SESPSPEC	B17JF3	VERNITA	OFFSITE	BI	2003SCULPIN3	SCULPIN	CARCASS	03-Sep-03	Tc-99	0.0533	pCi/g	0.065	0.11	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Be-7	-0.0235	pCi/g	0.34	0.34	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Co-60	0.00992	pCi/g	0.033	0.033	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Cs-134	-0.0292	pCi/g	0.03	0.03	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Cs-137	0.00152	pCi/g	0.025	0.025	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Eu-152	0.0281	pCi/g	0.067	0.067	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Eu-154	-0.0916	pCi/g	0.096	0.096	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Eu-155	0.0231	pCi/g	0.044	0.044	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	K-40	2.96	pCi/g	1.3	1.3			
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Ru-106	-0.11	pCi/g	0.23	0.23	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Sb-125	-0.0347	pCi/g	0.062	0.062	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Sr-90	0.0329	pCi/g	0.02	0.022	U		
SESPSPEC	B17JF4	VERNITA	OFFSITE	BI	2003SCULPIN4	SCULPIN	CARCASS	03-Sep-03	Tc-99	0.0812	pCi/g	0.061	0.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

WILDLIFE
(pCi/g Wet Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Be-7	0.0235 pCi/g		0.33	0.33	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Co-60	0.0437 pCi/g		0.032	0.032	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Cs-134	0.00876 pCi/g		0.029	0.029	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Cs-137	0.0000242 pCi/g		0.025	0.025	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Eu-152	0.0144 pCi/g		0.068	0.068	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Eu-154	-0.033 pCi/g		0.091	0.091	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Eu-155	-0.00653 pCi/g		0.046	0.046	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	K-40	3.6 pCi/g		1.2	1.2			
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Ru-106	0.0369 pCi/g		0.24	0.24	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Sb-125	0.0503 pCi/g		0.063	0.063	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Sr-90	0.0192 pCi/g		0.019	0.021	U		
SESPSPEC	B17JF5	VERNITA	OFFSITE	BI	2003SCULPIN5	SCULPIN	CARCASS	03-Sep-03	Tc-99	0.146 pCi/g		0.058	0.097			
SESPSPEC	B17N84	100 B/C AREA UR	ONSITE	BI	2003SCULPIN25	SCULPIN	LIVER	23-Sep-03	Hg						NO SAMPLE	
SESPSPEC	B17N84	100 B/C AREA UR	ONSITE	BI	2003SCULPIN25	SCULPIN	LIVER	23-Sep-03	ICPMS						NO SAMPLE	
SESPSPEC	B17N84	100 B/C AREA UR	ONSITE	BI	2003SCULPIN25	SCULPIN	LIVER	23-Sep-03	U						NO SAMPLE	
SESPSPEC	B17N85	100 B/C AREA UR	ONSITE	BI	2003SCULPIN26	SCULPIN	LIVER	23-Sep-03	Hg						NO SAMPLE	
SESPSPEC	B17N85	100 B/C AREA UR	ONSITE	BI	2003SCULPIN26	SCULPIN	LIVER	23-Sep-03	ICPMS						NO SAMPLE	
SESPSPEC	B17N85	100 B/C AREA UR	ONSITE	BI	2003SCULPIN26	SCULPIN	LIVER	23-Sep-03	U						NO SAMPLE	
SESPSPEC	B17N86	100 B/C AREA UR	ONSITE	BI	2003SCULPIN27	SCULPIN	LIVER	23-Sep-03	Hg						NO SAMPLE	
SESPSPEC	B17N86	100 B/C AREA UR	ONSITE	BI	2003SCULPIN27	SCULPIN	LIVER	23-Sep-03	ICPMS						NO SAMPLE	
SESPSPEC	B17N86	100 B/C AREA UR	ONSITE	BI	2003SCULPIN27	SCULPIN	LIVER	23-Sep-03	U						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	2,4'-DDD (Dichlorodiphenyldichloroethane)						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	2,4'-DDE (Dichlorodiphenyldichloroethylene)						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	2,4'-DDT (Dichlorodiphenyldichloroethane)						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	4,4'-DDD (Dichlorodiphenyldichloroethane)						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	4,4'-DDE (Dichlorodiphenyldichloroethylene)						NO SAMPLE	
SESPMNT	B174H1	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK2	WESTERN MEADOWLARK	BRAIN		19-Jun-03	4,4'-DDT (Dichlorodiphenyldichloroethane)						NO SAMPLE	
SESPMNT	B174H2	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK3	WESTERN MEADOWLARK	BRAIN		19-Jun-03	2,4'-DDD (Dichlorodiphenyldichloroethane)						NO SAMPLE	
SESPMNT	B174H2	HORSESHOE LANDFILL	BI	2003WESTERN MEADOWLARK3	WESTERN MEADOWLARK	BRAIN		19-Jun-03	2,4'-DDE (Dichlorodiphenyldichloroethylene)						NO SAMPLE	</

Table B-1. Metals in Biota, 2003 (Concentrations in µg/g dry wt - blank corrected)

Samp Num	Samp Site Name	Samp From	Samp Item	Samp Date	Percent Moisture	Hg	Cr	Mn	Ni	Se	Ag	Cd	Ba	Pb	Th	U	Al	As	Be	Cu	Sb	Tl	Zn
B17774	100 AREAS	CANADA GOOSE	LIVER	05-Aug-03	72.6	0.0167	0.283	11.4	0.0447 U	2.58	0.0445 U	1.52	0.244	0.0650	0.021 U	0.0309 U	1.05	0.479	0.0188 U	19.7	0.0189 U	0.0177 U	138
B17775	100 AREAS	CANADA GOOSE	LIVER	05-Aug-03	72.6	0.0552	0.352	10.3	0.0447 U	2.86	0.0445 U	0.622	0.0709	0.0497	0.021 U	0.0309 U	1.50	0.218	0.0188 U	44.8	0.0189 U	0.0177 U	122
B17776	100 AREAS	CANADA GOOSE	LIVER	29-Sep-03	72.8	0.0271	0.169	15.1	0.0447 U	2.66	0.0489	1.63		0.154	0.021 U	0.0309 U	3.28	0.199 U	0.0791	125	0.0189 U	0.0177 U	191
B17777	100 AREAS	CANADA GOOSE	LIVER	29-Sep-03	70.8	0.0401	0.199	15.5	0.0673	2.96	0.0445 U	4.60		0.136	0.021 U	0.0309 U	53.6	0.199 U	0.0798	22.5	0.0189 U	0.0177 U	119
B17778	100 AREAS	CANADA GOOSE	LIVER	02-Oct-03	73.2	0.0819	0.250	8.42	0.264	3.69	0.0445 U	10.4		0.146	0.021 U	0.0309 U	8.05	0.199 U	0.0302	57.5	0.0189 U	0.0335	145
B17779	HANFORD TOWNSITE	CANADA GOOSE	LIVER	05-Aug-03	72.6	0.103	0.360	11.4	0.0495	4.55	0.0445 U	3.58	0.163	0.135	0.021 U	0.0309 U	7.62	0.641	0.0188 U	29.2	0.0189 U	0.0177 U	133
B17780	HANFORD TOWNSITE	CANADA GOOSE	LIVER	05-Aug-03	72.6	0.0785	0.302	8.07	0.0690	3.35	0.0445 U	0.669	0.160	0.0355	0.021 U	0.0309 U	3.96	0.216	0.0188 U	21.4	0.0189 U	0.0177 U	107
B17781	HANFORD TOWNSITE	CANADA GOOSE	LIVER	06-Aug-03	72.6	0.154	0.498	16.4	0.0447 U	3.50	0.0445 U	3.28	0.0663	0.105	0.021 U	0.0309 U	3.98	0.199 U	0.0188 U	102	0.0189 U	0.0177 U	198
B17782	HANFORD TOWNSITE	CANADA GOOSE	LIVER	29-Sep-03	73.4	0.0369	0.109	13.1	0.0447 U	3.17	0.0445 U	2.37		0.0460	0.021 U	0.0309 U	3.35	0.199 U	0.0300	21.9	0.0189 U	0.0177 U	290
B17783	HANFORD TOWNSITE	CANADA GOOSE	LIVER	02-Oct-03	69.5	0.0231	0.279	9.81	0.0447 U	2.08	0.0445 U	15.6		0.105	0.021 U	0.0309 U	4.34	0.199 U	0.0243	35.5	0.0189 U	0.0177 U	155
B17784	BACKGROUND (PRIEST RAPIDS POOL)	CANADA GOOSE	LIVER	21-Aug-03	72.6	0.0310	0.548	11.2	0.0447 U	3.06	0.0445 U	2.97	0.0470	0.0338 U	0.021 U	0.0309 U	2.83	0.427	0.0188 U	61.9	0.0189 U	0.0177 U	169
B17785	BACKGROUND (PRIEST RAPIDS POOL)	CANADA GOOSE	LIVER	23-Sep-03	69.3	0.0281	0.134	9.72	0.0447 U	1.25	0.0445 U	1.80		0.0609	0.021 U	0.0309 U	1.20	0.199 U	0.0188 U	49.1	0.0189 U	0.0177 U	111
B16NB2	100 N AREA	COTTONTAIL RABBIT	LIVER	29-Jul-03	70.2	0.0808	0.307	11.2	0.0447 U	2.51	0.0445 U	0.438	0.0303 U	0.136	0.021 U	0.0309 U	1.14	0.415	0.0188 U	17.6	0.0189 U	0.0177 U	142
B16NB3	100 N AREA	COTTONTAIL RABBIT	LIVER	07-Oct-03	73.5		0.127	9.34	0.0677	1.62	0.0445 U	0.624		0.267	0.021 U	0.0309 U	1.86	0.199 U	0.0741	13.1	0.0189 U	0.0177 U	122
B16NB4	100 N AREA	COTTONTAIL RABBIT	LIVER	07-Oct-03	69.7		0.236	7.88	0.0631	2.37	0.0445 U	0.711		0.143	0.021 U	0.0309 U	2.67	0.199 U	0.0763	14.9	0.0189 U	0.0177 U	134
B16NB5	100 N AREA	COTTONTAIL RABBIT	LIVER	07-Oct-03	70.1		0.205	13.4	0.0447 U	2.76	0.0445 U	0.551		0.0404	0.021 U	0.0309 U	1.28	0.199 U	0.0692	14.7	0.0189 U	0.0177 U	117
B16NB6	200 E AREA	COTTONTAIL RABBIT	LIVER	06-May-03	64.8	0.121	0.343	10.7	0.0561	3.03	0.0445 U	0.358	0.0712	2.343	0.0825	0.0309 U	9.61	0.455	0.0188 U	12.4	0.160	0.0177 U	159
B16NB7	200 E AREA	COTTONTAIL RABBIT	LIVER	06-May-03	68.8	0.0259	0.298	12.4	0.0449	0.889	0.0445 U	0.131	0.123	1.38	0.021 U	0.0309 U	1.19	0.199 U	0.0188 U	73.6	0.0570	0.0177 U	99.6
B16NC0	200 W AREA	COTTONTAIL RABBIT	LIVER	17-Jun-03	74.4	0.123	0.448	12.5	0.0554	3.00	0.0445 U	0.554	0.432	0.187	0.021 U	0.0309 U	13.2	0.492	0.0188 U	13.9	0.0200	0.0177 U	113
B16NC1	200 W AREA	COTTONTAIL RABBIT	LIVER	17-Jun-03	74.3	0.0386	0.431	10.9	0.0647	1.91	0.0445 U	0.216	0.0303 U	0.0299	0.021 U	0.0309 U	4.82	0.199 U	0.0188 U	102	0.0189 U	0.0177 U	198
B16NC2	200 W AREA	COTTONTAIL RABBIT	LIVER	29-Jul-03	73.4	0.115	0.402	11.4	0.0447 U	3.38	0.0445 U	0.176	0.406	0.101	0.021 U	0.0309 U	2.55	0.715	0.0188 U	17.5	0.0189 U	0.0177 U	113
B16NC3	200 W AREA	COTTONTAIL RABBIT	LIVER	29-Jul-03	73.2	0.247	0.569	11.8	0.0548	3.27	0.0445 U	0.297	0.355	0.158	0.021 U	0.0309 U	12.6	0.455	0.0188 U	14.5	0.0189 U	0.0177 U	105
B16NC4	BACKGROUND (NEAR MABTON)	COTTONTAIL RABBIT	LIVER	11-Dec-03	69.0	0.142	0.111	7.03	0.043 U	2.34	0.0445 U	0.0935	0.0234	0.837	0.021 U	0.0309 U	1.28 U	0.0969 U	0.0150 U	10.4	0.0189 U	0.0248	118
B169H5	100-N - 100-D	WHITEFISH	LIVER	13-Jan-03	43.0		0.0665	4.64	0.0617	13.6	0.156	2.69		0.0831	0.021 U	0.0309 U	2.22	0.801	0.0188 U	16.3	0.0189 U	1.03	94.9
B169H6	100-N - 100-D	WHITEFISH	LIVER	13-Jan-03	40.8		1.87	6.64	0.0548	9.91	0.0845	2.70		0.0580	0.021 U	0.0309 U	2.36	0.481	0.0188 U	10.7	0.0189 U	0.975	89.3
B169H7	100-N - 100-D	WHITEFISH	LIVER	13-Jan-03	51.0		0.164	6.47	0.0647	9.26	0.357	1.89		0.0874	0.021 U	0.0309 U	0.985	0.856	0.0188 U	23.4	0.0189 U	0.863	95.7
B169H8	100-N - 100-D	WHITEFISH	LIVER	13-Jan-03	46.6		0.112	12.4	0.367	11.1	0.0445 U	5.54		0.151	0.021 U	0.0370	6.23	0.643	0.0188 U	10.9	0.0189 U	1.70	110
B169H9	100-N - 100-D	WHITEFISH	LIVER	13-Jan-03	39.0		0.101	7.32	0.117	10.3	0.0768	2.87		0.0798	0.021 U	0.0350	4.32	0.761	0.0188 U	13.8	0.0189 U	1.47	86.2
B169J0	BACKGROUND (BELOW WANAPUM DAM)	WHITEFISH	LIVER	27-Jun-03	47.1	0.483	0.0204	4.42	0.0688	6.02	0.335	1.60		0.0300 U	0.021 U	0.0309 U	2.22	1.11	0.0266	34.4	0.0189 U	1.28	105
B17B46	WAHLUKE AREA COMP	COW	MILK	30-Jul-03	87.8		0.125	0.212	0.289	0.499 U	0.0445 U	0.0418		0.0338 U	0.0267	0.0309 U	0.734	0.199 U	0.514	0.348	0.0521	0.0587	29.3
B17B46	WAHLUKE AREA COMP	COW	MILK	30-Jul-03	87.8		0.154	0.207	0.284	0.499 U	0.0445 U	0.0521		0.0338 U	0.0246	0.0309 U	0.559	0.199 U	0.477	0.343	0.0576	0.0807	30.1
B17B47	SAGEMOOR COMPOSITE	COW	MILK	31-Jul-03	87.6		0.132	0.178	0.269	0.499 U	0.0445 U	0.0528		0.0338 U	0.0288	0.0309 U	0.909	0.199 U	0.481	0.314	0.0542	0.0545	27.6
B17B48	SUNNYSIDE AREA	COW	MILK	07-Aug-03	87.4		0.102	0.182	0.264	0.499 U	0.0445 U	0.0539		0.0363	0.0359	0.0309 U	1.17	0.199 U	0.516	0.396	0.0562	0.0930	29.1
B17NB0	100 B/C AREA UR	CADDISFLY	WHOLEORG	13-Oct-03	79.8	0.084	3.459	175	2.73	1.42	0.08	1.54	45.30	16.30	0.679	0.323	1770	0.916	0.0790	30.8	0.195	0.107	199
B17NB1	100-B SPRING 38-3	CADDISFLY	WHOLEORG	26-Sep-03	52.6	0.049	0.0458	32.2	0.24	1.47	0.08	1.02	12.10	1.36	0.083	0.073	200	0.221	0.0176	26.8	0.0701	0.0318	165
B17NB1	100-B SPRING 38-3	CADDISFLY	WHOLEORG	26-Sep-03	52.6	0.048	0.445	30.4	0.21	1.51	0.08	0.86	11.80	1.65	0.062	0.057	183	0.187	0.0170	27.1	0.0798	0.0220	159
B17NB2	100-B SPRING 39-2	CADDISFLY	WHOLEORG	25-Sep-03	83.8	0.042	0.397	26.0	0.52	1.26	0.07	0.54	9.31	1.90	0.098	0.050	159	0.453	0.0150 U	26.8	0.0369	0.0259	147
B17NB3	100 B/C AREA OUTFL1	CADDISFLY	WHOLEORG	13-Oct-03	84.4	0.058	0.490	40.6	0.32	1.72	0.06	0.91	11.40	1.82	0.083	0.065	264	0.0969 U	0.0213	30.3	0.0961	0.0243	176
B17NB4	100 B/C AREA OUTFL2	CADDISFLY	WHOLEORG	07-Oct-03	59.0	0.033	0.166	40.4	147.14	1.86	0.06	0.96	15.70	0.75	0.021 U	0.043	55.3	0.254	0.0150 U	38.5	0.0477	0.0889	197
B17NB5	100 B/C AREA OUTFL3	CADDISFLY	WHOLEORG	13-Oct-03	65.3	0.043	0.180	24.1	0.18	1.26	0.06	0.29	5.58	0.80	0.021 U	0.037	72.8	0.282	0.0150 U	27.9	0.0482	0.0177 U	165
B17NB6	100 B/C AREA DR	CADDISFLY	WHOLEORG	28-Aug-03	69.6	0.035	0.636	22.4	0.15	1.03	0.05	0.39	6.38	0.20	0.021 U	0.031 U	187	1.48	0.0150 U	26.1	0.0189 U	0.0177 U	145
B17262	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	80.5	0.005 U	0.258	80.1	0.29	0.0220 U	0.04 U	0.03 U	19.00	0.08	0.021 U	0.031 U	120	0.199 U	0.0188 U	3.13	0.0189 U	0.0177 U	22.9
B17263	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	67.6	0.005 U	0.149	80.2	0.17	0.0220 U	0.04 U	0.03 U	20.00	0.03	0.021 U	0.031 U	44.9	0.199 U	0.0188 U	2.63	0.0189 U	0.0177 U	7.11
B17264	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	62.0	0.005 U	0.122	54.9	0.30	0.0370	0.04 U	0.06	29.20	0.03 U	0.021 U	0.031 U	25.6	0.199 U	0.0188 U	4.98	0.0189 U	0.0177 U	13.0
B17264	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	62.0	0.005 U	0.092	75.3	0.20	0.0382	0.04 U	0.10	31.90	0.03 U	0.021 U	0.031 U	28.8	0.199 U	0.0188 U	5.38	0.0189 U	0.0177 U	7.77
B17265	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	73.1	0.006	4.100	123	2.94	0.0432	0.04 U	0.12	41.90	2.06	1.130	0.200	4221	0.519	0.0188 U	10.5	0.0506	0.0177 U	34.4
B17266	100 B/C AREA	CHEATGRASS	ROOT_SHOOT	09-May-03	61.8	0.005 U	0.493	44.2	0.22	0.0220 U	0.04 U	0.03 U	20.10	0.03 U	0.021 U	0.031 U	28.3	0.199 U	0.0188 U	5.26	0.0189 U	0.0177 U	18.5
B186J5	100 B/C AREA UR	CORBICULA	SOFT TISSUE	24-Sep-03	71.2	0.039	1.932	25.3	1.00	2.37	0.04 U	2.49	15.13	1.00	0.041	0.194	450	7.75	0.0188 U	34.9	0.0189 U	0.0847	134
B16T03	300 AREA SPRING 42-2	CORBICULA	SOFT TISSUE	24-Feb-03	38.4	0.0936	5.76	76.8	2.05	3.35	0.0941	2.98		1.46	0.319	5.20	1310	4.85	0.164	29.5	0.0189 U	0.0931	138
B16T11	300 AREA SPR DR 42-2	CORBICULA	SOFT TISSUE	24-Feb-03	55.4	0.0899	4.08	22.2	0.815	2.57	0.110	2.74		0.631	0.0475	9.32	248	7.47	0.235	35.9	0.0189 U	0.0602	97.7
B16T25	300 SPR 11	CORBICULA																					

Table B-1. Metals in Biota, 2003 (Concentrations in µg/g dry wt - blank corrected)

Samp Num	Samp Site Name	Samp From	Samp Item	Samp Date	Percent Moisture	Hg	Cr	Mn	Ni	Se	Ag	Cd	Ba	Pb	Th	U	Al	As	Be	Cu	Sb	Tl	Zn
B17225	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	72.1	0.013	0.074	7.31	0.10	5.60	0.04 U	0.07	0.55	0.14	0.021 U	0.031 U	1.30	0.106	0.0188 U	18.9	0.0189 U	0.122	110
B17226	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	70.0	0.122	0.015 U	13.0	0.10	4.06	0.04 U	0.05	0.06	0.13	0.013 U	0.021 U	0.521	0.500	0.0188 U	17.9	0.0189 U	0.0197	159
B17227	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	72.1	0.009	0.015 U	7.02	0.05	4.67	0.04 U	0.15	0.14	0.08	0.021 U	0.031 U	1.20	0.489	0.0188 U	15.3	0.0189 U	0.0576	102
B17229	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	71.7	0.072	0.028	10.6	0.07	3.56	0.04 U	0.44	0.06	0.08	0.021 U	0.031 U	0.831	0.639	0.0188 U	14.1	0.0189 U	0.0464	75.7
B17230	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	70.0	0.013	0.044	8.71	0.05	5.00	0.04 U	0.33	0.06	0.02	0.021 U	0.031 U	0.461	0.267	0.0598	24.5	0.0189 U	0.0446	85.4
B17231	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	70.2	0.020	0.103	10.5	0.05	3.82	0.04 U	0.39	0.09	0.02	0.021 U	0.031 U	0.641	0.199 U	0.279	16.6	0.0189 U	0.0666	81.0
B17232	100 B/C AREA	DEER MOUSE	LIVER	06-May-03	71.4	0.019	0.483	9.49	0.05	3.83	0.04 U	0.10	0.18	0.03 U	0.021 U	0.031 U	0.581	1.12	0.0188 U	17.7	0.0247	0.0489	85.9
B17235	100 B/C AREA	DEER MOUSE	LIVER	07-May-03	70.7	0.218	0.154	11.8	0.04 U	6.98	0.04 U	0.37	0.04	0.04	0.021 U	0.031 U	0.471	0.298	0.158	29.7	0.0189 U	0.0282	134
B17236	100 B/C AREA	DEER MOUSE	LIVER	07-May-03	72.0	0.020	0.048	9.63	0.04 U	4.02	0.04 U	0.44	0.03	0.03 U	0.021 U	0.031 U	0.671	0.199 U	0.0188 U	18.3	0.0189 U	0.0188	111
B17237	100 B/C AREA	DEER MOUSE	LIVER	07-May-03	68.5	0.057	0.018	10.8	0.04 U	3.39	0.04 U	0.05	0.07	0.03 U	0.021 U	0.031 U	0.109 U	0.247	0.0188 U	15.8	0.0189 U	0.0177 U	97.1
B17238	100 B/C AREA	DEER MOUSE	LIVER	07-May-03	72.3	0.005 U	0.122	8.31	0.04 U	4.93	0.04 U	0.06	0.29	10.80	0.021 U	0.031 U	0.861	0.663	0.0581	18.2	0.0189 U	0.0364	87.5
B17239	100 B/C AREA	DEER MOUSE	LIVER	07-May-03	74.5	0.005 U	0.039	13.6	0.09	6.84	0.04 U	0.08	0.25	0.08	0.021 U	0.031 U	15.0	0.334	0.164	22.1	0.0189 U	0.0340	151
B17243	100 B/C AREA	DEER MOUSE	LIVER	08-May-03	68.1	0.057	0.052	12.4	0.05	4.89	0.04 U	0.21	0.04	0.06	0.021 U	0.031 U	0.571	0.247	0.119	19.7	0.0189 U	0.0177 U	113
B17244	100 B/C AREA	DEER MOUSE	LIVER	08-May-03	72.7	0.005 U	0.195	9.17	0.04 U	4.05	0.04 U	0.22	0.02	0.13	0.021 U	0.031 U	1.06	0.199 U	0.0412	28.0	0.0189 U	0.0177 U	91.7
B17245	100 B/C AREA	DEER MOUSE	LIVER	08-May-03	70.2	0.005 U	0.137	7.56	0.05	3.62	0.04 U	0.12	0.02	0.03 U	0.021 U	0.031 U	0.581	0.346	0.0188 U	14.8	0.0189 U	0.0177 U	73.8
B17246	100 B/C AREA	DEER MOUSE	LIVER	08-May-03	70.8	0.015	0.072	8.30	0.04 U	5.93	0.04 U	0.69	0.08	0.05	0.021 U	0.031 U	3.34	0.199 U	0.0188 U	26.6	0.0189 U	0.0177 U	122
B17247	100 B/C AREA	DEER MOUSE	LIVER	09-May-03	74.5	0.005 U	0.287	12.5	0.04 U	6.53	0.04 U	0.21	0.08	0.07	0.021 U	0.031 U	4.16	0.199 U	0.0188 U	29.6	0.0189 U	0.0177 U	149
B17248	100 B/C AREA	DEER MOUSE	LIVER	09-May-03	66.7	0.005 U	0.031	7.85	0.04 U	3.60	0.04 U	0.10	0.19	0.03 U	0.021 U	0.031 U	0.211	0.199 U	0.0188 U	15.2	0.0189 U	0.0177 U	75.7
B17249	100 B/C AREA	DEER MOUSE	LIVER	09-May-03	70.2	0.005 U	0.015 U	11.2	0.04 U	3.33	0.04 U	0.03	0.08	0.07	0.021 U	0.031 U	1.58	0.199 U	0.0188 U	13.3	0.0189 U	0.0177 U	85.4
B17251	100 B/C AREA	DEER MOUSE	LIVER	09-May-03	72.5	0.029	0.015 U	8.75	0.04 U	4.83	0.04 U	0.03 U	0.05	0.04	0.021 U	0.031 U	1.14	0.199 U	0.0188 U	14.9	0.0189 U	0.0177 U	102
B17H77	100 B/C AREA UR	DEER MOUSE	LIVER	19-May-03	77.3	0.096	0.357	9.04	0.13	4.53	0.04 U	0.22	0.13	0.13	0.021 U	0.031 U	4.65	0.185	0.0188 U	19.3	0.0189 U	0.0307	106
B17H79	100-B SPRING 39-2	DEER MOUSE	LIVER	02-Sep-03	72.6	0.0685	0.312	7.67	0.0447 U	5.66	0.0445 U	0.410	0.109	0.0338 U	0.021 U	0.0309 U	0.565	0.199 U	0.0188 U	17.6	0.0189 U	0.0177 U	125
B17H80	100 B/C AREA OUTFL1	DEER MOUSE	LIVER	28-Aug-03	72.6	0.0636	0.279	9.07	0.0703	6.28	0.0445 U	0.223	0.0303 U	0.0338 U	0.021 U	0.0309 U	1.37	0.199 U	0.0188 U	14.2	0.0189 U	0.0177 U	80.7
B17H81	100 B/C AREA OUTFL2	DEER MOUSE	LIVER	26-Aug-03	70.1	0.041	0.501	7.31	0.04 U	5.30	0.04 U	0.15	0.23	0.03 U	0.021 U	0.031 U	1.28 U	0.409	0.0188 U	20.0	0.0189 U	0.0427	82.3
B17H82	100 B/C AREA OUTFL3	DEER MOUSE	LIVER	01-Sep-03	72.6	0.0915	0.255	9.11	0.0447 U	7.19	0.0445 U	0.148	0.0396	0.0338 U	0.021 U	0.0309 U	0.495	0.199 U	0.0188 U	15.2	0.0189 U	0.0177 U	77
B17H83	100 B/C AREA DR	DEER MOUSE	LIVER	27-Aug-03	69.3	0.095	0.372	5.59	0.08	6.20	0.04 U	0.32	0.57	0.03 U	0.050	0.031 U	4.44	0.682	0.0188 U	16.81	0.0189 U	0.0336	79.0
B17HW9	100 B/C AREA UR	GRAY RABBITBRUSH	SHOOT	27-Aug-03	58.0	0.0100	0.388	32.2	2.55	0.0225	0.0445 U	0.0964	6.76	0.202	0.0436	0.0309 U	442	0.608	0.0188 U	5.95	0.0274	0.0290	19.9
B17HW9	100 B/C AREA UR	GRAY RABBITBRUSH	SHOOT	27-Aug-03	58.0	0.0121	0.355	29.9	2.57	0.0220 U	0.0445 U	0.0754	6.54	0.269	0.021 U	0.0309 U	397	0.405	0.0188 U	5.99	0.0348	0.0247	19.2
B17HX0	116-C-5 S	GRAY RABBITBRUSH	SHOOT	27-Aug-03	60.9	0.0115	0.287	26.0	0.813	0.0220 U	0.0445 U	0.0425	4.31	0.126	0.021 U	0.0309 U							
B17HX1	116-B-11 N	GRAY RABBITBRUSH	SHOOT	27-Aug-03	59.9	0.0156	0.348	20.1	0.713	0.0590	0.0445 U	0.110	7.40	0.182	0.021 U	0.0309 U							
B17HX2	116-C-1 S	GRAY RABBITBRUSH	SHOOT	27-Aug-03	56.7	0.0131	0.718	62.5	1.21	0.0220 U	0.0445 U	0.103	9.07	0.302	0.0622	0.0374							
B17HX3	116-C-1 N	GRAY RABBITBRUSH	SHOOT	27-Aug-03	61.1	0.0126	0.322	42.2	1.31	0.0220 U	0.0445 U	0.201	7.06	0.165	0.0398	0.0309 U							
B17233	100 B/C AREA	GREAT BASIN POCKET MOUSE	LIVER	06-May-03	78.0	0.019	0.047	14.4	0.11	3.05	0.04 U	0.10	0.11	9.28	0.021 U	0.031 U	2.03	0.199 U	0.108	16.9	0.0189 U	0.0553	94.1
B17240	100 B/C AREA	GREAT BASIN POCKET MOUSE	LIVER	07-May-03	70.5	0.005 U	0.034	13.9	0.04 U	1.04	0.04 U	0.50	0.07	0.03 U	0.021 U	0.031 U	0.701	0.201	0.0522	18.6	0.0189 U	0.0177 U	103
B17241	100 B/C AREA	GREAT BASIN POCKET MOUSE	LIVER	07-May-03	66.1	0.005 U	0.015	11.0	0.05	1.00	0.04 U	0.17	0.01 U	0.07	0.021 U	0.031 U	5.62	0.199 U	0.0188 U	12.7	0.0195	0.0177 U	71.5
B17242	100 B/C AREA	GREAT BASIN POCKET MOUSE	LIVER	07-May-03	70.8	0.010	0.121	11.7	0.04 U	1.24	0.04 U	0.15	0.15	0.05	0.021 U	0.031 U	1.10	0.199 U	0.0673	17.0	0.0189 U	0.0177 U	90.4
B17H74	100 B/C AREA UR	GREAT BASIN POCKET MOUSE	LIVER	09-Sep-03	72.6	0.0159	0.270	12.8	0.261 U	1.97	0.0445 U	0.0693	0.336	0.0756	0.021 U	0.0309 U	0.575	0.794	0.0188 U	13.9	0.0189 U	0.0177 U	88.4
B17H75	100 B/C AREA UR	GREAT BASIN POCKET MOUSE	LIVER	09-Sep-03	72.6	0.0881	0.269	4.25	0.137	4.06	0.0445 U	0.107	0.0303 U	0.0338 U	0.021 U	0.0309 U	0.115	0.210	0.0188 U	14.8	0.0189 U	0.0177 U	80.6
B17H76	100 B/C AREA UR	GREAT BASIN POCKET MOUSE	LIVER	10-Sep-03	72.6	0.0928	0.238	6.00	0.0447	7.81	0.0445 U	0.307	0.0303 U	0.0992	0.021 U	0.0309 U	0.109 U	0.196	0.0188 U	15.3	0.0189 U	0.0177 U	72.1
B17H73	100 B/C AREA UR	HARVEST MOUSE	LIVER	04-Sep-03	72.6	0.0724	0.256	4.69	0.0447 U	4.03	0.0445 U	0.0951	0.0303 U	0.199	0.021 U	0.0309 U	0.109 U	0.199 U	0.0188 U	13.0	0.0189 U	0.0177 U	97.2
B17257	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	58.1	0.040	0.916	49.9	0.77	1.20	0.07	1.23	8.35	1.31	0.093	0.045	626	0.497	0.0188 U	49.7	0.0189 U	0.0177 U	223
B17258	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	49.3	0.014	0.155	22.0	0.87	0.184	0.04 U	0.32	8.61	0.29	0.021 U	0.031 U	185	0.770	0.0188 U	17.9	0.0189 U	0.0177 U	91.0
B17259	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	59.0	0.036	0.497	17.8	1.84	0.106	0.04 U	0.33	7.28	0.30	0.051	0.031 U	463	1.46	0.0361	21.0	0.0221	0.0177 U	86.0
B17259	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	59.0	0.024	0.650	25.7	2.03	0.123	0.04 U	0.15	9.18	0.25	0.064	0.031 U	532	0.726	0.0500	14.3	0.0248	0.0177 U	80.7
B17260	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	59.3	0.037	0.474	24.0	0.771	0.328	0.04 U	0.40	7.60	2.29	0.026	0.031 U	377	0.386	0.0188 U	21.2	0.0189 U	0.0177 U	97.2
B17261	100 B/C AREA	INVERTEBRATE	WHOLEORG	09-May-03	57.5	0.018	0.387	52.8	0.38	0.585	0.04 U	0.58	4.46	0.60	0.021 U	0.031 U	257	0.511	0.0188 U	36.0	0.0189 U	0.0177 U	142
B17H59	100 B/C AREA UR	INVERTEBRATE	WHOLEORG	25-Aug-03	72.2	0.064	7.075	222	4.80	5.25	0.11	11.80	42.90	6.57	0.889	1.480	4264	4.91	0.0863	13.91	0.114	0.385	620
B17H60	100-B SPRING 38-3	INVERTEBRATE	WHOLEORG	25-Aug-03	40.7	0.093	1.088	20.9	0.47	5.26	0.15	4.37	3.63	0.34	0.074	0.098	241	0.990	0.0188 U	53.08	0.0518	0.0739	212
B17H61	100-B SPRING 39-2	INVERTEBRATE	WHOLEORG	25-Aug-03	38.8	0.086	0.750	22.2	0.27	5.83	0.20	6.29	3.58	0.18	0.192	0.031 U	264	0.654	0.0188 U	68.61	0.0672	0.0503	233
B17H62	100 B/C AREA OUTFL1	INVERTEBRATE	WHOLEORG	25-Aug-03	47.0	0.055	0.584	27.6	1.18	4.66	0.09	1.31	13.91	0.11	0.036	0.031 U	186	1.09	0.0188 U	29.35	0.0259	0.0682	181
B17H63	100 B/C AREA OUTFL2	INVERTEBRATE	WHOLEORG	25-Aug-03	59.8	0.140	2.073	10.3	1.29	5.83	0.30	5.14											

Table B-1. Metals in Biota, 2003 (Concentrations in µg/g dry wt - blank corrected)

Samp Num	Samp Site Name	Samp From	Samp Item	Samp Date	Percent		Hg	Cr	Mn	Ni	Se	Ag	Cd	Ba	Pb	Th	U	Al	As	Be	Cu	Sb	Ti	Zn								
					Moisture																											
B17JH1	VERNITA	SCULPIN	LIVER	28-Aug-03	72.6	0.219		0.228	2.94	0.0908	U	6.71	0.0445	U	4.25	0.0517	0.0338	U	0.129	0.0309	U	3.12	1.20	0.0188	U	23.5	0.0189	U	0.132	204		
B17JH2	VERNITA	SCULPIN	LIVER	28-Aug-03	72.6	0.104		0.443	4.09	0.168		8.46	0.0445	U	4.94	0.0539	0.156	0.021	U	0.0309	U	7.03	1.40	0.0188	U	20.4	0.0520		0.118	139		
B17JH3	VERNITA	SCULPIN	LIVER	28-Aug-03	72.6	0.164		0.518	1.40	0.149		13.7	0.0445	U	1.78	0.242	0.0338	U	0.0335	0.0309	U	6.31	2.19	0.0188	U	7.61	0.269		0.189	105		
B17JH4	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.176		0.195	2.11	0.144		8.41	0.0445	U	5.11	0.0918	0.0705	0.021	U	0.0309	U	2.48	1.88	0.0188	U	22.7	0.0189	U	0.326	173		
B17JH5	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.152		0.211	0.817	0.143		3.83	0.0445	U	5.44	0.285	0.0484	0.021	U	0.0309	U	2.06	1.39	0.0188	U	18.1	0.0189	U	0.174	164		
B17JH6	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.0750		0.115	0.802	0.0726		3.27	0.0445	U	1.91	0.0303	U	0.0338	U	0.021	U	0.0309	U	0.585	1.16	0.0188	U	8.32	0.0189	U	0.185	82
B17JH7	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.125		0.1	0.871	0.0682		3.58	0.0445	U	2.13	0.758	0.0338	U	0.021	U	0.0309	U	0.845	0.622	0.0188	U	12.6	0.0189	U	0.130	106	
B17JH8	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.178		0.105	0.753	0.131		5.10	0.0445	U	9.08	0.0303	U	0.0499	0.021	U	0.0309	U	3.16	1.09	0.0188	U	7.81	0.0189	U	0.123	156	
B17JH9	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.304		0.169	1.25	0.129		6.21	0.0445	U	4.27	0.0746	0.0464	0.021	U	0.0309	U	1.02	1.69	0.0188	U	23.6	0.0189	U	0.187	171		
B17J10	VERNITA	SCULPIN	LIVER	03-Sep-03	72.6	0.321		0.138	1.83	0.118		7.20	0.0445	U	5.05	0.0478	0.0508	0.021	U	0.0309	U	1.38	1.46	0.0188	U	43.7	0.0189	U	0.317	227		
B17N89	100 B/C AREA OUTFL1	SCULPIN	LIVER	23-Sep-03	55.4	0.211		0.995	3.26	0.04	U	8.05	0.13	8.55	0.52	0.27	0.021	U	0.031	U												
B17N90	100 B/C AREA OUTFL2	SCULPIN	LIVER	30-Sep-03	69.8	0.167		0.356	2.95	0.04	U	6.73	0.04	U	3.48	0.15	0.04	0.021	U	0.031	U											
B17N91	100 B/C AREA OUTFL3	SCULPIN	LIVER	30-Sep-03	76.3	0.740		0.317	3.42	0.09		8.22	0.07	15.10	0.04	0.06	0.021	U	0.031	U												
B17N92	100 B/C AREA DR	SCULPIN	LIVER	30-Sep-03	72.1	0.134		0.639	3.92	0.04	U	6.40	0.13	0.66	3.81	0.39	0.04	0.021	U	0.031	U	4.11	2.07	0.0900		12.8	0.0189	U	0.289	124		
B17N82	100 B/C AREA UR	SCULPIN	WHOLEORG	23-Sep-03	77.0	0.085		0.694	8.73	0.68		2.23	0.04	U	0.22	16.03	0.13	0.021	U	0.031	U	44.9	0.0969	U	0.0188	U	4.98	0.0189	U	0.143	88.0	
B17N83	100 B/C AREA UR	SUCKER	WHOLEORG	23-Sep-03	78.8	0.028		1.082	63.2	1.06		1.36	0.04	U	0.09	16.43	0.26	0.021	U	0.040		280	0.0969	U	0.0188	U	2.67	0.0189	U	0.0777	75.8	
B17N87	100-B SPRING 38-3	SUCKER	WHOLEORG	23-Sep-03	79.4	0.049		4.215	54.4	1.54		2.08	0.04	U	0.13	22.27	1.00	1.780	0.184													
B17N88	100-B SPRING 39-2	SUCKER	WHOLEORG	23-Sep-03	78.7	0.045		1.435	51.2	1.30		1.65	0.04	U	0.13	14.97	0.38	0.042	0.032													
B17N88	100-B SPRING 39-2	SUCKER	WHOLEORG	23-Sep-03	78.7	0.046		1.195	44.2	1.27		1.36	0.04	U	0.11	12.97	0.29	0.139	0.031	U												
B17H82	100 B/C AREA UR	SURFACE	ROOTING ZONE	25-Aug-03	78.4	0.040		73.25	1118	32.0		0.32	0.38	1.44	696	49.0	7.43	4.19		70547	11.9	1.58	30.8	0.641	0.651					235		
B17H83	100-B SPRING 38-3	SURFACE	ROOTING ZONE	25-Aug-03	8.12	0.011		67.11	407	17.8		0.16	0.30	0.18	655	17.3	4.09	3.55														
B17H84	100-B SPRING 39-2	SURFACE	ROOTING ZONE	25-Aug-03	15.2	0.046		63.03	939	23.7		0.29	0.37	2.30	674	38.1	3.78	3.89														
B17H85	100 B/C AREA OUTFL1	SURFACE	ROOTING ZONE	25-Aug-03	4.70	0.043		100.78	778	25.5		0.19	0.33	0.62	708	26.7	5.75	3.68														
B17H85	100 B/C AREA OUTFL1	SURFACE	ROOTING ZONE	25-Aug-03	4.70	0.045		65.46	1368	26.6		0.19	0.43	0.86	840	26.1		3.10														
B17H86	100 B/C AREA OUTFL2	SURFACE	ROOTING ZONE	25-Aug-03	16.0	0.033		54.95	834	20.8		0.20	0.28	0.86	725	24.3	4.51	2.14														
B17H87	100 B/C AREA OUTFL3	SURFACE	ROOTING ZONE	25-Aug-03	73.8	0.100		63.75	4439	46.3		0.40	0.43	3.63	1027	39.1	8.85	4.36														
B17H88	100 B/C AREA DR	SURFACE	ROOTING ZONE	25-Aug-03	10.6	0.021		78.29	450	19.9		0.14	0.46	0.22	802	18.4	7.60	4.03	67610	6.62	1.65	16.5	0.905	0.450						72.2		
B17HT9	100 B/C AREA UR	SURFACE	ROOTING ZONE	27-Aug-03	1.0	0.0124		47.3	863	17.4		0.0922	0.306	0.323	759	11.2	5.90	1.84	72254	2.46	1.09	20.0	0.415	0.353						78.3		
B17H17	100 B/C AREA UR	SURFACE	SURF_SOIL	25-Aug-03	81.6	0.048		55.83	1234	27.1		0.47	0.46	2.01	643	61.7	7.03	5.61	63353	15.1	1.24	26.3	0.685	0.520						303		
B17H18	100-B SPRING 38-3	SURFACE	SURF_SOIL	25-Aug-03	20.6	0.016		77.61	546	17.2		0.32	0.28	0.46	624	19.7	3.87	2.65														
B17H19	100-B SPRING 39-2	SURFACE	SURF_SOIL	25-Aug-03	14.3	0.024		90.68	570	19.5		0.13	0.34	0.74	677	25.2	5.20	2.25														
B17H20	100 B/C AREA OUTFL1	SURFACE	SURF_SOIL	25-Aug-03	61.2	0.061		49.32	813	22.5		0.34	0.405	1.40	667	33.9	4.43	3.60														
B17H21	100 B/C AREA OUTFL2	SURFACE	SURF_SOIL	25-Aug-03	13.8	0.103		80.33	780	28.5		0.44	0.34	1.93	677	39.3	4.19	3.11														
B17H22	100 B/C AREA OUTFL3	SURFACE	SURF_SOIL	25-Aug-03	77.2	0.020		38.24	1110	18.8		0.22	0.35	0.73	884	19.9	4.83	2.20														
B17H23	100 B/C AREA DR	SURFACE	SURF_SOIL	25-Aug-03	15.8	0.035		73.50	586	22.6		0.23	0.41	1.02	717	41.8	6.38	3.26	69412	8.67	1.41	19.5	0.531	0.555						225		
B17HC0	100 B/C AREA OUTFL1	UNKNOWN EXCAVATION	CONCRETE	27-Oct-03		0.017		25.752	449	16.72		0.00	0.06	0.07	177.93	3.44	2.702	1.080	25435	6.15	0.451	15.4	2.03	0.0387						71.9		

Table B-2. DDD, DDE, and DDT in Biota, 2003

Samp Num	Samp Site Name	Samp From	Samp Item	Samp Date	2,4'-DDE (Dichlorodiphenyl-dichloroethylene)	4,4'-DDE (Dichlorodiphenyl-dichloroethylene)	2,4'-DDD (Dichlorodiphenyl-dichloroethane)	4,4'-DDD (Dichlorodiphenyl-dichloroethane)	2,4'-DDT (Dichlorodiphenyl-trichloroethane)	4,4'-DDT (Dichlorodiphenyl-trichloroethane)	Total DDE	Total DDD	Total DDT
B174D5	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	255 D	6516 D,E	21.8	16.6	418 D	2067 D	6771 D, E	38.4	2486 D
B174D6	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	407 D	3506 D	5.71	7.50 D	67.5 D	286 D	3913 D	13.2 D	354 D
B174D7	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	158 D	1239 D	3.23	0.88 U	9.73	20.3	1397 D	4.11	30.1
B174D8	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	0.53 U	25.8	0.53 U	0.57	4.15	6.52	26.4	1.10	10.7
B174D9	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	0.24 U	0.41	0.24 U	0.24 U	0.24 U	0.24 U	0.652	0.484 U	0.484 U
B174F0	HORSESHOE LANDFILL	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	0.20 U	0.38	0.20 U	0.20 U	0.20 U	0.20 U	0.585	0.410 U	0.410 U
B174F1	BACKGROUND	PERENNIAL VEGETATION	ROOT_SHOOT	19-Jun-03	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U	0.358 U	0.358 U	0.358 U
B174F2	HORSESHOE LANDFILL	INVERTEBRATE	WHOLEORG	19-Jun-03	3.64	6167 D,E	1.27	1.36	3.06	10.5	6171 D, E	2.63	13.6
B174F3	HORSESHOE LANDFILL	INVERTEBRATE	WHOLEORG	19-Jun-03	6.37	221 D	0.68	0.67	2.96	8.73	227 D	1.35	11.7
B174F4	HORSESHOE LANDFILL	INVERTEBRATE	WHOLEORG	19-Jun-03	0.39 U	17.9	0.39 U	0.40	0.68	0.51	18.3	0.792	1.19
B174F5	BACKGROUND	INVERTEBRATE	WHOLEORG	19-Jun-03	0.19 U	0.35	0.19 U	0.19 U	0.19 U	0.19 U	0.540	0.380 U	0.380 U
B174F6	HORSESHOE LANDFILL	POCKET MOUSE	BRAIN	19-Jun-03	1.00 U	917 D	1.00 U	8.95	1.00 U	12.7	918 D	9.95	13.7
B174F7	HORSESHOE LANDFILL	POCKET MOUSE	BRAIN	19-Jun-03	0.76 U	7.79	0.76 U	0.76 U	0.76 U	8.55	1.53 U	1.53 U	1.53 U
B174F8	HORSESHOE LANDFILL	POCKET MOUSE	BRAIN	20-Jun-03	1.35 U	83.5	1.35 U	1.36	1.35 U	1.35 U	84.8	2.71	2.70 U
B174F9	BACKGROUND	POCKET MOUSE	BRAIN	20-Jun-03	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	1.64 U	1.64 U	1.64 U	1.64 U
B174H0	HORSESHOE LANDFILL	WESTERN MEADOWLARK	BRAIN	20-Jun-03	0.55 U	845 D	0.55 U	0.55 U	2.28	845 D	1.09 U	2.83	
B174H3	BACKGROUND	HORNED LARK	BRAIN	16-Jun-03	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	10.0 U	10.0 U	10.0 U
B174H4	BACKGROUND	WESTERN MEADOWLARK	BRAIN	25-Jun-03	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U	1.15 U	1.15 U	1.15 U	1.15 U
B174H5	BACKGROUND	BULLOCK ORIOLE	BRAIN	25-Jun-03	2.56 U	5.61	2.56 U	2.56 U	2.56 U	2.56 U	8.17	5.13 U	5.13 U

Soil

ENVIRONMENTAL SURVEILLANCE DATA CY03

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.384	ug/g			C		
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.299	ug/g			C		
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.373	ug/g			C		
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.334	ug/g			C		
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.282	ug/g			C		
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.425	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ag	0.464	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.461	ug/g			C		
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.275	ug/g			C		
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.338	ug/g			C		
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.405	ug/g			C		
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.336	ug/g			C		
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.352	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ag	0.409	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Al	70547	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Al	67610	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Al	63353	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Al	69412	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	As	11.9	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	As	6.62	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	As	15.1	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	As	8.67	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Be	1.58	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Be	1.65	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Be	1.24	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Be	1.41	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	1.44	ug/g			C		
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	0.178	ug/g			C		
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	2.3	ug/g			C		
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	0.62	ug/g			C		
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	0.864	ug/g			C		
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	3.63	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cd	0.217	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	2.01	ug/g			C		
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	0.46	ug/g			C		
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	0.737	ug/g			C		
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	1.4	ug/g			C		
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	1.93	ug/g			C		
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	0.732	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cd	1.02	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	73.2	ug/g			C		
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	67.1	ug/g			C		
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	63	ug/g			C		
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	101	ug/g			C		
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	55	ug/g			C		
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	63.7	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cr	78.3	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	55.8	ug/g			C		
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	77.6	ug/g			C		
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	90.7	ug/g			C		
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	49.3	ug/g			C		
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	80.3	ug/g			C		
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	38.2	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cr	73.5	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cu	30.8	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Cu	16.5	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cu	26.3	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Cu	19.5	ug/g			C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0399	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0106	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0456	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0428	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0332	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.1	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Hg	0.0207	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0482	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0155	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0236	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0607	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.103	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0201	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Hg	0.0354	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	1118	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	407	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	939	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	778	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	834	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	4439	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Mn	450	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	1234	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	546	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	570	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	813	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	780	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	1110	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Mn	586	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	32	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	17.8	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	23.7	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	25.5	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	20.8	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	46.3	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ni	19.9	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	27.1	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	17.2	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	19.5	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	22.5	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	28.5	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	18.8	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ni	22.6	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	49	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	17.3	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	38.1	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	26.7	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	24.3	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	39.1	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Pb	18.4	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	61.7	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	19.7	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	25.2	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	33.9	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	39.3	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	19.9	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Pb	41.8	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Sb	0.641	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Sb	0.905	ug/g			C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Sb	0.685	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Sb	0.531	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.315	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.161	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.294	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.189	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.198	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.401	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Se	0.138	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.473	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.319	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.133	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.34	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.436	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.22	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Se	0.23	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	7.43	ug/g			C		
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	4.09	ug/g			C		
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	3.78	ug/g			C		
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	5.75	ug/g			C		
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	4.51	ug/g			C		
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	8.85	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Th	7.6	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	7.03	ug/g			C		
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	3.87	ug/g			C		
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	5.2	ug/g			C		
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	4.43	ug/g			C		
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	4.19	ug/g			C		
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	4.83	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Th	6.38	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ti	0.651	ug/g			C		
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Ti	0.45	ug/g			C		
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ti	0.52	ug/g			C		
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Ti	0.555	ug/g			C		
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	4.19	ug/g					
SESPSPEC	B17HB3	100-B SPRING 38-3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	3.55	ug/g					
SESPSPEC	B17HB4	100-B SPRING 39-2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	3.89	ug/g					
SESPSPEC	B17HB5	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	3.68	ug/g					
SESPSPEC	B17HB6	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	2.14	ug/g					
SESPSPEC	B17HB7	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	4.36	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	U	4.03	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	5.61	ug/g					
SESPSPEC	B17H18	100-B SPRING 38-3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	2.65	ug/g					
SESPSPEC	B17H19	100-B SPRING 39-2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	2.25	ug/g					
SESPSPEC	B17H20	100 B/C AREA OUTFL1	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	3.6	ug/g					
SESPSPEC	B17H21	100 B/C AREA OUTFL2	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	3.11	ug/g					
SESPSPEC	B17H22	100 B/C AREA OUTFL3	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	2.2	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	U	3.26	ug/g					
SESPSPEC	B17HB2	100 B/C AREA UR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Zn	235	ug/g					
SESPSPEC	B17HB8	100 B/C AREA DR	ONSITE	SO	SURFACE	ROOTING ZONE	25-Aug-03	Zn	72.2	ug/g					
SESPSPEC	B17H17	100 B/C AREA UR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Zn	303	ug/g					
SESPSPEC	B17H23	100 B/C AREA DR	ONSITE	SO	SURFACE	SURF_SOIL	25-Aug-03	Zn	225	ug/g					

Table S-1. DDD, DDE, and DDT in Soil, 2003

Samp Num	Samp Site Name	Samp From	Samp Item	Samp Date	2,4'-DDE (Dichlorodiphenyl-dichloroethylene)	4,4'-DDE (Dichlorodiphenyl-dichloroethylene)	2,4'-DDD (Dichlorodiphenyl-dichloroethane)	4,4'-DDD (Dichlorodiphenyl-dichloroethane)	2,4'-DDT (Dichlorodiphenyl-trichloroethane)	4,4'-DDT (Dichlorodiphenyl-trichloroethane)	Total DDE	Total DDD	Total DDT
B174C7	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	194 D	3658 D	16.7 D	30.3 D	378 D	3000 D	3852 D	47.0 D	3379 D
B174C8	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	1499	12492 D,E	81.3	96.0	506	3399	13991 D	177	3905
B174C9	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	719	7366 D,E	47.7	24.8 U	189	828	8086 D	72.5	1016
B174D0	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	30-Jul-03	343	5734 D,E	27.3	22.7 U	29.0	122	6077 D	50.0	151
B174D1	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	0.20 U	9.98	0.20 U	0.23	0.78	2.70	10.2	0.430	3.48
B174D2	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	1.61	68.4 D	0.26	0.20 U	4.18	8.78	70.0 D	0.456	13.0
B174D3	HORSESHOE LANDFILL	SURFACE	SURF_SOIL	19-Jun-03	0.64	18.4 D	0.19 U	0.19 U	2.93	5.83	19.0 D	0.387 U	8.76
B174D4	BACKGROUND	SURFACE	SURF_SOIL	19-Jun-03	0.20 U	0.72	0.20 U	0.20 U	0.20 U	0.20 U	0.918	0.395 U	0.395 U

Sediment

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 ALPHA		8.86 pCi/g		3.2	3.7		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 ALPHA		5.84 pCi/g		2.9	3.2			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 ALPHA		5.47 pCi/g		2.9	3.2			
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 ALPHA		17.2 pCi/g		5	6.7			
SESPSPEC	B17143	FFTF POND	ONSITE	SO	POND	SEDIMENT	19-May-03 ALPHA		11.1 pCi/g		3.6	4.2			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 BETA		24.7 pCi/g		2.1	4		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 BETA		22.6 pCi/g		2.1	3.7			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 BETA		29 pCi/g		2.2	4.6			
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 BETA		19.4 pCi/g		1.7	3.1			
SESPSPEC	B17143	FFTF POND	ONSITE	SO	POND	SEDIMENT	19-May-03 BETA		28.6 pCi/g		2.2	4.6			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Be-7		0.103 pCi/g		0.11	0.11	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Be-7		0.0996 pCi/g		0.093	0.093	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Be-7		0.129 pCi/g		0.15	0.15	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be-7		0.187 pCi/g		0.12	0.12	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be-7		-0.0257 pCi/g		0.12	0.12	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be-7		0.0875 pCi/g		0.17	0.17	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be-7		-0.00683 pCi/g		0.11	0.11	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be-7		0.0976 pCi/g		0.11	0.11	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be-7		0.0658 pCi/g		0.12	0.12	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be-7		0.384 pCi/g		0.15	0.15	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be-7		0.0553 pCi/g		0.12	0.12	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Be-7		0.108 pCi/g		0.094	0.094	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Be-7		-0.0294 pCi/g		0.091	0.091	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Be-7		0.122 pCi/g		0.09	0.09	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Be-7		0.0347 pCi/g		0.08	0.08	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Be-7		0.185 pCi/g		0.11	0.11	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Be-7		0.0215 pCi/g		0.089	0.089	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Be-7		0.163 pCi/g		0.25	0.25	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		0.0164 pCi/g		0.14	0.14	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		0.234 pCi/g		0.16	0.16	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Be-7		-0.0461 pCi/g		0.13	0.13	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Be-7		0.0573 pCi/g		0.14	0.14	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		0.17 pCi/g		0.15	0.15	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		0.118 pCi/g		0.13	0.13	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		-0.0146 pCi/g		0.11	0.11	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be-7		-0.0468 pCi/g		0.11	0.11	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Be-7		-0.016 pCi/g		0.23	0.23	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Be-7		0.273 pCi/g		0.27	0.27	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Be-7		-0.044 pCi/g		0.29	0.29	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Be-7		0.0547 pCi/g		0.29	0.29	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Be-7		0.0551 pCi/g		0.28	0.28	U		
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Co-60		0.00624 pCi/g		0.012	0.012	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Co-60		0.00582 pCi/g		0.011	0.011	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Co-60		0.0134 pCi/g		0.015	0.015	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Co-60		0.0546 pCi/g		0.02	0.02	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Co-60		0.0066 pCi/g		0.013	0.013	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Co-60		0.0272 pCi/g		0.018	0.018	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Co-60		0.00418 pCi/g		0.013	0.013	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Co-60		0.004 pCi/g		0.011	0.011	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Co-60		-0.00033 pCi/g		0.012	0.012	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Co-60		0.0139 pCi/g		0.014	0.014	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Co-60		0.0286 pCi/g		0.014	0.014	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Co-60		-0.00647 pCi/g		0.011	0.011	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Co-60		0.00764 pCi/g		0.012	0.012	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Co-60		0.0142 pCi/g		0.011	0.011	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Co-60		0.00443 pCi/g		0.0099	0.0099	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Co-60		0.00708 pCi/g		0.012	0.012	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Co-60		0.0119 pCi/g		0.012	0.012	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Co-60		0.00708 pCi/g		0.024	0.024	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		0.00171 pCi/g		0.013	0.013	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		0.0106 pCi/g		0.013	0.013	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Co-60		-0.00389 pCi/g		0.015	0.015	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Co-60		-0.00578 pCi/g		0.014	0.014	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		-0.0125 pCi/g		0.014	0.014	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		-0.00203 pCi/g		0.013	0.013	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		0.00527 pCi/g		0.012	0.012	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Co-60		-0.00593 pCi/g		0.012	0.012	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Co-60		0.0619 pCi/g		0.028	0.028	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Co-60		0.0373 pCi/g		0.035	0.035	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Co-60		0.0046 pCi/g		0.028	0.028	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Co-60		0.0224 pCi/g		0.032	0.032	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Co-60		0.0597 pCi/g		0.034	0.034	U		
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Cs-134		0.036 pCi/g		0.016	0.016	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Cs-134		0.0517 pCi/g		0.019	0.019	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Cs-134		0.024 pCi/g		0.017	0.017	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-134		0.049 pCi/g		0.018	0.018	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-134		0.0628 pCi/g		0.021	0.021	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-134		0.0646 pCi/g		0.03	0.03	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-134		0.0234 pCi/g		0.017	0.017	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-134		0.0347 pCi/g		0.016	0.016	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-134		0.0456 pCi/g		0.018	0.018	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-134		0.0499 pCi/g		0.023	0.023	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-134		0.0529 pCi/g		0.022	0.022	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cs-134		0.045 pCi/g		0.018	0.018	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cs-134		0.054 pCi/g		0.021	0.021	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cs-134		0.0335 pCi/g		0.017	0.017	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cs-134		0.0399 pCi/g		0.018	0.018	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cs-134		0.0377 pCi/g		0.023	0.023	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Cs-134		0.0363 pCi/g		0.019	0.019	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Cs-134		0.0346 pCi/g		0.03	0.03	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.0458 pCi/g		0.019	0.019	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.0369 pCi/g		0.017	0.017	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cs-134		0.0259 pCi/g		0.018	0.018	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cs-134		0.0408 pCi/g		0.024	0.024	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.0299 pCi/g		0.016	0.016	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.0661 pCi/g		0.034	0.034	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.04 pCi/g		0.019	0.019	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-134		0.0326 pCi/g		0.014	0.014	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-134		0.0645 pCi/g		0.029	0.029	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-134		0.0765 pCi/g		0.036	0.036	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cs-134		0.0325 pCi/g		0.036	0.036	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cs-134		0.0508 pCi/g		0.06	0.06	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-134		0.0456 pCi/g		0.035	0.035	U		
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Cs-137		1.18 pCi/g		0.14	0.14		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Cs-137		0.802 pCi/g		0.1	0.1			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Cs-137		1.03 pCi/g		0.13	0.13			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-137		0.315 pCi/g		0.046	0.046			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-137		0.167 pCi/g		0.03	0.03			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-137		0.532 pCi/g		0.072	0.072			
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-137		0.39 pCi/g		0.055	0.055			
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-137		0.285 pCi/g		0.041	0.041			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cs-137		0.324 pCi/g		0.048	0.048			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-137		0.19 pCi/g		0.034	0.034			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cs-137		0.312 pCi/g		0.046	0.046			
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cs-137		0.0347 pCi/g		0.02	0.02			
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cs-137		0.0684 pCi/g		0.023	0.023			
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cs-137		0.173 pCi/g		0.029	0.029			
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cs-137		0.113 pCi/g		0.024	0.024			
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cs-137		0.262 pCi/g		0.051	0.051			
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Cs-137		0.146 pCi/g		0.034	0.034		COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Cs-137		1.85 pCi/g		0.24	0.24			
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.00993 pCi/g		0.015	0.015	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.0312 pCi/g		0.016	0.016	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cs-137		0.0326 pCi/g		0.019	0.019			
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cs-137		0.0523 pCi/g		0.022	0.022			
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.00229 pCi/g		0.015	0.015	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.0105 pCi/g		0.013	0.013	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.0146 pCi/g		0.012	0.012	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cs-137		0.00708 pCi/g		0.012	0.012	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-137		0.378 pCi/g		0.081	0.081			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-137		0.333 pCi/g		0.07	0.07			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cs-137		0.155 pCi/g		0.058	0.058			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cs-137		0.146 pCi/g		0.05	0.05			
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cs-137		0.425 pCi/g		0.083	0.083			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Eu-152		-0.0395 pCi/g		0.044	0.044	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Eu-152		0.00898 pCi/g		0.026	0.026	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Eu-152		0.0413 pCi/g		0.036	0.036	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-152		0.176 pCi/g		0.049	0.049	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-152		0.0245 pCi/g		0.034	0.034	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-152		0.101 pCi/g		0.053	0.053	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-152		0.0723 pCi/g		0.044	0.044	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-152		0.00947 pCi/g		0.027	0.027	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-152		0.0256 pCi/g		0.032	0.032	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-152		0.0069 pCi/g		0.035	0.035	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-152		0.11 pCi/g		0.054	0.054	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-152		0.0102 pCi/g		0.027	0.027	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-152		-0.00041 pCi/g		0.026	0.026	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-152		0.0639 pCi/g		0.035	0.035	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-152		-0.00586 pCi/g		0.023	0.023	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Eu-152		0.126 pCi/g		0.06	0.06	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Eu-152		0.0194 pCi/g		0.03	0.03	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Eu-152		0.0164 pCi/g		0.072	0.072	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		-0.0241 pCi/g		0.035	0.035	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		0.0201 pCi/g		0.038	0.038	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-152		-0.0248 pCi/g		0.034	0.034	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-152		-0.0415 pCi/g		0.038	0.038	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		-0.044 pCi/g		0.06	0.06	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		-0.012 pCi/g		0.032	0.032	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		-0.0371 pCi/g		0.029	0.029	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-152		0.000344 pCi/g		0.031	0.031	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-152		0.286 pCi/g		0.11	0.11	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-152		0.0162 pCi/g		0.077	0.077	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-152		0.0667 pCi/g		0.088	0.088	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-152		-0.0564 pCi/g		0.083	0.083	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-152		0.217 pCi/g		0.12	0.12	U		
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Eu-154		-0.0484 pCi/g		0.04	0.04	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Eu-154		-0.00639 pCi/g		0.035	0.035	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Eu-154		-0.00061 pCi/g		0.05	0.05	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-154		0.0368 pCi/g		0.039	0.039	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-154		-0.0318 pCi/g		0.043	0.043	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-154		0.0312 pCi/g		0.053	0.053	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-154		-0.0159 pCi/g		0.035	0.035	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-154		0.000431 pCi/g		0.035	0.035	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-154		0.011 pCi/g		0.036	0.036	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-154		0.00296 pCi/g		0.046	0.046	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-154		-0.0132 pCi/g		0.04	0.04	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-154		0.0352 pCi/g		0.037	0.037	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-154		-0.0217 pCi/g		0.036	0.036	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-154		-0.0142 pCi/g		0.035	0.035	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-154		0.0156 pCi/g		0.031	0.031	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Eu-154		-0.00565 pCi/g		0.043	0.043	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Eu-154		0.022 pCi/g		0.037	0.037	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Eu-154		0.00604 pCi/g		0.073	0.073	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		0.00711 pCi/g		0.042	0.042	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		-0.00862 pCi/g		0.042	0.042	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-154		-0.0305 pCi/g		0.047	0.047	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-154		-0.0122 pCi/g		0.045	0.045	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		-0.0232 pCi/g		0.046	0.046	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		0.00818 pCi/g		0.042	0.042	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		0.00882 pCi/g		0.04	0.04	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-154		0.0504 pCi/g		0.042	0.042	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-154		0.02 pCi/g		0.072	0.072	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-154		0.0379 pCi/g		0.1	0.1	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-154		0.00353 pCi/g		0.093	0.093	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-154		0.0713 pCi/g		0.1	0.1	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-154		0.0026 pCi/g		0.091	0.091	U		
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Eu-155		0.04 pCi/g		0.037	0.037	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Eu-155		0.027 pCi/g		0.033	0.033	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Eu-155		0.00248 pCi/g		0.04	0.04	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-155		0.0537 pCi/g		0.035	0.035	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-155		0.0981 pCi/g		0.036	0.036	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-155		0.0446 pCi/g		0.044	0.044	U		
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-155		0.0296 pCi/g		0.031	0.031	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-155		0.0455 pCi/g		0.033	0.033	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Eu-155		0.0471 pCi/g		0.034	0.034	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-155		0.0386 pCi/g		0.034	0.034	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Eu-155		0.0544 pCi/g		0.036	0.036	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-155		0.083 pCi/g		0.032	0.032	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-155		0.0954 pCi/g		0.037	0.037	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Eu-155		0.0659 pCi/g		0.029	0.029	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Eu-155		0.0201 pCi/g		0.029	0.029	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Eu-155		0.0733 pCi/g		0.033	0.033	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Eu-155		0.07 pCi/g		0.031	0.031	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Eu-155		0.0429 pCi/g		0.064	0.064	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.0166 pCi/g		0.032	0.032	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.0443 pCi/g		0.035	0.035	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-155		0.0787 pCi/g		0.036	0.036	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Eu-155		0.0359 pCi/g		0.04	0.04	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.0643 pCi/g		0.06	0.06	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.0483 pCi/g		0.032	0.032	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.037 pCi/g		0.031	0.031	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Eu-155		0.0157 pCi/g		0.029	0.029	U		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-155		0.0854 pCi/g		0.062	0.062	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-155		0.0761 pCi/g		0.07	0.07	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-155		0.0474 pCi/g		0.077	0.077	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Eu-155		0.0214 pCi/g		0.086	0.086	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Eu-155		0.113 pCi/g		0.074	0.074	U		
SESPMNT	B17J54	HANFORD SPR UR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 GAMMA SCAN							NO SAMPLE.	
SESPMNT	B17J56	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 GAMMA SCAN							NO SAMPLE.	
SESPSPEC	B16WW2	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 GAMMA SCAN							NO SAMPLE.	
SESPSPEC	B16WW3	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 GAMMA SCAN							NO SAMPLE.	
SESPSPEC	B16WW8	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 GAMMA SCAN							NO SAMPLE.	
SESPSPEC	B16WW9	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 GAMMA SCAN							NO SAMPLE.	
SESPMNT	B16DK6	WEST LAKE	ON SITE	SO	POND	SEDIMENT	11-Feb-03 K-40		16.5 pCi/g		2.1	2.1		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Apr-03 K-40		15.9 pCi/g		2	2			
SESPMNT	B176T3	WEST LAKE	ON SITE	SO	POND	SEDIMENT	09-Jul-03 K-40		14.1 pCi/g		1.8	1.8			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 K-40		16.2 pCi/g		2	2			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 K-40		17.4 pCi/g		2.2	2.2			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 K-40		18.4 pCi/g		2.4	2.4			
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 K-40		14.1 pCi/g		1.8	1.8			
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 K-40		12.2 pCi/g		1.6	1.6			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 K-40		12.3 pCi/g		1.6	1.6			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 K-40		11.6 pCi/g		1.5	1.5			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 K-40		14.5 pCi/g		1.8	1.8			
SESPMNT	B17J20	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 K-40		16.7 pCi/g		2.1	2.1			
SESPMNT	B17J51	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 K-40		14.1 pCi/g		1.8	1.8			
SESPMNT	B17J59	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 K-40		14.9 pCi/g		1.8	1.8			
SESPMNT	B17J62	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 K-40		14.7 pCi/g		1.8	1.8			
SESPMNT	B17J65	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 K-40		14.9 pCi/g		2	2			
SESPMNT	B17J99	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 K-40		16.1 pCi/g		2	2		COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Oct-03 K-40		16.7 pCi/g		2.2	2.2			
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		11.3 pCi/g		1.5	1.5			
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		11.5 pCi/g		1.5	1.5			
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 K-40		14.5 pCi/g		1.9	1.9			
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 K-40		14.4 pCi/g		1.9	1.9			
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		17.3 pCi/g		2.1	2.1		PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		17.1 pCi/g		2.1	2.1		PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		16.3 pCi/g		2.1	2.1			
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 K-40		15.9 pCi/g		2	2			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 K-40		14.8 pCi/g		2	2			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 K-40		14.2 pCi/g		2.1	2.1			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 K-40		12 pCi/g		1.8	1.8			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 K-40		13.1 pCi/g		2.1	2.1			
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 K-40		14 pCi/g		2	2			
SESPMNT	B16DK6	WEST LAKE	ON SITE	SO	POND	SEDIMENT	11-Feb-03 Ru-106		-0.104 pCi/g		0.093	0.093	U	COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Apr-03 Ru-106		0.0134 pCi/g		0.078	0.078	U		
SESPMNT	B176T3	WEST LAKE	ON SITE	SO	POND	SEDIMENT	09-Jul-03 Ru-106		0.00244 pCi/g		0.11	0.11	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ru-106		0.043 pCi/g		0.093	0.093	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ru-106		-0.00229 pCi/g		0.11	0.11	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ru-106		0.111 pCi/g		0.14	0.14	U		
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ru-106		0.0496 pCi/g		0.093	0.093	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ru-106		0.015 pCi/g		0.083	0.083	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ru-106		0.00343 pCi/g		0.1	0.1	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ru-106		0.0283 pCi/g		0.11	0.11	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ru-106		0.0203 pCi/g		0.097	0.097	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ru-106		-0.0599 pCi/g		0.085	0.085	U		
SESPMNT	B17J51	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ru-106		-0.0054 pCi/g		0.084	0.084	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ru-106		0.0361 pCi/g		0.079	0.079	U		
SESPMNT	B17J62	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ru-106		0.0684 pCi/g		0.079	0.079	U		
SESPMNT	B17J65	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ru-106		0.0245 pCi/g		0.096	0.096	U		
SESPMNT	B17J99	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Ru-106		-0.0424 pCi/g		0.087	0.087	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Oct-03 Ru-106		-0.284 pCi/g		0.22	0.22	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		-0.0139 pCi/g		0.11	0.11	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		-0.0141 pCi/g		0.12	0.12	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ru-106		0.1 pCi/g		0.12	0.12	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ru-106		0.0817 pCi/g		0.12	0.12	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		-0.0701 pCi/g		0.13	0.13	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		0.000213 pCi/g		0.11	0.11	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		0.0524 pCi/g		0.098	0.098	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ru-106		-0.00375 pCi/g		0.097	0.097	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ru-106		-0.0878 pCi/g		0.19	0.19	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ru-106		-0.266 pCi/g		0.26	0.26	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ru-106		-0.219 pCi/g		0.26	0.26	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ru-106		0.246 pCi/g		0.3	0.3	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ru-106		0.0634 pCi/g		0.25	0.25	U		
SESPMNT	B16DK6	WEST LAKE	ON SITE	SO	POND	SEDIMENT	11-Feb-03 Sb-125		0.0268 pCi/g		0.031	0.031	U	COLLECTED AT E. WATERHOLE.	

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16RT2	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Apr-03 Sb-125		-0.00418 pCi/g		0.026	0.026	U		
SESPMNT	B176T3	WEST LAKE	ON SITE	SO	POND	SEDIMENT	09-Jul-03 Sb-125		0.0179 pCi/g		0.038	0.038	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb-125		-0.00778 pCi/g		0.028	0.028	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb-125		0.00346 pCi/g		0.03	0.03	U		
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb-125		-0.00455 pCi/g		0.039	0.039	U		
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb-125		-0.0198 pCi/g		0.027	0.027	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb-125		0.0044 pCi/g		0.026	0.026	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb-125		0.0165 pCi/g		0.03	0.03	U		
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb-125		-0.011 pCi/g		0.032	0.032	U		
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb-125		0.0173 pCi/g		0.028	0.028	U		
SESPMNT	B17J20	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sb-125		0.000624 pCi/g		0.024	0.024	U		
SESPMNT	B17J51	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sb-125		0.00812 pCi/g		0.026	0.026	U		
SESPMNT	B17J59	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sb-125		0.00179 pCi/g		0.024	0.024	U		
SESPMNT	B17J62	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sb-125		0.00267 pCi/g		0.022	0.022	U		
SESPMNT	B17J65	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Sb-125		-0.00987 pCi/g		0.029	0.029	U		
SESPMNT	B17J99	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Sb-125		0.00814 pCi/g		0.026	0.026	U	COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Oct-03 Sb-125		0.006 pCi/g		0.069	0.069	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		0.0134 pCi/g		0.035	0.035	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		-0.0302 pCi/g		0.035	0.035	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sb-125		0.0176 pCi/g		0.034	0.034	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sb-125		-0.0193 pCi/g		0.035	0.035	U		
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		0.0311 pCi/g		0.037	0.037	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		-0.00336 pCi/g		0.031	0.031	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		0.0232 pCi/g		0.027	0.027	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb-125		-0.00843 pCi/g		0.027	0.027	U		
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sb-125		0.0233 pCi/g		0.059	0.059	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sb-125		0.0322 pCi/g		0.072	0.072	U		
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sb-125		-0.0255 pCi/g		0.074	0.074	U		
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sb-125		0.034 pCi/g		0.081	0.081	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sb-125		0.0109 pCi/g		0.074	0.074	U		
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-238		0.000266 pCi/g		0.00056	0.00057	U		
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-238		0.000804 pCi/g		0.00062	0.00063			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-238		0.000179 pCi/g		0.00037	0.00037	U		
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-238		0.000116 pCi/g		0.00026	0.00026	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-238		0.000217 pCi/g		0.00026	0.00026	U		
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-238		0.000637 pCi/g		0.00037	0.00038			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-238		0.000333 pCi/g		0.00023	0.00023			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-238		0.00151 pCi/g		0.00065	0.00069			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-238		0.000197 pCi/g		0.00018	0.00018	U		
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-238		0.000272 pCi/g		0.00025	0.00025			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pu-238		0.000352 pCi/g		0.00018	0.00019			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pu-238		0.000214 pCi/g		0.00044	0.00044	U		
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-238		0.000526 pCi/g		0.00032	0.00033			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-239/240		0.00529 pCi/g		0.0025	0.0026			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-239/240		0.00159 pCi/g		0.00088	0.00091			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-239/240		0.00686 pCi/g		0.0024	0.0027			
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-239/240		0.00204 pCi/g		0.0011	0.0012			
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-239/240		0.00956 pCi/g		0.0017	0.0023			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pu-239/240		0.0116 pCi/g		0.0016	0.0023			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-239/240		0.00655 pCi/g		0.001	0.0014			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pu-239/240		0.00758 pCi/g		0.0015	0.0019			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-239/240		0.0104 pCi/g		0.0011	0.0018			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-239/240		0.00963 pCi/g		0.0015	0.0021			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pu-239/240		0.00598 pCi/g		0.00071	0.0011			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pu-239/240		0.00451 pCi/g		0.0014	0.0016			
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pu-239/240		0.00954 pCi/g		0.0013	0.0019			
SESPMNT	B16DK6	WEST LAKE	ON SITE	SO	POND	SEDIMENT	11-Feb-03 Sr-90		0.468 pCi/g		0.051	0.11		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ON SITE	SO	POND	SEDIMENT	07-Apr-03 Sr-90		0.3 pCi/g		0.042	0.076			
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90		-0.0047 pCi/g		0.021	0.022	U		REANALYZED VALUE
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sr-90		0.0334 pCi/g		0.036	0.037	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sr-90		0.00481 pCi/g		0.022	0.043	U		
SESPSPEC	B16WW2	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sr-90							NO SAMPLE.	
SESPSPEC	B16WW3	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sr-90							NO SAMPLE.	
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90		0.0449 pCi/g		0.041	0.044	U	PRIMARILY SAND.	
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90		0.0183 pCi/g		0.036	0.036	U	PRIMARILY SAND.	
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90		0.0211 pCi/g		0.028	0.028	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90		0.0382 pCi/g		0.039	0.04	U		
SESPSPEC	B16WW8	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90							NO SAMPLE.	
SESPSPEC	B16WW9	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sr-90							NO SAMPLE.	
SESPMNT	B176T3	WEST LAKE	ON SITE	SO	POND	SEDIMENT	09-Jul-03 Sr-90		0.369 pCi/g		0.079	0.11			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sr-90		0.0058 pCi/g		0.016	0.018	U		REANALYZED VALUE
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sr-90		-0.00772 pCi/g		0.019	0.019	U		REANALYZED VALUE
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sr-90		-0.0017 pCi/g		0.014	0.02	U		REANALYZED VALUE
SESPMNT	B176Y9	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sr-90		0.000184 pCi/g		0.02	0.02	U		REANALYZED VALUE

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sr-90		0.00326 pCi/g		0.02	0.021	U		REANALYZED VALUE
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sr-90		0.0104 pCi/g		0.023	0.024	U		REANALYZED VALUE
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sr-90		0.0284 pCi/g		0.024	0.026	U		REANALYZED VALUE
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sr-90		0.0127 pCi/g		0.025	0.028	U		REANALYZED VALUE
SESPSPEC	B17807	MCNARY-OR.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		-0.00699 pCi/g		0.021	0.021	U		REANALYZED VALUE
SESPSPEC	B17808	MCNARY-OREGON SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		-0.0061 pCi/g		0.015	0.018	U		REANALYZED VALUE
SESPSPEC	B17809	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		0.0162 pCi/g		0.021	0.024	U		REANALYZED VALUE
SESPSPEC	B178F0	MCNARY-WASH. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90								Sample lost in ball milling
SESPSPEC	B178F1	MCNARY-WA.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		-0.00685 pCi/g		0.015	0.019	U		REANALYZED VALUE
SESPSPEC	B178F2	JOHN DAY DAM OR.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178F3	JOHN DAY DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		0.0298 pCi/g		0.017	0.018			REANALYZED VALUE
SESPSPEC	B178F4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		0.00607 pCi/g		0.021	0.022	U		REANALYZED VALUE
SESPSPEC	B178F5	JOHN DAY DAM WA.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		0.0258 pCi/g		0.022	0.023	U		REANALYZED VALUE
SESPSPEC	B178F6	JOHN DAY DAM WA.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178F7	DALLES DAM OR.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178F8	DALLES DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178F9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90		0.0341 pCi/g		0.021	0.022	U		REANALYZED VALUE
SESPSPEC	B178H0	DALLES DAM WA.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90		0.0122 pCi/g		0.019	0.02	U		REANALYZED VALUE
SESPSPEC	B178H1	DALLES DAM WA.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178H2	BONNEVILLE DAM OR.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90		0.022 pCi/g		0.02	0.02	U		REANALYZED VALUE
SESPSPEC	B178H3	BONNEVILLE DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178H4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90		0.00449 pCi/g		0.017	0.018	U		REANALYZED VALUE
SESPSPEC	B178H5	BONNEVILLE DAM WA.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178H6	BONNEVILLE DAM WA.SHORE BEACH	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sr-90							NO SAMPLE.	
SESPSPEC	B178H7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sr-90		0.0124 pCi/g		0.022	0.022	U		REANALYZED VALUE
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sr-90		0.0323 pCi/g		0.031	0.031	U		
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sr-90		0.00682 pCi/g		0.016	0.016	U		
SESPMNT	B17J54	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 Sr-90							NO SAMPLE.	
SESPMNT	B17J56	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Sr-90							NO SAMPLE.	
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sr-90		0.0209 pCi/g		0.023	0.024	U		
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sr-90		0.0169 pCi/g		0.019	0.019	U		
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Sr-90		-0.00158 pCi/g		0.02	0.02	U		
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Sr-90		-0.00814 pCi/g		0.014	0.017	U		COLLECTED 20 METERS DOWN RIVER FROM SEEP.
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Sr-90		0.649 pCi/g		0.042	0.1			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 Tc-99		-0.199 pCi/g		0.31	0.52	U		COLLECTED AT E. WATERHOLE.
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 Tc-99		-0.0653 pCi/g		0.32	0.54	U		
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 Tc-99		0.956 pCi/g		0.34	0.57			
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 Tc-99		0.593 pCi/g		0.28	0.41	U		
SESPSPEC	B16WV8	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		0.182 pCi/g		0.32	0.51	U		
SESPSPEC	B16WV9	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		0.257 pCi/g		0.32	0.52	U		
SESPSPEC	B16WW0	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Tc-99		0.62 pCi/g		0.33	0.54	U		
SESPSPEC	B16WW1	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Tc-99		0.191 pCi/g		0.32	0.51	U		
SESPSPEC	B16WW2	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Tc-99							NO SAMPLE.	
SESPSPEC	B16WW3	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Tc-99							NO SAMPLE.	
SESPSPEC	B16WW4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		-0.237 pCi/g		0.31	0.49	U		PRIMARILY SAND.
SESPSPEC	B16WW5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		0.262 pCi/g		0.32	0.52	U		PRIMARILY SAND.
SESPSPEC	B16WW6	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		0.259 pCi/g		0.32	0.52	U		
SESPSPEC	B16WW7	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99		-0.261 pCi/g		0.31	0.49	U		
SESPSPEC	B16WW8	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99							NO SAMPLE.	
SESPSPEC	B16WW9	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Tc-99							NO SAMPLE.	
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 U-234		0.55 pCi/g		0.041	0.11			COLLECTED AT E. WATERHOLE.
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 U-234		1.06 pCi/g		0.054	0.17			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 U-234		9.1 pCi/g		0.17	1.5			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-234		0.36 pCi/g		0.054	0.081			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-234		0.219 pCi/g		0.027	0.044			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-234		0.313 pCi/g		0.036	0.062			
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-234		0.132 pCi/g		0.022	0.031			
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-234		0.669 pCi/g		0.044	0.12			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-234		0.727 pCi/g		0.046	0.12			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-234		1.01 pCi/g		0.069	0.18			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-234		0.888 pCi/g		0.053	0.15			
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-234		1.42 pCi/g		0.068	0.24			
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-234		0.41 pCi/g		0.039	0.077			
SESPMNT	B17J54	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 U-234							NO SAMPLE.	
SESPMNT	B17J56	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-234							NO SAMPLE.	
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-234		1.52 pCi/g		0.075	0.26			
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-234		0.256 pCi/g		0.031	0.052			
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-234		0.513 pCi/g		0.046	0.095			
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 U-234		0.356 pCi/g		0.035	0.067			COLLECTED 20 METERS DOWN RIVER FROM SEEP.
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 U-234		3.22 pCi/g		0.12	0.53			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-234		0.732 pCi/g		0.055	0.13			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-234		0.946 pCi/g		0.067	0.16			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-234		0.674 pCi/g		0.044	0.11			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-234		0.697 pCi/g		0.047	0.12			

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-234		0.677 pCi/g		0.044	0.12			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 U-235		0.022 pCi/g		0.0098	0.011		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 U-235		0.044 pCi/g		0.011	0.013			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 U-235		0.338 pCi/g		0.034	0.063			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-235		0.021 pCi/g		0.015	0.016			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-235		0.0062 pCi/g		0.0049	0.0051			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-235		0.0153 pCi/g		0.01	0.011			
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-235		-0.00075 pCi/g		0.0051	0.0052	U		
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-235		0.0155 pCi/g		0.0073	0.0077			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-235		0.0217 pCi/g		0.0084	0.0091			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-235		0.0262 pCi/g		0.011	0.012			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-235		0.0225 pCi/g		0.0089	0.0097			
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-235		0.052 pCi/g		0.013	0.016			
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-235		0.0141 pCi/g		0.0076	0.008			
SESPMNT	B17J54	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 U-235							NO SAMPLE.	
SESPMNT	B17J56	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-235							NO SAMPLE.	
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-235		0.0667 pCi/g		0.017	0.02			
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-235		0.00908 pCi/g		0.0062	0.0064			
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-235		0.0256 pCi/g		0.01	0.011			
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 U-235		0.0103 pCi/g		0.0068	0.007		COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 U-235		0.109 pCi/g		0.023	0.029			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-235		0.0225 pCi/g		0.0099	0.011			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-235		0.0242 pCi/g		0.013	0.014			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-235		0.0103 pCi/g		0.007	0.0072			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-235		0.0201 pCi/g		0.0093	0.0099			
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-235		0.0257 pCi/g		0.0089	0.0098			
SESPMNT	B16DK6	WEST LAKE	ONSITE	SO	POND	SEDIMENT	11-Feb-03 U-238		0.5 pCi/g		0.039	0.097		COLLECTED AT E. WATERHOLE.	
SESPMNT	B16RT2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Apr-03 U-238		1.01 pCi/g		0.052	0.17			
SESPMNT	B176T3	WEST LAKE	ONSITE	SO	POND	SEDIMENT	09-Jul-03 U-238		8.53 pCi/g		0.17	1.4			
SESPMNT	B176Y6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-238		0.322 pCi/g		0.05	0.073			
SESPMNT	B176Y7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-238		0.239 pCi/g		0.028	0.047			
SESPMNT	B176Y8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-238		0.279 pCi/g		0.034	0.056			
SESPMNT	B176Y9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-238		0.13 pCi/g		0.022	0.031			
SESPMNT	B17705	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-238		0.576 pCi/g		0.041	0.1			
SESPMNT	B17707	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 U-238		0.659 pCi/g		0.043	0.11			
SESPMNT	B17713	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-238		0.764 pCi/g		0.06	0.14			
SESPMNT	B17715	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 U-238		0.696 pCi/g		0.047	0.12			
SESPMNT	B17J20	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-238		1.3 pCi/g		0.065	0.22			
SESPMNT	B17J51	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-238		0.349 pCi/g		0.036	0.067			
SESPMNT	B17J54	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 U-238							NO SAMPLE.	
SESPMNT	B17J56	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-238							NO SAMPLE.	
SESPMNT	B17J59	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 U-238		1.46 pCi/g		0.073	0.24			
SESPMNT	B17J62	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 U-238		0.236 pCi/g		0.029	0.048			
SESPMNT	B17J65	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 U-238		0.453 pCi/g		0.043	0.085			
SESPMNT	B17J99	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 U-238		0.321 pCi/g		0.033	0.061		COLLECTED 20 METERS DOWN RIVER FROM SEEP.	
SESPMNT	B17R89	WEST LAKE	ONSITE	SO	POND	SEDIMENT	07-Oct-03 U-238		3.04 pCi/g		0.12	0.5			
SESPSPEC	B17BD9	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-238		0.593 pCi/g		0.049	0.11			
SESPSPEC	B17BF4	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-238		0.699 pCi/g		0.057	0.12			
SESPSPEC	B17BF9	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-238		0.516 pCi/g		0.038	0.09			
SESPSPEC	B17BH4	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 U-238		0.562 pCi/g		0.042	0.098			
SESPSPEC	B17BH7	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 U-238		0.58 pCi/g		0.041	0.1			
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ag		0.325 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ag		0.314 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ag		0.337 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.298 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.275 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ag		0.302 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ag		0.433 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ag		0.438 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ag		0.438 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ag		0.379 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ag		0.484 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ag		0.447 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ag		0.342 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.248 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.262 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ag		0.457 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ag		0.413 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ag		0.32 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.346 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ag		0.308 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 As		2.71 ug/g				C		
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 As		4.42 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 As		4.8 ug/g				C		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 As		3.22 ug/g				C		
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 As		6.87 ug/g				C		
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 As		7.75 ug/g				C		
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 As		9.63 ug/g				C		
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 As		5.04 ug/g				C		
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 As		5.92 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 As		6.24 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 As		5.96 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 As		5.57 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		2.67 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		2.73 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 As		8.69 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 As		9.2 ug/g				C		
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 As		9.9 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 As		7.55 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 As		9.93 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 As		8.23 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 As		9.73 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 As		9.2 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 As		8.58 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		3.34 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		3.67 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 As		2.36 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 As		2.81 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 As		8.29 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		2.39 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 As		2.47 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Ba		670 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ba		766 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ba		869 ug/g						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Be		1.34 ug/g						
SESPMNT	B176Y1	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be		1.53 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Be		2.38 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Be		1.36 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Be		1.5 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Be		1.62 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Be		1.53 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Be		1.35 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Be		1.27 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Be		1.54 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Be		1.6 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Be		1.6 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		1.23 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		1.08 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be		1.53 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Be		1.59 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Be		1.89 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Be		1.79 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be		1.99 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be		1.86 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be		1.56 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be		1.5 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Be		1.66 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		1.19 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		1.27 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Be		1.08 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Be		1.11 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Be		1.43 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		0.802 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Be		0.777 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Cd		0.306 ug/g						
SESPMNT	B176Y1	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cd		0.667 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cd		2.51 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cd		0.743 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cd		0.64 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cd		1.53 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Cd		1.11 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cd		0.715 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cd		0.521 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cd		0.362 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cd		0.878 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cd		1.21 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.116 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.126 ug/g (wet)						

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cd		3.51 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cd		1.11 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cd		2.02 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cd		1.48 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cd		1.56 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cd		1.6 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cd		8.93 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cd		5.99 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cd		0.995 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.105 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.141 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cd		0.116 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cd		0.105 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cd		2.6 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.0929 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cd		0.108 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Cr		103 ug/g				C		
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cr		55.3 ug/g				C		
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cr		112 ug/g				C		
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cr		96.3 ug/g				C		
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cr		68.4 ug/g				C		
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cr		74.1 ug/g				C		
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Cr		53.2 ug/g				C		
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cr		110 ug/g				C		
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cr		51 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cr		46.3 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cr		57.3 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cr		57.2 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		18.8 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		20.7 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cr		82.7 ug/g				C		
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cr		80.9 ug/g				C		
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cr		69.3 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cr		73.2 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cr		71.2 ug/g				C		
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cr		73.8 ug/g				C		
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cr		86.9 ug/g				C		
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cr		92.1 ug/g				C		
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cr		65.3 ug/g				C		
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		22.4 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		24.5 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cr		30 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cr		26.9 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cr		79.1 ug/g				C		
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		40.2 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cr		34.6 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Cu		11.5 ug/g						
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cu		19.7 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cu		16.4 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cu		15.1 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Cu		17.4 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cu		28.5 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Cu		31.1 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Cu		24.9 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cu		17.6 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Cu		19 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cu		32.1 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Cu		30.8 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		9.55 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		9.91 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cu		27.8 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Cu		22.3 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cu		40.2 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Cu		26.7 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cu		36.5 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cu		28.5 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cu		50 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cu		45.9 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Cu		24.9 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		9.54 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		10.2 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cu		12.3 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Cu		14.9 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Cu		34.6 ug/g						

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		13.3	ug/g (wet)					
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Cu		13.3	ug/g (wet)					
SESPSPEC	B17XP7	100 B/C AREA DR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP1	100 B/C AREA OUTFL1	ONSITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP3	100 B/C AREA OUTFL2	ONSITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP5	100 B/C AREA OUTFL3	ONSITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP0	100-B SPRING 39-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 METALS ICPMS							NO SAMPLE. NOT AVAILABLE.	
SESPMNT	B17J55	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 METALS ICPMS							NO SAMPLE.	
SESPSPEC	B16WY0	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 METALS ICPMS							NO SAMPLE.	
SESPSPEC	B16WY1	POTHOLES CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 METALS ICPMS							NO SAMPLE.	
SESPSPEC	B16WX4	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 METALS ICPMS							NO SAMPLE.	
SESPSPEC	B16WX5	SNAKE RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 METALS ICPMS							NO SAMPLE.	
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Mn		511	ug/g			C		
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Mn		603	ug/g			C		
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Mn		561	ug/g			C		
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Ni		18.9	ug/g					
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ni		17	ug/g					
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ni		15.7	ug/g					
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ni		18	ug/g					
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ni		21.1	ug/g					
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ni		25.8	ug/g					
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Ni		20.1	ug/g					
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ni		19.4	ug/g					
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ni		16.3	ug/g					
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ni		19.1	ug/g					
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ni		25.1	ug/g					
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ni		24	ug/g					
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		8.42	ug/g (wet)					
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		8.49	ug/g (wet)					
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ni		29.7	ug/g					
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ni		26	ug/g					
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ni		31.5	ug/g					
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ni		30.1	ug/g					
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ni		31.6	ug/g					
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ni		29.5	ug/g					
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ni		41.5	ug/g					
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ni		46.8	ug/g					
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Ni		19.1	ug/g					
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		9.93	ug/g (wet)				PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		11.3	ug/g (wet)				PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ni		11.9	ug/g (wet)					
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Ni		12.2	ug/g (wet)					
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ni		24	ug/g					
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		21.9	ug/g (wet)					
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ni		21	ug/g (wet)					
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Pb		17.6	ug/g					
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pb		17.7	ug/g					
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Pb		17.8	ug/g					
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Pb		20.4	ug/g					
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Pb		28.4	ug/g					
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Pb		34.7	ug/g					
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Pb		61.9	ug/g					
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Pb		24.7	ug/g					
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Pb		17.7	ug/g					
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Pb		16	ug/g					
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pb		18.7	ug/g					
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Pb		17.6	ug/g					
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		7.96	ug/g (wet)					
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		7.82	ug/g (wet)					
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pb		35.8	ug/g					
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Pb		26.1	ug/g					
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pb		25.6	ug/g					
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Pb		24.7	ug/g					
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pb		25.7	ug/g					
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pb		25.8	ug/g					
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pb		49.6	ug/g					
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pb		54.2	ug/g					
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Pb		57.9	ug/g					
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		8.74	ug/g (wet)				PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		9.22	ug/g (wet)				PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Pb		8.27	ug/g (wet)					
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Pb		8.99	ug/g (wet)					
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Pb		41.7	ug/g					
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		6.23	ug/g (wet)					

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Pb		6.26 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Sb		0.357 ug/g				C		
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb		0.405 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sb		1.59 ug/g				C		
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Sb		0.428 ug/g				C		
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Sb		0.649 ug/g				C		
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Sb		0.825 ug/g				C		
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Sb		1.13 ug/g				C		
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Sb		0.719 ug/g				C		
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sb		0.683 ug/g				C		
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Sb		0.569 ug/g				C		
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sb		0.835 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Sb		0.597 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.308 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.301 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb		0.745 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Sb		0.637 ug/g				C		
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sb		0.823 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Sb		0.699 ug/g						
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb		0.875 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb		0.749 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb		0.907 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb		0.901 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Sb		0.937 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.324 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.355 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sb		0.312 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Sb		0.379 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Sb		0.86 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.359 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Sb		0.34 ug/g (wet)						
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Se		0.477 ug/g				U		
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Se		0.477 ug/g				U		
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Se		0.477 ug/g				U		
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Se		0.477 ug/g				U		
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Se		0.477 ug/g				U		
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U		
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U		
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Se		0.477 ug/g				U		
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Se		0.477 ug/g				U		
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Se		0.477 ug/g				U		
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Se		0.477 ug/g				U		
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Se		0.477 ug/g				U		
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Se		0.477 ug/g				U		
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Se		0.477 ug/g				U		
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Se		0.477 ug/g				U		
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U	PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U	PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Se		0.46 ug/g (wet)				U		
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Se		0.46 ug/g (wet)				U		
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Se		0.477 ug/g				U		
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U		
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Se		0.46 ug/g (wet)				U		
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Th		6.97 ug/g				C		
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Th		7.91 ug/g				C		
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Th		7.36 ug/g				C		
SESPSPEC	B17XN6	100 B/C AREA UR	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Ti		0.377 ug/g						
SESPMNT	B176Y1	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ti		0.686 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ti		1.78 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ti		0.496 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ti		0.537 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ti		0.567 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Ti		0.56 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ti		0.458 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ti		0.456 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ti		0.482 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ti		0.445 ug/g						
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Ti		0.535 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ti		0.304 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Ti		0.306 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Ti		2.41 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ti		0.547 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ti		0.694 ug/g						
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Ti		0.729 ug/g						

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TI		0.72 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TI		0.715 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TI		1.72 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TI		1.15 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TI		0.615 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TI		0.301 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TI		0.326 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 TI		0.262 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 TI		0.271 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TI		1.43 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TI		0.218 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TI		0.208 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 U		2.09 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 U		2.57 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 U		2.08 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.07 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.07 ug/g (wet)						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.25 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.26 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 U		1.47 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 U		1.49 ug/g (wet)						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.33 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 U		1.05 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Zn		103 ug/g						
SESPMNT	B176Y1	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Zn		222 ug/g						
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Zn		175 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Zn		151 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Zn		184 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Zn		256 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Zn		306 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Zn		196 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Zn		128 ug/g						
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Zn		104 ug/g						
SESPSPEC	B17BK5	BONNEVILLE DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Zn		175 ug/g					C	
SESPSPEC	B17BK1	DALLES DAM OR.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Zn		179 ug/g					C	
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		53.9 ug/g (wet)					C	
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		54.3 ug/g (wet)					C	
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Zn		477 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Zn		188 ug/g						
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Zn		261 ug/g					C	
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Zn		276 ug/g					C	
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Zn		247 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Zn		275 ug/g						
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Zn		591 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Zn		495 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Zn		332 ug/g						
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		48.7 ug/g (wet)					C	PRIMARILY SAND.
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		51 ug/g (wet)					C	PRIMARILY SAND.
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Zn		64.8 ug/g (wet)					C	
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Zn		65.9 ug/g (wet)					C	
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Zn		394 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		57 ug/g (wet)					C	
SESPSPEC	B16WX1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Zn		56.2 ug/g (wet)					C	
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Ag		0.0169 ug/g					U	
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ag		0.0599 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ag		0.0231 ug/g						
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Ag		0.0385 ug/g						
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ag		0.093 ug/g						
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Ag		0.0819 ug/g						
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Ag		0.0612 ug/g						
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ag		0.081 ug/g					C	
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Ag		0.074 ug/g					C	
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Ag		0.0419 ug/g						
SESPSPEC	B17XP7	100 B/C AREA DR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Hg								NO SAMPLE. NOT AVAILABLE.
SESPSPEC	B17XP1	100 B/C AREA OUTFL1	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Hg								NO SAMPLE. NOT AVAILABLE.
SESPSPEC	B17XP3	100 B/C AREA OUTFL2	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Hg								NO SAMPLE. NOT AVAILABLE.
SESPSPEC	B17XP5	100 B/C AREA OUTFL3	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Hg								NO SAMPLE. NOT AVAILABLE.
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Hg		0.0143 ug/g					BC	
SESPMNT	B176Y1	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Hg		0.0116 ug/g					B	
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Hg		0.022 ug/g					B	
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Hg		0.0161 ug/g					BC	
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Hg		0.0139 ug/g					BC	
SESPSPEC	B17XP0	100-B SPRING 39-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Hg								NO SAMPLE. NOT AVAILABLE.
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Hg		0.0467 ug/g					BC	

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Hg		0.0315 ug/g				B		
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Hg		0.0204 ug/g				U		
SESPMNT	B17J61	300 AREA SPR DR 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Hg		0.00543 ug/g				B		
SESPMNT	B17J18	300 AREA SPRING 42-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Oct-03 Hg		0.0106 ug/g				C		
SESPSPEC	B17BK5	BONNEVILLE DAM OR SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Hg		0.512 ug/g				C		
SESPSPEC	B17BK1	DALLES DAM OR SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 Hg		0.0533 ug/g						
SESPSPEC	B16WX8	ESQUATZEL CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.0041 ug/g (wet)						
SESPSPEC	B16WX9	ESQUATZEL CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.0048 ug/g (wet)						
SESPMNT	B176Y3	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Hg		0.161 ug/g						
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Hg		0.0257 ug/g				BC	NO SAMPLE.	
SESPMNT	B17J55	HANFORD SPR UR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	15-Sep-03 Hg								
SESPSPEC	B17BJ7	JOHN DAY DAM MID-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Hg		0.105 ug/g				C		
SESPSPEC	B17BJ3	MCNARY-2/3 OR. SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 Hg		0.0927 ug/g				C		
SESPMNT	B17710	MCNARY-OR.SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Hg		0.0939 ug/g						
SESPMNT	B17712	MCNARY-WASH.SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Hg		0.1 ug/g						
SESPSPEC	B16WY0	POTHOLES CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg							NO SAMPLE.	
SESPSPEC	B16WY1	POTHOLES CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg							NO SAMPLE.	
SESPMNT	B17704	PRD-GRANT SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Hg		0.167 ug/g						
SESPMNT	B17702	PRD-YAKIMA SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Hg		0.187 ug/g						
SESPMNT	B176Y5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 Hg		0.0181 ug/g				B		
SESPSPEC	B16WX6	RINGOLD WASTEWAY	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.01 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX7	RINGOLD WASTEWAY	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.0093 ug/g (wet)					PRIMARILY SAND.	
SESPSPEC	B16WX4	SNAKE RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Hg							NO SAMPLE.	
SESPSPEC	B16WX5	SNAKE RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Hg							NO SAMPLE.	
SESPSPEC	B16WX2	WALLA WALLA-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Hg		0.0078 ug/g (wet)						
SESPSPEC	B16WX3	WALLA WALLA-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 Hg		0.0099 ug/g (wet)						
SESPMNT	B176X9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 Hg		0.0521 ug/g						
SESPSPEC	B16WX0	YAKIMA RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.0247 ug/g (wet)						
SESPSPEC	B16WX1	YAKIMA RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 Hg		0.0275 ug/g (wet)						
SESPSPEC	B17XN6	100 B/C AREA UR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Se		0.0789 ug/g				B		
SESPMNT	B17J53	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Se		1.63 ug/g						
SESPSPEC	B17XN8	100-B SPRING 37-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Se		0.22 ug/g				B		
SESPSPEC	B17XN9	100-B SPRING 38-3	ON SITE	SO	SUB_SURFACE	SEDIMENT	13-Nov-03 Se		0.1 ug/g				B		
SESPMNT	B17J67	100-F SPRING 207-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Se		0.458 ug/g				B		
SESPMNT	B17JB1	100-H SPRING 145-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	27-Oct-03 Se		0.134 ug/g				B		
SESPMNT	B17J64	100-K SPRING 63-1	ON SITE	SO	SUB_SURFACE	SEDIMENT	20-Oct-03 Se		0.166 ug/g				B		
SESPMNT	B17J58	HANFORD SPR DR 28-2	ON SITE	SO	SUB_SURFACE	SEDIMENT	03-Nov-03 Se		0.29 ug/g				B		
SESPSPEC	B17XP8	100 B/C AREA DR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Aroclor-1254							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP2	100 B/C AREA OUTFL1	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1254							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP4	100 B/C AREA OUTFL2	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1254							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP6	100 B/C AREA OUTFL3	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1254							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP8	100 B/C AREA DR	ON SITE	SO	SUB_SURFACE	SEDIMENT	17-Nov-03 Aroclor-1260							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP2	100 B/C AREA OUTFL1	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1260							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP4	100 B/C AREA OUTFL2	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1260							NO SAMPLE. NOT AVAILABLE.	
SESPSPEC	B17XP6	100 B/C AREA OUTFL3	ON SITE	SO	SUB_SURFACE	SEDIMENT	10-Nov-03 Aroclor-1260							NO SAMPLE. NOT AVAILABLE.	
SESPMNT	B176T7	100 F SLOUGH	ON SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TOC (Total organic carbon)		1240 mg/kg				N		
SESPSPEC	B17BR9	BONNEVILLE DAM MID-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BR8	BONNEVILLE DAM OR SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)		13300 mg/kg				N		
SESPSPEC	B17BR7	BONNEVILLE DAM OR SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)		1110 mg/kg				N		
SESPSPEC	B17BT0	BONNEVILLE DAM WA SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BT1	BONNEVILLE DAM WA SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BR4	DALLES DAM MID-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BR3	DALLES DAM OR SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)		12300 mg/kg				N		
SESPSPEC	B17BR2	DALLES DAM OR SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BR5	DALLES DAM WA SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)		1490 mg/kg				N		
SESPSPEC	B17BR6	DALLES DAM WA SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B170V0	ESQUATZEL CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		1110 mg/kg				N		
SESPSPEC	B170V1	ESQUATZEL CANAL	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		2480 mg/kg				N		
SESPMNT	B176V0	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TOC (Total organic carbon)		10200 mg/kg				N		
SESPSPEC	B17BP9	JOHN DAY DAM MID-RIVER	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		16200 mg/kg				N		
SESPSPEC	B17BP8	JOHN DAY DAM OR SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		13700 mg/kg				N		
SESPSPEC	B17BP7	JOHN DAY DAM OR SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BR0	JOHN DAY DAM WA SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		13400 mg/kg				N		
SESPSPEC	B17BR1	JOHN DAY DAM WA SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)							NO SAMPLE.	
SESPSPEC	B17BP3	MCNARY-2/3 OR. SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		7190 mg/kg				N		DUP IS SAMPLE # B17BP4
SESPSPEC	B17BP4	MCNARY-2/3 OR. SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		7280 mg/kg				N		DUP SAMPLE FOR B17BP3
SESPSPEC	B17BP1	MCNARY-OR SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		216 mg/kg				N		
SESPMNT	B176V3	MCNARY-OR.SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TOC (Total organic carbon)		10800 mg/kg				N		
SESPSPEC	B17BP2	MCNARY-OREGON SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		12600 mg/kg				N		
SESPSPEC	B17BP6	MCNARY-WA SHORE BEACH	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		214 mg/kg				N		
SESPSPEC	B17BP5	MCNARY-WASH. SHORE	OFF SITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-03 TOC (Total organic carbon)		5460 mg/kg				N		
SESPMNT	B176V4	MCNARY-WASH.SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TOC (Total organic carbon)		8150 mg/kg				N		
SESPMNT	B176V2	PRD-GRANT SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TOC (Total organic carbon)		11700 mg/kg				N		
SESPMNT	B176V1	PRD-YAKIMA SIDE NEAR DAM	OFF SITE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TOC (Total organic carbon)		12700 mg/kg				N		

ENVIRONMENTAL SURVEILLANCE DATA CY03

SEDIMENT
(pCi/g Dry Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B176T8	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	16-Jul-03 TOC (Total organic carbon)		1950 mg/kg				N		
SESPSPEC	B170V4	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		1560 mg/kg				N		
SESPSPEC	B170V5	RINGOLD WASTEWAY	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		1100 mg/kg				N		
SESPSPEC	B170V8	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 TOC (Total organic carbon)		2010 mg/kg				N		
SESPSPEC	B170V9	WALLA WALLA-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	15-May-03 TOC (Total organic carbon)		7880 mg/kg				N		
SESPMNT	B176T9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	14-Jul-03 TOC (Total organic carbon)		11800 mg/kg				N		
SESPSPEC	B170W0	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		7070 mg/kg				N		
SESPSPEC	B170W1	YAKIMA RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	14-May-03 TOC (Total organic carbon)		5070 mg/kg				N		
SESPSPEC	B17BK4	BONNEVILLE DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 HG							NO SAMPLE.	
SESPSPEC	B17BK6	BONNEVILLE DAM WA.SHORE	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 HG							NO SAMPLE.	
SESPSPEC	B17BK0	DALLES DAM MID-RIVER	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-03 HG							NO SAMPLE.	

Table Sed-1. Acid Volatile Sulfide (AVS)/Simultaneously Extracted Metals (SEM) in Columbia River Sediment, 2003

Samp Num	Samp Site Name	Samp Date	Percent Dry Weight	AVS ($\mu\text{mole/g}$)	SEM Cd ($\mu\text{mole/g}$)	SEM Cu ($\mu\text{mole/g}$)	SEM Hg ($\mu\text{mole/g}$)	SEM Ni ($\mu\text{mole/g}$)	SEM Pb ($\mu\text{mole/g}$)	SEM Zn ($\mu\text{mole/g}$)
B176X8	WHITE BLUFFS SLOUGH	14-Jul-03	50.5	13.5	0.0240	0.176	0.0000113	0.0763	0.166	5.36
B176Y0	100 F SLOUGH	14-Jul-03	78.9	1.74	0.00534	0.078	0.00000366	0.0411	0.0480	1.71
B176Y2	HANFORD SLOUGH	14-Jul-03	58.5	7.29	0.0325	0.190	0.0000110	0.108	0.143	7.40
B176Y4	RICHLAND-RIVER	16-Jul-03	71.2	0.413	0.00488	0.191	0.0000152	0.0303	0.158	2.23
B17709	MCNARY-OR.SIDE NEAR DAM	16-Jul-03	53.8	1.55	0.0109	0.251	0.00000498	0.133	0.0791	2.34
B17711	MCNARY-WASH.SIDE NEAR DAM	16-Jul-03	61.7	0.124 U	0.0117	0.195	0.000217	0.0948	0.0809	2.33
B17703	PRD-GRANT SIDE NEAR DAM	14-Jul-03	47.2	7.47	0.0770	0.351	0.00000649	0.157	0.189	8.38
B17701	PRD-YAKIMA SIDE NEAR DAM	14-Jul-03	51.1	3.83	0.0442	0.461	0.00000827	0.210	0.184	6.01
B17BK3	BONNEVILLE DAM OR.SHORE	07-Aug-03	49.0	3.63	0.00533	0.202	0.00001046	0.103	0.0540	1.54
B17BJ9	DALLES DAM OR.SHORE	07-Aug-03	48.9	4.17	0.00827	0.211	0.0000177	0.0970	0.0590	1.84
B17BK2	DALLES DAM WA.SHORE	07-Aug-03	73.8	0.0511 U	0.00326	0.0693	0.0000292	0.0462	0.0332	0.766
B17BJ5	JOHN DAY DAM OR.SHORE	08-Aug-03	36.7	3.29	0.0143	0.430	0.0000154	0.174	0.105	2.82
B17BJ6	JOHN DAY DAM MID-RIVER	08-Aug-03	38.5	7.57	0.0143	0.295	0.0000166	0.142	0.0930	2.92
B17BJ8	JOHN DAY DAM WA.SHORE	08-Aug-03	51.8	8.39	0.0161	0.279	0.00000868	0.158	0.0870	2.48
B17BJ1	MCNARY-OREGON SHORE	08-Aug-03	39.3	4.90	0.0129	0.268	0.0000213	0.155	0.0834	2.45
B17BJ2	MCNARY-2/3 OR. SHORE	08-Aug-03	57.7	0.118 U	0.0104	0.185	0.000162	0.0979	0.0739	2.26
B17BJ4	MCNARY-WASH. SHORE	08-Aug-03	59.9	0.0687 U	0.00896	0.148	0.000116	0.0807	0.0610	1.74

External Radiation

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16KP3	100 B REACTOR MUSEUM	ONSITE	ER	18-Mar-03	TLD	0.237 mR/d		0.011			
SESPMNT	B17J8	100 B REACTOR MUSEUM	ONSITE	ER	24-Jun-03	TLD	0.23 mR/d		0.006			
SESPMNT	B17J97	100 B REACTOR MUSEUM	ONSITE	ER	15-Sep-03	TLD	0.236 mR/d		0.007			
SESPMNT	B186P8	100 B REACTOR MUSEUM	ONSITE	ER	22-Dec-03	TLD	0.208 mR/d		0.014			
SESPMNT	B16KL9	100 D AREA	ONSITE	ER	18-Mar-03	TLD	0.225 mR/d		0.006			
SESPMNT	B172F7	100 D AREA	ONSITE	ER	24-Jun-03	TLD	0.246 mR/d		0.002			
SESPMNT	B17J32	100 D AREA	ONSITE	ER	15-Sep-03	TLD	0.234 mR/d		0			
SESPMNT	B186M4	100 D AREA	ONSITE	ER	22-Dec-03	TLD	0.245 mR/d		0.012			
SESPMNT	B16KL1	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	19-Mar-03	TLD	0.23 mR/d		0.009			
SESPMNT	B172B8	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	16-Jun-03	TLD	0.233 mR/d		0.002			
SESPMNT	B17J24	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	15-Sep-03	TLD	0.224 mR/d		0.002			
SESPMNT	B186L6	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	22-Dec-03	TLD	0.23 mR/d		0.002			
SESPMNT	B16KN5	100 F MET TOWER	ONSITE	ER	18-Mar-03	TLD	0.223 mR/d		0.005			
SESPMNT	B17J3	100 F MET TOWER	ONSITE	ER	24-Jun-03	TLD	0.233 mR/d		0.007			
SESPMNT	B17J48	100 F MET TOWER	ONSITE	ER	15-Sep-03	TLD	0.236 mR/d		0.004			
SESPMNT	B186P0	100 F MET TOWER	ONSITE	ER	22-Dec-03	TLD	0.231 mR/d		0.015			
SESPMNT	B16K95	100 H AREA	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.221 mR/d		0.003			
SESPMNT	B174M3	100 H AREA	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.22 mR/d		0.003			
SESPMNT	B17JY5	100 H AREA	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.245 mR/d		0			
SESPMNT	B18505	100 H AREA	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.236 mR/d		0.021			
SESPMNT	B16KM0	100 K AREA	ONSITE	ER	18-Mar-03	TLD	0.202 mR/d		0.008			
SESPMNT	B172F8	100 K AREA	ONSITE	ER	24-Jun-03	TLD	0.196 mR/d		0.003			
SESPMNT	B17J33	100 K AREA	ONSITE	ER	15-Sep-03	TLD	0.199 mR/d		0.008			
SESPMNT	B186M5	100 K AREA	ONSITE	ER	22-Dec-03	TLD	0.19 mR/d		0.006			
SESPMNT	B16K64	100 N TRENCH SPRING	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.264 mR/d		0.008			
SESPMNT	B174J2	100 N TRENCH SPRING	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.262 mR/d		0.003			
SESPMNT	B17JW3	100 N TRENCH SPRING	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.283 mR/d		0.003			
SESPMNT	B184T9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.275 mR/d		0.001			
SESPMNT	B16K89	100-D ISLAND	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.223 mR/d		0.008			
SESPMNT	B174L7	100-D ISLAND	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.206 mR/d		0.003			
SESPMNT	B17JX9	100-D ISLAND	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.219 mR/d		0			
SESPMNT	B184X5	100-D ISLAND	RIVER_SHORELINE	ER	15-Dec-03	TLD					NO SAMPLE. TLD MISSING AND SIGNS IN AREA ON THE GROUND.	
SESPMNT	B16LH1	200 ESE	ONSITE	ER	26-Mar-03	TLD	0.232 mR/d		0.012			
SESPMNT	B172D2	200 ESE	ONSITE	ER	17-Jun-03	TLD	0.24 mR/d		0.009			
SESPMNT	B17JV4	200 ESE	ONSITE	ER	22-Sep-03	TLD	0.242 mR/d		0.005			
SESPMNT	B184Y6	200 ESE	ONSITE	ER	17-Dec-03	TLD	0.232 mR/d		0.002			
SESPMNT	B16LH2	200 TEL. EXCHANGE	ONSITE	ER	26-Mar-03	TLD	0.235 mR/d		0.007			
SESPMNT	B172D3	200 TEL. EXCHANGE	ONSITE	ER	17-Jun-03	TLD	0.223 mR/d		0.012			
SESPMNT	B17JV5	200 TEL. EXCHANGE	ONSITE	ER	22-Sep-03	TLD	0.221 mR/d		0.007			
SESPMNT	B184Y7	200 TEL. EXCHANGE	ONSITE	ER	17-Dec-03	TLD	0.221 mR/d		0.007			
SESPMNT	B16LH3	200 W SE	ONSITE	ER	26-Mar-03	TLD	0.223 mR/d		0.001			
SESPMNT	B172D4	200 W SE	ONSITE	ER	17-Jun-03	TLD	0.216 mR/d		0.006			
SESPMNT	B17JV6	200 W SE	ONSITE	ER	22-Sep-03	TLD	0.229 mR/d		0.015			
SESPMNT	B184Y8	200 W SE	ONSITE	ER	17-Dec-03	TLD	0.227 mR/d		0.002			
SESPMNT	B16KN0	300 NE	ONSITE	ER	20-Mar-03	TLD	0.24 mR/d		0.017			
SESPMNT	B172H8	300 NE	ONSITE	ER	25-Jun-03	TLD	0.23 mR/d		0.004			
SESPMNT	B17J43	300 NE	ONSITE	ER	17-Sep-03	TLD	0.24 mR/d		0.004			
SESPMNT	B186N5	300 NE	ONSITE	ER	23-Dec-03	TLD	0.231 mR/d		0.005			
SESPMNT	B16KM8	300 SOUTH GATE	ONSITE	ER	20-Mar-03	TLD	0.217 mR/d		0.004			
SESPMNT	B172H6	300 SOUTH GATE	ONSITE	ER	25-Jun-03	TLD	0.23 mR/d		0.018			
SESPMNT	B17J41	300 SOUTH GATE	ONSITE	ER	17-Sep-03	TLD	0.22 mR/d		0			
SESPMNT	B186N3	300 SOUTH GATE	ONSITE	ER	23-Dec-03	TLD	0.24 mR/d		0.003			
SESPMNT	B16KM9	300 SOUTHWEST GATE	ONSITE	ER	20-Mar-03	TLD	0.214 mR/d		0.004			
SESPMNT	B172H7	300 SOUTHWEST GATE	ONSITE	ER	25-Jun-03	TLD	0.213 mR/d		0.002			
SESPMNT	B17J42	300 SOUTHWEST GATE	ONSITE	ER	17-Sep-03	TLD	0.217 mR/d		0			
SESPMNT	B186N4	300 SOUTHWEST GATE	ONSITE	ER	23-Dec-03	TLD	0.224 mR/d		0.013			
SESPMNT	B16KM5	300 TRENCH	ONSITE	ER	20-Mar-03	TLD	0.229 mR/d		0.011			
SESPMNT	B172H3	300 TRENCH	ONSITE	ER	25-Jun-03	TLD	0.238 mR/d		0.001			
SESPMNT	B17J38	300 TRENCH	ONSITE	ER	17-Sep-03	TLD	0.248 mR/d		0.006			
SESPMNT	B186N0	300 TRENCH	ONSITE	ER	23-Dec-03	TLD	0.233 mR/d		0.004			
SESPMNT	B16KM7	300 WATER INTAKE	ONSITE	ER	20-Mar-03	TLD	0.213 mR/d		0.015			
SESPMNT	B172H5	300 WATER INTAKE	ONSITE	ER	25-Jun-03	TLD	0.216 mR/d		0.003			
SESPMNT	B17J40	300 WATER INTAKE	ONSITE	ER	17-Sep-03	TLD	0.22 mR/d		0.012			
SESPMNT	B186N2	300 WATER INTAKE	ONSITE	ER	23-Dec-03	TLD	0.209 mR/d		0.001			
SESPMNT	B16KP4	313 BLDG.	ONSITE	ER	20-Mar-03	TLD	0.273 mR/d		0.005			
SESPMNT	B172J9	313 BLDG.	ONSITE	ER	25-Jun-03	TLD	0.262 mR/d		0			

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17J98	313 BLDG.	ONSITE	ER	17-Sep-03	TLD	0.272 mR/d		0.006			
SESPMNT	B186P9	313 BLDG.	ONSITE	ER	23-Dec-03	TLD	0.25 mR/d		0.003			
SESPMNT	B16KM6	3705 BLDG. 300 AREA	ONSITE	ER	20-Mar-03	TLD	0.229 mR/d		0.001			
SESPMNT	B172H4	3705 BLDG. 300 AREA	ONSITE	ER	25-Jun-03	TLD	0.227 mR/d		0.007			
SESPMNT	B17J39	3705 BLDG. 300 AREA	ONSITE	ER	17-Sep-03	TLD	0.237 mR/d		0.002		TLD FOUND ON GROUND.	
SESPMNT	B186N1	3705 BLDG. 300 AREA	ONSITE	ER	23-Dec-03	TLD	0.22 mR/d		0.002			
SESPMNT	B16KN1	400 E	ONSITE	ER	18-Mar-03	TLD	0.221 mR/d		0.001			
SESPMNT	B172H9	400 E	ONSITE	ER	24-Jun-03	TLD	0.226 mR/d		0.001			
SESPMNT	B17J44	400 E	ONSITE	ER	15-Sep-03	TLD	0.231 mR/d		0.002			
SESPMNT	B186N6	400 E	ONSITE	ER	22-Dec-03	TLD	0.23 mR/d		0.002			
SESPMNT	B16KN2	400 N	ONSITE	ER	18-Mar-03	TLD	0.219 mR/d		0.005			
SESPMNT	B172J0	400 N	ONSITE	ER	24-Jun-03	TLD	0.217 mR/d		0.001			
SESPMNT	B17J45	400 N	ONSITE	ER	15-Sep-03	TLD	0.224 mR/d		0			
SESPMNT	B186N7	400 N	ONSITE	ER	22-Dec-03	TLD	0.224 mR/d		0.005			
SESPMNT	B16KN3	400 S	ONSITE	ER	18-Mar-03	TLD	0.224 mR/d		0.002			
SESPMNT	B172J1	400 S	ONSITE	ER	24-Jun-03	TLD	0.21 mR/d		0.009			
SESPMNT	B17J46	400 S	ONSITE	ER	15-Sep-03	TLD	0.234 mR/d		0.017			
SESPMNT	B186N8	400 S	ONSITE	ER	22-Dec-03	TLD	0.228 mR/d		0.002			
SESPMNT	B16KN4	400 W	ONSITE	ER	18-Mar-03	TLD	0.243 mR/d		0.003			
SESPMNT	B172J2	400 W	ONSITE	ER	24-Jun-03	TLD	0.228 mR/d		0.006			
SESPMNT	B17J47	400 W	ONSITE	ER	15-Sep-03	TLD	0.229 mR/d		0.009			
SESPMNT	B186N9	400 W	ONSITE	ER	22-Dec-03	TLD	0.244 mR/d		0.006		TLD FOUND ON GROUND 11/11/03.	
SESPMNT	B16K86	ABOVE 100 B AREA	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.217 mR/d		0.003			
SESPMNT	B174L4	ABOVE 100 B AREA	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.225 mR/d		0.004			
SESPMNT	B17JX6	ABOVE 100 B AREA	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.252 mR/d		0.007			
SESPMNT	B184X2	ABOVE 100 B AREA	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.243 mR/d		0.008			
SESPMNT	B16K85	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.218 mR/d		0.006			
SESPMNT	B174L3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.221 mR/d		0.007			
SESPMNT	B17JX5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.247 mR/d		0.01			
SESPMNT	B184X1	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.229 mR/d		0.005			
SESPMNT	B16K66	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.23 mR/d		0.005			
SESPMNT	B174J4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.223 mR/d		0.004			
SESPMNT	B17JW5	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.235 mR/d		0.003			
SESPMNT	B184V2	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.231 mR/d		0.005			
SESPMNT	B16LF0	ARMY LOOP CAMP	ONSITE	ER	26-Mar-03	TLD	0.239 mR/d		0.001			
SESPMNT	B172B2	ARMY LOOP CAMP	ONSITE	ER	17-Jun-03	TLD	0.228 mR/d		0			
SESPMNT	B17JR4	ARMY LOOP CAMP	ONSITE	ER	22-Sep-03	TLD	0.237 mR/d		0.006			
SESPMNT	B184T5	ARMY LOOP CAMP	ONSITE	ER	17-Dec-03	TLD	0.244 mR/d		0.013			
SESPMNT	B16LH0	B POND	ONSITE	ER	26-Mar-03	TLD	0.219 mR/d		0.004			
SESPMNT	B172D1	B POND	ONSITE	ER	17-Jun-03	TLD	0.214 mR/d		0.008			
SESPMNT	B17JV3	B POND	ONSITE	ER	22-Sep-03	TLD	0.233 mR/d		0.016			
SESPMNT	B184Y5	B POND	ONSITE	ER	17-Dec-03	TLD	0.226 mR/d		0			
SESPMNT	B16LH7	BASIN CITY SCHOOL	COMMUNITY	ER	28-Mar-03	TLD	0.21 mR/d		0.005			
SESPMNT	B172D8	BASIN CITY SCHOOL	COMMUNITY	ER	19-Jun-03	TLD	0.212 mR/d		0.008			
SESPMNT	B17JW0	BASIN CITY SCHOOL	COMMUNITY	ER	25-Sep-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B18502	BASIN CITY SCHOOL	COMMUNITY	ER	19-Dec-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B16KM4	BATTELLE COMPLEX	PERIMETER	ER	20-Mar-03	TLD	0.219 mR/d		0			
SESPMNT	B172H2	BATTELLE COMPLEX	PERIMETER	ER	25-Jun-03	TLD	0.21 mR/d		0.005			
SESPMNT	B17J37	BATTELLE COMPLEX	PERIMETER	ER	17-Sep-03	TLD	0.215 mR/d		0.002			
SESPMNT	B186M9	BATTELLE COMPLEX	PERIMETER	ER	23-Dec-03	TLD	0.229 mR/d		0.008			
SESPMNT	B16K88	BELOW 100 D AREA	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.209 mR/d		0.006			
SESPMNT	B174L6	BELOW 100 D AREA	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.171 mR/d		0.004			
SESPMNT	B17JX8	BELOW 100 D AREA	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.202 mR/d		0.002			
SESPMNT	B184X4	BELOW 100 D AREA	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.196 mR/d		0.01			
SESPMNT	B16K93	BELOW 100 F	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.218 mR/d		0.004			
SESPMNT	B174M1	BELOW 100 F	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.216 mR/d		0.003			
SESPMNT	B17JY3	BELOW 100 F	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.234 mR/d		0.011			
SESPMNT	B184X9	BELOW 100 F	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.232 mR/d		0.011			
SESPMNT	B16K87	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.272 mR/d		0.004			
SESPMNT	B174L5	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.259 mR/d		0.006			
SESPMNT	B17JX7	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.271 mR/d		0.001			
SESPMNT	B184X3	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.275 mR/d		0.011			
SESPMNT	B16K65	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.284 mR/d		0.014			
SESPMNT	B174J3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.261 mR/d		0.005			
SESPMNT	B17JW4	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.277 mR/d		0.001			
SESPMNT	B184V1	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.258 mR/d		0.006			
SESPMNT	B16KM3	BENTON CITY	COMMUNITY	ER	21-Mar-03	TLD	0.224 mR/d		0.002			

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B172H1	BENTON CITY	COMMUNITY	ER	26-Jun-03	TLD	0.233	mR/d	0.007			
SESPMNT	B17J36	BENTON CITY	COMMUNITY	ER	18-Sep-03	TLD	0.234	mR/d	0.001			
SESPMNT	B186M8	BENTON CITY	COMMUNITY	ER	29-Dec-03	TLD	0.201	mR/d	0.015			
SESPMNT	B16LH5	BYERS LANDING	PERIMETER	ER	28-Mar-03	TLD	0.256	mR/d	0.008			
SESPMNT	B172D6	BYERS LANDING	PERIMETER	ER	19-Jun-03	TLD	0.264	mR/d	0.003			
SESPMNT	B17JV8	BYERS LANDING	PERIMETER	ER	25-Sep-03	TLD	0.266	mR/d	0			
SESPMNT	B18500	BYERS LANDING	PERIMETER	ER	19-Dec-03	TLD	0.263	mR/d	0.01			
SESPMNT	B16LF2	DOGWOOD MET TOWER	PERIMETER	ER	28-Mar-03	TLD	0.262	mR/d	0.008			
SESPMNT	B172B4	DOGWOOD MET TOWER	PERIMETER	ER	19-Jun-03	TLD	0.25	mR/d	0.004			
SESPMNT	B17JR6	DOGWOOD MET TOWER	PERIMETER	ER	25-Sep-03	TLD	0.255	mR/d	0.006			
SESPMNT	B184T7	DOGWOOD MET TOWER	PERIMETER	ER	19-Dec-03	TLD	0.269	mR/d	0.005			
SESPMNT	B16LF9	E OF 200 E	ONSITE	ER	26-Mar-03	TLD	0.246	mR/d	0.004			
SESPMNT	B172D0	E OF 200 E	ONSITE	ER	17-Jun-03	TLD	0.247	mR/d	0.01			
SESPMNT	B17JV2	E OF 200 E	ONSITE	ER	22-Sep-03	TLD	0.254	mR/d	0.008			
SESPMNT	B184Y4	E OF 200 E	ONSITE	ER	17-Dec-03	TLD	0.248	mR/d	0.021			
SESPMNT	B16LH6	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	28-Mar-03	TLD	0.208	mR/d	0			
SESPMNT	B172D7	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	19-Jun-03	TLD	0.215	mR/d	0.007			
SESPMNT	B17JV9	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	25-Sep-03	TLD	0.208	mR/d	0.006			
SESPMNT	B18501	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	19-Dec-03	TLD	0.217	mR/d	0.018			
SESPMNT	B16K76	HANF POWERLINE XING	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.25	mR/d	0.005			
SESPMNT	B174K4	HANF POWERLINE XING	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.248	mR/d	0.005			
SESPMNT	B17JW6	HANF POWERLINE XING	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.263	mR/d	0.01			
SESPMNT	B184W2	HANF POWERLINE XING	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.265	mR/d	0.009			
SESPMNT	B16K77	HANFORD RR TRACK	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.227	mR/d	0.008			
SESPMNT	B174K5	HANFORD RR TRACK	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.235	mR/d	0.003			
SESPMNT	B17JW7	HANFORD RR TRACK	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.268	mR/d	0.001			
SESPMNT	B184W3	HANFORD RR TRACK	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.266	mR/d	0.004		HEAVY BRUSH.	
SESPMNT	B16KL2	HANFORD SLOUGH	RIVER_SHORELINE	ER	19-Mar-03	TLD	0.24	mR/d	0.005			
SESPMNT	B172B9	HANFORD SLOUGH	RIVER_SHORELINE	ER	16-Jun-03	TLD	0.259	mR/d	0.004			
SESPMNT	B17J25	HANFORD SLOUGH	RIVER_SHORELINE	ER	15-Sep-03	TLD	0.267	mR/d	0.001			
SESPMNT	B186L7	HANFORD SLOUGH	RIVER_SHORELINE	ER	22-Dec-03	TLD	0.273	mR/d	0			
SESPMNT	B16KN6	HANFORD TOWNSITE	ONSITE	ER	18-Mar-03	TLD	0.21	mR/d	0.008			
SESPMNT	B172J4	HANFORD TOWNSITE	ONSITE	ER	24-Jun-03	TLD	0.232	mR/d	0.005			
SESPMNT	B17J49	HANFORD TOWNSITE	ONSITE	ER	15-Sep-03	TLD	0.216	mR/d	0.006			
SESPMNT	B186P1	HANFORD TOWNSITE	ONSITE	ER	22-Dec-03	TLD	0.229	mR/d	0.002			
SESPMNT	B16KJ7	HORN RAPIDS SUBSTA	PERIMETER	ER	21-Mar-03	TLD	0.227	mR/d	0.005			
SESPMNT	B172F4	HORN RAPIDS SUBSTA	PERIMETER	ER	26-Jun-03	TLD	0.231	mR/d	0.002			
SESPMNT	B17J15	HORN RAPIDS SUBSTA	PERIMETER	ER	18-Sep-03	TLD	0.243	mR/d	0.004			
SESPMNT	B186K3	HORN RAPIDS SUBSTA	PERIMETER	ER	29-Dec-03	TLD	0.242	mR/d	0.006			
SESPMNT	B16K84	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.253	mR/d	0.006			
SESPMNT	B174L2	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	02-Jul-03	TLD					NO SAMPLE. TLD MISSING AS WELL AS TLD POST.	
SESPMNT	B17JX4	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.235	mR/d	0.005			
SESPMNT	B184X0	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.25	mR/d	0.005			
SESPMNT	B16K83	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.248	mR/d	0.013			
SESPMNT	B174L1	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.246	mR/d	0.009			
SESPMNT	B17JX3	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.255	mR/d	0.007			
SESPMNT	B184W9	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.244	mR/d	0.004			
SESPMNT	B16K82	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.246	mR/d	0.003			
SESPMNT	B174L0	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.245	mR/d	0.007			
SESPMNT	B17JX2	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.262	mR/d	0.001			
SESPMNT	B184W8	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.263	mR/d	0.012			
SESPMNT	B16LF6	KENNEWICK-ELY STREET	COMMUNITY	ER	28-Mar-03	TLD	0.2	mR/d	0.002			
SESPMNT	B172C7	KENNEWICK-ELY STREET	COMMUNITY	ER	19-Jun-03	TLD	0.212	mR/d	0.005			
SESPMNT	B17JT9	KENNEWICK-ELY STREET	COMMUNITY	ER	25-Sep-03	TLD	0.217	mR/d	0.006			
SESPMNT	B184Y1	KENNEWICK-ELY STREET	COMMUNITY	ER	19-Dec-03	TLD	0.175	mR/d	0.001			
SESPMNT	B16KP2	LIGO	ONSITE	ER	18-Mar-03	TLD	0.196	mR/d	0.004			
SESPMNT	B172J7	LIGO	ONSITE	ER	24-Jun-03	TLD	0.208	mR/d	0.009			
SESPMNT	B17J96	LIGO	ONSITE	ER	15-Sep-03	TLD	0.199	mR/d	0.01			
SESPMNT	B186P7	LIGO	ONSITE	ER	22-Dec-03	TLD	0.254	mR/d	0.018			
SESPMNT	B16K90	LO END LOCKE ISL	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.225	mR/d	0.006			
SESPMNT	B174L8	LO END LOCKE ISL	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.247	mR/d	0			
SESPMNT	B17JY0	LO END LOCKE ISL	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.242	mR/d	0.009			
SESPMNT	B184X6	LO END LOCKE ISL	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.243	mR/d	0.008			
SESPMNT	B16LH8	MATTAWA	COMMUNITY	ER	27-Mar-03	TLD	0.216	mR/d	0.003			
SESPMNT	B172D9	MATTAWA	COMMUNITY	ER	18-Jun-03	TLD	0.209	mR/d	0.005			
SESPMNT	B17JW1	MATTAWA	COMMUNITY	ER	24-Sep-03	TLD	0.222	mR/d	0.002			
SESPMNT	B18503	MATTAWA	COMMUNITY	ER	18-Dec-03	TLD	0.225	mR/d	0.014			

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B16LF8	N OF 200 E	ONSITE	ER	26-Mar-03	TLD	0.243	mR/d	0.003			
SESPMNT	B172C9	N OF 200 E	ONSITE	ER	17-Jun-03	TLD	0.244	mR/d	0.008			
SESPMNT	B17JV1	N OF 200 E	ONSITE	ER	22-Sep-03	TLD	0.266	mR/d	0.006			
SESPMNT	B184Y3	N OF 200 E	ONSITE	ER	17-Dec-03	TLD	0.251	mR/d	0.008			
SESPMNT	B16K96	N. RICHLAND	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.204	mR/d	0.003			
SESPMNT	B174M4	N. RICHLAND	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.206	mR/d	0.01			
SESPMNT	B17JY6	N. RICHLAND	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.21	mR/d	0.004			
SESPMNT	B18507	N. RICHLAND	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.206	mR/d	0.004			
SESPMNT	B16LF4	OTHELLO	COMMUNITY	ER	27-Mar-03	TLD	0.194	mR/d	0.001			
SESPMNT	B172B6	OTHELLO	COMMUNITY	ER	18-Jun-03	TLD	0.201	mR/d	0.005			
SESPMNT	B17JR8	OTHELLO	COMMUNITY	ER	24-Sep-03	TLD	0.206	mR/d	0.002			
SESPMNT	B184V0	OTHELLO	COMMUNITY	ER	18-Dec-03	TLD	0.213	mR/d	0.001			
SESPMNT	B16LF5	PASCO	COMMUNITY	ER	28-Mar-03	TLD	0.231	mR/d	0.013			
SESPMNT	B172C6	PASCO	COMMUNITY	ER	19-Jun-03	TLD	0.24	mR/d	0.002			
SESPMNT	B17JT8	PASCO	COMMUNITY	ER	25-Sep-03	TLD	0.247	mR/d	0.021			
SESPMNT	B184Y0	PASCO	COMMUNITY	ER	19-Dec-03	TLD	0.243	mR/d	0			
SESPMNT	B16KL0	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	19-Mar-03	TLD	0.235	mR/d	0.003			
SESPMNT	B172B7	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	16-Jun-03	TLD	0.229	mR/d	0.008			
SESPMNT	B17J23	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	15-Sep-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B186L5	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	22-Dec-03	TLD	0.237	mR/d	0.005			
SESPMNT	B16K80	POWERLINE CROSSING	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.218	mR/d	0.004			
SESPMNT	B174K3	POWERLINE CROSSING	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.238	mR/d	0			
SESPMNT	B17JX0	POWERLINE CROSSING	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.264	mR/d	0.004		TLD ON GROUND AND APPARENTLY CHEWED.	
SESPMNT	B184W6	POWERLINE CROSSING	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.242	mR/d	0.01			
SESPMNT	B16KJ8	PROSSER BARRICADE	PERIMETER	ER	21-Mar-03	TLD	0.241	mR/d	0.007			
SESPMNT	B172F5	PROSSER BARRICADE	PERIMETER	ER	26-Jun-03	TLD	0.246	mR/d	0.004			
SESPMNT	B17J16	PROSSER BARRICADE	PERIMETER	ER	18-Sep-03	TLD	0.26	mR/d	0.007			
SESPMNT	B186K4	PROSSER BARRICADE	PERIMETER	ER	29-Dec-03	TLD	0.244	mR/d	0.008			
SESPMNT	B16KN7	RATTLESNAKE SPRINGS	PERIMETER	ER	20-Mar-03	TLD	0.25	mR/d	0.006			
SESPMNT	B172J5	RATTLESNAKE SPRINGS	PERIMETER	ER	26-Jun-03	TLD	0.25	mR/d	0.006			
SESPMNT	B17J50	RATTLESNAKE SPRINGS	PERIMETER	ER	18-Sep-03	TLD	0.249	mR/d	0.008		TLD FOUND ON GROUND.	
SESPMNT	B186P2	RATTLESNAKE SPRINGS	PERIMETER	ER	29-Dec-03	TLD	0.27	mR/d	0.008			
SESPMNT	B16K79	RINGOLD ISLAND	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.209	mR/d	0.007			
SESPMNT	B174K7	RINGOLD ISLAND	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.242	mR/d	0.002			
SESPMNT	B17JW9	RINGOLD ISLAND	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.257	mR/d	0.006			
SESPMNT	B184W5	RINGOLD ISLAND	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.237	mR/d	0.004			
SESPMNT	B16LH4	RINGOLD MET TOWER	PERIMETER	ER	28-Mar-03	TLD	0.256	mR/d	0.014			
SESPMNT	B172D5	RINGOLD MET TOWER	PERIMETER	ER	19-Jun-03	TLD	0.247	mR/d	0.011			
SESPMNT	B17JV7	RINGOLD MET TOWER	PERIMETER	ER	25-Sep-03	TLD	0.271	mR/d	0.002			
SESPMNT	B184Y9	RINGOLD MET TOWER	PERIMETER	ER	19-Dec-03	TLD	0.259	mR/d	0.005			
SESPMNT	B16K94	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.199	mR/d	0			
SESPMNT	B174M2	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	02-Jul-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B17JY4	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.215	mR/d	0.004			
SESPMNT	B18504	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	15-Dec-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B16K81	S END WOODED ISLAND	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.247	mR/d	0.007			
SESPMNT	B174K9	S END WOODED ISLAND	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.258	mR/d	0.002			
SESPMNT	B17JX1	S END WOODED ISLAND	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.27	mR/d	0.004			
SESPMNT	B184W7	S END WOODED ISLAND	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.267	mR/d	0.007			
SESPMNT	B16LF7	S OF 200 E	ONSITE	ER	26-Mar-03	TLD	0.263	mR/d	0.003			
SESPMNT	B172C8	S OF 200 E	ONSITE	ER	17-Jun-03	TLD	0.253	mR/d	0.01			
SESPMNT	B17JV0	S OF 200 E	ONSITE	ER	22-Sep-03	TLD	0.261	mR/d	0			
SESPMNT	B184Y2	S OF 200 E	ONSITE	ER	17-Dec-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B16K78	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.207	mR/d	0.001			
SESPMNT	B174K6	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.209	mR/d	0.003			
SESPMNT	B17JW8	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.238	mR/d	0.01			
SESPMNT	B184W4	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.215	mR/d	0			
SESPMNT	B16LH9	SW OF B/C CRIBS	ONSITE	ER	26-Mar-03	TLD	0.227	mR/d	0.008			
SESPMNT	B172F0	SW OF B/C CRIBS	ONSITE	ER	17-Jun-03	TLD	0.233	mR/d	0.002		TLD FOUND ON GROUND.	
SESPMNT	B17JW2	SW OF B/C CRIBS	ONSITE	ER	22-Sep-03	TLD	0.224	mR/d	0			
SESPMNT	B18506	SW OF B/C CRIBS	ONSITE	ER	17-Dec-03	TLD	0.236	mR/d	0			
SESPMNT	B16KK1	TOPPENISH	DISTANT	ER	21-Mar-03	TLD	0.187	mR/d	0.004			
SESPMNT	B172F6	TOPPENISH	DISTANT	ER	26-Jun-03	TLD	0.197	mR/d	0.005			
SESPMNT	B17J19	TOPPENISH	DISTANT	ER	18-Sep-03	TLD	0.201	mR/d	0.002			
SESPMNT	B186K6	TOPPENISH	DISTANT	ER	29-Dec-03	TLD	0.207	mR/d	0.004			
SESPMNT	B16KL3	US ECOLOGY NE CORNER	ONSITE	ER	19-Mar-03	TLD	0.233	mR/d	0.01			
SESPMNT	B172C0	US ECOLOGY NE CORNER	ONSITE	ER	16-Jun-03	TLD	0.234	mR/d	0.002			
SESPMNT	B17J26	US ECOLOGY NE CORNER	ONSITE	ER	15-Sep-03	TLD	0.238	mR/d	0.007			

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B186L8	US ECOLOGY NE CORNER	ONSITE	ER	22-Dec-03	TLD	0.232	mR/d	0.01			
SESPMNT	B16KL5	US ECOLOGY NW CORNER	ONSITE	ER	19-Mar-03	TLD	0.246	mR/d	0.001			
SESPMNT	B172C2	US ECOLOGY NW CORNER	ONSITE	ER	16-Jun-03	TLD	0.24	mR/d	0.003			
SESPMNT	B17J28	US ECOLOGY NW CORNER	ONSITE	ER	15-Sep-03	TLD	0.254	mR/d	0.008			
SESPMNT	B186M0	US ECOLOGY NW CORNER	ONSITE	ER	22-Dec-03	TLD	0.237	mR/d	0.012			
SESPMNT	B16KL4	US ECOLOGY SE CORNER	ONSITE	ER	19-Mar-03	TLD	0.232	mR/d	0.001			
SESPMNT	B172C1	US ECOLOGY SE CORNER	ONSITE	ER	16-Jun-03	TLD	0.227	mR/d	0.005			
SESPMNT	B17J27	US ECOLOGY SE CORNER	ONSITE	ER	15-Sep-03	TLD	0.248	mR/d	0.011			
SESPMNT	B186L9	US ECOLOGY SE CORNER	ONSITE	ER	22-Dec-03	TLD	0.234	mR/d	0.013			
SESPMNT	B16KL6	US ECOLOGY SW CORNER	ONSITE	ER	19-Mar-03	TLD	0.263	mR/d	0.008			
SESPMNT	B172C3	US ECOLOGY SW CORNER	ONSITE	ER	16-Jun-03	TLD	0.254	mR/d	0.001			
SESPMNT	B17J29	US ECOLOGY SW CORNER	ONSITE	ER	15-Sep-03	TLD	0.271	mR/d	0.009			
SESPMNT	B186M1	US ECOLOGY SW CORNER	ONSITE	ER	22-Dec-03	TLD	0.267	mR/d	0.001			
SESPMNT	B16LF3	W END OF FIR ROAD	PERIMETER	ER	28-Mar-03	TLD	0.256	mR/d	0.011			
SESPMNT	B172B5	W END OF FIR ROAD	PERIMETER	ER	19-Jun-03	TLD	0.259	mR/d	0.014			
SESPMNT	B17JR7	W END OF FIR ROAD	PERIMETER	ER	25-Sep-03	TLD	0.257	mR/d	0.003			
SESPMNT	B184T8	W END OF FIR ROAD	PERIMETER	ER	19-Dec-03	TLD	0.251	mR/d	0.01			
SESPMNT	B16LF1	WAHLUKE SLOPE	PERIMETER	ER	27-Mar-03	TLD	0.242	mR/d	0.007			
SESPMNT	B172B3	WAHLUKE SLOPE	PERIMETER	ER	18-Jun-03	TLD	0.252	mR/d	0.001			
SESPMNT	B17JR5	WAHLUKE SLOPE	PERIMETER	ER	24-Sep-03	TLD	0.246	mR/d	0.003			
SESPMNT	B184T6	WAHLUKE SLOPE	PERIMETER	ER	18-Dec-03	TLD	0.249	mR/d	0.003			
SESPMNT	B16KP1	WEST LAKE	ONSITE	ER	18-Mar-03	TLD	0.239	mR/d	0.004			
SESPMNT	B17J6	WEST LAKE	ONSITE	ER	24-Jun-03	TLD	0.258	mR/d	0.005			
SESPMNT	B17J95	WEST LAKE	ONSITE	ER	15-Sep-03	TLD					NO SAMPLE. TLD MISSING.	
SESPMNT	B186P6	WEST LAKE	ONSITE	ER	22-Dec-03	TLD	0.243	mR/d	0.01			
SESPMNT	B16K92	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	14-Mar-03	TLD	0.224	mR/d	0.004			
SESPMNT	B174M0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.208	mR/d	0.003			
SESPMNT	B17JY2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.242	mR/d	0.003			
SESPMNT	B184X8	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	15-Dec-03	TLD	0.233	mR/d	0.003			
SESPMNT	B16K91	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	18-Mar-03	TLD	0.267	mR/d	0.003			
SESPMNT	B174L9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	02-Jul-03	TLD	0.239	mR/d	0.007			
SESPMNT	B17JY1	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	29-Sep-03	TLD	0.283	mR/d	0.003			
SESPMNT	B184X7	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	16-Dec-03	TLD					NO SAMPLE. UNABLE TO COLLECT ON 12/15/03 DUE TO EAGLE NESTING AREA. TLD WILL REMAIN IN FIELD.	
SESPMNT	B16KL7	WPPSS 1; S OF WNP 2	ONSITE	ER	19-Mar-03	TLD	0.219	mR/d	0.001			
SESPMNT	B172C4	WPPSS 1; S OF WNP 2	ONSITE	ER	16-Jun-03	TLD	0.232	mR/d	0.006			
SESPMNT	B17J30	WPPSS 1; S OF WNP 2	ONSITE	ER	15-Sep-03	TLD	0.247	mR/d	0.01			
SESPMNT	B186M2	WPPSS 1; S OF WNP 2	ONSITE	ER	22-Dec-03	TLD	0.241	mR/d	0.002			
SESPMNT	B16KL8	WPPSS 4; WPS WAREHSE	PERIMETER	ER	19-Mar-03	TLD	0.215	mR/d	0.004			
SESPMNT	B172C5	WPPSS 4; WPS WAREHSE	PERIMETER	ER	16-Jun-03	TLD	0.226	mR/d	0.017			
SESPMNT	B17J31	WPPSS 4; WPS WAREHSE	PERIMETER	ER	15-Sep-03	TLD	0.224	mR/d	0.013			
SESPMNT	B186M3	WPPSS 4; WPS WAREHSE	PERIMETER	ER	22-Dec-03	TLD	0.222	mR/d	0.005			
SESPMNT	B16KM1	WYE BARRICADE	ONSITE	ER	18-Mar-03	TLD	0.24	mR/d	0.02			
SESPMNT	B172F9	WYE BARRICADE	ONSITE	ER	24-Jun-03	TLD	0.219	mR/d	0.001			
SESPMNT	B17J34	WYE BARRICADE	ONSITE	ER	15-Sep-03	TLD	0.231	mR/d	0			
SESPMNT	B186M6	WYE BARRICADE	ONSITE	ER	22-Dec-03	TLD	0.244	mR/d	0.013			
SESPMNT	B16KM2	YAKIMA	DISTANT	ER	21-Mar-03	TLD	0.191	mR/d	0.009			
SESPMNT	B172H0	YAKIMA	DISTANT	ER	26-Jun-03	TLD	0.196	mR/d	0.007			
SESPMNT	B17J35	YAKIMA	DISTANT	ER	18-Sep-03	TLD	0.198	mR/d	0.003			
SESPMNT	B186M7	YAKIMA	DISTANT	ER	29-Dec-03	TLD	0.204	mR/d	0.006			
SESPMNT	B16KJ6	YAKIMA BARRICADE	PERIMETER	ER	20-Mar-03	TLD	0.254	mR/d	0.015			
SESPMNT	B172F3	YAKIMA BARRICADE	PERIMETER	ER	26-Jun-03	TLD	0.268	mR/d	0.004			
SESPMNT	B17J14	YAKIMA BARRICADE	PERIMETER	ER	18-Sep-03	TLD	0.259	mR/d	0.006			
SESPMNT	B186K2	YAKIMA BARRICADE	PERIMETER	ER	29-Dec-03	TLD	0.256	mR/d	0.001			
SESPMNT	B16K64	100 N TRENCH SPRING	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	75	cpm				
SESPMNT	B174J2	100 N TRENCH SPRING	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW3	100 N TRENCH SPRING	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50	cpm				
SESPMNT	B184T9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	75	cpm				
SESPMNT	B16K89	100-D ISLAND	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100	cpm				
SESPMNT	B174L7	100-D ISLAND	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JX9	100-D ISLAND	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50	cpm				
SESPMNT	B184X5	100-D ISLAND	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	100	cpm				
SESPMNT	B16K85	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	75	cpm				
SESPMNT	B174L3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17JX5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184X1	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	25 cpm					
SESPMNT	B16K66	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174J4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW5	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184V2	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	100 cpm					
SESPMNT	B16K93	BELOW 100 F	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174M1	BELOW 100 F	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JY3	BELOW 100 F	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	75 cpm					
SESPMNT	B184X9	BELOW 100 F	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	75 cpm					
SESPMNT	B16K65	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174J3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW4	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184V1	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	50 cpm					
SESPMNT	B16K76	HANF POWERLINE XING	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174K4	HANF POWERLINE XING	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW6	HANF POWERLINE XING	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	75 cpm					
SESPMNT	B184W2	HANF POWERLINE XING	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	75 cpm					
SESPMNT	B16K77	HANFORD RR TRACK	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174K5	HANFORD RR TRACK	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW7	HANFORD RR TRACK	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	75 cpm					
SESPMNT	B184W3	HANFORD RR TRACK	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	75 cpm					
SESPMNT	B16K82	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174L0	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JX2	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	25 cpm					
SESPMNT	B184W8	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	50 cpm					
SESPMNT	B16K90	LO END LOCKE ISL	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	75 cpm					
SESPMNT	B174L8	LO END LOCKE ISL	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JY0	LO END LOCKE ISL	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	75 cpm					
SESPMNT	B184X6	LO END LOCKE ISL	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	50 cpm					
SESPMNT	B16K80	POWERLINE CROSSING	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	75 cpm					
SESPMNT	B174K8	POWERLINE CROSSING	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JX0	POWERLINE CROSSING	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184W6	POWERLINE CROSSING	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	75 cpm					
SESPMNT	B16K79	RINGOLD ISLAND	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	75 cpm					
SESPMNT	B174K7	RINGOLD ISLAND	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JW9	RINGOLD ISLAND	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184W5	RINGOLD ISLAND	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	50 cpm					
SESPMNT	B16K94	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	50 cpm					
SESPMNT	B174M2	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JY4	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B18504	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	25 cpm					
SESPMNT	B16K92	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	14-Mar-03	GM_READING	100 cpm					
SESPMNT	B174M0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	02-Jul-03	GM_READING						GM RADIATION SURVEY NOT PERFORMED.
SESPMNT	B17JY2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	29-Sep-03	GM_READING	50 cpm					
SESPMNT	B184X8	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	15-Dec-03	GM_READING	25 cpm					
SESPMNT	B16K64	100 N TRENCH SPRING	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD	10 uRem/h					
SESPMNT	B174J2	100 N TRENCH SPRING	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD	14 uRem/h					
SESPMNT	B17JW3	100 N TRENCH SPRING	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD	12 uRem/h					
SESPMNT	B184T9	100 N TRENCH SPRING	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD	10 uRem/h					
SESPMNT	B16K89	100-D ISLAND	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD	6 uRem/h					
SESPMNT	B174L7	100-D ISLAND	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD	8 uRem/h					
SESPMNT	B17JX9	100-D ISLAND	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD	7 uRem/h					
SESPMNT	B184X5	100-D ISLAND	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD	6 uRem/h					
SESPMNT	B16K85	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD	6 uRem/h					
SESPMNT	B174L3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD	6 uRem/h					

ENVIRONMENTAL SURVEILLANCE DATA CY03

EXTERNAL RADIATION

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B17JX5	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		12 uRem/h				
SESPMNT	B184X1	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		6 uRem/h				
SESPMNT	B16K66	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		7 uRem/h				
SESPMNT	B174J4	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		10 uRem/h				
SESPMNT	B17JW5	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		10 uRem/h				
SESPMNT	B184V2	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		8 uRem/h				
SESPMNT	B16K93	BELOW 100 F	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		7 uRem/h				
SESPMNT	B174M1	BELOW 100 F	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JY3	BELOW 100 F	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		10 uRem/h				
SESPMNT	B184X9	BELOW 100 F	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		8 uRem/h				
SESPMNT	B16K65	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		11 uRem/h				
SESPMNT	B174J3	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		12 uRem/h				
SESPMNT	B17JW4	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		14 uRem/h				
SESPMNT	B184V1	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		7 uRem/h				
SESPMNT	B16K76	HANF POWERLINE XING	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		7 uRem/h				
SESPMNT	B174K4	HANF POWERLINE XING	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		9 uRem/h				
SESPMNT	B17JW6	HANF POWERLINE XING	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		15 uRem/h				
SESPMNT	B184W2	HANF POWERLINE XING	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		7 uRem/h				
SESPMNT	B16K77	HANFORD RR TRACK	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		8 uRem/h				
SESPMNT	B174K5	HANFORD RR TRACK	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JW7	HANFORD RR TRACK	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		12 uRem/h				
SESPMNT	B184W3	HANFORD RR TRACK	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		5 uRem/h				
SESPMNT	B16K82	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		8 uRem/h				
SESPMNT	B174L0	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		8 uRem/h				
SESPMNT	B17JX2	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		12 uRem/h				
SESPMNT	B184W8	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		7 uRem/h				
SESPMNT	B16K90	LO END LOCKE ISL	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		6 uRem/h				
SESPMNT	B174L8	LO END LOCKE ISL	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JY0	LO END LOCKE ISL	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		15 uRem/h				
SESPMNT	B184X6	LO END LOCKE ISL	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		7 uRem/h				
SESPMNT	B16K80	POWERLINE CROSSING	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		8 uRem/h				
SESPMNT	B174K8	POWERLINE CROSSING	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JX0	POWERLINE CROSSING	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		19 uRem/h				
SESPMNT	B184W6	POWERLINE CROSSING	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		5 uRem/h				
SESPMNT	B16K79	RINGOLD ISLAND	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		5 uRem/h				
SESPMNT	B174K7	RINGOLD ISLAND	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		8 uRem/h				
SESPMNT	B17JW9	RINGOLD ISLAND	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		10 uRem/h				
SESPMNT	B184W5	RINGOLD ISLAND	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		7 uRem/h				
SESPMNT	B16K94	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		5 uRem/h				
SESPMNT	B174M2	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JY4	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		7 uRem/h				
SESPMNT	B18504	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		4 uRem/h				
SESPMNT	B16K92	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	14-Mar-03	BICRONREAD		7 uRem/h				
SESPMNT	B174M0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	02-Jul-03	BICRONREAD		7 uRem/h				
SESPMNT	B17JY2	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	29-Sep-03	BICRONREAD		16 uRem/h				
SESPMNT	B184X8	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	15-Dec-03	BICRONREAD		4 uRem/h				

Dose Calculation

Table D-1. Distribution of Population in 80-km Radius of the 100-K Area by Grid Sector ^(a)

Direction	Number of People										Totals
	0-1 mi	1-2 mi	2-3 mi	3-4 mi	4-5 mi	5-10 mi	10-20 mi	20-30 mi	30-40 mi	40-50 mi	
S	0	0	0	0	0	0	3	6547	182	211	6943
SSW	0	0	0	0	0	0	9	2119	23063	170	25361
SW	0	0	0	0	0	0	26	2273	25238	228	27765
WSW	0	0	0	0	0	0	41	60	13230	20815	34146
W	0	0	0	0	0	31	1308	0	3685	120158	125182
WNW	0	0	0	0	0	53	3859	10	108	4359	8389
NW	0	0	0	0	0	162	282	665	168	430	1707
NNW	0	0	0	0	0	95	456	765	2241	6901	10458
N	0	0	0	0	0	28	2591	235	1698	10057	14609
NNE	0	0	0	0	0	19	645	804	29927	1136	32531
NE	0	0	0	0	0	0	714	856	4014	165	5749
ENE	0	0	0	0	0	0	898	10028	239	178	11343
E	0	0	0	0	0	12	464	992	3237	418	5123
ESE	0	0	0	0	0	4	685	2393	207	1016	4305
SE	0	0	0	0	0	0	27	2116	52980	10811	65934
SSE	0	0	0	0	0	0	0	35431	65528	1353	102312
Totals	0	0	0	0	0	404	12008	65294	225745	178406	481857

(a) PNNL-14428. 2004. *Hanford Area 2000 Population*. DB Elliott, MJ Scott, EJ Antonio, and K Rhoades, Pacific Northwest National Laboratory, Richland, Washington.

Table D-2. Distribution of Population in 80-km Radius of the 200 Areas by Grid Sector^(a)

Direction	Number of People										Totals
	0-1 mi	1-2 mi	2-3 mi	3-4 mi	4-5 mi	5-10 mi	10-20 mi	20-30 mi	30-40 mi	40-50 mi	
S	0	0	0	0	0	0	959	790	176	4281	6206
SSW	0	0	0	0	0	0	180	12966	293	299	13738
SW	0	0	0	0	0	0	32	30654	3204	95	33985
WSW	0	0	0	0	0	0	53	2309	23398	7055	32815
W	0	0	0	0	0	7	36	188	10558	118630	129419
WNW	0	0	0	0	0	0	1366	33	10	6178	7587
NW	0	0	0	0	0	12	3358	933	92	2336	6731
NNW	0	0	0	0	0	4	320	750	1713	7123	9910
N	0	0	0	0	0	0	170	2980	438	3018	6606
NNE	0	0	0	0	0	0	29	1085	4150	27277	32541
NE	0	0	0	0	0	0	115	10821	3652	670	15258
ENE	0	0	0	0	0	0	348	1184	1704	220	3456
E	0	0	0	0	0	0	547	2387	1953	325	5212
ESE	0	0	0	0	0	0	304	1851	514	1301	3970
SE	0	0	0	0	0	0	213	51919	96942	1250	150324
SSE	0	0	0	0	0	0	2317	17659	905	7655	28536
Totals	0	0	0	0	0	23	10347	138509	149702	187713	486294

(a) PNNL-14428. 2004. *Hanford Area 2000 Population*. DB Elliott, MJ Scott, EJ Antonio, and K Rhoades, Pacific Northwest National Laboratory, Richland, Washington.

Table D-3. Distribution of Population in 80-km Radius of the 300 Area by Grid Sector^(a)

Direction	Number of People										Totals
	0-1 mi	1-2 mi	2-3 mi	3-4 mi	4-5 mi	5-10 mi	10-20 mi	20-30 mi	30-40 mi	40-50 mi	
S	0	0	186	2683	8114	22011	5169	199	28270	2710	69342
SSW	0	0	1	76	72	7114	678	126	4003	3790	15860
SW	0	0	7	440	99	3053	2490	71	84	329	6573
WSW	0	0	1	23	21	734	4317	11670	13983	195	30944
W	0	0	0	0	3	370	79	701	22225	20941	44319
WNW	0	0	0	0	0	0	0	54	39	382	475
NW	0	0	0	0	0	0	0	14	4921	1347	6282
NNW	0	0	0	0	0	4	17	8	1062	3135	4226
N	0	0	0	0	0	6	350	1688	9709	2372	14125
NNE	0	0	5	12	21	282	1978	1151	801	3359	7609
NE	0	6	24	28	64	330	864	3504	271	205	5296
ENE	0	21	43	108	59	414	368	80	313	154	1560
E	0	18	21	28	132	302	199	907	226	533	2366
ESE	0	14	16	27	49	205	726	335	173	22299	23844
SE	0	3	50	70	39	4465	48507	960	804	1181	56079
SSE	0	0	555	1841	331	5897	50942	92	190	319	60167
Totals	0	62	909	5336	9004	45187	116684	21560	87074	63251	349067

(a) PNNL-14428. 2004. *Hanford Area 2000 Population*. DB Elliott, MJ Scott, EJ Antonio, and K Rhoades, Pacific Northwest National Laboratory, Richland, Washington.

Table D-4. Distribution of Population in 80-km Radius of the 400 Area by Grid Sector^(a)

Direction	Number of People										Totals
	0-1 mi	1-2 mi	2-3 mi	3-4 mi	4-5 mi	5-10 mi	10-20 mi	20-30 mi	30-40 mi	40-50 mi	
S	0	0	0	0	0	4625	7638	52	13774	19359	45448
SSW	0	0	0	0	52	852	4946	172	1113	3944	11079
SW	0	0	0	0	43	269	2456	7982	160	278	11188
WSW	0	0	0	0	0	10	217	14171	23070	303	37771
W	0	0	0	0	0	0	11	212	5364	23858	29445
WNW	0	0	0	0	0	0	0	105	1017	1090	2212
NW	0	0	0	0	0	0	0	476	4463	348	5287
NNW	0	0	0	0	0	0	0	205	3343	992	4540
N	0	0	0	0	0	0	106	715	1332	22038	24191
NNE	0	0	0	4	0	26	508	10856	2541	2355	16290
NE	0	0	0	0	0	206	1791	1963	272	158	4390
ENE	0	0	0	0	0	298	1037	1704	163	383	3585
E	0	0	0	0	2	311	702	102	188	117	1422
ESE	0	0	0	0	0	605	578	658	918	367	3126
SE	0	0	0	0	0	334	47925	14898	332	1155	64644
SSE	0	0	0	0	0	12055	68931	6864	706	538	89094
Totals	0	0	0	4	97	19591	136846	61135	58756	77283	353712

(a) PNNL-14428. 2004. *Hanford Area 2000 Population*. DB Elliott, MJ Scott, EJ Antonio, and K Rhoades, Pacific Northwest National Laboratory, Richland, Washington.

Table D-5. Annual Average Dispersion Factor Around the 100-K Area During 2003 for a 10-Meter Release Height

X/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	2.87E-06	5.96E-07	2.84E-07	1.75E-07	1.23E-07	6.02E-08	2.33E-08	1.17E-08	7.52E-09	5.40E-09
NNE	2.42E-06	5.14E-07	2.45E-07	1.52E-07	1.07E-07	5.24E-08	2.04E-08	1.03E-08	6.60E-09	4.74E-09
NE	3.83E-06	8.15E-07	3.89E-07	2.41E-07	1.69E-07	8.33E-08	3.25E-08	1.64E-08	1.05E-08	7.56E-09
ENE	7.00E-06	1.51E-06	7.22E-07	4.48E-07	3.15E-07	1.55E-07	6.06E-08	3.07E-08	1.97E-08	1.42E-08
E	1.02E-05	2.14E-06	1.02E-06	6.32E-07	4.44E-07	2.18E-07	8.50E-08	4.29E-08	2.75E-08	1.98E-08
ESE	6.26E-06	1.30E-06	6.16E-07	3.80E-07	2.66E-07	1.30E-07	5.03E-08	2.53E-08	1.62E-08	1.16E-08
SE	4.83E-06	9.77E-07	4.61E-07	2.83E-07	1.98E-07	9.63E-08	3.70E-08	1.85E-08	1.18E-08	8.47E-09
SSE	3.85E-06	7.32E-07	3.39E-07	2.06E-07	1.43E-07	6.84E-08	2.58E-08	1.27E-08	8.04E-09	5.72E-09
S	3.32E-06	6.32E-07	2.93E-07	1.78E-07	1.23E-07	5.91E-08	2.23E-08	1.10E-08	6.98E-09	4.97E-09
SSW	3.06E-06	5.99E-07	2.80E-07	1.72E-07	1.19E-07	5.78E-08	2.20E-08	1.10E-08	6.97E-09	4.98E-09
SW	2.95E-06	6.08E-07	2.88E-07	1.78E-07	1.24E-07	6.08E-08	2.35E-08	1.18E-08	7.53E-09	5.40E-09
WSW	2.98E-06	6.01E-07	2.84E-07	1.74E-07	1.22E-07	5.93E-08	2.28E-08	1.14E-08	7.25E-09	5.19E-09
W	3.28E-06	6.80E-07	3.23E-07	2.00E-07	1.40E-07	6.85E-08	2.66E-08	1.34E-08	8.55E-09	6.13E-09
WNW	3.42E-06	6.86E-07	3.24E-07	1.99E-07	1.39E-07	6.78E-08	2.61E-08	1.31E-08	8.36E-09	5.99E-09
NW	3.49E-06	7.40E-07	3.53E-07	2.19E-07	1.53E-07	7.52E-08	2.93E-08	1.48E-08	9.47E-09	6.80E-09
NNW	2.99E-06	6.15E-07	2.92E-07	1.80E-07	1.26E-07	6.17E-08	2.39E-08	1.20E-08	7.67E-09	5.50E-09

Table D-6. Annual Average Dispersion Factor Around the 200 Areas During 2003 for an 89-Meter Release Height

Direction	X/Q'									
	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	1.13E-08	2.14E-08	1.67E-08	1.26E-08	9.81E-09	5.56E-09	2.41E-09	1.27E-09	8.32E-10	6.05E-10
NNE	2.18E-08	2.20E-08	1.64E-08	1.23E-08	9.58E-09	5.51E-09	2.47E-09	1.35E-09	9.00E-10	6.66E-10
NE	3.02E-08	2.96E-08	2.25E-08	1.69E-08	1.31E-08	7.46E-09	3.24E-09	1.72E-09	1.13E-09	8.20E-10
ENE	2.95E-08	3.07E-08	2.43E-08	1.88E-08	1.49E-08	8.81E-09	4.01E-09	2.19E-09	1.47E-09	1.08E-09
E	1.34E-08	2.63E-08	2.26E-08	1.81E-08	1.48E-08	9.14E-09	4.41E-09	2.50E-09	1.71E-09	1.28E-09
ESE	1.74E-08	3.25E-08	2.94E-08	2.43E-08	2.02E-08	1.28E-08	6.31E-09	3.61E-09	2.47E-09	1.85E-09
SE	3.44E-08	6.92E-08	5.89E-08	4.66E-08	3.76E-08	2.27E-08	1.05E-08	5.80E-09	3.89E-09	2.88E-09
SSE	2.62E-08	5.91E-08	4.76E-08	3.64E-08	2.87E-08	1.67E-08	7.46E-09	4.04E-09	2.69E-09	1.98E-09
S	2.47E-08	4.67E-08	3.67E-08	2.76E-08	2.15E-08	1.21E-08	5.20E-09	2.73E-09	1.78E-09	1.29E-09
SSW	2.70E-08	3.62E-08	2.75E-08	2.04E-08	1.57E-08	8.73E-09	3.66E-09	1.89E-09	1.22E-09	8.76E-10
SW	2.58E-08	3.88E-08	2.91E-08	2.14E-08	1.65E-08	9.07E-09	3.79E-09	1.96E-09	1.26E-09	9.07E-10
WSW	1.37E-08	2.75E-08	2.18E-08	1.64E-08	1.28E-08	7.13E-09	3.00E-09	1.55E-09	9.98E-10	7.18E-10
W	2.08E-08	2.93E-08	2.21E-08	1.64E-08	1.26E-08	6.97E-09	2.92E-09	1.51E-09	9.73E-10	7.01E-10
WNW	1.47E-08	3.00E-08	2.33E-08	1.74E-08	1.35E-08	7.51E-09	3.16E-09	1.64E-09	1.06E-09	7.62E-10
NW	2.22E-08	4.14E-08	3.19E-08	2.38E-08	1.85E-08	1.03E-08	4.40E-09	2.30E-09	1.49E-09	1.08E-09
NNW	1.64E-08	2.68E-08	2.06E-08	1.55E-08	1.21E-08	6.93E-09	3.05E-09	1.64E-09	1.09E-09	7.96E-10

Table D-7. Annual Average Dispersion Factor Around the 300 Area During 2003 for a 10-Meter Release Height

X/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	3.91E-06	8.08E-07	3.84E-07	2.37E-07	1.66E-07	8.17E-08	3.17E-08	1.60E-08	1.03E-08	7.36E-09
NNE	3.74E-06	7.42E-07	3.50E-07	2.15E-07	1.50E-07	7.31E-08	2.81E-08	1.41E-08	8.99E-09	6.44E-09
NE	3.45E-06	6.88E-07	3.24E-07	1.99E-07	1.39E-07	6.79E-08	2.62E-08	1.31E-08	8.39E-09	6.02E-09
ENE	2.07E-06	3.92E-07	1.83E-07	1.12E-07	7.76E-08	3.75E-08	1.43E-08	7.15E-09	4.55E-09	3.25E-09
E	1.99E-06	4.02E-07	1.90E-07	1.17E-07	8.23E-08	4.03E-08	1.56E-08	7.86E-09	5.03E-09	3.61E-09
ESE	2.18E-06	4.51E-07	2.15E-07	1.33E-07	9.32E-08	4.58E-08	1.78E-08	8.98E-09	5.76E-09	4.13E-09
SE	3.98E-06	8.45E-07	4.04E-07	2.50E-07	1.76E-07	8.64E-08	3.36E-08	1.70E-08	1.09E-08	7.81E-09
SSE	4.86E-06	1.01E-06	4.78E-07	2.95E-07	2.07E-07	1.01E-07	3.93E-08	1.98E-08	1.26E-08	9.07E-09
S	3.54E-06	7.26E-07	3.44E-07	2.12E-07	1.48E-07	7.24E-08	2.79E-08	1.40E-08	8.91E-09	6.38E-09
SSW	2.05E-06	4.10E-07	1.93E-07	1.19E-07	8.29E-08	4.04E-08	1.56E-08	7.79E-09	4.97E-09	3.56E-09
SW	1.30E-06	2.44E-07	1.13E-07	6.86E-08	4.75E-08	2.28E-08	8.60E-09	4.25E-09	2.69E-09	1.92E-09
WSW	1.23E-06	2.37E-07	1.10E-07	6.69E-08	4.63E-08	2.22E-08	8.36E-09	4.13E-09	2.61E-09	1.86E-09
W	1.85E-06	3.60E-07	1.68E-07	1.02E-07	7.11E-08	3.43E-08	1.30E-08	6.48E-09	4.12E-09	2.94E-09
WNW	4.04E-06	8.52E-07	4.06E-07	2.51E-07	1.76E-07	8.63E-08	3.35E-08	1.69E-08	1.08E-08	7.76E-09
NW	5.96E-06	1.25E-06	5.97E-07	3.69E-07	2.59E-07	1.27E-07	4.95E-08	2.49E-08	1.60E-08	1.15E-08
NNW	4.53E-06	9.67E-07	4.62E-07	2.86E-07	2.01E-07	9.90E-08	3.85E-08	1.95E-08	1.25E-08	8.97E-09

Table D-8. Annual Average Dispersion Factor Around the 400 Area During 2003 for a 10-Meter Release Height

X/Q'										
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	4.21E-06	8.36E-07	3.94E-07	2.42E-07	1.69E-07	8.22E-08	3.17E-08	1.59E-08	1.01E-08	7.26E-09
NNE	4.39E-06	8.76E-07	4.13E-07	2.54E-07	1.77E-07	8.62E-08	3.32E-08	1.66E-08	1.06E-08	7.60E-09
NE	3.10E-06	6.25E-07	2.96E-07	1.82E-07	1.28E-07	6.25E-08	2.42E-08	1.22E-08	7.82E-09	5.62E-09
ENE	2.16E-06	4.43E-07	2.11E-07	1.30E-07	9.11E-08	4.47E-08	1.73E-08	8.74E-09	5.60E-09	4.02E-09
E	2.27E-06	4.57E-07	2.16E-07	1.33E-07	9.31E-08	4.56E-08	1.76E-08	8.88E-09	5.68E-09	4.08E-09
ESE	2.56E-06	5.20E-07	2.47E-07	1.52E-07	1.07E-07	5.23E-08	2.03E-08	1.02E-08	6.54E-09	4.70E-09
SE	4.06E-06	8.05E-07	3.79E-07	2.33E-07	1.63E-07	7.95E-08	3.06E-08	1.53E-08	9.77E-09	6.99E-09
SSE	3.73E-06	7.62E-07	3.61E-07	2.22E-07	1.55E-07	7.58E-08	2.92E-08	1.46E-08	9.33E-09	6.68E-09
S	3.07E-06	6.28E-07	2.97E-07	1.83E-07	1.28E-07	6.23E-08	2.40E-08	1.21E-08	7.71E-09	5.53E-09
SSW	2.83E-06	5.74E-07	2.71E-07	1.67E-07	1.16E-07	5.67E-08	2.18E-08	1.09E-08	6.98E-09	5.00E-09
SW	2.01E-06	3.97E-07	1.86E-07	1.14E-07	7.92E-08	3.83E-08	1.46E-08	7.23E-09	4.59E-09	3.28E-09
WSW	1.42E-06	2.70E-07	1.25E-07	7.63E-08	5.28E-08	2.53E-08	9.50E-09	4.67E-09	2.95E-09	2.09E-09
W	1.39E-06	2.64E-07	1.23E-07	7.47E-08	5.18E-08	2.49E-08	9.40E-09	4.65E-09	2.94E-09	2.09E-09
WNW	1.67E-06	3.35E-07	1.58E-07	9.68E-08	6.76E-08	3.29E-08	1.26E-08	6.33E-09	4.04E-09	2.90E-09
NW	2.48E-06	4.93E-07	2.32E-07	1.42E-07	9.92E-08	4.81E-08	1.84E-08	9.19E-09	5.85E-09	4.18E-09
NNW	3.99E-06	8.39E-07	4.00E-07	2.47E-07	1.74E-07	8.52E-08	3.31E-08	1.67E-08	1.07E-08	7.67E-09

Quality Assurance

Table Q-1. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Surface Environmental Surveillance Project Blind Spikes, 2003

Media	Con Short Name	True Value	Units	Reported Value	Units	Reported/True	% Bias
Air Filter	Co-60	144	pCi/filter	136	pCi/filter	0.94	-5.6
Air Filter	Co-60	134	pCi/filter	95.1	pCi/filter	0.71	-29.0
Air Filter	Cs-137	546	pCi/filter	552	pCi/filter	1.01	1.1
Air Filter	Cs-137	164	pCi/filter	180	pCi/filter	1.10	9.8
Air Filter	Pu-238	12.0	pCi/filter	12.6	pCi/filter	1.05	5.0
Air Filter	Pu-238	7.35	pCi/filter	7.13	pCi/filter	0.97	-3.0
Air Filter	Pu-239/240	11.3	pCi/filter	12.1	pCi/filter	1.07	7
Air Filter	Pu-239/240	3.35	pCi/filter	3.31	pCi/filter	0.99	-1.2
Air Filter	SB-125	76.0	pCi/filter	77.4	pCi/filter	1.02	2
Air Filter	Sr-90	27.1	pCi/filter	26.9	pCi/filter	0.99	-1
Air Filter	Sr-90	17.4	pCi/filter	17.4	pCi/filter	1.00	0.0
Air Filter	U-238	1.65	pCi/filter	1.58	pCi/filter	0.96	-4.2
Soil	Co-60	0.0183	pCi/g	0.0307	pCi/g	1.68	68
Soil	Cs-137	23.2	pCi/g	27.1	pCi/g	1.17	17
Soil	Cs-137	16.90	pCi/g	18.8	pCi/g	1.11	11
Soil	K-40	8.48	pCi/g	9.49	pCi/g	1.12	12
Soil	K-40	9.79	pCi/g	10.5	pCi/g	1.07	7
Soil	Pu-238	0.0138	pCi/g	0.00865	pCi/g	0.63	-37
Soil	Pu-239/240	0.353	pCi/g	0.344	pCi/g	0.97	-2.5
Soil	Pu-239/240	0.22	pCi/g	0.208	pCi/g	0.95	-5
Soil	Sr-90	0.958	pCi/g	1.14	pCi/g	1.19	19
Soil	Sr-90	0.787	pCi/g	1.05	pCi/g	1.33	33
Soil	U-234	3.050	pCi/g	2.43	pCi/g	0.80	-20
Soil	U-238	3.240	pCi/g	2.62	pCi/g	0.81	-19
Soil	U-238	3.91	pCi/g	3.4	pCi/g	0.87	-13
Vegetation	Co-60	0.296	pCi/g	0.39	pCi/g	1.32	31.8
Vegetation	Co-60	0.324	pCi/g	0.462	pCi/g	1.43	43
Vegetation	Cs-137	9.48	pCi/g	11.4	pCi/g	1.20	20
Vegetation	Cs-137	11.40	pCi/g	13.9	pCi/g	1.22	22
Vegetation	K-40	12.4	pCi/g	14.2	pCi/g	1.15	15
Vegetation	K-40	17.7	pCi/g	21.5	pCi/g	1.21	21
Vegetation	Pu-239/240	0.100	pCi/g	0.104	pCi/g	1.04	4.0
Vegetation	Pu-239/240	0.1400	pCi/g	0.119	pCi/g	0.85	-15
Vegetation	Sr-90	17.90	pCi/g	20.7	pCi/g	1.16	16
Water	Co-60	731	pCi/L	699	pCi/L	0.96	-4.4
Water	Co-60	1381	pCi/L	929	pCi/L	0.67	-32.7
Water	Cs-137	1216	pCi/L	1230	pCi/L	1.01	1.2
Water	Cs-137	1064	pCi/L	1070	pCi/L	1.01	0.6
Water	Pu-238	28.7	pCi/L	30.4	pCi/L	1.06	5.9
Water	Pu-238	20.9	pCi/L	20.9	pCi/L	1.00	0.0
Water	Pu-239/240	38.1	pCi/L	41.1	pCi/L	1.08	0.0
Water	Pu-239/240	27.3	pCi/L	28.6	pCi/L	1.05	4.8
Water	TRITIUM	1588	pCi/L	1540	pCi/L	0.97	-3.0
Water	TRITIUM	3273	pCi/L	2810	pCi/L	0.86	-14
Water	U-234	7.27	pCi/L	8.25	pCi/L	1.13	13.48
Water	U-238	7.08	pCi/L	8.26	pCi/L	1.17	16.67

Table Q-2. Severn Trent Laboratories (STL) Inc., Richland WA, Performance Data on Environmental Resource Associates (ERA) Proficiency Testing Program Water Samples (pCi/L), 2003

Con Short Name	Study No.	STL		ERA		Mean Recovery	Number of Participants	Bias%	Performance Evaluation ^(c)	Report Issue Date	Comments
		Value ^(a)	Experimental Deviation ^(b)	Known Value	Expected Deviation ^(b)						
Ba-133	Rad-52	18.2	1.1	19.5	5.00	18.2	44	-6.67	Acceptable	16-Apr-03	
Ba-133	Rad-54	20.7	1.10	20.7	5.00	20.1	36	0.00	Acceptable	22-Oct-03	
Co-60	Rad-52	37.8	2.7	37.4	5.00	39.3	45	1.07	Acceptable	16-Apr-03	
Co-60	Rad-53	66.0	2.06	63.8	5.00	65.8	46	3.45	Acceptable	24-Jul-03	
Co-60	Rad-54	36.7	3.49	37.4	5.00	37.3	38	-1.87	Acceptable	22-Oct-03	
Co-60	Rad-55	28.2	4.74	27.7	5.00	28.4	38	1.81	Acceptable	23-Jan-04	
Cs-134	Rad-52	16.7	3.0	17.8	5.00	17.1	45	-6.18	Acceptable	16-Apr-03	
Cs-134	Rad-53	71.7	0.95	75.7	5.00	71.8	46	-5.28	Acceptable	24-Jul-03	
Cs-134	Rad-54	35.7	6.63	32.6	5.00	30.8	37	9.51	Acceptable	22-Oct-03	
Cs-134	Rad-55	22.6	3.24	23.4	5.00	21.9	37	-3.42	Acceptable	23-Jan-04	
Cs-137	Rad-52	49.9	6.1	44.2	5.00	47.0	45	12.90	Acceptable	16-Apr-03	
Cs-137	Rad-53	161	2.1	150	7.50	157.0	46	7.33	Acceptable	24-Jul-03	
Cs-137	Rad-54	52.5	3.33	44.3	5.00	47.9	38	18.51	Acceptable	22-Oct-03	
Cs-137	Rad-55	71	5.78	64.2	5.00	65.6	38	10.59	Acceptable	23-Jan-04	
Gross Alpha	Rad-52	29.8	1.94	37.6	9.40	30.6	71	-20.74	Acceptable	16-Apr-03	
Gross Alpha	Rad-53	57.1	1.77	70.3	17.60	76.5	57	-18.78	Acceptable	24-Jul-03	
Gross Alpha	Rad-54	54.7	2.1	65.1	16.30	56.2	61	-15.98	Acceptable	22-Oct-03	
Gross Alpha	Rad-55	26.6	2.75	29.5	7.38	28.2	39	-9.83	Acceptable	23-Jan-04	
Gross Alpha	Rad-55	59.4	5.6	54.2	13.6	62.7	50	9.59	Acceptable	23-Jan-04	
Gross Beta	Rad-52	7.20	1.77	8.55	5.00	10.7	60	-15.79	Acceptable	16-Apr-03	
Gross Beta	Rad-53	278	13.1	363	54.5	327	53	-23.42	Acceptable	24-Jul-03	
Gross Beta	Rad-54	33.7	2.95	31.6	5.00	33.2	54	6.65	Acceptable	22-Oct-03	
Gross Beta	Rad-55	26.3	0.56	26.3	5.00	26.4	34	0.00	Acceptable	23-Jan-04	
Gross Beta	Rad-55	138	1.53	168	25.20	167.0	46	-17.86	Acceptable	23-Jan-04	
H-3	Rad-53	1260	196.0	1250	331.00	1300.0	64	0.80	Acceptable	24-Jul-03	
I-131	Rad-53	15.5	1.4	20.8	3.0	22.0	43	-25.48	Not Acceptable	24-Jul-03	Corrective action dated 8/4/03.
I-131	Rad-55	31.8	4.77	28.2	3.00	26.7	27	12.77	Acceptable	23-Jan-04	
Ra-226	Rad-52	4.66	0.45	4.73	0.71	4.9	47	-1.48	Acceptable	16-Apr-03	
Ra-226	Rad-53	16.2	0.4	16.5	2.48	15.2	53	-1.82	Acceptable	24-Jul-03	
Ra-226	Rad-55	20.5	1.81	17.8	2.67	16.7	22	15.17	Acceptable	23-Jan-04	
Ra-226	Rad-55	17.7	3.70	16.1	2.42	15.5	42	9.94	Acceptable	23-Jan-04	
Ra-228	Rad-52	6.33	0.33	6.48	1.62	6.32	42	-2.31	Acceptable	16-Apr-03	
Ra-228	Rad-53	10.0	0.81	10.3	2.58	9.20	50	-2.91	Acceptable	24-Jul-03	
Ra-228	Rad-55	6.72	0.76	6.78	1.70	6.6	19	-0.88	Acceptable	23-Jan-04	
Ra-228	Rad-55	5.34	0.51	5.49	1.37	5.2	37	-2.73	Acceptable	23-Jan-04	
Sr-89	Rad-52	13.1	1.6	15.9	5.00	16.1	25	-17.61	Acceptable	16-Apr-03	
Sr-89	Rad-53	28.2	0.96	31.3	5.00	31.5	36	-9.90	Acceptable	24-Jul-03	
Sr-89	Rad-54	50.5	2.88	58.8	5.00	53.9	21	-14.12	Acceptable	22-Oct-03	
Sr-89	Rad-55	46.7	1.01	50.4	5.00	47.5	35	-7.34	Acceptable	23-Jan-04	
Sr-90	Rad-52	9.28	0.84	9.03	5.00	8.59	26	2.77	Acceptable	16-Apr-03	
Sr-90	Rad-53	25.8	0.58	27.4	5.00	25.8	38	-5.84	Acceptable	24-Jul-03	
Sr-90	Rad-54	19.1	0.32	20.6	5.00	19.2	23	-7.28	Acceptable	22-Oct-03	
Sr-90	Rad-55	10.1	0.47	10.2	5.00	10.2	31	-0.98	Acceptable	23-Jan-04	
Tritium	Rad-55	11900	5100	14300	1430	14500	44	-16.78	Acceptable	23-Jan-04	
U (Nat)	Rad-52	52.1	3.40	53.7	5.37	52.9	44	-2.98	Acceptable	16-Apr-03	
U (Nat)	Rad-53	14.2	0.4	15.1	3.00	14.2	50	-5.96	Acceptable	24-Jul-03	
U (Nat)	Rad-55	10.70	0.12	11.7	3.00	11.6	20	-8.55	Acceptable	23-Jan-04	
U (Nat)	Rad-55	8.58	0.19	9.30	3.00	9.47	42	-7.74	Acceptable	23-Jan-04	
Zn-65	Rad-52	57.5	12.6	60.3	6.03	61.60	44	-4.64	Acceptable	16-Apr-03	
Zn-65	Rad-54	61.8	9.14	60.2	6.02	64.5	37	2.66	Acceptable	22-Oct-03	

(a) Three results are reported to ERA, this represents the average of the three results \pm 1 standard deviation of the mean.

(b) ERA known concentration \pm 1 standard deviation.

(c) The Performance Evaluation criteria is:

Acceptable = Reported Value falls within the Control Limits.

Not Acceptable = Reported Value falls outside of the Control Limits.

The Control Limits, Warning Limits, and Outlier Criteria are established per the US-EPA guidelines contained in the National Standards for Water Proficiency Testing Studies Criteria Document, December, 1988.

Table Q-3. Severn Trent Laboratories (STL) Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2003

Media	Con Short Name	EML		STL		STL/EML	%Bias	Performance Evaluation ^(b)	Comments
		Bq/ Unit ^(a)	pCi/ Unit ^(a)	Bq/ Unit ^(a)	pCi/ Unit ^(a)				
Air Filter	Am-241	0.340	9.19E+00	0.326	8.81E+00	0.959	-4.12	Acceptable	
Air Filter	Am-241	0.435	1.18E+01	0.450	1.22E+01	1.034	3.45	Acceptable	
Air Filter	C-137	54.80	1.48E+03	53.6	1.45E+03	0.978	-2.19	Acceptable	
Air Filter	Co-60	33.50	9.05E+02	32.60	8.81E+02	0.973	-2.69	Acceptable	
Air Filter	Co-60	55.10	1.49E+03	53.1	1.44E+03	0.964	-3.63	Acceptable	
Air Filter	Cs-137	99.70	2.69E+03	99.90	2.70E+03	1.002	0.20	Acceptable	
Air Filter	Gross Alpha	1.170	3.16E+01	1.23	3.32E+01	1.051	5.13	Acceptable	
Air Filter	Gross Alpha	3.110	8.41E+01	2.740	7.41E+01	0.881	-11.90	Acceptable	
Air Filter	Gross Beta	1.50	4.05E+01	1.76	4.76E+01	1.173	17.33	Acceptable	
Air Filter	Gross Beta	3.890	1.05E+02	3.660	9.89E+01	0.941	-5.91	Acceptable	
Air Filter	Mn-54	43.80	1.18E+03	43.40	1.17E+03	0.991	-0.91	Acceptable	
Air Filter	Mn-54	58.00	1.57E+03	55.7	1.51E+03	0.960	-3.97	Acceptable	
Air Filter	Pu-238	0.520	1.41E+01	0.536	1.45E+01	1.031	3.08	Acceptable	
Air Filter	Pu-238	0.229	6.19E+00	0.230	6.22E+00	1.004	0.44	Acceptable	
Air Filter	Pu-239	0.330	8.92E+00	0.328	8.86E+00	0.994	-0.61	Acceptable	
Air Filter	Pu-239	0.401	1.08E+01	0.4	1.08E+01	0.998	-0.25	Acceptable	
Air Filter	Sr-90	2.80	7.57E+01	0.934	2.52E+01	0.334	-66.64	Not Acceptable	Corrective action dated 12/17/03
Air Filter	Sr-90	2.06	5.56E+01	0.94	2.54E+01	0.457	-54.32	Not Acceptable	
Air Filter	U-TOTAL (µg)	19.70	1.97E+01	19.10	1.91E+01	0.970	-3.05	Acceptable	
Air Filter	U-TOTAL (µg)	32.10	3.21E+01	16.80	1.68E+01	0.523	-47.66	Not Acceptable	
Air Filter	U-234	0.240	6.49E+00	0.208	5.62E+00	0.867	-13.33	Acceptable with Warning	
Air Filter	U-234	0.401	1.08E+01	0.410	1.11E+01	1.022	2.24	Acceptable	
Air Filter	U-238	0.54	1.46E+01	0.227	6.14E+00	0.420	-57.96	Acceptable	
Air Filter	U-238	0.397	1.07E+01	0.370	1.00E+01	0.932	-6.80	Acceptable	
Soil	Ac-228	57.6	1.56E+00	63.9	1.73E+00	1.109	10.94	Acceptable with Warning	
Soil	Ac-228	50.8	1.37E+00	54.1	1.46E+00	1.065	6.50	Acceptable	
Soil	Am-241	15.6	4.22E-01	23.2	6.27E-01	1.487	48.72	Acceptable with Warning	
Soil	Am-241	18.4	4.97E-01	13.4	3.62E-01	0.728	-27.17	Acceptable with Warning	
Soil	Bi-212	60.6	1.64E+00	88.0	2.38E+00	1.452	45.21	Not Acceptable	Corrective action dated 12/17/03
Soil	Bi-212	53.9	1.46E+00	58.7	1.59E+00	1.089	8.91	Acceptable	
Soil	Bi-214	67.0	1.81E+00	73.6	1.99E+00	1.099	9.85	Acceptable	
Soil	Bi-214	34.4	9.30E-01	28.2	7.62E-01	0.820	-18.02	Acceptable with Warning	
Soil	Cs-137	1450	3.92E+01	1733	4.68E+01	1.195	19.52	Acceptable with Warning	
Soil	Cs-137	1973	5.33E+01	2209	5.97E+01	1.120	11.96	Acceptable	
Soil	K-40	636.0	1.72E+01	709	1.92E+01	1.115	11.48	Acceptable	
Soil	K-40	488	1.32E+01	511	1.38E+01	1.047	4.71	Acceptable	
Soil	Pb-212	57.9	1.56E+00	67.0	1.81E+00	1.157	15.72	Acceptable	
Soil	Pb-212	50.7	1.37E+00	53.8	1.45E+00	1.061	6.11	Acceptable	
Soil	Pb-214	71.10	1.92E+00	83.8	2.26E+00	1.179	17.86	Acceptable	
Soil	Pb-214	35.2	9.51E-01	41.4	1.12E+00	1.176	17.61	Acceptable	
Soil	Pu-238	14.6	3.95E-01	15.6	4.22E-01	1.068	6.85	Acceptable	
Soil	Pu-239	23.40	6.32E-01	24.8	6.70E-01	1.060	5.98	Acceptable	
Soil	Pu-239	30.4	8.22E-01	33.5	9.05E-01	1.102	10.20	Acceptable	
Soil	Sr-90	64.40	1.74E+00	66.3	1.79E+00	1.030	2.95	Acceptable	
Soil	Sr-90	80.3	2.17E+00	81.9	2.21E+00	1.020	1.99	Acceptable	
Soil	Th-234	127	3.43E+00	262	7.08E+00	2.063	106.30	Acceptable with Warning	
Soil	Th-234	116	3.14E+00	119.3	3.22E+00	1.028	2.84	Acceptable	
Soil	U-TOTAL (µg)	10.1	1.01E+01	9.24	9.24E+00	0.915	-8.51	Acceptable	
Soil	U-TOTAL (µg)	10.27	1.03E+01	9.91	9.91E+00	0.965	-3.51	Acceptable	
Soil	U-234	120	3.24E+00	122	3.30E+00	1.017	1.67	Acceptable	
Soil	U-234	127.3	3.44E+00	102.6	2.77E+00	0.806	-19.40	Acceptable with Warning	
Soil	U-238	125	3.38E+00	123	3.32E+00	0.984	-1.60	Acceptable	
Soil	U-238	127.1	3.44E+00	113.3	3.06E+00	0.891	-10.86	Acceptable	
Vegetation	Am-241	3.51	9.49E+01	3.3	8.92E+01	0.940	-5.98	Acceptable	
Vegetation	Cm-244	2.01	5.43E+01	1.84	4.97E+01	0.915	-8.46	Acceptable	
Vegetation	Co-60	12.1	3.27E+02	14.6	3.95E+02	1.207	20.66	Acceptable	
Vegetation	Cs-137	444.0	1.20E+04	541	1.46E+04	1.218	21.85	Acceptable with Warning	
Vegetation	K-40	1120	3.03E+04	1387	3.75E+04	1.238	23.84	Acceptable with Warning	
Vegetation	Pu-239	5.17	1.40E+02	0.37	1.00E+01	0.072	-92.84	Not Acceptable	Corrective action dated 12/17/03. Reported Pu-238. Pu-239 is 4.93 Bq/L which is Acceptable
Water	Am-241	2.13	5.76E+01	2.34	6.32E+01	1.099	9.86	Acceptable	
Water	Am-241	8.76	2.37E+02	7.96	2.15E+02	0.909	-9.13	Acceptable	
Water	Co-60	234	6.32E+03	227	6.14E+03	0.970	-2.99	Acceptable	
Water	Co-60	513	1.39E+04	494.8	1.34E+04	0.965	-3.55	Acceptable	
Water	Cs-134	30.5	8.24E+02	27.3	7.38E+02	0.895	-10.49	Acceptable with Warning	
Water	Cs-134	63.0	1.70E+03	60.7	1.64E+03	0.963	-3.65	Acceptable	

Table Q-3. Severn Trent Laboratories (STL) Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2003

Media	Con Short Name	EML		STL		STL/EML	%Bias	Performance Evaluation ^(b)	Comments
		Bq/ Unit ^(a)	pCi/ Unit ^(a)	Bq/ Unit ^(a)	pCi/ Unit ^(a)				
Water	Cs-137	63.8	1.72E+03	63.2	1.71E+03	0.991	-0.94	Acceptable	
Water	Cs-137	80.3	2.17E+03	79.2	2.14E+03	0.986	-1.37	Acceptable	
Water	Gross Alpha	377.5	1.02E+04	336	9.08E+03	0.890	-10.99	Acceptable	
Water	Gross Beta	627.5	1.70E+04	554	1.50E+04	0.883	-11.71	Acceptable	
Water	H-3	390	1.05E+04	402	1.09E+04	1.031	3.08	Acceptable	
Water	H-3	446.3	1.21E+04	437.8	1.18E+04	0.981	-1.90	Acceptable	
Water	Pu-238	3.33	9.00E+01	3.680	9.95E+01	1.105	10.51	Acceptable with Warning	
Water	Pu-238	2.07	5.59E+01	2.03	5.49E+01	0.981	-1.93	Acceptable	
Water	Pu-239	3.92	1.06E+02	4.41	1.19E+02	1.125	12.50	Acceptable with Warning	
Water	Pu-239	4.99	1.35E+02	4.95	1.34E+02	0.992	-0.80	Acceptable	
Water	Sr-90	4.34	1.17E+02	5.03	1.36E+02	1.159	15.90	Acceptable with Warning	
Water	Sr-90	7.04	1.90E+02	14.03	3.79E+02	1.993	99.29	Not Acceptable	
Water	U-TOTAL (µg)	0.226	2.26E-01	0.200	2.00E-01	0.885	-11.50	Acceptable with Warning	
Water	U-TOTAL (µg)	0.17	1.70E-01	0.17	1.70E-01	1.000	0.00	Acceptable	
Water	U-234	2.05	5.54E+01	2.33	6.30E+01	1.137	13.66	Acceptable	
Water	U-234	2.79	7.54E+01	2.5	6.76E+01	0.896	-10.39	Acceptable with Warning	
Water	U-238	2.16	5.84E+01	2.28	6.16E+01	1.056	5.56	Acceptable	
Water	U-238	2.80	7.57E+01	2.61	7.05E+01	0.932	-6.79	Acceptable	

(a) Units: Air filter: Filter
Soil: Kg
Vegetation: Kg
Water: L

(b) The Evaluation criteria is:

Acceptable = Reported Value falls within the Control Limits.

Not Acceptable = Reported Value falls outside of the Control Limits.

Acceptable with Warning = Reported Value falls within the Control Limits and outside of the Warning Limits.

Table Q-4. Biota Sample Field Duplicate Results, 2003

												ASSOCIATED TO VALUE RPTD COLUMN			
OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE ID	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LAB QUALIFIER
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	BE-7	3.84	pCi/L				29	29	50.1	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	BE-7	28.5	pCi/L	B16WK1	3.84	152.5	31	31	55.7	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	BE-7	-9.44	pCi/L	B16WK1	3.84	474.3	30	30	50.7	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	CO-60	1.46	pCi/L				3.5	3.5	6.37	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	CO-60	1.27	pCi/L	B16WK1	1.46	13.9	3.9	3.9	6.96	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	CO-60	5.49	pCi/L	B16WK1	1.46	116.0	3.5	3.5	6.84	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	CS-134	-0.954	pCi/L				3.4	3.4	5.79	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	CS-134	1.5	pCi/L	B16WK1	-0.954	898.9	3.5	3.5	6.26	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	CS-134	-0.765	pCi/L	B16WK1	-0.954	22.0	3.5	3.5	6.02	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	CS-137	-0.828	pCi/L				3.4	3.4	5.73	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	CS-137	-0.239	pCi/L	B16WK1	-0.828	110.4	3.2	3.2	5.61	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	CS-137	0.775	pCi/L	B16WK1	-0.828	6049.1	3.1	3.1	5.4	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	EU-152	6.39	pCi/L				8.4	8.4	14.9	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	EU-152	-4.06	pCi/L	B16WK1	6.39	897.0	8.5	8.5	14.3	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	EU-152	-3.04	pCi/L	B16WK1	6.39	563.0	7.9	7.9	13.4	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	EU-154	1.98	pCi/L				9.8	9.8	17.7	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	EU-154	-7.41	pCi/L	B16WK1	1.98	345.9	10	10	17.2	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	EU-154	2.5	pCi/L	B16WK1	1.98	23.2	9.9	9.9	18	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	EU-155	-2.9	pCi/L				7.6	7.6	12.5	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	EU-155	1.09	pCi/L	B16WK1	-2.9	440.9	8.3	8.3	14.4	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	EU-155	5.93	pCi/L	B16WK1	-2.9	582.8	7.4	7.4	12.6	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	K-40	1340	pCi/L				220	220	44.2	
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	K-40	1180	pCi/L	B16WK1	1340	12.7	210	210	48.4	
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	K-40	1190	pCi/L	B16WK1	1340	11.9	200	200	47.6	
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	RU-106	12.9	pCi/L				28	28	49.9	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	RU-106	-15.9	pCi/L	B16WK1	12.9	1920.0	30	30	49.6	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	RU-106	-9.14	pCi/L	B16WK1	12.9	1172.3	28	28	48.4	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	SB-125	-1.47	pCi/L				7.6	7.6	12.9	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	SB-125	-6.84	pCi/L	B16WK1	-1.47	129.2	8.1	8.1	13.1	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	SB-125	6.31	pCi/L	B16WK1	-1.47	321.5	7.6	7.6	13.5	U
SESPMNT	B16WK1	SAGEMOOR COMPOSITE	COW	MILK	9-May-03	SR-90	0.446	pCi/L				0.51	0.53	0.906	U
SESPSPEC	B16WH9	FRANKLIN FARM A	COW	MILK	9-May-03	SR-90	0.532	pCi/L	B16WK1	0.446	17.6	0.41	0.46	0.744	U
SESPSPEC	B16WH8	FRANKLIN FARM B	COW	MILK	9-May-03	SR-90	0.359	pCi/L	B16WK1	0.446	21.6	0.37	0.42	0.702	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	BE-7	22.5	pCi/L				24	24	44.3	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	BE-7	9.91	pCi/L	B17T66	22.5	77.7	21	21	37	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	BE-7	10.5	pCi/L	B17T66	22.5	72.7	22	22	39.5	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	CO-60	1.79	pCi/L				3.7	3.7	6.67	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	CO-60	4.58	pCi/L	B17T66	1.79	87.6	3.3	3.3	6.44	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	CO-60	2.91	pCi/L	B17T66	1.79	47.7	3.1	3.1	5.9	U

Table Q-4. Biota Sample Field Duplicate Results, 2003

													ASSOCIATED TO VALUE RPTD COLUMN		
OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE ID	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LAB QUALIFIER
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	CS-134	2.22	pCi/L				3.7	3.7	6.65	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	CS-134	0.145	pCi/L	B17T66	2.22	175.5	3	3	5.26	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	CS-134	-2.69	pCi/L	B17T66	2.22	2089.4	3.1	3.1	5.15	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	CS-137	-2.84	pCi/L				3.2	3.2	5.21	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	CS-137	-4.92	pCi/L	B17T66	-2.84	53.6	2.8	2.8	4.1	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	CS-137	-2.38	pCi/L	B17T66	-2.84	17.6	2.7	2.7	4.27	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	EU-152	-2.27	pCi/L				8.1	8.1	13.8	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	EU-152	2.45	pCi/L	B17T66	-2.27	5244.4	6.9	6.9	12	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	EU-152	1.52	pCi/L	B17T66	-2.27	1010.7	6.9	6.9	11.9	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	EU-154	-7.04	pCi/L				11	11	18.8	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	EU-154	4.76	pCi/L	B17T66	-7.04	1035.1	9.6	9.6	17.8	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	EU-154	3.39	pCi/L	B17T66	-7.04	571.5	8.9	8.9	16.4	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	EU-155	-0.742	pCi/L				7.4	7.4	12.4	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	EU-155	0.545	pCi/L	B17T66	-0.742	1306.6	6.6	6.6	11.1	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	EU-155	2.01	pCi/L	B17T66	-0.742	434.1	5.9	5.9	10.3	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	K-40	1310	pCi/L				220	220	51.9	
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	K-40	1390	pCi/L	B17T66	1310	5.9	210	210	44.3	
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	K-40	1310	pCi/L	B17T66	1310	0.0	200	200	47	
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	RU-106	-15.1	pCi/L				28	28	46.7	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	RU-106	13.9	pCi/L	B17T66	-15.1	4833.3	25	25	45.6	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	RU-106	-14.4	pCi/L	B17T66	-15.1	4.7	23	23	38.7	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	SB-125	9.93	pCi/L				8	8	14.2	U
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	SB-125	1.7	pCi/L	B17T66	9.93	141.5	6.5	6.5	11.5	U
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	SB-125	5.34	pCi/L	B17T66	9.93	60.1	6.9	6.9	12.2	U
SESPMNT	B17T66	SAGEMOOR COMPOSITE	COW	MILK	23-Oct-03	SR-90	0.587	pCi/L				0.22	0.26	0.332	
SESPSPEC	B17T56	FRANKLIN FARM A	COW	MILK	23-Oct-03	SR-90	0.335	pCi/L	B17T66	0.587	54.7	0.19	0.22	0.324	
SESPSPEC	B17T55	FRANKLIN FARM B	COW	MILK	23-Oct-03	SR-90	0.979	pCi/L	B17T66	0.587	50.1	0.3	0.36	0.468	

Table Q-5. Water Sample Field Duplicate Results, 2003

											ASSOCIATED TO VALUE RPTD COLUMN			
OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE ID	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LAB QUALIFIER
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	LO TRITIUM	64.3	pCi/L				4	11	3.39	
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	LO TRITIUM	75.6	pCi/L	B16LB1	64.3	16.2	4.4	13	3.53	
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	Sr-90	0.0815	pCi/L				0.032	0.037	0.0506	
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	Sr-90	0.0857	pCi/L	B16LB1	0.0815	5.0	0.029	0.035	0.0436	
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-234	0.278	pCi/L				0.039	0.06	0.00952	
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-234	0.292	pCi/L	B16LB1	0.278	4.9	0.04	0.062	0.00956	
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-235	0.0058	pCi/L				0.0068	0.0072	0.00351	U
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-235	0.00452	pCi/L	B16LB1	0.0058	24.8	0.0064	0.0067	0.00352	U
SESPMNT	B16LB1	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-238	0.212	pCi/L				0.034	0.048	0.00351	
SESPSPEC	B16L96	RICH.PMPHS-1 HRM46.4	RIVER	25-Mar-03	U-238	0.215	pCi/L	B16LB1	0.212	1.4	0.034	0.049	0.00352	
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	ALPHA	208	pCi/L				28	52	14.4	
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	ALPHA	12.2	pCi/L	B16RR1	208	177.8	3.6	4.4	2.45	
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	BE-7	0.463	pCi/L				24	24	42.4	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	BE-7	1.88	pCi/L	B16RR1	0.463	121.0	23	23	41.9	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	BETA	273	pCi/L				18	42	17.1	
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	BETA	30.3	pCi/L	B16RR1	273	160.0	3.7	5.8	4.28	
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Co-60	1.16	pCi/L				3.1	3.1	6.2	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Co-60	-0.0683	pCi/L	B16RR1	1.16	225.0	2.9	2.9	5.42	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Cs-134	0.53	pCi/L				2.9	2.9	5.54	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Cs-134	-2.63	pCi/L	B16RR1	0.53	301.0	2.7	2.7	4.22	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Cs-137	0.938	pCi/L				2.6	2.6	4.99	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Cs-137	-0.964	pCi/L	B16RR1	0.938	14630.8	2.6	2.6	4.55	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Eu-152	-0.349	pCi/L				5.9	5.9	10.7	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Eu-152	-3.68	pCi/L	B16RR1	-0.349	165.4	6.3	6.3	10.5	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Eu-154	-3.2	pCi/L				6.5	6.5	11.4	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Eu-154	-3.6	pCi/L	B16RR1	-3.2	11.8	6.9	6.9	12	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Eu-155	-1.93	pCi/L				5.6	5.6	9.62	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Eu-155	3.88	pCi/L	B16RR1	-1.93	595.9	4.7	4.7	8.6	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	K-40	53.5	pCi/L				67	67	8.17	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	K-40	-42.2	pCi/L	B16RR1	53.5	1693.8	55	55	119	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Ru-106	1.64	pCi/L				19	19	35.8	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Ru-106	-0.177	pCi/L	B16RR1	1.64	248.4	23	23	42	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	Sb-125	-1.35	pCi/L				5.8	5.8	10.2	U
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	Sb-125	-0.321	pCi/L	B16RR1	-1.35	123.2	5.9	5.9	10.5	U
SESPMNT	B16RR1	FFTF POND	SURFACE	7-Apr-03	TRITIUM	3070	pCi/L				230	320	127	
SESPSPEC	B16RT1	FFTF POND	SURFACE	7-Apr-03	TRITIUM	3230	pCi/L	B16RR1	3070	5.1	230	330	127	
SESPMNT	B17CF2	100 N -1 HRM 9.5	RIVER	4-Sep-03	LO TRITIUM	138	pCi/L				5.5	24	3.53	
SESPSPEC	B17CD7	100 N -1 HRM 9.5	RIVER	4-Sep-03	LO TRITIUM	149	pCi/L	B17CF2	138	7.7	5.7	26	3.47	
SESPMNT	B17CF2	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-234	0.234	pCi/L				0.044	0.057	0.0224	
SESPSPEC	B17CD7	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-234	0.266	pCi/L	B17CF2	0.234	12.8	0.044	0.061	0.00979	
SESPMNT	B17CF2	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-235	0.00266	pCi/L				0.0078	0.008	0.0128	U
SESPSPEC	B17CD7	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-235	0.00471	pCi/L	B17CF2	0.00266	55.6	0.0079	0.0081	0.00979	U
SESPMNT	B17CF2	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-238	0.184	pCi/L				0.038	0.048	0.0128	
SESPSPEC	B17CD7	100 N -1 HRM 9.5	RIVER	4-Sep-03	U-238	0.153	pCi/L	B17CF2	0.184	18.4	0.034	0.042	0.0172	
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	LO TRITIUM	60.9	pCi/L				3.8	11	3.48	
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	LO TRITIUM	51.8	pCi/L	B183T1	60.9	16.1	3.7	9.6	3.51	
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	Sr-90	0.0869	pCi/L				0.022	0.026	0.0366	
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	Sr-90	0.0997	pCi/L	B183T1	0.0869	13.7	0.023	0.027	0.0367	
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-234	0.221	pCi/L				0.045	0.058	0.0249	
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-234	0.246	pCi/L	B183T1	0.221	10.7	0.054	0.067	0.0202	
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-235	0.0153	pCi/L				0.015	0.015	0.0193	U
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-235	-0.000594	pCi/L	B183T1	0.0153	216.2	0.015	0.015	0.0296	U
SESPMNT	B183T1	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-238	0.202	pCi/L				0.043	0.054	0.0249	
SESPSPEC	B183R6	RICH.PMPHS-1 HRM46.4	RIVER	8-Dec-03	U-238	0.231	pCi/L	B183T1	0.202	13.4	0.052	0.064	0.0255	

Distribution

<u>No. of Copies</u>		<u>No. of Copies</u>	
OFFSITE			
P	Basin City Branch of Mid-Columbia Library 50-A N. Canal Boulevard Basin City, WA 99343	P	Keewaydin Park Branch of the Mid-Columbia Library 405 S. Dayton Kennewick, WA 99336
P	Benton City Branch of the Mid-Columbia Library P.O. Box 369 Benton City, WA 99320	P	Kennewick Branch of the Mid-Columbia Library 1620 S. Union Street Kennewick, WA 99338
P	Burbank Community Library 875 Lake Road Burbank, WA 99323	CD	Sandi E. Langford, MS-7827 Environmental Radiation Section Division of Radiation Protection Washington State Department of Health P.O. Box 47827 Olympia, WA 98504-7827
P	Columbia Basin College Library 2600 N. 20th Avenue Pasco, WA 99301	P	Knight Library University of Oregon 1501 Kincaid Eugene, OR 97403-1299
P	Connell Branch of the Mid-Columbia Library 118 N Columbia Avenue Connell, WA 99326	P	Merrill's Corner Branch of the Mid-Columbia Library 5240 Eltopia Way Eltopia, WA 99330
P	Energy Northwest Library P.O. Box 968 Richland, WA 99352	P	Othello Branch of the Mid-Columbia Library 101 East Main Othello, WA 99344
P	Environmental Health Library University of Washington P.O. Box 357234 Seattle, WA 98195-7234	P	Pasco Branch of the Mid-Columbia Library 1320 W. Hopkins Pasco, WA 99301
P	Kahlotus Branch of the Mid-Columbia Library E. 255 Weston Kahlotus, WA 99335		

<u>No. of Copies</u>		<u>No. of Copies</u>	
P	Prosser Branch of the Mid-Columbia Library 902 7th Street Prosser, WA 99350	ONSITE (37)	
		E. J. Antonio (P)	K3-54
		L. E. Bisping (15P)	K6-75
		J. K. Deverman (2P)	K3-70
P	Richland Public Library 955 Northgate Richland, WA 99352	R. L. Dirkes (P)	K6-75
		B. G. Fritz (P)	K6-75
		R. W. Fulton (P)	K6-75
		R. W. Hanf (2P)	K6-75
P	U.S. Geological Survey Library 950 National Center, Room 1D 12201 Sunrise Valley Drive Reston, VA 20192	E. A. Lepel (P)	P8-01
		B. A. Napier (P)	K3-54
		G. W. Patton (P)	K6-75
		T. M. Poston (P)	K6-75
		B. L. Tiller (P)	K6-85
P	Washington State Department of Ecology Library P.O. Box 47600 Olympia, WA 98504-7600	D. C. Ward (P)	A2-17
		DOE Public Reading Room (2P)	H2-53
		Hanford Site Administrative Record (2P)	H6-08
		Hanford Technical Library (2P)	P8-55
P	West Benton Branch of the Mid-Columbia Library 614 6th Street Prosser, WA 99350	Historical File - T. M. Poston (P)	K6-75
		LMSI Central Files (P)	B1-07
P	West Richland Branch of the Mid-Columbia Library 3803 W. Van Giesen West Richland, WA 99353		