PNNL-15003

Pacific Northwest
National Laboratory
Operated by Battelle for the
U.S. Department of Energy

Hanford Site Environmental Surveillance Master Sampling Schedule for Calendar Year 2005

LE Bisping

February 2005

Prepared for the U.S. Department of Energy
under Contract DE-AC05-76RL01830

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. This report is a summary of major or significant activities occurring at the Hanford Site only, and is not a full disclosure of all details associated with Hanford-related activities, nor a substitute for legally required information subject to reporting requirements regarding releases, violations, etc.

PACIFIC NORTHWEST NATIONAL LABORATORY
operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC05-76RL01830

Printed in the United States of America

May be available to DOE and DOE contractors from the
Office of Scientific and Technical Information,
P.O. Box 62, Oak Ridge, TN 37831-0062;
ph: (865) 576-8401
fax: (865) 576-5728
email: reports@adonis.osti.gov

May be available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161
ph: (800) 553-6847
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: http://www.ntis.gov/ordering.htm


This document was printed on recycled paper.
9/2003

PNNL-15003

Hanford Site Environmental Surveillance Master Sampling Schedule for Calendar Year 2005

L. E. Bisping

February 2005

Prepared for
the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

SUMMARY

Environmental surveillance of the Hanford Site and surrounding areas is conducted by the Pacific Northwest National Laboratory (PNNL)[(a)] for the U.S. Department of Energy (DOE). Sampling is conducted to evaluate levels of radioactive and nonradioactive pollutants in the Hanford environs, as required in DOE Order 450.1, *Environmental Protection Program*, and DOE Order 5400.5, *Radiation Protection of the Public and the Environment*. The sampling design is described in the Hanford Site *Environmental Monitoring Plan* (DOE/RL-91-50, U.S. Department of Energy, Richland Operations Office, Richland, Washington). The changing mission at Hanford from plutonium production to clean-up has resulted in decreases in radiological sampling scope over the past ten years.

This document contains the calendar year 2005 schedules for the routine and non-routine collection of samples for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project. Each section includes sampling locations, sample types, and analyses to be performed. In some cases, samples are scheduled on a rotating basis and may not be collected in 2005 in which case the anticipated year for collection is provided. In addition, a map showing approximate sampling locations is included for each media scheduled for collection in 2005.

SESP SAMPLING

The SESP is a multimedia environmental surveillance effort to measure the concentrations of radionuclides and chemicals in environmental media and assess the integrated effects of these materials on the environment and the public. Project staff collect samples of air, surface water, agricultural products, wildlife, and sediments. In addition, soil and natural vegetation samples are collected approximately every 5 years. Analytical capabilities include the measurement of radionuclides at very low environmental concentrations and, in selected media, nonradiological chemicals including metals, anions, and volatile organic compounds. In addition, the project includes the capability to measure ambient external radiation and monitor particulate matter mass concentrations in air.

(a) Pacific Northwest National Laboratory is operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract DE-AC05-76RL01830.

DRINKING WATER MONITORING PROJECT SAMPLING

Fluor Hanford, Inc. is responsible for monitoring the quality of drinking water supplied by the DOE to its onsite facilities in accordance with federal and state regulations. PNNL conducts radiological monitoring of onsite drinking water for Fluor Hanford concurrent with SESP activities to promote sampling efficiency and consistency, utilize expertise developed over the years, and reduce costs associated with management, sample collection procedure development, analytical contracting, data management, quality control, and reporting.

DATA MANAGEMENT

The Hanford Environmental Information System (HEIS) database is used as a repository for data gathered during environmental surveillance activities at the Hanford Site. For ease in retrieving SESP or drinking water data from the HEIS database, the majority of the location names in this document are the location names used in the database.

SCHEDULED CHANGES

This schedule is subject to modification during the year in response to changes in site operations, program requirements, and the nature of the observed results. Operational limitations such as weather, mechanical failures, sample availability, etc., may also impact scheduled sampling. Therefore, this document may not be an accurate record of samples collected during the year.

CO-SAMPLES

Samples that are co-sampled and analyzed by both PNNL and the Washington State Department of Health (DOH) are indicated in the schedule, as are samples that are co-sampled and analyzed by both PNNL and the U.S. Food and Drug Administration (FDA).

ADDITIONAL INFORMATION

Questions relating to the content of this document can be directed to Mr. T. M. Poston, Manager, Surface Environmental Surveillance Project, (509) 376-5678 or Mr. R.W. (Bill) Hanf, Manager, Drinking Water Monitoring Project, (509) 376-8264.

CONTENTS

FIGURES

ABBREVIATIONS

FREQUENCY SYMBOLS USED

A	annually
BE	biennially (every 2 years)
BW	biweekly (every 2 weeks)
M	monthly
M Comp.	monthly composite
Q	quarterly
Q Comp.	quarterly composite
SA	semiannually (twice each year)
TE	triennially (every 3 years)

ANALYTICAL SYMBOLS USED

Generally, standard element, chemical, and isotope designations are used to indicate the analyses performed. Other analytical designations used are:

Alpha	gross alpha activity of sample
Anions	major anions-generally chloride, fluoride, nitrate, nitrite, sulfate
Beta	gross beta activity of sample
DDD	dichlorodiphenyl dichloroethane
DDE	dichlorodiphenyl dichloroethylene
DDT	dichlorodiphenyl trichloroethane
Gamma Scan	analysis of photon energy spectrum for individual photon-emitting radionuclides
HTO	tritiated water ($^{3}H^{1}H^{16}O$)
Hg-CVAA	mercury by cold vapor atomic absorbance spectrometry
Hg-CVAF	total mercury in water by cold vapor atomic fluorescence
ICP-MS	major metals by inductively coupled plasma mass spectrometry – samples unfiltered unless otherwise noted
Lo ^{3}H	analytical procedure includes electrolytic enrichment
PM_{10} & $PM_{2.5}$	particulates having an aerodynamic diameter less than 10 and 2.5 micrometers respectively. Note that a PM_{10} sample includes $PM_{2.5}$ particulates
Pu	isotopic plutonium (^{238}Pu, $^{239/240}Pu$)
SEM/AVS	Simultaneously Extracted Metals/Acid Volatile Sulfide
TOC	Total Organic Carbon
U	isotopic uranium (^{234}U, ^{235}U, ^{238}U)
VOA	Volatile Organic Compounds

INSTRUMENT SYMBOLS USED

BICRON	Microrem meter
GM	Geiger-Müeller counter
PIC	Pressurized ionization chamber

1.0 AIR SURVEILLANCE

1.1 AIR – PARTICULATE FILTER

Location	Individual Samples: Location Number[a]	Individual Samples: Frequency	Individual Samples: Analyses	Composited Samples: Composite Group	Composited Samples: Frequency	Composited Samples: Analyses
Onsite						
100 K Area	1	BW	Beta, Alpha	100 Areas	Q	^{90}Sr, Pu, Gamma Scan
100 N-1325 Crib	2	BW	Beta, Alpha			
100 D Area	3	BW	Beta, Alpha			
100 F Met Tower	4	BW	Beta, Alpha	Hanford Townsite	Q	^{90}Sr, Pu, Gamma Scan
Hanford Townsite	5	BW	Beta, Alpha			
N of 200 E	6	BW	Beta, Alpha	N of 200 E	Q	Gamma Scan
200 ESE[b]	7	BW	Beta, Alpha	200 E Area	Q	^{90}Sr, Pu, U, Gamma Scan
S of 200 E	8	BW	Beta, Alpha			
B Pond	9	BW	Beta, Alpha	B Pond	Q	^{90}Sr, Pu, U, Gamma Scan
Army Loop Camp	10	BW	Beta, Alpha	200 W South East	Q	^{90}Sr, Pu, U, Gamma Scan
200 Tel. Exchange	11	BW	Beta, Alpha			
SW of B/C Cribs	12	BW	Beta, Alpha			
200 W SE	13	BW	Beta, Alpha	200 West Area	Q	^{90}Sr, Pu, U, Gamma Scan
300 Water Intake	14	BW	Beta, Alpha	300 Area	Q	^{90}Sr, Pu, U, Gamma Scan
300 South Gate	15	BW	Beta, Alpha			
300 South West	16	BW	Beta, Alpha			
300 Trench	17	BW	Beta, Alpha	300 NE	Q	^{90}Sr, Pu, U, Gamma Scan
300 NE	18	BW	Beta, Alpha			
400 E	19	BW	Beta, Alpha	400 Area	Q	^{90}Sr, Pu, Gamma Scan
400 W	20	BW	Beta, Alpha			
400 S	21	BW	Beta, Alpha			
400 N	22	BW	Beta, Alpha			
Wye Barricade[b]	23	BW	Beta, Alpha	Wye Barricade	Q	^{90}Sr, Pu, U, Gamma Scan
Perimeter						
Ringold Met Tower	24	BW	Beta, Alpha	Ringold Met Tower	Q	^{90}Sr, Pu, Gamma Scan
W End of Fir Road[b]	25	BW	Beta, Alpha	W End of Fir Road	Q	^{90}Sr, Pu, U, Gamma Scan

1.1 AIR – PARTICULATE FILTER (contd)

Location	Individual Samples: Location Number[a]	Individual Samples: Frequency	Individual Samples: Analyses	Composited Samples: Composite Group	Composited Samples: Frequency	Composited Samples: Analyses
Perimeter						
Dogwood Met Tower	26	BW	Beta, Alpha	Dogwood Met Tower	Q	^{90}Sr, Pu, U, Gamma Scan
Byers Landing	27	BW	Beta, Alpha	Byers Landing	Q	^{90}Sr, Pu, U, Gamma Scan
Battelle Complex[b]	28	BW	Beta, Alpha	Battelle Complex	Q	Gamma Scan
Horn Rapids Substa	29	BW	Beta, Alpha	Prosser Barricade	Q	^{90}Sr, Pu, U, Gamma Scan
Prosser Barricade[b]	30	BW	Beta, Alpha			
Yakima Barricade[b]	31	BW	Beta, Alpha	Yakima Barricade	Q	^{90}Sr, Pu, Gamma Scan
Rattlesnake Springs	32	BW	Beta, Alpha			
Wahluke Slope	33	BW	Beta, Alpha	Wahluke Slope	Q	^{90}Sr, Pu, Gamma Scan
S End Vernita Bridge	34	BW	Beta, Alpha			
Community						
Basin City School[c]	35	BW	Beta, Alpha	Basin City School	Q	^{90}Sr, Pu, U, Gamma Scan
Leslie Groves-Rchlnd[c]	36	BW	Beta, Alpha	Leslie Groves-Rchlnd	Q	^{90}Sr, Pu, U, Gamma Scan
Pasco	37	BW	Beta	Tri Cities	Q	^{90}Sr, Pu, Gamma Scan
Kennewick-Ely Street	38	BW	Beta, Alpha			
Benton City	39	BW	Beta	Benton City	Q	Gamma Scan
Edwin Markham School[c]	40	BW	Beta, Alpha	Edwin Markham School	Q	^{90}Sr, Pu, U, Gamma Scan
Mattawa	41	BW	Beta	Mattawa	Q	Gamma Scan
Othello	42	BW	Beta	Othello	Q	Gamma Scan
Distant						
Yakima	43	BW	Beta, Alpha	Yakima	Q	^{90}Sr, Pu, U, Gamma Scan
Toppenish[c]	44	BW	Beta, Alpha	Toppenish	Q	^{90}Sr, Pu, U, Gamma Scan

(a) Refer to Figure 1.1, 2005 Air Sampling Locations.
(b) Washington State Department of Health air sampler also at this location.
(c) Community-operated environmental surveillance station.

1.2 AIR – TRITIUM AND IODINE

Location	Location Number[a]	Frequency[b]	Analysis	Frequency	Analysis[c]
Onsite					
100 K Area	1			M	^{3}H
100 N-1325 Crib	2			M	^{3}H
200 ESE	7	Q Comp.	^{129}I	M	^{3}H
200 Tel. Exchange	11			M	^{3}H
300 Water Intake[d]	14			M	^{3}H
300 South Gate[e]	15			M	^{3}H
300 South West	16			M	^{3}H
300 Trench	17			M	^{3}H
300 NE	18			M	^{3}H
400 E	19			M	^{3}H
Perimeter					
Ringold Met Tower	24	Q Comp.	^{129}I	M	^{3}H
Dogwood Met Tower	26			M	^{3}H
Byers Landing	27	Q Comp.	^{129}I	M	^{3}H
Battelle Complex[d]	28			M	^{3}H
Prosser Barricade[d]	30			M	^{3}H
Wahluke Slope	33			M	^{3}H
Community[f]					
Basin City School	35			M	^{3}H
Leslie Groves-Rchlnd	36			M	^{3}H
Edwin Markham School	40			M	^{3}H
Distant					
Yakima	43	Q Comp.	^{129}I	M	^{3}H
Toppenish[f]	44			M	^{3}H

(a) Refer to Figure 1.1, 2005 Air Sampling Locations.
(b) Samples are collected monthly and composited for quarterly analyses.
(c) As HTO.
(d) Washington State Department of Health air sampler also at this location.
(e) Two tritium samples are collected from this location.
(f) Community-operated environmental surveillance station.

1.3 AIR – PARTICULATE MASS CONCENTRATION

Location	Location Number[a]	Frequency	Analysis[b]
Hanford Meteorological Station	45	Hourly	Mass Concentration

(a) Refer to Figure 1.1, 2005 Air Sampling Locations.
(b) Hourly average mass concentration data are collected at the Hanford Meteorological Station for two size fractions, PM_{10} and $PM_{2.5}$. These data are not available in the HEIS database but can be obtained from the SESP manager.



Figure 1.1. 2005 Air Sampling Locations

2.0 SURFACE WATER SURVEILLANCE

2.1 WATER – COLUMBIA RIVER

Location[a]	Sample Type	Frequency	Analyses/Co-sample
Priest Rapids-River	Cumulative	M Comp.[b] Q Comp.[b]	Alpha, Beta, Lo ^{3}H, ^{90}Sr, ^{99}Tc, U, DOH[c] ^{129}I
	Particulate (filter)	M Com.p[d] Q Comp.[d]	Gamma Scan Pu
	Soluble (resin)	M Comp.[d] Q Comp.[d]	Gamma San Pu
Rich.Pmphs HRM 46.4	Cumulative	M Comp.[b] Q Comp.[b]	Alpha, Beta, Lo ^{3}H, ^{90}Sr, ^{99}Tc, U ^{129}I
	Particulate (filter)	M Comp.[d] Q Comp.[d]	Gamma Scan Pu
	Soluble (resin)	M Comp.[d] Q Comp.[d]	Gamma Scan Pu
	Grab	3/Yr	USGS-NASQAN[e]
Rich.Pmphs-1 HRM46.4[f]	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-2 HRM46.4	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-3 HRM46.4	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-5 HRM46.4	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-7 HRM46.4	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-10 HRM46.4	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs HRM 43.5	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA, DOH[g]
Rich.Pmphs HRM 43.9	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA, DOH[g]
Rich.Pmphs HRM 45.0	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA, DOH[g]
Rich.Pmphs HRM 45.8	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA, DOH[g]
Vernita	Grab	3/Yr	USGS-NASQAN[e]
Vernita-1 HRM 0.3	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Vernita-2 HRM 0.3	Transect	Q A	Lo ^{3}H, ^{90}Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA

2.1 WATER – COLUMBIA RIVER (contd)

Location[a]	Sample Type	Frequency	Analyses/Co-sample
Vernita-3 HRM 0.3	Transect	Q	Lo ^{3}H, ^{90}Sr, U, Anions
		A	ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Vernita-4 HRM 0.3	Transect	Q	Lo ^{3}H, ^{90}Sr, U, Anions
		A	ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
100 N -1 HRM 9.5[h]	Transect		Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -2 HRM 9.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -3 HRM 9.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -5 HRM 9.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -7 HRM 9.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -10 HRM 9.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N Shore HRM 8.4	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 N Shore HRM 8.9	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 N Shore HRM 9.2	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 N Shore HRM 9.8	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 F -1 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F -2 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F -3 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F -5 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F -7 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F -10 HRM 19.0	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 F Shore HRM 18	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 F Shore HRM 22	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
100 F Shore HRM 23	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
Hanfrd TS-1 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-2 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-3 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-5 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-7 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-10 HRM 28.7	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd Twnsite HRM26	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
Hanfrd Twnsite HRM27	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
Hanfrd Twnsite HRM28	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
Hanfrd Twnsite HRM30	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]

2.1 WATER – COLUMBIA RIVER (contd)

Location[a]	Sample Type	Frequency	Analyses/Co-sample
300 Area -1 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -2 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -3 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -5 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -7 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -10 HRM 43.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Shr HRM41.5	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
300 Area Shr HRM42.1	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
300 Area Shr HRM42.4	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
300 Area Shr HRM42.9	Transect	A	Lo ^{3}H, ^{90}Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[g]
300 Area Outfl13	Grab	Q	Lo ^{3}H, ^{90}Sr, U, Anions
		A	ICP-MS, Hg-CVAF, ICP-MS Filtered

(a) Refer to Figure 2.1, 2005 Surface Water and Drinking Water Sampling Locations. Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.
(b) Cumulative sample is collected weekly and composited for analysis.
(c) Co-sample provided to the Washington State Department of Health (January and June only).
(d) Sample is collected biweekly and composited for analysis.
(e) Analyses are performed by the United States Geological Survey (USGS) in conjunction with the National Stream Quality Accounting Network (NASQAN) Program, and include: conductance, pH, temperature, turbidity, dissolved oxygen, hardness, Ca, Mg, alkalinity, carbonates, sulfate, Cl, F, solids, NH_4-N, NO_3+NO_2, N-Kjeldahl, P, Cr, Fe, dissolved organic carbon.
(f) Quality Assurance sample submitted for analyses twice per year.
(g) One co-sample provided to the Washington State Department of Health.
(h) Quality Assurance sample submitted for analyses once per year.

2.2 WATER – RIVERBANK SPRINGS

Location[a]	HRM [b]	Sample Type	Frequency	Analyses/Co-sample
100-B Spring 38-3	3.8	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, ^{99}Tc, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
100-B Spring 39-2	3.9	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, ^{99}Tc, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
100-K Spring 63-1	6.3	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH[c]
100-K Spring 77-1	7.6	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH[c]
100-N Spring Near 199N-46	8.9	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-N Spring 8-13	9.3	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[c]

2.2 WATER – RIVERBANK SPRINGS (contd)

Location[a]	HRM [b]	Sample Type	Frequency	Analyses/Co-sample
100-D Spring 102-1	10.2	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-D Spring 110-1	11.0	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-H Spring 145-1	14.4	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, ^{99}Tc, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-H Spring 152-2	15.3	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, ^{99}Tc, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-F Spring 207-1	21.3	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
Hanford Spr UR 28-2[d]	27.8	Grab	A	Alpha, Beta, ^{3}H, ^{99}Tc, U, ^{129}I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanford Spring 28-2	28.1	Grab	A	Alpha, Beta, ^{3}H, ^{99}Tc, U, ^{129}I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH[c]
Hanford Spr DR 28-2[e]	28.3	Grab	A	Alpha, Beta, ^{3}H, ^{99}Tc, U, ^{129}I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Spring 41-9	41.9	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Spring 42-2	42.1	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, ^{129}I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
300 Area Spr DR 42-2[e]	42.4	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, ^{129}I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH[c]
300 Area Spring 42-7	42.7	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, Gamma Scan, Anions
Richland Spr(SRL 437-1)	43.7	Grab	A	Alpha, Beta, ^{3}H, ^{90}Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions

(a) Refer to Figure 2.1, 2005 Surface Water and Drinking Water Sampling Locations.
(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.
(c) One co-sample provided to the Washington State Department of Health.
(d) UR - Upriver from noted location.
(e) DR - Downriver from noted location.

2.3 WATER – ONSITE POND

Location[a]	Sample Type	Frequency	Analyses
West Lake	Grab	Q	^{3}H
FFTF Pond[b]	Grab	Q	Alpha, Beta, ^{3}H, Gamma Scan

(a) Refer to Figure 2.1, 2005 Surface Water and Drinking Water Sampling Locations.
(b) Quality Assurance sample submitted for analyses once per year.

2.4 WATER – OFFSITE IRRIGATION

Location[(a)]	Sample Type	Frequency	Analyses/Co-sample
Riverview Canal	Grab	3 (May-Sept)	Alpha, Beta, Lo ^{3}H, ^{90}Sr, U, Gamma Scan, DOH[(b)]
Horn Rapids Area	Grab	3 (May-Sept)	Alpha, Beta, Lo ^{3}H, ^{90}Sr, U, Gamma Scan, DOH[(b)]

(a) Refer to Figure 2.1, 2005 Surface Water and Drinking Water Sampling Locations.
(b) One co-sample provided to the Washington State Department of Health.

2.5 WATER – ONSITE DRINKING

		Individual Samples		Composited Samples		
Location[(a)]	Sample Type	Frequency	Analyses/Co-sample	Composite Group	Frequency	Analyses
100 N Area	Grab	M[(b)]		100 N Area	Q	Beta
100 N Area	Grab	Q[(c)]	Alpha, ^{226}Ra, ^{228}Ra, ^{131}I }	100 N Area	A	^{90}Sr, ^{3}H
200 W Area	Grab	M[(b)]		200 W Area	Q	Beta
200 W Area	Grab	Q[(c)]	Alpha, ^{226}Ra, ^{228}Ra, ^{131}I }	200 W Area	A	^{90}Sr, ^{3}H
100 K Area	Grab	M[(b)]		100 K Area	Q	Beta
100 K Area	Grab	Q[(c)]	Alpha, ^{226}Ra, ^{228}Ra, ^{131}I }	100 K Area	A	^{90}Sr, ^{3}H
400 Area	Grab	M[(b)]		400 Area	Q	Beta
400 Area	Grab	Q[(c)]	Alpha, ^{226}Ra, ^{228}Ra, ^{131}I , ^{3}H, DOH[(d)]}	400 Area	A	^{90}Sr

(a) Refer to Figure 2.1, 2005 Surface Water and Drinking Water Sampling Locations.
(b) Sample is collected monthly and composited for quarterly analysis.
(c) Sample is collected and analyzed quarterly and then composited for annual analysis.
(d) One co-sample provided to the Washington State Department of Health for ^{3}H (January only).



Figure 2.1. 2005 Surface Water and Drinking Water Sampling Locations

3.0 BIOTA

3.1 FOODSTUFFS AND FARM PRODUCTS

3.1.1 Whole Milk

Location[a]	Frequency	Analyses
East Wahluke Area[b]	Q	Lo ^{3}H, ^{90}Sr, Gamma Scan
	SA	^{129}I
Sagemoor Composite[b][c]	Q	Lo ^{3}H, ^{90}Sr, Gamma Scan
	SA	^{129}I
Sunnyside Area	Q	Lo ^{3}H, ^{90}Sr, Gamma Scan
	SA	^{129}I

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Sample composited from multiple dairies in each area.
(c) Quality Assurance samples submitted for analyses once per year.

3.1.2 Leafy Vegetables

Location[a][b]	Frequency[c]	Analyses/Co-sample
Riverview Area	A	^{90}Sr, Gamma Scan, FDA[d]
Sunnyside Area	A	^{90}Sr, Gamma Scan, FDA[d]
Sagemoor Area	BE (2005)	^{90}Sr, Gamma Scan, DOH[e]
East Wahluke Area	BE (2006)	^{90}Sr, Gamma Scan, DOH[e]

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.
(c) Samples are collected in 2005 according to their specified frequency unless otherwise noted.
(d) Two co-samples sent to U.S. Food and Drug Administration.
(e) One co-sample provided to the Washington State Department of Health.

3.1.3 Vegetables

Location[a][b]	Sample Type	Frequency[c]	Analyses/Co-sample
Riverview Area	Potatoes	A	^{90}Sr, Gamma Scan
	Tomatoes	A	^{90}Sr, ^{3}H, Gamma Scan
	Asparagus	A	^{90}Sr, U, Gamma Scan
Sunnyside Area	Potatoes	A	^{90}Sr, Gamma Scan, FDA[d]
	Asparagus	A	^{90}Sr, U, Gamma Scan
East Wahluke Area	Potatoes	A	^{90}Sr, Gamma Scan
Harrah/Wapato Area	Tomatoes	A	^{90}Sr, ^{3}H, Gamma Scan
Sagemoor Area	Asparagus	A	^{90}Sr, U, Gamma Scan, DOH[e]
	Potatoes	TE (2006)	^{90}Sr, Gamma Scan, DOH[e], FDA[d]
Horn Rapids Area	Potatoes	TE (2005)	^{90}Sr, Gamma Scan, DOH[e], FDA[d]

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.
(c) Samples are collected in 2005 according to their specified frequency unless otherwise noted.
(d) Two co-samples sent to U.S. Food and Drug Administration.
(e) One co-sample provided to the Washington State Department of Health.

3.1.4 Fruit

Location[a][b]	Sample Type	Frequency[c]	Collection Period	Analyses/Co-sample
Sagemoor Area	Cherries	TE (2005)	June	^{90}Sr, Gamma Scan, DOH[d], FDA[e]
	Apples	TE (2006)	September	^{90}Sr, Gamma Scan, DOH[d], FDA[e]
	Concord Grapes[f]	TE (2007)	September	^{90}Sr, Gamma Scan, DOH[d]
Sunnyside Area	Cherries	TE (2005)	June	^{90}Sr, Gamma Scan
	Apples	TE (2006)	September	^{90}Sr, Gamma Scan, DOH[d]
	Concord Grapes[f]	TE (2007)	September	^{90}Sr, Gamma Scan
Riverview Area	Cherries	TE (2005)	June	^{90}Sr, Gamma Scan
	Apples	TE (2006)	September	^{90}Sr, Gamma Scan, DOH[d], FDA[e]
	Concord Grapes[f]	TE (2007)	September	^{90}Sr, Gamma Scan, DOH[d], FDA[e]
Ringold Area	Cherries	TE (2005)	June	^{90}Sr, Gamma Scan, DOH[d]
East Wahluke Area	Cherries	TE (2005)	June	^{90}Sr, Gamma Scan
Mattawa Area	Apples	TE (2006)	September	^{90}Sr, Gamma Scan, DOH[d]
Cold Creek Area	Concord Grapes[f]	TE (2007)	September	^{90}Sr, Gamma Scan

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.
(c) Samples are collected in 2005 according to their specified frequency unless otherwise noted.
(d) One co-sample provided to the Washington State Department of Health.
(e) Two co-samples sent to U.S. Food and Drug Administration.
(f) Concord grapes preferred; table grapes acceptable if concord grapes are unavailable.

3.1.5 Wine

Location[a][b]	Sample Type	Frequency	Collection Period	Analyses/Co-sample
Columbia Basin	White	A	December	Lo ^{3}H, Gamma Scan, DOH[c]
	Red	A	December	Lo ^{3}H, Gamma Scan, DOH[c]
Yakima Valley	White	A	December	Lo ^{3}H, Gamma Scan, DOH[c]
	Red	A	December	Lo ^{3}H, Gamma Scan, DOH[c]

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Two samples of each type collected for PNNL within each area.
(c) One co-sample provided to the Washington State Department of Health.

3.1.6 Alfalfa

Location[a][b]	Sample Type	Frequency	Collection Period	Analyses/Co-sample
Sagemoor Area	Alfalfa	BE (2005)	May	^{90}Sr, Gamma Scan, DOH[c]
Riverview Area	Alfalfa	BE (2005)	May	^{90}Sr, Gamma Scan, DOH[c], FDA[d]
Sunnyside Area	Alfalfa	BE (2005)	May	^{90}Sr, Gamma Scan, FDA[d]
Horn Rapids Area	Alfalfa	BE (2005)	May	^{90}Sr, Gamma Scan, DOH[c]

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.
(c) One co-sample provided to the Washington State Department of Health
(d) Two co-samples sent to U.S. Food and Drug Administration.

3.1.7 Honey

Location[a][b]	Sample Type	Frequency	Collection Period	Analyses/Co-sample
East Wahluke Area	Honey	BE (2005)	Aug-Oct	^{90}Sr, Pu, U, Lo ^{3}H, Gamma Scan, DOH[c]
Yakima Valley	Honey	BE (2005)	Aug-Oct	^{90}Sr, Pu, U, Lo ^{3}H, Gamma Scan, DOH[c]

(a) Refer to Figure 3.1, 2005 Food and Farm Product Sampling Locations.
(b) One sample collected for PNNL within each area.
(c) One co-sample provided to the Washington State Department of Health.



Figure 3.1. 2005 Food and Farm Product Sampling Locations

3.2 WILDLIFE

3.2.1 Aquatic Biota

Location[a]	Species/ Sample	Number of Samples	Frequency[b]	Collection Period	Analyses/Co-sample
100-N to 100-D	Whitefish				
	Fillet	5	BE (2005)	January	Gamma Scan, DOH[c]
	Carcass	5	BE (2005)	January	^{90}Sr, DOH[c]
	Liver[d]	5	BE (2005)	January	ICP-MS
	Carp				
	Fillet	5	BE (2006)	June	Gamma Scan, DOH[c]
	Carcass	5	BE (2006)	June	^{90}Sr, DOH[c]
	Liver[d]	5	BE (2006)	June	ICP-MS
300 Area	Bass				
	Fillet	5	TE (2005)	May-June	Gamma Scan, U, DOH[c]
	Carcass	5	TE (2005)	May-June	^{90}Sr, DOH[c]
	Liver[d]	5	TE (2005)	May-June	ICP-MS, Hg-CVAA
	Carp				
	Fillet	5	BE (2006)	June	Gamma Scan, U, DOH[c]
	Carcass	5	BE (2006)	June	^{90}Sr, DOH[c]
	Liver[d]	5	BE (2006)	June	ICP-MS, Hg-CVAA
100 F Slough	Bass				
	Fillet	5	TE (2005)	May-June	Gamma Scan, DOH[c]
	Carcass	5	TE (2005)	May-June	^{90}Sr, DOH[c]
	Liver[d]	5	TE (2005)	May-June	ICP-MS, Hg-CVAA
Hanford Slough	Bass				
	Fillet	5	TE (2005)	May-June	Gamma Scan, DOH[c]
	Carcass	5	TE (2005)	May-June	^{90}Sr, DOH[c]
	Liver[d]	5	TE (2005)	May-June	ICP-MS, Hg-CVAA
Background - Priest Rapids/Wanapum Pools	Whitefish				
	Fillet	5	BE (2005)	Jan & Dec	Gamma Scan
	Carcass	5	BE (2005)	Jan & Dec	^{90}Sr
	Liver[d]	5	BE (2005)	Jan & Dec	ICP-MS, Hg-CVAA
Background - Desert Aire/Vantage	Bass				
	Fillet	5	TE (2005)	June	Gamma Scan, U
	Carcass	5	TE (2005)	June	^{90}Sr
	Liver[d]	5	TE (2005)	June	ICP-MS, Hg-CVAA
	Carp				
	Fillet	5	BE (2006)	June	Gamma Scan, U
	Carcass	5	BE (2006)	June	^{90}Sr
	Liver[d]	5	BE (2006)	June	ICP-MS, Hg-CVAA

(a) Refer to Figure 3.2, 2005 Wildlife Sampling Locations.
(b) Samples are collected in 2005 according to their specified frequency unless otherwise noted.
(c) One co-sample provided to the Washington State Department of Health.
(d) Ecological assessment sample.

3.2.2 Geese

Location[a]	Species/Sample	Number of Samples	Frequency	Collection Period	Analyses
100 Areas	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan
	Bone	5	BE (2005)	Jul-Aug	^{90}Sr
	Liver[b]	5	BE (2005)	Jul-Aug	ICP-MS, Hg-CVAA
	Eggshells[b]	10	BE (2005)	May-June	^{90}Sr
Hanf Townsite to 300 Area	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan
	Bone	5	BE (2005)	Jul-Aug	^{90}Sr
	Liver[b]	5	BE (2005)	Jul-Aug	ICP-MS, Hg-CVAA
	Eggshells[b]	10	BE (2005)	May-June	^{90}Sr
Background -Vantage	Canada Goose				
	Muscle	5	BE (2005)	Jul-Aug	Gamma Scan
	Bone	5	BE (2005)	Jul-Aug	^{90}Sr
	Liver[b]	5	BE (2005)	Jul-Aug	ICP-MS, Hg-CVAA
	Eggshells[b]	10	BE (2005)	May-June	^{90}Sr

(a) Refer to Figure 3.2, 2005 Wildlife Sampling Locations.
(b) Ecological assessment sample.

3.2.3 Game Birds

Location	Species/Sample[a]	Number of Samples	Frequency	Collection Period	Analyses/Co-sample
100-D to 100-H	Pheasant				
	Muscle	4	BE (2006)	September	Gamma Scan
	Bone	4	BE (2006)	September	^{90}Sr
	Liver[b]	4	BE (2006)	September	ICP-MS
100-H to 100-F	Pheasant				
	Muscle	6	BE (2006)	September	Gamma Scan, DOH[c]
	Bone	6	BE (2006)	September	^{90}Sr, DOH[c]
	Liver[b]	6	BE (2006)	September	ICP-MS
Background	Pheasant				
	Muscle	5	BE (2006)	September	Gamma Scan, DOH[c]
	Bone	5	BE (2006)	September	^{90}Sr, DOH[c]
	Liver[b]	6	BE (2006)	September	ICP-MS

(a) Pheasant preferred; chukar or quail acceptable if pheasant is unavailable.
(b) Ecological assessment sample.
(c) One co-sample provided to the Washington State Department of Health.

3.2.4 Rabbits

Location[a]	Species/Sample	Number of Samples	Frequency	Collection Period	Analyses/Co-sample
100 N Area	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan, DOH[b]
	Bone	4	BE (2005)	Jan-Dec	^{90}Sr, DOH[b]
	Liver[c]	4	BE (2005)	Jan-Dec	ICP-MS
200 E Area	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan, DOH[b]
	Bone	4	BE (2005)	Jan-Dec	^{90}Sr, DOH[b]
	Liver[c]	4	BE (2005)	Jan-Dec	Pu, ICP-MS
200 West	Cottontail				
	Muscle	4	BE (2005)	Jan-Dec	Gamma Scan, DOH[b]
	Bone	4	BE (2005)	Jan-Dec	^{90}Sr, DOH[b]
	Liver[c]	4	BE (2005)	Jan-Dec	Pu, ICP-MS
Background - Grant/ Douglas Counties	Cottontail				
	Muscle	5	BE (2005)	Jan-Dec	Gamma Scan
	Bone	5	BE (2005)	Jan-Dec	^{90}Sr
	Liver[c]	5	BE (2005)	Jan-Dec	Pu, ICP-MS

(a) Refer to Figure 3.2, 2005 Wildlife Sampling Locations.
(b) One co-sample provided to the Washington State Department of Health.
(c) Ecological assessment sample.

3.2.5 Deer/Elk

Location	Species/Sample	Number of Samples	Frequency	Collection Period	Analyses/Co-sample
100 N Area	Mule Deer				
	Muscle	2	BE (2006)	Nov-Dec	Gamma Scan, DOH[a]
	Bone	2	BE (2006)	Nov-Dec	^{90}Sr, DOH[a]
	Liver[b]	2	BE (2006)	Nov-Dec	ICP-MS
200 Areas	Mule Deer				
	Muscle	2	BE (2006)	December	Gamma Scan
	Bone	2	BE (2006)	December	^{90}Sr
	Liver[b]	2	BE (2006)	December	Pu, ICP-MS
Road Kill at Onsite Location[c]	Mule Deer or Elk				
	Muscle	10	BE (2006)	As Available	Gamma Scan
	Bone	10	BE (2006)	As Available	^{90}Sr
Background[d]	Mule Deer				
	Muscle	2	BE (2006)	October	Gamma Scan, DOH[a]
	Bone	2	BE (2006)	October	^{90}Sr, DOH[a]
	Liver[b]	2	BE (2006)	October	Pu, ICP-MS

(a) One co-sample provided to the Washington State Department of Health.
(b) Ecological assessment sample.
(c) As available, according to location.
(d) One background sample provided to the Washington State Department of Health, the other background sample will be provided to PNNL by Washington State Department of Health.



Figure 3.2. 2005 Wildlife Sampling Locations

4.0 SOIL AND VEGETATION

4.1 SOIL

Location	Frequency[a]	Collection Period	Analyses/Co-sample
100 K Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
NE of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
E of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
100N Shore Above HGP	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
100N Spring Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Above 100D Pumphouse	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
100 Area Fire Stat	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
200 ENC	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
E of 200 E	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
200 ESE	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, ^{241}Am
S of 200 E	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
SW of B/C Cribs	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, ^{241}Am, DOH[b]
E of 200 W Gate	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu ,^{241}Am, DOH[b]
S of 200 W	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Rattlesnake Springs	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Yakima Barricade	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
400 E	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
SE Side of FFTF	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
North of 300 Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
South of 300 Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Hanford Townsite	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Wye Barricade[c]	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Prosser Barricade	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
ALE Field Lab	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
N End Vernita Bridge	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Wahluke Slope	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Berg Ranch	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Ringold Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
W End of Fir Road	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Taylor Flats No. 2	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Sagemoor Farm[c]	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, ^{241}Am
Byers Landing	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Riverview-Harris	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Benton City	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Sunnyside	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, ^{241}Am
McNary Dam	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Walla Walla	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Washtucna	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Toppenish	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
George	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Othello	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Wanapum	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]

(a) Samples are collected once every 3 to 5 years and will be collected in 2007.
(b) One co-sample provided to the Washington State Department of Health.
(c) Two Quality Assurance samples submitted for analyses.

4.2 VEGETATION

Location	Frequency[a]	Collection Period	Analyses/Co-sample
100 K Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
NE of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
E of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
100N Spring Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
E of 200 W Gate	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
300 Area Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Hanford Townsite	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Hanford Twnsite HRM28	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Ringold Area	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Sagemoor Farm	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Byers Landing	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Riverview-Harris	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Sunnyside	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
Toppenish	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu
George	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Othello	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]
Wanapum	3 to 5 yrs	June-Sept	Gamma Scan, ^{90}Sr, U, Pu, DOH[b]

(a) Samples are collected once every 3 to 5 years and will be collected in 2007.
(b) One co-sample provided to the Washington State Department of Health.

5.0 SEDIMENT

Location[a]	HRM [b]	Frequency	Analyses/Co-sample
Onsite Pond			
West Lake		Q	Gamma Scan, ^{90}Sr, U, ^{99}Tc, Alpha, Beta
River			
McNary Dam			
McNary-OR. Side Near Dam		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH[c]
McNary-Wash. Side Near Dam		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH[c]
Priest Rapids Dam (PRD)			
PRD-Grant Side Near Dam		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH[c]
PRD-Yakima Side Near Dam		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH[c]
White Bluffs Slough		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
100 F Slough		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC, DOH[c]
Hanford Slough		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
Richland		A	Gamma Scan, ^{90}Sr, U, Pu, ICP-MS, Hg-CVAA, SEM/AVS, Hg-CVAF, TOC
Riverbank Springs			
100-B Spring 38-3	3.8	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA
100-K Spring 63-1	6.3	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA, DOH[c]
100-H Spring 145-1	14.4	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA
100-F Spring 207-1	21.3	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA
Hanford Spr UR 28-2[d]	27.8	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA
Hanford Spr DR 28-2[e]	28.3	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA, DOH[c]
300 Area Spring 41-9	41.9	A	Gamma Scan, U
300 Area Spring 42-2	42.1	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA
300 Area Spr DR 42-2[e]	42.4	A	Gamma Scan, ^{90}Sr, U, ICP-MS, Hg-CVAA, DOH[c]
300 Area Spring 42-7	42.7	A	Gamma Scan, U
Richland Spr(SRL 437-1)	43.7	A	Gamma Scan, U

(a) Refer to Figure 5.1, 2005 Sediment Sampling Locations.
(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1 mile apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.
(c) One co-sample provided to the Washington State Department of Health.
(d) UR - Upriver from noted location.
(e) DR - Downriver from noted location.



Figure 5.1. 2005 Sediment Sampling Locations

6.0 EXTERNAL RADIATION

6.1 THERMOLUMINESCENT DOSIMETERS (TLDS)

6.1.1 Terrestrial Locations

Location	Location Number	Frequency	Measurement/Co-sample	Instrument
Onsite[a]				
100 B Reactor Museum	1	Q	Ambient Dose, DOH[b]	
100 K Area[c]	2	Q	Ambient Dose	
100 D Area[c]	3	Q	Ambient Dose	
100 F Met Tower[c]	4	Q	Ambient Dose	
Hanford Townsite[c]	5	Q	Ambient Dose	
West Lake	6	Q	Ambient Dose	
N of 200 E[c]	7	Q	Ambient Dose, DOH[b]	
B Pond[c]	8	Q	Ambient Dose	
E of 200 E	9	Q	Ambient Dose, DOH[b]	
200 ESE[c]	10	Q	Ambient Dose	
S of 200 E[c]	11	Q	Ambient Dose	
200 Tel. Exchange[c]	12	Q	Ambient Dose	
SW of B/C Cribs[c]	13	Q	Ambient Dose	
200 W SE[c]	14	Q	Ambient Dose	
Army Loop Camp[c]	15	Q	Ambient Dose	
3705 Bldg. 300 Area	16	Q	Ambient Dose	
313 Bldg.	17	Q	Ambient Dose, DOH[b]	
300 Water Intake[c]	18	Q	Ambient Dose	
300 Southwest Gate	19	Q	Ambient Dose	
300 South Gate[c]	20	Q	Ambient Dose	
300 Trench[c]	21	Q	Ambient Dose	
300 NE[c]	22	Q	Ambient Dose	
400 E[c]	23	Q	Ambient Dose	
400 W[c]	24	Q	Ambient Dose	
400 S[c]	25	Q	Ambient Dose	
400 N[c]	26	Q	Ambient Dose	
US Ecology NE Corner	27	Q	Ambient Dose, DOH[b]	
US Ecology SE Corner	28	Q	Ambient Dose, DOH[b]	
US Ecology NW Corner	29	Q	Ambient Dose, DOH[b]	
US Ecology SW Corner	30	Q	Ambient Dose, DOH[b]	
Wye Barricade[c]	31	Q	Ambient Dose, DOH[b]	
WPPSS 1; S of WNP 2	32	Q	Ambient Dose	
LIGO	33	Q	Ambient Dose, DOH[b]	
Perimeter[d]				
Ringold Met Tower[c]	1	Q	Ambient Dose	
W End of Fir Road[c]	2	Q	Ambient Dose, DOH[b]	
Dogwood Met Tower[c]	3	Q	Ambient Dose	
Byers Landing[c]	4	Q	Ambient Dose, DOH[b]	
Battelle Complex[c]	5	Q	Ambient Dose	
WPPSS 4; WPS Warehse	6	Q	Ambient Dose, DOH[b]	
Horn Rapids Substa[c]	7	Q	Ambient Dose, DOH[b]	

6.1.1 Terrestrial Locations (contd)

Location	Location Number	Frequency	Measurement/Co-sample	Instrument
Prosser Barricade[c]	8	Q	Ambient Dose	
Yakima Barricade[c]	9	Q	Ambient Dose, DOH[b]	
Rattlesnake Springs[c]	10	Q	Ambient Dose	
Wahluke Slope[c]	11	Q	Ambient Dose	
Community[d]				
Mattawa[c]	12	Q	Ambient Dose	
Othello[c]	13	Q	Ambient Dose, DOH[b]	
Basin City School[c][e]	14	Q	Ambient Dose	PIC
Edwin Markham School[c][e]	15	Q	Ambient Dose	PIC
Pasco[c]	16	Q	Ambient Dose	
Kennewick-Ely Street[c]	17	Q	Ambient Dose, DOH[b]	
Benton City[c]	18	Q	Ambient Dose	
Distant[d]				
Yakima[c]	19	Q	Ambient Dose, DOH[b]	
Toppenish[c][e]	20	Q	Ambient Dose, DOH[b]	PIC

(a) Refer to Figure 6.1, 2005 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Site.
(b) Washington State Department of Health TLD also at this location.
(c) Collocated with air sampling station.
(d) Refer to Figure 6.2, 2005 Thermoluminescent Dosimeter (TLD) Locations for Perimeter, Community, and Distant Sites.
(e) Community-operated environmental surveillance station.



Figure 6.1. 2005 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Site



Figure 6.2. 2005 Thermoluminescent Dosimeter (TLD) Locations for Perimeter, Community, and Distant Sites

6.1.2 Columbia River Shoreline Locations

Location[a]	Location Number	Frequency	Measurement	Instrument
S End Vernita Bridge[b]	1	Q	Ambient Dose	
Above 100 B Area	2	Q	Ambient Dose	
Below 100 B Ret Basin	3	Q	Ambient Dose	
Coyote Rapids	4	Q	Ambient Dose	
Above 1K Boat Ramp	5	Q	Ambient Dose	
Below 100N Outfall	6	Q	Ambient Dose	
Above Tip 100N Berm	7	Q	Ambient Dose	
100 N Trench Spring	8	Q	Ambient Dose	
Below 100 D Area	9	Q	Ambient Dose	
100-D Island	10	Q	Ambient Dose	
100 H Area	11	Q	Ambient Dose	
Lo End Locke Isl	12	Q	Ambient Dose	
White Bluffs Fy Lnd.	13	Q	Ambient Dose	
White Bluffs Slough	14	Q	Ambient Dose	
Below 100 F	15	Q	Ambient Dose	
100 F Floodplain	16	Q	Ambient Dose	
Hanford Slough	17	Q	Ambient Dose	
Hanf Powerline Xing	18	Q	Ambient Dose	
Hanford RR Track	19	Q	Ambient Dose	
Savage Isl Slough	20	Q	Ambient Dose	
Ringold Island	21	Q	Ambient Dose	
Powerline Crossing	22	Q	Ambient Dose	
S End Wooded Island	23	Q	Ambient Dose	
Islnd Above 300 Area	24	Q	Ambient Dose	
Island Near 300 Area	25	Q	Ambient Dose	
Port of Benton-River	26	Q	Ambient Dose	
N. Richland	27	Q	Ambient Dose	PIC[c]
Riverview	28	Q	Ambient Dose	
Isl DS Bateman Isl	29	Q	Ambient Dose	

(a) Refer to Figure 6.3, 2005 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Reach of the Columbia River.
(b) Collocated with air sampling station.
(c) PIC located at Leslie Groves-Rchlnd air sampling station.

6.2 COLUMBIA RIVER SHORELINE RADIATION SURVEYS

Location[a]	Location Number	Frequency	Measurement	Instrument
S End Vernita Bridge	1	Q	Exposure, Surface contamination	BICRON, GM
Coyote Rapids	4	Q	Exposure, Surface contamination	BICRON, GM
Above 1K Boat Ramp	5	Q	Exposure, Surface contamination	BICRON, GM
Below 100N Outfall	6	Q	Exposure, Surface contamination	BICRON, GM
Above Tip 100N Berm	7	Q	Exposure, Surface contamination	BICRON, GM
100 N Trench Spring	8	Q	Exposure, Surface contamination	BICRON, GM
100-D Island	10	Q	Exposure, Surface contamination	BICRON, GM
Lo End Locke Isl	12	Q	Exposure, Surface contamination	BICRON, GM
White Bluffs Fy Lnd.	13	Q	Exposure, Surface contamination	BICRON, GM
Below 100 F	15	Q	Exposure, Surface contamination	BICRON, GM
Hanf Powerline Xing	18	Q	Exposure, Surface contamination	BICRON, GM
Hanford RR Track	19	Q	Exposure, Surface contamination	BICRON, GM
Ringold Island	21	Q	Exposure, Surface contamination	BICRON, GM
Powerline Crossing	22	Q	Exposure, Surface contamination	BICRON, GM
Islnd Above 300 Area	24	Q	Exposure, Surface contamination	BICRON, GM

(a) Refer to Figure 6.3, 2005 Thermoluminescent Dosimeter (TLD) Locations on the Hanford Reach of the Columbia River.



Figure 6.3. 2005 Thermoluminescent Dosimeter (TLD) and Radiation Survey Locations on the Hanford Reach of the Columbia River

DISTRIBUTION

No. of Copies

OFFSITE (24)

2 L. Albin
Division of Radiation Protection
Washington State Dept. of Health
P.O. Box 47827
Olympia, WA 98504-7827

R. Buck, Jr.
Wanapum
P.O. Box 878
Ephrata, WA 98823

2 N. Ceto
U.S. Environmental Protection Agency,
Hanford Project Office
712 Swift Boulevard, Suite 5, MS B5-01
Richland, WA 99352

S. Harris
Confederated Tribes of the Umatilla Indian
Reservation
P.O. Box 638
Pendleton, OR 97801

G. Hughes
U.S. Fish and Wildlife Service
3250 Port of Benton Boulevard
Richland, WA 99352-1670

R.E. Jaquish
Washington State Department of Health
1232 Vintage Avenue
Richland, WA 99352

R. Jim, Manager
Environmental Restoration and Waste
Management Program
The Confederated Tribes and Bands of the
Yakama Nation
P.O. Box 151
Toppenish, WA 98948

No. of Copies

D. Landeen
Hanford Natural Resources Trustee Council
Nez Perce Tribe
P.O. Box 365
Lapwai, ID 83540

S. Langford
Division of Radiation Protection
Washington State Dept. of Health
P.O. Box 47827
Olympia, WA 98504-7827

D. McBaugh
Division of Radiation Protection
Washington State Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

Office of Environmental Cleanup
Director - Hanford Project Office
1200 6th Avenue
Seattle, WA 98101

C. Palmer
The Confederated Tribes and Bands of the
Yakama Nation
Department of Natural Resources
P.O. Box 151
Toppenish, WA 98948

C. Pleasants
Confederated Tribes of the Colville Reservation
P.O. Box 150
Nespelem, WA 99155

M. Priddy
Washington State Department of Health
309 Bradley, Suite 201
Richland, WA 99352

M. Ritter
U.S. Fish and Wildlife Service
3250 Port of Benton Boulevard
Richland, WA 99354

No. of Copies

B. Ruben
Washington State Department of Health
309 Bradley, Suite 201
Richland, WA 99352

L. Seelatsee
Wanapum
P.O. Box 878
Ephrata, WA 98823

P. Sobotta
Environmental Restoration and Waste Management Program
Nez Perce Tribe
P.O. Box 365
Lapwai, ID 83540

T. Southworth
Energy Northwest
P.O. Box 968
Richland, WA 99352

E. Stensgar
Coeur d'Alene Tribal Council
P.O. Box 408
Plummer, ID 83851-9704

S.P. Van Verst
Division of Radiation Protection
Washington State Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

U.S. Environmental Protection Agency, Hanford Project Office
712 Swift Blvd, Suite 5 MS B5-01
Richland WA 99352

ONSITE (71)

14 DOE Richland Operations

L. Erickson	A3-04
J.B. Hall	A3-04
K.A. Klein	A7-50
M. Thompson	A6-38
A.C. Tortoso	A6-38
D.C. Ward (5)	A2-17
S.H. Wisness	A3-04
J. Zeisloft	A3-04
DOE Public Reading Room (2)	H2-53

DOE Office of River Protection

J.E. Rasmussen	H6-60

Bechtel Hanford, Inc.

K.A. Gano	H0-23

CH2M HILL Hanford Group, Inc.

R.W. Ovink	H9-01

Duratek Federal Services of Hanford

L.P. Diediker	H8-13

4 Duratek Federal Services Northwest

J.J. Dorian	H1-11
S.M. McKinney	H1-11
R.M. Mitchell	H1-11
C.J. Perkins	H1-11

3 Fluor Hanford

D.L. Dyekman	H8-13
A.R. Johnson	H5-26
L.M. Kelly	S4-21

46 Pacific Northwest National Laboratory

E.J. Antonio	K3-54
L.E. Bisping (30)	K6-75
A.T. Cooper	K6-75
R.L. Dirkes	K6-75
P.E. Dresel	K6-96
B.G. Fritz	K6-75
R.W. Fulton	K6-75
R.W. Hanf, Jr.	K6-75
M.J. Hartman	K6-96
E.A. Lepel	P8-01
B.E. Opitz	K6-75
G.W. Patton	K6-75
R.E. Peterson	K6-96
T.M. Poston	K6-75
Historical File—T.M. Poston	K6-75
Hanford Technical Library (2)	P8-55