

PNNL-35901

ICP-MS For Analysis of Lithium Isotopic Ratios in Materials Highly Enriched in 7Li (Abstract)

CRADA #626 (PNNL #82577)

September 2023

Sean R Scott

Kairos Power LLC



DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by
BATTELLE

for the
UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830

Printed in the United States of America

Available to the public from the National Technical Information Service 5301 Shawnee Rd., Alexandria, VA 22312 ph: (800) 553-NTIS (6847) or (703) 605-6000

email: reports@osti.gov

email: <u>info@ntis.gov</u>
Online ordering: http://www.ntis.gov

ICP-MS For Analysis of Lithium Isotopic Ratios in Materials Highly Enriched in 7Li (Abstract)

CRADA #626 (PNNL #82577)

Abstract

September 2023

Sean R Scott

Prepared for the U.S. Department of Energy under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory Richland, Washington 99354

Abstract

The purpose of this project is to develop analytical methods that can be deployed for analysis of lithium isotope enrichment products. One method involves rapid, high-throughput, relatively low precision analysis for direct monitoring of enrichment processes. A second method involves slower, but more precise analysis of final products of the enrichment process. We will use commercially available analytical equipment (quadrupole base inductively coupled plasma mass spectrometry and multi-collector magnetic sector inductively coupled plasma mass spectrometry) so that the analytical methods developed can be applied broadly.

Pacific Northwest National Laboratory

902 Battelle Boulevard P.O. Box 999 Richland, WA 99354 1-888-375-PNNL (7665)

www.pnnl.gov